


MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

*** PROJECT INFORMATION

Project Name :
Date : 2013/3/28

*** CONTROL DATA

Panel Zone Effect : Do not Calculate
Unit System : KN, M
Definition of Frame
- X Direction of Frame : Unbraced I Sway
- Y Direction of Frame : Unbraced I Sway
- Design Type : 3-D
Design Code
- Steel : Eurocode3:05
- Concrete : Eurocode2:04
- SRC : SSRC79


*** LOAD CASE DATA

NO	NAME	TYPE	SELF WEIGHT FACTOR			DESCRIPTION
			X	Y	Z	
2	G1	USER	0.000	0.000	-1.000	Peso proprio struttu
3	G2	USER	0.000	0.000	0.000	Carico permanente
4	G1-Imp. adiacente	USER	0.000	0.000	0.000	Peso proprio struttu
5	G2-Imp. adiacente	USER	0.000	0.000	0.000	Carico permanente im
6	q3	L	0.000	0.000	0.000	frenamento
7	q4-1	L	0.000	0.000	0.000	azione centrifuga
8	q4-2	L	0.000	0.000	0.000	azione centrifuga
9	q4-3	L	0.000	0.000	0.000	azione centrifuga
10	q4-4	L	0.000	0.000	0.000	azione centrifuga
11	q4-5	L	0.000	0.000	0.000	azione centrifuga
12	q4-6	L	0.000	0.000	0.000	azione centrifuga
13	q4-7	L	0.000	0.000	0.000	azione centrifuga
14	q5 - p.c. X	W	0.000	0.000	0.000	azione del vento a p
17	q5 - p.c. Y	W	0.000	0.000	0.000	azione del vento a p
16	q5 - p.s. X	W	0.000	0.000	0.000	azione del vento a p
18	q5 - p.s. Y	W	0.000	0.000	0.000	azione del vento a p
19	q5 - pile X	W	0.000	0.000	0.000	azione del vento sul
20	q5 - pile Y	W	0.000	0.000	0.000	azione del vento sul
1	q7	L	0.000	0.000	0.000	resistenze passive d
15	T	T	0.000	0.000	0.000	variazione termica
21	M. torc. (SLVx)	E	0.000	0.000	0.000	Eccentricità acciden
22	M. torc. (SLVy)	E	0.000	0.000	0.000	Eccentricità acciden

*** MATERIAL PROPERTY DATA

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

NO	WEIGHT	NAME	TYPE	MODULUS OF ELASTICITY	SHEAR MODULUS	THERMAL COEFF.	PO
0.3	1	S355	STEEL	2.1e+008	8.077e+007	1.2e-005	
0.2	2	C35/45	CONC	3.408e+007	1.42e+007	1e-005	
0.3	3	rigid	USER	2.1e+010	8.077e+009	6.667e-006	
0.2	4	C32/40 E pieno	CONC	3.364e+007	1.402e+007	5.556e-006	
0.2	5	C32/40 E/3	CONC	1.121e+007	4.673e+006	5.556e-006	
0.2	6	C32/40 E/4	CONC	8.411e+006	3.504e+006	5.556e-006	

NO	NAME	TYPE	STRENGTH OF DESIGN MATERIAL			
			STEEL	CONCRETE	MAIN REBAR	SU
1	S355	STEEL	0	-	-	-
2	C35/45	CONC	-	3.5e+004	4e+005	
4	C32/40 E pieno	CONC	-	0	4e+005	
5	C32/40 E/3	CONC	-	0	4e+005	
6	C32/40 E/4	CONC	-	0	4e+005	

*** NODE DATA


NO	X	Y	Z	TEMPERATURE
485	37.05	-49.21	-6.586	0
486	75.59	-61.24	-8.206	0
487	123.8	-51.8	-9.877	0
488	156.6	-15.2	-9.345	0
489	160.7	33.75	-7.56	0
490	134.5	75.35	-5.776	0
492	37.05	-49.21	-7.586	0
493	75.59	-61.24	-9.156	0
494	123.8	-51.8	-10.83	0
495	156.6	-15.2	-10.34	0
496	160.7	33.75	-8.51	0
497	134.5	75.35	-6.776	0
499	37.05	-49.21	-8.586	0
500	75.59	-61.24	-10.16	0
501	123.8	-51.8	-11.83	0
502	156.6	-15.2	-11.34	0
503	160.7	33.75	-9.51	0
504	134.5	75.35	-7.776	0
506	37.05	-49.21	-9.586	0
507	75.59	-61.24	-11.16	0
508	123.8	-51.8	-12.83	0
509	156.6	-15.2	-12.34	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A


510	160.7	33.75	-10.51	0
511	134.5	75.35	-8.776	0
513	37.05	-49.21	-10.59	0
514	75.59	-61.24	-12.16	0
515	123.8	-51.8	-13.83	0
516	156.6	-15.2	-13.34	0
517	160.7	33.75	-11.51	0
518	134.5	75.35	-9.776	0
520	37.05	-49.21	-11.59	0
521	75.59	-61.24	-13.16	0
522	123.8	-51.8	-14.83	0
523	156.6	-15.2	-14.34	0
524	160.7	33.75	-12.51	0
525	134.5	75.35	-10.78	0
527	37.05	-49.21	-12.59	0
528	75.59	-61.24	-14.16	0
529	123.8	-51.8	-15.83	0
530	156.6	-15.2	-15.34	0
531	160.7	33.75	-13.51	0
532	134.5	75.35	-11.78	0
534	37.05	-49.21	-13.59	0
535	75.59	-61.24	-15.16	0
536	123.8	-51.8	-16.83	0
537	156.6	-15.2	-16.34	0
538	160.7	33.75	-14.51	0
539	134.5	75.35	-12.78	0
541	37.05	-49.21	-14.59	0
542	75.59	-61.24	-16.16	0
543	123.8	-51.8	-17.83	0
544	156.6	-15.2	-17.34	0
545	160.7	33.75	-15.51	0
546	134.5	75.35	-13.78	0
548	37.05	-49.21	-15.59	0
549	75.59	-61.24	-17.16	0
550	123.8	-51.8	-18.83	0
551	156.6	-15.2	-18.34	0
552	160.7	33.75	-16.51	0
553	134.5	75.35	-14.48	0
555	37.05	-49.21	-16.59	0
556	75.59	-61.24	-18.16	0
557	123.8	-51.8	-19.83	0
558	156.6	-15.2	-19.34	0
559	160.7	33.75	-17.51	0
562	37.05	-49.21	-17.59	0
563	75.59	-61.24	-19.16	0
564	123.8	-51.8	-20.83	0
565	156.6	-15.2	-20.34	0
566	160.7	33.75	-18.51	0
569	37.05	-49.21	-18.59	0
570	75.59	-61.24	-20.16	0
571	123.8	-51.8	-21.83	0
572	156.6	-15.2	-21.34	0
573	160.7	33.75	-19.51	0
576	37.05	-49.21	-19.59	0
577	75.59	-61.24	-21.16	0
578	123.8	-51.8	-22.83	0
579	156.6	-15.2	-22.34	0
580	160.7	33.75	-20.51	0
583	37.05	-49.21	-20.59	0
584	75.59	-61.24	-22.16	0
585	123.8	-51.8	-23.83	0
586	156.6	-15.2	-23.34	0
587	160.7	33.75	-21.51	0
590	37.05	-49.21	-21.59	0
591	75.59	-61.24	-23.16	0
592	123.8	-51.8	-24.83	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A


593	156.6	-15.2	-24.34	0
594	160.7	33.75	-22.51	0
597	37.05	-49.21	-22.59	0
598	75.59	-61.24	-24.16	0
599	123.8	-51.8	-25.83	0
600	156.6	-15.2	-25.34	0
601	160.7	33.75	-23.51	0
604	37.05	-49.21	-23.59	0
605	75.59	-61.24	-25.16	0
606	123.8	-51.8	-26.83	0
607	156.6	-15.2	-26.34	0
608	160.7	33.75	-24.51	0
611	37.05	-49.21	-24.59	0
612	75.59	-61.24	-26.16	0
613	123.8	-51.8	-27.83	0
614	156.6	-15.2	-27.34	0
615	160.7	33.75	-25.51	0
618	37.05	-49.21	-25.59	0
619	75.59	-61.24	-27.16	0
620	123.8	-51.8	-28.83	0
621	156.6	-15.2	-28.34	0
625	37.05	-49.21	-26.59	0
626	75.59	-61.24	-28.16	0
627	123.8	-51.8	-29.83	0
628	156.6	-15.2	-29.34	0
632	37.05	-49.21	-27.59	0
633	75.59	-61.24	-29.16	0
634	123.8	-51.8	-30.83	0
635	156.6	-15.2	-30.34	0
639	37.05	-49.21	-28.59	0
640	75.59	-61.24	-30.16	0
641	123.8	-51.8	-31.83	0
642	156.6	-15.2	-31.34	0
646	37.05	-49.21	-29.59	0
647	75.59	-61.24	-31.16	0
648	123.8	-51.8	-32.83	0
649	156.6	-15.2	-31.84	0
653	37.05	-49.21	-30.59	0
654	75.59	-61.24	-32.16	0
655	123.8	-51.8	-33.83	0
660	37.05	-49.21	-31.59	0
661	75.59	-61.24	-33.16	0
662	123.8	-51.8	-35.58	0
667	37.05	-49.21	-32.59	0
668	75.59	-61.24	-34.16	0
674	37.05	-49.21	-33.59	0
675	75.59	-61.24	-35.16	0
681	37.05	-49.21	-34.59	0
682	75.59	-61.24	-36.16	0
683	37.05	-49.21	-35.59	0
684	75.59	-61.24	-37.16	0
685	37.05	-49.21	-36.59	0
686	75.59	-61.24	-38.16	0
687	37.05	-49.21	-37.59	0
688	75.59	-61.24	-39.16	0
689	37.05	-49.21	-38.59	0
690	75.59	-61.24	-40.16	0
691	37.05	-49.21	-39.59	0
692	75.59	-61.24	-41.16	0
693	37.05	-49.21	-40.59	0
694	75.59	-61.24	-41.81	0
695	37.05	-49.21	-41.59	0
697	37.05	-49.21	-42.59	0
699	37.05	-49.21	-43.59	0
701	37.05	-49.21	-44.09	0
703	75.59	-61.24	-7.656	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A


704	123.8	-51.8	-9.327	0
705	156.6	-15.2	-8.795	0
706	160.7	33.75	-7.01	0
707	134.5	75.35	-5.226	0
709	37.23	-49.3	-3.832	0
710	75.59	-61.24	-5.506	0
711	123.8	-51.8	-7.177	0
712	156.6	-15.2	-6.645	0
713	160.7	33.75	-4.86	0
714	134.5	75.35	-3.076	0
715	100.3	95.39	-2.683	0
717	76.59	-61.37	-5.54	0
718	77.58	-61.48	-5.575	0
719	78.57	-61.58	-5.609	0
720	79.57	-61.67	-5.644	0
721	80.57	-61.74	-5.678	0
722	81.56	-61.8	-5.713	0
723	82.56	-61.85	-5.747	0
724	83.56	-61.89	-5.782	0
725	84.56	-61.91	-5.817	0
726	85.56	-61.92	-5.851	0
727	86.56	-61.91	-5.886	0
728	87.56	-61.89	-5.921	0
729	88.56	-61.86	-5.955	0
730	89.56	-61.82	-5.99	0
731	90.55	-61.76	-6.024	0
732	91.55	-61.69	-6.059	0
733	92.55	-61.61	-6.093	0
734	93.54	-61.51	-6.128	0
735	94.54	-61.4	-6.162	0
736	95.53	-61.28	-6.197	0
737	96.52	-61.15	-6.231	0
738	97.51	-61	-6.265	0
739	98.49	-60.84	-6.3	0
740	99.48	-60.66	-6.334	0
741	100.5	-60.48	-6.368	0
742	101.4	-60.28	-6.402	0
743	102.4	-60.06	-6.436	0
744	103.4	-59.84	-6.469	0
745	104.4	-59.6	-6.503	0
746	105.3	-59.35	-6.536	0
747	106.3	-59.09	-6.57	0
748	107.3	-58.81	-6.603	0
749	108.2	-58.52	-6.636	0
750	109.2	-58.22	-6.669	0
751	110.1	-57.91	-6.702	0
752	111.1	-57.58	-6.735	0
753	112	-57.24	-6.768	0
754	112.9	-56.89	-6.8	0
755	113.9	-56.53	-6.832	0
756	114.8	-56.16	-6.865	0
757	115.7	-55.77	-6.897	0
758	116.6	-55.37	-6.928	0
759	117.5	-54.96	-6.96	0
760	118.4	-54.54	-6.991	0
761	119.3	-54.1	-7.022	0
762	120.2	-53.65	-7.053	0
763	121.1	-53.2	-7.084	0
764	122	-52.73	-7.115	0
765	122.9	-52.25	-7.145	0
767	124.7	-51.29	-7.163	0
768	125.5	-50.77	-7.149	0
769	126.4	-50.24	-7.135	0
770	127.2	-49.7	-7.121	0
771	128	-49.15	-7.108	0
772	128.9	-48.58	-7.094	0

PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A	


773	129.7	-48.01	-7.081	0
774	130.5	-47.43	-7.068	0
775	131.3	-46.84	-7.055	0
776	132.1	-46.23	-7.042	0
777	132.9	-45.62	-7.029	0
778	133.7	-45	-7.016	0
779	134.5	-44.36	-7.004	0
780	135.2	-43.72	-6.991	0
781	136	-43.07	-6.979	0
782	136.8	-42.41	-6.966	0
783	137.5	-41.74	-6.954	0
784	138.2	-41.06	-6.942	0
785	139	-40.37	-6.931	0
786	139.7	-39.67	-6.919	0
787	140.4	-38.97	-6.908	0
788	141.1	-38.25	-6.896	0
789	141.8	-37.53	-6.885	0
790	142.5	-36.8	-6.874	0
791	143.1	-36.05	-6.863	0
792	143.8	-35.3	-6.852	0
793	144.5	-34.55	-6.841	0
794	145.1	-33.78	-6.831	0
795	145.7	-33.01	-6.821	0
796	146.4	-32.23	-6.811	0
797	147	-31.44	-6.801	0
798	147.6	-30.64	-6.791	0
799	148.2	-29.83	-6.781	0
800	148.8	-29.02	-6.771	0
801	149.4	-28.2	-6.762	0
802	149.9	-27.38	-6.753	0
803	150.5	-26.54	-6.744	0
804	151	-25.7	-6.735	0
805	151.6	-24.86	-6.726	0
806	152.1	-24	-6.718	0
807	152.6	-23.14	-6.71	0
808	153.1	-22.28	-6.701	0
809	153.6	-21.4	-6.693	0
810	154.1	-20.53	-6.686	0
811	154.6	-19.64	-6.678	0
812	155	-18.75	-6.671	0
813	155.5	-17.85	-6.663	0
814	155.9	-16.95	-6.656	0
815	156.3	-16.05	-6.649	0
817	157	-14.27	-6.611	0
818	157.4	-13.34	-6.577	0
819	157.7	-12.41	-6.543	0
820	158.1	-11.47	-6.509	0
821	158.4	-10.53	-6.475	0
822	158.8	-9.576	-6.44	0
823	159.1	-8.623	-6.405	0
824	159.4	-7.666	-6.37	0
825	159.7	-6.705	-6.335	0
826	160	-5.74	-6.3	0
827	160.2	-4.772	-6.265	0
828	160.5	-3.8	-6.229	0
829	160.7	-2.825	-6.194	0
830	161	-1.847	-6.158	0
831	161.2	-0.8654	-6.122	0
832	161.4	0.1185	-6.087	0
833	161.6	1.105	-6.051	0
834	161.8	2.094	-6.015	0
835	161.9	3.085	-5.978	0
836	162.1	4.078	-5.942	0
837	162.2	5.073	-5.906	0
838	162.4	6.07	-5.87	0
839	162.5	7.069	-5.833	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A


840	162.6	8.068	-5.797	0
841	162.7	9.07	-5.76	0
842	162.7	10.07	-5.724	0
843	162.8	11.07	-5.687	0
844	162.8	12.08	-5.65	0
845	162.9	13.08	-5.614	0
846	162.9	14.09	-5.577	0
847	162.9	15.09	-5.541	0
848	162.9	16.1	-5.504	0
849	162.9	17.1	-5.467	0
850	162.9	18.11	-5.431	0
851	162.8	19.11	-5.394	0
852	162.8	20.11	-5.358	0
853	162.7	21.12	-5.321	0
854	162.6	22.12	-5.284	0
855	162.5	23.12	-5.248	0
856	162.4	24.12	-5.212	0
857	162.3	25.12	-5.175	0
858	162.2	26.11	-5.139	0
859	162	27.1	-5.103	0
860	161.8	28.1	-5.067	0
861	161.7	29.09	-5.03	0
862	161.5	30.07	-4.994	0
863	161.3	31.06	-4.959	0
864	161.1	32.04	-4.923	0
865	160.8	33.02	-4.887	0
866	160.4	34.73	-4.828	0
867	160.2	35.7	-4.796	0
868	159.9	36.66	-4.764	0
869	159.6	37.63	-4.731	0
870	159.3	38.59	-4.698	0
871	159	39.54	-4.665	0
872	158.7	40.5	-4.631	0
873	158.4	41.44	-4.598	0
874	158	42.39	-4.564	0
875	157.7	43.33	-4.53	0
876	157.3	44.26	-4.495	0
877	156.9	45.19	-4.461	0
878	156.6	46.11	-4.426	0
879	156.2	47.03	-4.392	0
880	155.7	47.95	-4.357	0
881	155.3	48.86	-4.321	0
882	154.9	49.76	-4.286	0
883	154.4	50.65	-4.251	0
884	154	51.55	-4.215	0
885	153.5	52.43	-4.179	0
886	153	53.31	-4.144	0
887	152.5	54.18	-4.107	0
888	152	55.05	-4.071	0
889	151.5	55.9	-4.035	0
890	151	56.76	-3.999	0
891	150.4	57.6	-3.962	0
892	149.9	58.44	-3.926	0
893	149.3	59.27	-3.889	0
894	148.7	60.09	-3.852	0
895	148.1	60.91	-3.815	0
896	147.5	61.72	-3.778	0
897	146.9	62.52	-3.741	0
898	146.3	63.31	-3.704	0
899	145.7	64.09	-3.667	0
900	145.1	64.87	-3.63	0
901	144.4	65.64	-3.593	0
902	143.8	66.39	-3.556	0
903	143.1	67.15	-3.518	0
904	142.4	67.89	-3.481	0
905	141.7	68.62	-3.444	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A


906	141	69.34	-3.406	0
907	140.3	70.06	-3.369	0
908	139.6	70.76	-3.332	0
909	138.9	71.46	-3.294	0
910	138.2	72.15	-3.257	0
911	137.4	72.82	-3.22	0
912	136.7	73.49	-3.182	0
913	135.9	74.15	-3.145	0
914	135.1	74.79	-3.108	0
954	74.61	-61.06	-5.468	0
955	73.63	-60.86	-5.431	0
956	72.66	-60.65	-5.393	0
957	71.68	-60.42	-5.354	0
958	70.71	-60.19	-5.316	0
959	69.74	-59.94	-5.277	0
960	68.78	-59.68	-5.237	0
961	67.82	-59.4	-5.198	0
962	66.86	-59.11	-5.158	0
963	65.91	-58.81	-5.118	0
964	64.96	-58.5	-5.077	0
965	64.01	-58.18	-5.037	0
967	37.8	-49.48	-3.886	0
968	38.98	-49.85	-3.968	0
969	39.94	-50.17	-4.009	0
970	40.9	-50.49	-4.05	0
971	41.86	-50.81	-4.091	0
972	42.83	-51.13	-4.132	0
973	43.79	-51.45	-4.173	0
974	44.75	-51.77	-4.215	0
975	45.72	-52.09	-4.256	0
976	46.68	-52.41	-4.297	0
977	47.64	-52.73	-4.338	0
978	48.61	-53.05	-4.379	0
979	49.57	-53.37	-4.42	0
980	50.53	-53.69	-4.461	0
981	51.49	-54.01	-4.502	0
982	52.46	-54.33	-4.543	0
983	53.42	-54.65	-4.584	0
984	54.38	-54.97	-4.626	0
985	55.35	-55.29	-4.667	0
986	56.31	-55.61	-4.708	0
987	57.27	-55.93	-4.749	0
988	58.23	-56.25	-4.79	0
989	59.2	-56.57	-4.831	0
990	60.16	-56.89	-4.872	0
991	61.12	-57.22	-4.913	0
992	62.09	-57.54	-4.954	0
993	63.05	-57.86	-4.995	0
994	38.61	-47.21	-6.586	0
995	38.61	-47.21	-6.036	0
996	37	-51.74	-6.586	0
997	37	-51.74	-6.036	0
998	75.92	-58.87	-8.206	0
999	75.92	-58.87	-7.656	0
1000	75.27	-63.62	-8.206	0
1001	75.27	-63.62	-7.656	0
1002	122.6	-49.72	-9.877	0
1003	154.4	-14.2	-9.345	0
1004	158.3	33.22	-7.56	0
1005	133	73.51	-5.776	0
1007	122.6	-49.72	-9.327	0
1008	154.4	-14.2	-8.795	0
1009	158.3	33.22	-7.01	0
1010	133	73.51	-5.226	0
1012	125	-53.88	-9.877	0
1013	158.8	-16.2	-9.345	0

PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A	

1014	163	34.29	-7.56	0
1015	136	77.2	-5.776	0
1017	125	-53.88	-9.327	0
1018	158.8	-16.2	-8.795	0
1019	163	34.29	-7.01	0
1020	136	77.2	-5.226	0
1022	36.3	-48.94	-6.586	0
1023	36.3	-48.94	-6.086	0
1024	37.8	-49.48	-6.586	0
1025	37.8	-49.48	-6.036	0
1031	133.7	76	-3.066	0
1032	132.9	76.64	-3.057	0
1033	132.1	77.27	-3.047	0
1034	131.3	77.89	-3.037	0
1035	130.5	78.51	-3.028	0
1036	129.7	79.12	-3.018	0
1037	128.9	79.73	-3.008	0
1038	128.1	80.33	-2.998	0
1039	127.3	80.92	-2.988	0
1040	126.4	81.5	-2.978	0
1041	125.6	82.08	-2.968	0
1042	124.8	82.65	-2.959	0
1043	123.9	83.21	-2.949	0
1044	123.1	83.77	-2.939	0
1045	122.2	84.31	-2.929	0
1046	121.4	84.86	-2.919	0
1047	120.5	85.39	-2.909	0
1048	119.7	85.92	-2.899	0
1049	118.8	86.44	-2.889	0
1050	117.9	86.95	-2.879	0
1051	117	87.45	-2.869	0
1052	116.2	87.95	-2.859	0
1053	115.3	88.44	-2.849	0
1054	114.4	88.92	-2.838	0
1055	113.5	89.4	-2.828	0
1056	112.6	89.86	-2.818	0
1057	111.7	90.32	-2.808	0
1058	110.8	90.77	-2.798	0
1059	109.9	91.22	-2.788	0
1060	108.9	91.66	-2.778	0
1061	108	92.08	-2.768	0
1062	107.1	92.51	-2.757	0
1063	106.2	92.92	-2.747	0
1064	105.3	93.32	-2.737	0
1065	104.3	93.72	-2.727	0
1066	103.4	94.11	-2.717	0
1067	102.5	94.49	-2.707	0
1068	101.5	94.87	-2.697	0
1069	100.6	95.26	-2.686	0
1084	123.8	-51.8	-34.83	0
1087	99.7	95.6	-2.677	0
1088	97.23	91.51	-5.433	0
1089	97.23	91.51	-6.433	0
1090	97.23	91.51	-7.433	0
1091	97.23	91.51	-8.433	0
1092	93.81	85.16	-5.433	0
1093	101.1	97.62	-5.383	0
1094	97.82	90.28	-5.433	0
1095	99.37	93.16	-5.383	0
1096	97.23	91.51	-9.431	0
1097	97.23	91.51	-10.43	0
1098	97.23	91.51	-11.43	0
1099	97.23	91.51	-12.42	0
1100	97.23	91.51	-13.42	0
1101	97.23	91.51	-14.42	0
1102	97.23	91.51	-15.41	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

1103	97.23	91.51	-16.41	0
1104	97.23	91.51	-17.41	0
1105	97.23	91.51	-18.41	0
1106	97.23	91.51	-19.4	0
1107	97.23	91.51	-20.4	0
1108	97.23	91.51	-21.4	0
1109	97.23	91.51	-22.05	0
1110	96.17	92.07	-5.433	0
1111	94.42	89.03	-5.433	0
1112	97.92	95.1	-5.433	0
1113	94.42	89.04	-4.883	0
1114	97.92	95.1	-4.883	0
1115	93.81	85.16	-4.883	0
1116	101.1	97.62	-4.833	0
1117	97.82	90.28	-4.883	0
1118	99.37	93.16	-4.833	0
1119	100.3	95.39	-4.833	0

*** SUPPORT / SPECIFIED DISPLACEMENT / POINT SPRING SUPPORT

** SUPPORT / SPECIFIED DISPLACEMENT

NODE	SUPPORT	SPECIFIED DISPLACEMENT						
		DDRRR	Dx	Dy	Dz	Rx	Ry	Rz
553	111111	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
615	111111	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
649	111111	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
662	111111	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
694	111111	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
701	111111	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
1109	111111	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

*** SECTION PROPERTY DATA

NO	NAME	SHAPE	H	B	tw	tf1	r1
2	el rigido	SR	3	0	0	0	0
4	el rigido	SR	3	0	0	0	0
38	pila 540b	B	2.7	5.4	0.7	0.4	0
39	pila 620 ~	B	3.5	6.2	0.56	0.4	0
40	pila 540b~	B	2.7	5.4	0.7	0.4	0
41	pila 560	B	2.9	5.6	0.66	0.4	0
42	pila 580 ~	B	3.1	5.8	0.62	0.4	0
43	pila 600 ~	B	3.3	6	0.58	0.4	0
44	pila 640 ~	B	3.7	6.4	0.55	0.4	0
45	pila 540b~	B	2.7	5.4	0.7	0.4	0
46	pila 560 ~	B	2.9	5.6	0.66	0.4	0
47	appoggi	SR	3	0	0	0	0
48	pila 590a	B	2.7	5.9	1.06	0.4	0
49	pulvino 6~	SB	2.7	6.4	0	0	0
50	pulvino 6~	SB	3.5	6.4	0	0	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

51	pila 590b~	B	3.1	5.9	1.06	0.6	0
52	sez. mista	GEN	0	0	0	0	0
53	Pulvino B~	SB	4.1	15.9	0	0	0
54	pulvino 6~	SB	2.7	6.4	0	0	0
55	pulvino 6~	SB	2.7	6.4	0	0	0
56	pila 590a~	B	2.7	5.9	1.06	0.4	0
57	pila 590a~	B	2.7	5.9	1.06	0.4	0
58	Pulvino B~	GEN	0	0	0	0	0
59	Pila BP3	GEN	0	0	0	0	0
60	pila 560 ~	B	2.9	5.6	0.66	0.4	0

NO	NAME	STIFFNESS SCALE FACTOR							Boundary Group
		A	Asy	Asz	Ix	Iy	Iz	W	
2	el rigido								
4	el rigido								
38	pila 540b								
39	pila 620 ~	1.00	1.00	1.00	1.00	0.25	0.25	1.00	I/4
40	pila 540b~	1.00	1.00	1.00	1.00	0.33	0.33	1.00	I/3
41	pila 560								
42	pila 580 ~	1.00	1.00	1.00	1.00	0.25	0.25	1.00	I/4
43	pila 600 ~	1.00	1.00	1.00	1.00	0.25	0.25	1.00	I/4
44	pila 640 ~	1.00	1.00	1.00	1.00	0.25	0.25	1.00	I/4
45	pila 540b~	1.00	1.00	1.00	1.00	0.25	0.25	1.00	I/4
46	pila 560 ~	1.00	1.00	1.00	1.00	0.33	0.33	1.00	I/3
47	appoggi								
48	pila 590a								
49	pulvino 6~								
50	pulvino 6~	1.00	1.00	1.00	1.00	0.25	0.25	1.00	I/4
51	pila 590b~	1.00	1.00	1.00	1.00	0.25	0.25	1.00	I/4
52	sez. mista								
53	Pulvino B~								
54	pulvino 6~	1.00	1.00	1.00	1.00	0.33	0.33	1.00	I/3
55	pulvino 6~	1.00	1.00	1.00	1.00	0.25	0.25	1.00	I/4
56	pila 590a~	1.00	1.00	1.00	1.00	0.33	0.33	1.00	I/3
57	pila 590a~	1.00	1.00	1.00	1.00	0.25	0.25	1.00	I/4
58	Pulvino B~								
59	Pila BP3								
60	pila 560 ~	1.00	1.00	1.00	1.00	0.25	0.25	1.00	I/4

CTOR	NO	NAME	AREA [SRC:EQIV.]	MOMENT OF INERTIA			SHAPE FA
				Ix	Iy	Iz	k-Y
	2	el rigido	7.069	7.952	3.976	3.976	0.9
	0.9						
	4	el rigido	7.069	7.952	3.976	3.976	0.9
	0.9						
	38	pila 540b	6.98	15.54	6.571	25.3	0.6189
	0.5415						
	39	pila 620 ~	7.984	31.14	3.455	10	0.6212
	0.491						
	40	pila 540b~	6.98	15.54	2.168	8.348	0.6189
	0.5415						
	41	pila 560	7.252	18.9	8.078	28.72	0.6178
	0.5279						
	42	pila 580 ~	7.492	22.61	2.444	8.058	0.6193
	0.5131						
	43	pila 600 ~	7.7	26.64	2.917	8.945	0.6234
	0.4971						
	44	pila 640 ~	8.31	36.14	4.061	11.21	0.6161
	0.4898						

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A	
0.5415	45 pila 540b~	6.98	15.54	1.643	6.324	0.6189
0.5279	46 pila 560 ~	7.252	18.9	2.666	9.478	0.6178
0.9	47 appoggi	7.069	7.952	3.976	3.976	0.9
0.6543	48 pila 590a	8.748	17.37	7.517	37.66	0.5396
0.8333	49 pulvino 6~	17.28	30.86	10.5	58.98	0.8333
0.8333	50 pulvino 6~	22.4	60.19	5.717	19.11	0.8333
0.5916	51 pila 590b~	11.11	28.09	3.122	11.13	0.6374
0.1459	52 sez. mista	0.5418	0.695	0.499	3.596	0.6086
0.8333	53 Pulvino B~	65.19	306	91.32	1373	0.8333
0.8333	54 pulvino 6~	17.28	30.86	3.464	19.46	0.8333
0.8333	55 pulvino 6~	17.28	30.86	2.624	14.75	0.8333
0.6543	56 pila 590a~	8.748	17.37	2.481	12.43	0.5396
0.6543	57 pila 590a~	8.748	17.37	1.879	9.415	0.5396
0.2726	58 Pulvino B~	24.54	112.9	37.47	524	0.6227
0.283	59 Pila BP3	10.91	33.19	11.59	194.9	0.5424
0.5279	60 pila 560 ~	7.252	18.9	2.02	7.18	0.6178

NO	NAME	SECTION MODULUS Sy		SECTION MODULUS Sz	
		I or CONC.	J or STEEL	I or CONC.	J or STEEL
2	el rigido	2.651	2.651	2.651	2.651
4	el rigido	2.651	2.651	2.651	2.651
38	pila 540b	4.867	4.867	9.369	9.369
39	pila 620 ~	7.897	7.897	12.91	12.91
40	pila 540b~	4.867	4.867	9.369	9.369
41	pila 560	5.571	5.571	10.26	10.26
42	pila 580 ~	6.307	6.307	11.11	11.11
43	pila 600 ~	7.071	7.071	11.93	11.93
44	pila 640 ~	8.78	8.78	14.02	14.02
45	pila 540b~	4.867	4.867	9.369	9.369
46	pila 560 ~	5.571	5.571	10.26	10.26
47	appoggi	2.651	2.651	2.651	2.651
48	pila 590a	5.568	5.568	12.77	12.77
49	pulvino 6~	7.776	7.776	18.43	18.43
50	pulvino 6~	13.07	13.07	23.89	23.89
51	pila 590b~	8.056	8.056	15.09	15.09
53	Pulvino B~	44.55	44.55	172.8	172.8
54	pulvino 6~	7.776	7.776	18.43	18.43
55	pulvino 6~	7.776	7.776	18.43	18.43
56	pila 590a~	5.568	5.568	12.77	12.77
57	pila 590a~	5.568	5.568	12.77	12.77
60	pila 560 ~	5.571	5.571	10.26	10.26

*** BEAM MEMBER DATA

ENGTH	NO NODAL CONNECTIVITY	BEAM END RELEASE	MATERIAL	SECTION	L
-------	-----------------------	------------------	----------	---------	---

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

	I	J	I	J	
1	521	534	527	-	- C32/40 E pieno pila 540b (I/4)
1	522	527	520	-	- C32/40 E pieno pila 540b (I/4)
1	523	520	513	-	- C32/40 E pieno pila 540b (I/4)
1	524	513	506	-	- C32/40 E pieno pila 540b (I/4)
1	525	506	499	-	- C32/40 E pieno pila 590b (I/4)
1	526	499	492	-	- C32/40 E pieno pila 590b (I/4)
1	527	492	485	-	- C32/40 E pieno pulvino 640x35~
1	528	535	528	-	- C32/40 E pieno pila 540b (I/4)
1	529	528	521	-	- C32/40 E pieno pila 540b (I/4)
1	530	521	514	-	- C32/40 E pieno pila 540b (I/4)
1	531	514	507	-	- C32/40 E pieno pila 540b (I/4)
1	532	507	500	-	- C32/40 E pieno pila 590a (I/4)
1	533	500	493	-	- C32/40 E pieno pila 590a (I/4)
0.95	534	493	486	-	- C32/40 E pieno pulvino 640x27~
1	535	536	529	-	- C32/40 E pieno pila 540b (I/4)
1	536	529	522	-	- C32/40 E pieno pila 540b (I/4)
1	537	522	515	-	- C32/40 E pieno pila 540b (I/4)
1	538	515	508	-	- C32/40 E pieno pila 540b (I/4)
1	539	508	501	-	- C32/40 E pieno pila 590a (I/4)
1	540	501	494	-	- C32/40 E pieno pila 590a (I/4)
0.95	541	494	487	-	- C32/40 E pieno pulvino 640x27~
1	542	537	530	-	- C32/40 E pieno pila 540b (I/3)
1	543	530	523	-	- C32/40 E pieno pila 540b (I/3)
1	544	523	516	-	- C32/40 E pieno pila 540b (I/3)
1	545	516	509	-	- C32/40 E pieno pila 540b (I/3)
1	546	509	502	-	- C32/40 E pieno pila 590a (I/3)
1	547	502	495	-	- C32/40 E pieno pila 590a (I/3)
1	548	495	488	-	- C32/40 E pieno pulvino 640x27~
1	549	538	531	-	- C32/40 E pieno pila 540b
1	550	531	524	-	- C32/40 E pieno pila 540b
1	551	524	517	-	- C32/40 E pieno pila 540b

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A	
1	552	517	510	-	-	C32/40 E pieno	pila 540b
1	553	510	503	-	-	C32/40 E pieno	pila 590a
1	554	503	496	-	-	C32/40 E pieno	pila 590a
0.95	555	496	489	-	-	C32/40 E pieno	pulvino 640x270
1	556	539	532	-	-	C32/40 E pieno	pila 540b
1	557	532	525	-	-	C32/40 E pieno	pila 540b
1	558	525	518	-	-	C32/40 E pieno	pila 540b
1	559	518	511	-	-	C32/40 E pieno	pila 540b
1	560	511	504	-	-	C32/40 E pieno	pila 590a
1	561	504	497	-	-	C32/40 E pieno	pila 590a
1	562	497	490	-	-	C32/40 E pieno	pulvino 640x270
1	570	604	597	-	-	C32/40 E pieno	pila 540b (I/4)
1	571	597	590	-	-	C32/40 E pieno	pila 540b (I/4)
1	572	590	583	-	-	C32/40 E pieno	pila 540b (I/4)
1	573	583	576	-	-	C32/40 E pieno	pila 540b (I/4)
1	574	576	569	-	-	C32/40 E pieno	pila 540b (I/4)
1	575	569	562	-	-	C32/40 E pieno	pila 540b (I/4)
1	576	562	555	-	-	C32/40 E pieno	pila 540b (I/4)
1	577	555	548	-	-	C32/40 E pieno	pila 540b (I/4)
1	578	548	541	-	-	C32/40 E pieno	pila 540b (I/4)
1	579	541	534	-	-	C32/40 E pieno	pila 540b (I/4)
1	580	605	598	-	-	C32/40 E pieno	pila 540b (I/4)
1	581	598	591	-	-	C32/40 E pieno	pila 540b (I/4)
1	582	591	584	-	-	C32/40 E pieno	pila 540b (I/4)
1	583	584	577	-	-	C32/40 E pieno	pila 540b (I/4)
1	584	577	570	-	-	C32/40 E pieno	pila 540b (I/4)
1	585	570	563	-	-	C32/40 E pieno	pila 540b (I/4)
1	586	563	556	-	-	C32/40 E pieno	pila 540b (I/4)
1	587	556	549	-	-	C32/40 E pieno	pila 540b (I/4)
1	588	549	542	-	-	C32/40 E pieno	pila 540b (I/4)
1	589	542	535	-	-	C32/40 E pieno	pila 540b (I/4)
1	590	606	599	-	-	C32/40 E pieno	pila 540b (I/4)
1	591	599	592	-	-	C32/40 E pieno	pila 540b (I/4)


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A
1	592	592	585	-	-	C32/40 E pieno pila 540b (I/4)
1	593	585	578	-	-	C32/40 E pieno pila 540b (I/4)
1	594	578	571	-	-	C32/40 E pieno pila 540b (I/4)
1	595	571	564	-	-	C32/40 E pieno pila 540b (I/4)
1	596	564	557	-	-	C32/40 E pieno pila 540b (I/4)
1	597	557	550	-	-	C32/40 E pieno pila 540b (I/4)
1	598	550	543	-	-	C32/40 E pieno pila 540b (I/4)
1	599	543	536	-	-	C32/40 E pieno pila 540b (I/4)
1	600	607	600	-	-	C32/40 E pieno pila 540b (I/3)
1	601	600	593	-	-	C32/40 E pieno pila 540b (I/3)
1	602	593	586	-	-	C32/40 E pieno pila 540b (I/3)
1	603	586	579	-	-	C32/40 E pieno pila 540b (I/3)
1	604	579	572	-	-	C32/40 E pieno pila 540b (I/3)
1	605	572	565	-	-	C32/40 E pieno pila 540b (I/3)
1	606	565	558	-	-	C32/40 E pieno pila 540b (I/3)
1	607	558	551	-	-	C32/40 E pieno pila 540b (I/3)
1	608	551	544	-	-	C32/40 E pieno pila 540b (I/3)
1	609	544	537	-	-	C32/40 E pieno pila 540b (I/3)
1	610	608	601	-	-	C32/40 E pieno pila 540b
1	611	601	594	-	-	C32/40 E pieno pila 540b
1	612	594	587	-	-	C32/40 E pieno pila 540b
1	613	587	580	-	-	C32/40 E pieno pila 540b
1	614	580	573	-	-	C32/40 E pieno pila 540b
1	615	573	566	-	-	C32/40 E pieno pila 540b
1	616	566	559	-	-	C32/40 E pieno pila 540b
1	617	559	552	-	-	C32/40 E pieno pila 540b
1	618	552	545	-	-	C32/40 E pieno pila 540b
1	619	545	538	-	-	C32/40 E pieno pila 540b
0.7	628	553	546	-	-	C32/40 E pieno pila 540b
1	629	546	539	-	-	C32/40 E pieno pila 540b
1	640	653	646	-	-	C32/40 E pieno pila 560 (I/4)
1	641	646	639	-	-	C32/40 E pieno pila 560 (I/4)
1	642	639	632	-	-	C32/40 E pieno pila 560 (I/4)

PROJECT TITLE :

MIDAS	Company		Client		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A
	Author					
1	643	632	625	-	-	C32/40 E pieno pila 560 (I/4)
1	644	625	618	-	-	C32/40 E pieno pila 560 (I/4)
1	645	618	611	-	-	C32/40 E pieno pila 560 (I/4)
1	646	611	604	-	-	C32/40 E pieno pila 560 (I/4)
1	647	654	647	-	-	C32/40 E pieno pila 560 (I/4)
1	648	647	640	-	-	C32/40 E pieno pila 560 (I/4)
1	649	640	633	-	-	C32/40 E pieno pila 560 (I/4)
1	650	633	626	-	-	C32/40 E pieno pila 560 (I/4)
1	651	626	619	-	-	C32/40 E pieno pila 560 (I/4)
1	652	619	612	-	-	C32/40 E pieno pila 560 (I/4)
1	653	612	605	-	-	C32/40 E pieno pila 560 (I/4)
1	654	655	648	-	-	C32/40 E pieno pila 560 (I/4)
1	655	648	641	-	-	C32/40 E pieno pila 560 (I/4)
1	656	641	634	-	-	C32/40 E pieno pila 560 (I/4)
1	657	634	627	-	-	C32/40 E pieno pila 560 (I/4)
1	658	627	620	-	-	C32/40 E pieno pila 560 (I/4)
1	659	620	613	-	-	C32/40 E pieno pila 560 (I/4)
1	660	613	606	-	-	C32/40 E pieno pila 560 (I/4)
0.5	662	649	642	-	-	C32/40 E pieno pila 560 (I/3)
1	663	642	635	-	-	C32/40 E pieno pila 560 (I/3)
1	664	635	628	-	-	C32/40 E pieno pila 560 (I/3)
1	665	628	621	-	-	C32/40 E pieno pila 560 (I/3)
1	666	621	614	-	-	C32/40 E pieno pila 560 (I/3)
1	667	614	607	-	-	C32/40 E pieno pila 560 (I/3)
1	674	615	608	-	-	C32/40 E pieno pila 560
1	689	681	674	-	-	C32/40 E pieno pila 580 (I/4)
1	690	674	667	-	-	C32/40 E pieno pila 580 (I/4)
1	691	667	660	-	-	C32/40 E pieno pila 580 (I/4)
1	692	660	653	-	-	C32/40 E pieno pila 580 (I/4)
1	693	682	675	-	-	C32/40 E pieno pila 580 (I/4)
1	694	675	668	-	-	C32/40 E pieno pila 580 (I/4)
1	695	668	661	-	-	C32/40 E pieno pila 580 (I/4)
1	696	661	654	-	-	C32/40 E pieno pila 580 (I/4)

PROJECT TITLE :


	Company					Client		
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A	
0.75	700	662	1084	-	-	C32/40 E pieno	pila 580	(I/4)
1	701	689	687	-	-	C32/40 E pieno	pila 600	(I/4)
1	702	687	685	-	-	C32/40 E pieno	pila 600	(I/4)
1	703	685	683	-	-	C32/40 E pieno	pila 600	(I/4)
1	704	683	681	-	-	C32/40 E pieno	pila 600	(I/4)
1	705	690	688	-	-	C32/40 E pieno	pila 600	(I/4)
1	706	688	686	-	-	C32/40 E pieno	pila 600	(I/4)
1	707	686	684	-	-	C32/40 E pieno	pila 600	(I/4)
1	708	684	682	-	-	C32/40 E pieno	pila 600	(I/4)
1	709	697	695	-	-	C32/40 E pieno	pila 620	(I/4)
1	710	695	693	-	-	C32/40 E pieno	pila 620	(I/4)
1	711	693	691	-	-	C32/40 E pieno	pila 620	(I/4)
1	712	691	689	-	-	C32/40 E pieno	pila 620	(I/4)
0.65	715	694	692	-	-	C32/40 E pieno	pila 620	(I/4)
1	716	692	690	-	-	C32/40 E pieno	pila 620	(I/4)
0.5	719	701	699	-	-	C32/40 E pieno	pila 640	(I/4)
1	720	699	697	-	-	C32/40 E pieno	pila 640	(I/4)
2.15	721	1025	967	-	-	rigid	el rigido	
2.15	722	703	710	-	-	rigid	el rigido	
2.15	723	704	711	-	-	rigid	el rigido	
2.15	724	705	712	-	-	rigid	el rigido	
2.15	725	706	713	-	-	rigid	el rigido	
2.15	726	707	714	-	-	rigid	el rigido	
0.6	728	709	967	-	-	S355	sez. mista	
1.233	729	967	968	-	-	S355	sez. mista	
1.016	730	968	969	-	-	S355	sez. mista	
1.016	731	969	970	-	-	S355	sez. mista	
1.016	732	970	971	-	-	S355	sez. mista	
1.016	733	971	972	-	-	S355	sez. mista	
1.016	734	972	973	-	-	S355	sez. mista	
1.016	735	973	974	-	-	S355	sez. mista	
1.016	736	974	975	-	-	S355	sez. mista	
1.016	737	975	976	-	-	S355	sez. mista	

MIDAS

PROJECT TITLE :


MIDAS	Company					Client		
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A	
1.016	738	976	977	-	-	S355	sez. mista	
1.016	739	977	978	-	-	S355	sez. mista	
1.016	740	978	979	-	-	S355	sez. mista	
1.016	741	979	980	-	-	S355	sez. mista	
1.016	742	980	981	-	-	S355	sez. mista	
1.016	743	981	982	-	-	S355	sez. mista	
1.016	744	982	983	-	-	S355	sez. mista	
1.016	745	983	984	-	-	S355	sez. mista	
1.016	746	984	985	-	-	S355	sez. mista	
1.016	747	985	986	-	-	S355	sez. mista	
1.016	748	986	987	-	-	S355	sez. mista	
1.016	749	987	988	-	-	S355	sez. mista	
1.016	750	988	989	-	-	S355	sez. mista	
1.016	751	989	990	-	-	S355	sez. mista	
1.016	752	990	991	-	-	S355	sez. mista	
1.016	753	991	992	-	-	S355	sez. mista	
1.016	754	992	993	-	-	S355	sez. mista	
1.016	755	993	965	-	-	S355	sez. mista	
1.001	756	965	964	-	-	S355	sez. mista	
.9998	757	964	963	-	-	S355	sez. mista	0
.9999	758	963	962	-	-	S355	sez. mista	0
1.001	759	962	961	-	-	S355	sez. mista	
1	760	961	960	-	-	S355	sez. mista	
.9997	761	960	959	-	-	S355	sez. mista	0
1	762	959	958	-	-	S355	sez. mista	
1	763	958	957	-	-	S355	sez. mista	
1	764	957	956	-	-	S355	sez. mista	
1	765	956	955	-	-	S355	sez. mista	
1.001	766	955	954	-	-	S355	sez. mista	
1	767	954	710	-	-	S355	sez. mista	
1	768	710	717	-	-	S355	sez. mista	
1	769	717	718	-	-	S355	sez. mista	
1	770	718	719	-	-	S355	sez. mista	

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A
1	771	719	720	-	-	S355	sez. mista
1	772	720	721	-	-	S355	sez. mista
1	773	721	722	-	-	S355	sez. mista
1	774	722	723	-	-	S355	sez. mista
1	775	723	724	-	-	S355	sez. mista
1	776	724	725	-	-	S355	sez. mista
1	777	725	726	-	-	S355	sez. mista
1	778	726	727	-	-	S355	sez. mista
1	779	727	728	-	-	S355	sez. mista
1	780	728	729	-	-	S355	sez. mista
1	781	729	730	-	-	S355	sez. mista
1	782	730	731	-	-	S355	sez. mista
1	783	731	732	-	-	S355	sez. mista
1	784	732	733	-	-	S355	sez. mista
1	785	733	734	-	-	S355	sez. mista
1	786	734	735	-	-	S355	sez. mista
1	787	735	736	-	-	S355	sez. mista
1	788	736	737	-	-	S355	sez. mista
1	789	737	738	-	-	S355	sez. mista
1	790	738	739	-	-	S355	sez. mista
1	791	739	740	-	-	S355	sez. mista
1	792	740	741	-	-	S355	sez. mista
1	793	741	742	-	-	S355	sez. mista
1	794	742	743	-	-	S355	sez. mista
1	795	743	744	-	-	S355	sez. mista
1	796	744	745	-	-	S355	sez. mista
1	797	745	746	-	-	S355	sez. mista
1	798	746	747	-	-	S355	sez. mista
1	799	747	748	-	-	S355	sez. mista
1	800	748	749	-	-	S355	sez. mista
1	801	749	750	-	-	S355	sez. mista
1	802	750	751	-	-	S355	sez. mista
1	803	751	752	-	-	S355	sez. mista


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A
1	804	752	753	-	-	S355	sez. mista
1	805	753	754	-	-	S355	sez. mista
1	806	754	755	-	-	S355	sez. mista
1	807	755	756	-	-	S355	sez. mista
1	808	756	757	-	-	S355	sez. mista
1	809	757	758	-	-	S355	sez. mista
1	810	758	759	-	-	S355	sez. mista
1	811	759	760	-	-	S355	sez. mista
1	812	760	761	-	-	S355	sez. mista
1	813	761	762	-	-	S355	sez. mista
1	814	762	763	-	-	S355	sez. mista
1	815	763	764	-	-	S355	sez. mista
1	816	764	765	-	-	S355	sez. mista
1.008	817	765	711	-	-	S355	sez. mista
1.002	818	711	767	-	-	S355	sez. mista
1.002	819	767	768	-	-	S355	sez. mista
1.002	820	768	769	-	-	S355	sez. mista
1.002	821	769	770	-	-	S355	sez. mista
1.002	822	770	771	-	-	S355	sez. mista
1.002	823	771	772	-	-	S355	sez. mista
1.002	824	772	773	-	-	S355	sez. mista
1.002	825	773	774	-	-	S355	sez. mista
1.002	826	774	775	-	-	S355	sez. mista
1.002	827	775	776	-	-	S355	sez. mista
1.002	828	776	777	-	-	S355	sez. mista
1.002	829	777	778	-	-	S355	sez. mista
1.002	830	778	779	-	-	S355	sez. mista
1.002	831	779	780	-	-	S355	sez. mista
1.002	832	780	781	-	-	S355	sez. mista
1.002	833	781	782	-	-	S355	sez. mista
1.002	834	782	783	-	-	S355	sez. mista
1.002	835	783	784	-	-	S355	sez. mista
1.002	836	784	785	-	-	S355	sez. mista


MIDAS

PROJECT TITLE :

	Company					Client		
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A	
1.002	837	785	786	-	-	S355	sez. mista	
1.002	838	786	787	-	-	S355	sez. mista	
1.002	839	787	788	-	-	S355	sez. mista	
1.002	840	788	789	-	-	S355	sez. mista	
1.002	841	789	790	-	-	S355	sez. mista	
1.002	842	790	791	-	-	S355	sez. mista	
1.002	843	791	792	-	-	S355	sez. mista	
1.002	844	792	793	-	-	S355	sez. mista	
1.002	845	793	794	-	-	S355	sez. mista	
1.002	846	794	795	-	-	S355	sez. mista	
1.002	847	795	796	-	-	S355	sez. mista	
1.002	848	796	797	-	-	S355	sez. mista	
1.002	849	797	798	-	-	S355	sez. mista	
1.002	850	798	799	-	-	S355	sez. mista	
1.002	851	799	800	-	-	S355	sez. mista	
1.002	852	800	801	-	-	S355	sez. mista	
1.002	853	801	802	-	-	S355	sez. mista	
1.002	854	802	803	-	-	S355	sez. mista	
1.002	855	803	804	-	-	S355	sez. mista	
1.002	856	804	805	-	-	S355	sez. mista	
1.002	857	805	806	-	-	S355	sez. mista	
1.002	858	806	807	-	-	S355	sez. mista	
1.002	859	807	808	-	-	S355	sez. mista	
1.002	860	808	809	-	-	S355	sez. mista	
1.002	861	809	810	-	-	S355	sez. mista	
1.002	862	810	811	-	-	S355	sez. mista	
1.002	863	811	812	-	-	S355	sez. mista	
1.002	864	812	813	-	-	S355	sez. mista	
1.002	865	813	814	-	-	S355	sez. mista	
1.002	866	814	815	-	-	S355	sez. mista	
.8912	867	815	712	-	-	S355	sez. mista	0
1.006	868	712	817	-	-	S355	sez. mista	
1.006	869	817	818	-	-	S355	sez. mista	


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A
1.006	870	818	819	-	-	S355	sez. mista
1.006	871	819	820	-	-	S355	sez. mista
1.006	872	820	821	-	-	S355	sez. mista
1.006	873	821	822	-	-	S355	sez. mista
1.006	874	822	823	-	-	S355	sez. mista
1.006	875	823	824	-	-	S355	sez. mista
1.006	876	824	825	-	-	S355	sez. mista
1.006	877	825	826	-	-	S355	sez. mista
1.006	878	826	827	-	-	S355	sez. mista
1.006	879	827	828	-	-	S355	sez. mista
1.006	880	828	829	-	-	S355	sez. mista
1.006	881	829	830	-	-	S355	sez. mista
1.006	882	830	831	-	-	S355	sez. mista
1.006	883	831	832	-	-	S355	sez. mista
1.006	884	832	833	-	-	S355	sez. mista
1.006	885	833	834	-	-	S355	sez. mista
1.006	886	834	835	-	-	S355	sez. mista
1.006	887	835	836	-	-	S355	sez. mista
1.006	888	836	837	-	-	S355	sez. mista
1.006	889	837	838	-	-	S355	sez. mista
1.006	890	838	839	-	-	S355	sez. mista
1.006	891	839	840	-	-	S355	sez. mista
1.006	892	840	841	-	-	S355	sez. mista
1.006	893	841	842	-	-	S355	sez. mista
1.006	894	842	843	-	-	S355	sez. mista
1.006	895	843	844	-	-	S355	sez. mista
1.006	896	844	845	-	-	S355	sez. mista
1.006	897	845	846	-	-	S355	sez. mista
1.006	898	846	847	-	-	S355	sez. mista
1.006	899	847	848	-	-	S355	sez. mista
1.006	900	848	849	-	-	S355	sez. mista
1.006	901	849	850	-	-	S355	sez. mista
1.006	902	850	851	-	-	S355	sez. mista


MIDAS

PROJECT TITLE :

	Company					Client		
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A	
1.006	903	851	852	-	-	S355	sez. mista	
1.006	904	852	853	-	-	S355	sez. mista	
1.006	905	853	854	-	-	S355	sez. mista	
1.006	906	854	855	-	-	S355	sez. mista	
1.006	907	855	856	-	-	S355	sez. mista	
1.006	908	856	857	-	-	S355	sez. mista	
1.006	909	857	858	-	-	S355	sez. mista	
1.006	910	858	859	-	-	S355	sez. mista	
1.006	911	859	860	-	-	S355	sez. mista	
1.006	912	860	861	-	-	S355	sez. mista	
1.006	913	861	862	-	-	S355	sez. mista	
1.006	914	862	863	-	-	S355	sez. mista	
1.006	915	863	864	-	-	S355	sez. mista	
1.006	916	864	865	-	-	S355	sez. mista	
1.006	917	865	713	-	-	S355	sez. mista	0
.7502	918	713	866	-	-	S355	sez. mista	
1.004	919	866	867	-	-	S355	sez. mista	
1.004	920	867	868	-	-	S355	sez. mista	
1.004	921	868	869	-	-	S355	sez. mista	
1.004	922	869	870	-	-	S355	sez. mista	
1.004	923	870	871	-	-	S355	sez. mista	
1.004	924	871	872	-	-	S355	sez. mista	
1.004	925	872	873	-	-	S355	sez. mista	
1.004	926	873	874	-	-	S355	sez. mista	
1.004	927	874	875	-	-	S355	sez. mista	
1.004	928	875	876	-	-	S355	sez. mista	
1.004	929	876	877	-	-	S355	sez. mista	
1.004	930	877	878	-	-	S355	sez. mista	
1.004	931	878	879	-	-	S355	sez. mista	
1.004	932	879	880	-	-	S355	sez. mista	
1.004	933	880	881	-	-	S355	sez. mista	
1.004	934	881	882	-	-	S355	sez. mista	
1.004	935	882	883	-	-	S355	sez. mista	


MIDAS

PROJECT TITLE :

	Company					Client		
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A	
1.004	936	883	884	-	-	S355	sez. mista	
1.004	937	884	885	-	-	S355	sez. mista	
1.004	938	885	886	-	-	S355	sez. mista	
1.004	939	886	887	-	-	S355	sez. mista	
1.004	940	887	888	-	-	S355	sez. mista	
1.004	941	888	889	-	-	S355	sez. mista	
1.004	942	889	890	-	-	S355	sez. mista	
1.004	943	890	891	-	-	S355	sez. mista	
1.004	944	891	892	-	-	S355	sez. mista	
1.004	945	892	893	-	-	S355	sez. mista	
1.004	946	893	894	-	-	S355	sez. mista	
1.004	947	894	895	-	-	S355	sez. mista	
1.004	948	895	896	-	-	S355	sez. mista	
1.004	949	896	897	-	-	S355	sez. mista	
1.004	950	897	898	-	-	S355	sez. mista	
1.004	951	898	899	-	-	S355	sez. mista	
1.004	952	899	900	-	-	S355	sez. mista	
1.004	953	900	901	-	-	S355	sez. mista	
1.004	954	901	902	-	-	S355	sez. mista	
1.004	955	902	903	-	-	S355	sez. mista	
1.004	956	903	904	-	-	S355	sez. mista	
1.004	957	904	905	-	-	S355	sez. mista	
1.004	958	905	906	-	-	S355	sez. mista	
1.004	959	906	907	-	-	S355	sez. mista	
1.004	960	907	908	-	-	S355	sez. mista	
1.004	961	908	909	-	-	S355	sez. mista	
1.004	962	909	910	-	-	S355	sez. mista	
1.004	963	910	911	-	-	S355	sez. mista	
1.004	964	911	912	-	-	S355	sez. mista	
1.004	965	912	913	-	-	S355	sez. mista	
1.004	966	913	914	-	-	S355	sez. mista	
1.004	967	914	714	-	-	S355	sez. mista	0
.8611	968	714	1031	-	-	S355	sez. mista	
1.013								

MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A
1.013	969	1031	1032	-	-	S355	sez. mista
1.013	970	1032	1033	-	-	S355	sez. mista
1.013	971	1033	1034	-	-	S355	sez. mista
1.013	972	1034	1035	-	-	S355	sez. mista
1.013	973	1035	1036	-	-	S355	sez. mista
1.013	974	1036	1037	-	-	S355	sez. mista
1.013	975	1037	1038	-	-	S355	sez. mista
1.013	976	1038	1039	-	-	S355	sez. mista
1.013	977	1039	1040	-	-	S355	sez. mista
1.013	978	1040	1041	-	-	S355	sez. mista
1.013	979	1041	1042	-	-	S355	sez. mista
1.013	980	1042	1043	-	-	S355	sez. mista
1.013	981	1043	1044	-	-	S355	sez. mista
1.013	982	1044	1045	-	-	S355	sez. mista
1.013	983	1045	1046	-	-	S355	sez. mista
1.013	984	1046	1047	-	-	S355	sez. mista
1.013	985	1047	1048	-	-	S355	sez. mista
1.013	986	1048	1049	-	-	S355	sez. mista
1.013	987	1049	1050	-	-	S355	sez. mista
1.013	988	1050	1051	-	-	S355	sez. mista
1.013	989	1051	1052	-	-	S355	sez. mista
1.013	990	1052	1053	-	-	S355	sez. mista
1.013	991	1053	1054	-	-	S355	sez. mista
1.013	992	1054	1055	-	-	S355	sez. mista
1.013	993	1055	1056	-	-	S355	sez. mista
1.013	994	1056	1057	-	-	S355	sez. mista
1.013	995	1057	1058	-	-	S355	sez. mista
1.013	996	1058	1059	-	-	S355	sez. mista
1.013	997	1059	1060	-	-	S355	sez. mista
1.013	998	1060	1061	-	-	S355	sez. mista
1.013	999	1061	1062	-	-	S355	sez. mista
1.013	1000	1062	1063	-	-	S355	sez. mista
1.013	1001	1063	1064	-	-	S355	sez. mista


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A	
1.013	1002	1064	1065	-	-	S355	sez. mista	
1.013	1003	1065	1066	-	-	S355	sez. mista	
1.013	1004	1066	1067	-	-	S355	sez. mista	
1.013	1005	1067	1068	-	-	S355	sez. mista	
1.013	1006	1068	1069	-	-	S355	sez. mista	
1.013	1007	1069	715	-	-	S355	sez. mista	0
.3428	1008	715	1087	-	-	S355	sez. mista	
0.6	1012	1001	703	-	-	rigid	el rigido	
2.4	1013	703	999	-	-	rigid	el rigido	
2.4	1014	1000	486	-	-	rigid	el rigido	
2.4	1015	486	998	-	-	rigid	el rigido	
2.4	1016	1017	704	-	-	rigid	el rigido	
2.4	1017	704	1007	-	-	rigid	el rigido	
2.4	1018	1012	487	-	-	rigid	el rigido	
2.4	1019	487	1002	-	-	rigid	el rigido	
2.4	1020	1018	705	-	-	rigid	el rigido	
2.4	1021	705	1008	-	-	rigid	el rigido	
2.4	1022	1013	488	-	-	rigid	el rigido	
2.4	1023	488	1003	-	-	rigid	el rigido	
2.4	1024	1019	706	-	-	rigid	el rigido	
2.4	1025	706	1009	-	-	rigid	el rigido	
2.4	1026	1014	489	-	-	rigid	el rigido	
2.4	1027	489	1004	-	-	rigid	el rigido	
2.4	1028	1020	707	-	-	rigid	el rigido	
2.4	1029	707	1010	-	-	rigid	el rigido	
2.4	1030	1015	490	-	-	rigid	el rigido	
2.4	1031	490	1005	-	-	rigid	el rigido	
2.4	1036	997	1025	-	-	rigid	el rigido	
2.4	1037	1025	995	-	-	rigid	el rigido	
2.4	1038	996	1024	-	-	rigid	el rigido	
2.4	1039	1024	994	-	-	rigid	el rigido	
0.8	1040	485	1024	-	-	rigid	el rigido	
0.8	1041	1022	485	-	-	rigid	el rigido	

MIDAS

PROJECT TITLE :

	Company					Client			
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
	1042	1022	1023	-	-	rigid	el rigido		
0.5	1104	1084	655	-	-	C32/40 E pieno	pila 580 (I/4)		
1	1108	1088	1094	-	-	rigid	el rigido		
1.365	1109	1094	1092	-	-	rigid	el rigido		
6.5	1110	1095	1093	-	-	rigid	el rigido		
4.8	1125	1111	1110	-	-	rigid	el rigido		
3.5	1126	1110	1112	-	-	rigid	el rigido		
3.5	1127	1088	1110	-	-	rigid	el rigido		
1.2	1128	1095	1088	-	-	rigid	el rigido		
2.702	1129	1113	1111	-	-	rigid	el rigido		
0.55	1130	1114	1112	-	-	rigid	el rigido		
0.55	1131	1088	1092	-	-	rigid	el rigido		
7.209	1132	1088	1093	-	-	rigid	el rigido		
7.256	1133	1115	1092	-	-	rigid	el rigido		
0.55	1135	1117	1094	-	-	rigid	el rigido		
0.55	1137	1118	1119	-	-	rigid	el rigido		
2.4	1138	1119	1116	-	-	rigid	el rigido		
2.4	1139	1119	715	-	-	rigid	el rigido		
2.15	1140	996	997	000000	001111	rigid	appoggi		
0.55	1141	994	995	000000	011111	rigid	appoggi		
0.55	1142	1000	1001	000000	001111	rigid	appoggi		
0.55	1143	998	999	000000	011111	rigid	appoggi		
0.55	1144	1012	1017	000000	001111	rigid	appoggi		
0.55	1145	1002	1007	000000	011111	rigid	appoggi		
0.55	1146	1013	1018	000000	000111	rigid	appoggi		
0.55	1147	1003	1008	000000	010111	rigid	appoggi		
0.55	1148	1014	1019	000000	001111	rigid	appoggi		
0.55	1149	1004	1009	000000	011111	rigid	appoggi		
0.55	1150	1015	1020	000000	001111	rigid	appoggi		
0.55	1151	1005	1010	000000	011111	rigid	appoggi		
0.55	1152	1109	1108	-	-	C32/40 E pieno	Pila BP3	0	
.6473	1153	1108	1107	-	-	C32/40 E pieno	Pila BP3	0	
.9973	1154	1107	1106	-	-	C32/40 E pieno	Pila BP3	0	
.9973									


PROJECT TITLE :

MIDAS	Company		Client		File Name			
	Author		File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			
.9973	1155	1106	1105	-	-	C32/40 E pieno	Pila BP3	0
.9973	1156	1105	1104	-	-	C32/40 E pieno	Pila BP3	0
.9973	1157	1104	1103	-	-	C32/40 E pieno	Pila BP3	0
.9973	1158	1103	1102	-	-	C32/40 E pieno	Pila BP3	0
.9973	1159	1102	1101	-	-	C32/40 E pieno	Pila BP3	0
.9973	1160	1101	1100	-	-	C32/40 E pieno	Pila BP3	0
.9973	1161	1100	1099	-	-	C32/40 E pieno	Pila BP3	0
.9973	1162	1099	1098	-	-	C32/40 E pieno	Pila BP3	0
.9973	1163	1098	1097	-	-	C32/40 E pieno	Pila BP3	0
.9973	1164	1097	1096	-	-	C32/40 E pieno	Pila BP3	0
.9973	1165	1096	1091	-	-	C32/40 E pieno	Pila BP3	0
1	1166	1091	1090	-	-	C32/40 E pieno	Pulvino BP3 34~	
1	1167	1090	1089	-	-	C32/40 E pieno	Pulvino BP3 34~	
1	1168	1089	1088	-	-	C32/40 E pieno	Pulvino BP3 41~	
0.55	1169	1093	1116	000000	001111	rigid	appoggi	
0.55	1170	1095	1118	000000	011111	rigid	appoggi	

*** TOTAL WEIGHT / VOLUME / SURFACE AREA SUMMARY

SECTION TRUSS NUMBER	SECTION NO	SECION NAME	SURFACE AREA	VOLUMN	WEIGHT	FRAME NUMBER
0	2	el rigido	141.8	106.4	0	7
0	4	el rigido	987.1	740.3	0	42
0	38	pila 540b	551.6	137.5	3438	20
0	39	pila 620 (I/4)	197.5	45.11	1128	6
0	40	pila 540b (I/3)	392	97.72	2443	14
0	41	pila 560	29.76	7.252	181.3	1
0	42	pila 580 (I/4)	307.3	73.05	1826	10
0	43	pila 600 (I/4)	266.2	61.6	1540	8
0	44	pila 640 (I/4)	54.9	12.47	311.6	2
0	45	pila 540b (I/4)	1176	293.2	7329	42
0	46	pila 560 (I/3)	163.7	39.89	997.1	6
0	47	appoggi	72.57	54.43	0	14

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

0	48	pila 590a	114.2	34.99	874.8	4
0	49	pulvino 640x270	35.49	33.7	842.4	2
0	50	pulvino 640x35~	19.8	22.4	560	1
0	51	pila 590b (I/4)	58.72	22.22	555.4	2
0	52	sez. mista	7863	152.1	0	281
0	53	Pulvino BP3 41~	40.01	65.21	1630	1
0	54	pulvino 640x27~	18.2	17.28	432	1
0	55	pulvino 640x27~	34.58	32.83	820.8	2
0	56	pila 590a (I/3)	57.12	17.5	437.4	2
0	57	pila 590a (I/4)	114.2	34.99	874.8	4
0	58	Pulvino BP3 34~	142.8	49.08	1227	2
0	59	Pila BP3	909.3	148.5	3713	14
0	60	pila 560 (I/4)	625	152.3	3807	21

*** LOAD DATA

; Self Weight, Nodal Load, Specified Displacement, Beam Load, Floor Load, Finishing Material Load,
 System Temperature, Nodal Temperature, Element Temperature, Beam Section Temperature,
 Wind Load, Static Seismic Load, Time History Analysis Data

[LOAD CASE : G1]


** SELF WEIGHT DATA

; X=0, Y=0, Z=-1


** BEAM LOAD DATA

	MEMBER		TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3	
	P3	D4	P4								
0	728	0	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	729	0	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	730	0	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	731	0	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	732	0	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	733	0	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	734	0	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	735	0	0	Uniform Load	GZ	NO	0	-101	1	-101	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	736		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	737		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	738		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	739		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	740		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	741		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	742		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	743		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	744		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	745		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	746		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	747		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	748		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	749		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	750		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	751		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	752		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	753		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	754		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	755		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	756		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	757		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	758		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	759		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	760		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	761		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	762		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	763		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	764		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	765		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	766		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	767		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	768		Uniform Load	GZ	NO	0	-101	1	-101	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	769		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	770		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	771		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	772		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	773		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	774		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	775		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	776		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	777		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	778		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	779		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	780		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	781		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	782		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	783		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	784		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	785		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	786		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	787		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	788		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	789		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	790		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	791		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	792		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	793		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	794		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	795		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	796		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	797		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	798		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	799		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	800		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	801		Uniform Load	GZ	NO	0	-101	1	-101	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	802		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	803		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	804		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	805		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	806		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	807		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	808		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	809		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	810		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	811		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	812		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	813		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	814		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	815		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	816		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	817		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	818		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	819		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	820		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	821		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	822		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	823		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	824		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	825		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	826		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	827		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	828		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	829		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	830		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	831		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	832		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	833		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	834		Uniform Load	GZ	NO	0	-101	1	-101	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	835		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	836		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	837		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	838		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	839		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	840		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	841		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	842		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	843		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	844		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	845		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	846		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	847		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	848		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	849		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	850		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	851		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	852		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	853		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	854		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	855		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	856		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	857		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	858		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	859		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	860		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	861		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	862		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	863		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	864		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	865		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	866		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	867		Uniform Load	GZ	NO	0	-101	1	-101	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	868		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	869		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	870		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	871		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	872		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	873		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	874		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	875		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	876		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	877		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	878		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	879		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	880		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	881		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	882		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	883		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	884		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	885		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	886		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	887		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	888		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	889		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	890		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	891		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	892		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	893		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	894		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	895		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	896		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	897		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	898		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	899		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	900		Uniform Load	GZ	NO	0	-101	1	-101	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	901	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	902	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	903	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	904	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	905	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	906	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	907	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	908	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	909	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	910	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	911	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	912	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	913	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	914	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	915	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	916	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	917	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	918	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	919	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	920	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	921	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	922	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	923	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	924	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	925	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	926	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	927	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	928	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	929	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	930	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	931	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	932	0	Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	933	0	Uniform Load	GZ	NO	0	-101	1	-101	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	934		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	935		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	936		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	937		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	938		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	939		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	940		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	941		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	942		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	943		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	944		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	945		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	946		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	947		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	948		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	949		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	950		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	951		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	952		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	953		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	954		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	955		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	956		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	957		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	958		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	959		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	960		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	961		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	962		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	963		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	964		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	965		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	966		Uniform Load	GZ	NO	0	-101	1	-101	0

PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			
0	0	0									
	967		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	968		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	969		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	970		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	971		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	972		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	973		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	974		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	975		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	976		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	977		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	978		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	979		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	980		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	981		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	982		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	983		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	984		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	985		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	986		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	987		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	988		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	989		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	990		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	991		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	992		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	993		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	994		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	995		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	996		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	997		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	998		Uniform Load	GZ	NO	0	-101	1	-101	0	
0	0	0									
	999		Uniform Load	GZ	NO	0	-101	1	-101	0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A


0	0	0								
	1000		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	1001		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	1002		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	1003		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	1004		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	1005		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	1006		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								
	1007		Uniform Load	GZ	NO	0	-101	1	-101	0
0	0	0								

[LOAD CASE : G2]


** BEAM LOAD DATA

MEMBER		P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4									
0	728	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	729		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	730		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	731		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	732		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	733		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	734		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	735		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	736		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	737		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	738		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	739		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	740		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	741		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	742		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	743		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	744		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	745		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
	746		Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	747	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	748	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	749	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	750	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	751	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	752	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	753	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	754	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	755	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	756	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	757	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	758	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	759	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	760	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	761	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	762	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	763	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	764	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	765	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	766	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	767	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	768	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	769	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	770	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	771	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	772	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	773	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	774	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	775	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	776	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	777	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	778	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	779	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	780	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	781	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	782	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	783	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	784	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	785	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	786	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	787	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	788	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	789	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	790	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	791	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	792	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	793	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	794	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	795	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	796	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	797	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	798	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	799	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	800	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	801	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	802	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	803	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	804	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	805	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	806	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	807	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	808	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	809	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	810	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	811	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	812	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	813	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	814	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	815	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	816	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	817	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	818	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	819	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	820	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	821	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	822	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	823	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	824	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	825	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	826	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	827	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	828	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	829	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	830	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	831	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	832	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	833	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	834	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	835	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	836	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	837	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	838	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	839	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	840	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	841	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	842	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	843	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	844	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	845	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	846	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	847	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	848	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	849	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	850	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	851	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	852	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	853	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	854	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	855	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	856	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	857	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	858	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	859	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	860	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	861	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	862	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	863	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	864	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	865	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	866	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	867	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	868	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	869	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	870	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	871	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	872	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	873	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	874	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	875	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	876	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	877	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	878	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	879	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	880	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	881	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	882	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	883	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	884	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	885	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	886	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	887	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	888	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	889	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	890	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	891	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	892	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	893	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	894	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	895	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	896	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	897	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	898	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	899	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	900	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	901	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	902	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	903	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	904	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	905	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	906	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	907	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	908	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	909	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	910	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	911	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	912	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	913	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	914	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	915	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	916	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	917	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	918	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	919	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	920	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	921	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	922	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	923	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	924	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	925	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	926	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	927	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	928	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	929	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	930	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	931	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	932	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	933	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	934	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	935	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	936	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	937	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	938	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	939	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	940	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	941	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	942	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	943	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	944	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								

PROJECT TITLE :


		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	945	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	946	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	947	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	948	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	949	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	950	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	951	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	952	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	953	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	954	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	955	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	956	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	957	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	958	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	959	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	960	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	961	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	962	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	963	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	964	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	965	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	966	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	967	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	968	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	969	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	970	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	971	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	972	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	973	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	974	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	975	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	976	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	977	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	978	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	979	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	980	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	981	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	982	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	983	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	984	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	985	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	986	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	987	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	988	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	989	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	990	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	991	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	992	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	993	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	994	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	995	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	996	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	997	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	998	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	999	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	1000	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	1001	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	1002	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	1003	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	1004	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	1005	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	1006	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	1007	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								
0	1008	0	Uniform Load	GZ	NO	0	-36.7	1	-36.7	0
0	0	0								

[LOAD CASE : G1-Imp. adiacente]

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

** NODAL LOAD DATA

NODE	FX	FY	FZ	MX	MY	MZ
1023	0	0	-1476	0	0	0
1113	0	0	-1455	0	0	0
1114	0	0	-1356	0	0	0
1115	0	0	-535.4	0	0	0
1117	0	0	-1149	0	0	0

[LOAD CASE : G2-Imp. adiacente]

** NODAL LOAD DATA


NODE	FX	FY	FZ	MX	MY	MZ
1023	0	0	-540	0	0	0
1113	0	0	-465	0	0	0
1114	0	0	-440.9	0	0	0
1115	0	0	-183.9	0	0	0
1117	0	0	-395.5	0	0	0

[LOAD CASE : q3]

** BEAM LOAD DATA


MEMBER	MEMBER	P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4									
0	728	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	729	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	730	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	731	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	732	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	733	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	734	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	735	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	736	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	737	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	738	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	739	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	740	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	741	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	742	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	743	0	Uniform Load	LX	NO	0	3.2	1	3.2	0
0	744	0	Uniform Load	LX	NO	0	3.2	1	3.2	0

PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			


0	0	0								
	745		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	746		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	747		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	748		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	749		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	750		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	751		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	752		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	753		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	754		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	755		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	756		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	757		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	758		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	759		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	760		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	761		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	762		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	763		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	764		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	765		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	766		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	767		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	768		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	769		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	770		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	771		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	772		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	773		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	774		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	775		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	776		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	777		Uniform Load	LX	NO	0	3.2	1	3.2	0

PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			


0	0	0								
	778		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	779		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	780		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	781		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	782		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	783		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	784		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	785		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	786		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	787		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	788		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	789		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	790		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	791		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	792		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	793		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	794		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	795		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	796		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	797		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	798		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	799		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	800		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	801		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	802		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	803		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	804		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	805		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	806		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	807		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	808		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	809		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	810		Uniform Load	LX	NO	0	3.2	1	3.2	0

PROJECT TITLE :


	Company					Client				
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			

0	0	0								
	811		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	812		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	813		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	814		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	815		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	816		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	817		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	818		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	819		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	820		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	821		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	822		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	823		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	824		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	825		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	826		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	827		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	828		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	829		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	830		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	831		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	832		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	833		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	834		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	835		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	836		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	837		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	838		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	839		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	840		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	841		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	842		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	843		Uniform Load	LX	NO	0	3.2	1	3.2	0

PROJECT TITLE :


		Company					Client				
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			
0	0	0									
	844		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	845		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	846		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	847		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	848		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	849		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	850		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	851		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	852		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	853		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	854		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	855		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	856		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	857		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	858		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	859		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	860		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	861		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	862		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	863		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	864		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	865		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	866		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	867		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	868		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	869		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	870		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	871		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	872		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	873		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	874		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	875		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	876		Uniform Load	LX	NO	0	3.2	1	3.2	0	

PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			


0	0	0								
	877		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	878		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	879		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	880		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	881		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	882		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	883		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	884		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	885		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	886		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	887		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	888		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	889		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	890		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	891		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	892		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	893		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	894		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	895		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	896		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	897		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	898		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	899		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	900		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	901		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	902		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	903		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	904		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	905		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	906		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	907		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	908		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	909		Uniform Load	LX	NO	0	3.2	1	3.2	0

PROJECT TITLE :


	Company					Client				
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			

0	0	0								
	910		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	911		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	912		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	913		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	914		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	915		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	916		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	917		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	918		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	919		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	920		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	921		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	922		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	923		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	924		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	925		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	926		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	927		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	928		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	929		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	930		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	931		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	932		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	933		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	934		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	935		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	936		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	937		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	938		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	939		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	940		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	941		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	942		Uniform Load	LX	NO	0	3.2	1	3.2	0

PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			
0	0	0									
	943		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	944		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	945		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	946		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	947		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	948		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	949		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	950		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	951		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	952		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	953		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	954		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	955		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	956		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	957		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	958		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	959		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	960		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	961		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	962		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	963		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	964		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	965		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	966		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	967		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	968		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	969		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	970		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	971		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	972		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	973		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	974		Uniform Load	LX	NO	0	3.2	1	3.2	0	
0	0	0									
	975		Uniform Load	LX	NO	0	3.2	1	3.2	0	


PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			

0	0	0								
	976		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	977		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	978		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	979		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	980		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	981		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	982		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	983		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	984		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	985		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	986		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	987		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	988		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	989		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	990		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	991		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	992		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	993		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	994		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	995		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	996		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	997		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	998		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	999		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	1000		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	1001		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	1002		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	1003		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	1004		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	1005		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	1006		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	1007		Uniform Load	LX	NO	0	3.2	1	3.2	0
0	0	0								
	1008		Uniform Load	LX	NO	0	3.2	1	3.2	0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

0 0 0

[LOAD CASE : q4-1]

** BEAM LOAD DATA

MEMBER			TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								
0	728	0	Concentrated Force	LY	NO	0	-200	0	0	0
0	0	0								

[LOAD CASE : q4-2]

** BEAM LOAD DATA

MEMBER			TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								
0	768	0	Concentrated Force	LY	NO	0	-200	0	0	0
0	0	0								

[LOAD CASE : q4-3]

** BEAM LOAD DATA

MEMBER			TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								
0	818	0	Concentrated Force	LY	NO	0	-200	0	0	0
0	0	0								

[LOAD CASE : q4-4]

** BEAM LOAD DATA

MEMBER			TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								
0	868	0	Concentrated Force	LY	NO	0	-200	0	0	0
0	0	0								


[LOAD CASE : q4-5]

** BEAM LOAD DATA

MEMBER			TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								
0	918	0	Concentrated Force	LY	NO	0	-200	0	0	0
0	0	0								

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

[LOAD CASE : q4-6]

** BEAM LOAD DATA

MEMBER			TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								
0	968	0	Concentrated Force	LY	NO	0	-200	0	0	0

[LOAD CASE : q4-7]

** BEAM LOAD DATA


MEMBER			TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								
0	1007	0	Concentrated Force	LY	NO	0	-200	0	0	0

[LOAD CASE : q5 - p.c. X]


** BEAM LOAD DATA

MEMBER			TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								
0	728	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	728	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	729	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	729	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	730	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	730	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	731	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	731	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	732	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	732	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	733	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	733	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	734	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	734	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	735	0	Uniform Load	GX	NO	0	17.5	1	17.5	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	735		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	736		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	736		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	737		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	737		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	738		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	738		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	739		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	739		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	740		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	740		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	741		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	741		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	742		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	742		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	743		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	743		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	744		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	744		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	745		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	745		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	746		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	746		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	747		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	747		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	748		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	748		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	749		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	749		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	750		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	750		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	751		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	751		Uniform Load	GX	NO	0	17.5	1	17.5	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	752	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	752	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	753	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	753	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	754	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	754	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	755	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	755	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	756	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	756	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	757	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	757	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	758	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	758	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	759	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	759	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	760	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	760	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	761	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	761	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	762	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	762	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	763	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	763	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	764	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	764	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	765	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	765	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	766	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	766	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	767	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	767	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	768	0	Uniform Load	GX	NO	0	17.5	1	17.5	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	768		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	769		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	769		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	770		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	770		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	771		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	771		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	772		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	772		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	773		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	773		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	774		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	774		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	775		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	775		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	776		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	776		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	777		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	777		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	778		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	778		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	779		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	779		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	780		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	780		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	781		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	781		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	782		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	782		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	783		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	783		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	784		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	784		Uniform Load	GY	NO	0	-7.47	1	-7.47	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	785		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	785		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	786		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	786		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	787		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	787		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	788		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	788		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	789		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	789		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	790		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	790		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	791		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	791		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	792		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	792		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	793		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	793		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	794		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	794		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	795		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	795		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	796		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	796		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	797		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	797		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	798		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	798		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	799		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	799		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	800		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	800		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	801		Uniform Load	GY	NO	0	-7.47	1	-7.47	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	801		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	802		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	802		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	803		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	803		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	804		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	804		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	805		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	805		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	806		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	806		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	807		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	807		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	808		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	808		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	809		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	809		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	810		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	810		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	811		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	811		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	812		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	812		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	813		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	813		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	814		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	814		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	815		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	815		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	816		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	816		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	817		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	817		Uniform Load	GX	NO	0	17.5	1	17.5	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	818		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	818		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	819		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	819		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	820		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	820		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	821		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	821		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	822		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	822		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	823		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	823		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	824		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	824		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	825		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	825		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	826		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	826		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	827		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	827		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	828		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	828		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	829		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	829		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	830		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	830		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	831		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	831		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	832		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	832		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	833		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	833		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	834		Uniform Load	GY	NO	0	-7.47	1	-7.47	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	834		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	835		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	835		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	836		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	836		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	837		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	837		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	838		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	838		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	839		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	839		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	840		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	840		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	841		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	841		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	842		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	842		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	843		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	843		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	844		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	844		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	845		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	845		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	846		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	846		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	847		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	847		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	848		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	848		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	849		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	849		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	850		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	850		Uniform Load	GX	NO	0	17.5	1	17.5	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	851	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	851	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	852	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	852	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	853	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	853	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	854	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	854	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	855	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	855	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	856	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	856	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	857	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	857	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	858	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	858	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	859	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	859	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	860	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	860	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	861	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	861	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	862	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	862	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	863	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	863	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	864	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	864	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	865	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	865	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	866	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	866	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	867	0	Uniform Load	GX	NO	0	17.5	1	17.5	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	867		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	868		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	868		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	869		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	869		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	870		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	870		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	871		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	871		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	872		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	872		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	873		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	873		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	874		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	874		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	875		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	875		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	876		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	876		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	877		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	877		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	878		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	878		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	879		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	879		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	880		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	880		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	881		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	881		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	882		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	882		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	883		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	883		Uniform Load	GY	NO	0	-7.47	1	-7.47	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	884		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	884		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	885		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	885		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	886		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	886		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	887		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	887		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	888		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	888		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	889		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	889		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	890		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	890		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	891		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	891		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	892		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	892		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	893		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	893		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	894		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	894		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	895		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	895		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	896		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	896		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	897		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	897		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	898		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	898		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	899		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	899		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	900		Uniform Load	GX	NO	0	17.5	1	17.5	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	900		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	901		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	901		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	902		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	902		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	903		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	903		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	904		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	904		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	905		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	905		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	906		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	906		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	907		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	907		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	908		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	908		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	909		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	909		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	910		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	910		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	911		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	911		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	912		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	912		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	913		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	913		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	914		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	914		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	915		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	915		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	916		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	916		Uniform Load	GY	NO	0	-7.47	1	-7.47	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	917	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	917	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	918	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	918	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	919	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	919	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	920	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	920	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	921	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	921	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	922	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	922	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	923	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	923	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	924	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	924	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	925	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	925	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	926	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	926	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	927	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	927	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	928	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	928	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	929	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	929	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	930	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	930	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	931	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	931	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	932	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	932	0	Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	933	0	Uniform Load	GY	NO	0	-7.47	1	-7.47	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	933		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	934		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	934		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	935		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	935		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	936		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	936		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	937		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	937		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	938		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	938		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	939		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	939		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	940		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	940		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	941		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	941		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	942		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	942		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	943		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	943		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	944		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	944		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	945		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	945		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	946		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	946		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	947		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	947		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	948		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	948		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	949		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	949		Uniform Load	GX	NO	0	17.5	1	17.5	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	950		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	950		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	951		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	951		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	952		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	952		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	953		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	953		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	954		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	954		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	955		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	955		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	956		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	956		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	957		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	957		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	958		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	958		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	959		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	959		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	960		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	960		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	961		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	961		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	962		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	962		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	963		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	963		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	964		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	964		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	965		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	965		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	966		Uniform Load	GY	NO	0	-7.47	1	-7.47	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	966		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	967		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	967		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	968		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	968		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	969		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	969		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	970		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	970		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	971		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	971		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	972		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	972		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	973		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	973		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	974		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	974		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	975		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	975		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	976		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	976		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	977		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	977		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	978		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	978		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	979		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	979		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	980		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	980		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	981		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	981		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	982		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	982		Uniform Load	GX	NO	0	17.5	1	17.5	0

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	983		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	983		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	984		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	984		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	985		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	985		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	986		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	986		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	987		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	987		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	988		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	988		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	989		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	989		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	990		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	990		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	991		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	991		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	992		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	992		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	993		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	993		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	994		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	994		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	995		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	995		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	996		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	996		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	997		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	997		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	998		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	998		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	999		Uniform Load	GY	NO	0	-7.47	1	-7.47	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A


0	0	0								
	999		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	1000		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	1000		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	1001		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	1001		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	1002		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	1002		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	1003		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	1003		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	1004		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	1004		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	1005		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	1005		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	1006		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	1006		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	1007		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								
	1007		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	1008		Uniform Load	GY	NO	0	-7.47	1	-7.47	0
0	0	0								
	1008		Uniform Load	GX	NO	0	17.5	1	17.5	0
0	0	0								

[LOAD CASE : q5 - p.c. Y]


** BEAM LOAD DATA

	MEMBER										
	P3	D4	P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
		728		Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0									
		728		Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0									
		729		Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0									
		729		Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0									
		730		Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0									
		730		Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0									
		731		Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0									
		731		Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0									


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	732	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	732	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	733	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	733	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	734	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	734	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	735	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	735	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	736	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	736	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	737	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	737	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	738	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	738	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	739	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	739	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	740	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	740	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	741	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	741	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	742	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	742	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	743	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	743	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	744	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	744	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	745	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	745	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	746	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	746	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	747	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	747	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	748	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	748	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	749	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	749	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	750	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	750	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	751	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	751	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	752	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	752	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	753	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	753	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	754	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	754	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	755	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	755	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	756	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	756	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	757	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	757	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	758	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	758	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	759	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	759	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	760	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	760	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	761	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	761	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	762	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	762	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	763	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	763	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	764	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	764	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	765	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	765	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	766	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	766	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	767	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	767	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	768	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	768	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	769	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	769	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	770	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	770	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	771	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	771	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	772	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	772	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	773	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	773	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	774	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	774	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	775	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	775	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	776	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	776	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	777	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	777	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	778	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	778	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	779	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	779	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	780	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	780	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	781	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	781	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	782	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	782	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	783	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	783	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	784	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	784	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	785	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	785	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	786	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	786	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	787	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	787	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	788	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	788	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	789	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	789	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	790	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	790	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	791	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	791	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	792	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	792	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	793	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	793	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	794	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	794	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	795	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	795	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	796	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	796	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	797	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	797	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	798	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	798	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	799	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	799	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	800	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	800	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	801	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	801	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	802	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	802	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	803	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	803	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	804	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	804	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	805	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	805	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	806	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	806	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	807	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	807	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	808	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	808	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	809	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	809	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	810	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	810	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	811	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	811	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	812	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	812	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	813	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	813	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	814	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	814	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	815	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	815	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	816	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	816	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	817	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	817	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	818	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	818	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	819	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	819	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	820	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	820	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	821	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	821	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	822	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	822	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	823	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	823	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	824	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	824	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	825	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	825	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	826	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	826	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	827	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	827	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	828	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	828	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	829	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	829	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	830	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	830	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	831	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	831	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	832	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	832	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	833	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	833	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	834	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	834	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	835	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	835	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	836	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	836	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	837	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	837	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	838	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	838	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	839	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	839	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	840	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	840	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	841	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	841	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	842	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	842	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	843	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	843	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	844	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	844	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	845	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	845	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	846	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	846	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	847	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	847	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	848	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	848	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	849	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	849	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	850	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	850	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	851	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	851	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	852	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	852	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	853	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	853	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	854	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	854	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	855	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	855	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	856	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	856	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	857	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	857	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	858	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	858	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	859	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	859	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	860	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	860	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	861	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	861	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	862	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	862	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	863	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	863	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	864	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	864	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	865	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	865	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	866	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	866	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	867	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	867	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	868	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	868	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	869	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	869	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	870	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	870	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	871	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	871	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	872	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	872	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	873	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	873	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	874	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	874	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	875	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	875	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	876	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	876	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	877	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	877	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	878	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	878	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	879	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	879	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	880	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	880	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	881	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	881	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	882	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	882	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	883	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	883	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	884	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	884	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	885	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	885	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	886	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	886	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	887	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	887	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	888	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	888	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	889	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	889	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	890	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	890	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	891	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	891	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	892	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	892	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	893	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	893	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	894	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	894	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	895	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	895	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	896	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	896	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	897	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	897	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	898	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	898	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	899	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	899	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	900	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	900	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	901	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	901	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	902	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	902	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	903	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	903	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	904	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	904	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	905	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	905	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	906	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	906	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	907	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	907	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	908	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	908	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	909	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	909	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	910	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	910	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	911	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	911	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	912	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	912	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	913	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	913	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	914	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	914	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	915	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	915	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	916	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	916	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	917	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	917	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	918	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	918	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	919	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	919	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	920	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	920	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	921	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	921	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	922	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	922	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	923	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	923	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	924	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	924	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	925	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	925	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	926	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	926	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	927	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	927	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	928	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	928	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	929	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	929	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	930	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	930	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	931	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	931	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	932	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	932	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	933	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	933	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	934	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	934	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	935	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	935	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	936	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	936	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	937	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	937	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	938	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	938	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	939	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	939	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	940	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	940	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	941	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	941	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	942	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	942	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	943	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	943	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	944	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	944	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	945	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	945	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	946	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	946	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	947	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	947	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	948	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	948	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	949	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	949	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	950	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	950	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	951	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	951	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	952	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	952	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	953	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	953	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	954	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	954	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	955	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	955	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	956	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	956	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	957	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	957	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	958	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	958	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	959	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	959	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	960	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	960	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	961	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	961	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	962	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	962	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	963	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	963	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	964	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	964	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	965	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	965	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	966	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	966	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	967	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	967	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	968	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	968	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	969	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	969	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	970	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	970	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	971	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	971	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	972	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	972	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	973	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	973	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	974	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	974	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	975	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	975	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	976	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	976	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	977	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	977	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	978	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	978	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	979	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	979	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	980	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	980	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	981	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	981	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	982	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	982	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	983	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	983	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	984	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	984	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	985	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	985	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	986	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	986	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	987	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	987	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	988	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	988	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	989	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	989	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	990	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	990	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	991	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	991	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	992	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	992	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	993	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	993	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	994	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	994	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	995	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	995	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A


0	996	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	996	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	997	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	997	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	998	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	998	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	999	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	999	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	1000	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	1000	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	1001	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	1001	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	1002	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	1002	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	1003	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	1003	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	1004	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	1004	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	1005	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	1005	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	1006	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	1006	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	1007	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								
0	1007	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	1008	0	Uniform Load	GX	YES	0	7.47	1	7.47	0
0	0	0								
0	1008	0	Uniform Load	GY	YES	0	17.5	1	17.5	0
0	0	0								

[LOAD CASE : q5 - p.s. X]


** BEAM LOAD DATA

P3	MEMBER D4	P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
0	728	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
	0									
	728		Uniform Load	GY	NO	0	-7.08	1	-7.08	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	729	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	729	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	730	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	730	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	731	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	731	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	732	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	732	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	733	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	733	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	734	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	734	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	735	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	735	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	736	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	736	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	737	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	737	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	738	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	738	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	739	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	739	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	740	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	740	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	741	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	741	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	742	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	742	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	743	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	743	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	744	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	744	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	745	0	Uniform Load	GX	NO	0	16.6	1	16.6	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	745	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	746	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	746	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	747	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	747	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	748	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	748	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	749	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	749	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	750	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	750	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	751	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	751	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	752	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	752	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	753	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	753	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	754	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	754	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	755	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	755	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	756	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	756	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	757	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	757	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	758	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	758	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	759	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	759	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	760	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	760	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	761	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	761	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	762	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	762	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	763	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	763	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	764	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	764	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	765	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	765	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	766	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	766	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	767	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	767	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	768	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	768	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	769	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	769	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	770	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	770	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	771	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	771	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	772	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	772	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	773	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	773	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	774	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	774	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	775	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	775	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	776	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	776	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	777	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	777	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	778	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	778	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	779	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	779	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	780	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	780	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	781	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	781	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	782	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	782	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	783	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	783	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	784	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	784	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	785	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	785	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	786	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	786	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	787	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	787	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	788	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	788	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	789	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	789	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	790	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	790	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	791	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	791	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	792	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	792	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	793	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	793	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	794	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	794	0	Uniform Load	GX	NO	0	16.6	1	16.6	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	795		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	795		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	796		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	796		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	797		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	797		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	798		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	798		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	799		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	799		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	800		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	800		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	801		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	801		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	802		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	802		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	803		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	803		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	804		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	804		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	805		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	805		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	806		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	806		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	807		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	807		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	808		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	808		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	809		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	809		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	810		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	810		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	811		Uniform Load	GY	NO	0	-7.08	1	-7.08	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	811		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	812		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	812		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	813		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	813		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	814		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	814		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	815		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	815		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	816		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	816		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	817		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	817		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	818		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	818		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	819		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	819		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	820		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	820		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	821		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	821		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	822		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	822		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	823		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	823		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	824		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	824		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	825		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	825		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	826		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	826		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	827		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	827		Uniform Load	GX	NO	0	16.6	1	16.6	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	828		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	828		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	829		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	829		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	830		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	830		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	831		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	831		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	832		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	832		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	833		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	833		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	834		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	834		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	835		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	835		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	836		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	836		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	837		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	837		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	838		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	838		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	839		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	839		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	840		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	840		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	841		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	841		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	842		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	842		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	843		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	843		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	844		Uniform Load	GX	NO	0	16.6	1	16.6	0


PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			
0	0	0									
	844		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	845		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	845		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	846		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	846		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	847		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	847		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	848		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	848		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	849		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	849		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	850		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	850		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	851		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	851		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	852		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	852		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	853		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	853		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	854		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	854		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	855		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	855		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	856		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	856		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	857		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	857		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	858		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	858		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	859		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	
0	0	0									
	859		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	860		Uniform Load	GX	NO	0	16.6	1	16.6	0	
0	0	0									
	860		Uniform Load	GY	NO	0	-7.08	1	-7.08	0	


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	861		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	861		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	862		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	862		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	863		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	863		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	864		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	864		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	865		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	865		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	866		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	866		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	867		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	867		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	868		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	868		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	869		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	869		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	870		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	870		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	871		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	871		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	872		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	872		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	873		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	873		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	874		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	874		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	875		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	875		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	876		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	876		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	877		Uniform Load	GY	NO	0	-7.08	1	-7.08	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	877	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	878	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	878	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	879	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	879	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	880	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	880	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	881	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	881	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	882	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	882	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	883	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	883	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	884	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	884	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	885	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	885	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	886	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	886	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	887	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	887	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	888	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	888	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	889	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	889	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	890	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	890	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	891	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	891	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	892	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	892	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	893	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	893	0	Uniform Load	GX	NO	0	16.6	1	16.6	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	894	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	894	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	895	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	895	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	896	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	896	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	897	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	897	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	898	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	898	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	899	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	899	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	900	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	900	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	901	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	901	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	902	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	902	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	903	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	903	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	904	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	904	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	905	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	905	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	906	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	906	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	907	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	907	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	908	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	908	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	909	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	909	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	910	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	910		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	911		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	911		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	912		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	912		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	913		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	913		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	914		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	914		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	915		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	915		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	916		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	916		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	917		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	917		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	918		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	918		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	919		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	919		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	920		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	920		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	921		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	921		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	922		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	922		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	923		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	923		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	924		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	924		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	925		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	925		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	926		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	926		Uniform Load	GX	NO	0	16.6	1	16.6	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	927	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	927	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	928	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	928	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	929	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	929	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	930	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	930	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	931	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	931	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	932	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	932	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	933	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	933	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	934	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	934	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	935	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	935	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	936	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	936	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	937	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	937	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	938	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	938	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	939	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	939	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	940	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	940	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	941	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	941	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	942	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	942	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	943	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	943	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	944	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	944	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	945	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	945	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	946	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	946	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	947	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	947	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	948	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	948	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	949	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	949	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	950	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	950	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	951	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	951	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	952	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	952	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	953	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	953	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	954	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	954	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	955	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	955	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	956	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	956	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	957	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	957	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	958	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	958	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	959	0	Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	959	0	Uniform Load	GY	NO	0	-7.08	1	-7.08	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	960		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	960		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	961		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	961		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	962		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	962		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	963		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	963		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	964		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	964		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	965		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	965		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	966		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	966		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	967		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	967		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	968		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	968		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	969		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	969		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	970		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	970		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	971		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	971		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	972		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	972		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	973		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	973		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	974		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	974		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	975		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	975		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	976		Uniform Load	GY	NO	0	-7.08	1	-7.08	0

PROJECT TITLE :


		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	0	0								
	976		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	977		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	977		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	978		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	978		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	979		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	979		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	980		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	980		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	981		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	981		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	982		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	982		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	983		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	983		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	984		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	984		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	985		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	985		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	986		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	986		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	987		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	987		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	988		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	988		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	989		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	989		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	990		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	990		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	991		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	991		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	992		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	992		Uniform Load	GX	NO	0	16.6	1	16.6	0

PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			

0	0	0								
	993		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	993		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	994		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	994		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	995		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	995		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	996		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	996		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	997		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	997		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	998		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	998		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	999		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	999		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	1000		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	1000		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	1001		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	1001		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	1002		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	1002		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	1003		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	1003		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	1004		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	1004		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	1005		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	1005		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	1006		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	1006		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	1007		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								
	1007		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	1008		Uniform Load	GX	NO	0	16.6	1	16.6	0
0	0	0								
	1008		Uniform Load	GY	NO	0	-7.08	1	-7.08	0
0	0	0								

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

[LOAD CASE : q5 - p.s. Y]


** BEAM LOAD DATA

P3	MEMBER D4	P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
0	728	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	728	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	729	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	729	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	730	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	730	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	731	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	731	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	732	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	732	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	733	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	733	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	734	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	734	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	735	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	735	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	736	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	736	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	737	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	737	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	738	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	738	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	739	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	739	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	740	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	740	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	741	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	741	0	Uniform Load	GY	YES	0	16.6	1	16.6	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	742	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	742	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	743	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	743	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	744	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	744	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	745	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	745	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	746	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	746	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	747	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	747	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	748	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	748	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	749	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	749	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	750	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	750	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	751	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	751	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	752	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	752	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	753	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	753	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	754	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	754	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	755	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	755	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	756	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	756	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	757	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	757	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	758	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	758	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	759	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	759	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	760	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	760	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	761	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	761	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	762	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	762	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	763	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	763	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	764	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	764	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	765	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	765	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	766	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	766	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	767	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	767	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	768	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	768	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	769	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	769	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	770	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	770	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	771	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	771	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	772	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	772	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	773	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	773	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	774	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	774	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	775	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	775	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	776	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	776	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	777	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	777	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	778	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	778	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	779	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	779	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	780	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	780	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	781	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	781	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	782	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	782	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	783	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	783	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	784	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	784	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	785	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	785	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	786	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	786	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	787	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	787	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	788	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	788	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	789	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	789	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	790	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	790	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	791	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	791	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	792	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	792	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	793	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	793	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	794	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	794	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	795	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	795	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	796	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	796	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	797	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	797	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	798	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	798	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	799	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	799	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	800	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	800	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	801	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	801	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	802	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	802	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	803	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	803	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	804	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	804	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	805	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	805	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	806	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	806	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	807	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	807	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	808	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	808	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	809	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	809	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	810	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	810	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	811	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	811	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	812	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	812	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	813	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	813	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	814	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	814	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	815	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	815	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	816	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	816	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	817	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	817	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	818	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	818	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	819	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	819	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	820	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	820	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	821	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	821	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	822	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	822	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	823	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	823	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	824	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	824	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	825	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	825	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	826	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	826	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	827	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	827	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	828	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	828	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	829	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	829	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	830	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	830	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	831	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	831	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	832	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	832	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	833	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	833	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	834	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	834	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	835	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	835	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	836	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	836	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	837	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	837	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	838	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	838	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	839	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	839	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	840	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	840	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	841	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	841	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	842	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	842	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	843	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	843	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	844	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	844	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	845	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	845	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	846	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	846	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	847	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	847	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	848	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	848	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	849	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	849	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	850	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	850	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	851	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	851	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	852	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	852	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	853	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	853	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	854	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	854	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	855	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	855	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	856	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	856	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	857	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	857	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	858	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	858	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	859	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	859	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	860	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	860	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	861	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	861	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	862	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	862	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	863	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	863	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	864	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	864	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	865	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	865	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	866	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	866	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	867	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	867	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	868	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	868	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	869	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	869	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	870	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	870	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	871	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	871	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	872	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	872	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	873	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	873	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	874	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	874	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	875	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	875	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	876	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	876	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	877	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	877	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	878	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	878	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	879	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	879	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	880	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	880	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	881	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	881	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	882	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	882	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	883	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	883	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	884	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	884	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	885	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	885	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	886	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	886	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	887	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	887	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	888	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	888	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	889	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	889	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	890	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	890	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	891	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	891	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	892	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	892	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	893	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	893	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	894	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	894	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	895	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	895	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	896	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	896	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	897	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	897	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	898	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	898	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	899	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	899	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	900	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	900	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	901	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	901	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	902	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	902	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	903	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	903	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	904	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	904	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	905	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	905	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	906	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	906	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	907	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	907	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	908	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	908	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	909	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	909	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	910	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	910	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	911	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	911	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	912	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	912	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	913	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	913	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	914	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	914	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	915	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	915	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	916	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	916	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	917	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	917	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	918	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	918	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	919	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	919	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	920	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	920	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	921	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	921	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	922	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	922	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	923	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	923	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	924	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	924	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	925	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	925	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	926	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	926	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	927	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	927	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	928	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	928	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	929	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	929	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	930	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	930	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	931	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	931	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	932	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	932	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	933	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	933	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	934	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	934	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	935	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	935	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	936	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	936	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	937	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	937	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	938	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	938	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	939	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	939	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	940	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	940	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	941	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	941	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	942	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	942	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	943	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	943	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	944	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	944	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	945	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	945	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	946	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	946	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	947	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	947	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	948	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	948	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	949	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	949	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	950	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	950	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	951	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	951	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	952	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	952	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	953	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	953	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	954	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	954	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	955	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	955	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	956	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	956	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	957	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	957	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	958	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	958	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	959	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	959	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	960	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	960	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	961	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	961	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	962	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	962	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	963	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	963	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	964	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	964	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	965	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	965	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	966	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	966	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	967	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	967	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	968	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	968	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	969	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	969	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	970	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	970	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	971	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	971	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	972	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	972	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	973	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	973	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	974	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	974	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	975	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	975	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	976	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	976	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	977	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	977	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	978	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	978	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	979	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	979	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	980	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	980	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	981	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	981	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	982	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	982	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	983	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	983	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	984	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	984	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	985	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	985	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	986	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	986	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	987	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	987	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	988	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	988	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	989	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	989	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	990	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	990	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	991	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	991	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	992	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	992	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	993	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	993	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	994	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	994	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	995	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	995	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	996	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	996	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	997	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	997	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	998	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	998	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	999	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	999	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	1000	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	1000	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	1001	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	1001	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	1002	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	1002	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	1003	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	1003	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	1004	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	1004	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	1005	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	1005	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

0	1006	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	1006	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	1007	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								
0	1007	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	1008	0	Uniform Load	GX	YES	0	7.08	1	7.08	0
0	0	0								
0	1008	0	Uniform Load	GY	YES	0	16.6	1	16.6	0
0	0	0								

[LOAD CASE : q7]

** BEAM LOAD DATA


MEMBER		P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4									
0	721	0	Concentrated Force	LZ	NO	1	62.9	0	0	0
0	0	0								
0	722	0	Concentrated Force	LZ	NO	1	204	0	0	0
0	0	0								
0	723	0	Concentrated Force	LZ	NO	1	208	0	0	0
0	0	0								
0	725	0	Concentrated Force	LZ	NO	1	-207	0	0	0
0	0	0								
0	726	0	Concentrated Force	LZ	NO	1	-206	0	0	0
0	0	0								
0	1139	0	Concentrated Force	LZ	NO	1	-61.1	0	0	0
0	0	0								

[LOAD CASE : T]

** MEMBER TEMPERATURE LOAD DATA


MEMBER	TEMPERATURE
735	30
734	30
733	30
732	30
731	30
730	30
729	30
728	30
751	30
750	30
749	30
748	30
747	30
746	30
745	30
744	30
743	30
742	30
741	30
740	30
739	30
738	30
737	30

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A


736	30
767	30
766	30
765	30
764	30
763	30
762	30
761	30
760	30
759	30
758	30
757	30
756	30
755	30
754	30
753	30
752	30
783	30
782	30
781	30
780	30
779	30
778	30
777	30
776	30
775	30
774	30
773	30
772	30
771	30
770	30
769	30
768	30
799	30
798	30
797	30
796	30
795	30
794	30
793	30
792	30
791	30
790	30
789	30
788	30
787	30
786	30
785	30
784	30
815	30
814	30
813	30
812	30
811	30
810	30
809	30
808	30
807	30
806	30
805	30
804	30
803	30
802	30
801	30
800	30
831	30

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A


830	30
829	30
828	30
827	30
826	30
825	30
824	30
823	30
822	30
821	30
820	30
819	30
818	30
817	30
816	30
847	30
846	30
845	30
844	30
843	30
842	30
841	30
840	30
839	30
838	30
837	30
836	30
835	30
834	30
833	30
832	30
863	30
862	30
861	30
860	30
859	30
858	30
857	30
856	30
855	30
854	30
853	30
852	30
851	30
850	30
849	30
848	30
879	30
878	30
877	30
876	30
875	30
874	30
873	30
872	30
871	30
870	30
869	30
868	30
867	30
866	30
865	30
864	30
895	30
894	30
893	30

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

892	30
891	30
890	30
889	30
888	30
887	30
886	30
885	30
884	30
883	30
882	30
881	30
880	30
911	30
910	30
909	30
908	30
907	30
906	30
905	30
904	30
903	30
902	30
901	30
900	30
899	30
898	30
897	30
896	30
927	30
926	30
925	30
924	30
923	30
922	30
921	30
920	30
919	30
918	30
917	30
916	30
915	30
914	30
913	30
912	30
943	30
942	30
941	30
940	30
939	30
938	30
937	30
936	30
935	30
934	30
933	30
932	30
931	30
930	30
929	30
928	30
959	30
958	30
957	30
956	30
955	30

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

954	30
953	30
952	30
951	30
950	30
949	30
948	30
947	30
946	30
945	30
944	30
975	30
974	30
973	30
972	30
971	30
970	30
969	30
968	30
967	30
966	30
965	30
964	30
963	30
962	30
961	30
960	30
991	30
990	30
989	30
988	30
987	30
986	30
985	30
984	30
983	30
982	30
981	30
980	30
979	30
978	30
977	30
976	30
1007	30
1006	30
1005	30
1004	30
1003	30
1002	30
1001	30
1000	30
999	30
998	30
997	30
996	30
995	30
994	30
993	30
992	30

[LOAD CASE : M. torc. (SLVx)]


** BEAM LOAD DATA

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

MEMBER		P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4									
0	728	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	729	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	730	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	731	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	732	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	733	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	734	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	735	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	736	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	737	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	738	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	739	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	740	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	741	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	742	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	743	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	744	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	745	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	746	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	747	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	748	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	749	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	750	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	751	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	752	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	753	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	754	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	755	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	756	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	757	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	758	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								


PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			
0	759	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	760	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	761	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	762	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	763	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	764	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	765	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	766	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	767	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	768	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	769	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	770	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	771	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	772	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	773	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	774	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	775	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	776	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	777	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	778	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	779	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	780	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	781	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	782	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	783	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	784	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	785	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	786	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	787	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	788	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	789	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	790	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									
0	791	0	Uniform M/T	GZ	NO	0	282	1	282	0	
0	0	0									


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	792	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	793	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	794	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	795	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	796	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	797	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	798	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	799	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	800	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	801	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	802	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	803	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	804	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	805	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	806	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	807	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	808	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	809	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	810	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	811	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	812	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	813	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	814	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	815	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	816	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	817	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	818	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	819	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	820	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	821	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	822	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	823	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	824	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	825	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	826	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	827	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	828	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	829	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	830	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	831	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	832	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	833	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	834	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	835	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	836	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	837	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	838	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	839	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	840	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	841	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	842	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	843	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	844	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	845	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	846	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	847	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	848	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	849	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	850	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	851	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	852	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	853	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	854	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	855	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	856	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	857	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	858	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	859	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	860	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	861	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	862	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	863	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	864	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	865	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	866	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	867	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	868	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	869	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	870	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	871	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	872	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	873	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	874	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	875	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	876	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	877	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	878	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	879	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	880	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	881	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	882	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	883	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	884	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	885	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	886	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	887	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	888	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	889	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	890	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	891	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	892	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	893	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	894	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	895	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	896	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	897	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	898	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	899	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	900	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	901	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	902	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	903	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	904	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	905	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	906	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	907	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	908	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	909	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	910	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	911	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	912	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	913	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	914	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	915	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	916	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	917	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	918	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	919	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	920	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	921	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	922	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	923	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	924	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	925	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	926	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	927	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	928	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	929	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	930	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	931	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	932	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	933	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	934	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	935	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	936	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	937	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	938	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	939	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	940	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	941	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	942	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	943	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	944	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	945	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	946	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	947	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	948	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	949	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	950	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	951	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	952	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	953	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	954	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	955	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	956	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A		
0	957	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	958	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	959	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	960	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	961	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	962	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	963	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	964	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	965	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	966	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	967	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	968	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	969	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	970	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	971	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	972	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	973	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	974	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	975	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	976	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	977	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	978	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	979	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	980	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	981	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	982	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	983	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	984	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	985	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	986	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	987	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	988	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	989	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A


0	990	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	991	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	992	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	993	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	994	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	995	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	996	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	997	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	998	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	999	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	1000	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	1001	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	1002	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	1003	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	1004	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	1005	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	1006	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	1007	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								
0	1008	0	Uniform M/T	GZ	NO	0	282	1	282	0
0	0	0								

[LOAD CASE : M. torc. (SLVy)]


** BEAM LOAD DATA

MEMBER			TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								
0	728	0	Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								
0	729	0	Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								
0	730	0	Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								
0	731	0	Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								
0	732	0	Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								
0	733	0	Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								
0	734	0	Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								
0	735	0	Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								
0	736	0	Uniform M/T	GZ	NO	0	167	1	167	0


PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			
0	0	0									
	737		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	738		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	739		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	740		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	741		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	742		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	743		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	744		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	745		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	746		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	747		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	748		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	749		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	750		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	751		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	752		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	753		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	754		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	755		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	756		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	757		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	758		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	759		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	760		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	761		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	762		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	763		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	764		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	765		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	766		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	767		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	768		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	769		Uniform M/T	GZ	NO	0	167	1	167	0	


PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			
0	0	0									
	770		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	771		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	772		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	773		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	774		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	775		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	776		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	777		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	778		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	779		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	780		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	781		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	782		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	783		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	784		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	785		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	786		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	787		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	788		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	789		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	790		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	791		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	792		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	793		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	794		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	795		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	796		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	797		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	798		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	799		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	800		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	801		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	802		Uniform M/T	GZ	NO	0	167	1	167	0	


PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			
0	0	0									
	803		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	804		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	805		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	806		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	807		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	808		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	809		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	810		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	811		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	812		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	813		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	814		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	815		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	816		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	817		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	818		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	819		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	820		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	821		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	822		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	823		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	824		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	825		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	826		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	827		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	828		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	829		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	830		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	831		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	832		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	833		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	834		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	835		Uniform M/T	GZ	NO	0	167	1	167	0	


PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			
0	0	0									
	836		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	837		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	838		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	839		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	840		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	841		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	842		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	843		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	844		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	845		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	846		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	847		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	848		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	849		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	850		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	851		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	852		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	853		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	854		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	855		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	856		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	857		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	858		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	859		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	860		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	861		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	862		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	863		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	864		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	865		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	866		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	867		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	868		Uniform M/T	GZ	NO	0	167	1	167	0	


PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			
0	0	0									
	869		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	870		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	871		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	872		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	873		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	874		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	875		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	876		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	877		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	878		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	879		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	880		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	881		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	882		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	883		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	884		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	885		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	886		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	887		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	888		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	889		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	890		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	891		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	892		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	893		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	894		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	895		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	896		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	897		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	898		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	899		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	900		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	901		Uniform M/T	GZ	NO	0	167	1	167	0	


PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			
0	0	0									
	902		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	903		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	904		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	905		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	906		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	907		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	908		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	909		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	910		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	911		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	912		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	913		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	914		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	915		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	916		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	917		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	918		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	919		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	920		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	921		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	922		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	923		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	924		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	925		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	926		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	927		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	928		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	929		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	930		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	931		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	932		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	933		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	934		Uniform M/T	GZ	NO	0	167	1	167	0	


PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			
0	0	0									
	935		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	936		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	937		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	938		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	939		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	940		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	941		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	942		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	943		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	944		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	945		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	946		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	947		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	948		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	949		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	950		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	951		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	952		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	953		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	954		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	955		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	956		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	957		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	958		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	959		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	960		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	961		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	962		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	963		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	964		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	965		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	966		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	967		Uniform M/T	GZ	NO	0	167	1	167	0	

PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A			
0	0	0									
	968		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	969		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	970		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	971		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	972		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	973		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	974		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	975		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	976		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	977		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	978		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	979		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	980		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	981		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	982		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	983		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	984		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	985		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	986		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	987		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	988		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	989		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	990		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	991		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	992		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	993		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	994		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	995		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	996		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	997		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	998		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	999		Uniform M/T	GZ	NO	0	167	1	167	0	
0	0	0									
	1000		Uniform M/T	GZ	NO	0	167	1	167	0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

0	0	0								
	1001		Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								
	1002		Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								
	1003		Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								
	1004		Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								
	1005		Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								
	1006		Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								
	1007		Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								
	1008		Uniform M/T	GZ	NO	0	167	1	167	0
0	0	0								

*** RESPONSE SPECTRUM FUNCTION DATA

NAME	FUNCTION	SCALE	GRAVITY	DATA
TYPE				
-----	-----	-----	-----	-----
SLC-xy	Normalized Acc.	1	9.806	0:0.327 0.151:0.833 0.453:0.833 0.549:0.687 0.645:0.585
SLV-z (q=)	Normalized Acc.	1	9.806	0:0.135 0.05:0.341 0.15:0.341 0.235:0.218 0.32:0.16
SLV-xy	Normalized Acc.	1	9.806	0:0.31 0.15:0.522 0.449:0.522 0.543:0.432 0.636:0.369
SLD-xy	Normalized Acc.	1	9.806	0:0.16 0.14:0.391 0.419:0.391 0.494:0.331 0.568:0.288

*** RESPONSE SPECTRUM LOAD CASE DATA


NAME	FUNCTION NAME	DIR.	ANGLE	SCALE	PERIOD FACTOR	ACCIDENTAL ECCENTRICITY
-----	-----	-----	-----	-----	-----	-----

*** LOAD COMBINATION DATA

** GENERAL


NO	NAME	TYPE	ACTIVE	DESCRIPTION
1	G1	Add	ACTIVE	
2	G2	Add	ACTIVE	
3	Q1k	Envelope	ACTIVE	valori caratteristici carichi viaggianti
4	Q1f	Envelope	ACTIVE	valori rari carichi viaggianti
5	Q4	Envelope	ACTIVE	azione centrifuga
6	Q2a	Add	ACTIVE	carichi viaggianti frequenti + frenament
7	Q2b	Add	ACTIVE	carichi viaggianti frequenti + azione centrifuga
8	SLU1	Add	ACTIVE	Q
9	SLU2	Add	ACTIVE	Q
10	SLU3	Add	ACTIVE	Q
11	SLU4	Add	ACTIVE	Q

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A


12	SLU5	Add	ACTIVE	Q
13	SLU6	Add	ACTIVE	Q
14	SLU7	Add	ACTIVE	Q
15	SLU8	Add	ACTIVE	Q
16	SLU9	Add	ACTIVE	Q
17	SLU10	Add	ACTIVE	Q
18	SLU11	Add	ACTIVE	Q
19	SLU12	Add	ACTIVE	Q
20	SLU13	Add	ACTIVE	V
21	SLU14	Add	ACTIVE	V
22	SLU15	Add	ACTIVE	V
23	SLU16	Add	ACTIVE	V
24	SLU17	Add	ACTIVE	T
25	SLU18	Add	ACTIVE	T
26	SLU19	Add	ACTIVE	T
27	SLU20	Add	ACTIVE	T
28	SLU21	Add	ACTIVE	Q
29	SLU22	Add	ACTIVE	Q
30	SLU23	Add	ACTIVE	Q
31	SLU24	Add	ACTIVE	Q
32	SLU25	Add	ACTIVE	Q
33	SLU26	Add	ACTIVE	Q
34	SLU27	Add	ACTIVE	Q
35	SLU28	Add	ACTIVE	Q
36	SLU29	Add	ACTIVE	Q
37	SLU30	Add	ACTIVE	Q
38	SLU31	Add	ACTIVE	Q
39	SLU32	Add	ACTIVE	Q
40	SLU33	Add	ACTIVE	V
41	SLU34	Add	ACTIVE	V
42	SLU35	Add	ACTIVE	V
43	SLU36	Add	ACTIVE	V
44	SLU37	Add	ACTIVE	T
45	SLU38	Add	ACTIVE	T
46	SLU39	Add	ACTIVE	T
47	SLU40	Add	ACTIVE	T
48	SLV1x	Add	ACTIVE	
49	SLV2x	Add	ACTIVE	
50	SLV3x	Add	ACTIVE	
51	SLV4x	Add	ACTIVE	
52	SLV5x	Add	ACTIVE	
53	SLV6x	Add	ACTIVE	
54	SLV7x	Add	ACTIVE	
55	SLV8x	Add	ACTIVE	
56	SLV1y	Add	ACTIVE	
57	SLV2y	Add	ACTIVE	
58	SLV3y	Add	ACTIVE	
59	SLV4y	Add	ACTIVE	
60	SLV5y	Add	ACTIVE	
61	SLV6y	Add	ACTIVE	
62	SLV7y	Add	ACTIVE	
63	SLV8y	Add	ACTIVE	
64	SLV1z	Add	ACTIVE	
65	SLV2z	Add	ACTIVE	
66	SLV3z	Add	ACTIVE	
67	SLV4z	Add	ACTIVE	
68	SLV5z	Add	ACTIVE	
69	SLV6z	Add	ACTIVE	
70	SLV7z	Add	ACTIVE	
71	SLV8z	Add	ACTIVE	
72	INVSLU	Envelope	ACTIVE	
73	INVSLV	Envelope	ACTIVE	
74	SLER1	Add	ACTIVE	
75	SLER2	Add	ACTIVE	
76	SLER3	Add	ACTIVE	
77	SLER4	Add	ACTIVE	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_A

78	SLER5	Add	ACTIVE
79	SLER6	Add	ACTIVE
80	SLER7	Add	ACTIVE
81	SLER8	Add	ACTIVE
82	SLER9	Add	ACTIVE
83	SLER10	Add	ACTIVE
84	SLER11	Add	ACTIVE
85	SLER12	Add	ACTIVE
86	SLER13	Add	ACTIVE
87	SLER14	Add	ACTIVE
88	SLER15	Add	ACTIVE
89	SLER16	Add	ACTIVE
90	SLER17	Add	ACTIVE
91	SLER18	Add	ACTIVE
92	SLER19	Add	ACTIVE
93	SLER20	Add	ACTIVE
94	SLER21	Add	ACTIVE
95	SLER22	Add	ACTIVE
96	SLER23	Add	ACTIVE
97	SLER24	Add	ACTIVE
98	SLER25	Add	ACTIVE
99	SLER26	Add	ACTIVE
100	SLER27	Add	ACTIVE
101	SLER28	Add	ACTIVE
102	SLER29	Add	ACTIVE
103	SLER30	Add	ACTIVE
104	SLER31	Add	ACTIVE
105	SLER32	Add	ACTIVE
106	SLEQP1	Add	ACTIVE
107	SLEQP2	Add	ACTIVE
108	SLEF1	Add	ACTIVE
109	SLEF2	Add	ACTIVE
110	SLEF3	Add	ACTIVE
111	SLEF4	Add	ACTIVE
112	SLEF5	Add	ACTIVE
113	SLEF6	Add	ACTIVE
114	SLEF7	Add	ACTIVE
115	SLEF8	Add	ACTIVE
116	SLEF9	Add	ACTIVE
117	SLEF10	Add	ACTIVE
118	INVSLE	Envelope	ACTIVE

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

 ** Gen 2011 Modeling, Integrated Design & Analysis Software
 **
 ** GENERAL STRUCTURE DESIGN SYSTEM
 **


```

      XXX  XXX  XX  XXXXXXXX  XXXXXXXX  XXXXXXXX
    XXXX XXXX  XX  XX  XX  XX  XX  XX  XX
  XX XXX XX  XX  XX  XX  XX  XX  XX
  XX X XX  XX  XX  XX  XXXXXXXX  XXXXXXXX
  XXX  XX  XXX  XXX  XX  XX  XX  XXX
  XXX  XX  XXX  XXX  XX  XXX  XX  XX  XXX
  XXX  XX  XXX  XXXXXXXX  XXX  XX  XXXXXXXX /Gen
  
```

Gen 2011


COPYRIGHT (C) SINCE 1989. MIDAS Information Technology Co.,Ltd.

ALL RIGHTS RESERVED.

MIDAS TEAM

ANALYSIS RESULT OUTPUT

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

LOAD SET FOR DISPLACEMENT OUTPUT - Load Set 1

<< LOAD COMB/CASE/ENVEL ABBREVIATION TABLE >>

ABBREVIATION	FULL NAME	TYPE	DESCRIPTION
C1-C2;~1	C1-C2; caratteristico	Moving	lato cordolo 75
C3-C4;~1	C3-C4; caratteristico	Moving	lato cordolo 150
C1-C2;~2	C1-C2; psi	Moving	lato cordolo 75
C3-C4;~2	C3-C4; psi	Moving	lato cordolo 150
G1-Imp~1	G1-Imp. adiacente	Static	Peso proprio strutture imp
G2-Imp~1	G2-Imp. adiacente	Static	Carico permanente impalcat
q5 - p~1	q5 - p.c. X	Static	azione del vento a ponte c
q5 - p~2	q5 - p.c. Y	Static	azione del vento a ponte c
q5 - p~3	q5 - p.s. X	Static	azione del vento a ponte s
q5 - p~4	q5 - p.s. Y	Static	azione del vento a ponte s
q5 - p~5	q5 - pile X	Static	azione del vento sulle pil
q5 - p~6	q5 - pile Y	Static	azione del vento sulle pil
M. tor~1	M. torc. (SLVx)	Static	Eccentricità accidentale
M. tor~2	M. torc. (SLVy)	Static	Eccentricità accidentale

<< SELECTED LOAD CASE/COMBINATION DETAIL LIST >>

[[Selected Load Cases]]

LOAD CASE DETAIL TYPE	ANAL. TYPE	DESCRIPTION	STATIC LOAD C
C1-C2;~1	Moving	lato cordolo 75	
C3-C4;~1	Moving	lato cordolo 150	
C1-C2;~2	Moving	lato cordolo 75	
C3-C4;~2	Moving	lato cordolo 150	
SLVx	Res.Spec		
SLVy	Res.Spec		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

SLDx	Res.Spec		
SLDy	Res.Spec		
SLVz	Res.Spec		
ad (USER)	G1	Static	Peso proprio strutture User Defined Lo
ad (USER)	G2	Static	Carico permanente User Defined Lo
Load (USER)	G1-Imp~1	Static	Peso proprio strutture impalcato adiacente User Defined
ad (USER)	G2-Imp~1	Static	Carico permanente impalcato adiacente User Defined Lo
	q3	Static	frenamento Live Load (L)
	q4-1	Static	azione centrifuga Live Load (L)
	q4-2	Static	azione centrifuga Live Load (L)
	q4-3	Static	azione centrifuga Live Load (L)
	q4-4	Static	azione centrifuga Live Load (L)
	q4-5	Static	azione centrifuga Live Load (L)
	q4-6	Static	azione centrifuga Live Load (L)
	q4-7	Static	azione centrifuga Live Load (L)
ructure (W)	q5 - p~1	Static	azione del vento a ponte carico Wind Load on St
ructure (W)	q5 - p~2	Static	azione del vento a ponte carico Wind Load on St
ructure (W)	q5 - p~3	Static	azione del vento a ponte scarico Wind Load on St
ructure (W)	q5 - p~4	Static	azione del vento a ponte scarico Wind Load on St
ructure (W)	q5 - p~5	Static	azione del vento sulle pile Wind Load on St
ructure (W)	q5 - p~6	Static	azione del vento sulle pile Wind Load on St
	q7	Static	resistenze passive dei vincoli Live Load (L)
	T	Static	variazione termica Temperature (T)
	M. tor~1	Static	Eccentricità accidentale Earthquake (E)
	M. tor~2	Static	Eccentricità accidentale Earthquake (E)

[[Selected Load Combinations]]

L. COMB	TYPE	COMBINATION DETAIL			
-----	-----	-----	-----	-----	-----
INVSLU 1.000 x SLU4	Gen.Env1 ,	1.000 x SLU1	, 1.000 x SLU2	, 1.000 x SLU3	,
.000 x SLU8	,	1.000 x SLU5	, 1.000 x SLU6	, 1.000 x SLU7	, 1
.000 x SLU12	,	1.000 x SLU9	, 1.000 x SLU10	, 1.000 x SLU11	, 1
.000 x SLU16	,	1.000 x SLU13	, 1.000 x SLU14	, 1.000 x SLU15	, 1
		1.000 x SLU17	, 1.000 x SLU18	, 1.000 x SLU19	, 1

MIDAS


PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

.000 x SLU20	,	1.000 x SLU21	,	1.000 x SLU22	,	1.000 x SLU23	,	1
.000 x SLU24	,	1.000 x SLU25	,	1.000 x SLU26	,	1.000 x SLU27	,	1
.000 x SLU28	,	1.000 x SLU29	,	1.000 x SLU30	,	1.000 x SLU31	,	1
.000 x SLU32	,	1.000 x SLU33	,	1.000 x SLU34	,	1.000 x SLU35	,	1
.000 x SLU36	,	1.000 x SLU37	,	1.000 x SLU38	,	1.000 x SLU39	,	1
.000 x SLU40								
INVS LV	Gen.Env1	1.000 x SLV1x	,	1.000 x SLV2x	,	1.000 x SLV3x	,	
1.000 x SLV4x	,	1.000 x SLV5x	,	1.000 x SLV6x	,	1.000 x SLV7x	,	1
.000 x SLV8x	,	1.000 x SLV1y	,	1.000 x SLV2y	,	1.000 x SLV3y	,	1
.000 x SLV4y	,	1.000 x SLV5y	,	1.000 x SLV6y	,	1.000 x SLV7y	,	1
.000 x SLV8y	,	1.000 x SLV1z	,	1.000 x SLV2z	,	1.000 x SLV3z	,	1
.000 x SLV4z	,	1.000 x SLV5z	,	1.000 x SLV6z	,	1.000 x SLV7z	,	1
.000 x SLV8z								
INVS LE	Gen.Env1	1.000 x SLER1	,	1.000 x SLER2	,	1.000 x SLER3	,	
1.000 x SLER4	,	1.000 x SLER5	,	1.000 x SLER6	,	1.000 x SLER7	,	1
.000 x SLER8	,	1.000 x SLEQP1	,	1.000 x SLEQP2	,	1.000 x SLEF1	,	1
.000 x SLEF2	,	1.000 x SLEF3	,	1.000 x SLEF4	,	1.000 x SLEF5	,	1
.000 x SLEF6	,	1.000 x SLEF7	,	1.000 x SLEF8	,	1.000 x SLEF9	,	1
.000 x SLEF10	,	1.000 x SLER9	,	1.000 x SLER10	,	1.000 x SLER11	,	1
.000 x SLER12	,	1.000 x SLER13	,	1.000 x SLER14	,	1.000 x SLER15	,	1
.000 x SLER16	,	1.000 x SLER17	,	1.000 x SLER18	,	1.000 x SLER19	,	1
.000 x SLER20	,	1.000 x SLER21	,	1.000 x SLER22	,	1.000 x SLER23	,	1
.000 x SLER24	,	1.000 x SLER25	,	1.000 x SLER26	,	1.000 x SLER27	,	1
.000 x SLER28	,	1.000 x SLER29	,	1.000 x SLER30	,	1.000 x SLER31	,	1
.000 x SLER32								

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

LOAD SET FOR REACTION OUTPUT - Load Set 1

<< LOAD COMB/CASE/ENVEL ABBREVIATION TABLE >>

ABBREVIATION	FULL NAME	TYPE	DESCRIPTION
C1-C2;~1	C1-C2; caratteristico	Moving	lato cordolo 75
C3-C4;~1	C3-C4; caratteristico	Moving	lato cordolo 150
C1-C2;~2	C1-C2; psi	Moving	lato cordolo 75
C3-C4;~2	C3-C4; psi	Moving	lato cordolo 150
G1-Imp~1	G1-Imp. adiacente	Static	Peso proprio strutture imp
G2-Imp~1	G2-Imp. adiacente	Static	Carico permanente impalcat
q5 - p~1	q5 - p.c. X	Static	azione del vento a ponte c
q5 - p~2	q5 - p.c. Y	Static	azione del vento a ponte c
q5 - p~3	q5 - p.s. X	Static	azione del vento a ponte s
q5 - p~4	q5 - p.s. Y	Static	azione del vento a ponte s
q5 - p~5	q5 - pile X	Static	azione del vento sulle pil
q5 - p~6	q5 - pile Y	Static	azione del vento sulle pil
M. tor~1	M. torc. (SLVx)	Static	Eccentricità accidentale
M. tor~2	M. torc. (SLVy)	Static	Eccentricità accidentale

<< SELECTED LOAD CASE/COMBINATION DETAIL LIST >>

[[Selected Load Cases]]

LOAD CASE DETAIL TYPE	ANAL. TYPE	DESCRIPTION	STATIC LOAD C
C1-C2;~1	Moving	lato cordolo 75	
C3-C4;~1	Moving	lato cordolo 150	
C1-C2;~2	Moving	lato cordolo 75	
C3-C4;~2	Moving	lato cordolo 150	
SLVx	Res.Spec		
SLVy	Res.Spec		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


SLDx	Res.Spec		
SLDy	Res.Spec		
SLVz	Res.Spec		
ad (USER)	G1	Static	Peso proprio strutture User Defined Lo
ad (USER)	G2	Static	Carico permanente User Defined Lo
Load (USER)	G1-Imp~1	Static	Peso proprio strutture impalcato adiacente User Defined
ad (USER)	G2-Imp~1	Static	Carico permanente impalcato adiacente User Defined Lo
	q3	Static	frenamento Live Load (L)
	q4-1	Static	azione centrifuga Live Load (L)
	q4-2	Static	azione centrifuga Live Load (L)
	q4-3	Static	azione centrifuga Live Load (L)
	q4-4	Static	azione centrifuga Live Load (L)
	q4-5	Static	azione centrifuga Live Load (L)
	q4-6	Static	azione centrifuga Live Load (L)
	q4-7	Static	azione centrifuga Live Load (L)
ructure (W)	q5 - p~1	Static	azione del vento a ponte carico Wind Load on St
ructure (W)	q5 - p~2	Static	azione del vento a ponte carico Wind Load on St
ructure (W)	q5 - p~3	Static	azione del vento a ponte scarico Wind Load on St
ructure (W)	q5 - p~4	Static	azione del vento a ponte scarico Wind Load on St
ructure (W)	q5 - p~5	Static	azione del vento sulle pile Wind Load on St
ructure (W)	q5 - p~6	Static	azione del vento sulle pile Wind Load on St
	q7	Static	resistenze passive dei vincoli Live Load (L)
	T	Static	variazione termica Temperature (T)
	M. tor~1	Static	Eccentricità accidentale Earthquake (E)
	M. tor~2	Static	Eccentricità accidentale Earthquake (E)

[[Selected Load Combinations]]

L. COMB	TYPE	COMBINATION DETAIL			
-----	-----	-----	-----	-----	-----
INVSLU 1.000 x SLU4	Gen.Env1 ,	1.000 x SLU1	, 1.000 x SLU2	, 1.000 x SLU3	,
.000 x SLU8	,	1.000 x SLU5	, 1.000 x SLU6	, 1.000 x SLU7	, 1
.000 x SLU12	,	1.000 x SLU9	, 1.000 x SLU10	, 1.000 x SLU11	, 1
.000 x SLU16	,	1.000 x SLU13	, 1.000 x SLU14	, 1.000 x SLU15	, 1
	,	1.000 x SLU17	, 1.000 x SLU18	, 1.000 x SLU19	, 1

MIDAS

PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

.000 x SLU20	,	1.000 x SLU21	,	1.000 x SLU22	,	1.000 x SLU23	,	1
.000 x SLU24	,	1.000 x SLU25	,	1.000 x SLU26	,	1.000 x SLU27	,	1
.000 x SLU28	,	1.000 x SLU29	,	1.000 x SLU30	,	1.000 x SLU31	,	1
.000 x SLU32	,	1.000 x SLU33	,	1.000 x SLU34	,	1.000 x SLU35	,	1
.000 x SLU36	,	1.000 x SLU37	,	1.000 x SLU38	,	1.000 x SLU39	,	1
.000 x SLU40								
INVS LV	Gen.Env1	1.000 x SLV1x	,	1.000 x SLV2x	,	1.000 x SLV3x	,	
1.000 x SLV4x	,							
		1.000 x SLV5x	,	1.000 x SLV6x	,	1.000 x SLV7x	,	1
.000 x SLV8x	,	1.000 x SLV1y	,	1.000 x SLV2y	,	1.000 x SLV3y	,	1
.000 x SLV4y	,	1.000 x SLV5y	,	1.000 x SLV6y	,	1.000 x SLV7y	,	1
.000 x SLV8y	,	1.000 x SLV1z	,	1.000 x SLV2z	,	1.000 x SLV3z	,	1
.000 x SLV4z	,	1.000 x SLV5z	,	1.000 x SLV6z	,	1.000 x SLV7z	,	1
.000 x SLV8z								
INVS LE	Gen.Env1	1.000 x SLER1	,	1.000 x SLER2	,	1.000 x SLER3	,	
1.000 x SLER4	,							
		1.000 x SLER5	,	1.000 x SLER6	,	1.000 x SLER7	,	1
.000 x SLER8	,	1.000 x SLEQP1	,	1.000 x SLEQP2	,	1.000 x SLEF1	,	1
.000 x SLEF2	,	1.000 x SLEF3	,	1.000 x SLEF4	,	1.000 x SLEF5	,	1
.000 x SLEF6	,	1.000 x SLEF7	,	1.000 x SLEF8	,	1.000 x SLEF9	,	1
.000 x SLEF10	,	1.000 x SLER9	,	1.000 x SLER10	,	1.000 x SLER11	,	1
.000 x SLER12	,	1.000 x SLER13	,	1.000 x SLER14	,	1.000 x SLER15	,	1
.000 x SLER16	,	1.000 x SLER17	,	1.000 x SLER18	,	1.000 x SLER19	,	1
.000 x SLER20	,	1.000 x SLER21	,	1.000 x SLER22	,	1.000 x SLER23	,	1
.000 x SLER24	,	1.000 x SLER25	,	1.000 x SLER26	,	1.000 x SLER27	,	1
.000 x SLER28	,	1.000 x SLER29	,	1.000 x SLER30	,	1.000 x SLER31	,	1
.000 x SLER32								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

LOAD SET FOR ELEMENT OUTPUT - Load Set 1

<< LOAD COMB/CASE/ENVEL ABBREVIATION TABLE >>

ABBREVIATION	FULL NAME	TYPE	DESCRIPTION
C1-C2;~1	C1-C2; caratteristico	Moving	lato cordolo 75
C3-C4;~1	C3-C4; caratteristico	Moving	lato cordolo 150
C1-C2;~2	C1-C2; psi	Moving	lato cordolo 75
C3-C4;~2	C3-C4; psi	Moving	lato cordolo 150
G1-Imp~1	G1-Imp. adiacente	Static	Peso proprio strutture imp
G2-Imp~1	G2-Imp. adiacente	Static	Carico permanente impalcat
q5 - p~1	q5 - p.c. X	Static	azione del vento a ponte c
q5 - p~2	q5 - p.c. Y	Static	azione del vento a ponte c
q5 - p~3	q5 - p.s. X	Static	azione del vento a ponte s
q5 - p~4	q5 - p.s. Y	Static	azione del vento a ponte s
q5 - p~5	q5 - pile X	Static	azione del vento sulle pil
q5 - p~6	q5 - pile Y	Static	azione del vento sulle pil
M. tor~1	M. torc. (SLVx)	Static	Eccentricità accidentale
M. tor~2	M. torc. (SLVy)	Static	Eccentricità accidentale

<< SELECTED LOAD CASE/COMBINATION DETAIL LIST >>

[[Selected Load Cases]]

LOAD CASE DETAIL TYPE	ANAL. TYPE	DESCRIPTION	STATIC LOAD C
C1-C2;~1	Moving	lato cordolo 75	
C3-C4;~1	Moving	lato cordolo 150	
C1-C2;~2	Moving	lato cordolo 75	
C3-C4;~2	Moving	lato cordolo 150	
SLVx	Res.Spec		
SLVy	Res.Spec		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


SLDx	Res.Spec		
SLDy	Res.Spec		
SLVz	Res.Spec		
ad (USER)	G1	Static	Peso proprio strutture User Defined Lo
ad (USER)	G2	Static	Carico permanente User Defined Lo
Load (USER)	G1-Imp~1	Static	Peso proprio strutture impalcato adiacente User Defined
ad (USER)	G2-Imp~1	Static	Carico permanente impalcato adiacente User Defined Lo
	q3	Static	frenamento Live Load (L)
	q4-1	Static	azione centrifuga Live Load (L)
	q4-2	Static	azione centrifuga Live Load (L)
	q4-3	Static	azione centrifuga Live Load (L)
	q4-4	Static	azione centrifuga Live Load (L)
	q4-5	Static	azione centrifuga Live Load (L)
	q4-6	Static	azione centrifuga Live Load (L)
	q4-7	Static	azione centrifuga Live Load (L)
ructure (W)	q5 - p~1	Static	azione del vento a ponte carico Wind Load on St
ructure (W)	q5 - p~2	Static	azione del vento a ponte carico Wind Load on St
ructure (W)	q5 - p~3	Static	azione del vento a ponte scarico Wind Load on St
ructure (W)	q5 - p~4	Static	azione del vento a ponte scarico Wind Load on St
ructure (W)	q5 - p~5	Static	azione del vento sulle pile Wind Load on St
ructure (W)	q5 - p~6	Static	azione del vento sulle pile Wind Load on St
	q7	Static	resistenze passive dei vincoli Live Load (L)
	T	Static	variazione termica Temperature (T)
	M. tor~1	Static	Eccentricità accidentale Earthquake (E)
	M. tor~2	Static	Eccentricità accidentale Earthquake (E)

[[Selected Load Combinations]]

L. COMB	TYPE	COMBINATION DETAIL			
INVS LU	Gen.Envl	1.000 x SLU1	, 1.000 x SLU2	, 1.000 x SLU3	,
1.000 x SLU4	,	1.000 x SLU5	, 1.000 x SLU6	, 1.000 x SLU7	, 1
.000 x SLU8	,	1.000 x SLU9	, 1.000 x SLU10	, 1.000 x SLU11	, 1
.000 x SLU12	,	1.000 x SLU13	, 1.000 x SLU14	, 1.000 x SLU15	, 1
.000 x SLU16	,	1.000 x SLU17	, 1.000 x SLU18	, 1.000 x SLU19	, 1

MIDAS

PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

.000 x SLU20	,	1.000 x SLU21	,	1.000 x SLU22	,	1.000 x SLU23	,	1
.000 x SLU24	,	1.000 x SLU25	,	1.000 x SLU26	,	1.000 x SLU27	,	1
.000 x SLU28	,	1.000 x SLU29	,	1.000 x SLU30	,	1.000 x SLU31	,	1
.000 x SLU32	,	1.000 x SLU33	,	1.000 x SLU34	,	1.000 x SLU35	,	1
.000 x SLU36	,	1.000 x SLU37	,	1.000 x SLU38	,	1.000 x SLU39	,	1
.000 x SLU40								
INVS LV	Gen.Env1	1.000 x SLV1x	,	1.000 x SLV2x	,	1.000 x SLV3x	,	
1.000 x SLV4x	,	1.000 x SLV5x	,	1.000 x SLV6x	,	1.000 x SLV7x	,	1
.000 x SLV8x	,	1.000 x SLV1y	,	1.000 x SLV2y	,	1.000 x SLV3y	,	1
.000 x SLV4y	,	1.000 x SLV5y	,	1.000 x SLV6y	,	1.000 x SLV7y	,	1
.000 x SLV8y	,	1.000 x SLV1z	,	1.000 x SLV2z	,	1.000 x SLV3z	,	1
.000 x SLV4z	,	1.000 x SLV5z	,	1.000 x SLV6z	,	1.000 x SLV7z	,	1
.000 x SLV8z								
INVS LE	Gen.Env1	1.000 x SLER1	,	1.000 x SLER2	,	1.000 x SLER3	,	
1.000 x SLER4	,	1.000 x SLER5	,	1.000 x SLER6	,	1.000 x SLER7	,	1
.000 x SLER8	,	1.000 x SLEQP1	,	1.000 x SLEQP2	,	1.000 x SLEF1	,	1
.000 x SLEF2	,	1.000 x SLEF3	,	1.000 x SLEF4	,	1.000 x SLEF5	,	1
.000 x SLEF6	,	1.000 x SLEF7	,	1.000 x SLEF8	,	1.000 x SLEF9	,	1
.000 x SLEF10	,	1.000 x SLER9	,	1.000 x SLER10	,	1.000 x SLER11	,	1
.000 x SLER12	,	1.000 x SLER13	,	1.000 x SLER14	,	1.000 x SLER15	,	1
.000 x SLER16	,	1.000 x SLER17	,	1.000 x SLER18	,	1.000 x SLER19	,	1
.000 x SLER20	,	1.000 x SLER21	,	1.000 x SLER22	,	1.000 x SLER23	,	1
.000 x SLER24	,	1.000 x SLER25	,	1.000 x SLER26	,	1.000 x SLER27	,	1
.000 x SLER28	,	1.000 x SLER29	,	1.000 x SLER30	,	1.000 x SLER31	,	1
.000 x SLER32								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


NODE DISPLACEMENT AND ROTATIONS DEFAULT PRINTOUT
kN , m

Unit System :


NODE RZ	LC		UX	UY	UZ	RX	RY
485	C1-C2;~1	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.142	-0.080	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.074	0.049	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.098	-0.056	-0.000	-0.0	-0.0
0.0	SLDy (RS)		0.052	0.034	-0.000	-0.0	0.0
-0.0	SLVz (RS)		0.001	-0.000	0.000	0.0	0.0
0.0	G1		0.002	-0.000	-0.001	0.0	0.0
-0.0	G2		0.001	-0.000	-0.000	0.0	0.0
-0.0							
0.0	G1-Imp~1		-0.002	0.001	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.004	-0.004	0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.003	-0.003	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q5 - p~2	-0.010	0.011	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.002	-0.003	0.000	0.0	0.0
-0.0	q5 - p~4	-0.010	0.010	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.020	-0.018	0.000	0.0	0.0
0.0	M. tor~2	0.012	-0.011	0.000	0.0	0.0
0.0	INVS LU Max	0.016	0.017	-0.002	0.0	0.0
-0.0	Min	-0.016	-0.015	-0.002	-0.0	-0.0
0.0	INVS LV Max	0.164	0.095	-0.001	0.0	0.0
-0.0	Min	-0.165	-0.094	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.011	0.012	-0.001	0.0	0.0
-0.0	Min	-0.010	-0.011	-0.001	-0.0	-0.0
0.0	486 C1-C2;~1 Max	0.003	0.002	0.000	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.002	0.000	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.074	0.036	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.071	0.036	-0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.051	0.025	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.050	0.025	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.001	0.000	0.0	-0.0
0.0	G1	0.001	0.000	-0.001	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	0.001	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-1	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-2	0.002	-0.001	-0.000	0.0	0.0
0.0	q4-3	0.001	-0.000	0.000	0.0	0.0
-0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	0.012	-0.007	0.000	0.0	0.0
-0.0	q5 - p~2	-0.012	0.007	0.000	-0.0	-0.0
0.0	q5 - p~3	0.011	-0.007	0.000	0.0	0.0
-0.0	q5 - p~4	-0.011	0.007	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	-0.001	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.010	-0.006	-0.000	0.0	0.0
0.0	M. tor~2	0.006	-0.003	-0.000	0.0	0.0
0.0	INVSLU Max	0.021	0.013	-0.002	0.0	0.0
-0.0	Min	-0.016	-0.010	-0.002	-0.0	-0.0
0.0	INVSLV Max	0.097	0.048	-0.001	0.0	0.0
-0.0	Min	-0.094	-0.046	-0.002	-0.0	-0.0
0.0	INVSLE Max	0.014	0.009	-0.001	0.0	0.0
-0.0	Min	-0.011	-0.007	-0.002	-0.0	-0.0
0.0	487 C1-C2;~1 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.001	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.071	0.018	0.000	-0.0	-0.0
-0.0	SLVy (RS)	-0.048	0.038	0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.049	0.012	0.000	-0.0	-0.0
-0.0	SLDy (RS)	-0.034	0.026	0.000	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.001	0.000	0.0	-0.0
-0.0	G1	-0.000	0.000	-0.001	-0.0	-0.0
-0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.001	-0.000	0.000	0.0	0.0
-0.0	q4-1	-0.001	0.000	0.000	-0.0	-0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.014	-0.004	-0.000	0.0	0.0
-0.0	q5 - p~2	-0.002	0.001	0.000	-0.0	-0.0
0.0	q5 - p~3	0.013	-0.004	-0.000	0.0	0.0
-0.0	q5 - p~4	-0.002	0.001	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.003	-0.001	0.000	0.0	0.0
0.0	T	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1	0.001	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.001	-0.000	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.020	0.007	-0.001	0.0	0.0
-0.0		Min	-0.021	-0.006	-0.002	-0.0	-0.0
0.0	INVS LV	Max	0.085	0.044	-0.001	0.0	0.0
-0.0		Min	-0.086	-0.043	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.013	0.004	-0.001	0.0	0.0
-0.0		Min	-0.014	-0.004	-0.001	-0.0	-0.0
488 0.0	C1-C2;~1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.026	0.027	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.057	0.122	0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.018	0.019	0.000	-0.0	-0.0
0.0	SLDy (RS)		0.033	0.070	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.001	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.005	0.010	0.000	-0.0	0.0
-0.0	q4-1		-0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.001	-0.000	0.0	-0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.000	0.001	0.000	-0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.000	0.002	0.000	-0.0	0.0
0.0	q4-7		0.000	0.001	0.000	-0.0	0.0
0.0	q5 - p~1		0.008	-0.003	-0.000	0.0	0.0
0.0	q5 - p~2		0.017	0.035	0.000	-0.0	0.0
0.0	q5 - p~3		0.008	-0.003	-0.000	0.0	0.0
0.0	q5 - p~4		0.016	0.033	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.003	0.005	0.000	-0.0	0.0
0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.009	0.021	0.000	-0.0	0.0
0.0	M. tor~2		0.005	0.013	0.000	-0.0	0.0
0.0	INVS LU	Max	0.024	0.050	-0.001	0.0	0.0
-0.0		Min	-0.025	-0.050	-0.002	-0.0	-0.0
0.0	INVS LV	Max	0.065	0.130	-0.001	0.0	0.0
-0.0		Min	-0.065	-0.130	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.016	0.033	-0.001	0.0	0.0
-0.0		Min	-0.017	-0.033	-0.001	-0.0	-0.0
489	C1-C2;~1	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.009	0.007	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.003	0.005	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.007	0.005	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	SLDy (RS)	0.002	0.004	-0.000	-0.0	0.0
-0.0	SLVz (RS)	0.001	-0.001	0.000	0.0	0.0
0.0	G1	-0.000	0.000	-0.001	-0.0	-0.0
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-6	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.005	-0.003	-0.000	0.0	0.0
0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.004	-0.003	-0.000	0.0	0.0
0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.007	0.004	-0.001	0.0	0.0
-0.0	Min	-0.008	-0.004	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.010	0.009	-0.001	0.0	0.0
-0.0	Min	-0.011	-0.008	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.005	0.003	-0.001	0.0	0.0
-0.0	Min	-0.005	-0.003	-0.001	-0.0	-0.0
490	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4 ; ~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.002	0.000	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.001	-0.000	0.000	0.0	0.0
-0.0	SLDx (RS)		-0.002	0.000	-0.000	-0.0	-0.0
0.0	SLDy (RS)		0.001	-0.000	0.000	0.0	0.0
-0.0	SLVz (RS)		0.000	0.000	0.000	0.0	0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-7		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~1		0.001	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2		0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~3		0.001	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.000	-0.000	-0.0	-0.0
0.0							

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
-0.0	M. tor~1	0.000	0.000	0.000	-0.0	0.0
-0.0	M. tor~2	0.000	0.000	0.000	-0.0	0.0
0.0	INVS LU Max	0.001	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.003	0.001	-0.000	0.0	0.0
-0.0	Min	-0.003	-0.001	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.001	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	492 C1-C2;~1 Max	0.003	0.002	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.002	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	SLVx (RS)	-0.136	-0.077	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.071	0.047	-0.000	-0.0	0.0
0.0	SLDx (RS)	-0.094	-0.053	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.050	0.032	-0.000	-0.0	0.0
0.0	SLVz (RS)	0.001	-0.000	0.000	0.0	0.0
-0.0	G1	0.002	-0.000	-0.001	0.0	0.0
-0.0	G2	0.001	-0.000	-0.000	0.0	0.0
0.0	G1-Imp~1	-0.002	0.001	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.004	-0.004	0.000	0.0	0.0
0.0	q4-2	0.001	-0.001	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.002	-0.003	0.000	0.0	0.0
-0.0	q5 - p~2	-0.010	0.010	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.002	-0.003	0.000	0.0	0.0
-0.0	q5 - p~4	-0.009	0.010	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.019	-0.017	0.000	0.0	0.0
0.0	M. tor~2	0.011	-0.010	0.000	0.0	0.0
0.0	INVS LU Max	0.015	0.017	-0.002	0.0	0.0
-0.0	Min	-0.015	-0.015	-0.002	-0.0	-0.0
0.0	INVS LV Max	0.157	0.092	-0.001	0.0	0.0
-0.0	Min	-0.158	-0.090	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.011	0.011	-0.001	0.0	0.0
-0.0	Min	-0.010	-0.010	-0.001	-0.0	-0.0
493 0.0	C1-C2;~1 Max	0.003	0.002	0.000	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.002	0.000	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.071	0.035	-0.000	-0.0	-0.0	
-0.0	SLVy (RS)	0.068	0.034	-0.000	-0.0	0.0	
-0.0	SLDx (RS)	-0.049	0.024	-0.000	-0.0	-0.0	
-0.0	SLDy (RS)	0.048	0.024	-0.000	-0.0	0.0	
-0.0	SLVz (RS)	-0.000	0.001	0.000	0.0	-0.0	
0.0	G1	0.001	0.000	-0.001	-0.0	0.0	
0.0	G2	0.001	0.000	-0.000	-0.0	0.0	
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q3	0.001	-0.001	-0.000	0.0	0.0	
0.0	q4-1	0.001	-0.001	-0.000	0.0	0.0	
0.0	q4-2	0.002	-0.001	-0.000	0.0	0.0	
0.0	q4-3	0.001	-0.000	0.000	0.0	0.0	
-0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0	
0.0	q5 - p~1	0.011	-0.007	0.000	0.0	0.0	
-0.0	q5 - p~2	-0.011	0.007	0.000	-0.0	-0.0	
0.0	q5 - p~3	0.010	-0.007	0.000	0.0	0.0	
-0.0	q5 - p~4	-0.011	0.006	0.000	-0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.002	-0.001	0.000	0.0	0.0	
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0	
0.0	M. tor~1	0.010	-0.005	-0.000	0.0	0.0	
0.0	M. tor~2	0.006	-0.003	-0.000	0.0	0.0	
0.0	INVSLU Max	0.020	0.012	-0.002	0.0	0.0	
-0.0	Min	-0.015	-0.010	-0.002	-0.0	-0.0	
0.0	INVSLV Max	0.093	0.046	-0.001	0.0	0.0	
-0.0	Min	-0.090	-0.044	-0.002	-0.0	-0.0	
	INVSLE Max	0.014	0.008	-0.001	0.0	0.0	

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0		Min	-0.010	-0.007	-0.002	-0.0	-0.0
-0.0							
494	C1-C2;~1	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.067	0.017	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.045	0.036	0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.047	0.012	0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.032	0.025	0.000	-0.0	-0.0
-0.0	SLVz (RS)		0.000	-0.001	0.000	0.0	-0.0
0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.001	-0.000	0.000	0.0	0.0
0.0	q4-1		-0.001	0.000	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.013	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		-0.002	0.001	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.012	-0.003	-0.000	0.0	0.0
0.0	q5 - p~4		-0.002	0.001	0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.003	-0.001	0.000	0.0	0.0
0.0	T		-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1		0.001	-0.000	0.000	0.0	0.0
0.0	M. tor~2		0.001	-0.000	0.000	0.0	0.0
0.0	INVS LU Max		0.019	0.006	-0.001	0.0	0.0
-0.0	Min		-0.020	-0.005	-0.002	-0.0	-0.0
0.0	INVS LV Max		0.081	0.041	-0.001	0.0	0.0
-0.0	Min		-0.081	-0.041	-0.001	-0.0	-0.0
0.0	INVS LE Max		0.013	0.004	-0.001	0.0	0.0
-0.0	Min		-0.013	-0.004	-0.001	-0.0	-0.0
0.0	495 C1-C2;~1 Max		0.001	0.001	0.000	0.0	0.0
-0.0	Min		-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max		0.001	0.000	0.000	0.0	0.0
-0.0	Min		-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.025	0.025	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.053	0.113	0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.017	0.017	0.000	-0.0	-0.0
0.0	SLDy (RS)		0.031	0.065	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.001	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.004	0.010	0.000	-0.0	0.0
-0.0	q4-1	-0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.001	-0.000	0.0	-0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
0.0	q4-6	0.000	0.001	0.000	-0.0	0.0
0.0	q4-7	0.000	0.001	0.000	-0.0	0.0
0.0	q5 - p~1	0.008	-0.003	-0.000	0.0	0.0
0.0	q5 - p~2	0.016	0.032	0.000	-0.0	0.0
0.0	q5 - p~3	0.007	-0.003	-0.000	0.0	0.0
0.0	q5 - p~4	0.015	0.031	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.003	0.005	0.000	-0.0	0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.009	0.020	0.000	-0.0	0.0
0.0	M. tor~2	0.005	0.012	0.000	-0.0	0.0
0.0	INVSLU Max	0.023	0.046	-0.001	0.0	0.0
-0.0	Min	-0.023	-0.046	-0.002	-0.0	-0.0
0.0	INVSLV Max	0.060	0.121	-0.001	0.0	0.0
-0.0	Min	-0.061	-0.121	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.015	0.031	-0.001	0.0	0.0
-0.0	Min	-0.016	-0.031	-0.001	-0.0	-0.0
496 0.0	C1-C2;~1 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	-0.009	0.006	-0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.003	0.005	-0.000	-0.0	0.0
0.0	SLDx	(RS)	-0.006	0.004	-0.000	-0.0	-0.0
-0.0	SLDy	(RS)	0.002	0.004	-0.000	-0.0	0.0
0.0	SLVz	(RS)	0.001	-0.001	0.000	0.0	0.0
-0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q4-5		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-6		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.004	-0.003	-0.000	0.0	0.0
0.0	q5 - p~2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3		0.004	-0.002	-0.000	0.0	0.0
0.0	q5 - p~4		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
-0.0	q7		-0.001	0.000	-0.000	-0.0	-0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
-0.0	M. tor~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	INVSU	Max	0.006	0.004	-0.001	0.0	0.0
0.0		Min	-0.007	-0.004	-0.001	-0.0	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.009	0.008	-0.001	0.0	0.0
-0.0		Min	-0.010	-0.008	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.004	0.003	-0.001	0.0	0.0
-0.0		Min	-0.005	-0.003	-0.001	-0.0	-0.0
497 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.002	0.000	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.001	-0.000	0.000	0.0	0.0
0.0	SLDx (RS)		-0.001	0.000	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.001	-0.000	0.000	0.0	0.0
-0.0	SLVz (RS)		0.000	0.000	0.000	0.0	0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~1		0.001	-0.000	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q5 - p~2	0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~3	0.001	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
-0.0	M. tor~1	0.000	0.000	0.000	-0.0	0.0
-0.0	M. tor~2	0.000	0.000	0.000	-0.0	0.0
0.0	INVS LU Max	0.001	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV Max	0.002	0.000	-0.000	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.001	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	499 C1-C2;~1 Max	0.003	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	SLVx (RS)	-0.130	-0.073	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.068	0.045	-0.000	-0.0	0.0
0.0	SLDx (RS)	-0.090	-0.051	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.048	0.031	-0.000	-0.0	0.0
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
-0.0	G1	0.002	0.000	-0.001	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
	G2	0.001	0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1	-0.002	0.001	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.004	-0.004	0.000	0.0	0.0
0.0	q4-2	0.001	-0.001	0.000	0.0	0.0
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.002	-0.003	0.000	0.0	0.0
0.0	q5 - p~2	-0.009	0.010	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.002	-0.002	0.000	0.0	0.0
0.0	q5 - p~4	-0.009	0.009	-0.000	-0.0	-0.0
-0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.018	-0.017	0.000	0.0	0.0
0.0	M. tor~2	0.011	-0.010	0.000	0.0	0.0
0.0	INVS LU Max	0.015	0.016	-0.002	0.0	0.0
-0.0	Min	-0.014	-0.014	-0.002	-0.0	-0.0
0.0	INVS LV Max	0.150	0.088	-0.001	0.0	0.0
-0.0	Min	-0.151	-0.086	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.010	0.011	-0.001	0.0	0.0
-0.0	Min	-0.010	-0.010	-0.001	-0.0	-0.0
500	C1-C2;~1 Max	0.003	0.002	0.000	0.0	0.0
0.0	Min	-0.002	-0.001	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.003	0.001	0.000	0.0	0.0
0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.002	-0.002	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.068	0.033	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.065	0.033	-0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.047	0.023	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.046	0.023	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.001	0.000	0.0	-0.0
0.0	G1	0.001	0.000	-0.001	-0.0	0.0
0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-1	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-2	0.002	-0.001	-0.000	0.0	0.0
0.0	q4-3	0.001	-0.000	0.000	0.0	0.0
-0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	0.011	-0.007	0.000	0.0	0.0
-0.0	q5 - p~2	-0.011	0.007	0.000	-0.0	-0.0
0.0	q5 - p~3	0.010	-0.006	0.000	0.0	0.0
-0.0	q5 - p~4	-0.010	0.006	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	-0.001	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.009	-0.005	-0.000	0.0	0.0
0.0	M. tor~2	0.006	-0.003	-0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.019	0.012	-0.002	0.0	0.0
-0.0		Min	-0.015	-0.010	-0.002	-0.0	-0.0
0.0	INVS LV	Max	0.089	0.044	-0.001	0.0	0.0
-0.0		Min	-0.086	-0.042	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.013	0.008	-0.001	0.0	0.0
-0.0		Min	-0.010	-0.006	-0.002	-0.0	-0.0
501 0.0	C1-C2;~1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.063	0.016	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.042	0.034	0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.044	0.011	0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.030	0.023	0.000	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.001	0.000	0.0	0.0
-0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.001	-0.000	0.000	0.0	0.0
-0.0	q4-1		-0.001	0.000	0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-6	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.012	-0.003	-0.000	0.0	0.0
-0.0	q5 - p~2	-0.002	0.001	0.000	-0.0	-0.0
0.0	q5 - p~3	0.012	-0.003	-0.000	0.0	0.0
-0.0	q5 - p~4	-0.002	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	-0.001	0.000	0.0	0.0
0.0	T	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1	0.001	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.001	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.018	0.006	-0.001	0.0	0.0
-0.0	Min	-0.018	-0.005	-0.002	-0.0	-0.0
0.0	INVS LV Max	0.076	0.039	-0.001	0.0	0.0
-0.0	Min	-0.076	-0.038	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.012	0.004	-0.001	0.0	0.0
-0.0	Min	-0.012	-0.003	-0.001	-0.0	-0.0
0.0	502 C1-C2;~1 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.023	0.024	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.049	0.105	0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.016	0.016	0.000	-0.0	-0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.028	0.060	0.000	-0.0	0.0	
-0.0	SLVz (RS)	-0.001	0.000	0.000	-0.0	-0.0	
0.0	G1	-0.000	0.000	-0.001	-0.0	-0.0	
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q3	0.004	0.009	0.000	-0.0	0.0	
-0.0	q4-1	-0.001	-0.001	-0.000	0.0	-0.0	
-0.0	q4-2	-0.001	-0.001	0.000	0.0	-0.0	
0.0	q4-3	-0.000	-0.001	-0.000	0.0	-0.0	
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0	
-0.0	q4-5	0.000	0.001	0.000	-0.0	0.0	
0.0	q4-6	0.000	0.001	0.000	-0.0	0.0	
0.0	q4-7	0.000	0.001	0.000	-0.0	0.0	
0.0	q5 - p~1	0.007	-0.003	-0.000	0.0	0.0	
0.0	q5 - p~2	0.015	0.030	0.000	-0.0	0.0	
0.0	q5 - p~3	0.007	-0.003	-0.000	0.0	0.0	
0.0	q5 - p~4	0.014	0.028	0.000	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.002	0.005	0.000	-0.0	0.0	
0.0	T	-0.000	0.000	0.000	-0.0	-0.0	
0.0	M. tor~1	0.008	0.019	0.000	-0.0	0.0	
0.0	M. tor~2	0.005	0.011	0.000	-0.0	0.0	
-0.0	INVSLU Max	0.021	0.043	-0.001	0.0	0.0	
-0.0	Min	-0.022	-0.043	-0.001	-0.0	-0.0	
0.0	INVSLV Max	0.056	0.112	-0.001	0.0	0.0	
-0.0	Min	-0.056	-0.112	-0.001	-0.0	-0.0	
0.0	INVSLE Max	0.014	0.029	-0.001	0.0	0.0	
-0.0	Min	-0.014	-0.029	-0.001	-0.0	-0.0	
503	C1-C2;~1 Max	0.001	0.000	0.000	0.0	0.0	


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4 ; ~1	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.008	0.006	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.002	0.004	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.006	0.004	-0.000	-0.0	-0.0
0.0	SLDy (RS)		0.002	0.003	-0.000	-0.0	0.0
-0.0	SLVz (RS)		0.001	-0.001	0.000	0.0	0.0
-0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1 - Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	G2 - Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-6		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1		0.004	-0.002	-0.000	0.0	0.0
-0.0	q5 - p~2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~3		0.004	-0.002	-0.000	0.0	0.0
-0.0	q5 - p~4		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.000	-0.000	-0.0	-0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.006	0.004	-0.001	0.0	0.0
-0.0	Min	-0.006	-0.003	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.009	0.007	-0.001	0.0	0.0
-0.0	Min	-0.009	-0.007	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.004	0.002	-0.001	0.0	0.0
-0.0	Min	-0.004	-0.002	-0.001	-0.0	-0.0
504	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.001	0.000	-0.000	-0.0	-0.0
0.0	SLVy (RS)	0.001	-0.000	0.000	0.0	0.0
-0.0	SLDx (RS)	-0.001	0.000	-0.000	-0.0	-0.0
0.0	SLDy (RS)	0.001	-0.000	0.000	0.0	0.0
-0.0	SLVz (RS)	0.000	0.000	0.000	0.0	0.0
-0.0	G1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2	0.000	-0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-3	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2	0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
-0.0	M. tor~1	0.000	0.000	0.000	-0.0	0.0
-0.0	M. tor~2	0.000	0.000	0.000	-0.0	0.0
0.0	INVSLU Max	0.001	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	INVSLV Max	0.002	0.000	-0.000	0.0	0.0
-0.0	Min	-0.002	-0.000	-0.000	-0.0	-0.0
0.0	INVSLE Max	0.001	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
506 0.0	C1-C2;~1 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.124	-0.070	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.065	0.043	-0.000	-0.0	0.0
0.0	SLDx (RS)	-0.086	-0.049	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.046	0.030	-0.000	-0.0	0.0
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
-0.0	G1	0.001	0.000	-0.001	0.0	0.0
-0.0	G2	0.001	0.000	-0.000	0.0	0.0
0.0	G1-Imp~1	-0.002	0.001	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.003	-0.004	0.000	0.0	0.0
0.0	q4-2	0.001	-0.001	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.002	-0.002	0.000	0.0	0.0
-0.0	q5 - p~2	-0.009	0.009	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.002	-0.002	0.000	0.0	0.0
-0.0	q5 - p~4	-0.008	0.009	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.017	-0.016	0.000	0.0	0.0
0.0	M. tor~2	0.010	-0.009	0.000	0.0	0.0
0.0	INVSLU Max	0.014	0.015	-0.001	0.0	0.0
-0.0	Min	-0.014	-0.013	-0.002	-0.0	-0.0
0.0	INVSLV Max	0.143	0.084	-0.001	0.0	0.0
-0.0	Min	-0.144	-0.082	-0.001	-0.0	-0.0
	INVSLE Max	0.010	0.010	-0.001	0.0	0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0		Min	-0.009	-0.009	-0.001	-0.0	-0.0
-0.0							
507	C1-C2;~1	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.064	0.031	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.062	0.031	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.044	0.022	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.044	0.022	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.001	0.000	0.0	-0.0
-0.0	G1		0.001	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-1		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.002	-0.001	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.010	-0.006	0.000	0.0	0.0
0.0	q5 - p~2		-0.010	0.006	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.009	-0.006	0.000	0.0	0.0
0.0	q5 - p~4		-0.009	0.006	0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	-0.001	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.009	-0.005	-0.000	0.0	0.0
0.0	M. tor~2	0.005	-0.003	-0.000	0.0	0.0
0.0	INVS LU Max	0.018	0.011	-0.002	0.0	0.0
-0.0	Min	-0.014	-0.009	-0.002	-0.0	-0.0
0.0	INVS LV Max	0.084	0.041	-0.001	0.0	0.0
-0.0	Min	-0.082	-0.040	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.012	0.007	-0.001	0.0	0.0
-0.0	Min	-0.009	-0.006	-0.002	-0.0	-0.0
508 0.0	C1-C2;~1 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.059	0.015	0.000	-0.0	-0.0
-0.0	SLVy (RS)	-0.040	0.032	0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.041	0.010	0.000	-0.0	-0.0
-0.0	SLDy (RS)	-0.028	0.022	0.000	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.001	0.000	0.0	0.0
-0.0	G1	-0.000	0.000	-0.001	-0.0	-0.0
-0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.001	-0.000	0.000	0.0	0.0
-0.0	q4-1	-0.001	0.000	0.000	-0.0	-0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.011	-0.003	-0.000	0.0	0.0
-0.0	q5 - p~2	-0.002	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3	0.011	-0.003	-0.000	0.0	0.0
-0.0	q5 - p~4	-0.002	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	-0.001	0.000	0.0	0.0
0.0	T	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1	0.001	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.001	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.016	0.005	-0.001	0.0	0.0
-0.0	Min	-0.017	-0.005	-0.002	-0.0	-0.0
0.0	INVS LV Max	0.071	0.036	-0.001	0.0	0.0
-0.0	Min	-0.071	-0.036	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.011	0.004	-0.001	0.0	0.0
-0.0	Min	-0.012	-0.003	-0.001	-0.0	-0.0
509 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
	Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.021	0.022	0.000	-0.0	-0.0
0.0	SLVy	(RS)	0.045	0.097	0.000	-0.0	0.0
-0.0	SLDx	(RS)	-0.015	0.015	0.000	-0.0	-0.0
0.0	SLDy	(RS)	0.026	0.056	0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.004	0.008	0.000	-0.0	0.0
-0.0	q4-1		-0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.001	-0.000	0.0	-0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.000	0.001	0.000	-0.0	0.0
-0.0	q4-6		0.000	0.001	0.000	-0.0	0.0
0.0	q4-7		0.000	0.001	0.000	-0.0	0.0
0.0	q5 - p~1		0.007	-0.003	-0.000	0.0	0.0
0.0	q5 - p~2		0.013	0.028	0.000	-0.0	0.0
0.0	q5 - p~3		0.006	-0.002	-0.000	0.0	0.0
0.0	q5 - p~4		0.013	0.026	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.002	0.004	0.000	-0.0	0.0
0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.007	0.017	0.000	-0.0	0.0
0.0	M. tor~2		0.004	0.010	0.000	-0.0	0.0
0.0	INVS LU	Max	0.019	0.040	-0.001	0.0	0.0
-0.0		Min	-0.020	-0.039	-0.001	-0.0	-0.0


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.052	0.103	-0.001	0.0	0.0
-0.0		Min	-0.052	-0.103	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.013	0.026	-0.001	0.0	0.0
-0.0		Min	-0.013	-0.026	-0.001	-0.0	-0.0
510 0.0	C1-C2;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.007	0.005	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.002	0.004	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.005	0.004	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.002	0.003	-0.000	-0.0	0.0
-0.0	SLVz (RS)		0.001	-0.001	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-6		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.004	-0.002	-0.000	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.003	-0.002	-0.000	0.0	0.0
0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.000	-0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.005	0.003	-0.001	0.0	0.0
-0.0	Min	-0.006	-0.003	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.008	0.007	-0.001	0.0	0.0
-0.0	Min	-0.008	-0.006	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.004	0.002	-0.001	0.0	0.0
-0.0	Min	-0.004	-0.002	-0.001	-0.0	-0.0
0.0	511 C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)	-0.001	0.000	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.001	-0.000	0.000	0.0	0.0
0.0	SLDx (RS)	-0.001	0.000	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.001	-0.000	0.000	0.0	0.0
-0.0	SLVz (RS)	0.000	0.000	0.000	0.0	0.0
-0.0	G1	0.000	-0.000	-0.000	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
	G2	0.000	-0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-7	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2	0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.000	0.000	0.000	-0.0	0.0
-0.0	M. tor~2	0.000	0.000	0.000	-0.0	0.0
-0.0	INVS LU Max	0.001	0.000	-0.000	0.0	0.0
0.0	INVS LU Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	INVS LV Max	0.001	0.000	-0.000	0.0	0.0
0.0	INVS LV Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	INVS LE Max	0.000	0.000	-0.000	0.0	0.0
0.0	INVS LE Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	513 C1-C2;~1 Max	0.002	0.001	0.000	0.0	0.0
0.0	513 C1-C2;~1 Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.001	0.000	0.0	0.0
0.0	C3-C4;~1 Min	-0.000	-0.001	-0.000	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	SLVx (RS)	-0.118	-0.067	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.062	0.041	-0.000	-0.0	0.0
0.0	SLDx (RS)	-0.082	-0.047	-0.000	0.0	-0.0
-0.0	SLDy (RS)	0.044	0.028	-0.000	-0.0	0.0
0.0	SLVz (RS)	-0.000	-0.001	0.000	0.0	0.0
-0.0	G1	0.001	0.000	-0.001	0.0	0.0
-0.0	G2	0.000	0.000	-0.000	0.0	0.0
0.0	G1-Imp~1	-0.002	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.003	-0.003	0.000	0.0	0.0
0.0	q4-2	0.001	-0.001	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.002	-0.002	0.000	0.0	0.0
-0.0	q5 - p~2	-0.008	0.009	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.002	-0.002	0.000	0.0	0.0
-0.0	q5 - p~4	-0.008	0.008	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.016	-0.015	0.000	0.0	0.0
0.0	M. tor~2	0.010	-0.009	0.000	0.0	0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


0.0	INVS LU	Max	0.013	0.014	-0.001	0.0	0.0
-0.0		Min	-0.013	-0.013	-0.002	-0.0	-0.0
0.0	INVS LV	Max	0.136	0.080	-0.001	0.0	0.0
-0.0		Min	-0.137	-0.078	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.009	0.010	-0.001	0.0	0.0
-0.0		Min	-0.009	-0.009	-0.001	-0.0	-0.0
514 0.0	C1-C2;~1	Max	0.002	0.002	0.000	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.061	0.030	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.059	0.029	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.042	0.021	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.041	0.021	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.001	0.000	0.0	-0.0
0.0	G1		0.001	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-1		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.002	-0.001	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	0.009	-0.006	0.000	0.0	0.0
-0.0	q5 - p~2	-0.009	0.006	0.000	-0.0	-0.0
0.0	q5 - p~3	0.009	-0.006	0.000	0.0	0.0
-0.0	q5 - p~4	-0.009	0.006	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	-0.001	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.008	-0.005	-0.000	0.0	0.0
0.0	M. tor~2	0.005	-0.003	-0.000	0.0	0.0
0.0	INVS LU Max	0.017	0.010	-0.002	0.0	0.0
-0.0	Min	-0.013	-0.009	-0.002	-0.0	-0.0
0.0	INVS LV Max	0.080	0.039	-0.001	0.0	0.0
-0.0	Min	-0.077	-0.038	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.012	0.007	-0.001	0.0	0.0
-0.0	Min	-0.009	-0.006	-0.002	-0.0	-0.0
515 0.0	C1-C2;~1 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.055	0.014	0.000	-0.0	-0.0
-0.0	SLVy (RS)	-0.037	0.029	0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.038	0.010	0.000	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLDy (RS)	-0.026	0.021	0.000	-0.0	-0.0	
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0	
-0.0	G1	-0.000	0.000	-0.001	-0.0	-0.0	
-0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0	
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0	
0.0	q3	0.001	-0.000	0.000	0.0	0.0	
-0.0	q4-1	-0.001	0.000	0.000	-0.0	-0.0	
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-3	0.001	-0.000	-0.000	0.0	0.0	
0.0	q4-4	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q4-6	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q5 - p~1	0.011	-0.003	-0.000	0.0	0.0	
-0.0	q5 - p~2	-0.001	0.000	0.000	-0.0	-0.0	
0.0	q5 - p~3	0.010	-0.003	-0.000	0.0	0.0	
-0.0	q5 - p~4	-0.001	0.000	0.000	-0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.002	-0.001	0.000	0.0	0.0	
0.0	T	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	M. tor~1	0.001	-0.000	0.000	0.0	0.0	
0.0	M. tor~2	0.001	-0.000	0.000	0.0	0.0	
0.0	INVSLU Max	0.015	0.005	-0.001	0.0	0.0	
-0.0	Min	-0.016	-0.004	-0.002	-0.0	-0.0	
0.0	INVSLV Max	0.066	0.034	-0.001	0.0	0.0	
-0.0	Min	-0.066	-0.034	-0.001	-0.0	-0.0	
0.0	INVSLE Max	0.010	0.003	-0.001	0.0	0.0	
-0.0	Min	-0.011	-0.003	-0.001	-0.0	-0.0	
516	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0	


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.019	0.020	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.041	0.089	0.000	-0.0	0.0
0.0	SLDx (RS)		-0.013	0.014	0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.024	0.051	0.000	-0.0	0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0							
0.0	q3		0.003	0.008	0.000	-0.0	0.0
0.0							
-0.0	q4-1		-0.000	-0.001	-0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-3		-0.000	-0.001	-0.000	0.0	-0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.000	0.001	0.000	-0.0	0.0
-0.0	q4-6		0.000	0.001	0.000	-0.0	0.0
0.0	q4-7		0.000	0.001	0.000	-0.0	0.0
0.0							
0.0	q5 - p~1		0.006	-0.002	-0.000	0.0	0.0
0.0	q5 - p~2		0.012	0.025	0.000	-0.0	0.0
0.0	q5 - p~3		0.006	-0.002	-0.000	0.0	0.0
0.0	q5 - p~4		0.012	0.024	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0							
0.0	q7		0.002	0.004	0.000	-0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.007	0.016	0.000	-0.0	0.0
0.0	M. tor~2	0.004	0.009	0.000	-0.0	0.0
0.0	INVS LU Max	0.018	0.036	-0.001	0.0	0.0
0.0	INVS LU Min	-0.018	-0.036	-0.001	-0.0	-0.0
-0.0	INVS LV Max	0.047	0.095	-0.001	0.0	0.0
0.0	INVS LV Min	-0.047	-0.095	-0.001	-0.0	-0.0
-0.0	INVS LE Max	0.012	0.024	-0.001	0.0	0.0
0.0	INVS LE Min	-0.012	-0.024	-0.001	-0.0	-0.0
-0.0						
517	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	C1-C2;~1 Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	0.001	0.000	0.000	0.0	0.0
0.0	C3-C4;~1 Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	C1-C2;~2 Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	C3-C4;~2 Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0						
0.0	SLVx (RS)	-0.006	0.005	-0.000	-0.0	-0.0
0.0	SLVy (RS)	0.002	0.004	-0.000	-0.0	0.0
-0.0						
0.0	SLDx (RS)	-0.005	0.003	-0.000	-0.0	-0.0
0.0	SLDy (RS)	0.001	0.003	-0.000	-0.0	0.0
-0.0						
0.0	SLVz (RS)	0.001	-0.001	0.000	0.0	0.0
-0.0						
0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0						
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
-0.0						
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
-0.0						
0.0	q3	-0.000	0.000	-0.000	-0.0	-0.0
0.0						
0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
-0.0						
0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-6	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.003	-0.002	-0.000	0.0	0.0
0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.003	-0.002	-0.000	0.0	0.0
0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.000	-0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.005	0.003	-0.001	0.0	0.0
-0.0	Min	-0.005	-0.003	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.007	0.006	-0.000	0.0	0.0
-0.0	Min	-0.007	-0.006	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.003	0.002	-0.001	0.0	0.0
-0.0	Min	-0.003	-0.002	-0.001	-0.0	-0.0
518 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.001	0.000	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.001	-0.000	0.000	0.0	0.0
0.0	SLDx (RS)	-0.001	0.000	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.000	-0.000	0.000	0.0	0.0
-0.0	SLVz (RS)	0.000	0.000	0.000	0.0	0.0
-0.0	G1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0
0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2	0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
-0.0	M. tor~1	0.000	0.000	0.000	-0.0	0.0
-0.0	M. tor~2	0.000	0.000	0.000	-0.0	0.0
0.0	INVSLU Max	0.001	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVSLV Max	0.001	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
	INVSLE Max	0.000	0.000	-0.000	0.0	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
520	C1-C2;~1	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.112	-0.064	-0.000	0.0	-0.0
0.0	SLVy (RS)		0.059	0.039	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.078	-0.044	-0.000	0.0	-0.0
0.0	SLDy (RS)		0.041	0.027	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.001	0.001	0.000	0.0	0.0
0.0	G1		0.001	0.000	-0.001	0.0	0.0
-0.0	G2		0.000	0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1		-0.002	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.003	-0.003	0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.002	-0.002	0.000	0.0	0.0
0.0	q5 - p~2		-0.008	0.008	-0.000	-0.0	-0.0
-0.0	q5 - p~3		0.002	-0.002	0.000	0.0	0.0
0.0	q5 - p~4		-0.008	0.008	-0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		0.015	-0.014	0.000	0.0	0.0
0.0	M. tor~2		0.009	-0.008	0.000	0.0	0.0
0.0	INVS LU Max		0.012	0.014	-0.001	0.0	0.0
-0.0	Min		-0.012	-0.012	-0.002	-0.0	-0.0
0.0	INVS LV Max		0.129	0.076	-0.001	0.0	0.0
-0.0	Min		-0.130	-0.075	-0.001	-0.0	-0.0
0.0	INVS LE Max		0.009	0.009	-0.001	0.0	0.0
-0.0	Min		-0.008	-0.008	-0.001	-0.0	-0.0
0.0	521 C1-C2;~1 Max		0.002	0.002	0.000	0.0	0.0
-0.0	Min		-0.002	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max		0.002	0.001	0.000	0.0	0.0
-0.0	Min		-0.002	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.001	0.001	0.000	0.0	0.0
-0.0	Min		-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.001	0.001	0.000	0.0	0.0
-0.0	Min		-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.057	0.028	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.056	0.028	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.040	0.020	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.039	0.019	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.001	0.000	0.0	-0.0
0.0	G1		0.001	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-1	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-2	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-3	0.001	-0.000	0.000	0.0	0.0
0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	0.009	-0.006	0.000	0.0	0.0
0.0	q5 - p~2	-0.009	0.006	0.000	-0.0	-0.0
-0.0	q5 - p~3	0.008	-0.005	0.000	0.0	0.0
0.0	q5 - p~4	-0.008	0.005	0.000	-0.0	-0.0
-0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	-0.001	0.000	0.0	0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
-0.0	M. tor~1	0.008	-0.004	-0.000	0.0	0.0
0.0	M. tor~2	0.005	-0.003	-0.000	0.0	0.0
0.0	INVS LU Max	0.016	0.010	-0.002	0.0	0.0
0.0	INVS LU Min	-0.012	-0.008	-0.002	-0.0	-0.0
-0.0	INVS LV Max	0.075	0.037	-0.001	0.0	0.0
0.0	INVS LV Min	-0.073	-0.036	-0.001	-0.0	-0.0
-0.0	INVS LE Max	0.011	0.007	-0.001	0.0	0.0
0.0	INVS LE Min	-0.008	-0.005	-0.002	-0.0	-0.0
-0.0						
522	C1-C2;~1 Max	0.001	0.001	0.000	0.0	0.0
0.0	C1-C2;~1 Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	0.001	0.001	0.000	0.0	0.0
0.0	C3-C4;~1 Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	C1-C2;~2 Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.051	0.013	0.000	-0.0	-0.0
-0.0	SLVy	(RS)	-0.034	0.027	0.000	-0.0	-0.0
-0.0	SLDx	(RS)	-0.035	0.009	0.000	-0.0	-0.0
-0.0	SLDy	(RS)	-0.024	0.019	0.000	-0.0	-0.0
-0.0	SLVz	(RS)	0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.001	-0.000	0.000	0.0	0.0
0.0	q4-1		-0.001	0.000	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.010	-0.003	-0.000	0.0	0.0
0.0	q5 - p~2		-0.001	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.009	-0.002	-0.000	0.0	0.0
0.0	q5 - p~4		-0.001	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.002	-0.000	0.000	0.0	0.0
0.0	T		-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1		0.001	-0.000	0.000	0.0	0.0
0.0	M. tor~2		0.001	-0.000	0.000	0.0	0.0
0.0	INVS LU	Max	0.014	0.005	-0.001	0.0	0.0
-0.0		Min	-0.015	-0.004	-0.002	-0.0	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.061	0.032	-0.001	0.0	0.0
-0.0		Min	-0.061	-0.031	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.009	0.003	-0.001	0.0	0.0
-0.0		Min	-0.010	-0.003	-0.001	-0.0	-0.0
523 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.018	0.018	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.038	0.081	0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.012	0.012	0.000	-0.0	-0.0
0.0	SLDy (RS)		0.022	0.046	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.003	0.007	0.000	-0.0	0.0
-0.0	q4-1		-0.000	-0.001	-0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.001	-0.000	0.0	-0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.000	0.001	0.000	-0.0	0.0
0.0	q4-6		0.000	0.001	0.000	-0.0	0.0
0.0	q4-7		0.000	0.001	0.000	-0.0	0.0
0.0	q5 - p~1		0.005	-0.002	-0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~2		0.011	0.023	0.000	-0.0	0.0
0.0	q5 - p~3		0.005	-0.002	-0.000	0.0	0.0
0.0	q5 - p~4		0.011	0.022	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.002	0.004	0.000	-0.0	0.0
0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.006	0.014	0.000	-0.0	0.0
0.0	M. tor~2		0.004	0.008	0.000	-0.0	0.0
0.0	INVS LU Max		0.016	0.033	-0.001	0.0	0.0
-0.0	Min		-0.017	-0.033	-0.001	-0.0	-0.0
0.0	INVS LV Max		0.043	0.086	-0.001	0.0	0.0
-0.0	Min		-0.043	-0.086	-0.001	-0.0	-0.0
0.0	INVS LE Max		0.011	0.022	-0.001	0.0	0.0
-0.0	Min		-0.011	-0.022	-0.001	-0.0	-0.0
0.0	524 C1-C2;~1 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max		0.001	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.006	0.004	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.002	0.003	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.004	0.003	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.001	0.002	-0.000	-0.0	0.0
-0.0	SLVz (RS)		0.000	-0.001	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-6	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.003	-0.002	-0.000	0.0	0.0
0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.003	-0.002	-0.000	0.0	0.0
0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.000	-0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.004	0.003	-0.001	0.0	0.0
-0.0	Min	-0.005	-0.002	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.006	0.005	-0.000	0.0	0.0
-0.0	Min	-0.006	-0.005	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.003	0.002	-0.000	0.0	0.0
-0.0	Min	-0.003	-0.002	-0.001	-0.0	-0.0
525 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)	-0.001	0.000	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.000	-0.000	0.000	0.0	0.0
0.0	SLDx (RS)	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.000	-0.000	0.000	0.0	0.0
0.0	SLVz (RS)	0.000	0.000	0.000	-0.0	0.0
-0.0	G1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0
0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2	0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
-0.0	M. tor~1	0.000	0.000	0.000	-0.0	0.0
-0.0	M. tor~2	0.000	0.000	0.000	-0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0	INVS LU	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV	Max	0.001	0.000	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
527 0.0	C1-C2;~1	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.106	-0.060	-0.000	0.0	-0.0
-0.0	SLVy (RS)		0.056	0.037	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.073	-0.042	-0.000	0.0	-0.0
-0.0	SLDy (RS)		0.039	0.025	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.001	0.001	0.000	0.0	0.0
-0.0	G1		0.001	0.000	-0.001	0.0	0.0
-0.0	G2		0.000	0.000	-0.000	0.0	0.0
0.0	G1-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.003	-0.003	0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5		0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.002	-0.002	0.000	0.0	0.0
-0.0	q5 - p~2		-0.007	0.008	-0.000	-0.0	-0.0
0.0	q5 - p~3		0.002	-0.002	0.000	0.0	0.0
-0.0	q5 - p~4		-0.007	0.007	-0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		0.014	-0.014	0.000	0.0	0.0
0.0	M. tor~2		0.009	-0.008	0.000	0.0	0.0
0.0	INVS LU	Max	0.012	0.013	-0.001	0.0	0.0
-0.0		Min	-0.011	-0.011	-0.002	-0.0	-0.0
0.0	INVS LV	Max	0.123	0.072	-0.001	0.0	0.0
-0.0		Min	-0.123	-0.071	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.008	0.009	-0.001	0.0	0.0
-0.0		Min	-0.008	-0.008	-0.001	-0.0	-0.0
528	C1-C2;~1	Max	0.002	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.054	0.027	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.053	0.026	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.037	0.019	-0.000	-0.0	-0.0

MIDAS

PROJECT TITLE :


	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	SLDy (RS)	0.037	0.018	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.001	0.000	-0.0	-0.0
0.0	G1	0.001	0.000	-0.001	-0.0	0.0
0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-1	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-2	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	0.008	-0.005	0.000	0.0	0.0
-0.0	q5 - p~2	-0.008	0.005	0.000	-0.0	-0.0
0.0	q5 - p~3	0.008	-0.005	0.000	0.0	0.0
-0.0	q5 - p~4	-0.008	0.005	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	-0.001	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.007	-0.004	-0.000	0.0	0.0
0.0	M. tor~2	0.004	-0.002	-0.000	0.0	0.0
0.0	INVSLU Max	0.015	0.009	-0.002	0.0	0.0
-0.0	Min	-0.012	-0.008	-0.002	-0.0	-0.0
0.0	INVSLV Max	0.071	0.035	-0.001	0.0	0.0
-0.0	Min	-0.069	-0.034	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.010	0.006	-0.001	0.0	0.0
-0.0	Min	-0.008	-0.005	-0.002	-0.0	-0.0
529	C1-C2;~1 Max	0.001	0.001	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.047	0.012	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.032	0.025	0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.032	0.008	0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.022	0.018	0.000	-0.0	-0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.001	-0.000	0.000	0.0	0.0
0.0	q4-1		-0.001	0.000	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.009	-0.002	-0.000	0.0	0.0
0.0	q5 - p~2		-0.001	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.009	-0.002	-0.000	0.0	0.0
0.0	q5 - p~4		-0.001	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.002	-0.000	0.000	0.0	0.0
0.0							


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	T		-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1		0.001	-0.000	0.000	0.0	0.0
0.0	M. tor~2		0.001	-0.000	0.000	0.0	0.0
0.0							
0.0	INVSLU	Max	0.013	0.004	-0.001	0.0	0.0
0.0		Min	-0.014	-0.004	-0.001	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.056	0.029	-0.001	0.0	0.0
0.0		Min	-0.056	-0.029	-0.001	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	0.009	0.003	-0.001	0.0	0.0
0.0		Min	-0.009	-0.002	-0.001	-0.0	-0.0
-0.0							
530	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.016	0.016	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.034	0.073	0.000	-0.0	0.0
0.0	SLDx (RS)		-0.011	0.011	0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.020	0.042	0.000	-0.0	0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0							
0.0	q3		0.003	0.006	0.000	-0.0	0.0
0.0							
-0.0	q4-1		-0.000	-0.001	-0.000	0.0	-0.0
-0.0							
-0.0	q4-2		-0.001	-0.001	0.000	0.0	-0.0
-0.0							

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-3	-0.000	-0.001	-0.000	0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
-0.0	q4-6	0.000	0.001	0.000	-0.0	0.0
0.0	q4-7	0.000	0.001	0.000	-0.0	0.0
0.0	q5 - p~1	0.005	-0.002	-0.000	0.0	0.0
0.0	q5 - p~2	0.010	0.021	0.000	-0.0	0.0
0.0	q5 - p~3	0.005	-0.002	-0.000	0.0	0.0
0.0	q5 - p~4	0.010	0.020	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	0.003	0.000	-0.0	0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.005	0.013	0.000	-0.0	0.0
0.0	M. tor~2	0.003	0.008	0.000	-0.0	0.0
0.0	INVS LU Max	0.015	0.030	-0.001	0.0	0.0
-0.0	Min	-0.015	-0.030	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.039	0.078	-0.001	0.0	0.0
-0.0	Min	-0.039	-0.078	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.010	0.020	-0.001	0.0	0.0
-0.0	Min	-0.010	-0.020	-0.001	-0.0	-0.0
531 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.005	0.004	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.002	0.003	-0.000	-0.0	0.0
0.0	SLDx (RS)	-0.003	0.003	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.001	0.002	-0.000	-0.0	0.0
-0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-6	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.002	-0.001	-0.000	0.0	0.0
0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.002	-0.001	-0.000	0.0	0.0
0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.004	0.002	-0.001	0.0	0.0
-0.0	Min	-0.004	-0.002	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.005	0.005	-0.000	0.0	0.0
-0.0	Min	-0.006	-0.005	-0.001	-0.0	-0.0
	INVS LE Max	0.002	0.002	-0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0		Min	-0.003	-0.001	-0.001	-0.0	-0.0
-0.0							
532	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.000	0.000	0.000	0.0	0.0
-0.0	SLDx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
0.0	SLDy (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	SLVz (RS)		0.000	0.000	0.000	-0.0	0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-7		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~1		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2		0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~3		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4		0.000	-0.000	-0.000	0.0	0.0
-0.0							

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.000	-0.000	-0.0	-0.0
0.0	T		-0.000	0.000	0.000	-0.0	-0.0
-0.0	M. tor~1		0.000	0.000	0.000	-0.0	0.0
-0.0	M. tor~2		0.000	0.000	0.000	-0.0	0.0
0.0	INVS LU Max		0.000	0.000	-0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV Max		0.000	0.000	-0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LE Max		0.000	0.000	-0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	534 C1-C2;~1 Max		0.002	0.001	0.000	0.0	0.0
-0.0	Min		-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max		0.002	0.001	0.000	0.0	0.0
-0.0	Min		-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.001	0.001	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.001	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.001	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.100	-0.057	-0.000	0.0	-0.0
-0.0	SLVy (RS)		0.053	0.035	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.069	-0.040	-0.000	0.0	-0.0
-0.0	SLDy (RS)		0.037	0.024	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.002	0.001	0.000	0.0	0.0
-0.0	G1		0.001	0.000	-0.001	0.0	0.0
-0.0	G2		0.000	0.000	-0.000	0.0	0.0
0.0	G1-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.003	-0.003	0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.002	-0.002	0.000	0.0	0.0
0.0	q5 - p~2		-0.007	0.007	-0.000	-0.0	-0.0
-0.0	q5 - p~3		0.002	-0.002	0.000	0.0	0.0
0.0	q5 - p~4		-0.007	0.007	-0.000	-0.0	-0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		0.014	-0.013	0.000	0.0	0.0
0.0	M. tor~2		0.008	-0.008	0.000	0.0	0.0
0.0	INVS LU	Max	0.011	0.012	-0.001	0.0	0.0
0.0		Min	-0.011	-0.011	-0.002	-0.0	-0.0
-0.0	INVS LV	Max	0.116	0.068	-0.001	0.0	0.0
0.0		Min	-0.117	-0.067	-0.001	-0.0	-0.0
-0.0	INVS LE	Max	0.008	0.008	-0.001	0.0	0.0
0.0		Min	-0.007	-0.007	-0.001	-0.0	-0.0
-0.0							
535	C1-C2;~1	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.051	0.025	-0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.050	0.025	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	-0.035	0.017	-0.000	-0.0	-0.0
-0.0	SLDy	(RS)	0.035	0.017	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.000	0.001	0.000	-0.0	-0.0
0.0	G1		0.001	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-1		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.008	-0.005	0.000	0.0	0.0
-0.0	q5 - p~2		-0.008	0.005	0.000	-0.0	-0.0
0.0	q5 - p~3		0.007	-0.005	0.000	0.0	0.0
-0.0	q5 - p~4		-0.007	0.005	0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.002	-0.001	0.000	0.0	0.0
-0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.007	-0.004	-0.000	0.0	0.0
0.0	M. tor~2		0.004	-0.002	-0.000	0.0	0.0
0.0	INVS LU	Max	0.014	0.008	-0.002	0.0	0.0
-0.0		Min	-0.011	-0.007	-0.002	-0.0	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.067	0.033	-0.001	0.0	0.0
-0.0		Min	-0.065	-0.032	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.009	0.006	-0.001	0.0	0.0
-0.0		Min	-0.007	-0.005	-0.002	-0.0	-0.0
536 0.0	C1-C2;~1	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.043	0.011	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.029	0.023	0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.030	0.008	0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.020	0.016	0.000	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.001	-0.000	0.000	0.0	0.0
-0.0	q4-1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1		0.008	-0.002	-0.000	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q5 - p~2	-0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3	0.008	-0.002	-0.000	0.0	0.0
-0.0	q5 - p~4	-0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	-0.000	0.000	0.0	0.0
0.0	T	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1	0.001	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.012	0.004	-0.001	0.0	0.0
-0.0	Min	-0.012	-0.003	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.051	0.027	-0.001	0.0	0.0
-0.0	Min	-0.052	-0.027	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.008	0.003	-0.001	0.0	0.0
-0.0	Min	-0.008	-0.002	-0.001	-0.0	-0.0
0.0	537 C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.014	0.015	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.030	0.065	0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.010	0.010	0.000	-0.0	-0.0
0.0	SLDy (RS)	0.018	0.037	0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	-0.000	0.000	-0.001	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.003	0.006	0.000	-0.0	0.0
-0.0	q4-1	-0.000	-0.001	-0.000	0.0	-0.0
-0.0	q4-2	-0.000	-0.001	0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.001	-0.000	0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	0.000	0.001	0.000	-0.0	0.0
0.0	q4-7	0.000	0.001	0.000	-0.0	0.0
0.0	q5 - p~1	0.004	-0.002	-0.000	0.0	0.0
0.0	q5 - p~2	0.009	0.019	0.000	-0.0	0.0
0.0	q5 - p~3	0.004	-0.002	-0.000	0.0	0.0
0.0	q5 - p~4	0.009	0.018	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	0.003	0.000	-0.0	0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.005	0.012	0.000	-0.0	0.0
0.0	M. tor~2	0.003	0.007	0.000	-0.0	0.0
0.0	INVSLU Max	0.013	0.027	-0.001	0.0	0.0
-0.0	Min	-0.013	-0.027	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.035	0.070	-0.001	0.0	0.0
-0.0	Min	-0.035	-0.070	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.009	0.018	-0.001	0.0	0.0
-0.0	Min	-0.009	-0.018	-0.001	-0.0	-0.0
538 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)	-0.004	0.003	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.001	0.003	-0.000	-0.0	0.0
0.0	SLDx (RS)	-0.003	0.002	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.001	0.002	-0.000	-0.0	0.0
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
-0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
-0.0	q3	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
0.0	q4-5	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-6	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.002	-0.001	-0.000	0.0	0.0
0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.002	-0.001	-0.000	0.0	0.0
0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
-0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0	INVS LU	Max	0.003	0.002	-0.001	0.0	0.0
-0.0		Min	-0.003	-0.002	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.005	0.004	-0.000	0.0	0.0
-0.0		Min	-0.005	-0.004	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.002	0.001	-0.000	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.001	-0.0	-0.0
539 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.000	0.000	0.000	0.0	0.0
0.0	SLDx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.000	0.000	0.000	0.0	0.0
-0.0	SLVz (RS)		0.000	0.000	0.000	-0.0	0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~1		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2		0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~3		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.000	-0.000	-0.0	-0.0
0.0	T		-0.000	0.000	0.000	-0.0	-0.0
-0.0	M. tor~1		0.000	0.000	0.000	-0.0	0.0
-0.0	M. tor~2		0.000	0.000	0.000	-0.0	0.0
0.0	INVSLU	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVSLV	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVSLE	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
541 0.0	C1-C2;~1	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.094	-0.054	-0.000	0.0	-0.0
-0.0	SLVy (RS)		0.050	0.033	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.065	-0.038	-0.000	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLDy (RS)	0.035	0.023	-0.000	-0.0	0.0
0.0	SLVz (RS)	-0.002	0.001	0.000	0.0	0.0
-0.0	G1	0.001	0.000	-0.001	0.0	0.0
-0.0	G2	0.000	0.000	-0.000	0.0	0.0
0.0	G1-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.003	-0.003	0.000	0.0	0.0
0.0	q4-2	0.001	-0.001	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.002	-0.002	0.000	0.0	0.0
-0.0	q5 - p~2	-0.007	0.007	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.002	-0.002	0.000	0.0	0.0
-0.0	q5 - p~4	-0.006	0.007	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.013	-0.012	0.000	0.0	0.0
0.0	M. tor~2	0.008	-0.007	0.000	0.0	0.0
0.0	INVSLU Max	0.010	0.011	-0.001	0.0	0.0
-0.0	Min	-0.010	-0.010	-0.002	-0.0	-0.0
0.0	INVSLV Max	0.109	0.065	-0.001	0.0	0.0
-0.0	Min	-0.110	-0.064	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.007	0.008	-0.001	0.0	0.0
-0.0	Min	-0.007	-0.007	-0.001	-0.0	-0.0
542	C1-C2;~1 Max	0.002	0.001	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.048	0.024	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.047	0.023	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.033	0.016	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.033	0.016	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.001	0.000	-0.0	-0.0
-0.0	G1		0.001	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q3		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.007	-0.005	0.000	0.0	0.0
0.0	q5 - p~2		-0.007	0.005	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.007	-0.004	0.000	0.0	0.0
0.0	q5 - p~4		-0.007	0.004	0.000	-0.0	-0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.001	-0.001	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.006	-0.004	-0.000	0.0	0.0
0.0	M. tor~2	0.004	-0.002	-0.000	0.0	0.0
0.0	INVS LU Max	0.013	0.008	-0.001	0.0	0.0
-0.0	Min	-0.010	-0.007	-0.002	-0.0	-0.0
0.0	INVS LV Max	0.063	0.031	-0.001	0.0	0.0
-0.0	Min	-0.061	-0.030	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.009	0.005	-0.001	0.0	0.0
-0.0	Min	-0.007	-0.004	-0.001	-0.0	-0.0
0.0	543 C1-C2;~1 Max	0.000	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.039	0.010	0.000	-0.0	-0.0
-0.0	SLVy (RS)	-0.026	0.021	0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.027	0.007	0.000	-0.0	-0.0
-0.0	SLDy (RS)	-0.019	0.015	0.000	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
-0.0	G1	-0.000	0.000	-0.001	-0.0	-0.0
-0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.001	-0.000	0.000	0.0	0.0
-0.0	q4-1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-3	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.007	-0.002	-0.000	0.0	0.0
-0.0	q5 - p~2	-0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3	0.007	-0.002	-0.000	0.0	0.0
-0.0	q5 - p~4	-0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	-0.000	0.000	0.0	0.0
0.0	T	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1	0.001	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.011	0.003	-0.001	0.0	0.0
-0.0	Min	-0.011	-0.003	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.047	0.025	-0.001	0.0	0.0
-0.0	Min	-0.047	-0.024	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.007	0.002	-0.001	0.0	0.0
-0.0	Min	-0.008	-0.002	-0.001	-0.0	-0.0
544 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.013	0.013	0.000	-0.0	-0.0	
0.0	SLVy (RS)	0.027	0.058	0.000	-0.0	0.0	
-0.0	SLDx (RS)	-0.009	0.009	0.000	-0.0	-0.0	
0.0	SLDy (RS)	0.016	0.033	0.000	-0.0	0.0	
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0	
0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q3	0.002	0.005	0.000	-0.0	0.0	
-0.0	q4-1	-0.000	-0.000	-0.000	0.0	-0.0	
-0.0	q4-2	-0.000	-0.001	0.000	0.0	-0.0	
0.0	q4-3	-0.000	-0.000	-0.000	0.0	-0.0	
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0	
-0.0	q4-5	0.000	0.000	0.000	-0.0	0.0	
0.0	q4-6	0.000	0.001	0.000	-0.0	0.0	
0.0	q4-7	0.000	0.001	0.000	-0.0	0.0	
0.0	q5 - p~1	0.004	-0.002	-0.000	0.0	0.0	
0.0	q5 - p~2	0.008	0.017	0.000	-0.0	0.0	
0.0	q5 - p~3	0.004	-0.001	-0.000	0.0	0.0	
0.0	q5 - p~4	0.008	0.016	0.000	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.001	0.003	0.000	-0.0	0.0	
0.0	T	-0.000	0.000	0.000	-0.0	-0.0	
0.0	M. tor~1	0.004	0.010	0.000	-0.0	0.0	
0.0	M. tor~2	0.003	0.006	0.000	-0.0	0.0	
0.0	INVSLU Max	0.012	0.024	-0.001	0.0	0.0	
-0.0	Min	-0.012	-0.024	-0.001	-0.0	-0.0	
0.0	INVSLV Max	0.031	0.062	-0.001	0.0	0.0	
-0.0	Min	-0.031	-0.062	-0.001	-0.0	-0.0	
	INVSLE Max	0.008	0.016	-0.001	0.0	0.0	

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0		Min	-0.008	-0.016	-0.001	-0.0	-0.0
-0.0							
545	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.004	0.003	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.001	0.002	-0.000	-0.0	0.0
-0.0							
0.0	SLDx (RS)		-0.003	0.002	-0.000	-0.0	-0.0
0.0	SLDy (RS)		0.001	0.002	-0.000	-0.0	0.0
-0.0							
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0							
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0							
0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
-0.0							
0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0							
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0							
-0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
-0.0							
0.0	q4-5		0.000	-0.000	-0.000	0.0	0.0
-0.0							
0.0	q4-6		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
0.0							
-0.0	q5 - p~1		0.002	-0.001	-0.000	0.0	0.0
0.0	q5 - p~2		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
-0.0	q5 - p~3		0.002	-0.001	-0.000	0.0	0.0
-0.0	q5 - p~4		-0.000	0.000	-0.000	-0.0	-0.0
0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max		0.003	0.002	-0.001	0.0	0.0
-0.0	Min		-0.003	-0.002	-0.001	-0.0	-0.0
0.0	INVS LV Max		0.004	0.003	-0.000	0.0	0.0
-0.0	Min		-0.004	-0.003	-0.000	-0.0	-0.0
0.0	INVS LE Max		0.002	0.001	-0.000	0.0	0.0
-0.0	Min		-0.002	-0.001	-0.001	-0.0	-0.0
0.0	546 C1-C2;~1 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.000	0.000	0.000	0.0	0.0
0.0	SLDx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.000	0.000	0.000	0.0	0.0
0.0	SLVz (RS)		0.000	0.000	0.000	-0.0	0.0
-0.0	G1		0.000	0.000	-0.000	0.0	0.0
-0.0	G2		0.000	0.000	-0.000	0.0	0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	-0.000	-0.000	0.000	-0.0	-0.0
-0.0	q4-1	0.000	0.000	-0.000	0.0	0.0
-0.0	q4-2	0.000	0.000	-0.000	0.0	0.0
0.0	q4-3	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-4	-0.000	-0.000	0.000	-0.0	-0.0
-0.0	q4-5	0.000	0.000	0.000	0.0	0.0
-0.0	q4-6	0.000	0.000	-0.000	0.0	0.0
0.0	q4-7	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~1	0.000	0.000	0.000	0.0	0.0
-0.0	q5 - p~2	0.000	0.000	-0.000	0.0	0.0
-0.0	q5 - p~3	0.000	0.000	0.000	0.0	0.0
-0.0	q5 - p~4	0.000	0.000	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
-0.0	M. tor~1	0.000	0.000	0.000	-0.0	0.0
-0.0	M. tor~2	0.000	0.000	0.000	-0.0	0.0
0.0	INVSLU Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVSLV Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVSLE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
548 0.0	C1-C2;~1 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.001	0.000	0.0	0.0
	Min	-0.000	-0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	-0.089	-0.051	-0.000	0.0	-0.0
-0.0	SLVy	(RS)	0.047	0.031	-0.000	-0.0	0.0
0.0	SLDx	(RS)	-0.062	-0.035	-0.000	0.0	-0.0
-0.0	SLDy	(RS)	0.033	0.021	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.002	0.001	0.000	0.0	0.0
-0.0	G1		0.001	0.000	-0.001	0.0	0.0
0.0	G2		0.000	0.000	-0.000	0.0	0.0
-0.0	G1- Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	G2- Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.002	-0.003	0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.002	-0.002	0.000	0.0	0.0
-0.0	q5 - p~2		-0.006	0.007	-0.000	-0.0	-0.0
0.0	q5 - p~3		0.001	-0.002	0.000	0.0	0.0
-0.0	q5 - p~4		-0.006	0.006	-0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		0.012	-0.011	0.000	0.0	0.0
0.0	M. tor~2		0.007	-0.007	0.000	0.0	0.0
0.0	INVS LU	Max	0.010	0.011	-0.001	0.0	0.0
-0.0		Min	-0.010	-0.009	-0.002	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.103	0.061	-0.001	0.0	0.0
-0.0		Min	-0.104	-0.060	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.007	0.007	-0.001	0.0	0.0
-0.0		Min	-0.006	-0.006	-0.001	-0.0	-0.0
549 0.0	C1-C2;~1	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.044	0.022	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.044	0.022	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.031	0.015	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.031	0.015	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.001	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.007	-0.004	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q5 - p~2	-0.007	0.004	0.000	-0.0	-0.0
0.0	q5 - p~3	0.006	-0.004	0.000	0.0	0.0
-0.0	q5 - p~4	-0.006	0.004	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	-0.001	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.006	-0.003	-0.000	0.0	0.0
0.0	M. tor~2	0.004	-0.002	-0.000	0.0	0.0
0.0	INVS LU Max	0.012	0.007	-0.001	0.0	0.0
-0.0	Min	-0.009	-0.006	-0.002	-0.0	-0.0
0.0	INVS LV Max	0.058	0.029	-0.001	0.0	0.0
-0.0	Min	-0.057	-0.028	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.008	0.005	-0.001	0.0	0.0
-0.0	Min	-0.006	-0.004	-0.001	-0.0	-0.0
0.0	550 C1-C2;~1 Max	0.000	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.035	0.009	0.000	-0.0	-0.0
-0.0	SLVy (RS)	-0.024	0.019	0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.024	0.006	0.000	-0.0	-0.0
-0.0	SLDy (RS)	-0.017	0.013	0.000	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
-0.0	G1	-0.000	0.000	-0.001	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.001	-0.000	0.000	0.0	0.0
-0.0	q4-1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.007	-0.002	-0.000	0.0	0.0
-0.0	q5 - p~2	-0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3	0.006	-0.002	-0.000	0.0	0.0
-0.0	q5 - p~4	-0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	-0.000	0.000	0.0	0.0
0.0	T	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1	0.001	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.010	0.003	-0.001	0.0	0.0
-0.0	Min	-0.010	-0.003	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.042	0.022	-0.001	0.0	0.0
-0.0	Min	-0.042	-0.022	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.006	0.002	-0.001	0.0	0.0
-0.0	Min	-0.007	-0.002	-0.001	-0.0	-0.0
0.0	551 C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.011	0.012	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.024	0.051	0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.008	0.008	0.000	-0.0	-0.0
0.0	SLDy (RS)	0.014	0.029	0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.002	0.004	0.000	-0.0	0.0
-0.0	q4-1	-0.000	-0.000	-0.000	0.0	-0.0
-0.0	q4-2	-0.000	-0.001	0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	0.000	0.001	0.000	-0.0	0.0
0.0	q4-7	0.000	0.001	0.000	-0.0	0.0
0.0	q5 - p~1	0.003	-0.001	-0.000	0.0	0.0
0.0	q5 - p~2	0.007	0.015	0.000	-0.0	0.0
0.0	q5 - p~3	0.003	-0.001	-0.000	0.0	0.0
0.0	q5 - p~4	0.007	0.014	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	0.002	0.000	-0.0	0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.004	0.009	0.000	-0.0	0.0
0.0	M. tor~2	0.002	0.005	0.000	-0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0	INVS LU	Max	0.010	0.021	-0.001	0.0	0.0
-0.0		Min	-0.010	-0.021	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.027	0.054	-0.001	0.0	0.0
-0.0		Min	-0.027	-0.054	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.007	0.014	-0.001	0.0	0.0
-0.0		Min	-0.007	-0.014	-0.001	-0.0	-0.0
552 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.003	0.002	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.001	0.002	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.002	0.002	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.001	0.001	-0.000	-0.0	0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.001	-0.001	-0.000	0.0	0.0
0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.001	-0.001	-0.000	0.0	0.0
0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.002	0.001	-0.000	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.003	0.003	-0.000	0.0	0.0
-0.0	Min	-0.003	-0.003	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.000	-0.0	-0.0
553	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	0.000	0.000	0.000	0.0	0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	0.000	0.000	0.000	0.0	0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	0.000	0.000	0.000	0.0	0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	0.000	0.000	0.000	0.0	0.0
0.0	SLVx (RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLVy (RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLDx (RS)	0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.000	0.000	0.000	0.0	0.0	
0.0	SLVz (RS)	0.000	0.000	0.000	0.0	0.0	
0.0	G1	0.000	0.000	0.000	0.0	0.0	
0.0	G2	0.000	0.000	0.000	0.0	0.0	
0.0	G1-Imp~1	0.000	0.000	0.000	0.0	0.0	
0.0	G2-Imp~1	0.000	0.000	0.000	0.0	0.0	
0.0	q3	0.000	0.000	0.000	0.0	0.0	
0.0	q4-1	0.000	0.000	0.000	0.0	0.0	
0.0	q4-2	0.000	0.000	0.000	0.0	0.0	
0.0	q4-3	0.000	0.000	0.000	0.0	0.0	
0.0	q4-4	0.000	0.000	0.000	0.0	0.0	
0.0	q4-5	0.000	0.000	0.000	0.0	0.0	
0.0	q4-6	0.000	0.000	0.000	0.0	0.0	
0.0	q4-7	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~1	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~2	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~3	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~4	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.000	0.000	0.000	0.0	0.0	
0.0	T	0.000	0.000	0.000	0.0	0.0	
0.0	M. tor~1	0.000	0.000	0.000	0.0	0.0	
0.0	M. tor~2	0.000	0.000	0.000	0.0	0.0	
0.0	INVSLU Max	0.000	0.000	0.000	0.0	0.0	
0.0	Min	0.000	0.000	0.000	0.0	0.0	
0.0	INVSLV Max	0.000	0.000	0.000	0.0	0.0	
0.0	Min	0.000	0.000	0.000	0.0	0.0	
0.0	INVSLE Max	0.000	0.000	0.000	0.0	0.0	
0.0	Min	0.000	0.000	0.000	0.0	0.0	
555	C1-C2;~1 Max	0.001	0.001	0.000	0.0	0.0	


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	-0.083	-0.048	-0.000	0.0	-0.0
0.0	SLVy	(RS)	0.044	0.029	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	-0.058	-0.033	-0.000	0.0	-0.0
0.0	SLDy	(RS)	0.031	0.020	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.002	0.001	0.000	0.0	0.0
0.0	G1		0.001	0.000	-0.001	0.0	0.0
-0.0	G2		0.000	0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.002	-0.002	0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.001	-0.002	0.000	0.0	0.0
0.0	q5 - p~2		-0.006	0.006	-0.000	-0.0	-0.0
-0.0	q5 - p~3		0.001	-0.002	0.000	0.0	0.0
0.0	q5 - p~4		-0.005	0.006	-0.000	-0.0	-0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.011	-0.011	0.000	0.0	0.0
0.0	M. tor~2	0.007	-0.006	0.000	0.0	0.0
0.0	INVS LU Max	0.009	0.010	-0.001	0.0	0.0
0.0	Min	-0.009	-0.009	-0.002	-0.0	-0.0
-0.0	INVS LV Max	0.097	0.057	-0.001	0.0	0.0
0.0	Min	-0.097	-0.056	-0.001	-0.0	-0.0
-0.0	INVS LE Max	0.006	0.007	-0.001	0.0	0.0
0.0	Min	-0.006	-0.006	-0.001	-0.0	-0.0
-0.0	556 C1-C2;~1 Max	0.002	0.001	0.000	0.0	0.0
0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.001	0.000	0.0	0.0
0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.001	0.000	0.0	0.0
0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.000	0.000	0.0	0.0
0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.041	0.021	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.041	0.020	-0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.028	0.014	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.029	0.014	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	0.001	0.000	-0.001	-0.0	0.0
0.0	G2	0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q3	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2	0.001	-0.001	-0.000	0.0	0.0
0.0						


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	0.006	-0.004	0.000	0.0	0.0
-0.0	q5 - p~2	-0.006	0.004	0.000	-0.0	-0.0
0.0	q5 - p~3	0.006	-0.004	0.000	0.0	0.0
-0.0	q5 - p~4	-0.006	0.004	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	-0.001	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.006	-0.003	-0.000	0.0	0.0
0.0	M. tor~2	0.003	-0.002	-0.000	0.0	0.0
0.0	INVSLU Max	0.011	0.007	-0.001	0.0	0.0
-0.0	Min	-0.009	-0.006	-0.002	-0.0	-0.0
0.0	INVSLV Max	0.054	0.027	-0.001	0.0	0.0
-0.0	Min	-0.053	-0.026	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.008	0.005	-0.001	0.0	0.0
-0.0	Min	-0.006	-0.004	-0.001	-0.0	-0.0
557 0.0	C1-C2;~1 Max	0.000	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.031	0.008	0.000	-0.0	-0.0	
-0.0	SLVy (RS)	-0.022	0.017	0.000	-0.0	-0.0	
-0.0	SLDx (RS)	-0.022	0.006	0.000	-0.0	-0.0	
-0.0	SLDy (RS)	-0.015	0.012	0.000	-0.0	-0.0	
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0	
-0.0	G1	-0.000	0.000	-0.001	-0.0	-0.0	
-0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0	
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0	
0.0	q3	0.001	-0.000	0.000	0.0	0.0	
-0.0	q4-1	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-3	0.001	-0.000	-0.000	0.0	0.0	
0.0	q4-4	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q4-6	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q5 - p~1	0.006	-0.002	-0.000	0.0	0.0	
-0.0	q5 - p~2	-0.001	0.000	0.000	-0.0	-0.0	
0.0	q5 - p~3	0.006	-0.002	-0.000	0.0	0.0	
-0.0	q5 - p~4	-0.001	0.000	0.000	-0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.001	-0.000	0.000	0.0	0.0	
0.0	T	0.000	0.000	-0.000	-0.0	-0.0	
0.0	M. tor~1	0.001	-0.000	0.000	0.0	0.0	
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0	
0.0	INVS LU Max	0.009	0.003	-0.001	0.0	0.0	
-0.0	Min	-0.009	-0.002	-0.001	-0.0	-0.0	
0.0	INVS LV Max	0.038	0.020	-0.001	0.0	0.0	
-0.0	Min	-0.038	-0.020	-0.001	-0.0	-0.0	
	INVS LE Max	0.006	0.002	-0.001	0.0	0.0	


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.006	-0.002	-0.001	-0.0	-0.0
-0.0							
558	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.010	0.010	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.021	0.044	0.000	-0.0	0.0
0.0	SLDx (RS)		-0.007	0.007	0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.012	0.025	0.000	-0.0	0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.002	0.004	0.000	-0.0	0.0
0.0	q4-1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	q4-2		-0.000	-0.000	0.000	0.0	-0.0
-0.0	q4-3		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-6		0.000	0.001	0.000	-0.0	0.0
0.0	q4-7		0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~1		0.003	-0.001	-0.000	0.0	0.0
0.0	q5 - p~2		0.006	0.013	0.000	-0.0	0.0
0.0	q5 - p~3		0.003	-0.001	-0.000	0.0	0.0
0.0	q5 - p~4		0.006	0.012	0.000	-0.0	0.0
0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.001	0.002	0.000	-0.0	0.0
0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.003	0.008	0.000	-0.0	0.0
0.0	M. tor~2		0.002	0.005	0.000	-0.0	0.0
0.0	INVS LU	Max	0.009	0.018	-0.001	0.0	0.0
-0.0		Min	-0.009	-0.018	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.024	0.047	-0.000	0.0	0.0
-0.0		Min	-0.024	-0.047	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.006	0.012	-0.000	0.0	0.0
-0.0		Min	-0.006	-0.012	-0.001	-0.0	-0.0
0.0	559 C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.002	0.002	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.001	0.001	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.002	0.001	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.001	0.001	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-6	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.001	-0.001	-0.000	0.0	0.0
0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.001	-0.001	-0.000	0.0	0.0
0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.002	0.001	-0.000	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.003	0.002	-0.000	0.0	0.0
-0.0	Min	-0.003	-0.002	-0.000	-0.0	-0.0
0.0	INVSLE Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
562 0.0	C1-C2;~1 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.000	0.000	0.0	0.0
	Min	-0.000	-0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	-0.078	-0.045	-0.000	0.0	-0.0
-0.0	SLVy	(RS)	0.041	0.027	-0.000	-0.0	0.0
0.0	SLDx	(RS)	-0.054	-0.031	-0.000	0.0	-0.0
-0.0	SLDy	(RS)	0.029	0.019	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.003	0.001	0.000	0.0	0.0
-0.0	G1		0.001	0.000	-0.001	0.0	0.0
0.0	G2		0.000	0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.002	-0.002	0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.001	-0.002	0.000	0.0	0.0
-0.0	q5 - p~2		-0.005	0.006	-0.000	-0.0	-0.0
0.0	q5 - p~3		0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~4		-0.005	0.005	-0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		0.010	-0.010	0.000	0.0	0.0
0.0	M. tor~2		0.006	-0.006	0.000	0.0	0.0
0.0	INVSLU	Max	0.008	0.009	-0.001	0.0	0.0
-0.0		Min	-0.008	-0.008	-0.002	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.090	0.054	-0.001	0.0	0.0
-0.0		Min	-0.091	-0.053	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.006	0.006	-0.001	0.0	0.0
-0.0		Min	-0.006	-0.006	-0.001	-0.0	-0.0
563 0.0	C1-C2;~1	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.038	0.019	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.038	0.019	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.026	0.013	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.027	0.013	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.001	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.006	-0.004	0.000	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q5 - p~2	-0.006	0.004	0.000	-0.0	-0.0
0.0	q5 - p~3	0.005	-0.003	0.000	0.0	0.0
-0.0	q5 - p~4	-0.005	0.003	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	-0.001	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.005	-0.003	-0.000	0.0	0.0
0.0	M. tor~2	0.003	-0.002	-0.000	0.0	0.0
0.0	INVS LU Max	0.010	0.006	-0.001	0.0	0.0
-0.0	Min	-0.008	-0.005	-0.002	-0.0	-0.0
0.0	INVS LV Max	0.050	0.025	-0.001	0.0	0.0
-0.0	Min	-0.049	-0.025	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.007	0.004	-0.001	0.0	0.0
-0.0	Min	-0.005	-0.004	-0.001	-0.0	-0.0
0.0	564 C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.028	0.007	0.000	-0.0	-0.0
-0.0	SLVy (RS)	-0.019	0.016	0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.019	0.005	0.000	-0.0	-0.0
-0.0	SLDy (RS)	-0.014	0.011	0.000	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
-0.0	G1	-0.000	0.000	-0.001	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.001	-0.000	0.000	0.0	0.0
-0.0	q4-1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.005	-0.001	-0.000	0.0	0.0
-0.0	q5 - p~2	-0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3	0.005	-0.001	-0.000	0.0	0.0
-0.0	q5 - p~4	-0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	-0.000	0.000	0.0	0.0
0.0	T	0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1	0.001	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.008	0.003	-0.001	0.0	0.0
-0.0	Min	-0.008	-0.002	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.034	0.018	-0.001	0.0	0.0
-0.0	Min	-0.034	-0.018	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.005	0.002	-0.001	0.0	0.0
-0.0	Min	-0.005	-0.001	-0.001	-0.0	-0.0
565 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.008	0.009	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.018	0.038	0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.006	0.006	0.000	-0.0	-0.0
0.0	SLDy (RS)	0.010	0.022	0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.001	0.003	0.000	-0.0	0.0
-0.0	q4-1	-0.000	-0.000	-0.000	0.0	-0.0
-0.0	q4-2	-0.000	-0.000	0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	0.000	0.000	0.000	-0.0	0.0
0.0	q4-7	0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~1	0.003	-0.001	-0.000	0.0	0.0
0.0	q5 - p~2	0.005	0.011	0.000	-0.0	0.0
0.0	q5 - p~3	0.002	-0.001	-0.000	0.0	0.0
0.0	q5 - p~4	0.005	0.010	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	0.002	0.000	-0.0	0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.003	0.007	0.000	-0.0	0.0
0.0	M. tor~2	0.002	0.004	0.000	-0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.008	0.016	-0.001	0.0	0.0
-0.0		Min	-0.008	-0.016	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.020	0.040	-0.000	0.0	0.0
-0.0		Min	-0.020	-0.040	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.005	0.010	-0.000	0.0	0.0
-0.0		Min	-0.005	-0.010	-0.001	-0.0	-0.0
566 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.002	0.001	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.001	0.001	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.000	0.001	-0.000	-0.0	0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.001	-0.001	-0.000	0.0	0.0
0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.001	-0.001	-0.000	0.0	0.0
0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.002	0.002	-0.000	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
569 0.0	C1-C2;~1 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)	-0.072	-0.042	-0.000	0.0	-0.0
-0.0	SLVy (RS)	0.038	0.025	-0.000	-0.0	0.0
0.0	SLDx (RS)	-0.050	-0.029	-0.000	0.0	-0.0

PROJECT TITLE :


	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	SLDy (RS)	0.027	0.018	-0.000	-0.0	0.0
0.0	SLVz (RS)	-0.003	0.001	0.000	0.0	0.0
-0.0	G1	0.001	0.000	-0.001	0.0	0.0
-0.0	G2	0.000	0.000	-0.000	0.0	0.0
0.0	G1-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.002	-0.002	0.000	0.0	0.0
0.0	q4-2	0.001	-0.001	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~2	-0.005	0.005	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~4	-0.005	0.005	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.010	-0.009	0.000	0.0	0.0
0.0	M. tor~2	0.006	-0.005	0.000	0.0	0.0
0.0	INVSLU Max	0.008	0.009	-0.001	0.0	0.0
-0.0	Min	-0.008	-0.008	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.084	0.050	-0.001	0.0	0.0
-0.0	Min	-0.085	-0.049	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.005	0.006	-0.001	0.0	0.0
-0.0	Min	-0.005	-0.005	-0.001	-0.0	-0.0
570	C1-C2;~1 Max	0.001	0.001	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.035	0.018	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.035	0.017	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.024	0.012	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.025	0.012	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.001	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q3		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.005	-0.003	0.000	0.0	0.0
0.0	q5 - p~2		-0.005	0.003	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.005	-0.003	0.000	0.0	0.0
0.0	q5 - p~4		-0.005	0.003	0.000	-0.0	-0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.001	-0.001	0.000	0.0	0.0
0.0							

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.005	-0.003	-0.000	0.0	0.0
0.0	M. tor~2	0.003	-0.002	-0.000	0.0	0.0
0.0	INVS LU Max	0.009	0.006	-0.001	0.0	0.0
-0.0	Min	-0.007	-0.005	-0.002	-0.0	-0.0
0.0	INVS LV Max	0.046	0.023	-0.001	0.0	0.0
-0.0	Min	-0.045	-0.023	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.006	0.004	-0.001	0.0	0.0
-0.0	Min	-0.005	-0.003	-0.001	-0.0	-0.0
0.0	571 C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.025	0.007	0.000	-0.0	-0.0
-0.0	SLVy (RS)	-0.017	0.014	0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.017	0.005	0.000	-0.0	-0.0
-0.0	SLDy (RS)	-0.012	0.010	0.000	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
-0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.005	-0.001	-0.000	0.0	0.0
-0.0	q5 - p~2	-0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3	0.004	-0.001	-0.000	0.0	0.0
-0.0	q5 - p~4	-0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	-0.000	0.000	0.0	0.0
0.0	T	0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.007	0.002	-0.001	0.0	0.0
-0.0	Min	-0.007	-0.002	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.030	0.016	-0.001	0.0	0.0
-0.0	Min	-0.030	-0.016	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.005	0.002	-0.001	0.0	0.0
-0.0	Min	-0.005	-0.001	-0.001	-0.0	-0.0
572 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0

MIDAS

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.007	0.007	0.000	-0.0	-0.0	
0.0	SLVy (RS)	0.015	0.032	0.000	-0.0	0.0	
-0.0	SLDx (RS)	-0.005	0.005	0.000	-0.0	-0.0	
0.0	SLDy (RS)	0.009	0.018	0.000	-0.0	0.0	
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0	
0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q3	0.001	0.003	0.000	-0.0	0.0	
-0.0	q4-1	-0.000	-0.000	-0.000	0.0	-0.0	
-0.0	q4-2	-0.000	-0.000	0.000	0.0	-0.0	
0.0	q4-3	-0.000	-0.000	-0.000	0.0	-0.0	
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0	
-0.0	q4-5	0.000	0.000	0.000	-0.0	0.0	
0.0	q4-6	0.000	0.000	0.000	-0.0	0.0	
0.0	q4-7	0.000	0.000	0.000	-0.0	0.0	
0.0	q5 - p~1	0.002	-0.001	-0.000	0.0	0.0	
0.0	q5 - p~2	0.004	0.009	0.000	-0.0	0.0	
0.0	q5 - p~3	0.002	-0.001	-0.000	0.0	0.0	
0.0	q5 - p~4	0.004	0.009	0.000	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.001	0.001	0.000	-0.0	0.0	
0.0	T	-0.000	0.000	0.000	-0.0	-0.0	
0.0	M. tor~1	0.002	0.006	0.000	-0.0	0.0	
0.0	M. tor~2	0.001	0.003	0.000	-0.0	0.0	
0.0	INVSLU Max	0.006	0.013	-0.001	0.0	0.0	
-0.0	Min	-0.007	-0.013	-0.001	-0.0	-0.0	
0.0	INVSLV Max	0.017	0.034	-0.000	0.0	0.0	
-0.0	Min	-0.017	-0.034	-0.000	-0.0	-0.0	
	INVSLE Max	0.004	0.009	-0.000	0.0	0.0	

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0		Min	-0.004	-0.009	-0.001	-0.0	-0.0
-0.0							
573	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.001	0.001	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.000	0.001	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.001	0.001	-0.000	-0.0	-0.0
0.0	SLDy (RS)		0.000	0.001	-0.000	-0.0	0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-6		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1		0.001	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~3		0.001	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~4		-0.000	0.000	-0.000	-0.0	-0.0
0.0							

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max		0.001	0.001	-0.000	0.0	0.0
-0.0	Min		-0.001	-0.001	-0.000	-0.0	-0.0
0.0	INVS LV Max		0.002	0.001	-0.000	0.0	0.0
-0.0	Min		-0.002	-0.001	-0.000	-0.0	-0.0
0.0	INVS LE Max		0.001	0.000	-0.000	0.0	0.0
-0.0	Min		-0.001	-0.000	-0.000	-0.0	-0.0
0.0	576 C1-C2;~1 Max		0.001	0.001	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max		0.001	0.001	0.000	0.0	0.0
-0.0	Min		-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.001	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.001	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.067	-0.039	-0.000	0.0	-0.0
-0.0	SLVy (RS)		0.036	0.024	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.047	-0.027	-0.000	0.0	-0.0
-0.0	SLDy (RS)		0.025	0.016	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.003	0.001	0.000	0.0	0.0
-0.0	G1		0.001	0.000	-0.001	0.0	0.0
-0.0	G2		0.000	0.000	-0.000	0.0	0.0
0.0	G1-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.002	-0.002	0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.001	-0.001	0.000	0.0	0.0
0.0	q5 - p~2		-0.005	0.005	-0.000	-0.0	-0.0
-0.0	q5 - p~3		0.001	-0.001	0.000	0.0	0.0
0.0	q5 - p~4		-0.004	0.005	-0.000	-0.0	-0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		0.009	-0.008	0.000	0.0	0.0
0.0	M. tor~2		0.005	-0.005	0.000	0.0	0.0
0.0	INVS LU	Max	0.007	0.008	-0.001	0.0	0.0
0.0		Min	-0.007	-0.007	-0.001	-0.0	-0.0
-0.0	INVS LV	Max	0.078	0.047	-0.001	0.0	0.0
0.0		Min	-0.079	-0.046	-0.001	-0.0	-0.0
-0.0	INVS LE	Max	0.005	0.005	-0.001	0.0	0.0
0.0		Min	-0.005	-0.005	-0.001	-0.0	-0.0
-0.0							
577	C1-C2;~1	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.032	0.016	-0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.032	0.016	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	-0.022	0.011	-0.000	-0.0	-0.0
-0.0	SLDy	(RS)	0.023	0.011	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.001	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.005	-0.003	0.000	0.0	0.0
-0.0	q5 - p~2		-0.005	0.003	0.000	-0.0	-0.0
0.0	q5 - p~3		0.005	-0.003	0.000	0.0	0.0
-0.0	q5 - p~4		-0.005	0.003	0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.001	-0.001	0.000	0.0	0.0
-0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.004	-0.002	-0.000	0.0	0.0
0.0	M. tor~2		0.003	-0.001	-0.000	0.0	0.0
0.0	INVS LU	Max	0.009	0.005	-0.001	0.0	0.0
-0.0		Min	-0.007	-0.005	-0.002	-0.0	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.043	0.021	-0.001	0.0	0.0
-0.0		Min	-0.041	-0.021	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.006	0.004	-0.001	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.001	-0.0	-0.0
578 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.021	0.006	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.015	0.012	0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.015	0.004	0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.010	0.008	0.000	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1		0.004	-0.001	-0.000	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q5 - p~2	-0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3	0.004	-0.001	-0.000	0.0	0.0
-0.0	q5 - p~4	-0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	-0.000	0.000	0.0	0.0
0.0	T	0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.006	0.002	-0.001	0.0	0.0
-0.0	Min	-0.006	-0.002	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.026	0.014	-0.001	0.0	0.0
-0.0	Min	-0.026	-0.014	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.004	0.001	-0.001	0.0	0.0
-0.0	Min	-0.004	-0.001	-0.001	-0.0	-0.0
0.0	579 C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.006	0.006	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.012	0.026	0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.004	0.004	0.000	-0.0	-0.0
0.0	SLDy (RS)	0.007	0.015	0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.001	0.002	0.000	-0.0	0.0
-0.0	q4-1	-0.000	-0.000	-0.000	0.0	-0.0
-0.0	q4-2	-0.000	-0.000	0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	0.000	0.000	0.000	-0.0	0.0
0.0	q4-7	0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~1	0.002	-0.001	-0.000	0.0	0.0
0.0	q5 - p~2	0.004	0.008	0.000	-0.0	0.0
0.0	q5 - p~3	0.002	-0.001	-0.000	0.0	0.0
0.0	q5 - p~4	0.004	0.007	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	0.001	0.000	-0.0	0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.002	0.005	0.000	-0.0	0.0
0.0	M. tor~2	0.001	0.003	0.000	-0.0	0.0
0.0	INVSLU Max	0.005	0.011	-0.001	0.0	0.0
-0.0	Min	-0.005	-0.011	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.014	0.028	-0.000	0.0	0.0
-0.0	Min	-0.014	-0.028	-0.000	-0.0	-0.0
0.0	INVSLE Max	0.004	0.007	-0.000	0.0	0.0
-0.0	Min	-0.004	-0.007	-0.001	-0.0	-0.0
580 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.000	0.001	-0.000	-0.0	0.0
0.0	SLDx (RS)	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.000	0.000	-0.000	-0.0	0.0
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
-0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
-0.0	q3	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
0.0	q4-5	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-6	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
-0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.001	0.000	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV	Max	0.001	0.001	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.001	0.000	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
583 0.0	C1-C2;~1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.062	-0.036	-0.000	0.0	-0.0
-0.0	SLVy (RS)		0.033	0.022	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.043	-0.025	-0.000	0.0	-0.0
-0.0	SLDy (RS)		0.023	0.015	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.003	0.001	0.000	0.0	0.0
-0.0	G1		0.001	0.000	-0.001	-0.0	0.0
-0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.002	-0.002	0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5		0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~2		-0.004	0.005	-0.000	-0.0	-0.0
0.0	q5 - p~3		0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~4		-0.004	0.004	-0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		0.008	-0.008	0.000	0.0	0.0
0.0	M. tor~2		0.005	-0.005	0.000	0.0	0.0
0.0	INVS LU	Max	0.007	0.007	-0.001	0.0	0.0
-0.0		Min	-0.007	-0.006	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.072	0.043	-0.001	0.0	0.0
-0.0		Min	-0.073	-0.043	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.005	0.005	-0.001	0.0	0.0
-0.0		Min	-0.004	-0.004	-0.001	-0.0	-0.0
584 0.0	C1-C2;~1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.029	0.015	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.030	0.014	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.020	0.010	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLDy (RS)	0.021	0.010	-0.000	-0.0	0.0	
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0	
0.0	G1	0.001	0.000	-0.001	-0.0	0.0	
0.0	G2	0.000	0.000	-0.000	-0.0	0.0	
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q3	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-2	0.001	-0.000	-0.000	0.0	0.0	
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0	
0.0	q5 - p~1	0.004	-0.003	0.000	0.0	0.0	
-0.0	q5 - p~2	-0.004	0.003	0.000	-0.0	-0.0	
0.0	q5 - p~3	0.004	-0.003	0.000	0.0	0.0	
-0.0	q5 - p~4	-0.004	0.003	0.000	-0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.001	-0.001	0.000	0.0	0.0	
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0	
0.0	M. tor~1	0.004	-0.002	-0.000	0.0	0.0	
0.0	M. tor~2	0.002	-0.001	-0.000	0.0	0.0	
0.0	INVSLU Max	0.008	0.005	-0.001	0.0	0.0	
-0.0	Min	-0.006	-0.004	-0.002	-0.0	-0.0	
0.0	INVSLV Max	0.039	0.019	-0.001	0.0	0.0	
-0.0	Min	-0.038	-0.019	-0.001	-0.0	-0.0	
0.0	INVSLE Max	0.005	0.003	-0.001	0.0	0.0	
-0.0	Min	-0.004	-0.003	-0.001	-0.0	-0.0	
585	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0	


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.018	0.005	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.013	0.010	0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.013	0.003	0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.009	0.007	0.000	-0.0	-0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.004	-0.001	-0.000	0.0	0.0
0.0	q5 - p~2		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.003	-0.001	-0.000	0.0	0.0
0.0	q5 - p~4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.001	-0.000	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.005	0.002	-0.001	0.0	0.0
0.0	Min	-0.005	-0.001	-0.001	-0.0	-0.0
-0.0	INVS LV Max	0.022	0.012	-0.000	0.0	0.0
0.0	Min	-0.022	-0.012	-0.001	-0.0	-0.0
-0.0	INVS LE Max	0.003	0.001	-0.000	0.0	0.0
0.0	Min	-0.004	-0.001	-0.001	-0.0	-0.0
-0.0	586 C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.005	0.005	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.010	0.021	0.000	-0.0	0.0
0.0	SLDx (RS)	-0.003	0.003	0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.006	0.012	0.000	-0.0	0.0
0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.001	0.002	0.000	-0.0	0.0
0.0	q4-1	-0.000	-0.000	-0.000	0.0	-0.0
-0.0	q4-2	-0.000	-0.000	0.000	0.0	-0.0
-0.0						


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-3	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	0.000	0.000	0.000	-0.0	0.0
-0.0	q4-6	0.000	0.000	0.000	-0.0	0.0
0.0	q4-7	0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~1	0.002	-0.001	-0.000	0.0	0.0
0.0	q5 - p~2	0.003	0.006	0.000	-0.0	0.0
0.0	q5 - p~3	0.001	-0.001	-0.000	0.0	0.0
0.0	q5 - p~4	0.003	0.006	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	0.001	0.000	-0.0	0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.002	0.004	0.000	-0.0	0.0
0.0	M. tor~2	0.001	0.002	0.000	-0.0	0.0
0.0	INVS LU Max	0.004	0.009	-0.000	0.0	0.0
-0.0	Min	-0.004	-0.009	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.011	0.023	-0.000	0.0	0.0
-0.0	Min	-0.012	-0.023	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.003	0.006	-0.000	0.0	0.0
-0.0	Min	-0.003	-0.006	-0.000	-0.0	-0.0
587 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.001	0.000	-0.000	-0.0	-0.0	
-0.0	SLVy (RS)	0.000	0.000	-0.000	-0.0	0.0	
0.0	SLDx (RS)	-0.001	0.000	-0.000	-0.0	-0.0	
-0.0	SLDy (RS)	0.000	0.000	-0.000	-0.0	0.0	
-0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0	
0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0	
-0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0	
0.0	q3	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0	
0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q4-4	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-5	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-6	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q5 - p~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q5 - p~3	0.000	-0.000	-0.000	0.0	0.0	
0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	T	0.000	-0.000	-0.000	0.0	0.0	
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	INVS LU Max	0.001	0.000	-0.000	0.0	0.0	
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0	
0.0	INVS LV Max	0.001	0.001	-0.000	0.0	0.0	
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0	
	INVS LE Max	0.000	0.000	-0.000	0.0	0.0	


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
590	C1-C2;~1	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.057	-0.033	-0.000	0.0	-0.0
0.0	SLVy (RS)		0.030	0.020	-0.000	-0.0	0.0
-0.0							
0.0	SLDx (RS)		-0.040	-0.023	-0.000	0.0	-0.0
0.0	SLDy (RS)		0.021	0.014	-0.000	-0.0	0.0
-0.0							
0.0	SLVz (RS)		-0.003	0.001	0.000	0.0	0.0
0.0							
-0.0	G1		0.000	0.000	-0.001	-0.0	0.0
-0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0							
0.0	G1-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0							
0.0	q4-1		0.002	-0.002	0.000	0.0	0.0
0.0							
0.0	q4-2		0.000	-0.001	0.000	0.0	0.0
0.0							
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
-0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							
0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
0.0							
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0							
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0							
0.0	q5 - p~1		0.001	-0.001	0.000	0.0	0.0
0.0							
-0.0	q5 - p~2		-0.004	0.004	-0.000	-0.0	-0.0
-0.0							
0.0	q5 - p~3		0.001	-0.001	0.000	0.0	0.0
0.0							
-0.0	q5 - p~4		-0.004	0.004	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		0.007	-0.007	0.000	0.0	0.0
0.0	M. tor~2		0.004	-0.004	0.000	0.0	0.0
0.0	INVS LU Max		0.006	0.007	-0.001	0.0	0.0
-0.0	Min		-0.006	-0.006	-0.001	-0.0	-0.0
0.0	INVS LV Max		0.067	0.040	-0.001	0.0	0.0
-0.0	Min		-0.067	-0.039	-0.001	-0.0	-0.0
0.0	INVS LE Max		0.004	0.005	-0.001	0.0	0.0
-0.0	Min		-0.004	-0.004	-0.001	-0.0	-0.0
0.0	591 C1-C2;~1 Max		0.001	0.001	0.000	0.0	0.0
-0.0	Min		-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max		0.001	0.000	0.000	0.0	0.0
-0.0	Min		-0.001	-0.001	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.001	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.001	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.027	0.013	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.027	0.013	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.018	0.009	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.019	0.009	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	0.004	-0.003	0.000	0.0	0.0
-0.0	q5 - p~2	-0.004	0.003	0.000	-0.0	-0.0
0.0	q5 - p~3	0.004	-0.002	0.000	0.0	0.0
-0.0	q5 - p~4	-0.004	0.002	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	-0.000	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.003	-0.002	-0.000	0.0	0.0
0.0	M. tor~2	0.002	-0.001	-0.000	0.0	0.0
0.0	INVSLU Max	0.007	0.004	-0.001	0.0	0.0
-0.0	Min	-0.005	-0.004	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.035	0.018	-0.001	0.0	0.0
-0.0	Min	-0.034	-0.017	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.005	0.003	-0.001	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.001	-0.0	-0.0
592 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
	Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.015	0.004	0.000	-0.0	-0.0
-0.0	SLVy	(RS)	-0.011	0.009	0.000	-0.0	-0.0
-0.0	SLDx	(RS)	-0.011	0.003	0.000	-0.0	-0.0
-0.0	SLDy	(RS)	-0.008	0.006	0.000	-0.0	-0.0
-0.0	SLVz	(RS)	0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.003	-0.001	-0.000	0.0	0.0
0.0	q5 - p~2		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.003	-0.001	-0.000	0.0	0.0
0.0	q5 - p~4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.001	-0.000	0.000	0.0	0.0
0.0	T		0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1		0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2		0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU	Max	0.004	0.001	-0.001	0.0	0.0
-0.0		Min	-0.004	-0.001	-0.001	-0.0	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.019	0.010	-0.000	0.0	0.0
-0.0		Min	-0.019	-0.010	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.003	0.001	-0.000	0.0	0.0
-0.0		Min	-0.003	-0.001	-0.001	-0.0	-0.0
593 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.004	0.004	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.008	0.017	0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.003	0.003	0.000	-0.0	-0.0
0.0	SLDy (RS)		0.005	0.010	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.001	0.001	0.000	-0.0	0.0
-0.0	q4-1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	q4-2		-0.000	-0.000	0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.000	0.000	0.000	-0.0	0.0
0.0	q4-6		0.000	0.000	0.000	-0.0	0.0
0.0	q4-7		0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~1		0.001	-0.000	-0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~2		0.002	0.005	0.000	-0.0	0.0
0.0	q5 - p~3		0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~4		0.002	0.005	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.001	0.000	-0.0	0.0
0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.001	0.003	0.000	-0.0	0.0
0.0	M. tor~2		0.001	0.002	0.000	-0.0	0.0
0.0	INVS LU Max		0.003	0.007	-0.000	0.0	0.0
-0.0	Min		-0.003	-0.007	-0.001	-0.0	-0.0
0.0	INVS LV Max		0.009	0.018	-0.000	0.0	0.0
-0.0	Min		-0.009	-0.018	-0.000	-0.0	-0.0
0.0	INVS LE Max		0.002	0.005	-0.000	0.0	0.0
-0.0	Min		-0.002	-0.005	-0.000	-0.0	-0.0
0.0	594 C1-C2;~1 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.000	0.000	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.000	0.000	-0.000	-0.0	0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-6	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
597 0.0	C1-C2;~1 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.000	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)	-0.052	-0.031	-0.000	0.0	-0.0
-0.0	SLVy (RS)	0.028	0.019	-0.000	-0.0	0.0
0.0	SLDx (RS)	-0.036	-0.021	-0.000	0.0	-0.0
-0.0	SLDy (RS)	0.020	0.013	-0.000	-0.0	0.0
0.0	SLVz (RS)	-0.003	0.001	0.000	0.0	-0.0
-0.0	G1	0.000	0.000	-0.001	-0.0	0.0
-0.0	G2	0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.001	-0.002	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~2	-0.004	0.004	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~4	-0.003	0.004	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.007	-0.007	0.000	0.0	0.0
0.0	M. tor~2	0.004	-0.004	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0	INVS LU	Max	0.005	0.006	-0.001	0.0	0.0
-0.0		Min	-0.005	-0.005	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.061	0.037	-0.001	0.0	0.0
-0.0		Min	-0.062	-0.036	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.004	0.004	-0.001	0.0	0.0
-0.0		Min	-0.004	-0.004	-0.001	-0.0	-0.0
598 0.0	C1-C2;~1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.024	0.012	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.024	0.012	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.017	0.009	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.017	0.008	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.004	-0.002	0.000	0.0	0.0
-0.0	q5 - p~2		-0.004	0.002	0.000	-0.0	-0.0
0.0	q5 - p~3		0.003	-0.002	0.000	0.0	0.0
-0.0	q5 - p~4		-0.003	0.002	0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.003	-0.002	-0.000	0.0	0.0
0.0	M. tor~2		0.002	-0.001	-0.000	0.0	0.0
0.0	INVS LU	Max	0.006	0.004	-0.001	0.0	0.0
-0.0		Min	-0.005	-0.003	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.032	0.016	-0.001	0.0	0.0
-0.0		Min	-0.031	-0.016	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.004	0.003	-0.001	0.0	0.0
-0.0		Min	-0.003	-0.002	-0.001	-0.0	-0.0
599	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.013	0.003	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.009	0.007	0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.009	0.002	0.000	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLDy (RS)	-0.006	0.005	0.000	-0.0	-0.0	
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0	
-0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0	
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0	
0.0	q3	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-1	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-3	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-4	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q4-6	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q5 - p~1	0.002	-0.001	-0.000	0.0	0.0	
-0.0	q5 - p~2	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q5 - p~3	0.002	-0.001	-0.000	0.0	0.0	
-0.0	q5 - p~4	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.000	-0.000	0.000	0.0	0.0	
0.0	T	0.000	0.000	-0.000	-0.0	-0.0	
0.0	M. tor~1	0.000	-0.000	0.000	0.0	0.0	
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0	
0.0	INVSLU Max	0.004	0.001	-0.001	0.0	0.0	
-0.0	Min	-0.004	-0.001	-0.001	-0.0	-0.0	
0.0	INVSLV Max	0.016	0.008	-0.000	0.0	0.0	
-0.0	Min	-0.016	-0.008	-0.000	-0.0	-0.0	
0.0	INVSLE Max	0.002	0.001	-0.000	0.0	0.0	
-0.0	Min	-0.002	-0.001	-0.001	-0.0	-0.0	
600	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0	


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	-0.003	0.003	0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.006	0.013	0.000	-0.0	0.0
0.0	SLDx	(RS)	-0.002	0.002	0.000	-0.0	-0.0
-0.0	SLDy	(RS)	0.003	0.007	0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0							
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.000	0.001	0.000	-0.0	0.0
0.0	q4-1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	q4-2		-0.000	-0.000	0.000	0.0	-0.0
-0.0	q4-3		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-6		0.000	0.000	0.000	-0.0	0.0
0.0	q4-7		0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~1		0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~2		0.002	0.004	0.000	-0.0	0.0
0.0	q5 - p~3		0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~4		0.002	0.004	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.001	0.000	-0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.001	0.002	0.000	-0.0	0.0
0.0	M. tor~2	0.001	0.001	0.000	-0.0	0.0
0.0	INVS LU Max	0.003	0.005	-0.000	0.0	0.0
0.0	Min	-0.003	-0.005	-0.001	-0.0	-0.0
-0.0	INVS LV Max	0.007	0.014	-0.000	0.0	0.0
0.0	Min	-0.007	-0.014	-0.000	-0.0	-0.0
-0.0	INVS LE Max	0.002	0.004	-0.000	0.0	0.0
0.0	Min	-0.002	-0.004	-0.000	-0.0	-0.0
-0.0	601 C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.000	0.000	-0.000	-0.0	-0.0
0.0	SLVy (RS)	0.000	0.000	-0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.000	0.000	-0.000	-0.0	-0.0
0.0	SLDy (RS)	0.000	0.000	-0.000	-0.0	0.0
-0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
-0.0	q3	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
0.0						

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-6		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~4		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
604 0.0	C1-C2;~1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.048	-0.028	-0.000	0.0	-0.0
-0.0	SLVy (RS)	0.025	0.017	-0.000	-0.0	0.0
0.0	SLDx (RS)	-0.033	-0.019	-0.000	0.0	-0.0
-0.0	SLDy (RS)	0.018	0.012	-0.000	-0.0	0.0
0.0	SLVz (RS)	-0.003	0.001	0.000	-0.0	-0.0
-0.0	G1	0.000	0.000	-0.001	-0.0	0.0
-0.0	G2	0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.001	-0.001	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~2	-0.003	0.003	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~4	-0.003	0.003	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.006	-0.006	0.000	0.0	0.0
0.0	M. tor~2	0.004	-0.004	0.000	0.0	0.0
0.0	INVSLU Max	0.005	0.006	-0.001	0.0	0.0
-0.0	Min	-0.005	-0.005	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.056	0.034	-0.001	0.0	0.0
-0.0	Min	-0.056	-0.033	-0.001	-0.0	-0.0
	INVSLE Max	0.003	0.004	-0.001	0.0	0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0		Min	-0.003	-0.003	-0.001	-0.0	-0.0
-0.0							
605	C1-C2;~1	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.021	0.011	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.022	0.011	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.015	0.008	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.015	0.007	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.003	-0.002	0.000	0.0	0.0
0.0	q5 - p~2		-0.003	0.002	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.003	-0.002	0.000	0.0	0.0
0.0	q5 - p~4		-0.003	0.002	0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.003	-0.002	-0.000	0.0	0.0
0.0	M. tor~2		0.002	-0.001	-0.000	0.0	0.0
0.0	INVS LU Max		0.006	0.003	-0.001	0.0	0.0
-0.0	Min		-0.004	-0.003	-0.001	-0.0	-0.0
0.0	INVS LV Max		0.029	0.014	-0.001	0.0	0.0
-0.0	Min		-0.028	-0.014	-0.001	-0.0	-0.0
0.0	INVS LE Max		0.004	0.002	-0.001	0.0	0.0
-0.0	Min		-0.003	-0.002	-0.001	-0.0	-0.0
0.0	C1-C2;~1 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.010	0.003	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.007	0.006	0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.007	0.002	0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.005	0.004	0.000	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.002	-0.001	-0.000	0.0	0.0
-0.0	q5 - p~2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3	0.002	-0.001	-0.000	0.0	0.0
-0.0	q5 - p~4	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.003	0.001	-0.001	0.0	0.0
-0.0	Min	-0.003	-0.001	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.013	0.007	-0.000	0.0	0.0
-0.0	Min	-0.013	-0.007	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.002	0.001	-0.000	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.001	-0.0	-0.0
607 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.002	0.002	0.000	-0.0	-0.0
0.0	SLVy	(RS)	0.004	0.009	0.000	-0.0	0.0
-0.0	SLDx	(RS)	-0.002	0.001	0.000	-0.0	-0.0
0.0	SLDy	(RS)	0.003	0.005	0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.000	0.001	0.000	-0.0	0.0
-0.0	q4-1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	q4-2		-0.000	-0.000	0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-6		0.000	0.000	0.000	-0.0	0.0
0.0	q4-7		0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~1		0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~2		0.001	0.003	0.000	-0.0	0.0
0.0	q5 - p~3		0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~4		0.001	0.003	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.000	0.000	-0.0	0.0
0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.001	0.002	0.000	-0.0	0.0
0.0	M. tor~2		0.000	0.001	0.000	-0.0	0.0
0.0	INVSLU	Max	0.002	0.004	-0.000	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.000	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.005	0.010	-0.000	0.0	0.0
-0.0		Min	-0.005	-0.010	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.001	0.003	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.000	-0.0	-0.0
608 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.000	0.000	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.000	0.000	-0.000	-0.0	0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-6		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.000	-0.000	-0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	611 C1-C2;~1 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)	-0.043	-0.025	-0.000	0.0	-0.0
-0.0	SLVy (RS)	0.023	0.016	-0.000	-0.0	0.0
0.0	SLDx (RS)	-0.030	-0.018	-0.000	0.0	-0.0
-0.0	SLDy (RS)	0.016	0.011	-0.000	-0.0	0.0
0.0	SLVz (RS)	-0.003	0.001	0.000	-0.0	-0.0
-0.0	G1	0.000	0.000	-0.001	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.001	-0.001	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.001	-0.001	0.000	0.0	0.0
0.0	q5 - p~2	-0.003	0.003	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.001	-0.001	0.000	0.0	0.0
0.0	q5 - p~4	-0.003	0.003	-0.000	-0.0	-0.0
-0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.006	-0.005	0.000	0.0	0.0
0.0	M. tor~2	0.003	-0.003	0.000	0.0	0.0
0.0	INVS LU Max	0.004	0.005	-0.001	0.0	0.0
-0.0	Min	-0.005	-0.004	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.051	0.031	-0.001	0.0	0.0
-0.0	Min	-0.051	-0.030	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.003	0.003	-0.001	0.0	0.0
-0.0	Min	-0.003	-0.003	-0.001	-0.0	-0.0
612	C1-C2;~1 Max	0.001	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.001	0.000	0.000	0.0	0.0
0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.019	0.010	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.020	0.010	-0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.013	0.007	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.014	0.007	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	0.000	0.000	-0.001	-0.0	0.0
0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	0.003	-0.002	0.000	0.0	0.0
-0.0	q5 - p~2	-0.003	0.002	0.000	-0.0	-0.0
0.0	q5 - p~3	0.003	-0.002	0.000	0.0	0.0
-0.0	q5 - p~4	-0.003	0.002	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	-0.000	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.002	-0.001	-0.000	0.0	0.0
0.0	M. tor~2	0.001	-0.001	-0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.005	0.003	-0.001	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.026	0.013	-0.001	0.0	0.0
-0.0		Min	-0.025	-0.013	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.003	0.002	-0.001	0.0	0.0
-0.0		Min	-0.003	-0.002	-0.001	-0.0	-0.0
613 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.008	0.002	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.006	0.005	0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.006	0.002	0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.004	0.003	0.000	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-0.0	q4-6		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1		0.002	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3		0.002	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~4		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	0.000	-0.000	-0.0	0.0
0.0	M. tor~1		0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2		0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU	Max	0.002	0.001	-0.000	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.010	0.006	-0.000	0.0	0.0
-0.0		Min	-0.010	-0.005	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.002	0.001	-0.000	0.0	0.0
-0.0		Min	-0.002	-0.000	-0.000	-0.0	-0.0
0.0	614 C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.002	0.001	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.003	0.006	0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.001	0.001	0.000	-0.0	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	SLDy (RS)	0.002	0.004	0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.000	0.001	0.000	-0.0	0.0
-0.0	q4-1	-0.000	-0.000	-0.000	0.0	-0.0
-0.0	q4-2	-0.000	-0.000	0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	0.000	0.000	0.000	-0.0	0.0
0.0	q4-7	0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~2	0.001	0.002	0.000	-0.0	0.0
0.0	q5 - p~3	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~4	0.001	0.002	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	0.000	0.000	-0.0	0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.000	0.001	0.000	-0.0	0.0
0.0	M. tor~2	0.000	0.001	0.000	-0.0	0.0
-0.0	INVSLU Max	0.001	0.003	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.000	-0.0	-0.0
0.0	INVSLV Max	0.003	0.007	-0.000	0.0	0.0
-0.0	Min	-0.003	-0.007	-0.000	-0.0	-0.0
0.0	INVSLE Max	0.001	0.002	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.000	-0.0	-0.0
615	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	C3-C4 ; ~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	C1-C2 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0		SLVx (RS)	0.000	0.000	0.000	0.0	0.0
0.0		SLVy (RS)	0.000	0.000	0.000	0.0	0.0
0.0		SLDx (RS)	0.000	0.000	0.000	0.0	0.0
0.0		SLDy (RS)	0.000	0.000	0.000	0.0	0.0
0.0		SLVz (RS)	0.000	0.000	0.000	0.0	0.0
0.0		G1	0.000	0.000	0.000	0.0	0.0
0.0		G2	0.000	0.000	0.000	0.0	0.0
0.0		G1 - Imp~1	0.000	0.000	0.000	0.0	0.0
0.0		G2 - Imp~1	0.000	0.000	0.000	0.0	0.0
0.0		q3	0.000	0.000	0.000	0.0	0.0
0.0		q4 - 1	0.000	0.000	0.000	0.0	0.0
0.0		q4 - 2	0.000	0.000	0.000	0.0	0.0
0.0		q4 - 3	0.000	0.000	0.000	0.0	0.0
0.0		q4 - 4	0.000	0.000	0.000	0.0	0.0
0.0		q4 - 5	0.000	0.000	0.000	0.0	0.0
0.0		q4 - 6	0.000	0.000	0.000	0.0	0.0
0.0		q4 - 7	0.000	0.000	0.000	0.0	0.0
0.0		q5 - p~1	0.000	0.000	0.000	0.0	0.0
0.0		q5 - p~2	0.000	0.000	0.000	0.0	0.0
0.0		q5 - p~3	0.000	0.000	0.000	0.0	0.0
0.0		q5 - p~4	0.000	0.000	0.000	0.0	0.0
0.0		q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0		q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0		q7	0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	0.000	0.000	0.000	0.0	0.0
0.0	M. tor~1	0.000	0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	0.000	0.000	0.000	0.0	0.0
0.0	INVS LV Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	0.000	0.000	0.000	0.0	0.0
0.0	INVS LE Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	0.000	0.000	0.000	0.0	0.0
618	C1-C2;~1 Max	0.001	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.039	-0.023	-0.000	0.0	-0.0
0.0	SLVy (RS)	0.021	0.014	-0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.027	-0.016	-0.000	0.0	-0.0
0.0	SLDy (RS)	0.015	0.010	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.003	0.001	0.000	-0.0	-0.0
0.0	G1	0.000	0.000	-0.001	-0.0	0.0
-0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.001	-0.001	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
0.0						

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~2	-0.003	0.003	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~4	-0.002	0.003	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.005	-0.005	0.000	0.0	0.0
0.0	M. tor~2	0.003	-0.003	0.000	0.0	0.0
0.0	INVS LU Max	0.004	0.005	-0.001	0.0	0.0
-0.0	Min	-0.004	-0.004	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.046	0.028	-0.001	0.0	0.0
-0.0	Min	-0.046	-0.027	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.003	0.003	-0.001	0.0	0.0
-0.0	Min	-0.003	-0.003	-0.001	-0.0	-0.0
619 0.0	C1-C2;~1 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	SLVx (RS)	-0.017	0.009	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.017	0.008	-0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.012	0.006	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.012	0.006	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	0.000	0.000	-0.001	-0.0	0.0
0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	0.002	-0.002	0.000	0.0	0.0
-0.0	q5 - p~2	-0.002	0.002	0.000	-0.0	-0.0
0.0	q5 - p~3	0.002	-0.002	0.000	0.0	0.0
-0.0	q5 - p~4	-0.002	0.001	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.002	-0.001	-0.000	0.0	0.0
0.0	M. tor~2	0.001	-0.001	-0.000	0.0	0.0
0.0	INVS LU Max	0.004	0.003	-0.001	0.0	0.0
-0.0	Min	-0.003	-0.002	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.023	0.011	-0.001	0.0	0.0
-0.0	Min	-0.022	-0.011	-0.001	-0.0	-0.0
	INVS LE Max	0.003	0.002	-0.001	0.0	0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0		Min	-0.002	-0.002	-0.001	-0.0	-0.0
-0.0							
620	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.006	0.002	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.004	0.004	0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.004	0.001	0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.003	0.003	0.000	-0.0	-0.0
-0.0	SLVz (RS)		-0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~2		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~4		-0.000	0.000	0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	0.000	-0.000	-0.0	0.0
0.0	M. tor~1		0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2		0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU	Max	0.002	0.001	-0.000	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.008	0.004	-0.000	0.0	0.0
-0.0		Min	-0.008	-0.004	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.001	0.000	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	621 C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.001	0.001	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.002	0.004	0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.001	0.001	0.000	-0.0	-0.0
0.0	SLDy (RS)		0.001	0.002	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q3		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	q4-2		-0.000	-0.000	0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.000	0.000	0.000	-0.0	0.0
0.0	q4-6		0.000	0.000	0.000	-0.0	0.0
0.0	q4-7		0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~2		0.001	0.001	0.000	-0.0	0.0
0.0	q5 - p~3		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~4		0.001	0.001	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.000	0.000	-0.0	0.0
0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.000	0.001	0.000	-0.0	0.0
0.0	M. tor~2		0.000	0.000	0.000	-0.0	0.0
0.0	INVSLU	Max	0.001	0.002	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
0.0	INVSLV	Max	0.002	0.004	-0.000	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.000	-0.0	-0.0
0.0	INVSLE	Max	0.001	0.001	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
625 0.0	C1-C2;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	-0.035	-0.021	-0.000	0.0	-0.0
-0.0	SLVy	(RS)	0.019	0.013	-0.000	-0.0	0.0
0.0	SLDx	(RS)	-0.024	-0.014	-0.000	0.0	-0.0
-0.0	SLDy	(RS)	0.013	0.009	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.003	0.001	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.001	-0.001	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~2		-0.002	0.003	-0.000	-0.0	-0.0
0.0	q5 - p~3		0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~4		-0.002	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		0.004	-0.004	0.000	0.0	0.0
0.0	M. tor~2		0.003	-0.003	0.000	0.0	0.0
0.0	INVSLU	Max	0.004	0.004	-0.001	0.0	0.0
-0.0		Min	-0.004	-0.004	-0.001	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.041	0.025	-0.001	0.0	0.0
-0.0		Min	-0.042	-0.025	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.002	0.003	-0.001	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.001	-0.0	-0.0
626 0.0	C1-C2;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.015	0.008	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.015	0.007	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.010	0.005	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.011	0.005	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.002	-0.001	0.000	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q5 - p~2	-0.002	0.001	0.000	-0.0	-0.0
0.0	q5 - p~3	0.002	-0.001	0.000	0.0	0.0
-0.0	q5 - p~4	-0.002	0.001	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.002	-0.001	-0.000	0.0	0.0
0.0	M. tor~2	0.001	-0.001	-0.000	0.0	0.0
0.0	INVS LU Max	0.004	0.002	-0.001	0.0	0.0
-0.0	Min	-0.003	-0.002	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.020	0.010	-0.001	0.0	0.0
-0.0	Min	-0.019	-0.010	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.003	0.002	-0.001	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.001	-0.0	-0.0
0.0	627 C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.005	0.001	0.000	-0.0	-0.0
-0.0	SLVy (RS)	-0.003	0.003	0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.003	0.001	0.000	-0.0	-0.0
-0.0	SLDy (RS)	-0.002	0.002	0.000	-0.0	-0.0
0.0	SLVz (RS)	-0.000	-0.000	0.000	0.0	0.0
-0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.001	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3	0.001	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~4	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	0.000	-0.000	-0.0	0.0
0.0	M. tor~1	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVSLU Max	0.001	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	INVSLV Max	0.006	0.003	-0.000	0.0	0.0
-0.0	Min	-0.006	-0.003	-0.000	-0.0	-0.0
0.0	INVSLE Max	0.001	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
628 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.001	0.000	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.001	0.002	0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	SLDy (RS)	0.001	0.001	0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.000	0.000	0.000	-0.0	0.0
-0.0	q4-1	-0.000	-0.000	-0.000	0.0	-0.0
-0.0	q4-2	-0.000	-0.000	0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	0.000	0.000	0.000	-0.0	0.0
0.0	q4-7	0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~2	0.000	0.001	0.000	-0.0	0.0
0.0	q5 - p~3	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~4	0.000	0.001	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	0.000	0.000	-0.0	0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.000	0.000	0.000	-0.0	0.0
0.0	M. tor~2	0.000	0.000	0.000	-0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.000	0.001	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	INVS LV	Max	0.001	0.002	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.000	0.001	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
632 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.031	-0.018	-0.000	0.0	-0.0
-0.0	SLVy (RS)		0.017	0.011	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.022	-0.013	-0.000	0.0	-0.0
-0.0	SLDy (RS)		0.012	0.008	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.003	0.001	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.000	-0.0	0.0
-0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.001	-0.001	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5		0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~2		-0.002	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~3		0.000	-0.001	0.000	0.0	0.0
-0.0	q5 - p~4		-0.002	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		0.004	-0.004	0.000	0.0	0.0
0.0	M. tor~2		0.002	-0.002	0.000	0.0	0.0
0.0	INVS LU	Max	0.003	0.004	-0.001	0.0	0.0
-0.0		Min	-0.003	-0.003	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.037	0.022	-0.001	0.0	0.0
-0.0		Min	-0.037	-0.022	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.002	0.003	-0.001	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.001	-0.0	-0.0
633	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.013	0.007	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.013	0.006	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.009	0.005	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	SLDy (RS)	0.009	0.004	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	0.000	0.000	-0.001	-0.0	0.0
0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	0.002	-0.001	0.000	0.0	0.0
-0.0	q5 - p~2	-0.002	0.001	0.000	-0.0	-0.0
0.0	q5 - p~3	0.002	-0.001	0.000	0.0	0.0
-0.0	q5 - p~4	-0.002	0.001	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.002	-0.001	-0.000	0.0	0.0
0.0	M. tor~2	0.001	-0.001	-0.000	0.0	0.0
0.0	INVSLU Max	0.003	0.002	-0.001	0.0	0.0
-0.0	Min	-0.003	-0.002	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.017	0.009	-0.001	0.0	0.0
-0.0	Min	-0.017	-0.008	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.002	0.001	-0.001	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.001	-0.0	-0.0
634	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4 ; ~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.003	0.001	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.002	0.002	0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.002	0.001	0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.002	0.001	0.000	-0.0	-0.0
-0.0	SLVz (RS)		-0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1 - Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	G2 - Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~2		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	0.000	0.000	-0.000	-0.0	0.0
0.0	M. tor~1	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.001	0.000	-0.000	0.0	0.0
0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	INVS LV Max	0.004	0.002	-0.000	0.0	0.0
0.0	Min	-0.004	-0.002	-0.000	-0.0	-0.0
-0.0	INVS LE Max	0.001	0.000	-0.000	0.0	0.0
0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	635 C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.000	0.001	0.000	-0.0	0.0
0.0	SLDx (RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.000	0.000	0.000	-0.0	0.0
0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.000	0.000	0.000	-0.0	0.0
0.0	q4-1	-0.000	-0.000	-0.000	0.0	-0.0
-0.0	q4-2	-0.000	-0.000	0.000	0.0	-0.0
-0.0						

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-3		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-6		0.000	0.000	0.000	-0.0	0.0
0.0	q4-7		0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~2		0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~3		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~4		0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.000	0.000	-0.0	0.0
0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.000	0.000	0.000	-0.0	0.0
0.0	M. tor~2		0.000	0.000	0.000	-0.0	0.0
0.0	INVS LU	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV	Max	0.000	0.001	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
639 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.028	-0.016	-0.000	0.0	-0.0
-0.0	SLVy (RS)	0.015	0.010	-0.000	-0.0	0.0
0.0	SLDx (RS)	-0.019	-0.011	-0.000	0.0	-0.0
-0.0	SLDy (RS)	0.010	0.007	-0.000	-0.0	0.0
0.0	SLVz (RS)	-0.003	0.001	0.000	-0.0	-0.0
-0.0	G1	0.000	0.000	-0.000	-0.0	0.0
-0.0	G2	0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.001	-0.001	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.000	-0.001	0.000	0.0	0.0
-0.0	q5 - p~2	-0.002	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.000	-0.001	0.000	0.0	0.0
-0.0	q5 - p~4	-0.002	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.003	-0.003	0.000	0.0	0.0
0.0	M. tor~2	0.002	-0.002	0.000	0.0	0.0
0.0	INVS LU Max	0.003	0.003	-0.001	0.0	0.0
-0.0	Min	-0.003	-0.003	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.033	0.020	-0.001	0.0	0.0
-0.0	Min	-0.033	-0.020	-0.001	-0.0	-0.0
	INVS LE Max	0.002	0.002	-0.001	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.002	-0.002	-0.001	-0.0	-0.0
-0.0							
640	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.011	0.006	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.011	0.005	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.007	0.004	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.008	0.004	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.002	-0.001	0.000	0.0	0.0
0.0	q5 - p~2		-0.002	0.001	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.001	-0.001	0.000	0.0	0.0
0.0	q5 - p~4		-0.001	0.001	0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
-0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.001	-0.001	-0.000	0.0	0.0
0.0	M. tor~2		0.001	-0.000	-0.000	0.0	0.0
0.0	INVS LU Max		0.003	0.002	-0.001	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.001	-0.0	-0.0
0.0	INVS LV Max		0.015	0.007	-0.000	0.0	0.0
-0.0	Min		-0.014	-0.007	-0.001	-0.0	-0.0
0.0	INVS LE Max		0.002	0.001	-0.001	0.0	0.0
-0.0	Min		-0.001	-0.001	-0.001	-0.0	-0.0
0.0	641 C1-C2;~1 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.002	0.001	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.001	0.001	0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.001	0.000	0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.001	0.001	0.000	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.000	0.000	0.0	-0.0
-0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3	0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~4	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	0.000	-0.000	-0.0	0.0
0.0	M. tor~1	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.001	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV Max	0.002	0.001	-0.000	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
642 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	SLVy	(RS)	0.000	0.000	0.000	-0.0	0.0
-0.0	SLDx	(RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	SLDy	(RS)	0.000	0.000	0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	q4-2		-0.000	-0.000	0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-6		0.000	0.000	0.000	-0.0	0.0
0.0	q4-7		0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~2		0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~3		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~4		0.000	0.000	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.000	0.000	-0.0	0.0
0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.000	0.000	0.000	-0.0	0.0
0.0	M. tor~2		0.000	0.000	0.000	-0.0	0.0
0.0	INVS LU	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
646 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.024	-0.014	-0.000	0.0	-0.0
-0.0	SLVy (RS)		0.013	0.009	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.017	-0.010	-0.000	0.0	-0.0
-0.0	SLDy (RS)		0.009	0.006	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.002	0.001	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.000	-0.0	0.0
-0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.001	-0.001	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.000	-0.000	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q5 - p~2	-0.002	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	-0.002	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.003	-0.003	0.000	0.0	0.0
0.0	M. tor~2	0.002	-0.002	0.000	0.0	0.0
0.0	INVS LU Max	0.002	0.003	-0.001	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.029	0.017	-0.001	0.0	0.0
-0.0	Min	-0.029	-0.017	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.002	0.002	-0.001	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.001	-0.0	-0.0
0.0	647 C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.009	0.005	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.009	0.005	-0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.006	0.003	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.007	0.003	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	0.000	-0.000	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	0.000	-0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~2	-0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~3	0.001	-0.001	0.000	0.0	0.0
-0.0	q5 - p~4	-0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.001	-0.001	-0.000	0.0	0.0
0.0	M. tor~2	0.001	-0.000	-0.000	0.0	0.0
0.0	INVS LU Max	0.002	0.001	-0.001	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.012	0.006	-0.000	0.0	0.0
-0.0	Min	-0.012	-0.006	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.002	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.001	-0.0	-0.0
648 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.001	0.000	0.000	-0.0	-0.0
-0.0	SLVy (RS)	-0.001	0.001	0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.001	0.000	0.000	-0.0	-0.0
-0.0	SLDy (RS)	-0.001	0.000	0.000	-0.0	-0.0
0.0	SLVz (RS)	-0.000	-0.000	0.000	0.0	-0.0
-0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3	0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~4	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	0.000	-0.000	-0.0	0.0
0.0	M. tor~1	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	INVS LU	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV	Max	0.001	0.001	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
649 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	SLVx	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLVy	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLDx	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLDy	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLVz	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	G1		0.000	0.000	0.000	0.0	0.0
0.0	G2		0.000	0.000	0.000	0.0	0.0
0.0	G1-Imp~1		0.000	0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	0.000	0.000	0.0	0.0
0.0	q3		0.000	0.000	0.000	0.0	0.0
0.0	q4-1		0.000	0.000	0.000	0.0	0.0
0.0	q4-2		0.000	0.000	0.000	0.0	0.0
0.0	q4-3		0.000	0.000	0.000	0.0	0.0
0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q4-5		0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.000	0.000	0.000	0.0	0.0
0.0	q4-7		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~2		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~3		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~4		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.000	0.000	0.0	0.0
0.0	T		0.000	0.000	0.000	0.0	0.0
0.0	M. tor~1		0.000	0.000	0.000	0.0	0.0
0.0	M. tor~2		0.000	0.000	0.000	0.0	0.0
0.0	INVS LU	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	INVS LV	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	INVS LE	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
653	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.021	-0.013	-0.000	0.0	-0.0
0.0	SLVy (RS)		0.011	0.008	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.015	-0.009	-0.000	0.0	-0.0
0.0							

PROJECT TITLE :


	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	SLDy (RS)	0.008	0.005	-0.000	-0.0	0.0
0.0	SLVz (RS)	-0.002	0.001	0.000	-0.0	-0.0
-0.0	G1	0.000	0.000	-0.000	-0.0	0.0
-0.0	G2	0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.001	-0.001	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2	-0.001	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	-0.001	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.003	-0.003	0.000	0.0	0.0
0.0	M. tor~2	0.002	-0.002	0.000	0.0	0.0
0.0	INVSLU Max	0.002	0.003	-0.001	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.025	0.015	-0.000	0.0	0.0
-0.0	Min	-0.025	-0.015	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.001	0.002	-0.001	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.001	-0.0	-0.0
654	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	-0.007	0.004	-0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.008	0.004	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	-0.005	0.003	-0.000	-0.0	-0.0
-0.0	SLDy	(RS)	0.005	0.003	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	-0.0	0.0
0.0	G2		0.000	-0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.001	-0.001	0.000	0.0	0.0
0.0	q5 - p~2		-0.001	0.001	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.001	-0.001	0.000	0.0	0.0
0.0	q5 - p~4		-0.001	0.001	0.000	-0.0	-0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0							

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.001	-0.001	-0.000	0.0	0.0
0.0	M. tor~2	0.001	-0.000	-0.000	0.0	0.0
0.0	INVS LU Max	0.002	0.001	-0.001	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.010	0.005	-0.000	0.0	0.0
-0.0	Min	-0.010	-0.005	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.001	-0.0	-0.0
0.0	655 C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLVy (RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLDy (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	SLVz (RS)	-0.000	-0.000	0.000	0.0	-0.0
-0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~2		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	0.000	-0.000	-0.0	0.0
0.0	M. tor~1		0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2		0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU	Max	0.000	0.000	-0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	INVS LV	Max	0.001	0.000	-0.000	0.0	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	INVS LE	Max	0.000	0.000	-0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
660	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.018	-0.011	-0.000	0.0	-0.0	
-0.0	SLVy (RS)	0.010	0.007	-0.000	-0.0	0.0	
0.0	SLDx (RS)	-0.013	-0.008	-0.000	0.0	-0.0	
-0.0	SLDy (RS)	0.007	0.005	-0.000	-0.0	0.0	
0.0	SLVz (RS)	-0.002	0.001	0.000	-0.0	-0.0	
-0.0	G1	0.000	0.000	-0.000	-0.0	0.0	
-0.0	G2	0.000	0.000	-0.000	-0.0	0.0	
0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q3	0.000	-0.000	0.000	0.0	0.0	
0.0	q4-1	0.000	-0.001	0.000	0.0	0.0	
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0	
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0	
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0	
0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0	
-0.0	q5 - p~2	-0.001	0.001	-0.000	-0.0	-0.0	
0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0	
-0.0	q5 - p~4	-0.001	0.001	-0.000	-0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.000	-0.000	0.000	0.0	0.0	
0.0	T	0.000	-0.000	-0.000	0.0	0.0	
0.0	M. tor~1	0.002	-0.002	0.000	0.0	0.0	
0.0	M. tor~2	0.001	-0.001	0.000	0.0	0.0	
0.0	INVS LU Max	0.002	0.002	-0.001	0.0	0.0	
-0.0	Min	-0.002	-0.002	-0.001	-0.0	-0.0	
0.0	INVS LV Max	0.021	0.013	-0.000	0.0	0.0	
-0.0	Min	-0.022	-0.013	-0.001	-0.0	-0.0	
	INVS LE Max	0.001	0.001	-0.000	0.0	0.0	

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0		Min	-0.001	-0.001	-0.001	-0.0	-0.0
-0.0							
661	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.006	0.003	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.006	0.003	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.004	0.002	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.004	0.002	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	-0.0	0.0
0.0	G2		0.000	-0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.001	-0.001	0.000	0.0	0.0
0.0	q5 - p~2		-0.001	0.001	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.001	-0.001	0.000	0.0	0.0
0.0	q5 - p~4		-0.001	0.001	0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
-0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.001	-0.000	-0.000	0.0	0.0
0.0	M. tor~2		0.000	-0.000	-0.000	0.0	0.0
0.0	INVS LU Max		0.002	0.001	-0.001	0.0	0.0
-0.0	Min		-0.001	-0.001	-0.001	-0.0	-0.0
0.0	INVS LV Max		0.008	0.004	-0.000	0.0	0.0
-0.0	Min		-0.008	-0.004	-0.000	-0.0	-0.0
0.0	INVS LE Max		0.001	0.001	-0.000	0.0	0.0
-0.0	Min		-0.001	-0.001	-0.001	-0.0	-0.0
0.0	662 C1-C2;~1 Max		0.000	0.000	0.000	0.0	0.0
0.0	Min		0.000	0.000	0.000	0.0	0.0
0.0	C3-C4;~1 Max		0.000	0.000	0.000	0.0	0.0
0.0	Min		0.000	0.000	0.000	0.0	0.0
0.0	C1-C2;~2 Max		0.000	0.000	0.000	0.0	0.0
0.0	Min		0.000	0.000	0.000	0.0	0.0
0.0	C3-C4;~2 Max		0.000	0.000	0.000	0.0	0.0
0.0	Min		0.000	0.000	0.000	0.0	0.0
0.0	SLVx (RS)		0.000	0.000	0.000	0.0	0.0
0.0	SLVy (RS)		0.000	0.000	0.000	0.0	0.0
0.0	SLDx (RS)		0.000	0.000	0.000	0.0	0.0
0.0	SLDy (RS)		0.000	0.000	0.000	0.0	0.0
0.0	SLVz (RS)		0.000	0.000	0.000	0.0	0.0
0.0	G1		0.000	0.000	0.000	0.0	0.0
0.0	G2		0.000	0.000	0.000	0.0	0.0
0.0	G1-Imp~1		0.000	0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q3		0.000	0.000	0.000	0.0	0.0
0.0	q4-1		0.000	0.000	0.000	0.0	0.0
0.0	q4-2		0.000	0.000	0.000	0.0	0.0
0.0	q4-3		0.000	0.000	0.000	0.0	0.0
0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q4-5		0.000	0.000	0.000	0.0	0.0
0.0	q4-6		0.000	0.000	0.000	0.0	0.0
0.0	q4-7		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~2		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~3		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~4		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.000	0.000	0.0	0.0
0.0	T		0.000	0.000	0.000	0.0	0.0
0.0	M. tor~1		0.000	0.000	0.000	0.0	0.0
0.0	M. tor~2		0.000	0.000	0.000	0.0	0.0
0.0	INVS LU	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	INVS LV	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	INVS LE	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
667	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	-0.015	-0.009	-0.000	0.0	-0.0
-0.0	SLVy	(RS)	0.008	0.006	-0.000	-0.0	0.0
0.0	SLDx	(RS)	-0.011	-0.006	-0.000	0.0	-0.0
-0.0	SLDy	(RS)	0.006	0.004	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.002	0.001	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2		-0.001	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~3		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4		-0.001	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		0.002	-0.002	0.000	0.0	0.0
0.0	M. tor~2		0.001	-0.001	0.000	0.0	0.0
0.0	INVS LU	Max	0.002	0.002	-0.001	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.001	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.018	0.011	-0.000	0.0	0.0
-0.0		Min	-0.018	-0.011	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.001	0.001	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.001	-0.0	-0.0
668 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.005	0.003	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.005	0.002	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.003	0.002	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.003	0.002	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	-0.000	-0.000	-0.0	0.0
0.0	G2		0.000	-0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.001	-0.000	0.000	0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-0.0	q5 - p~2		-0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3		0.001	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4		-0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
-0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.001	-0.000	-0.000	0.0	0.0
0.0	M. tor~2		0.000	-0.000	-0.000	0.0	0.0
0.0	INVS LU Max		0.001	0.001	-0.000	0.0	0.0
-0.0	Min		-0.001	-0.001	-0.001	-0.0	-0.0
0.0	INVS LV Max		0.006	0.003	-0.000	0.0	0.0
-0.0	Min		-0.006	-0.003	-0.000	-0.0	-0.0
0.0	INVS LE Max		0.001	0.001	-0.000	0.0	0.0
-0.0	Min		-0.001	-0.000	-0.000	-0.0	-0.0
0.0	674 C1-C2;~1 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.013	-0.008	-0.000	0.0	-0.0
-0.0	SLVy (RS)		0.007	0.005	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.009	-0.005	-0.000	0.0	-0.0
-0.0	SLDy (RS)		0.005	0.003	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.002	0.001	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~2	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~4	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.002	-0.002	0.000	0.0	0.0
0.0	M. tor~2	0.001	-0.001	0.000	0.0	0.0
0.0	INVS LU Max	0.001	0.002	-0.001	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.015	0.009	-0.000	0.0	0.0
-0.0	Min	-0.015	-0.009	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
675 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.004	0.002	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.004	0.002	-0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.002	0.001	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.003	0.001	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	0.000	-0.000	-0.000	-0.0	0.0
0.0	G2	0.000	-0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	0.001	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2	-0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.001	0.001	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.005	0.003	-0.000	0.0	0.0
-0.0		Min	-0.005	-0.002	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.001	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
681 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.010	-0.006	-0.000	0.0	-0.0
-0.0	SLVy (RS)		0.006	0.004	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.007	-0.004	-0.000	0.0	-0.0
-0.0	SLDy (RS)		0.004	0.003	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.001	0.001	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.000	-0.0	0.0
-0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5		0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2	-0.001	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	-0.001	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.001	-0.001	0.000	0.0	0.0
0.0	M. tor~2	0.001	-0.001	0.000	0.0	0.0
0.0	INVS LU Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.012	0.008	-0.000	0.0	0.0
-0.0	Min	-0.013	-0.008	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
682 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.003	0.001	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.003	0.001	-0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.002	0.001	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLDy (RS)	0.002	0.001	-0.000	-0.0	0.0	
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0	
0.0	G1	0.000	-0.000	-0.000	-0.0	0.0	
0.0	G2	0.000	-0.000	-0.000	-0.0	0.0	
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q3	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0	
0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0	
-0.0	q5 - p~2	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0	
-0.0	q5 - p~4	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.000	-0.000	0.000	0.0	0.0	
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0	
0.0	M. tor~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	M. tor~2	0.000	-0.000	-0.000	0.0	0.0	
0.0	INVSLU Max	0.001	0.000	-0.000	0.0	0.0	
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0	
0.0	INVSLV Max	0.004	0.002	-0.000	0.0	0.0	
-0.0	Min	-0.003	-0.002	-0.000	-0.0	-0.0	
0.0	INVSLE Max	0.000	0.000	-0.000	0.0	0.0	
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0	
683	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0	


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	-0.008	-0.005	-0.000	0.0	-0.0
0.0	SLVy	(RS)	0.004	0.003	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	-0.006	-0.004	-0.000	0.0	-0.0
0.0	SLDy	(RS)	0.003	0.002	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
-0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~2		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	q5 - p~3		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~4		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.001	-0.001	0.000	0.0	0.0
0.0	M. tor~2	0.001	-0.001	0.000	0.0	0.0
0.0	INVS LU Max	0.001	0.001	-0.000	0.0	0.0
0.0	Min	-0.001	-0.001	-0.001	-0.0	-0.0
-0.0	INVS LV Max	0.010	0.006	-0.000	0.0	0.0
0.0	Min	-0.010	-0.006	-0.000	-0.0	-0.0
-0.0	INVS LE Max	0.001	0.001	-0.000	0.0	0.0
0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	684 C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.002	0.001	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.002	0.001	-0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.001	0.001	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	0.000	-0.000	-0.000	-0.0	0.0
0.0	G2	0.000	-0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0						

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
-0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~2		0.000	-0.000	-0.000	0.0	0.0
0.0	INVS LU	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV	Max	0.002	0.001	-0.000	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
685 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.007	-0.004	-0.000	0.0	-0.0
-0.0	SLVy (RS)	0.003	0.002	-0.000	-0.0	0.0
0.0	SLDx (RS)	-0.005	-0.003	-0.000	0.0	-0.0
-0.0	SLDy (RS)	0.002	0.002	-0.000	-0.0	0.0
0.0	SLVz (RS)	-0.001	0.000	0.000	-0.0	-0.0
-0.0	G1	0.000	0.000	-0.000	-0.0	0.0
-0.0	G2	0.000	0.000	-0.000	-0.0	0.0
0.0	G1- Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2- Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.001	-0.001	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVSLU Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	INVSLV Max	0.008	0.005	-0.000	0.0	0.0
-0.0	Min	-0.008	-0.005	-0.000	-0.0	-0.0
	INVSLE Max	0.000	0.001	-0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
686	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.001	0.001	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.001	0.000	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.001	0.000	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	-0.0	0.0
0.0	G2		0.000	-0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~2		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~4		-0.000	0.000	0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
-0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~2		0.000	-0.000	-0.000	0.0	0.0
0.0	INVS LU Max		0.000	0.000	-0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV Max		0.002	0.001	-0.000	0.0	0.0
-0.0	Min		-0.001	-0.001	-0.000	-0.0	-0.0
0.0	INVS LE Max		0.000	0.000	-0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	687 C1-C2;~1 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.005	-0.003	-0.000	0.0	-0.0
-0.0	SLVy (RS)		0.003	0.002	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.003	-0.002	-0.000	0.0	-0.0
-0.0	SLDy (RS)		0.002	0.001	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.001	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.000	-0.0	0.0
-0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.001	-0.001	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.000	0.001	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	INVS LV Max	0.006	0.004	-0.000	0.0	0.0
-0.0	Min	-0.006	-0.004	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
688	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.001	0.000	-0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.001	0.000	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.000	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	-0.000	-0.000	-0.0	0.0
0.0	G2		0.000	-0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
-0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~2		0.000	-0.000	-0.000	0.0	0.0
0.0	INVSLU	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.001	0.000	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
689 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.004	-0.002	-0.000	0.0	-0.0
-0.0	SLVy (RS)		0.002	0.001	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.002	-0.002	-0.000	0.0	-0.0
-0.0	SLDy (RS)		0.001	0.001	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.001	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.000	-0.0	0.0
-0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.000	-0.000	0.000	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV Max	0.004	0.003	-0.000	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	690 C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.000	0.000	-0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	0.000	0.000	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	0.000	-0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
-0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	-0.000	0.0	0.0
0.0	INVS LU Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
691 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)	-0.002	-0.001	-0.000	0.0	-0.0
-0.0	SLVy (RS)	0.001	0.001	-0.000	-0.0	0.0
0.0	SLDx (RS)	-0.002	-0.001	-0.000	0.0	-0.0
-0.0	SLDy (RS)	0.001	0.001	-0.000	-0.0	0.0
0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1	0.000	0.000	-0.000	-0.0	0.0
-0.0	G2	0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0	INVS LU	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV	Max	0.003	0.002	-0.000	0.0	0.0
-0.0		Min	-0.003	-0.002	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
692 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.000	0.000	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.000	0.000	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
-0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~2		0.000	-0.000	-0.000	0.0	0.0
0.0	INVS LU	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
693 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.001	-0.001	-0.000	0.0	-0.0
-0.0	SLVy (RS)		0.001	0.001	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.001	-0.001	-0.000	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	SLDy (RS)	0.001	0.000	-0.000	-0.0	0.0
0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1	0.000	0.000	-0.000	-0.0	0.0
-0.0	G2	0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVSLU Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVSLV Max	0.002	0.001	-0.000	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	INVSLE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
694	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	C3-C4 ; ~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	C1-C2 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	SLVx	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLVy	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLDx	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLDy	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLVz	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	G1		0.000	0.000	0.000	0.0	0.0
0.0	G2		0.000	0.000	0.000	0.0	0.0
0.0	G1 - Imp~1		0.000	0.000	0.000	0.0	0.0
0.0	G2 - Imp~1		0.000	0.000	0.000	0.0	0.0
0.0	q3		0.000	0.000	0.000	0.0	0.0
0.0	q4-1		0.000	0.000	0.000	0.0	0.0
0.0	q4-2		0.000	0.000	0.000	0.0	0.0
0.0	q4-3		0.000	0.000	0.000	0.0	0.0
0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q4-5		0.000	0.000	0.000	0.0	0.0
0.0	q4-6		0.000	0.000	0.000	0.0	0.0
0.0	q4-7		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~2		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~3		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~4		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	0.000	0.000	0.000	0.0	0.0
0.0	M. tor~1	0.000	0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	0.000	0.000	0.000	0.0	0.0
0.0	INVS LV Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	0.000	0.000	0.000	0.0	0.0
0.0	INVS LE Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	0.000	0.000	0.000	0.0	0.0
695	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.001	-0.000	-0.000	0.0	-0.0
0.0	SLVy (RS)	0.000	0.000	-0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.001	-0.000	-0.000	0.0	-0.0
0.0	SLDy (RS)	0.000	0.000	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	0.000	0.000	-0.000	-0.0	0.0
-0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
0.0						

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
697 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.000	-0.000	-0.000	0.0	-0.0	
-0.0	SLVy (RS)	0.000	0.000	-0.000	-0.0	0.0	
0.0	SLDx (RS)	-0.000	-0.000	-0.000	0.0	-0.0	
-0.0	SLDy (RS)	0.000	0.000	-0.000	-0.0	0.0	
0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	G1	0.000	0.000	-0.000	-0.0	0.0	
-0.0	G2	0.000	0.000	-0.000	-0.0	0.0	
0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q3	0.000	-0.000	0.000	0.0	0.0	
0.0	q4-1	0.000	-0.000	0.000	0.0	0.0	
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0	
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0	
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0	
0.0	q5 - p~1	0.000	-0.000	0.000	0.0	0.0	
-0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q5 - p~3	0.000	-0.000	0.000	0.0	0.0	
-0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.000	-0.000	0.000	0.0	0.0	
0.0	T	0.000	-0.000	-0.000	0.0	0.0	
0.0	M. tor~1	0.000	-0.000	0.000	0.0	0.0	
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0	
0.0	INVS LU Max	0.000	0.000	-0.000	0.0	0.0	
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	INVS LV Max	0.000	0.000	-0.000	0.0	0.0	
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0	
	INVS LE Max	0.000	0.000	-0.000	0.0	0.0	


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
699	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.000	-0.000	-0.000	0.0	-0.0
0.0	SLVy (RS)		0.000	0.000	-0.000	-0.0	0.0
-0.0	SLDx (RS)		-0.000	-0.000	-0.000	0.0	-0.0
0.0	SLDy (RS)		0.000	0.000	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
-0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5		0.000	-0.000	0.000	0.0	0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~4		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2		0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	701 C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	SLVx (RS)		0.000	0.000	0.000	0.0	0.0
0.0	SLVy (RS)		0.000	0.000	0.000	0.0	0.0
0.0	SLDx (RS)		0.000	0.000	0.000	0.0	0.0
0.0	SLDy (RS)		0.000	0.000	0.000	0.0	0.0
0.0	SLVz (RS)		0.000	0.000	0.000	0.0	0.0
0.0	G1		0.000	0.000	0.000	0.0	0.0
0.0	G2		0.000	0.000	0.000	0.0	0.0
0.0	G1-Imp~1		0.000	0.000	0.000	0.0	0.0
0.0	G2-Imp~1		0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q3		0.000	0.000	0.000	0.0	0.0
0.0	q4-1		0.000	0.000	0.000	0.0	0.0
0.0	q4-2		0.000	0.000	0.000	0.0	0.0
0.0	q4-3		0.000	0.000	0.000	0.0	0.0
0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q4-5		0.000	0.000	0.000	0.0	0.0
0.0	q4-6		0.000	0.000	0.000	0.0	0.0
0.0	q4-7		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~2		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~3		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~4		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.000	0.000	0.0	0.0
0.0	T		0.000	0.000	0.000	0.0	0.0
0.0	M. tor~1		0.000	0.000	0.000	0.0	0.0
0.0	M. tor~2		0.000	0.000	0.000	0.0	0.0
0.0	INVS LU	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	INVS LV	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	INVS LE	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
703	C1-C2;~1	Max	0.004	0.002	0.000	0.0	0.0
0.0		Min	-0.005	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.005	0.002	0.000	0.0	0.0
0.0		Min	-0.005	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.003	-0.001	-0.000	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.003	-0.001	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	-0.051	0.053	-0.000	-0.0	-0.0
0.0	SLVy	(RS)	0.104	0.076	-0.000	-0.0	0.0
0.0	SLDx	(RS)	-0.035	0.037	-0.000	-0.0	-0.0
0.0	SLDy	(RS)	0.061	0.046	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.000	0.001	0.000	0.0	0.0
-0.0	G1		-0.001	-0.001	-0.001	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q3		0.010	0.004	-0.000	0.0	0.0
0.0	q4-1		-0.001	-0.002	-0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	0.000	-0.0	-0.0
0.0	q4-5		0.001	0.000	-0.000	-0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1		0.015	-0.006	0.000	0.0	0.0
-0.0	q5 - p~2		0.026	0.029	0.000	-0.0	0.0
0.0	q5 - p~3		0.014	-0.006	0.000	0.0	0.0
-0.0	q5 - p~4		0.025	0.028	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0	T		-0.029	-0.017	0.000	-0.0	-0.0
-0.0	M. tor~1		0.019	-0.000	-0.000	0.0	-0.0
0.0	M. tor~2		0.011	-0.000	-0.000	0.0	-0.0
0.0							
0.0	INVSLU	Max	0.060	0.054	-0.002	0.0	0.0
-0.0		Min	-0.063	-0.056	-0.002	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.118	0.092	-0.001	0.0	0.0
-0.0		Min	-0.120	-0.093	-0.002	-0.0	-0.0
0.0	INVS LE	Max	0.044	0.038	-0.001	0.0	0.0
-0.0		Min	-0.046	-0.040	-0.002	-0.0	-0.0
704 0.0	C1-C2;~1	Max	0.006	0.006	0.000	0.0	0.0
-0.0		Min	-0.007	-0.007	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.007	0.006	0.000	0.0	0.0
-0.0		Min	-0.007	-0.007	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.003	0.003	0.000	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.003	0.003	0.000	0.0	0.0
-0.0		Min	-0.004	-0.004	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.045	0.036	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.096	0.100	0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.031	0.025	0.000	-0.0	-0.0
0.0	SLDy (RS)		0.056	0.058	0.000	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.001	0.000	-0.0	0.0
-0.0	G1		-0.000	0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.009	0.008	0.000	0.0	-0.0
-0.0	q4-1		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q4-2		-0.001	-0.001	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.001	0.000	0.000	0.0	0.0
0.0	q4-5		0.001	0.001	0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	0.000	0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	0.0	-0.0
0.0	q5 - p~1		0.013	-0.005	-0.000	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	0.026	0.032	0.000	-0.0	-0.0
0.0	q5 - p~3	0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.006	0.003	0.000	0.0	0.0
-0.0	T	-0.012	-0.013	-0.000	0.0	-0.0
0.0	M. tor~1	0.016	0.016	0.000	0.0	0.0
0.0	M. tor~2	0.010	0.010	0.000	0.0	0.0
0.0	INVS LU Max	0.050	0.060	-0.001	0.0	0.0
-0.0	Min	-0.051	-0.060	-0.002	-0.0	-0.0
0.0	INVS LV Max	0.110	0.112	-0.001	0.0	0.0
-0.0	Min	-0.110	-0.111	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.035	0.042	-0.001	0.0	0.0
-0.0	Min	-0.036	-0.042	-0.001	-0.0	-0.0
0.0	705 C1-C2;~1 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.027	0.028	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.059	0.126	0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.019	0.019	0.000	-0.0	-0.0
0.0	SLDy (RS)	0.034	0.072	0.000	-0.0	-0.0
-0.0	SLVz (RS)	-0.001	0.000	0.000	0.0	-0.0
0.0	G1	-0.000	0.000	-0.001	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.005	0.011	0.000	-0.0	0.0
-0.0	q4-1	-0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
0.0	q4-6	0.000	0.002	0.000	-0.0	-0.0
0.0	q4-7	0.000	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.009	-0.003	-0.000	0.0	0.0
0.0	q5 - p~2	0.018	0.036	0.000	-0.0	0.0
0.0	q5 - p~3	0.008	-0.003	-0.000	0.0	0.0
0.0	q5 - p~4	0.017	0.034	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.003	0.006	0.000	-0.0	0.0
0.0	T	-0.000	0.000	0.000	-0.0	0.0
0.0	M. tor~1	0.010	0.022	0.000	-0.0	0.0
0.0	M. tor~2	0.006	0.013	0.000	-0.0	0.0
0.0	INVSLU Max	0.025	0.052	-0.001	0.0	0.0
-0.0	Min	-0.026	-0.051	-0.002	-0.0	-0.0
0.0	INVSLV Max	0.067	0.135	-0.001	0.0	0.0
-0.0	Min	-0.068	-0.135	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.017	0.034	-0.001	0.0	0.0
-0.0	Min	-0.017	-0.034	-0.001	-0.0	-0.0
706 0.0	C1-C2;~1 Max	0.001	0.009	0.000	0.0	0.0
-0.0	Min	-0.001	-0.008	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.009	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.001	-0.009	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.005	0.000	0.0	0.0
-0.0	Min	-0.001	-0.004	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.005	0.000	0.0	0.0
-0.0	Min	-0.000	-0.004	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.010	0.029	-0.000	-0.0	-0.0
0.0	SLVy (RS)	0.011	0.133	-0.000	0.0	0.0
-0.0	SLDx (RS)	-0.007	0.020	-0.000	-0.0	-0.0
0.0	SLDy (RS)	0.006	0.076	-0.000	-0.0	0.0
-0.0	SLVz (RS)	0.001	0.000	0.000	-0.0	0.0
0.0	G1	-0.000	-0.000	-0.001	-0.0	-0.0
0.0	G2	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.000	0.012	-0.000	0.0	-0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.002	0.000	0.0	-0.0
0.0	q5 - p~1	0.005	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~2	0.003	0.039	-0.000	0.0	0.0
0.0	q5 - p~3	0.005	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4	0.003	0.037	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.006	-0.000	0.0	-0.0
-0.0	T	0.001	0.018	-0.000	-0.0	-0.0
0.0	M. tor~1	0.002	0.023	-0.000	0.0	0.0
0.0	M. tor~2	0.001	0.014	-0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.008	0.075	-0.001	0.0	0.0
-0.0		Min	-0.009	-0.074	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.014	0.142	-0.001	0.0	0.0
-0.0		Min	-0.014	-0.142	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.006	0.053	-0.001	0.0	0.0
-0.0		Min	-0.006	-0.052	-0.001	-0.0	-0.0
707 0.0	C1-C2;~1	Max	0.001	0.005	0.000	0.0	0.0
-0.0		Min	-0.001	-0.004	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.005	0.000	0.0	0.0
-0.0		Min	-0.001	-0.005	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.000	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.000	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.007	0.027	-0.000	-0.0	-0.0
0.0	SLVy (RS)		-0.026	0.110	0.000	0.0	0.0
0.0	SLDx (RS)		-0.005	0.019	-0.000	-0.0	-0.0
0.0	SLDy (RS)		-0.015	0.063	0.000	0.0	0.0
0.0	SLVz (RS)		0.000	0.001	0.000	0.0	0.0
-0.0	G1		-0.000	0.001	-0.000	0.0	0.0
-0.0	G2		-0.000	0.000	-0.000	0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3		-0.002	0.010	0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	-0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	-0.000	0.002	-0.000	0.0	0.0
-0.0	q4-7	-0.000	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.003	-0.007	0.000	0.0	0.0
0.0	q5 - p~2	-0.007	0.033	-0.000	-0.0	0.0
0.0	q5 - p~3	0.002	-0.006	0.000	0.0	0.0
0.0	q5 - p~4	-0.007	0.031	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.006	-0.000	-0.0	-0.0
0.0	T	-0.008	0.033	0.000	-0.0	-0.0
0.0	M. tor~1	-0.004	0.019	0.000	0.0	0.0
0.0	M. tor~2	-0.003	0.011	0.000	0.0	0.0
0.0	INVS LU Max	0.017	0.074	-0.000	0.0	0.0
-0.0	Min	-0.017	-0.072	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.028	0.119	-0.000	0.0	0.0
-0.0	Min	-0.028	-0.118	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.012	0.054	-0.000	0.0	0.0
-0.0	Min	-0.012	-0.052	-0.000	-0.0	-0.0
709 0.0	C1-C2;~1 Max	0.004	0.001	0.001	0.0	0.0
-0.0	Min	-0.005	-0.003	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.001	0.001	0.0	0.0
-0.0	Min	-0.005	-0.004	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.000	-0.0	-0.0
0.0	SLVx (RS)	-0.063	0.111	0.005	0.0	-0.0
0.0	SLVy (RS)	0.100	0.065	0.002	-0.0	0.0
0.0	SLDx (RS)	-0.044	0.077	0.004	0.0	-0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.059	0.041	0.002	-0.0	0.0	
0.0	SLVz (RS)	0.000	0.001	-0.001	-0.0	-0.0	
0.0	G1	-0.002	-0.002	-0.000	0.0	0.0	
0.0	G2	-0.001	-0.001	0.000	0.0	0.0	
-0.0	G1-Imp~1	0.000	0.001	-0.000	0.0	-0.0	
-0.0	G2-Imp~1	0.000	0.000	-0.000	0.0	-0.0	
0.0	q3	0.009	0.002	-0.000	0.0	-0.0	
0.0	q4-1	-0.003	-0.006	-0.000	0.0	-0.0	
-0.0	q4-2	-0.001	-0.002	-0.000	0.0	-0.0	
-0.0	q4-3	0.001	0.000	0.000	-0.0	-0.0	
0.0	q4-4	0.000	0.000	0.000	-0.0	0.0	
0.0	q4-5	0.001	0.000	-0.000	0.0	-0.0	
0.0	q4-6	0.001	0.000	-0.000	0.0	-0.0	
0.0	q4-7	0.001	0.000	-0.000	0.0	-0.0	
-0.0	q5 - p~1	0.018	0.001	-0.000	0.0	-0.0	
0.0	q5 - p~2	0.023	0.021	0.000	-0.0	0.0	
-0.0	q5 - p~3	0.017	0.001	-0.000	0.0	-0.0	
0.0	q5 - p~4	0.022	0.020	0.000	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
-0.0	q7	0.007	0.002	-0.000	0.0	-0.0	
-0.0	T	-0.043	-0.012	0.000	-0.0	-0.0	
0.0	M. tor~1	0.013	-0.021	-0.001	0.0	-0.0	
0.0	M. tor~2	0.007	-0.013	-0.001	0.0	-0.0	
0.0	INVSLU Max	0.073	0.038	0.001	0.0	0.0	
-0.0	Min	-0.078	-0.044	-0.001	0.0	0.0	
0.0	INVSLV Max	0.117	0.129	0.006	0.0	0.0	
-0.0	Min	-0.121	-0.132	-0.006	-0.0	0.0	
0.0	INVSLE Max	0.050	0.027	0.001	0.0	0.0	
-0.0	Min	-0.052	-0.031	-0.001	0.0	0.0	
710	C1-C2;~1 Max	0.003	0.002	0.000	0.0	0.0	


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.004	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.002	0.000	0.0	0.0
0.0		Min	-0.004	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	-0.051	0.056	-0.000	-0.0	-0.0
0.0	SLVy	(RS)	0.104	0.077	-0.000	-0.0	0.0
0.0	SLDx	(RS)	-0.035	0.039	-0.000	-0.0	-0.0
0.0	SLDy	(RS)	0.061	0.047	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.000	0.001	0.000	0.0	0.0
-0.0							
0.0	G1		-0.000	-0.001	-0.001	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
0.0	q3		0.010	0.004	-0.000	0.0	0.0
0.0	q4-1		-0.002	-0.002	-0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	0.000	-0.0	-0.0
0.0	q4-5		0.001	0.000	-0.000	-0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1		0.015	-0.007	0.000	0.0	0.0
-0.0	q5 - p~2		0.026	0.030	0.000	-0.0	0.0
0.0	q5 - p~3		0.014	-0.006	0.000	0.0	0.0
-0.0	q5 - p~4		0.025	0.028	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0							

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.029	-0.017	0.000	-0.0	-0.0
0.0	M. tor~1	0.019	-0.000	-0.000	0.0	-0.0
0.0	M. tor~2	0.011	-0.000	-0.000	0.0	-0.0
0.0	INVS LU Max	0.060	0.055	-0.002	0.0	0.0
-0.0	Min	-0.062	-0.057	-0.002	-0.0	-0.0
0.0	INVS LV Max	0.119	0.094	-0.001	0.0	0.0
-0.0	Min	-0.120	-0.095	-0.002	-0.0	-0.0
0.0	INVS LE Max	0.044	0.039	-0.001	0.0	0.0
-0.0	Min	-0.045	-0.040	-0.002	-0.0	-0.0
0.0	711 C1-C2;~1 Max	0.004	0.005	0.000	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.005	0.000	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.000	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.000	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.048	0.039	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.096	0.100	0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.033	0.027	0.000	-0.0	-0.0
0.0	SLDy (RS)	0.056	0.058	0.000	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.001	0.000	-0.0	0.0
-0.0	G1	-0.000	0.000	-0.001	0.0	-0.0
-0.0	G2	-0.000	0.000	-0.000	0.0	-0.0
-0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.009	0.008	0.000	0.0	-0.0
-0.0	q4-1	-0.001	-0.000	0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.001	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-3	0.000	-0.002	-0.000	0.0	0.0
-0.0	q4-4	0.001	0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	0.000	0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.014	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	0.000	-0.0	-0.0
0.0	q5 - p~3	0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.031	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.006	0.003	0.000	0.0	0.0
-0.0	T	-0.012	-0.013	-0.000	0.0	-0.0
0.0	M. tor~1	0.016	0.016	0.000	0.0	0.0
0.0	M. tor~2	0.010	0.010	0.000	0.0	0.0
0.0	INVSLU Max	0.048	0.059	-0.001	0.0	0.0
-0.0	Min	-0.049	-0.058	-0.002	-0.0	-0.0
0.0	INVSLV Max	0.110	0.112	-0.001	0.0	0.0
-0.0	Min	-0.111	-0.112	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.033	0.041	-0.001	0.0	0.0
-0.0	Min	-0.034	-0.041	-0.001	-0.0	-0.0
712 0.0	C1-C2;~1 Max	0.002	0.004	0.000	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.002	0.004	0.000	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.000	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.000	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.031	0.030	0.000	-0.0	-0.0	
0.0	SLVy (RS)	0.060	0.127	0.000	-0.0	-0.0	
-0.0	SLDx (RS)	-0.022	0.020	0.000	-0.0	-0.0	
0.0	SLDy (RS)	0.035	0.073	0.000	-0.0	-0.0	
-0.0	SLVz (RS)	-0.001	0.000	0.000	0.0	-0.0	
0.0	G1	-0.000	0.000	-0.001	-0.0	-0.0	
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q3	0.005	0.011	0.000	-0.0	0.0	
-0.0	q4-1	-0.001	-0.001	-0.000	0.0	-0.0	
-0.0	q4-2	-0.001	-0.001	0.000	0.0	-0.0	
0.0	q4-3	-0.000	-0.001	-0.000	0.0	0.0	
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0	
-0.0	q4-5	0.001	0.001	0.000	-0.0	0.0	
0.0	q4-6	0.000	0.002	0.000	-0.0	-0.0	
0.0	q4-7	0.000	0.001	0.000	-0.0	-0.0	
0.0	q5 - p~1	0.010	-0.004	-0.000	0.0	0.0	
0.0	q5 - p~2	0.018	0.037	0.000	-0.0	0.0	
0.0	q5 - p~3	0.009	-0.004	-0.000	0.0	0.0	
0.0	q5 - p~4	0.017	0.035	0.000	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.003	0.006	0.000	-0.0	0.0	
0.0	T	0.000	0.000	0.000	-0.0	0.0	
0.0	M. tor~1	0.010	0.023	0.000	-0.0	0.0	
0.0	M. tor~2	0.006	0.013	0.000	-0.0	0.0	
-0.0	INVSLU Max	0.027	0.055	-0.001	0.0	0.0	
-0.0	Min	-0.027	-0.055	-0.002	-0.0	-0.0	
0.0	INVSLV Max	0.069	0.136	-0.001	0.0	0.0	
-0.0	Min	-0.070	-0.136	-0.001	-0.0	-0.0	
	INVSLE Max	0.018	0.037	-0.001	0.0	0.0	

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0		Min	-0.018	-0.037	-0.001	-0.0	-0.0
-0.0							
713	C1-C2;~1	Max	0.001	0.006	0.000	0.0	0.0
0.0		Min	-0.002	-0.006	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.006	0.000	0.0	0.0
0.0		Min	-0.001	-0.006	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.003	0.000	0.0	0.0
0.0		Min	-0.001	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.003	0.000	0.0	0.0
0.0		Min	-0.001	-0.003	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.011	0.029	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.011	0.132	-0.000	0.0	0.0
0.0	SLDx (RS)		-0.008	0.020	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.007	0.076	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.001	0.000	0.000	-0.0	0.0
-0.0							
0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0							
0.0	q3		0.000	0.012	-0.000	0.0	-0.0
0.0							
-0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0							
-0.0	q4-2		-0.000	-0.002	0.000	-0.0	-0.0
-0.0							
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	-0.0
-0.0							
0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0							
0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0							
0.0	q4-6		-0.000	0.002	-0.000	-0.0	-0.0
0.0							
0.0	q4-7		-0.000	0.002	0.000	0.0	-0.0
0.0							
0.0	q5 - p~1		0.006	-0.004	-0.000	-0.0	0.0
0.0							
0.0	q5 - p~2		0.003	0.039	-0.000	0.0	0.0
0.0							
0.0	q5 - p~3		0.005	-0.004	-0.000	-0.0	0.0
0.0							
0.0	q5 - p~4		0.003	0.037	-0.000	0.0	0.0
0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.006	-0.000	0.0	-0.0
-0.0	T		0.001	0.018	-0.000	-0.0	-0.0
0.0	M. tor~1		0.002	0.023	-0.000	0.0	0.0
0.0	M. tor~2		0.001	0.014	-0.000	0.0	0.0
0.0	INVSLU Max		0.010	0.072	-0.001	0.0	0.0
-0.0	Min		-0.010	-0.072	-0.001	-0.0	-0.0
0.0	INVSLV Max		0.015	0.141	-0.001	0.0	0.0
-0.0	Min		-0.015	-0.141	-0.001	-0.0	-0.0
0.0	INVSLE Max		0.007	0.051	-0.001	0.0	0.0
-0.0	Min		-0.007	-0.051	-0.001	-0.0	-0.0
0.0	714 C1-C2;~1 Max		0.002	0.004	0.000	0.0	0.0
-0.0	Min		-0.002	-0.004	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max		0.002	0.004	0.000	0.0	0.0
-0.0	Min		-0.002	-0.004	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.001	0.002	0.000	0.0	0.0
-0.0	Min		-0.001	-0.002	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.001	0.002	0.000	0.0	0.0
-0.0	Min		-0.001	-0.002	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.007	0.027	-0.000	-0.0	-0.0
0.0	SLVy (RS)		-0.026	0.110	0.000	0.0	0.0
0.0	SLDx (RS)		-0.005	0.019	-0.000	-0.0	-0.0
0.0	SLDy (RS)		-0.015	0.063	0.000	0.0	0.0
0.0	SLVz (RS)		0.000	0.000	0.000	0.0	0.0
-0.0	G1		0.000	0.000	-0.000	0.0	0.0
-0.0	G2		0.000	0.000	-0.000	0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	-0.002	0.010	0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	0.000	-0.0	-0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	0.0	0.0
-0.0	q4-7	-0.000	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.003	-0.007	0.000	0.0	0.0
0.0	q5 - p~2	-0.007	0.033	-0.000	-0.0	0.0
0.0	q5 - p~3	0.003	-0.006	0.000	0.0	0.0
0.0	q5 - p~4	-0.007	0.031	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.006	-0.000	-0.0	-0.0
0.0	T	-0.008	0.033	0.000	-0.0	-0.0
0.0	M. tor~1	-0.004	0.019	0.000	0.0	0.0
0.0	M. tor~2	-0.003	0.011	0.000	0.0	0.0
0.0	INVSLU Max	0.018	0.073	-0.000	0.0	0.0
-0.0	Min	-0.017	-0.072	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.028	0.119	-0.000	0.0	0.0
-0.0	Min	-0.028	-0.118	-0.000	-0.0	-0.0
0.0	INVSLE Max	0.013	0.053	-0.000	0.0	0.0
-0.0	Min	-0.012	-0.052	-0.000	-0.0	-0.0
715 0.0	C1-C2;~1 Max	0.002	0.007	0.000	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.002	0.007	0.000	0.0	0.0
-0.0	Min	-0.002	-0.005	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.003	0.000	0.0	0.0
	Min	-0.001	-0.002	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.003	0.000	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.011	0.022	0.001	-0.0	0.0
0.0	SLVy	(RS)	-0.041	0.084	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	-0.008	0.015	0.001	-0.0	0.0
0.0	SLDy	(RS)	-0.024	0.048	-0.000	-0.0	0.0
0.0	SLVz	(RS)	0.001	-0.001	-0.000	-0.0	-0.0
-0.0	G1		0.001	0.003	-0.000	0.0	0.0
-0.0	G2		0.000	0.001	-0.000	0.0	0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3		-0.004	0.008	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.002	-0.000	0.0	0.0
-0.0	q5 - p~1		0.003	-0.006	0.000	-0.0	-0.0
0.0	q5 - p~2		-0.012	0.025	-0.000	0.0	0.0
-0.0	q5 - p~3		0.003	-0.006	0.000	-0.0	-0.0
0.0	q5 - p~4		-0.011	0.024	-0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.005	-0.000	0.0	0.0
0.0	T		-0.020	0.040	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.008	0.014	0.000	-0.0	-0.0
0.0	M. tor~2		-0.004	0.008	0.000	-0.0	-0.0
0.0	INVS LU	Max	0.037	0.079	-0.001	0.0	0.0
-0.0		Min	-0.036	-0.069	-0.001	0.0	0.0

PROJECT TITLE :


	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.045	0.094	0.000	0.0	0.0
-0.0		Min	-0.045	-0.087	-0.001	0.0	0.0
0.0	INVS LE	Max	0.025	0.054	-0.000	0.0	0.0
-0.0		Min	-0.024	-0.047	-0.001	0.0	0.0
717 0.0	C1-C2;~1	Max	0.003	0.002	0.001	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.002	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.002	0.001	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.002	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.001	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.001	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.001	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.001	-0.0	-0.0
0.0	SLVx (RS)		-0.051	0.055	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.104	0.078	0.000	-0.0	0.0
0.0	SLDx (RS)		-0.035	0.038	0.000	-0.0	-0.0
0.0	SLDy (RS)		0.061	0.047	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.001	0.000	0.0	0.0
0.0	G1		-0.001	-0.001	-0.001	0.0	0.0
0.0	G2		-0.000	-0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.010	0.004	-0.000	0.0	0.0
0.0	q4-1		-0.002	-0.002	0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
0.0	q4-4		0.000	0.000	0.000	-0.0	-0.0
0.0	q4-5		0.001	0.000	-0.000	-0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
-0.0	q5 - p~1		0.015	-0.007	-0.000	0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	0.026	0.030	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.014	-0.006	-0.000	0.0	-0.0
0.0	q5 - p~4	0.025	0.028	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	-0.000	0.0	0.0
-0.0	T	-0.029	-0.017	0.000	-0.0	-0.0
0.0	M. tor~1	0.019	-0.000	0.000	0.0	-0.0
0.0	M. tor~2	0.011	-0.000	0.000	0.0	-0.0
0.0	INVS LU Max	0.060	0.056	-0.001	0.0	0.0
-0.0	Min	-0.062	-0.057	-0.005	-0.0	-0.0
0.0	INVS LV Max	0.119	0.094	-0.001	0.0	0.0
-0.0	Min	-0.120	-0.095	-0.002	-0.0	0.0
0.0	INVS LE Max	0.044	0.039	-0.001	0.0	0.0
-0.0	Min	-0.045	-0.040	-0.004	-0.0	-0.0
0.0	718 C1-C2;~1 Max	0.003	0.003	0.002	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.003	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.002	0.002	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.003	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.001	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.002	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.001	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.002	-0.0	-0.0
0.0	SLVx (RS)	-0.051	0.054	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.104	0.078	0.000	-0.0	0.0
0.0	SLDx (RS)	-0.035	0.038	0.000	-0.0	-0.0
0.0	SLDy (RS)	0.061	0.047	0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.001	0.000	0.0	-0.0
0.0	G1	-0.001	-0.001	-0.002	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	-0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.010	0.004	-0.000	0.0	0.0
0.0	q4-1	-0.002	-0.002	0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.003	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
0.0	q4-4	0.000	0.000	0.000	-0.0	-0.0
0.0	q4-5	0.001	0.000	-0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0
-0.0	q5 - p~1	0.015	-0.007	-0.000	0.0	-0.0
0.0	q5 - p~2	0.026	0.030	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.014	-0.006	-0.000	0.0	-0.0
0.0	q5 - p~4	0.025	0.029	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	-0.000	0.0	0.0
-0.0	T	-0.028	-0.017	0.000	-0.0	-0.0
0.0	M. tor~1	0.019	0.000	0.000	0.0	-0.0
0.0	M. tor~2	0.011	0.000	0.000	0.0	-0.0
0.0	INVSLU Max	0.059	0.056	0.000	0.0	0.0
-0.0	Min	-0.062	-0.057	-0.008	-0.0	-0.0
0.0	INVSLV Max	0.118	0.094	-0.002	0.0	0.0
-0.0	Min	-0.120	-0.095	-0.003	-0.0	0.0
0.0	INVSLE Max	0.044	0.039	0.000	0.0	0.0
-0.0	Min	-0.045	-0.040	-0.006	-0.0	-0.0
719 0.0	C1-C2;~1 Max	0.003	0.003	0.004	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.005	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.002	0.004	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.004	-0.003	-0.005	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.002	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.003	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.002	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.003	-0.0	-0.0
0.0	SLVx (RS)	-0.051	0.053	0.001	-0.0	-0.0
0.0	SLVy (RS)	0.104	0.078	0.000	-0.0	0.0
0.0	SLDx (RS)	-0.035	0.037	0.000	-0.0	-0.0
0.0	SLDy (RS)	0.061	0.048	0.000	-0.0	0.0
-0.0	SLVz (RS)	0.000	0.001	0.000	0.0	-0.0
0.0	G1	-0.001	-0.001	-0.002	0.0	0.0
0.0	G2	-0.000	-0.000	-0.001	0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.010	0.004	-0.000	0.0	0.0
0.0	q4-1	-0.001	-0.002	0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.003	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
0.0	q4-4	0.000	0.000	0.000	-0.0	-0.0
0.0	q4-5	0.001	0.000	-0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0
-0.0	q5 - p~1	0.015	-0.007	-0.000	0.0	-0.0
0.0	q5 - p~2	0.026	0.030	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.014	-0.007	-0.000	0.0	-0.0
0.0	q5 - p~4	0.025	0.029	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	-0.000	0.0	0.0
-0.0	T	-0.028	-0.017	0.000	-0.0	-0.0
0.0	M. tor~1	0.019	0.001	0.000	0.0	-0.0
0.0	M. tor~2	0.011	0.001	0.000	0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.058	0.056	0.001	0.0	0.0
-0.0		Min	-0.062	-0.057	-0.011	-0.0	-0.0
0.0	INVS LV	Max	0.118	0.094	-0.002	0.0	0.0
-0.0		Min	-0.121	-0.095	-0.004	-0.0	0.0
0.0	INVS LE	Max	0.043	0.039	0.001	0.0	0.0
-0.0		Min	-0.045	-0.040	-0.008	-0.0	-0.0
720 0.0	C1-C2;~1	Max	0.003	0.003	0.005	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.007	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.002	0.005	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.007	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.002	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.004	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.002	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.004	-0.0	-0.0
0.0	SLVx (RS)		-0.051	0.053	0.001	-0.0	-0.0
0.0	SLVy (RS)		0.104	0.079	0.001	-0.0	0.0
0.0	SLDx (RS)		-0.035	0.037	0.001	-0.0	-0.0
0.0	SLDy (RS)		0.061	0.048	0.000	-0.0	0.0
-0.0	SLVz (RS)		0.000	0.001	0.000	0.0	-0.0
0.0	G1		-0.001	-0.001	-0.003	0.0	0.0
0.0	G2		-0.000	-0.000	-0.001	0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.010	0.004	-0.000	0.0	0.0
0.0	q4-1		-0.001	-0.002	0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
0.0	q4-4		0.000	0.000	0.000	0.0	-0.0
0.0	q4-5		0.001	0.000	-0.000	-0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1		0.015	-0.007	-0.000	0.0	-0.0
-0.0	q5 - p~2		0.026	0.030	-0.000	-0.0	0.0
0.0	q5 - p~3		0.014	-0.007	-0.000	0.0	-0.0
-0.0	q5 - p~4		0.025	0.029	-0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	-0.000	0.0	0.0
0.0	T		-0.028	-0.017	0.000	-0.0	-0.0
-0.0	M. tor~1		0.019	0.001	0.000	0.0	-0.0
0.0	M. tor~2		0.011	0.001	0.000	0.0	-0.0
0.0							
0.0	INVSLU	Max	0.058	0.056	0.001	0.0	0.0
0.0		Min	-0.061	-0.058	-0.015	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.118	0.094	-0.003	0.0	0.0
0.0		Min	-0.121	-0.095	-0.005	-0.0	0.0
-0.0							
0.0	INVSLE	Max	0.043	0.040	0.001	0.0	0.0
0.0		Min	-0.045	-0.041	-0.011	-0.0	-0.0
-0.0							
721	C1-C2;~1	Max	0.003	0.003	0.006	0.0	0.0
0.0		Min	-0.004	-0.003	-0.009	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.002	0.006	0.0	0.0
0.0		Min	-0.004	-0.003	-0.009	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.003	0.0	0.0
0.0		Min	-0.002	-0.001	-0.005	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.003	0.0	0.0
0.0		Min	-0.002	-0.001	-0.005	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.050	0.052	0.001	-0.0	-0.0
0.0	SLVy (RS)		0.104	0.079	0.001	-0.0	0.0
0.0	SLDx (RS)		-0.035	0.036	0.001	-0.0	-0.0
0.0							

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.061	0.048	0.001	-0.0	0.0	
-0.0	SLVz (RS)	0.000	0.001	0.000	0.0	-0.0	
0.0	G1	-0.001	-0.001	-0.004	0.0	0.0	
0.0	G2	-0.000	-0.000	-0.001	0.0	0.0	
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q3	0.010	0.004	-0.000	0.0	0.0	
0.0	q4-1	-0.001	-0.001	0.000	0.0	-0.0	
0.0	q4-2	-0.001	-0.003	-0.000	0.0	0.0	
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0	
0.0	q4-4	0.000	0.000	0.000	0.0	-0.0	
0.0	q4-5	0.001	0.000	-0.000	-0.0	0.0	
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0	
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0	
-0.0	q5 - p~1	0.015	-0.007	-0.000	0.0	-0.0	
0.0	q5 - p~2	0.026	0.031	-0.000	-0.0	0.0	
-0.0	q5 - p~3	0.014	-0.007	-0.000	0.0	-0.0	
0.0	q5 - p~4	0.025	0.029	-0.000	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.007	0.001	-0.000	0.0	0.0	
-0.0	T	-0.027	-0.017	0.000	-0.0	-0.0	
0.0	M. tor~1	0.019	0.002	0.000	0.0	-0.0	
0.0	M. tor~2	0.011	0.001	0.000	0.0	-0.0	
0.0	INVSLU Max	0.058	0.057	0.001	0.0	0.0	
-0.0	Min	-0.061	-0.058	-0.019	-0.0	0.0	
0.0	INVSLV Max	0.118	0.095	-0.004	0.0	0.0	
-0.0	Min	-0.121	-0.095	-0.006	-0.0	0.0	
0.0	INVSLE Max	0.042	0.040	0.001	0.0	0.0	
-0.0	Min	-0.045	-0.041	-0.014	-0.0	0.0	
722	C1-C2;~1 Max	0.003	0.003	0.007	0.0	0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0		Min	-0.004	-0.003	-0.010	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.003	0.007	0.0	0.0
0.0		Min	-0.004	-0.003	-0.011	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.004	0.0	0.0
0.0		Min	-0.002	-0.001	-0.006	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.004	0.0	0.0
0.0		Min	-0.002	-0.002	-0.006	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.050	0.052	0.001	-0.0	-0.0
0.0	SLVy (RS)		0.104	0.080	0.001	-0.0	0.0
0.0	SLDx (RS)		-0.035	0.036	0.001	-0.0	-0.0
0.0	SLDy (RS)		0.061	0.048	0.001	-0.0	0.0
0.0	SLVz (RS)		0.000	0.001	0.000	-0.0	-0.0
-0.0							
0.0	G1		-0.001	-0.000	-0.005	0.0	0.0
0.0	G2		-0.000	-0.000	-0.002	0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
0.0	q3		0.010	0.004	-0.000	0.0	0.0
0.0	q4-1		-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	-0.0
0.0	q4-5		0.001	0.000	-0.000	-0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1		0.015	-0.007	-0.000	0.0	-0.0
-0.0	q5 - p~2		0.026	0.031	-0.000	-0.0	0.0
0.0	q5 - p~3		0.014	-0.007	-0.000	0.0	-0.0
-0.0	q5 - p~4		0.025	0.029	-0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	-0.000	0.0	0.0
0.0							

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.027	-0.017	0.000	-0.0	-0.0
0.0	M. tor~1	0.019	0.002	0.000	0.0	-0.0
0.0	M. tor~2	0.011	0.001	0.000	0.0	-0.0
0.0	INVS LU Max	0.057	0.057	0.001	0.0	0.0
-0.0	Min	-0.061	-0.058	-0.023	-0.0	0.0
0.0	INVS LV Max	0.118	0.095	-0.005	0.0	0.0
-0.0	Min	-0.121	-0.096	-0.008	-0.0	0.0
0.0	INVS LE Max	0.042	0.040	0.001	0.0	0.0
-0.0	Min	-0.044	-0.041	-0.017	-0.0	0.0
0.0	723 C1-C2;~1 Max	0.003	0.003	0.008	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.012	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.003	0.008	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.013	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.004	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.007	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.004	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.007	-0.0	-0.0
0.0	SLVx (RS)	-0.050	0.051	0.001	-0.0	-0.0
0.0	SLVy (RS)	0.104	0.080	0.001	-0.0	-0.0
0.0	SLDx (RS)	-0.035	0.035	0.001	-0.0	-0.0
0.0	SLDy (RS)	0.061	0.048	0.001	-0.0	0.0
-0.0	SLVz (RS)	0.000	0.000	0.001	-0.0	-0.0
0.0	G1	-0.001	-0.000	-0.006	0.0	0.0
0.0	G2	-0.000	-0.000	-0.002	0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.010	0.004	-0.000	0.0	0.0
0.0	q4-1	-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.003	-0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	-0.0
0.0	q4-5	0.001	0.000	-0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0
-0.0	q5 - p~1	0.015	-0.007	-0.000	0.0	-0.0
0.0	q5 - p~2	0.026	0.031	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.014	-0.007	-0.000	0.0	-0.0
0.0	q5 - p~4	0.025	0.029	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	-0.000	0.0	0.0
-0.0	T	-0.027	-0.017	0.000	-0.0	-0.0
0.0	M. tor~1	0.019	0.003	0.000	0.0	-0.0
0.0	M. tor~2	0.011	0.002	0.000	0.0	-0.0
0.0	INVSLU Max	0.057	0.057	0.001	0.0	0.0
-0.0	Min	-0.061	-0.058	-0.027	-0.0	0.0
0.0	INVSLV Max	0.118	0.095	-0.006	0.0	0.0
-0.0	Min	-0.121	-0.096	-0.009	-0.0	0.0
0.0	INVSLE Max	0.042	0.040	0.000	0.0	0.0
-0.0	Min	-0.044	-0.041	-0.020	-0.0	0.0
724	C1-C2;~1 Max	0.003	0.003	0.009	0.0	0.0
0.0	Min	-0.004	-0.003	-0.014	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.003	0.009	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.014	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.005	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.008	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.005	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.008	-0.0	-0.0

MIDAS

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.050	0.051	0.002	-0.0	0.0
0.0	SLVy (RS)	0.104	0.080	0.001	-0.0	-0.0
0.0	SLDx (RS)	-0.035	0.035	0.001	-0.0	0.0
0.0	SLDy (RS)	0.061	0.049	0.001	-0.0	-0.0
0.0	SLVz (RS)	0.000	0.000	0.001	-0.0	-0.0
-0.0	G1	-0.001	-0.000	-0.007	0.0	0.0
0.0	G2	-0.000	-0.000	-0.002	0.0	0.0
0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q3	0.010	0.005	-0.000	0.0	0.0
0.0	q4-1	-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.003	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	-0.0
-0.0	q4-5	0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1	0.015	-0.008	-0.000	0.0	-0.0
-0.0	q5 - p~2	0.026	0.031	-0.000	-0.0	0.0
0.0	q5 - p~3	0.014	-0.007	-0.000	0.0	-0.0
-0.0	q5 - p~4	0.025	0.029	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	-0.000	0.0	0.0
0.0	T	-0.026	-0.017	0.000	-0.0	-0.0
-0.0	M. tor~1	0.019	0.003	0.000	0.0	-0.0
0.0	M. tor~2	0.011	0.002	0.000	0.0	-0.0
0.0	INVS LU Max	0.056	0.057	0.000	0.0	0.0
0.0	Min	-0.061	-0.058	-0.032	-0.0	0.0
-0.0	INVS LV Max	0.118	0.096	-0.007	0.0	0.0
0.0	Min	-0.121	-0.096	-0.011	-0.0	0.0
-0.0	INVS LE Max	0.041	0.040	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.044	-0.041	-0.023	-0.0	0.0
-0.0							
725	C1-C2;~1	Max	0.003	0.003	0.010	0.0	0.0
0.0		Min	-0.004	-0.003	-0.016	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.003	0.010	0.0	0.0
0.0		Min	-0.004	-0.003	-0.016	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.005	0.0	0.0
0.0		Min	-0.002	-0.001	-0.009	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.005	0.0	0.0
0.0		Min	-0.002	-0.002	-0.009	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.050	0.050	0.002	-0.0	0.0
0.0	SLVy (RS)		0.104	0.081	0.001	-0.0	-0.0
0.0	SLDx (RS)		-0.035	0.035	0.001	-0.0	0.0
0.0	SLDy (RS)		0.061	0.049	0.001	-0.0	-0.0
0.0	SLVz (RS)		0.000	0.000	0.001	-0.0	-0.0
-0.0							
0.0	G1		-0.001	-0.000	-0.008	0.0	0.0
0.0	G2		-0.000	-0.000	-0.003	0.0	0.0
0.0							
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
0.0	q3		0.010	0.005	-0.000	0.0	0.0
0.0	q4-1		-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	-0.0
-0.0	q4-5		0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
0.0							
-0.0	q5 - p~1		0.015	-0.008	-0.000	0.0	-0.0
-0.0	q5 - p~2		0.026	0.031	-0.000	-0.0	0.0
0.0	q5 - p~3		0.014	-0.007	-0.000	0.0	-0.0
-0.0	q5 - p~4		0.025	0.029	-0.000	-0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	-0.000	0.0	0.0
-0.0	T		-0.026	-0.017	0.000	-0.0	-0.0
0.0	M. tor~1		0.019	0.003	0.000	0.0	-0.0
0.0	M. tor~2		0.011	0.002	0.000	0.0	-0.0
0.0	INVSLU Max		0.056	0.058	-0.001	0.0	0.0
-0.0	Min		-0.061	-0.058	-0.036	-0.0	0.0
0.0	INVSLV Max		0.118	0.096	-0.008	0.0	0.0
-0.0	Min		-0.121	-0.096	-0.013	-0.0	0.0
0.0	INVSLE Max		0.041	0.041	-0.000	0.0	0.0
-0.0	Min		-0.044	-0.041	-0.027	-0.0	0.0
0.0	726 C1-C2;~1 Max		0.003	0.003	0.010	0.0	0.0
-0.0	Min		-0.004	-0.003	-0.018	-0.0	-0.0
0.0	C3-C4;~1 Max		0.003	0.003	0.011	0.0	0.0
-0.0	Min		-0.004	-0.003	-0.018	-0.0	-0.0
0.0	C1-C2;~2 Max		0.002	0.001	0.005	0.0	0.0
-0.0	Min		-0.002	-0.001	-0.010	-0.0	-0.0
0.0	C3-C4;~2 Max		0.002	0.001	0.005	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.010	-0.0	-0.0
0.0	SLVx (RS)		-0.050	0.050	0.002	-0.0	0.0
0.0	SLVy (RS)		0.104	0.081	0.001	-0.0	-0.0
0.0	SLDx (RS)		-0.035	0.034	0.001	-0.0	0.0
0.0	SLDy (RS)		0.061	0.049	0.001	-0.0	-0.0
-0.0	SLVz (RS)		0.000	0.000	0.001	-0.0	-0.0
0.0	G1		-0.001	-0.000	-0.009	0.0	0.0
0.0	G2		-0.000	-0.000	-0.003	0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.010	0.005	-0.000	0.0	0.0
0.0	q4-1	-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.003	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	-0.0
-0.0	q4-5	0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1	0.015	-0.008	-0.000	0.0	-0.0
-0.0	q5 - p~2	0.026	0.031	-0.000	-0.0	0.0
0.0	q5 - p~3	0.014	-0.007	-0.000	0.0	-0.0
-0.0	q5 - p~4	0.025	0.029	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	-0.000	0.0	0.0
0.0	T	-0.026	-0.017	0.000	-0.0	-0.0
-0.0	M. tor~1	0.019	0.004	0.000	0.0	-0.0
0.0	M. tor~2	0.011	0.002	0.000	0.0	-0.0
0.0	INVS LU Max	0.056	0.058	-0.001	0.0	0.0
0.0	Min	-0.061	-0.058	-0.040	-0.0	0.0
-0.0	INVS LV Max	0.118	0.096	-0.009	0.0	0.0
0.0	Min	-0.121	-0.096	-0.014	-0.0	0.0
-0.0	INVS LE Max	0.041	0.041	-0.001	0.0	0.0
0.0	Min	-0.044	-0.041	-0.030	-0.0	0.0
-0.0						
727	C1-C2;~1 Max	0.003	0.003	0.011	0.0	0.0
0.0	Min	-0.004	-0.003	-0.019	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	0.003	0.003	0.011	0.0	0.0
0.0	Min	-0.004	-0.003	-0.020	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.002	0.001	0.006	0.0	0.0
0.0	Min	-0.002	-0.001	-0.011	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.002	0.001	0.006	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.011	-0.0	-0.0
0.0	SLVx	(RS)	-0.050	0.049	0.002	-0.0	0.0
0.0	SLVy	(RS)	0.104	0.082	0.002	-0.0	-0.0
0.0	SLDx	(RS)	-0.035	0.034	0.001	-0.0	0.0
0.0	SLDy	(RS)	0.061	0.049	0.001	-0.0	-0.0
0.0	SLVz	(RS)	0.000	0.000	0.001	-0.0	-0.0
-0.0	G1		-0.001	-0.000	-0.010	0.0	0.0
0.0	G2		-0.000	-0.000	-0.003	0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q3		0.010	0.005	-0.000	0.0	0.0
0.0	q4-1		-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	-0.0
-0.0	q4-5		0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1		0.015	-0.008	-0.000	0.0	-0.0
-0.0	q5 - p~2		0.026	0.031	-0.000	-0.0	0.0
0.0	q5 - p~3		0.014	-0.007	-0.000	0.0	-0.0
-0.0	q5 - p~4		0.025	0.029	-0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	-0.000	0.0	0.0
0.0	T		-0.025	-0.017	0.000	-0.0	-0.0
-0.0	M. tor~1		0.019	0.004	0.000	0.0	-0.0
0.0	M. tor~2		0.011	0.003	0.000	0.0	-0.0
0.0							
0.0	INVSLU	Max	0.055	0.058	-0.002	0.0	0.0
-0.0		Min	-0.061	-0.058	-0.045	-0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.118	0.097	-0.010	0.0	0.0
-0.0		Min	-0.121	-0.097	-0.016	-0.0	0.0
0.0	INVS LE	Max	0.041	0.041	-0.002	0.0	0.0
-0.0		Min	-0.044	-0.041	-0.033	-0.0	0.0
728 0.0	C1-C2;~1	Max	0.003	0.003	0.012	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.021	-0.0	-0.0
0.0	C3-C4;~1	Max	0.003	0.003	0.012	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.022	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.006	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.011	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.006	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.012	-0.0	-0.0
0.0	SLVx (RS)		-0.050	0.049	0.002	-0.0	0.0
0.0	SLVy (RS)		0.104	0.082	0.002	-0.0	-0.0
0.0	SLDx (RS)		-0.035	0.034	0.002	-0.0	0.0
0.0	SLDy (RS)		0.061	0.049	0.001	-0.0	-0.0
-0.0	SLVz (RS)		0.000	0.000	0.002	-0.0	-0.0
0.0	G1		-0.001	-0.000	-0.011	0.0	0.0
0.0	G2		-0.000	-0.000	-0.004	0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.010	0.005	-0.000	0.0	0.0
0.0	q4-1		-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	-0.0
0.0	q4-5		0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
-0.0	q5 - p~1		0.015	-0.008	-0.000	0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~2		0.026	0.031	-0.000	-0.0	0.0
-0.0	q5 - p~3		0.014	-0.008	-0.000	0.0	-0.0
0.0	q5 - p~4		0.025	0.029	-0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	-0.000	0.0	0.0
-0.0	T		-0.025	-0.017	0.000	-0.0	-0.0
0.0	M. tor~1		0.019	0.005	0.000	0.0	-0.0
0.0	M. tor~2		0.011	0.003	0.000	0.0	-0.0
0.0	INVS LU Max		0.055	0.058	-0.003	0.0	0.0
-0.0	Min		-0.060	-0.058	-0.049	-0.0	0.0
0.0	INVS LV Max		0.118	0.097	-0.011	0.0	0.0
-0.0	Min		-0.121	-0.097	-0.018	-0.0	0.0
0.0	INVS LE Max		0.040	0.041	-0.002	0.0	0.0
-0.0	Min		-0.044	-0.041	-0.036	-0.0	0.0
0.0	729 C1-C2;~1 Max		0.003	0.003	0.013	0.0	0.0
-0.0	Min		-0.004	-0.003	-0.023	-0.0	-0.0
0.0	C3-C4;~1 Max		0.003	0.003	0.013	0.0	0.0
-0.0	Min		-0.004	-0.003	-0.023	-0.0	-0.0
0.0	C1-C2;~2 Max		0.002	0.001	0.006	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.012	-0.0	-0.0
0.0	C3-C4;~2 Max		0.002	0.001	0.007	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.013	-0.0	-0.0
0.0	SLVx (RS)		-0.050	0.048	0.002	-0.0	0.0
0.0	SLVy (RS)		0.104	0.082	0.002	-0.0	-0.0
0.0	SLDx (RS)		-0.035	0.033	0.002	-0.0	0.0
0.0	SLDy (RS)		0.061	0.050	0.001	-0.0	-0.0
-0.0	SLVz (RS)		0.000	0.000	0.002	-0.0	-0.0
0.0	G1		-0.001	-0.000	-0.012	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.001	-0.000	-0.004	0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.010	0.005	-0.000	0.0	0.0
0.0	q4-1	-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.003	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	-0.0
0.0	q4-5	0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0
-0.0	q5 - p~1	0.015	-0.008	-0.000	0.0	-0.0
0.0	q5 - p~2	0.026	0.031	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.014	-0.008	-0.000	0.0	-0.0
0.0	q5 - p~4	0.025	0.030	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	-0.000	0.0	0.0
-0.0	T	-0.024	-0.017	0.000	-0.0	-0.0
0.0	M. tor~1	0.019	0.005	0.000	0.0	-0.0
0.0	M. tor~2	0.011	0.003	0.000	0.0	-0.0
0.0	INVSLU Max	0.055	0.059	-0.004	0.0	0.0
-0.0	Min	-0.060	-0.058	-0.053	-0.0	0.0
0.0	INVSLV Max	0.117	0.097	-0.013	0.0	0.0
-0.0	Min	-0.121	-0.097	-0.019	-0.0	0.0
0.0	INVSLE Max	0.040	0.041	-0.003	0.0	0.0
-0.0	Min	-0.043	-0.041	-0.039	-0.0	0.0
730 0.0	C1-C2;~1 Max	0.003	0.003	0.013	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.024	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.003	0.013	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.004	-0.003	-0.025	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.007	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.013	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.007	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.014	-0.0	-0.0
0.0	SLVx (RS)	-0.050	0.048	0.002	-0.0	0.0
0.0	SLVy (RS)	0.104	0.083	0.002	-0.0	-0.0
0.0	SLDx (RS)	-0.035	0.033	0.002	-0.0	0.0
0.0	SLDy (RS)	0.061	0.050	0.001	-0.0	-0.0
-0.0	SLVz (RS)	0.000	0.000	0.002	-0.0	-0.0
0.0	G1	-0.001	-0.000	-0.013	0.0	0.0
0.0	G2	-0.001	-0.000	-0.005	0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.010	0.005	-0.000	0.0	0.0
0.0	q4-1	-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.003	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	-0.0
0.0	q4-5	0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0
-0.0	q5 - p~1	0.015	-0.008	-0.000	0.0	-0.0
0.0	q5 - p~2	0.026	0.031	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.014	-0.008	0.000	0.0	-0.0
0.0	q5 - p~4	0.025	0.030	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	-0.000	0.0	0.0
-0.0	T	-0.024	-0.017	0.000	-0.0	-0.0
0.0	M. tor~1	0.019	0.006	0.000	0.0	0.0
0.0	M. tor~2	0.011	0.003	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.054	0.059	-0.005	0.0	0.0
-0.0		Min	-0.060	-0.059	-0.057	-0.0	0.0
0.0	INVS LV	Max	0.117	0.098	-0.014	0.0	0.0
-0.0		Min	-0.121	-0.097	-0.021	-0.0	0.0
0.0	INVS LE	Max	0.040	0.041	-0.004	0.0	0.0
-0.0		Min	-0.043	-0.041	-0.042	-0.0	0.0
731 0.0	C1-C2;~1	Max	0.003	0.003	0.014	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.026	-0.0	-0.0
0.0	C3-C4;~1	Max	0.003	0.003	0.014	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.026	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.002	0.007	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.014	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.007	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.014	-0.0	-0.0
0.0	SLVx (RS)		-0.050	0.048	0.002	-0.0	0.0
0.0	SLVy (RS)		0.104	0.083	0.002	-0.0	-0.0
0.0	SLDx (RS)		-0.035	0.033	0.002	-0.0	0.0
0.0	SLDy (RS)		0.061	0.050	0.001	-0.0	-0.0
-0.0	SLVz (RS)		0.000	0.000	0.002	-0.0	-0.0
0.0	G1		-0.001	-0.000	-0.014	0.0	0.0
0.0	G2		-0.001	-0.000	-0.005	0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.010	0.005	-0.000	0.0	0.0
0.0	q4-1		-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	-0.0
0.0	q4-5		0.001	0.001	-0.000	-0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1		0.015	-0.008	0.000	0.0	-0.0
-0.0	q5 - p~2		0.026	0.031	-0.000	-0.0	0.0
0.0	q5 - p~3		0.014	-0.008	0.000	0.0	-0.0
-0.0	q5 - p~4		0.025	0.030	-0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	-0.000	0.0	0.0
0.0	T		-0.024	-0.017	0.000	-0.0	-0.0
-0.0	M. tor~1		0.019	0.006	0.000	0.0	0.0
0.0	M. tor~2		0.011	0.003	0.000	0.0	0.0
0.0							
0.0	INVSLU	Max	0.054	0.059	-0.006	0.0	0.0
0.0		Min	-0.059	-0.059	-0.061	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.117	0.098	-0.015	0.0	0.0
0.0		Min	-0.121	-0.098	-0.022	-0.0	0.0
-0.0							
0.0	INVSLE	Max	0.040	0.041	-0.004	0.0	0.0
0.0		Min	-0.043	-0.041	-0.045	-0.0	0.0
-0.0							
732	C1-C2;~1	Max	0.003	0.003	0.014	0.0	0.0
0.0		Min	-0.004	-0.003	-0.027	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.003	0.014	0.0	0.0
0.0		Min	-0.004	-0.003	-0.028	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.002	0.007	0.0	0.0
0.0		Min	-0.002	-0.002	-0.015	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.002	0.007	0.0	0.0
0.0		Min	-0.002	-0.002	-0.015	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.050	0.047	-0.003	-0.0	0.0
0.0	SLVy (RS)		0.104	0.084	0.002	-0.0	-0.0
0.0	SLDx (RS)		-0.035	0.033	0.002	-0.0	0.0
0.0							

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.061	0.050	0.001	-0.0	-0.0	
-0.0	SLVz (RS)	0.000	0.000	0.002	-0.0	-0.0	
0.0	G1	-0.001	-0.000	-0.015	0.0	0.0	
0.0	G2	-0.000	-0.000	-0.005	0.0	0.0	
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q3	0.010	0.005	-0.000	0.0	0.0	
0.0	q4-1	-0.001	-0.001	0.000	0.0	-0.0	
0.0	q4-2	-0.001	-0.003	-0.000	0.0	0.0	
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0	
-0.0	q4-4	0.000	0.000	0.000	0.0	-0.0	
0.0	q4-5	0.001	0.001	-0.000	-0.0	0.0	
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0	
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0	
-0.0	q5 - p~1	0.015	-0.008	0.000	0.0	0.0	
0.0	q5 - p~2	0.026	0.031	-0.000	-0.0	0.0	
-0.0	q5 - p~3	0.014	-0.008	0.000	0.0	-0.0	
0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.007	0.001	-0.000	0.0	0.0	
-0.0	T	-0.023	-0.017	0.000	-0.0	-0.0	
0.0	M. tor~1	0.019	0.006	0.000	0.0	0.0	
0.0	M. tor~2	0.011	0.004	0.000	0.0	0.0	
0.0	INVSLU Max	0.054	0.059	-0.007	0.0	0.0	
-0.0	Min	-0.059	-0.059	-0.064	-0.0	0.0	
0.0	INVSLV Max	0.117	0.098	-0.016	0.0	0.0	
-0.0	Min	-0.121	-0.098	-0.024	-0.0	0.0	
0.0	INVSLE Max	0.039	0.042	-0.005	0.0	0.0	
-0.0	Min	-0.043	-0.041	-0.048	-0.0	0.0	
733	C1-C2;~1 Max	0.003	0.003	0.015	0.0	0.0	

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.004	-0.003	-0.028	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.003	0.015	0.0	0.0
0.0		Min	-0.004	-0.003	-0.029	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.002	0.007	0.0	0.0
0.0		Min	-0.002	-0.002	-0.015	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.002	0.008	0.0	0.0
0.0		Min	-0.002	-0.002	-0.016	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	-0.050	0.047	-0.003	-0.0	0.0
0.0	SLVy	(RS)	0.104	0.084	0.002	-0.0	-0.0
0.0	SLDx	(RS)	-0.035	0.033	-0.002	-0.0	0.0
0.0	SLDy	(RS)	0.061	0.050	0.001	-0.0	-0.0
0.0	SLVz	(RS)	0.000	0.000	0.003	-0.0	-0.0
-0.0							
0.0	G1		-0.001	0.000	-0.015	0.0	0.0
0.0	G2		-0.000	0.000	-0.005	0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
0.0	q3		0.010	0.005	-0.000	0.0	0.0
0.0	q4-1		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q4-2		-0.001	-0.003	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	-0.0
-0.0	q4-5		0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1		0.015	-0.008	0.000	0.0	0.0
-0.0	q5 - p~2		0.026	0.032	-0.001	-0.0	0.0
0.0	q5 - p~3		0.014	-0.008	0.000	0.0	0.0
-0.0	q5 - p~4		0.025	0.030	-0.001	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	-0.000	0.0	0.0
0.0							

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.023	-0.017	0.000	-0.0	-0.0
0.0	M. tor~1	0.019	0.007	0.000	0.0	0.0
0.0	M. tor~2	0.011	0.004	0.000	0.0	0.0
0.0	INVS LU Max	0.054	0.059	-0.008	0.0	0.0
-0.0	Min	-0.059	-0.059	-0.068	-0.0	0.0
0.0	INVS LV Max	0.117	0.099	-0.017	0.0	0.0
-0.0	Min	-0.121	-0.098	-0.025	-0.0	0.0
0.0	INVS LE Max	0.039	0.042	-0.006	0.0	0.0
-0.0	Min	-0.042	-0.041	-0.050	-0.0	0.0
0.0	734 C1-C2;~1 Max	0.003	0.003	0.015	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.029	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.003	0.015	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.030	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.008	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.016	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.008	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.016	-0.0	-0.0
0.0	SLVx (RS)	-0.050	0.047	-0.003	-0.0	0.0
0.0	SLVy (RS)	0.104	0.085	0.002	-0.0	-0.0
0.0	SLDx (RS)	-0.035	0.032	-0.002	-0.0	0.0
0.0	SLDy (RS)	0.061	0.051	0.001	-0.0	-0.0
-0.0	SLVz (RS)	0.000	-0.000	0.003	-0.0	-0.0
0.0	G1	-0.001	0.000	-0.016	0.0	0.0
0.0	G2	-0.000	0.000	-0.006	0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.010	0.005	-0.000	0.0	0.0
0.0	q4-1	-0.001	-0.001	0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.003	-0.000	0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	-0.0
0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
-0.0	q5 - p~1		0.015	-0.008	0.000	0.0	0.0
0.0	q5 - p~2		0.026	0.032	-0.001	-0.0	0.0
-0.0	q5 - p~3		0.014	-0.008	0.000	0.0	0.0
0.0	q5 - p~4		0.025	0.030	-0.001	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	-0.000	0.0	0.0
-0.0	T		-0.023	-0.017	0.000	-0.0	-0.0
0.0	M. tor~1		0.019	0.007	0.000	0.0	0.0
0.0	M. tor~2		0.011	0.004	0.000	0.0	0.0
0.0	INVSLU	Max	0.053	0.059	-0.008	0.0	0.0
-0.0		Min	-0.059	-0.059	-0.071	-0.0	0.0
0.0	INVSLV	Max	0.117	0.099	-0.018	0.0	0.0
-0.0		Min	-0.121	-0.098	-0.026	-0.0	0.0
0.0	INVSLE	Max	0.039	0.042	-0.006	0.0	0.0
-0.0		Min	-0.042	-0.041	-0.052	-0.0	0.0
735	C1-C2;~1	Max	0.003	0.003	0.015	0.0	0.0
0.0		Min	-0.004	-0.003	-0.030	-0.0	-0.0
0.0	C3-C4;~1	Max	0.003	0.003	0.016	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.031	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.002	0.008	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.017	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.008	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.017	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.050	0.047	-0.003	-0.0	0.0
0.0	SLVy (RS)	0.104	0.085	0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.035	0.032	-0.002	-0.0	0.0
0.0	SLDy (RS)	0.061	0.051	0.001	-0.0	-0.0
-0.0	SLVz (RS)	0.000	-0.000	0.003	-0.0	-0.0
0.0	G1	-0.001	0.000	-0.017	0.0	0.0
0.0	G2	-0.000	0.000	-0.006	0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.010	0.005	-0.000	0.0	0.0
0.0	q4-1	-0.001	-0.001	0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.003	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	-0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0
-0.0	q5 - p~1	0.015	-0.008	0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	-0.001	-0.0	0.0
-0.0	q5 - p~3	0.014	-0.008	0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	-0.000	0.0	0.0
-0.0	T	-0.022	-0.017	0.000	-0.0	-0.0
0.0	M. tor~1	0.019	0.007	0.000	0.0	0.0
0.0	M. tor~2	0.011	0.004	0.000	0.0	0.0
0.0	INVSLU Max	0.053	0.060	-0.009	0.0	0.0
-0.0	Min	-0.058	-0.059	-0.073	-0.0	0.0
0.0	INVSLV Max	0.117	0.099	-0.018	0.0	0.0
-0.0	Min	-0.121	-0.099	-0.027	-0.0	0.0
	INVSLE Max	0.039	0.042	-0.007	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


0.0		Min	-0.042	-0.041	-0.054	-0.0	0.0
-0.0							
736	C1-C2;~1	Max	0.003	0.003	0.016	0.0	0.0
0.0		Min	-0.004	-0.003	-0.031	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.003	0.016	0.0	0.0
0.0		Min	-0.004	-0.003	-0.032	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.002	0.008	0.0	0.0
0.0		Min	-0.002	-0.002	-0.017	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.002	0.008	0.0	0.0
0.0		Min	-0.002	-0.002	-0.017	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.050	0.046	-0.003	-0.0	0.0
-0.0	SLVy (RS)		0.104	0.085	0.002	-0.0	-0.0
0.0	SLDx (RS)		-0.035	0.032	-0.002	-0.0	0.0
-0.0	SLDy (RS)		0.061	0.051	0.001	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.003	-0.0	-0.0
-0.0							
0.0	G1		-0.001	0.000	-0.017	0.0	0.0
0.0	G2		-0.000	0.000	-0.006	0.0	0.0
0.0							
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
0.0	q3		0.010	0.005	-0.000	0.0	0.0
0.0	q4-1		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q4-2		-0.001	-0.003	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
0.0							
-0.0	q5 - p~1		0.015	-0.008	0.000	0.0	0.0
-0.0	q5 - p~2		0.026	0.032	-0.001	-0.0	0.0
0.0	q5 - p~3		0.014	-0.008	0.000	0.0	0.0
-0.0	q5 - p~4		0.025	0.030	-0.001	-0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	-0.000	0.0	0.0
-0.0	T		-0.022	-0.017	0.000	-0.0	-0.0
0.0	M. tor~1		0.019	0.008	0.000	0.0	0.0
0.0	M. tor~2		0.011	0.005	0.000	0.0	0.0
0.0	INVSLU Max		0.053	0.060	-0.009	0.0	0.0
-0.0	Min		-0.058	-0.059	-0.075	-0.0	0.0
0.0	INVSLV Max		0.117	0.100	-0.019	0.0	0.0
-0.0	Min		-0.121	-0.099	-0.028	-0.0	0.0
0.0	INVSLE Max		0.039	0.042	-0.007	0.0	0.0
-0.0	Min		-0.042	-0.041	-0.056	-0.0	0.0
0.0	737 C1-C2;~1 Max		0.003	0.003	0.016	0.0	0.0
-0.0	Min		-0.004	-0.003	-0.032	-0.0	-0.0
0.0	C3-C4;~1 Max		0.003	0.003	0.016	0.0	0.0
-0.0	Min		-0.003	-0.004	-0.033	-0.0	-0.0
0.0	C1-C2;~2 Max		0.002	0.002	0.008	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.017	-0.0	-0.0
0.0	C3-C4;~2 Max		0.002	0.002	0.008	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.018	-0.0	-0.0
-0.0	SLVx (RS)		-0.050	0.046	-0.003	-0.0	0.0
0.0	SLVy (RS)		0.104	0.086	0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.035	0.032	-0.002	-0.0	0.0
0.0	SLDy (RS)		0.060	0.051	0.002	-0.0	-0.0
-0.0	SLVz (RS)		0.000	-0.000	0.003	-0.0	-0.0
0.0	G1		-0.001	0.000	-0.018	0.0	0.0
0.0	G2		-0.000	0.000	-0.006	0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.010	0.005	-0.000	0.0	0.0
0.0	q4-1	-0.001	-0.001	0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.002	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1	0.015	-0.008	0.000	0.0	0.0
-0.0	q5 - p~2	0.026	0.032	-0.001	-0.0	0.0
0.0	q5 - p~3	0.014	-0.008	0.000	0.0	0.0
-0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	-0.000	0.0	0.0
0.0	T	-0.022	-0.017	0.000	-0.0	-0.0
-0.0	M. tor~1	0.019	0.008	0.000	0.0	0.0
0.0	M. tor~2	0.011	0.005	0.000	0.0	0.0
0.0	INVS LU Max	0.053	0.060	-0.010	0.0	0.0
0.0	INVS LU Min	-0.057	-0.059	-0.077	-0.0	0.0
-0.0	INVS LV Max	0.117	0.100	-0.019	0.0	0.0
0.0	INVS LV Min	-0.121	-0.099	-0.029	-0.0	0.0
-0.0	INVS LE Max	0.038	0.042	-0.007	0.0	0.0
0.0	INVS LE Min	-0.041	-0.041	-0.057	-0.0	0.0
-0.0						
738	C1-C2;~1 Max	0.003	0.003	0.016	0.0	0.0
0.0	C1-C2;~1 Min	-0.004	-0.003	-0.033	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	0.003	0.003	0.017	0.0	0.0
0.0	C3-C4;~1 Min	-0.003	-0.004	-0.033	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.002	0.002	0.008	0.0	0.0
0.0	C1-C2;~2 Min	-0.002	-0.002	-0.018	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.002	0.002	0.008	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.018	-0.0	-0.0
-0.0	SLVx	(RS)	-0.050	0.046	-0.003	-0.0	0.0
0.0	SLVy	(RS)	0.104	0.086	0.002	-0.0	-0.0
-0.0	SLDx	(RS)	-0.035	0.032	-0.002	-0.0	0.0
0.0	SLDy	(RS)	0.060	0.051	0.002	-0.0	-0.0
-0.0	SLVz	(RS)	0.000	-0.000	0.003	-0.0	-0.0
0.0	G1		-0.001	0.000	-0.018	0.0	0.0
0.0	G2		-0.000	0.000	-0.006	0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.010	0.006	-0.000	0.0	0.0
0.0	q4-1		-0.001	-0.001	0.000	-0.0	0.0
0.0	q4-2		-0.001	-0.002	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
-0.0	q5 - p~1		0.015	-0.008	0.000	0.0	0.0
0.0	q5 - p~2		0.026	0.032	-0.001	-0.0	0.0
-0.0	q5 - p~3		0.014	-0.008	0.000	0.0	0.0
0.0	q5 - p~4		0.025	0.030	-0.001	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.002	-0.000	0.0	0.0
-0.0	T		-0.021	-0.016	0.000	-0.0	-0.0
0.0	M. tor~1		0.019	0.008	0.000	0.0	0.0
0.0	M. tor~2		0.011	0.005	0.000	0.0	0.0
0.0	INVS LU	Max	0.053	0.060	-0.010	0.0	0.0
-0.0		Min	-0.057	-0.059	-0.079	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.117	0.100	-0.019	0.0	0.0
-0.0		Min	-0.120	-0.100	-0.030	-0.0	0.0
0.0	INVS LE	Max	0.038	0.042	-0.007	0.0	0.0
-0.0		Min	-0.041	-0.041	-0.058	-0.0	0.0
739 0.0	C1-C2;~1	Max	0.003	0.003	0.017	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.033	-0.0	-0.0
0.0	C3-C4;~1	Max	0.003	0.003	0.017	0.0	0.0
-0.0		Min	-0.003	-0.004	-0.034	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.002	0.008	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.009	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.018	-0.0	-0.0
-0.0	SLVx (RS)		-0.050	0.046	-0.003	-0.0	0.0
0.0	SLVy (RS)		0.104	0.087	0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.035	0.032	-0.002	-0.0	0.0
0.0	SLDy (RS)		0.060	0.051	0.002	-0.0	-0.0
-0.0	SLVz (RS)		0.000	-0.000	0.004	-0.0	-0.0
0.0	G1		-0.001	0.000	-0.018	0.0	0.0
0.0	G2		-0.000	0.000	-0.007	0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.010	0.006	-0.000	0.0	0.0
0.0	q4-1		-0.001	-0.001	0.000	-0.0	0.0
0.0	q4-2		-0.001	-0.002	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
-0.0	q5 - p~1		0.015	-0.008	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	0.026	0.032	-0.001	-0.0	0.0
-0.0	q5 - p~3	0.014	-0.008	0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.002	-0.000	0.0	0.0
-0.0	T	-0.021	-0.016	0.000	-0.0	-0.0
0.0	M. tor~1	0.019	0.009	0.000	0.0	0.0
0.0	M. tor~2	0.011	0.005	0.000	0.0	0.0
0.0	INVS LU Max	0.052	0.060	-0.010	0.0	0.0
-0.0	Min	-0.057	-0.059	-0.080	-0.0	-0.0
0.0	INVS LV Max	0.117	0.101	-0.020	0.0	0.0
-0.0	Min	-0.120	-0.100	-0.030	-0.0	0.0
0.0	INVS LE Max	0.038	0.042	-0.007	0.0	0.0
-0.0	Min	-0.041	-0.041	-0.059	-0.0	-0.0
0.0	740 C1-C2;~1 Max	0.003	0.003	0.017	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.033	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.003	0.017	0.0	0.0
-0.0	Min	-0.003	-0.004	-0.034	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.009	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.009	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.019	-0.0	-0.0
-0.0	SLVx (RS)	-0.050	0.045	-0.003	-0.0	0.0
0.0	SLVy (RS)	0.103	0.087	0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.035	0.031	-0.002	-0.0	0.0
0.0	SLDy (RS)	0.060	0.052	0.002	-0.0	-0.0
-0.0	SLVz (RS)	0.000	-0.000	0.004	-0.0	-0.0
-0.0	G1	-0.001	0.000	-0.018	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-0.0	G2		-0.000	0.000	-0.007	0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.010	0.006	-0.000	0.0	0.0
0.0	q4-1		-0.002	-0.001	0.000	-0.0	0.0
0.0	q4-2		-0.001	-0.002	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
-0.0	q5 - p~1		0.015	-0.008	0.000	0.0	0.0
0.0	q5 - p~2		0.026	0.032	-0.001	-0.0	0.0
0.0	q5 - p~3		0.014	-0.008	0.000	0.0	0.0
0.0	q5 - p~4		0.025	0.030	-0.001	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.002	-0.000	0.0	0.0
-0.0	T		-0.021	-0.016	0.000	-0.0	-0.0
0.0	M. tor~1		0.019	0.009	0.000	0.0	0.0
0.0	M. tor~2		0.011	0.005	0.000	0.0	0.0
0.0	INVSLU	Max	0.052	0.060	-0.010	0.0	0.0
-0.0		Min	-0.056	-0.059	-0.081	-0.0	-0.0
0.0	INVSLV	Max	0.117	0.101	-0.020	0.0	0.0
-0.0		Min	-0.120	-0.100	-0.030	-0.0	-0.0
0.0	INVSLE	Max	0.038	0.042	-0.007	0.0	0.0
-0.0		Min	-0.040	-0.041	-0.060	-0.0	-0.0
0.0	741 C1-C2;~1	Max	0.003	0.004	0.017	0.0	0.0
-0.0		Min	-0.004	-0.004	-0.033	-0.0	-0.0
0.0	C3-C4;~1	Max	0.003	0.004	0.018	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.003	-0.004	-0.034	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.009	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.009	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.019	-0.0	-0.0
-0.0	SLVx (RS)	-0.050	0.045	-0.003	-0.0	0.0
0.0	SLVy (RS)	0.103	0.087	0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.035	0.031	-0.002	-0.0	0.0
0.0	SLDy (RS)	0.060	0.052	0.002	-0.0	-0.0
-0.0	SLVz (RS)	0.000	-0.000	0.004	-0.0	-0.0
-0.0	G1	-0.001	0.000	-0.018	0.0	0.0
-0.0	G2	-0.000	0.000	-0.007	0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.010	0.006	-0.000	0.0	0.0
0.0	q4-1	-0.002	-0.001	0.000	-0.0	0.0
0.0	q4-2	-0.001	-0.002	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1	0.015	-0.008	0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	-0.001	-0.0	0.0
0.0	q5 - p~3	0.014	-0.008	0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.002	-0.000	0.0	0.0
-0.0	T	-0.020	-0.016	0.000	-0.0	-0.0
0.0	M. tor~1	0.019	0.010	0.000	0.0	0.0
0.0	M. tor~2	0.011	0.006	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0	INVS LU	Max	0.052	0.060	-0.009	0.0	0.0
-0.0		Min	-0.056	-0.059	-0.081	-0.0	-0.0
0.0	INVS LV	Max	0.117	0.102	-0.020	0.0	0.0
-0.0		Min	-0.120	-0.101	-0.030	-0.0	-0.0
0.0	INVS LE	Max	0.038	0.042	-0.007	0.0	0.0
-0.0		Min	-0.040	-0.041	-0.060	-0.0	-0.0
742 0.0	C1-C2;~1	Max	0.003	0.004	0.017	0.0	0.0
-0.0		Min	-0.004	-0.004	-0.033	-0.0	-0.0
0.0	C3-C4;~1	Max	0.003	0.004	0.018	0.0	0.0
-0.0		Min	-0.003	-0.004	-0.034	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.002	0.009	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.009	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.019	-0.0	-0.0
-0.0	SLVx (RS)		-0.050	0.045	-0.003	-0.0	0.0
0.0	SLVy (RS)		0.103	0.088	0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.035	0.031	-0.002	-0.0	0.0
0.0	SLDy (RS)		0.060	0.052	0.002	-0.0	-0.0
-0.0	SLVz (RS)		0.000	-0.000	0.004	-0.0	-0.0
-0.0	G1		-0.001	0.000	-0.018	0.0	-0.0
-0.0	G2		-0.000	0.000	-0.007	0.0	-0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.010	0.006	-0.000	0.0	0.0
0.0	q4-1		-0.002	-0.001	0.000	-0.0	0.0
0.0	q4-2		-0.001	-0.002	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1		0.015	-0.008	0.000	0.0	0.0
0.0	q5 - p~2		0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3		0.014	-0.008	0.000	0.0	0.0
0.0	q5 - p~4		0.025	0.030	-0.001	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.002	-0.000	0.0	0.0
-0.0	T		-0.020	-0.016	0.000	-0.0	-0.0
0.0	M. tor~1		0.019	0.010	0.000	0.0	0.0
0.0	M. tor~2		0.011	0.006	0.000	0.0	0.0
0.0	INVSLU	Max	0.052	0.060	-0.009	0.0	0.0
-0.0		Min	-0.055	-0.059	-0.081	-0.0	-0.0
0.0	INVSLV	Max	0.117	0.102	-0.020	0.0	0.0
-0.0		Min	-0.119	-0.101	-0.030	-0.0	-0.0
0.0	INVSLE	Max	0.038	0.042	-0.007	0.0	0.0
-0.0		Min	-0.040	-0.041	-0.060	-0.0	-0.0
743	C1-C2;~1	Max	0.003	0.004	0.017	0.0	0.0
0.0		Min	-0.004	-0.004	-0.033	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.004	0.018	0.0	0.0
-0.0		Min	-0.003	-0.004	-0.034	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.002	0.009	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.009	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.019	-0.0	-0.0
-0.0	SLVx (RS)		-0.050	0.045	-0.003	-0.0	0.0
0.0	SLVy (RS)		0.103	0.088	0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.035	0.031	-0.002	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.060	0.052	0.002	-0.0	-0.0	
-0.0	SLVz (RS)	0.000	-0.000	0.004	-0.0	0.0	
-0.0	G1	-0.001	0.000	-0.018	0.0	-0.0	
-0.0	G2	-0.000	0.000	-0.007	0.0	-0.0	
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	0.0	
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	0.0	
0.0	q3	0.010	0.006	-0.000	0.0	0.0	
0.0	q4-1	-0.002	-0.000	0.000	-0.0	0.0	
0.0	q4-2	-0.001	-0.002	-0.000	0.0	0.0	
-0.0	q4-3	0.000	-0.001	0.000	0.0	0.0	
-0.0	q4-4	0.000	0.000	0.000	0.0	0.0	
0.0	q4-5	0.001	0.001	-0.000	0.0	0.0	
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0	
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0	
0.0	q5 - p~1	0.015	-0.008	0.000	0.0	0.0	
0.0	q5 - p~2	0.026	0.032	-0.001	-0.0	-0.0	
0.0	q5 - p~3	0.014	-0.008	0.000	0.0	0.0	
0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.007	0.002	-0.000	0.0	0.0	
-0.0	T	-0.020	-0.016	0.000	-0.0	-0.0	
0.0	M. tor~1	0.019	0.010	0.000	0.0	0.0	
0.0	M. tor~2	0.011	0.006	0.000	0.0	0.0	
0.0	INVSLU Max	0.052	0.060	-0.008	0.0	0.0	
-0.0	Min	-0.055	-0.059	-0.080	-0.0	-0.0	
0.0	INVSLV Max	0.117	0.103	-0.019	0.0	0.0	
-0.0	Min	-0.119	-0.101	-0.030	-0.0	-0.0	
0.0	INVSLE Max	0.038	0.042	-0.006	0.0	0.0	
-0.0	Min	-0.039	-0.041	-0.059	-0.0	-0.0	
744	C1-C2;~1 Max	0.003	0.004	0.018	0.0	0.0	


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.004	-0.004	-0.033	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.004	0.018	0.0	0.0
0.0		Min	-0.003	-0.004	-0.034	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.002	0.009	0.0	0.0
0.0		Min	-0.002	-0.002	-0.018	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.002	0.009	0.0	0.0
0.0		Min	-0.002	-0.002	-0.018	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.050	0.045	-0.003	-0.0	-0.0
-0.0	SLVy (RS)		0.103	0.089	0.002	-0.0	-0.0
0.0	SLDx (RS)		-0.035	0.031	-0.002	-0.0	0.0
-0.0	SLDy (RS)		0.060	0.053	0.002	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.004	-0.0	0.0
-0.0							
-0.0	G1		-0.001	0.000	-0.018	0.0	-0.0
-0.0	G2		-0.000	0.000	-0.006	0.0	-0.0
-0.0							
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	0.0
-0.0							
0.0	q3		0.010	0.006	-0.000	0.0	0.0
0.0	q4-1		-0.002	-0.000	0.000	-0.0	0.0
0.0	q4-2		-0.001	-0.002	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1		0.015	-0.008	0.000	0.0	0.0
0.0	q5 - p~2		0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3		0.014	-0.008	0.000	0.0	0.0
0.0	q5 - p~4		0.025	0.030	-0.001	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.002	-0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.019	-0.016	0.000	-0.0	-0.0
0.0	M. tor~1	0.019	0.011	0.000	0.0	0.0
0.0	M. tor~2	0.011	0.006	0.000	0.0	0.0
0.0	INVS LU Max	0.052	0.060	-0.008	0.0	0.0
-0.0	Min	-0.055	-0.059	-0.079	-0.0	-0.0
0.0	INVS LV Max	0.117	0.103	-0.019	0.0	0.0
-0.0	Min	-0.119	-0.102	-0.030	-0.0	-0.0
0.0	INVS LE Max	0.038	0.042	-0.006	0.0	0.0
-0.0	Min	-0.039	-0.041	-0.059	-0.0	-0.0
0.0	745 C1-C2;~1 Max	0.003	0.004	0.017	0.0	0.0
-0.0	Min	-0.004	-0.004	-0.032	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.004	0.018	0.0	0.0
-0.0	Min	-0.003	-0.004	-0.033	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.009	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.009	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.018	-0.0	-0.0
-0.0	SLVx (RS)	-0.050	0.044	-0.003	-0.0	-0.0
0.0	SLVy (RS)	0.103	0.089	0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.035	0.031	-0.002	-0.0	-0.0
0.0	SLDy (RS)	0.060	0.053	0.002	-0.0	-0.0
-0.0	SLVz (RS)	0.000	-0.000	0.004	-0.0	0.0
-0.0	G1	-0.001	0.000	-0.017	0.0	-0.0
-0.0	G2	-0.000	0.000	-0.006	0.0	-0.0
-0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	0.0
0.0	q3	0.010	0.006	-0.000	0.0	0.0
0.0	q4-1	-0.002	-0.000	0.000	-0.0	0.0
0.0	q4-2	-0.001	-0.002	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1	0.015	-0.008	0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3	0.014	-0.008	0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.002	-0.000	0.0	0.0
-0.0	T	-0.019	-0.016	0.000	-0.0	-0.0
0.0	M. tor~1	0.019	0.011	0.000	0.0	0.0
0.0	M. tor~2	0.011	0.006	0.000	0.0	0.0
0.0	INVSLU Max	0.052	0.060	-0.007	0.0	-0.0
-0.0	Min	-0.054	-0.059	-0.078	-0.0	-0.0
0.0	INVSLV Max	0.117	0.103	-0.018	0.0	-0.0
-0.0	Min	-0.119	-0.102	-0.029	-0.0	-0.0
0.0	INVSLE Max	0.037	0.042	-0.005	0.0	-0.0
-0.0	Min	-0.039	-0.041	-0.058	-0.0	-0.0
746 0.0	C1-C2;~1 Max	0.003	0.004	0.017	0.0	0.0
-0.0	Min	-0.004	-0.004	-0.032	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.004	0.018	0.0	0.0
-0.0	Min	-0.003	-0.004	-0.033	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.009	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.017	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.009	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.018	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.050	0.044	-0.003	-0.0	-0.0
0.0	SLVy (RS)	0.102	0.090	0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.035	0.031	-0.002	-0.0	-0.0
0.0	SLDy (RS)	0.060	0.053	0.002	-0.0	-0.0
-0.0	SLVz (RS)	0.000	-0.000	0.004	-0.0	0.0
-0.0	G1	-0.001	0.000	-0.017	0.0	-0.0
-0.0	G2	-0.000	0.000	-0.006	0.0	-0.0
-0.0	G1-Imp~1	0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1	0.000	0.000	0.000	-0.0	0.0
0.0	q3	0.010	0.006	-0.000	0.0	0.0
0.0	q4-1	-0.002	-0.000	0.000	-0.0	0.0
0.0	q4-2	-0.001	-0.002	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1	0.015	-0.008	0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3	0.014	-0.008	0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.002	-0.000	0.0	0.0
-0.0	T	-0.018	-0.016	0.000	0.0	-0.0
0.0	M. tor~1	0.018	0.011	0.000	0.0	0.0
0.0	M. tor~2	0.011	0.007	0.000	0.0	0.0
0.0	INVSLU Max	0.052	0.060	-0.006	0.0	-0.0
-0.0	Min	-0.054	-0.059	-0.076	-0.0	-0.0
0.0	INVSLV Max	0.117	0.104	-0.018	0.0	-0.0
-0.0	Min	-0.118	-0.102	-0.028	-0.0	-0.0
	INVSLE Max	0.037	0.042	-0.005	0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


0.0		Min	-0.038	-0.041	-0.056	-0.0	-0.0
-0.0							
747	C1-C2;~1	Max	0.003	0.004	0.017	0.0	0.0
0.0		Min	-0.004	-0.004	-0.031	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.004	0.018	0.0	0.0
0.0		Min	-0.003	-0.004	-0.032	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.002	0.009	0.0	0.0
0.0		Min	-0.002	-0.002	-0.017	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.002	0.009	0.0	0.0
0.0		Min	-0.002	-0.002	-0.017	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.050	0.044	-0.003	-0.0	-0.0
-0.0	SLVy (RS)		0.102	0.090	0.002	-0.0	-0.0
0.0	SLDx (RS)		-0.034	0.030	-0.002	-0.0	-0.0
-0.0	SLDy (RS)		0.060	0.053	0.002	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.004	-0.0	0.0
-0.0							
-0.0	G1		-0.000	0.000	-0.016	0.0	-0.0
-0.0	G2		-0.000	0.000	-0.006	0.0	-0.0
-0.0							
-0.0	G1-Imp~1		0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	-0.0	0.0
-0.0							
0.0	q3		0.010	0.006	-0.000	0.0	0.0
0.0	q4-1		-0.002	-0.000	0.000	-0.0	0.0
0.0	q4-2		-0.001	-0.002	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1		0.015	-0.008	0.000	0.0	0.0
0.0	q5 - p~2		0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3		0.014	-0.008	0.000	0.0	0.0
0.0	q5 - p~4		0.025	0.030	-0.001	-0.0	-0.0
0.0							

MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.002	-0.000	0.0	0.0
-0.0	T		-0.018	-0.016	0.000	0.0	-0.0
0.0	M. tor~1		0.018	0.011	0.000	0.0	0.0
0.0	M. tor~2		0.011	0.007	0.000	0.0	0.0
0.0	INVS LU Max		0.051	0.060	-0.005	0.0	-0.0
-0.0	Min		-0.053	-0.059	-0.074	-0.0	-0.0
0.0	INVS LV Max		0.117	0.104	-0.017	0.0	-0.0
-0.0	Min		-0.118	-0.103	-0.027	-0.0	-0.0
0.0	INVS LE Max		0.037	0.042	-0.004	0.0	-0.0
-0.0	Min		-0.038	-0.041	-0.055	-0.0	-0.0
0.0	748 C1-C2;~1 Max		0.003	0.004	0.017	0.0	0.0
-0.0	Min		-0.004	-0.004	-0.030	-0.0	-0.0
0.0	C3-C4;~1 Max		0.003	0.004	0.017	0.0	0.0
-0.0	Min		-0.003	-0.004	-0.031	-0.0	-0.0
0.0	C1-C2;~2 Max		0.002	0.002	0.009	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.016	-0.0	-0.0
0.0	C3-C4;~2 Max		0.002	0.002	0.009	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.017	-0.0	-0.0
-0.0	SLVx (RS)		-0.050	0.044	-0.003	-0.0	-0.0
0.0	SLVy (RS)		0.102	0.091	0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.034	0.030	-0.002	-0.0	-0.0
0.0	SLDy (RS)		0.059	0.053	0.001	-0.0	-0.0
-0.0	SLVz (RS)		0.000	-0.000	0.003	-0.0	0.0
-0.0	G1		-0.000	0.001	-0.016	0.0	-0.0
-0.0	G2		-0.000	0.000	-0.006	0.0	-0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.010	0.006	-0.000	0.0	0.0
0.0	q4-1	-0.002	-0.000	0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.002	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	0.0
0.0	q5 - p~1	0.015	-0.008	0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3	0.014	-0.008	0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.002	-0.000	0.0	0.0
-0.0	T	-0.018	-0.016	0.000	0.0	-0.0
0.0	M. tor~1	0.018	0.012	0.000	0.0	0.0
0.0	M. tor~2	0.011	0.007	0.000	0.0	0.0
0.0	INVSLU Max	0.051	0.060	-0.004	0.0	-0.0
-0.0	Min	-0.053	-0.059	-0.072	-0.0	-0.0
0.0	INVSLV Max	0.117	0.105	-0.016	0.0	-0.0
-0.0	Min	-0.118	-0.103	-0.026	-0.0	-0.0
0.0	INVSLE Max	0.037	0.042	-0.003	0.0	-0.0
-0.0	Min	-0.038	-0.041	-0.053	-0.0	-0.0
749 0.0	C1-C2;~1 Max	0.003	0.004	0.017	0.0	0.0
-0.0	Min	-0.004	-0.004	-0.029	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.004	0.017	0.0	0.0
-0.0	Min	-0.003	-0.004	-0.030	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.009	0.0	0.0
	Min	-0.002	-0.002	-0.016	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.002	0.002	0.009	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.016	-0.0	-0.0
-0.0	SLVx	(RS)	-0.050	0.044	-0.003	-0.0	-0.0
0.0	SLVy	(RS)	0.102	0.091	0.002	-0.0	-0.0
-0.0	SLDx	(RS)	-0.034	0.030	-0.002	-0.0	-0.0
0.0	SLDy	(RS)	0.059	0.054	0.001	-0.0	-0.0
-0.0	SLVz	(RS)	0.000	-0.000	0.003	-0.0	0.0
-0.0	G1		-0.000	0.001	-0.015	0.0	-0.0
-0.0	G2		-0.000	0.000	-0.005	0.0	-0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	-0.0	0.0
0.0	q3		0.010	0.006	-0.000	0.0	0.0
0.0	q4-1		-0.002	-0.000	0.000	-0.0	-0.0
0.0	q4-2		-0.001	-0.002	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1		0.015	-0.008	0.000	0.0	0.0
0.0	q5 - p~2		0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3		0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~4		0.025	0.030	-0.001	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.002	-0.000	0.0	0.0
-0.0	T		-0.017	-0.016	0.000	0.0	-0.0
0.0	M. tor~1		0.018	0.012	0.000	0.0	0.0
0.0	M. tor~2		0.011	0.007	0.000	0.0	0.0
0.0	INVS LU	Max	0.051	0.060	-0.003	0.0	-0.0
-0.0		Min	-0.053	-0.058	-0.069	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.116	0.105	-0.016	0.0	-0.0
-0.0		Min	-0.117	-0.104	-0.025	-0.0	-0.0
0.0	INVS LE	Max	0.037	0.042	-0.002	0.0	-0.0
-0.0		Min	-0.037	-0.041	-0.051	-0.0	-0.0
750 0.0	C1-C2;~1	Max	0.003	0.004	0.016	0.0	0.0
-0.0		Min	-0.004	-0.004	-0.028	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.004	0.017	0.0	0.0
-0.0		Min	-0.003	-0.004	-0.029	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.002	0.008	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.015	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.009	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.016	-0.0	-0.0
-0.0	SLVx (RS)		-0.050	0.043	-0.002	-0.0	-0.0
0.0	SLVy (RS)		0.102	0.092	0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.034	0.030	-0.002	-0.0	-0.0
0.0	SLDy (RS)		0.059	0.054	0.001	-0.0	-0.0
-0.0	SLVz (RS)		0.000	-0.000	0.003	-0.0	0.0
-0.0	G1		-0.000	0.001	-0.014	0.0	-0.0
-0.0	G2		-0.000	0.000	-0.005	0.0	-0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	-0.0	0.0
0.0	q3		0.010	0.006	-0.000	0.0	0.0
0.0	q4-1		-0.002	-0.000	0.000	-0.0	-0.0
0.0	q4-2		-0.001	-0.002	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1		0.015	-0.008	0.000	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3	0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.002	-0.000	0.0	0.0
-0.0	T	-0.017	-0.015	0.000	0.0	-0.0
0.0	M. tor~1	0.018	0.012	0.000	0.0	0.0
0.0	M. tor~2	0.011	0.007	0.000	0.0	0.0
0.0	INVS LU Max	0.051	0.060	-0.002	0.0	-0.0
-0.0	Min	-0.052	-0.058	-0.066	-0.0	-0.0
0.0	INVS LV Max	0.116	0.106	-0.015	0.0	-0.0
-0.0	Min	-0.117	-0.104	-0.024	-0.0	-0.0
0.0	INVS LE Max	0.037	0.042	-0.002	0.0	-0.0
-0.0	Min	-0.037	-0.041	-0.048	-0.0	-0.0
0.0	751 C1-C2;~1 Max	0.003	0.004	0.016	0.0	0.0
-0.0	Min	-0.004	-0.004	-0.027	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.004	0.016	0.0	0.0
-0.0	Min	-0.003	-0.004	-0.027	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.008	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.014	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.008	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.015	-0.0	-0.0
-0.0	SLVx (RS)	-0.050	0.043	-0.002	-0.0	-0.0
0.0	SLVy (RS)	0.101	0.092	0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.034	0.030	-0.002	-0.0	-0.0
0.0	SLDy (RS)	0.059	0.054	0.001	-0.0	-0.0
-0.0	SLVz (RS)	-0.000	-0.000	0.003	-0.0	0.0
-0.0	G1	-0.000	0.001	-0.013	0.0	-0.0

PROJECT TITLE :

MIDAS		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	G2	-0.000	0.000	-0.005	0.0	-0.0
-0.0	G1-Imp~1	0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1	0.000	0.000	0.000	-0.0	0.0
0.0	q3	0.010	0.007	-0.000	0.0	0.0
0.0	q4-1	-0.002	-0.000	0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.002	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.002	0.000	0.0	0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1	0.015	-0.008	0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3	0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.002	-0.000	0.0	0.0
-0.0	T	-0.017	-0.015	0.000	0.0	-0.0
0.0	M. tor~1	0.018	0.013	0.000	0.0	0.0
0.0	M. tor~2	0.011	0.007	0.000	0.0	0.0
0.0	INVSLU Max	0.051	0.060	-0.001	0.0	-0.0
-0.0	Min	-0.052	-0.058	-0.062	-0.0	-0.0
0.0	INVSLV Max	0.116	0.106	-0.014	0.0	-0.0
-0.0	Min	-0.117	-0.104	-0.022	-0.0	-0.0
0.0	INVSLE Max	0.037	0.042	-0.001	0.0	-0.0
-0.0	Min	-0.037	-0.041	-0.046	-0.0	-0.0
0.0	752 C1-C2;~1 Max	0.003	0.004	0.015	0.0	0.0
-0.0	Min	-0.004	-0.004	-0.025	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.004	0.016	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.003	-0.004	-0.026	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.008	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.014	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.008	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.014	-0.0	-0.0
-0.0	SLVx (RS)	-0.050	0.043	-0.002	-0.0	-0.0
0.0	SLVy (RS)	0.101	0.093	0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.034	0.030	-0.002	-0.0	-0.0
0.0	SLDy (RS)	0.059	0.054	0.001	-0.0	-0.0
-0.0	SLVz (RS)	-0.000	-0.001	0.003	-0.0	0.0
-0.0	G1	-0.000	0.001	-0.012	0.0	-0.0
-0.0	G2	-0.000	0.000	-0.004	0.0	-0.0
-0.0	G1-Imp~1	0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1	0.000	0.000	0.000	-0.0	0.0
0.0	q3	0.009	0.007	-0.000	0.0	0.0
0.0	q4-1	-0.002	-0.000	0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.002	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.002	0.000	0.0	0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1	0.015	-0.008	0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3	0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.002	-0.000	0.0	0.0
-0.0	T	-0.016	-0.015	0.000	0.0	-0.0
0.0	M. tor~1	0.018	0.013	0.000	0.0	0.0
0.0	M. tor~2	0.011	0.008	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	INVS LU	Max	0.051	0.060	-0.000	0.0	-0.0
-0.0		Min	-0.051	-0.058	-0.058	-0.0	-0.0
0.0	INVS LV	Max	0.116	0.106	-0.013	0.0	-0.0
-0.0		Min	-0.116	-0.105	-0.021	-0.0	-0.0
0.0	INVS LE	Max	0.037	0.042	-0.000	0.0	-0.0
-0.0		Min	-0.036	-0.041	-0.043	-0.0	-0.0
753 0.0	C1-C2;~1	Max	0.003	0.004	0.015	0.0	0.0
-0.0		Min	-0.004	-0.004	-0.024	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.004	0.015	0.0	0.0
-0.0		Min	-0.003	-0.004	-0.024	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.002	0.008	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.013	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.008	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.013	-0.0	-0.0
-0.0	SLVx (RS)		-0.050	0.043	-0.002	-0.0	-0.0
0.0	SLVy (RS)		0.101	0.093	0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.034	0.029	-0.002	-0.0	-0.0
0.0	SLDy (RS)		0.059	0.055	0.001	-0.0	-0.0
-0.0	SLVz (RS)		-0.000	-0.001	0.003	-0.0	0.0
-0.0	G1		-0.000	0.001	-0.011	0.0	-0.0
-0.0	G2		-0.000	0.000	-0.004	0.0	-0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	-0.0	0.0
0.0	q3		0.009	0.007	-0.000	0.0	0.0
0.0	q4-1		-0.002	-0.000	0.000	-0.0	-0.0
0.0	q4-2		-0.001	-0.002	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.002	0.000	0.0	0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	0.0	-0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1		0.015	-0.008	0.000	0.0	0.0
0.0	q5 - p~2		0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3		0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~4		0.025	0.030	-0.001	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.002	-0.000	0.0	0.0
-0.0	T		-0.016	-0.015	0.000	0.0	-0.0
0.0	M. tor~1		0.018	0.013	0.000	0.0	0.0
0.0	M. tor~2		0.011	0.008	0.000	0.0	0.0
0.0	INVS LU	Max	0.051	0.060	0.001	0.0	-0.0
-0.0		Min	-0.051	-0.058	-0.054	-0.0	-0.0
0.0	INVS LV	Max	0.116	0.107	-0.011	0.0	-0.0
-0.0		Min	-0.116	-0.105	-0.019	-0.0	-0.0
0.0	INVS LE	Max	0.036	0.042	0.001	0.0	-0.0
-0.0		Min	-0.036	-0.041	-0.040	-0.0	-0.0
754 0.0	C1-C2;~1	Max	0.003	0.004	0.014	0.0	0.0
-0.0		Min	-0.004	-0.004	-0.022	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.004	0.014	0.0	0.0
-0.0		Min	-0.003	-0.004	-0.023	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.002	0.007	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.012	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.008	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.012	-0.0	-0.0
-0.0	SLVx (RS)		-0.049	0.042	-0.002	-0.0	-0.0
0.0	SLVy (RS)		0.101	0.094	0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.034	0.029	-0.001	-0.0	-0.0


PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.059	0.055	0.001	-0.0	-0.0	
-0.0	SLVz (RS)	-0.000	-0.001	0.002	-0.0	0.0	
-0.0	G1	-0.000	0.001	-0.010	0.0	-0.0	
-0.0	G2	-0.000	0.000	-0.004	0.0	-0.0	
-0.0	G1-Imp~1	0.000	0.000	0.000	-0.0	0.0	
-0.0	G2-Imp~1	0.000	0.000	0.000	-0.0	0.0	
0.0	q3	0.009	0.007	-0.000	0.0	0.0	
0.0	q4-1	-0.002	-0.000	0.000	-0.0	-0.0	
0.0	q4-2	-0.001	-0.002	0.000	0.0	0.0	
-0.0	q4-3	0.000	-0.002	0.000	0.0	0.0	
-0.0	q4-4	0.000	0.000	0.000	0.0	0.0	
0.0	q4-5	0.001	0.001	-0.000	0.0	-0.0	
0.0	q4-6	0.001	0.001	-0.000	0.0	-0.0	
0.0	q4-7	0.001	0.001	-0.000	0.0	-0.0	
0.0	q5 - p~1	0.015	-0.008	0.000	0.0	0.0	
0.0	q5 - p~2	0.026	0.032	-0.001	-0.0	-0.0	
0.0	q5 - p~3	0.014	-0.007	0.000	0.0	0.0	
0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.007	0.002	-0.000	0.0	0.0	
-0.0	T	-0.016	-0.015	0.000	0.0	-0.0	
0.0	M. tor~1	0.018	0.013	0.000	0.0	0.0	
0.0	M. tor~2	0.010	0.008	0.000	0.0	0.0	
0.0	INVSLU Max	0.051	0.060	0.002	0.0	-0.0	
-0.0	Min	-0.051	-0.058	-0.050	-0.0	-0.0	
0.0	INVSLV Max	0.116	0.107	-0.010	0.0	-0.0	
-0.0	Min	-0.116	-0.106	-0.017	-0.0	-0.0	
0.0	INVSLE Max	0.036	0.042	0.001	0.0	-0.0	
-0.0	Min	-0.036	-0.041	-0.037	-0.0	-0.0	
755	C1-C2;~1 Max	0.003	0.004	0.013	0.0	0.0	


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.004	-0.004	-0.021	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.004	0.014	0.0	0.0
0.0		Min	-0.003	-0.004	-0.021	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.002	0.007	0.0	0.0
0.0		Min	-0.002	-0.002	-0.011	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.002	0.007	0.0	0.0
0.0		Min	-0.002	-0.002	-0.011	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.049	0.042	-0.002	-0.0	-0.0
-0.0	SLVy (RS)		0.100	0.094	0.002	-0.0	-0.0
0.0	SLDx (RS)		-0.034	0.029	-0.001	-0.0	-0.0
-0.0	SLDy (RS)		0.058	0.055	0.001	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.001	0.002	-0.0	0.0
-0.0	G1		0.000	0.001	-0.009	0.0	-0.0
-0.0	G2		0.000	0.000	-0.003	0.0	-0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	-0.0	0.0
-0.0	q3		0.009	0.007	-0.000	0.0	0.0
0.0	q4-1		-0.002	-0.000	0.000	-0.0	-0.0
0.0	q4-2		-0.001	-0.002	0.000	0.0	0.0
0.0	q4-3		0.000	-0.002	0.000	0.0	0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1		0.015	-0.007	0.000	0.0	0.0
0.0	q5 - p~2		0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3		0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~4		0.025	0.030	-0.001	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.002	-0.000	0.0	0.0
0.0							

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.015	-0.015	0.000	0.0	-0.0
0.0	M. tor~1	0.018	0.014	0.000	0.0	0.0
0.0	M. tor~2	0.010	0.008	0.000	0.0	0.0
0.0	INVS LU Max	0.051	0.060	0.003	0.0	-0.0
-0.0	Min	-0.050	-0.058	-0.046	-0.0	-0.0
0.0	INVS LV Max	0.115	0.108	-0.009	0.0	-0.0
-0.0	Min	-0.115	-0.106	-0.016	-0.0	-0.0
0.0	INVS LE Max	0.036	0.042	0.002	0.0	-0.0
-0.0	Min	-0.036	-0.041	-0.034	-0.0	-0.0
0.0	756 C1-C2;~1 Max	0.003	0.004	0.013	0.0	0.0
-0.0	Min	-0.004	-0.004	-0.019	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.004	0.013	0.0	0.0
-0.0	Min	-0.003	-0.005	-0.019	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.007	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.010	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.007	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.010	-0.0	-0.0
-0.0	SLVx (RS)	-0.049	0.042	-0.002	-0.0	-0.0
0.0	SLVy (RS)	0.100	0.095	0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.034	0.029	-0.001	-0.0	-0.0
0.0	SLDy (RS)	0.058	0.055	0.001	-0.0	-0.0
-0.0	SLVz (RS)	-0.000	-0.001	0.002	-0.0	0.0
-0.0	G1	0.000	0.001	-0.008	0.0	-0.0
-0.0	G2	0.000	0.000	-0.003	0.0	-0.0
-0.0	G1-Imp~1	0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1	0.000	0.000	0.000	-0.0	0.0
0.0	q3	0.009	0.007	-0.000	0.0	0.0
-0.0	q4-1	-0.002	-0.000	0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.002	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	0.000	-0.002	0.000	0.0	0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1	0.015	-0.007	0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3	0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.002	-0.000	0.0	0.0
-0.0	T	-0.015	-0.015	0.000	0.0	-0.0
0.0	M. tor~1	0.017	0.014	0.000	0.0	0.0
0.0	M. tor~2	0.010	0.008	0.000	0.0	0.0
0.0	INVSLU Max	0.051	0.060	0.004	0.0	-0.0
-0.0	Min	-0.050	-0.058	-0.042	-0.0	-0.0
0.0	INVSLV Max	0.115	0.108	-0.008	0.0	-0.0
-0.0	Min	-0.115	-0.106	-0.014	-0.0	-0.0
0.0	INVSLE Max	0.036	0.042	0.003	0.0	-0.0
-0.0	Min	-0.035	-0.041	-0.031	-0.0	-0.0
757 0.0	C1-C2;~1 Max	0.004	0.004	0.012	0.0	0.0
-0.0	Min	-0.004	-0.004	-0.017	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.004	0.012	0.0	0.0
-0.0	Min	-0.003	-0.005	-0.018	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.006	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.009	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.006	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.009	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	SLVx (RS)	-0.049	0.042	-0.002	-0.0	-0.0
0.0	SLVy (RS)	0.100	0.095	0.001	-0.0	-0.0
-0.0	SLDx (RS)	-0.034	0.029	-0.001	-0.0	-0.0
0.0	SLDy (RS)	0.058	0.056	0.001	-0.0	-0.0
-0.0	SLVz (RS)	-0.000	-0.001	0.002	-0.0	0.0
-0.0	G1	0.000	0.001	-0.007	0.0	-0.0
-0.0	G2	0.000	0.000	-0.002	0.0	-0.0
-0.0	G1-Imp~1	0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1	0.000	0.000	0.000	-0.0	0.0
0.0	q3	0.009	0.007	-0.000	0.0	0.0
-0.0	q4-1	-0.002	-0.000	0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.002	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.002	0.000	0.0	0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1	0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3	0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.002	-0.000	0.0	0.0
-0.0	T	-0.015	-0.015	0.000	0.0	-0.0
0.0	M. tor~1	0.017	0.014	-0.000	0.0	0.0
0.0	M. tor~2	0.010	0.008	-0.000	0.0	0.0
0.0	INVSLU Max	0.050	0.060	0.004	0.0	-0.0
-0.0	Min	-0.050	-0.058	-0.037	-0.0	-0.0
0.0	INVSLV Max	0.115	0.109	-0.007	0.0	-0.0
-0.0	Min	-0.114	-0.107	-0.012	-0.0	-0.0
	INVSLE Max	0.036	0.042	0.003	0.0	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.035	-0.041	-0.027	-0.0	-0.0
-0.0							
758	C1-C2;~1	Max	0.004	0.004	0.011	0.0	0.0
0.0		Min	-0.004	-0.004	-0.015	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.004	0.011	0.0	0.0
0.0		Min	-0.004	-0.005	-0.016	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.002	0.006	0.0	0.0
0.0		Min	-0.002	-0.002	-0.008	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.002	0.006	0.0	0.0
0.0		Min	-0.002	-0.002	-0.008	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.049	0.041	-0.001	-0.0	-0.0
-0.0	SLVy (RS)		0.099	0.096	0.001	-0.0	-0.0
0.0	SLDx (RS)		-0.034	0.029	-0.001	-0.0	-0.0
-0.0	SLDy (RS)		0.058	0.056	0.001	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.001	0.001	-0.0	0.0
-0.0	G1		0.000	0.001	-0.006	0.0	-0.0
-0.0	G2		0.000	0.000	-0.002	0.0	-0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	-0.0	0.0
-0.0	q3		0.009	0.007	-0.000	0.0	0.0
0.0	q4-1		-0.002	-0.000	0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.002	0.000	0.0	0.0
0.0	q4-3		0.000	-0.002	0.000	0.0	0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1		0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~2		0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3		0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~4		0.025	0.030	-0.001	-0.0	-0.0
0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.003	-0.000	0.0	0.0
-0.0	T		-0.014	-0.014	0.000	0.0	-0.0
0.0	M. tor~1		0.017	0.014	-0.000	0.0	0.0
0.0	M. tor~2		0.010	0.009	-0.000	0.0	0.0
0.0	INVS LU Max		0.050	0.060	0.005	0.0	-0.0
-0.0	Min		-0.050	-0.058	-0.033	-0.0	-0.0
0.0	INVS LV Max		0.114	0.109	-0.006	0.0	-0.0
-0.0	Min		-0.114	-0.107	-0.010	-0.0	-0.0
0.0	INVS LE Max		0.036	0.042	0.003	0.0	-0.0
-0.0	Min		-0.035	-0.041	-0.024	-0.0	-0.0
0.0	759 C1-C2;~1 Max		0.004	0.004	0.010	0.0	0.0
-0.0	Min		-0.004	-0.004	-0.013	-0.0	-0.0
0.0	C3-C4;~1 Max		0.004	0.004	0.010	0.0	0.0
-0.0	Min		-0.004	-0.005	-0.014	-0.0	-0.0
0.0	C1-C2;~2 Max		0.002	0.002	0.005	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.007	-0.0	-0.0
0.0	C3-C4;~2 Max		0.002	0.002	0.005	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.007	-0.0	-0.0
-0.0	SLVx (RS)		-0.049	0.041	-0.001	-0.0	-0.0
0.0	SLVy (RS)		0.099	0.096	0.001	-0.0	-0.0
-0.0	SLDx (RS)		-0.034	0.028	-0.001	-0.0	-0.0
0.0	SLDy (RS)		0.058	0.056	0.001	-0.0	-0.0
-0.0	SLVz (RS)		-0.000	-0.001	0.001	-0.0	0.0
-0.0	G1		0.000	0.001	-0.005	0.0	-0.0
-0.0	G2		0.000	0.000	-0.002	0.0	-0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	-0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.009	0.007	-0.000	0.0	0.0
-0.0	q4-1	-0.002	-0.000	0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.002	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.002	0.000	0.0	0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1	0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3	0.013	-0.007	0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	-0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.003	-0.000	0.0	0.0
-0.0	T	-0.014	-0.014	0.000	0.0	-0.0
0.0	M. tor~1	0.017	0.015	-0.000	0.0	0.0
0.0	M. tor~2	0.010	0.009	-0.000	0.0	0.0
0.0	INVSLU Max	0.050	0.060	0.005	0.0	-0.0
-0.0	Min	-0.049	-0.058	-0.028	-0.0	-0.0
0.0	INVSLV Max	0.114	0.109	-0.005	0.0	-0.0
-0.0	Min	-0.114	-0.108	-0.009	-0.0	-0.0
0.0	INVSLE Max	0.035	0.042	0.004	0.0	-0.0
-0.0	Min	-0.035	-0.041	-0.021	-0.0	-0.0
760 0.0	C1-C2;~1 Max	0.004	0.004	0.009	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.011	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.004	0.009	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.012	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.004	0.0	0.0
	Min	-0.002	-0.002	-0.006	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.002	0.002	0.005	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.006	-0.0	-0.0
-0.0	SLVx	(RS)	-0.049	0.041	-0.001	-0.0	-0.0
0.0	SLVy	(RS)	0.099	0.097	0.001	-0.0	-0.0
-0.0	SLDx	(RS)	-0.034	0.028	-0.001	-0.0	-0.0
0.0	SLDy	(RS)	0.057	0.056	0.001	-0.0	-0.0
0.0	SLVz	(RS)	-0.000	-0.001	0.001	-0.0	0.0
-0.0	G1		0.000	0.001	-0.004	0.0	-0.0
-0.0	G2		0.000	0.000	-0.001	0.0	-0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	-0.0	0.0
0.0	q3		0.009	0.007	-0.000	0.0	0.0
-0.0	q4-1		-0.002	-0.000	0.000	-0.0	-0.0
0.0	q4-2		-0.001	-0.002	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.002	0.000	0.0	0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1		0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~2		0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3		0.013	-0.007	0.000	0.0	0.0
0.0	q5 - p~4		0.025	0.030	-0.001	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.003	-0.000	0.0	0.0
-0.0	T		-0.014	-0.014	0.000	0.0	-0.0
0.0	M. tor~1		0.017	0.015	-0.000	0.0	0.0
0.0	M. tor~2		0.010	0.009	-0.000	0.0	0.0
0.0	INVSLU	Max	0.050	0.060	0.005	0.0	0.0
-0.0		Min	-0.049	-0.058	-0.024	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.114	0.110	-0.004	0.0	-0.0
-0.0		Min	-0.113	-0.108	-0.007	-0.0	-0.0
0.0	INVS LE	Max	0.035	0.042	0.004	0.0	0.0
-0.0		Min	-0.035	-0.041	-0.018	-0.0	-0.0
761 0.0	C1-C2;~1	Max	0.004	0.004	0.007	0.0	0.0
-0.0		Min	-0.004	-0.005	-0.010	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.004	0.007	0.0	0.0
-0.0		Min	-0.004	-0.005	-0.010	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.002	0.004	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.005	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.004	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.005	-0.0	-0.0
-0.0	SLVx (RS)		-0.048	0.041	-0.001	-0.0	-0.0
0.0	SLVy (RS)		0.098	0.097	0.001	-0.0	-0.0
-0.0	SLDx (RS)		-0.033	0.028	-0.001	-0.0	-0.0
0.0	SLDy (RS)		0.057	0.057	-0.001	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.001	0.001	-0.0	0.0
-0.0	G1		0.000	0.001	-0.003	0.0	-0.0
-0.0	G2		0.000	0.000	-0.001	0.0	-0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	-0.0	0.0
0.0	q3		0.009	0.007	-0.000	0.0	0.0
-0.0	q4-1		-0.002	-0.000	0.000	-0.0	-0.0
0.0	q4-2		-0.001	-0.002	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.002	0.000	0.0	0.0
-0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1		0.014	-0.007	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~2		0.026	0.032	-0.001	-0.0	-0.0
0.0	q5 - p~3		0.013	-0.006	0.000	0.0	0.0
0.0	q5 - p~4		0.025	0.030	-0.001	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.003	-0.000	0.0	0.0
-0.0	T		-0.013	-0.014	0.000	0.0	-0.0
0.0	M. tor~1		0.017	0.015	-0.000	0.0	0.0
0.0	M. tor~2		0.010	0.009	-0.000	0.0	0.0
0.0	INVSLU Max		0.049	0.060	0.005	0.0	0.0
-0.0	Min		-0.049	-0.058	-0.019	-0.0	-0.0
0.0	INVSLV Max		0.113	0.110	-0.003	0.0	0.0
-0.0	Min		-0.113	-0.109	-0.006	-0.0	-0.0
0.0	INVSLE Max		0.035	0.042	0.004	0.0	0.0
-0.0	Min		-0.035	-0.041	-0.014	-0.0	-0.0
0.0	762 C1-C2;~1 Max		0.004	0.005	0.006	0.0	0.0
-0.0	Min		-0.004	-0.005	-0.008	-0.0	-0.0
0.0	C3-C4;~1 Max		0.004	0.005	0.006	0.0	0.0
-0.0	Min		-0.004	-0.005	-0.008	-0.0	-0.0
0.0	C1-C2;~2 Max		0.002	0.002	0.003	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.004	-0.0	-0.0
0.0	C3-C4;~2 Max		0.002	0.002	0.003	0.0	0.0
-0.0	Min		-0.002	-0.003	-0.004	-0.0	-0.0
-0.0	SLVx (RS)		-0.048	0.040	-0.001	-0.0	-0.0
0.0	SLVy (RS)		0.098	0.098	-0.001	-0.0	-0.0
-0.0	SLDx (RS)		-0.033	0.028	-0.001	-0.0	-0.0
0.0	SLDy (RS)		0.057	0.057	-0.000	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.001	0.001	-0.0	0.0
-0.0	G1		0.000	0.000	-0.002	0.0	-0.0

PROJECT TITLE :

MIDAS		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	G2	0.000	0.000	-0.001	0.0	-0.0
-0.0	G1-Imp~1	0.000	0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1	0.000	0.000	0.000	-0.0	0.0
0.0	q3	0.009	0.008	-0.000	0.0	0.0
-0.0	q4-1	-0.002	-0.000	0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.002	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.002	0.000	0.0	0.0
-0.0	q4-4	0.000	0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1	0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.013	-0.006	0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.003	-0.000	0.0	0.0
-0.0	T	-0.013	-0.014	0.000	0.0	-0.0
0.0	M. tor~1	0.017	0.015	-0.000	0.0	0.0
0.0	M. tor~2	0.010	0.009	-0.000	0.0	0.0
0.0	INVSLU Max	0.049	0.060	0.004	0.0	0.0
-0.0	Min	-0.049	-0.058	-0.015	-0.0	-0.0
0.0	INVSLV Max	0.113	0.111	-0.002	0.0	0.0
-0.0	Min	-0.113	-0.109	-0.004	-0.0	-0.0
0.0	INVSLE Max	0.035	0.042	0.003	0.0	0.0
-0.0	Min	-0.034	-0.041	-0.011	-0.0	-0.0
0.0	763 C1-C2;~1 Max	0.004	0.005	0.005	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.006	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.005	0.005	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.004	-0.005	-0.006	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.002	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.003	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.002	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.003	-0.0	-0.0
-0.0	SLVx (RS)	-0.048	0.040	-0.001	-0.0	-0.0
0.0	SLVy (RS)	0.098	0.098	-0.001	-0.0	-0.0
-0.0	SLDx (RS)	-0.033	0.028	-0.000	-0.0	-0.0
0.0	SLDy (RS)	0.057	0.057	-0.000	-0.0	-0.0
0.0	SLVz (RS)	-0.000	-0.001	0.000	-0.0	0.0
-0.0	G1	-0.000	0.000	-0.002	0.0	-0.0
-0.0	G2	-0.000	0.000	-0.001	0.0	-0.0
-0.0	G1-Imp~1	0.000	-0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	0.000	-0.0	0.0
0.0	q3	0.009	0.008	-0.000	0.0	0.0
-0.0	q4-1	-0.002	-0.000	0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.002	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.002	0.000	0.0	0.0
-0.0	q4-4	0.001	0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1	0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.013	-0.006	0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.003	-0.000	0.0	0.0
-0.0	T	-0.013	-0.014	0.000	0.0	-0.0
0.0	M. tor~1	0.017	0.016	-0.000	0.0	0.0
0.0	M. tor~2	0.010	0.009	-0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0	INVS LU	Max	0.049	0.059	0.003	0.0	0.0
-0.0		Min	-0.049	-0.058	-0.011	-0.0	-0.0
0.0	INVS LV	Max	0.112	0.111	-0.001	0.0	0.0
-0.0		Min	-0.112	-0.110	-0.003	-0.0	-0.0
0.0	INVS LE	Max	0.034	0.042	0.003	0.0	0.0
-0.0		Min	-0.034	-0.041	-0.008	-0.0	-0.0
764 0.0	C1-C2;~1	Max	0.004	0.005	0.003	0.0	0.0
-0.0		Min	-0.004	-0.005	-0.004	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.005	0.003	0.0	0.0
-0.0		Min	-0.004	-0.005	-0.004	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.002	0.002	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.002	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.002	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.002	-0.0	-0.0
-0.0	SLVx (RS)		-0.048	0.040	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.097	0.099	-0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.033	0.028	-0.000	-0.0	-0.0
0.0	SLDy (RS)		0.057	0.057	-0.000	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.001	0.000	-0.0	0.0
-0.0	G1		-0.000	0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	-0.0	0.0
0.0	q3		0.009	0.008	-0.000	0.0	0.0
-0.0	q4-1		-0.001	-0.000	0.000	-0.0	-0.0
0.0	q4-2		-0.001	-0.002	0.000	0.0	0.0
0.0	q4-3		0.000	-0.002	0.000	0.0	0.0
-0.0	q4-4		0.001	0.000	0.000	0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7	0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1	0.014	-0.007	0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.013	-0.006	0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.030	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.006	0.003	-0.000	0.0	0.0
-0.0	T	-0.012	-0.013	0.000	0.0	-0.0
0.0	M. tor~1	0.017	0.016	-0.000	0.0	0.0
0.0	M. tor~2	0.010	0.009	-0.000	0.0	0.0
0.0	INVS LU Max	0.048	0.059	0.002	0.0	0.0
-0.0	Min	-0.049	-0.058	-0.008	-0.0	-0.0
0.0	INVS LV Max	0.112	0.112	-0.001	0.0	0.0
-0.0	Min	-0.112	-0.111	-0.002	-0.0	-0.0
0.0	INVS LE Max	0.034	0.041	0.002	0.0	0.0
-0.0	Min	-0.034	-0.041	-0.006	-0.0	-0.0
765 0.0	C1-C2;~1 Max	0.004	0.005	0.001	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.002	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.005	0.002	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.002	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.001	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.001	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.001	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.001	-0.0	-0.0
-0.0	SLVx (RS)	-0.048	0.040	-0.000	-0.0	-0.0
0.0	SLVy (RS)	0.097	0.099	-0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.033	0.027	-0.000	-0.0	-0.0

MIDAS

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.056	0.058	-0.000	-0.0	-0.0	
0.0	SLVz (RS)	0.000	-0.001	0.000	-0.0	0.0	
-0.0	G1	-0.000	0.000	-0.001	0.0	-0.0	
-0.0	G2	-0.000	0.000	-0.000	0.0	-0.0	
-0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0	
-0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0	
0.0	q3	0.009	0.008	-0.000	0.0	0.0	
-0.0	q4-1	-0.001	-0.000	0.000	-0.0	-0.0	
0.0	q4-2	-0.001	-0.002	0.000	0.0	0.0	
0.0	q4-3	0.000	-0.002	0.000	0.0	0.0	
-0.0	q4-4	0.001	0.000	0.000	0.0	0.0	
0.0	q4-5	0.001	0.001	-0.000	0.0	-0.0	
0.0	q4-6	0.001	0.001	-0.000	0.0	-0.0	
0.0	q4-7	0.001	0.001	-0.000	0.0	-0.0	
0.0	q5 - p~1	0.014	-0.007	0.000	0.0	0.0	
0.0	q5 - p~2	0.026	0.032	-0.000	-0.0	-0.0	
0.0	q5 - p~3	0.013	-0.006	0.000	0.0	0.0	
0.0	q5 - p~4	0.025	0.030	-0.000	-0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.006	0.003	-0.000	0.0	0.0	
-0.0	T	-0.012	-0.013	0.000	0.0	-0.0	
0.0	M. tor~1	0.016	0.016	-0.000	0.0	0.0	
0.0	M. tor~2	0.010	0.010	-0.000	0.0	0.0	
0.0	INVSLU Max	0.048	0.059	0.001	0.0	0.0	
-0.0	Min	-0.049	-0.058	-0.004	-0.0	-0.0	
0.0	INVSLV Max	0.111	0.112	-0.001	0.0	0.0	
-0.0	Min	-0.112	-0.111	-0.002	-0.0	-0.0	
0.0	INVSLE Max	0.034	0.041	0.000	0.0	0.0	
-0.0	Min	-0.034	-0.041	-0.003	-0.0	-0.0	
767	C1-C2;~1 Max	0.004	0.005	0.002	0.0	0.0	

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.004	-0.005	-0.002	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.005	0.002	0.0	0.0
-0.0		Min	-0.004	-0.005	-0.002	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.002	0.002	0.001	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.001	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.002	0.002	0.001	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.001	-0.0	-0.0
0.0							
0.0	SLVx	(RS)	-0.047	0.039	0.000	-0.0	-0.0
-0.0							
0.0	SLVy	(RS)	0.096	0.101	0.000	-0.0	-0.0
-0.0							
0.0	SLDx	(RS)	-0.033	0.027	0.000	-0.0	-0.0
-0.0							
0.0	SLDy	(RS)	0.056	0.058	-0.000	-0.0	-0.0
-0.0							
0.0	SLVz	(RS)	0.000	-0.001	0.000	0.0	-0.0
-0.0							
0.0	G1		-0.000	0.000	-0.001	-0.0	0.0
-0.0							
0.0	G2		-0.000	0.000	-0.000	-0.0	0.0
-0.0							
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0							
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0							
0.0	q3		0.009	0.008	0.000	0.0	-0.0
-0.0							
0.0	q4-1		-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	q4-2		-0.001	-0.001	-0.000	0.0	0.0
-0.0							
0.0	q4-3		0.000	-0.002	-0.000	0.0	0.0
-0.0							
0.0	q4-4		0.001	0.000	-0.000	0.0	0.0
-0.0							
0.0	q4-5		0.001	0.001	0.000	0.0	-0.0
-0.0							
0.0	q4-6		0.001	0.001	0.000	0.0	-0.0
-0.0							
0.0	q4-7		0.001	0.001	0.000	0.0	-0.0
-0.0							
0.0	q5 - p~1		0.014	-0.006	-0.000	0.0	0.0
-0.0							
0.0	q5 - p~2		0.026	0.032	0.000	-0.0	-0.0
-0.0							
0.0	q5 - p~3		0.013	-0.006	-0.000	0.0	0.0
-0.0							
0.0	q5 - p~4		0.025	0.031	0.000	0.0	-0.0
-0.0							
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
-0.0							
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
-0.0							
0.0	q7		0.006	0.003	0.000	0.0	0.0
-0.0							

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.011	-0.013	0.000	0.0	-0.0
0.0	M. tor~1	0.016	0.017	0.000	0.0	0.0
0.0	M. tor~2	0.010	0.010	0.000	0.0	0.0
0.0	INVS LU Max	0.047	0.059	0.001	0.0	0.0
-0.0	Min	-0.049	-0.058	-0.004	-0.0	-0.0
0.0	INVS LV Max	0.110	0.113	-0.001	0.0	0.0
-0.0	Min	-0.111	-0.112	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.033	0.041	0.001	0.0	0.0
-0.0	Min	-0.034	-0.041	-0.003	-0.0	-0.0
0.0	768 C1-C2;~1 Max	0.004	0.005	0.003	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.004	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.005	0.003	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.004	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.002	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.002	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.002	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.002	-0.0	-0.0
-0.0	SLVx (RS)	-0.047	0.039	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.096	0.101	0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.033	0.027	0.000	-0.0	-0.0
0.0	SLDy (RS)	0.056	0.059	-0.000	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.001	0.000	0.0	-0.0
-0.0	G1	-0.001	0.000	-0.001	-0.0	0.0
-0.0	G2	-0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.009	0.008	0.000	0.0	-0.0
-0.0	q4-1	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.001	-0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-3	0.000	-0.002	-0.000	0.0	0.0
-0.0	q4-4	0.001	0.000	-0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	0.000	0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.014	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	0.000	0.0	-0.0
0.0	q5 - p~3	0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~4	0.025	0.031	0.000	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.006	0.003	0.000	0.0	0.0
-0.0	T	-0.011	-0.013	0.000	0.0	-0.0
0.0	M. tor~1	0.016	0.017	0.000	0.0	0.0
0.0	M. tor~2	0.010	0.010	0.000	0.0	0.0
0.0	INVSLU Max	0.047	0.058	0.003	0.0	0.0
-0.0	Min	-0.049	-0.059	-0.007	-0.0	-0.0
0.0	INVSLV Max	0.109	0.113	-0.001	0.0	0.0
-0.0	Min	-0.111	-0.113	-0.002	-0.0	-0.0
0.0	INVSLE Max	0.033	0.041	0.002	0.0	0.0
-0.0	Min	-0.034	-0.041	-0.005	-0.0	-0.0
769 0.0	C1-C2;~1 Max	0.004	0.005	0.005	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.006	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.005	0.005	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.006	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.002	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.003	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.003	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.003	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.047	0.039	0.001	-0.0	-0.0	
0.0	SLVy (RS)	0.095	0.102	0.001	-0.0	-0.0	
-0.0	SLDx (RS)	-0.033	0.027	0.001	-0.0	-0.0	
0.0	SLDy (RS)	0.055	0.059	-0.000	-0.0	-0.0	
0.0	SLVz (RS)	0.000	-0.001	0.000	0.0	-0.0	
-0.0	G1	-0.001	0.000	-0.001	-0.0	0.0	
-0.0	G2	-0.000	0.000	-0.000	-0.0	0.0	
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q3	0.009	0.008	0.000	0.0	-0.0	
-0.0	q4-1	-0.001	-0.000	-0.000	-0.0	-0.0	
0.0	q4-2	-0.001	-0.001	-0.000	0.0	0.0	
0.0	q4-3	0.000	-0.002	-0.000	0.0	0.0	
-0.0	q4-4	0.001	0.000	-0.000	0.0	0.0	
0.0	q4-5	0.001	0.001	0.000	0.0	-0.0	
0.0	q4-6	0.001	0.001	0.000	0.0	-0.0	
0.0	q4-7	0.001	0.001	0.000	0.0	-0.0	
0.0	q5 - p~1	0.014	-0.006	-0.000	0.0	0.0	
0.0	q5 - p~2	0.026	0.032	0.000	0.0	-0.0	
0.0	q5 - p~3	0.013	-0.006	-0.000	0.0	0.0	
0.0	q5 - p~4	0.024	0.031	0.000	0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.006	0.003	0.000	0.0	0.0	
-0.0	T	-0.011	-0.013	0.000	0.0	-0.0	
0.0	M. tor~1	0.016	0.017	0.000	0.0	0.0	
0.0	M. tor~2	0.009	0.010	0.000	0.0	0.0	
0.0	INVSLU Max	0.046	0.058	0.004	0.0	0.0	
-0.0	Min	-0.049	-0.059	-0.011	-0.0	-0.0	
0.0	INVSLV Max	0.108	0.114	-0.001	0.0	0.0	
-0.0	Min	-0.110	-0.114	-0.003	-0.0	-0.0	
	INVSLE Max	0.032	0.041	0.003	0.0	0.0	


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.034	-0.041	-0.008	-0.0	-0.0
-0.0							
770	C1-C2;~1	Max	0.004	0.005	0.006	0.0	0.0
0.0		Min	-0.004	-0.005	-0.008	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.005	0.006	0.0	0.0
0.0		Min	-0.004	-0.005	-0.008	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.002	0.003	0.0	0.0
0.0		Min	-0.002	-0.003	-0.004	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.002	0.003	0.0	0.0
0.0		Min	-0.002	-0.003	-0.004	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.047	0.039	0.001	-0.0	-0.0
-0.0	SLVy (RS)		0.095	0.102	0.001	-0.0	-0.0
0.0	SLDx (RS)		-0.033	0.027	0.001	-0.0	-0.0
-0.0	SLDy (RS)		0.055	0.059	-0.001	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.001	0.000	0.0	-0.0
0.0	G1		-0.001	-0.000	-0.002	-0.0	0.0
-0.0	G2		-0.000	-0.000	-0.001	-0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q3		0.009	0.008	0.000	0.0	-0.0
0.0	q4-1		-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.002	-0.000	0.0	0.0
0.0	q4-4		0.001	0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	0.000	0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	0.0	-0.0
0.0	q5 - p~1		0.014	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2		0.026	0.032	0.001	0.0	-0.0
0.0	q5 - p~3		0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~4		0.024	0.031	0.001	0.0	-0.0
0.0							

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.006	0.003	0.000	0.0	0.0
-0.0	T		-0.011	-0.012	0.000	0.0	-0.0
0.0	M. tor~1		0.016	0.017	0.000	0.0	0.0
0.0	M. tor~2		0.009	0.010	0.000	0.0	0.0
0.0	INVSLU Max		0.046	0.058	0.006	0.0	0.0
-0.0	Min		-0.049	-0.059	-0.015	-0.0	-0.0
0.0	INVSLV Max		0.108	0.114	-0.001	0.0	0.0
-0.0	Min		-0.110	-0.114	-0.004	-0.0	-0.0
0.0	INVSLE Max		0.032	0.040	0.004	0.0	0.0
-0.0	Min		-0.034	-0.041	-0.011	-0.0	-0.0
0.0	771 C1-C2;~1 Max		0.004	0.005	0.008	0.0	0.0
-0.0	Min		-0.004	-0.005	-0.010	-0.0	-0.0
0.0	C3-C4;~1 Max		0.004	0.005	0.008	0.0	0.0
-0.0	Min		-0.004	-0.005	-0.010	-0.0	-0.0
0.0	C1-C2;~2 Max		0.002	0.002	0.004	0.0	0.0
-0.0	Min		-0.002	-0.003	-0.005	-0.0	-0.0
0.0	C3-C4;~2 Max		0.002	0.002	0.004	0.0	0.0
-0.0	Min		-0.002	-0.003	-0.005	-0.0	-0.0
-0.0	SLVx (RS)		-0.047	0.039	0.001	-0.0	-0.0
0.0	SLVy (RS)		0.094	0.103	0.001	-0.0	-0.0
-0.0	SLDx (RS)		-0.032	0.027	0.001	-0.0	-0.0
0.0	SLDy (RS)		0.055	0.060	-0.001	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.001	0.000	0.0	-0.0
-0.0	G1		-0.001	-0.000	-0.003	-0.0	0.0
-0.0	G2		-0.000	-0.000	-0.001	-0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.009	0.008	0.000	0.0	-0.0
-0.0	q4-1	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.001	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.002	-0.000	0.0	0.0
-0.0	q4-4	0.001	0.000	-0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	0.000	0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.014	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.032	0.001	0.0	-0.0
0.0	q5 - p~3	0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~4	0.024	0.031	0.001	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.006	0.003	0.000	0.0	0.0
-0.0	T	-0.010	-0.012	0.000	-0.0	-0.0
0.0	M. tor~1	0.016	0.017	0.000	0.0	0.0
0.0	M. tor~2	0.009	0.010	0.000	0.0	0.0
0.0	INVSLU Max	0.045	0.058	0.006	0.0	0.0
-0.0	Min	-0.049	-0.059	-0.019	-0.0	-0.0
0.0	INVSLV Max	0.107	0.115	-0.002	0.0	0.0
-0.0	Min	-0.109	-0.115	-0.005	-0.0	-0.0
0.0	INVSLE Max	0.032	0.040	0.005	0.0	0.0
-0.0	Min	-0.034	-0.041	-0.014	-0.0	-0.0
772 0.0	C1-C2;~1 Max	0.004	0.005	0.009	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.012	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.005	0.009	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.012	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.005	0.0	0.0
	Min	-0.002	-0.003	-0.006	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4;~2	Max	0.002	0.002	0.005	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.006	-0.0	-0.0
-0.0	SLVx	(RS)	-0.047	0.038	0.002	-0.0	-0.0
0.0	SLVy	(RS)	0.094	0.104	0.001	-0.0	-0.0
-0.0	SLDx	(RS)	-0.032	0.027	0.001	-0.0	-0.0
0.0	SLDy	(RS)	0.054	0.060	-0.001	-0.0	-0.0
0.0	SLVz	(RS)	0.000	-0.001	0.001	0.0	-0.0
-0.0	G1		-0.001	-0.000	-0.003	-0.0	0.0
-0.0	G2		-0.000	-0.000	-0.001	-0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.008	0.000	0.0	-0.0
-0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
0.0	q4-2		-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3		0.000	-0.002	-0.000	0.0	0.0
-0.0	q4-4		0.001	0.000	-0.000	0.0	0.0
0.0	q4-5		0.001	0.001	0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	0.000	0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	0.0	-0.0
0.0	q5 - p~1		0.014	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2		0.026	0.032	0.001	0.0	-0.0
0.0	q5 - p~3		0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~4		0.024	0.031	0.001	0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.006	0.003	0.000	0.0	0.0
-0.0	T		-0.010	-0.012	0.000	-0.0	-0.0
0.0	M. tor~1		0.016	0.018	0.000	0.0	0.0
0.0	M. tor~2		0.009	0.010	0.000	0.0	0.0
0.0	INVSLU	Max	0.045	0.058	0.007	0.0	0.0
-0.0		Min	-0.048	-0.059	-0.023	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.107	0.115	-0.003	0.0	0.0
-0.0		Min	-0.109	-0.115	-0.007	-0.0	-0.0
0.0	INVS LE	Max	0.031	0.040	0.005	0.0	0.0
-0.0		Min	-0.034	-0.041	-0.017	-0.0	-0.0
773 0.0	C1-C2;~1	Max	0.004	0.005	0.010	0.0	0.0
-0.0		Min	-0.004	-0.005	-0.014	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.005	0.010	0.0	0.0
-0.0		Min	-0.004	-0.005	-0.014	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.002	0.005	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.007	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.005	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.007	-0.0	-0.0
-0.0	SLVx (RS)		-0.047	0.038	0.002	-0.0	-0.0
0.0	SLVy (RS)		0.093	0.104	0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.032	0.026	0.001	-0.0	-0.0
0.0	SLDy (RS)		0.054	0.060	0.001	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.001	0.001	0.0	-0.0
-0.0	G1		-0.001	-0.000	-0.004	-0.0	0.0
-0.0	G2		-0.000	-0.000	-0.001	-0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.008	0.000	0.0	-0.0
-0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
0.0	q4-2		-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3		0.000	-0.002	-0.000	0.0	0.0
-0.0	q4-4		0.001	0.000	-0.000	0.0	0.0
0.0	q4-5		0.001	0.001	0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	0.000	0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	0.0	-0.0
0.0	q5 - p~1		0.014	-0.006	-0.000	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	0.026	0.033	0.001	0.0	-0.0
0.0	q5 - p~3	0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~4	0.024	0.031	0.001	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.006	0.003	0.000	0.0	0.0
-0.0	T	-0.010	-0.012	0.000	-0.0	-0.0
0.0	M. tor~1	0.015	0.018	0.000	0.0	0.0
0.0	M. tor~2	0.009	0.010	0.000	0.0	0.0
0.0	INVS LU Max	0.045	0.058	0.007	0.0	0.0
-0.0	Min	-0.048	-0.058	-0.028	-0.0	-0.0
0.0	INVS LV Max	0.106	0.116	-0.003	0.0	0.0
-0.0	Min	-0.108	-0.116	-0.008	-0.0	-0.0
0.0	INVS LE Max	0.031	0.040	0.005	0.0	0.0
-0.0	Min	-0.034	-0.041	-0.020	-0.0	-0.0
0.0	774 C1-C2;~1 Max	0.004	0.005	0.011	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.015	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.005	0.012	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.016	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.006	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.008	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.006	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.009	-0.0	-0.0
-0.0	SLVx (RS)	-0.046	0.038	0.002	-0.0	-0.0
0.0	SLVy (RS)	0.093	0.105	0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.032	0.026	0.002	-0.0	-0.0
0.0	SLDy (RS)	0.054	0.061	0.001	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.001	0.001	0.0	-0.0
-0.0	G1	-0.001	-0.000	-0.005	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	G2	-0.000	-0.000	-0.002	-0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.009	0.008	0.000	0.0	-0.0
-0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3	0.000	-0.002	-0.000	0.0	0.0
-0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	0.000	0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.014	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.033	0.001	0.0	-0.0
0.0	q5 - p~3	0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~4	0.024	0.031	0.001	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.006	0.003	0.000	0.0	0.0
-0.0	T	-0.009	-0.012	0.000	-0.0	-0.0
0.0	M. tor~1	0.015	0.018	0.000	0.0	0.0
0.0	M. tor~2	0.009	0.011	0.000	0.0	0.0
0.0	INVSLU Max	0.044	0.058	0.007	0.0	0.0
-0.0	Min	-0.048	-0.058	-0.032	-0.0	-0.0
0.0	INVSLV Max	0.105	0.116	-0.004	0.0	0.0
-0.0	Min	-0.108	-0.117	-0.010	-0.0	-0.0
0.0	INVSLE Max	0.031	0.040	0.005	0.0	0.0
-0.0	Min	-0.033	-0.041	-0.024	-0.0	-0.0
0.0	775 C1-C2;~1 Max	0.003	0.005	0.012	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.017	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.005	0.013	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.004	-0.005	-0.018	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.006	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.009	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.007	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.010	-0.0	-0.0
-0.0	SLVx (RS)	-0.046	0.038	0.002	-0.0	-0.0
0.0	SLVy (RS)	0.092	0.105	0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.032	0.026	0.002	-0.0	-0.0
0.0	SLDy (RS)	0.053	0.061	0.001	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.001	0.001	0.0	-0.0
-0.0	G1	-0.001	-0.000	-0.006	-0.0	0.0
-0.0	G2	-0.000	-0.000	-0.002	-0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.008	0.009	0.000	0.0	-0.0
-0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3	0.000	-0.002	-0.000	0.0	0.0
-0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	0.000	0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.014	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2	0.026	0.033	0.002	0.0	-0.0
0.0	q5 - p~3	0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~4	0.024	0.031	0.002	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.006	0.004	0.000	0.0	0.0
-0.0	T	-0.009	-0.011	0.000	-0.0	-0.0
0.0	M. tor~1	0.015	0.018	0.000	0.0	0.0
0.0	M. tor~2	0.009	0.011	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0	INVS LU	Max	0.044	0.057	0.007	0.0	0.0
-0.0		Min	-0.048	-0.058	-0.037	-0.0	-0.0
0.0	INVS LV	Max	0.105	0.117	-0.005	0.0	0.0
-0.0		Min	-0.107	-0.117	-0.012	-0.0	-0.0
0.0	INVS LE	Max	0.030	0.040	0.005	0.0	0.0
-0.0		Min	-0.033	-0.041	-0.027	-0.0	-0.0
776 0.0	C1-C2;~1	Max	0.003	0.004	0.013	0.0	0.0
-0.0		Min	-0.004	-0.005	-0.019	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.004	0.014	0.0	0.0
-0.0		Min	-0.004	-0.005	-0.020	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.002	0.007	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.010	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.007	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.011	-0.0	-0.0
-0.0	SLVx (RS)		-0.046	0.038	0.003	-0.0	-0.0
0.0	SLVy (RS)		0.092	0.106	0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.032	0.026	0.002	-0.0	-0.0
0.0	SLDy (RS)		0.053	0.061	0.001	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.001	0.001	0.0	-0.0
-0.0	G1		-0.001	-0.000	-0.007	-0.0	0.0
-0.0	G2		-0.000	-0.000	-0.002	-0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.008	0.009	0.000	0.0	-0.0
-0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
0.0	q4-2		-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.001	0.001	0.000	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	0.001	0.001	0.000	0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.014	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2	0.025	0.033	0.002	0.0	-0.0
0.0	q5 - p~3	0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~4	0.024	0.031	0.002	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.006	0.004	0.000	0.0	0.0
-0.0	T	-0.009	-0.011	0.000	-0.0	-0.0
0.0	M. tor~1	0.015	0.018	0.000	0.0	0.0
0.0	M. tor~2	0.009	0.011	0.000	0.0	0.0
0.0	INVSLU Max	0.044	0.057	0.007	0.0	0.0
-0.0	Min	-0.047	-0.058	-0.041	-0.0	-0.0
0.0	INVSLV Max	0.104	0.117	-0.006	0.0	0.0
-0.0	Min	-0.107	-0.118	-0.013	-0.0	-0.0
0.0	INVSLE Max	0.030	0.040	0.005	0.0	0.0
-0.0	Min	-0.033	-0.040	-0.030	-0.0	-0.0
0.0	777 C1-C2;~1 Max	0.003	0.004	0.014	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.021	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.004	0.015	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.022	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.007	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.011	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.008	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.012	-0.0	-0.0
-0.0	SLVx (RS)	-0.046	0.038	0.003	-0.0	-0.0
0.0	SLVy (RS)	0.091	0.107	0.003	-0.0	-0.0
-0.0	SLDx (RS)	-0.032	0.026	0.002	-0.0	-0.0

MIDAS

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.053	0.062	0.002	-0.0	-0.0	
0.0	SLVz (RS)	0.000	-0.001	0.001	0.0	-0.0	
0.0	G1	-0.001	-0.000	-0.008	-0.0	0.0	
-0.0	G2	-0.000	-0.000	-0.003	-0.0	0.0	
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
-0.0	q3	0.008	0.009	0.001	0.0	-0.0	
0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0	
-0.0	q4-2	-0.001	-0.001	-0.000	-0.0	0.0	
0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0	
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0	
-0.0	q4-5	0.001	0.001	0.000	0.0	-0.0	
0.0	q4-6	0.001	0.001	0.000	-0.0	-0.0	
0.0	q4-7	0.001	0.001	0.000	0.0	-0.0	
0.0	q5 - p~1	0.013	-0.006	-0.000	0.0	0.0	
0.0	q5 - p~2	0.025	0.033	0.002	0.0	-0.0	
0.0	q5 - p~3	0.013	-0.006	-0.000	0.0	0.0	
0.0	q5 - p~4	0.024	0.031	0.002	0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.006	0.004	0.000	0.0	0.0	
0.0	T	-0.009	-0.011	0.000	-0.0	-0.0	
-0.0	M. tor~1	0.015	0.018	0.000	0.0	-0.0	
0.0	M. tor~2	0.009	0.011	0.000	0.0	-0.0	
0.0	INVS LU Max	0.043	0.057	0.007	0.0	0.0	
0.0	INVS LU Min	-0.047	-0.058	-0.046	-0.0	-0.0	
-0.0	INVS LV Max	0.104	0.118	-0.007	0.0	0.0	
0.0	INVS LV Min	-0.106	-0.118	-0.015	-0.0	-0.0	
-0.0	INVS LE Max	0.030	0.040	0.005	0.0	0.0	
0.0	INVS LE Min	-0.033	-0.040	-0.034	-0.0	0.0	
-0.0	778 C1-C2;~1 Max	0.003	0.004	0.015	0.0	0.0	

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.004	-0.005	-0.023	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.004	0.015	0.0	0.0
0.0		Min	-0.004	-0.005	-0.023	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.002	0.008	0.0	0.0
0.0		Min	-0.002	-0.002	-0.012	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.002	0.008	0.0	0.0
0.0		Min	-0.002	-0.003	-0.013	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	-0.046	0.037	0.003	-0.0	-0.0
-0.0	SLVy	(RS)	0.090	0.107	0.003	-0.0	-0.0
0.0	SLDx	(RS)	-0.032	0.026	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.052	0.062	0.002	-0.0	-0.0
0.0	SLVz	(RS)	0.000	-0.000	0.001	0.0	-0.0
0.0	G1		-0.001	-0.000	-0.009	-0.0	0.0
-0.0	G2		-0.000	-0.000	-0.003	-0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q3		0.008	0.009	0.001	0.0	-0.0
0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	0.0	-0.0
0.0	q5 - p~1		0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2		0.025	0.033	0.002	0.0	-0.0
0.0	q5 - p~3		0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~4		0.024	0.031	0.002	0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.006	0.004	0.000	0.0	0.0
0.0							


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.008	-0.011	0.000	-0.0	-0.0
0.0	M. tor~1	0.015	0.019	0.000	0.0	-0.0
0.0	M. tor~2	0.009	0.011	0.000	0.0	-0.0
0.0	INVS LU Max	0.043	0.057	0.006	0.0	0.0
-0.0	Min	-0.047	-0.058	-0.050	-0.0	0.0
0.0	INVS LV Max	0.103	0.118	-0.008	0.0	0.0
-0.0	Min	-0.105	-0.119	-0.017	-0.0	-0.0
0.0	INVS LE Max	0.030	0.040	0.005	0.0	0.0
-0.0	Min	-0.032	-0.040	-0.037	-0.0	0.0
0.0	779 C1-C2;~1 Max	0.003	0.004	0.016	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.025	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.004	0.016	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.025	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.008	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.013	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.008	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.014	-0.0	-0.0
0.0	SLVx (RS)	-0.045	0.037	0.003	-0.0	-0.0
0.0	SLVy (RS)	0.090	0.108	0.003	-0.0	-0.0
0.0	SLDx (RS)	-0.031	0.026	0.002	-0.0	-0.0
0.0	SLDy (RS)	0.052	0.062	0.002	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.000	0.002	0.0	-0.0
-0.0	G1	-0.001	-0.000	-0.010	-0.0	0.0
-0.0	G2	-0.000	-0.000	-0.004	-0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.008	0.009	0.001	0.0	-0.0
-0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.001	-0.000	-0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2	0.025	0.033	0.002	0.0	-0.0
0.0	q5 - p~3	0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~4	0.024	0.031	0.002	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.006	0.004	0.000	0.0	0.0
-0.0	T	-0.008	-0.010	0.000	-0.0	-0.0
0.0	M. tor~1	0.015	0.019	0.000	0.0	-0.0
0.0	M. tor~2	0.009	0.011	0.000	0.0	-0.0
0.0	INVSLU Max	0.043	0.057	0.006	0.0	0.0
-0.0	Min	-0.046	-0.058	-0.054	-0.0	0.0
0.0	INVSLV Max	0.102	0.119	-0.009	0.0	0.0
-0.0	Min	-0.105	-0.119	-0.018	-0.0	-0.0
0.0	INVSLE Max	0.029	0.040	0.004	0.0	0.0
-0.0	Min	-0.032	-0.040	-0.040	-0.0	0.0
780 0.0	C1-C2;~1 Max	0.003	0.004	0.017	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.026	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.004	0.017	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.027	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.008	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.014	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.009	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.014	-0.0	-0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.045	0.037	0.004	-0.0	-0.0	
0.0	SLVy (RS)	0.089	0.108	0.003	-0.0	-0.0	
0.0	SLDx (RS)	-0.031	0.026	0.003	-0.0	-0.0	
0.0	SLDy (RS)	0.052	0.063	0.002	-0.0	-0.0	
0.0	SLVz (RS)	-0.000	-0.000	0.002	0.0	-0.0	
-0.0	G1	-0.001	-0.000	-0.011	-0.0	0.0	
-0.0	G2	-0.000	-0.000	-0.004	-0.0	0.0	
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q3	0.008	0.009	0.001	0.0	-0.0	
-0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0	
0.0	q4-2	-0.001	-0.001	-0.000	-0.0	0.0	
0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0	
-0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0	
0.0	q4-5	0.001	0.001	0.000	0.0	-0.0	
0.0	q4-6	0.001	0.001	0.000	-0.0	-0.0	
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0	
0.0	q5 - p~1	0.013	-0.006	-0.000	0.0	0.0	
0.0	q5 - p~2	0.025	0.033	0.003	0.0	-0.0	
0.0	q5 - p~3	0.013	-0.006	-0.000	0.0	0.0	
0.0	q5 - p~4	0.024	0.031	0.002	0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.006	0.004	0.000	0.0	0.0	
-0.0	T	-0.008	-0.010	0.000	-0.0	-0.0	
0.0	M. tor~1	0.015	0.019	0.000	0.0	-0.0	
0.0	M. tor~2	0.009	0.011	0.000	0.0	-0.0	
0.0	INVS LU Max	0.042	0.057	0.005	0.0	0.0	
-0.0	Min	-0.046	-0.058	-0.058	-0.0	0.0	
0.0	INVS LV Max	0.102	0.120	-0.010	0.0	0.0	
-0.0	Min	-0.104	-0.120	-0.020	-0.0	-0.0	
	INVS LE Max	0.029	0.040	0.004	0.0	0.0	


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.032	-0.040	-0.043	-0.0	0.0
-0.0							
781	C1-C2;~1	Max	0.003	0.004	0.017	0.0	0.0
0.0		Min	-0.004	-0.004	-0.028	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.004	0.018	0.0	0.0
0.0		Min	-0.004	-0.005	-0.028	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.002	0.009	0.0	0.0
0.0		Min	-0.002	-0.002	-0.015	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.002	0.009	0.0	0.0
0.0		Min	-0.002	-0.002	-0.015	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.045	0.037	0.004	-0.0	-0.0
0.0	SLVy (RS)		0.089	0.109	0.004	-0.0	-0.0
0.0	SLDx (RS)		-0.031	0.025	0.003	-0.0	-0.0
0.0	SLDy (RS)		0.051	0.063	0.002	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.000	0.002	0.0	-0.0
0.0	G1		-0.001	0.000	-0.012	-0.0	0.0
-0.0	G2		-0.000	0.000	-0.004	-0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q3		0.008	0.009	0.001	0.0	-0.0
0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2		0.025	0.033	0.003	0.0	-0.0
0.0	q5 - p~3		0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~4		0.024	0.031	0.003	0.0	-0.0
0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.006	0.004	0.000	0.0	0.0
-0.0	T		-0.007	-0.010	0.000	-0.0	-0.0
0.0	M. tor~1		0.014	0.019	0.000	0.0	-0.0
0.0	M. tor~2		0.009	0.011	0.000	0.0	-0.0
0.0	INVSLU Max		0.042	0.057	0.005	0.0	0.0
-0.0	Min		-0.045	-0.058	-0.062	-0.0	0.0
0.0	INVSLV Max		0.101	0.120	-0.011	0.0	0.0
-0.0	Min		-0.103	-0.120	-0.021	-0.0	-0.0
0.0	INVSLE Max		0.029	0.040	0.003	0.0	0.0
-0.0	Min		-0.032	-0.040	-0.046	-0.0	0.0
0.0	782 C1-C2;~1 Max		0.003	0.004	0.018	0.0	0.0
-0.0	Min		-0.004	-0.004	-0.029	-0.0	-0.0
0.0	C3-C4;~1 Max		0.004	0.004	0.018	0.0	0.0
-0.0	Min		-0.004	-0.005	-0.030	-0.0	-0.0
0.0	C1-C2;~2 Max		0.002	0.002	0.009	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.016	-0.0	-0.0
0.0	C3-C4;~2 Max		0.002	0.002	0.009	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.016	-0.0	-0.0
0.0	SLVx (RS)		-0.045	0.037	0.004	-0.0	-0.0
0.0	SLVy (RS)		0.088	0.110	0.004	-0.0	-0.0
0.0	SLDx (RS)		-0.031	0.025	0.003	-0.0	-0.0
0.0	SLDy (RS)		0.051	0.063	0.002	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.000	0.002	0.0	-0.0
-0.0	G1		-0.001	0.000	-0.013	-0.0	0.0
-0.0	G2		-0.000	0.000	-0.005	-0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.008	0.009	0.001	0.0	-0.0
-0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2	0.025	0.033	0.003	0.0	-0.0
0.0	q5 - p~3	0.012	-0.006	-0.000	0.0	0.0
0.0	q5 - p~4	0.024	0.031	0.003	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.006	0.004	0.000	0.0	0.0
-0.0	T	-0.007	-0.010	0.000	-0.0	-0.0
0.0	M. tor~1	0.014	0.019	0.000	0.0	-0.0
0.0	M. tor~2	0.008	0.011	0.000	0.0	-0.0
0.0	INVSLU Max	0.042	0.057	0.004	0.0	0.0
-0.0	Min	-0.045	-0.057	-0.066	-0.0	0.0
0.0	INVSLV Max	0.100	0.121	-0.012	0.0	0.0
-0.0	Min	-0.103	-0.121	-0.023	-0.0	-0.0
0.0	INVSLE Max	0.029	0.040	0.003	0.0	0.0
-0.0	Min	-0.031	-0.040	-0.049	-0.0	0.0
783 0.0	C1-C2;~1 Max	0.003	0.004	0.018	0.0	0.0
-0.0	Min	-0.004	-0.004	-0.030	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.004	0.019	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.031	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.009	0.0	0.0
	Min	-0.002	-0.002	-0.016	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.002	0.002	0.009	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.017	-0.0	-0.0
-0.0	SLVx	(RS)	-0.044	0.036	0.004	-0.0	-0.0
0.0	SLVy	(RS)	0.087	0.110	0.004	-0.0	-0.0
0.0	SLDx	(RS)	-0.031	0.025	0.003	-0.0	-0.0
0.0	SLDy	(RS)	0.051	0.064	0.002	-0.0	-0.0
0.0	SLVz	(RS)	-0.000	-0.000	0.002	0.0	-0.0
-0.0	G1		-0.001	0.000	-0.013	-0.0	0.0
-0.0	G2		-0.000	0.000	-0.005	-0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.008	0.009	0.001	0.0	-0.0
-0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
0.0	q4-2		-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.001	0.001	0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2		0.025	0.033	0.003	0.0	-0.0
0.0	q5 - p~3		0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4		0.024	0.031	0.003	0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.006	0.004	0.000	0.0	0.0
-0.0	T		-0.007	-0.010	0.000	-0.0	-0.0
0.0	M. tor~1		0.014	0.019	0.000	0.0	-0.0
0.0	M. tor~2		0.008	0.011	0.000	0.0	-0.0
0.0	INVSLU	Max	0.041	0.057	0.003	0.0	0.0
-0.0		Min	-0.045	-0.057	-0.069	-0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.100	0.121	-0.012	0.0	0.0
-0.0		Min	-0.102	-0.121	-0.024	-0.0	-0.0
0.0	INVS LE	Max	0.029	0.040	0.002	0.0	0.0
-0.0		Min	-0.031	-0.040	-0.051	-0.0	0.0
784 0.0	C1-C2;~1	Max	0.003	0.004	0.019	0.0	0.0
-0.0		Min	-0.004	-0.004	-0.031	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.004	0.019	0.0	0.0
-0.0		Min	-0.004	-0.004	-0.032	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.002	0.009	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.017	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.010	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.017	-0.0	-0.0
-0.0	SLVx (RS)		-0.044	0.036	0.004	-0.0	-0.0
0.0	SLVy (RS)		0.087	0.111	0.004	-0.0	-0.0
-0.0	SLDx (RS)		-0.031	0.025	0.003	-0.0	-0.0
0.0	SLDy (RS)		0.050	0.064	0.003	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.000	0.003	0.0	-0.0
-0.0	G1		-0.001	0.000	-0.014	-0.0	0.0
-0.0	G2		-0.000	0.000	-0.005	-0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.008	0.009	0.001	0.0	-0.0
-0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
0.0	q4-2		-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.001	0.001	0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.013	-0.006	-0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~2		0.025	0.033	0.003	0.0	-0.0
0.0	q5 - p~3		0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4		0.024	0.032	0.003	0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.006	0.004	0.000	0.0	0.0
-0.0	T		-0.007	-0.009	0.000	-0.0	-0.0
0.0	M. tor~1		0.014	0.019	0.001	0.0	-0.0
0.0	M. tor~2		0.008	0.012	0.000	0.0	-0.0
0.0	INVS LU Max		0.041	0.057	0.003	0.0	0.0
-0.0	Min		-0.044	-0.057	-0.072	-0.0	-0.0
0.0	INVS LV Max		0.099	0.122	-0.013	0.0	0.0
-0.0	Min		-0.101	-0.122	-0.025	-0.0	-0.0
0.0	INVS LE Max		0.028	0.040	0.002	0.0	0.0
-0.0	Min		-0.031	-0.039	-0.053	-0.0	0.0
0.0	785 C1-C2;~1 Max		0.003	0.004	0.019	0.0	0.0
-0.0	Min		-0.004	-0.004	-0.032	-0.0	-0.0
0.0	C3-C4;~1 Max		0.004	0.004	0.019	0.0	0.0
-0.0	Min		-0.004	-0.004	-0.033	-0.0	-0.0
0.0	C1-C2;~2 Max		0.002	0.002	0.010	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.017	-0.0	-0.0
0.0	C3-C4;~2 Max		0.002	0.002	0.010	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.018	-0.0	-0.0
-0.0	SLVx (RS)		-0.044	0.036	0.004	-0.0	-0.0
0.0	SLVy (RS)		0.086	0.111	0.004	-0.0	-0.0
-0.0	SLDx (RS)		-0.030	0.025	0.003	-0.0	-0.0
0.0	SLDy (RS)		0.050	0.064	0.003	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.003	0.0	-0.0
-0.0	G1		-0.001	0.000	-0.015	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	G2	-0.000	0.000	-0.005	-0.0	0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.008	0.009	0.001	0.0	-0.0
-0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2	0.025	0.033	0.003	0.0	-0.0
0.0	q5 - p~3	0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4	0.023	0.032	0.003	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.005	0.004	0.000	0.0	0.0
-0.0	T	-0.006	-0.009	0.000	-0.0	-0.0
0.0	M. tor~1	0.014	0.020	0.001	0.0	-0.0
0.0	M. tor~2	0.008	0.012	0.000	0.0	-0.0
0.0	INVSLU Max	0.041	0.057	0.002	0.0	0.0
-0.0	Min	-0.044	-0.057	-0.075	-0.0	-0.0
0.0	INVSLV Max	0.098	0.123	-0.014	0.0	0.0
-0.0	Min	-0.100	-0.122	-0.027	-0.0	-0.0
0.0	INVSLE Max	0.028	0.040	0.002	0.0	0.0
-0.0	Min	-0.030	-0.039	-0.055	-0.0	-0.0
786 0.0	C1-C2;~1 Max	0.003	0.004	0.019	0.0	0.0
-0.0	Min	-0.004	-0.004	-0.033	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.004	0.020	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.003	-0.004	-0.034	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.010	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.010	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.018	-0.0	-0.0
-0.0	SLVx (RS)	-0.044	0.036	0.004	-0.0	-0.0
0.0	SLVy (RS)	0.085	0.112	0.005	-0.0	-0.0
-0.0	SLDx (RS)	-0.030	0.025	0.003	-0.0	-0.0
0.0	SLDy (RS)	0.049	0.065	0.003	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.000	0.003	0.0	-0.0
-0.0	G1	-0.001	0.000	-0.015	-0.0	0.0
-0.0	G2	-0.000	0.000	-0.005	-0.0	0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.008	0.009	0.001	0.0	-0.0
-0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2	0.025	0.034	0.004	-0.0	-0.0
0.0	q5 - p~3	0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4	0.023	0.032	0.003	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.005	0.004	0.001	0.0	0.0
-0.0	T	-0.006	-0.009	0.000	-0.0	-0.0
0.0	M. tor~1	0.014	0.020	0.001	0.0	-0.0
0.0	M. tor~2	0.008	0.012	0.000	0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.041	0.057	0.002	0.0	0.0
-0.0		Min	-0.043	-0.057	-0.077	-0.0	-0.0
0.0	INVS LV	Max	0.098	0.123	-0.014	0.0	0.0
-0.0		Min	-0.099	-0.123	-0.028	-0.0	-0.0
0.0	INVS LE	Max	0.028	0.040	0.001	0.0	0.0
-0.0		Min	-0.030	-0.039	-0.057	-0.0	-0.0
787 0.0	C1-C2;~1	Max	0.003	0.004	0.019	0.0	0.0
-0.0		Min	-0.004	-0.004	-0.034	-0.0	-0.0
0.0	C3-C4;~1	Max	0.003	0.004	0.020	0.0	0.0
-0.0		Min	-0.003	-0.004	-0.035	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.002	0.010	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.010	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.019	-0.0	-0.0
-0.0	SLVx (RS)		-0.043	0.036	0.004	-0.0	-0.0
0.0	SLVy (RS)		0.085	0.113	0.005	-0.0	-0.0
-0.0	SLDx (RS)		-0.030	0.025	0.003	-0.0	-0.0
0.0	SLDy (RS)		0.049	0.065	0.003	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.003	-0.0	-0.0
-0.0	G1		-0.001	0.000	-0.016	0.0	0.0
-0.0	G2		-0.000	0.000	-0.006	0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.008	0.009	0.001	0.0	-0.0
-0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.001	0.001	0.000	0.0	-0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2		0.024	0.034	0.004	-0.0	-0.0
0.0	q5 - p~3		0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4		0.023	0.032	0.004	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.005	0.004	0.001	0.0	0.0
0.0	T		-0.006	-0.009	0.000	-0.0	-0.0
0.0	M. tor~1		0.014	0.020	0.001	0.0	-0.0
0.0	M. tor~2		0.008	0.012	0.000	0.0	-0.0
0.0	INVS LU	Max	0.040	0.057	0.001	0.0	0.0
-0.0		Min	-0.043	-0.056	-0.079	-0.0	-0.0
0.0	INVS LV	Max	0.097	0.124	-0.014	0.0	0.0
-0.0		Min	-0.098	-0.123	-0.028	-0.0	-0.0
0.0	INVS LE	Max	0.028	0.040	0.001	0.0	0.0
-0.0		Min	-0.029	-0.039	-0.058	-0.0	-0.0
788	C1-C2;~1	Max	0.003	0.004	0.020	0.0	0.0
0.0		Min	-0.004	-0.004	-0.034	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.004	0.020	0.0	0.0
-0.0		Min	-0.003	-0.004	-0.035	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.002	0.010	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.019	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.010	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.019	-0.0	-0.0
-0.0	SLVx (RS)		-0.043	0.035	0.004	-0.0	-0.0
0.0	SLVy (RS)		0.084	0.113	0.005	-0.0	-0.0
-0.0	SLDx (RS)		-0.030	0.024	0.003	-0.0	-0.0

PROJECT TITLE :


	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	SLDy (RS)	0.049	0.065	0.003	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.000	0.003	-0.0	-0.0
0.0	G1	-0.001	0.000	-0.016	0.0	0.0
-0.0	G2	-0.000	0.000	-0.006	0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.008	0.009	0.001	0.0	-0.0
0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2	-0.001	-0.001	-0.000	-0.0	0.0
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.013	-0.006	-0.000	0.0	0.0
0.0	q5 - p~2	0.024	0.034	0.004	-0.0	-0.0
0.0	q5 - p~3	0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4	0.023	0.032	0.004	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.005	0.004	0.001	0.0	0.0
0.0	T	-0.006	-0.008	0.000	-0.0	-0.0
0.0	M. tor~1	0.013	0.020	0.001	0.0	-0.0
0.0	M. tor~2	0.008	0.012	0.000	0.0	-0.0
0.0	INVS LU Max	0.040	0.057	0.001	0.0	0.0
-0.0	Min	-0.042	-0.056	-0.081	-0.0	-0.0
0.0	INVS LV Max	0.096	0.124	-0.015	0.0	0.0
-0.0	Min	-0.098	-0.124	-0.029	-0.0	-0.0
0.0	INVS LE Max	0.027	0.040	0.001	0.0	0.0
-0.0	Min	-0.029	-0.039	-0.060	-0.0	-0.0
789	C1-C2;~1 Max	0.003	0.004	0.020	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.004	-0.004	-0.035	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.004	0.020	0.0	0.0
0.0		Min	-0.003	-0.004	-0.036	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.002	0.010	0.0	0.0
0.0		Min	-0.002	-0.002	-0.019	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.002	0.010	0.0	0.0
0.0		Min	-0.002	-0.002	-0.019	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.043	0.035	0.005	-0.0	-0.0
-0.0	SLVy (RS)		0.083	0.114	0.005	-0.0	-0.0
0.0	SLDx (RS)		-0.030	0.024	0.003	-0.0	-0.0
-0.0	SLDy (RS)		0.048	0.066	0.003	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.000	0.003	-0.0	-0.0
0.0	G1		-0.001	0.000	-0.016	0.0	0.0
-0.0	G2		-0.000	0.000	-0.006	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.008	0.009	0.001	0.0	-0.0
0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.013	-0.005	-0.000	0.0	0.0
0.0	q5 - p~2		0.024	0.034	0.004	-0.0	-0.0
0.0	q5 - p~3		0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4		0.023	0.032	0.004	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.005	0.004	0.001	0.0	0.0
0.0							

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	-0.005	-0.008	0.000	-0.0	-0.0
0.0	M. tor~1	0.013	0.020	0.001	0.0	-0.0
0.0	M. tor~2	0.008	0.012	0.000	0.0	-0.0
0.0	INVS LU Max	0.040	0.058	0.001	0.0	0.0
0.0	Min	-0.042	-0.056	-0.082	-0.0	-0.0
-0.0	INVS LV Max	0.095	0.125	-0.015	0.0	0.0
0.0	Min	-0.097	-0.124	-0.030	-0.0	-0.0
-0.0	INVS LE Max	0.027	0.040	0.000	0.0	0.0
0.0	Min	-0.029	-0.039	-0.060	-0.0	-0.0
-0.0	790 C1-C2;~1 Max	0.003	0.004	0.020	0.0	0.0
0.0	Min	-0.003	-0.004	-0.035	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.003	0.004	0.020	0.0	0.0
0.0	Min	-0.003	-0.004	-0.036	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.002	0.002	0.010	0.0	0.0
0.0	Min	-0.002	-0.002	-0.019	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.002	0.002	0.010	0.0	0.0
0.0	Min	-0.002	-0.002	-0.019	-0.0	-0.0
-0.0	SLVx (RS)	-0.042	0.035	0.005	-0.0	-0.0
0.0	SLVy (RS)	0.082	0.114	0.005	-0.0	-0.0
0.0	SLDx (RS)	-0.029	0.024	0.003	-0.0	-0.0
-0.0	SLDy (RS)	0.048	0.066	0.003	-0.0	-0.0
0.0	SLVz (RS)	-0.000	-0.000	0.003	-0.0	-0.0
0.0	G1	-0.000	0.000	-0.017	0.0	0.0
-0.0	G2	-0.000	0.000	-0.006	0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.007	0.010	0.001	0.0	-0.0
0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2	-0.001	-0.001	-0.000	-0.0	0.0
-0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	-0.0	-0.0
0.0	q4-6	0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.013	-0.005	-0.000	0.0	0.0
0.0	q5 - p~2	0.024	0.034	0.004	-0.0	-0.0
0.0	q5 - p~3	0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4	0.023	0.032	0.004	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.005	0.004	0.001	0.0	0.0
0.0	T	-0.005	-0.008	0.000	-0.0	0.0
0.0	M. tor~1	0.013	0.020	0.001	0.0	-0.0
0.0	M. tor~2	0.008	0.012	0.000	0.0	-0.0
0.0	INVSLU Max	0.039	0.058	0.001	0.0	0.0
-0.0	Min	-0.041	-0.056	-0.083	-0.0	-0.0
0.0	INVSLV Max	0.095	0.126	-0.015	0.0	0.0
-0.0	Min	-0.096	-0.124	-0.030	-0.0	-0.0
0.0	INVSLE Max	0.027	0.040	0.000	0.0	0.0
-0.0	Min	-0.028	-0.038	-0.061	-0.0	-0.0
791 0.0	C1-C2;~1 Max	0.003	0.004	0.020	0.0	0.0
-0.0	Min	-0.003	-0.004	-0.035	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.004	0.020	0.0	0.0
-0.0	Min	-0.003	-0.004	-0.036	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.002	0.010	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.019	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.010	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.020	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.042	0.035	0.004	-0.0	-0.0	
0.0	SLVy (RS)	0.082	0.115	0.005	-0.0	-0.0	
-0.0	SLDx (RS)	-0.029	0.024	0.003	-0.0	-0.0	
0.0	SLDy (RS)	0.047	0.066	0.003	-0.0	-0.0	
0.0	SLVz (RS)	-0.000	0.000	0.003	-0.0	-0.0	
-0.0	G1	-0.000	0.000	-0.017	0.0	0.0	
-0.0	G2	-0.000	0.000	-0.006	0.0	0.0	
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q3	0.007	0.010	0.001	0.0	-0.0	
-0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0	
-0.0	q4-2	-0.001	-0.001	-0.000	-0.0	0.0	
0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0	
-0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0	
0.0	q4-5	0.001	0.001	0.000	-0.0	-0.0	
0.0	q4-6	0.001	0.001	0.000	-0.0	-0.0	
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0	
0.0	q5 - p~1	0.013	-0.005	-0.000	0.0	0.0	
0.0	q5 - p~2	0.024	0.034	0.004	-0.0	-0.0	
0.0	q5 - p~3	0.012	-0.005	-0.000	0.0	0.0	
0.0	q5 - p~4	0.023	0.032	0.004	-0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.005	0.005	0.001	0.0	0.0	
0.0	T	-0.005	-0.007	0.000	-0.0	0.0	
0.0	M. tor~1	0.013	0.020	0.001	0.0	-0.0	
0.0	M. tor~2	0.008	0.012	0.000	0.0	-0.0	
0.0	INVSLU Max	0.039	0.058	0.001	0.0	0.0	
-0.0	Min	-0.041	-0.056	-0.083	-0.0	-0.0	
0.0	INVSLV Max	0.094	0.126	-0.015	0.0	0.0	
-0.0	Min	-0.095	-0.125	-0.030	-0.0	-0.0	
	INVSLE Max	0.027	0.040	0.000	0.0	0.0	


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.028	-0.038	-0.061	-0.0	-0.0
-0.0							
792	C1-C2;~1	Max	0.003	0.004	0.020	0.0	0.0
0.0		Min	-0.003	-0.004	-0.035	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.004	0.020	0.0	0.0
0.0		Min	-0.003	-0.004	-0.036	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.010	0.0	0.0
0.0		Min	-0.002	-0.002	-0.019	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.002	0.010	0.0	0.0
0.0		Min	-0.002	-0.002	-0.020	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.042	0.034	0.004	-0.0	-0.0
-0.0	SLVy (RS)		0.081	0.116	0.005	-0.0	-0.0
0.0	SLDx (RS)		-0.029	0.024	0.003	-0.0	-0.0
-0.0	SLDy (RS)		0.047	0.067	0.003	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.003	-0.0	-0.0
0.0	G1		-0.000	0.001	-0.017	0.0	0.0
-0.0	G2		-0.000	0.000	-0.006	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.007	0.010	0.001	0.0	-0.0
0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-6		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.013	-0.005	-0.000	0.0	0.0
0.0	q5 - p~2		0.024	0.034	0.004	-0.0	-0.0
0.0	q5 - p~3		0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4		0.022	0.032	0.004	-0.0	-0.0
0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.005	0.005	0.001	0.0	0.0
0.0	T		-0.005	-0.007	0.000	-0.0	0.0
0.0	M. tor~1		0.013	0.020	0.001	0.0	-0.0
0.0	M. tor~2		0.008	0.012	0.000	0.0	-0.0
0.0	INVS LU Max		0.039	0.058	0.001	0.0	0.0
-0.0	Min		-0.040	-0.056	-0.083	-0.0	-0.0
0.0	INVS LV Max		0.093	0.127	-0.015	0.0	0.0
-0.0	Min		-0.094	-0.125	-0.030	-0.0	-0.0
0.0	INVS LE Max		0.026	0.040	0.000	0.0	0.0
-0.0	Min		-0.027	-0.038	-0.061	-0.0	-0.0
0.0	793 C1-C2;~1 Max		0.003	0.004	0.020	0.0	0.0
-0.0	Min		-0.003	-0.004	-0.035	-0.0	-0.0
0.0	C3-C4;~1 Max		0.003	0.004	0.020	0.0	0.0
-0.0	Min		-0.003	-0.004	-0.036	-0.0	-0.0
0.0	C1-C2;~2 Max		0.001	0.002	0.010	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.019	-0.0	-0.0
0.0	C3-C4;~2 Max		0.002	0.002	0.010	0.0	0.0
-0.0	Min		-0.002	-0.002	-0.019	-0.0	-0.0
-0.0	SLVx (RS)		-0.041	0.034	0.004	-0.0	-0.0
0.0	SLVy (RS)		0.080	0.116	0.005	-0.0	-0.0
-0.0	SLDx (RS)		-0.029	0.024	0.003	-0.0	-0.0
0.0	SLDy (RS)		0.046	0.067	0.003	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.000	0.003	-0.0	-0.0
-0.0	G1		-0.000	0.001	-0.016	0.0	0.0
-0.0	G2		-0.000	0.000	-0.006	0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.007	0.010	0.001	0.0	-0.0
-0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2	-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	-0.0	-0.0
0.0	q4-6	0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~2	0.024	0.034	0.004	-0.0	-0.0
0.0	q5 - p~3	0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4	0.022	0.032	0.004	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.005	0.005	0.001	0.0	0.0
0.0	T	-0.004	-0.007	0.000	-0.0	0.0
0.0	M. tor~1	0.013	0.021	0.001	0.0	-0.0
0.0	M. tor~2	0.008	0.012	0.000	0.0	-0.0
0.0	INVSLU Max	0.038	0.058	0.001	0.0	0.0
-0.0	Min	-0.039	-0.055	-0.082	-0.0	-0.0
0.0	INVSLV Max	0.092	0.127	-0.015	0.0	0.0
-0.0	Min	-0.093	-0.126	-0.030	-0.0	-0.0
0.0	INVSLE Max	0.026	0.040	0.001	0.0	0.0
-0.0	Min	-0.027	-0.038	-0.061	-0.0	-0.0
794 0.0	C1-C2;~1 Max	0.003	0.004	0.020	0.0	0.0
-0.0	Min	-0.003	-0.004	-0.035	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.004	0.020	0.0	0.0
-0.0	Min	-0.003	-0.004	-0.035	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.010	0.0	0.0
	Min	-0.002	-0.002	-0.019	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.002	0.002	0.010	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.019	-0.0	-0.0
-0.0	SLVx	(RS)	-0.041	0.034	0.004	-0.0	-0.0
0.0	SLVy	(RS)	0.079	0.117	0.005	-0.0	-0.0
-0.0	SLDx	(RS)	-0.028	0.023	0.003	-0.0	-0.0
0.0	SLDy	(RS)	0.046	0.067	0.003	-0.0	-0.0
0.0	SLVz	(RS)	-0.000	-0.000	0.003	-0.0	-0.0
-0.0	G1		-0.000	0.001	-0.016	0.0	0.0
-0.0	G2		-0.000	0.000	-0.006	0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.007	0.010	0.001	-0.0	-0.0
-0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-6		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~2		0.023	0.034	0.004	-0.0	-0.0
0.0	q5 - p~3		0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4		0.022	0.033	0.004	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.005	0.005	0.001	0.0	0.0
0.0	T		-0.004	-0.007	0.000	-0.0	0.0
0.0	M. tor~1		0.013	0.021	0.001	0.0	-0.0
0.0	M. tor~2		0.007	0.012	0.000	0.0	-0.0
0.0	INVS LU	Max	0.038	0.058	0.002	0.0	0.0
-0.0		Min	-0.039	-0.055	-0.081	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.091	0.128	-0.014	0.0	0.0
-0.0		Min	-0.092	-0.126	-0.030	-0.0	-0.0
0.0	INVS LE	Max	0.026	0.040	0.001	0.0	0.0
-0.0		Min	-0.027	-0.038	-0.060	-0.0	-0.0
795 0.0	C1-C2;~1	Max	0.003	0.004	0.020	0.0	0.0
-0.0		Min	-0.003	-0.004	-0.034	-0.0	-0.0
0.0	C3-C4;~1	Max	0.003	0.004	0.020	0.0	0.0
-0.0		Min	-0.003	-0.004	-0.035	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.010	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.010	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.019	-0.0	-0.0
-0.0	SLVx (RS)		-0.041	0.034	0.004	-0.0	-0.0
0.0	SLVy (RS)		0.079	0.117	0.006	-0.0	-0.0
-0.0	SLDx (RS)		-0.028	0.023	0.003	-0.0	-0.0
0.0	SLDy (RS)		0.045	0.067	0.003	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.000	0.003	-0.0	-0.0
-0.0	G1		-0.000	0.001	-0.016	0.0	0.0
-0.0	G2		-0.000	0.000	-0.006	0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.007	0.010	0.001	-0.0	-0.0
-0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-6		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.012	-0.005	-0.000	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	0.023	0.035	0.004	-0.0	-0.0
0.0	q5 - p~3	0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4	0.022	0.033	0.004	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.005	0.005	0.001	0.0	0.0
0.0	T	-0.004	-0.006	0.000	-0.0	0.0
0.0	M. tor~1	0.013	0.021	0.001	0.0	-0.0
0.0	M. tor~2	0.007	0.012	0.000	0.0	-0.0
0.0	INVS LU Max	0.038	0.058	0.002	0.0	0.0
-0.0	Min	-0.038	-0.055	-0.080	-0.0	-0.0
0.0	INVS LV Max	0.091	0.128	-0.014	0.0	0.0
-0.0	Min	-0.091	-0.127	-0.029	-0.0	-0.0
0.0	INVS LE Max	0.026	0.040	0.001	0.0	0.0
-0.0	Min	-0.026	-0.038	-0.059	-0.0	-0.0
0.0	796 C1-C2;~1 Max	0.003	0.004	0.019	0.0	0.0
-0.0	Min	-0.003	-0.004	-0.033	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.004	0.020	0.0	0.0
-0.0	Min	-0.003	-0.004	-0.034	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.010	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.010	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.018	-0.0	-0.0
-0.0	SLVx (RS)	-0.040	0.034	0.004	-0.0	-0.0
0.0	SLVy (RS)	0.078	0.118	0.006	-0.0	-0.0
-0.0	SLDx (RS)	-0.028	0.023	0.003	-0.0	-0.0
0.0	SLDy (RS)	0.045	0.068	0.003	-0.0	-0.0
0.0	SLVz (RS)	-0.000	-0.000	0.003	-0.0	-0.0
-0.0	G1	-0.000	0.001	-0.015	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	G2	-0.000	0.000	-0.006	0.0	0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.007	0.010	0.001	-0.0	-0.0
-0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.001	-0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	-0.0	-0.0
0.0	q4-6	0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~2	0.023	0.035	0.004	-0.0	-0.0
0.0	q5 - p~3	0.011	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4	0.022	0.033	0.004	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.005	0.005	0.001	0.0	0.0
0.0	T	-0.004	-0.006	0.000	-0.0	0.0
0.0	M. tor~1	0.012	0.021	0.001	0.0	-0.0
0.0	M. tor~2	0.007	0.012	0.000	0.0	-0.0
0.0	INVS LU Max	0.037	0.058	0.003	0.0	0.0
-0.0	Min	-0.038	-0.055	-0.078	-0.0	-0.0
0.0	INVS LV Max	0.090	0.129	-0.013	0.0	0.0
-0.0	Min	-0.090	-0.127	-0.028	-0.0	-0.0
0.0	INVS LE Max	0.025	0.040	0.002	0.0	0.0
-0.0	Min	-0.026	-0.037	-0.058	-0.0	-0.0
0.0	797 C1-C2;~1 Max	0.003	0.004	0.019	0.0	0.0
-0.0	Min	-0.003	-0.003	-0.032	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.004	0.020	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.003	-0.004	-0.033	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.010	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.017	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.002	0.010	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.018	-0.0	-0.0
-0.0	SLVx (RS)	-0.040	0.033	0.004	-0.0	-0.0
0.0	SLVy (RS)	0.077	0.119	0.006	-0.0	-0.0
-0.0	SLDx (RS)	-0.028	0.023	0.003	-0.0	-0.0
0.0	SLDy (RS)	0.045	0.068	0.003	-0.0	-0.0
0.0	SLVz (RS)	-0.000	-0.000	0.003	-0.0	0.0
-0.0	G1	-0.000	0.001	-0.015	0.0	-0.0
-0.0	G2	-0.000	0.000	-0.005	0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.007	0.010	0.001	-0.0	-0.0
-0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.001	-0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	-0.0	-0.0
0.0	q4-6	0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~2	0.023	0.035	0.004	-0.0	-0.0
0.0	q5 - p~3	0.011	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4	0.022	0.033	0.004	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.005	0.005	0.001	0.0	0.0
0.0	T	-0.003	-0.006	0.000	-0.0	0.0
0.0	M. tor~1	0.012	0.021	0.001	-0.0	-0.0
0.0	M. tor~2	0.007	0.012	0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0	INVS LU	Max	0.037	0.058	0.004	0.0	0.0
-0.0		Min	-0.037	-0.055	-0.076	0.0	-0.0
0.0	INVS LV	Max	0.089	0.130	-0.013	0.0	0.0
-0.0		Min	-0.089	-0.128	-0.028	-0.0	-0.0
0.0	INVS LE	Max	0.025	0.040	0.002	0.0	0.0
-0.0		Min	-0.025	-0.037	-0.056	0.0	-0.0
798 0.0	C1-C2;~1	Max	0.003	0.004	0.019	0.0	0.0
-0.0		Min	-0.003	-0.003	-0.031	-0.0	-0.0
0.0	C3-C4;~1	Max	0.003	0.004	0.019	0.0	0.0
-0.0		Min	-0.003	-0.004	-0.032	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.010	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.017	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.010	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.017	-0.0	-0.0
-0.0	SLVx (RS)		-0.039	0.033	0.004	-0.0	-0.0
0.0	SLVy (RS)		0.076	0.119	0.005	-0.0	-0.0
-0.0	SLDx (RS)		-0.027	0.023	0.003	-0.0	-0.0
0.0	SLDy (RS)		0.044	0.068	0.003	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.000	0.003	-0.0	0.0
-0.0	G1		-0.000	0.001	-0.014	0.0	-0.0
-0.0	G2		-0.000	0.000	-0.005	0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.007	0.010	0.001	-0.0	-0.0
-0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	-0.0	-0.0
0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.001	-0.000	0.000	0.0	0.0
0.0	q4-5		0.001	0.001	0.000	-0.0	-0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~2		0.023	0.035	0.004	-0.0	-0.0
0.0	q5 - p~3		0.011	-0.005	-0.000	0.0	0.0
0.0	q5 - p~4		0.021	0.033	0.004	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.005	0.005	0.001	0.0	0.0
0.0	T		-0.003	-0.006	0.000	-0.0	0.0
0.0	M. tor~1		0.012	0.021	0.001	-0.0	-0.0
0.0	M. tor~2		0.007	0.012	0.000	-0.0	-0.0
0.0	INVS LU	Max	0.037	0.058	0.004	0.0	0.0
-0.0		Min	-0.037	-0.055	-0.073	0.0	-0.0
0.0	INVS LV	Max	0.088	0.130	-0.012	0.0	0.0
-0.0		Min	-0.088	-0.128	-0.027	-0.0	-0.0
0.0	INVS LE	Max	0.025	0.040	0.003	0.0	0.0
-0.0		Min	-0.025	-0.037	-0.054	0.0	-0.0
799	C1-C2;~1	Max	0.003	0.004	0.018	0.0	0.0
0.0		Min	-0.003	-0.003	-0.030	-0.0	-0.0
0.0	C3-C4;~1	Max	0.003	0.004	0.019	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.031	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.009	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.016	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.002	0.010	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.017	-0.0	-0.0
-0.0	SLVx (RS)		-0.039	0.033	0.003	-0.0	-0.0
0.0	SLVy (RS)		0.075	0.120	0.005	-0.0	-0.0
-0.0	SLDx (RS)		-0.027	0.023	0.003	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.044	0.069	0.003	-0.0	-0.0	
0.0	SLVz (RS)	-0.000	-0.000	0.003	-0.0	0.0	
0.0	G1	-0.000	0.001	-0.013	0.0	-0.0	
-0.0	G2	-0.000	0.000	-0.005	0.0	-0.0	
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q3	0.007	0.010	0.001	-0.0	-0.0	
0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0	
-0.0	q4-2	-0.001	-0.001	-0.000	-0.0	-0.0	
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0	
0.0	q4-4	0.001	-0.000	0.000	0.0	0.0	
-0.0	q4-5	0.001	0.001	0.000	-0.0	-0.0	
0.0	q4-6	0.001	0.001	0.000	-0.0	-0.0	
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0	
0.0	q5 - p~1	0.012	-0.005	-0.000	0.0	0.0	
0.0	q5 - p~2	0.022	0.035	0.004	-0.0	-0.0	
0.0	q5 - p~3	0.011	-0.005	-0.000	0.0	0.0	
0.0	q5 - p~4	0.021	0.033	0.004	-0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.004	0.005	0.001	0.0	0.0	
0.0	T	-0.003	-0.005	0.000	-0.0	0.0	
0.0	M. tor~1	0.012	0.021	0.001	-0.0	-0.0	
0.0	M. tor~2	0.007	0.013	0.000	-0.0	-0.0	
0.0	INVS LU Max	0.036	0.058	0.005	0.0	0.0	
-0.0	INVS LU Min	-0.036	-0.055	-0.071	0.0	-0.0	
0.0	INVS LV Max	0.087	0.131	-0.011	0.0	0.0	
-0.0	INVS LV Min	-0.087	-0.128	-0.025	-0.0	-0.0	
0.0	INVS LE Max	0.025	0.040	0.003	0.0	0.0	
-0.0	INVS LE Min	-0.024	-0.037	-0.052	0.0	-0.0	
800	C1-C2;~1 Max	0.002	0.004	0.018	0.0	0.0	


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.003	-0.003	-0.029	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.004	0.018	0.0	0.0
0.0		Min	-0.002	-0.003	-0.030	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.009	0.0	0.0
0.0		Min	-0.001	-0.002	-0.016	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.002	0.009	0.0	0.0
0.0		Min	-0.001	-0.002	-0.016	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	-0.038	0.033	0.003	-0.0	-0.0
-0.0	SLVy	(RS)	0.074	0.120	0.005	-0.0	-0.0
0.0	SLDx	(RS)	-0.027	0.022	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.043	0.069	0.003	-0.0	-0.0
0.0	SLVz	(RS)	-0.000	-0.000	0.002	-0.0	0.0
0.0	G1		-0.000	0.001	-0.013	0.0	-0.0
-0.0	G2		-0.000	0.000	-0.005	0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.007	0.010	0.001	-0.0	-0.0
0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-3		-0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-6		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~2		0.022	0.035	0.004	-0.0	-0.0
0.0	q5 - p~3		0.011	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.021	0.033	0.004	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.004	0.005	0.001	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	-0.003	-0.005	0.000	-0.0	0.0
0.0	M. tor~1	0.012	0.021	0.001	-0.0	-0.0
0.0	M. tor~2	0.007	0.013	0.000	-0.0	-0.0
0.0	INVS LU Max	0.036	0.058	0.006	0.0	0.0
0.0	Min	-0.035	-0.054	-0.067	0.0	-0.0
-0.0	INVS LV Max	0.086	0.131	-0.010	0.0	0.0
0.0	Min	-0.086	-0.129	-0.024	-0.0	-0.0
-0.0	INVS LE Max	0.024	0.039	0.004	0.0	0.0
0.0	Min	-0.024	-0.037	-0.050	0.0	-0.0
-0.0	801 C1-C2;~1 Max	0.002	0.004	0.017	0.0	0.0
0.0	Min	-0.003	-0.003	-0.028	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.003	0.004	0.018	0.0	0.0
0.0	Min	-0.002	-0.003	-0.028	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.002	0.009	0.0	0.0
0.0	Min	-0.001	-0.002	-0.015	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.002	0.009	0.0	0.0
0.0	Min	-0.001	-0.002	-0.015	-0.0	-0.0
-0.0	SLVx (RS)	-0.038	0.032	0.003	-0.0	-0.0
0.0	SLVy (RS)	0.073	0.121	0.005	-0.0	-0.0
0.0	SLDx (RS)	-0.026	0.022	0.002	-0.0	-0.0
-0.0	SLDy (RS)	0.043	0.069	0.003	-0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.002	-0.0	0.0
0.0	G1	0.000	0.001	-0.012	0.0	-0.0
-0.0	G2	0.000	0.000	-0.004	0.0	-0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.007	0.010	0.001	-0.0	-0.0
0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2	-0.001	-0.001	-0.000	0.0	-0.0
-0.0						


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-3	-0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.001	-0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	-0.0	-0.0
0.0	q4-6	0.001	0.002	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.012	-0.005	-0.000	0.0	0.0
0.0	q5 - p~2	0.022	0.035	0.004	-0.0	-0.0
0.0	q5 - p~3	0.011	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.021	0.033	0.004	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.004	0.005	0.001	0.0	0.0
0.0	T	-0.003	-0.005	0.000	-0.0	0.0
0.0	M. tor~1	0.012	0.021	0.001	-0.0	-0.0
0.0	M. tor~2	0.007	0.013	0.000	-0.0	-0.0
0.0	INVSLU Max	0.035	0.058	0.006	0.0	0.0
-0.0	Min	-0.035	-0.054	-0.064	0.0	-0.0
0.0	INVSLV Max	0.085	0.132	-0.009	0.0	0.0
-0.0	Min	-0.085	-0.129	-0.023	0.0	-0.0
0.0	INVSLE Max	0.024	0.039	0.004	0.0	0.0
-0.0	Min	-0.024	-0.037	-0.047	0.0	-0.0
802 0.0	C1-C2;~1 Max	0.002	0.004	0.017	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.026	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.004	0.017	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.027	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.009	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.014	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.009	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.014	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.038	0.032	0.003	-0.0	-0.0
0.0	SLVy (RS)	0.073	0.121	0.005	-0.0	-0.0
-0.0	SLDx (RS)	-0.026	0.022	0.002	-0.0	-0.0
0.0	SLDy (RS)	0.042	0.070	0.003	-0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.002	-0.0	0.0
-0.0	G1	0.000	0.001	-0.011	0.0	-0.0
-0.0	G2	0.000	0.000	-0.004	0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.006	0.010	0.001	-0.0	-0.0
-0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2	-0.001	-0.001	-0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.001	-0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	-0.0	0.0
0.0	q4-6	0.001	0.002	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.011	-0.005	-0.000	0.0	0.0
0.0	q5 - p~2	0.022	0.035	0.004	-0.0	-0.0
0.0	q5 - p~3	0.011	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.021	0.034	0.004	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.004	0.005	0.001	-0.0	0.0
0.0	T	-0.002	-0.004	0.000	-0.0	0.0
0.0	M. tor~1	0.012	0.022	0.001	-0.0	-0.0
0.0	M. tor~2	0.007	0.013	0.000	-0.0	-0.0
0.0	INVSLU Max	0.035	0.058	0.007	0.0	0.0
-0.0	Min	-0.034	-0.054	-0.060	0.0	-0.0
0.0	INVSLV Max	0.084	0.132	-0.008	0.0	0.0
-0.0	Min	-0.084	-0.130	-0.021	0.0	-0.0
	INVSLE Max	0.024	0.039	0.005	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.023	-0.037	-0.044	0.0	-0.0
-0.0							
803	C1-C2;~1	Max	0.002	0.004	0.016	0.0	0.0
0.0		Min	-0.002	-0.003	-0.025	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.004	0.016	0.0	0.0
0.0		Min	-0.002	-0.003	-0.025	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.008	0.0	0.0
0.0		Min	-0.001	-0.002	-0.013	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.008	0.0	0.0
0.0		Min	-0.001	-0.002	-0.014	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.037	0.032	0.003	-0.0	-0.0
-0.0	SLVy (RS)		0.072	0.122	0.005	-0.0	-0.0
0.0	SLDx (RS)		-0.026	0.022	0.002	-0.0	-0.0
-0.0	SLDy (RS)		0.041	0.070	0.003	-0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.002	-0.0	0.0
0.0	G1		0.000	0.001	-0.010	0.0	-0.0
-0.0	G2		0.000	0.000	-0.004	0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.006	0.010	0.001	-0.0	-0.0
0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-3		-0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	0.000	-0.0	0.0
0.0	q4-6		0.001	0.002	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.011	-0.005	-0.000	0.0	0.0
0.0	q5 - p~2		0.022	0.035	0.004	-0.0	-0.0
0.0	q5 - p~3		0.011	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.020	0.034	0.004	-0.0	-0.0
0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.004	0.005	0.001	-0.0	0.0
0.0	T		-0.002	-0.004	0.000	-0.0	0.0
0.0	M. tor~1		0.011	0.022	0.001	-0.0	-0.0
0.0	M. tor~2		0.007	0.013	0.000	-0.0	-0.0
0.0	INVS LU	Max	0.034	0.058	0.008	0.0	0.0
-0.0		Min	-0.034	-0.054	-0.056	0.0	-0.0
0.0	INVS LV	Max	0.083	0.133	-0.007	0.0	0.0
-0.0		Min	-0.083	-0.130	-0.020	0.0	-0.0
0.0	INVS LE	Max	0.023	0.039	0.005	0.0	0.0
-0.0		Min	-0.023	-0.037	-0.041	0.0	-0.0
0.0	804 C1-C2;~1	Max	0.002	0.004	0.015	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.023	-0.0	-0.0
0.0	C3-C4;~1	Max	0.003	0.004	0.016	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.024	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.012	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.013	-0.0	-0.0
-0.0	SLVx (RS)		-0.037	0.032	0.002	-0.0	-0.0
0.0	SLVy (RS)		0.071	0.122	0.005	-0.0	-0.0
-0.0	SLDx (RS)		-0.025	0.022	0.002	-0.0	-0.0
0.0	SLDy (RS)		0.041	0.070	0.003	-0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.002	-0.0	0.0
-0.0	G1		0.000	0.001	-0.009	0.0	-0.0
-0.0	G2		0.000	0.000	-0.003	0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :


	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q3		0.006	0.010	0.001	-0.0	0.0
-0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.001	-0.000	0.000	0.0	0.0
0.0	q4-5		0.001	0.001	0.000	-0.0	0.0
0.0	q4-6		0.001	0.002	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.011	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		0.021	0.036	0.004	-0.0	-0.0
0.0	q5 - p~3		0.010	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.020	0.034	0.004	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.004	0.005	0.001	-0.0	0.0
0.0	T		-0.002	-0.004	0.000	-0.0	0.0
0.0	M. tor~1		0.011	0.022	0.001	-0.0	-0.0
0.0	M. tor~2		0.007	0.013	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.034	0.058	0.008	0.0	0.0
-0.0		Min	-0.033	-0.054	-0.052	0.0	-0.0
0.0	INVSLV	Max	0.082	0.133	-0.006	0.0	0.0
-0.0		Min	-0.082	-0.131	-0.018	0.0	-0.0
0.0	INVSLE	Max	0.023	0.039	0.006	0.0	0.0
-0.0		Min	-0.022	-0.037	-0.038	0.0	-0.0
805	C1-C2;~1	Max	0.002	0.004	0.014	0.0	0.0
0.0		Min	-0.002	-0.003	-0.021	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.004	0.015	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.022	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.007	0.0	0.0
0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.012	-0.0	-0.0
-0.0	SLVx	(RS)	-0.036	0.032	0.002	-0.0	-0.0
0.0	SLVy	(RS)	0.070	0.123	0.005	-0.0	-0.0
-0.0	SLDx	(RS)	-0.025	0.022	0.002	-0.0	-0.0
0.0	SLDy	(RS)	0.040	0.070	0.003	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.002	-0.0	0.0
-0.0	G1		0.000	0.001	-0.008	0.0	-0.0
-0.0	G2		0.000	0.000	-0.003	0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.006	0.010	0.001	-0.0	0.0
-0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.001	-0.000	0.000	0.0	0.0
0.0	q4-5		0.001	0.001	0.000	-0.0	0.0
0.0	q4-6		0.001	0.002	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.011	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		0.021	0.036	0.004	-0.0	0.0
0.0	q5 - p~3		0.010	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.020	0.034	0.004	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.004	0.005	0.001	-0.0	0.0
0.0	T		-0.002	-0.003	0.000	-0.0	0.0
0.0	M. tor~1		0.011	0.022	0.001	-0.0	-0.0
0.0	M. tor~2		0.007	0.013	0.000	-0.0	-0.0
0.0	INVS LU	Max	0.033	0.058	0.009	0.0	0.0
-0.0		Min	-0.033	-0.054	-0.047	0.0	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.081	0.133	-0.005	0.0	0.0
-0.0		Min	-0.081	-0.131	-0.017	0.0	-0.0
0.0	INVS LE	Max	0.023	0.039	0.006	0.0	0.0
-0.0		Min	-0.022	-0.037	-0.035	0.0	-0.0
806 0.0	C1-C2;~1	Max	0.002	0.004	0.014	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.019	-0.0	-0.0
0.0	C3-C4;~1	Max	0.003	0.004	0.014	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.020	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.007	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.010	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.007	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
-0.0	SLVx (RS)		-0.036	0.031	0.002	-0.0	-0.0
0.0	SLVy (RS)		0.069	0.123	0.004	-0.0	-0.0
-0.0	SLDx (RS)		-0.025	0.021	0.001	-0.0	-0.0
0.0	SLDy (RS)		0.040	0.071	0.002	-0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	0.0
-0.0	G1		0.000	0.001	-0.007	0.0	-0.0
-0.0	G2		0.000	0.000	-0.003	0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.006	0.011	0.001	-0.0	0.0
-0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.001	-0.000	0.000	0.0	0.0
0.0	q4-5		0.001	0.001	0.000	-0.0	0.0
0.0	q4-6		0.001	0.002	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.011	-0.004	-0.000	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	0.021	0.036	0.004	-0.0	0.0
0.0	q5 - p~3	0.010	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.020	0.034	0.003	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.004	0.005	0.001	-0.0	0.0
0.0	T	-0.002	-0.003	0.000	-0.0	0.0
0.0	M. tor~1	0.011	0.022	0.001	-0.0	-0.0
0.0	M. tor~2	0.006	0.013	0.000	-0.0	-0.0
0.0	INVS LU Max	0.033	0.057	0.009	0.0	0.0
-0.0	Min	-0.032	-0.054	-0.043	-0.0	-0.0
0.0	INVS LV Max	0.080	0.134	-0.004	0.0	0.0
-0.0	Min	-0.080	-0.132	-0.015	0.0	-0.0
0.0	INVS LE Max	0.022	0.039	0.006	0.0	0.0
-0.0	Min	-0.022	-0.036	-0.032	-0.0	-0.0
0.0	807 C1-C2;~1 Max	0.002	0.004	0.013	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.018	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.004	0.013	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.018	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.006	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.009	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.007	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.010	-0.0	-0.0
-0.0	SLVx (RS)	-0.035	0.031	0.002	-0.0	-0.0
0.0	SLVy (RS)	0.068	0.124	0.004	-0.0	-0.0
-0.0	SLDx (RS)	-0.024	0.021	0.001	-0.0	-0.0
0.0	SLDy (RS)	0.039	0.071	0.002	-0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	G1	0.000	0.001	-0.006	0.0	-0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	G2	0.000	0.000	-0.002	0.0	-0.0	
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q3	0.006	0.011	0.001	-0.0	0.0	
-0.0	q4-1	-0.001	-0.001	-0.000	-0.0	-0.0	
-0.0	q4-2	-0.001	-0.001	-0.000	0.0	-0.0	
0.0	q4-3	-0.000	-0.001	-0.000	0.0	0.0	
-0.0	q4-4	0.001	-0.000	0.000	0.0	0.0	
0.0	q4-5	0.001	0.001	0.000	-0.0	0.0	
0.0	q4-6	0.001	0.002	0.000	-0.0	-0.0	
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0	
0.0	q5 - p~1	0.011	-0.004	-0.000	0.0	0.0	
0.0	q5 - p~2	0.021	0.036	0.003	-0.0	0.0	
0.0	q5 - p~3	0.010	-0.004	-0.000	0.0	0.0	
0.0	q5 - p~4	0.019	0.034	0.003	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.004	0.005	0.000	-0.0	0.0	
0.0	T	-0.001	-0.003	0.000	-0.0	0.0	
0.0	M. tor~1	0.011	0.022	0.001	-0.0	-0.0	
0.0	M. tor~2	0.006	0.013	0.000	-0.0	-0.0	
0.0	INVSLU Max	0.032	0.057	0.009	0.0	0.0	
-0.0	Min	-0.032	-0.054	-0.038	-0.0	-0.0	
0.0	INVSLV Max	0.079	0.134	-0.003	0.0	0.0	
-0.0	Min	-0.079	-0.132	-0.013	0.0	-0.0	
0.0	INVSLE Max	0.022	0.039	0.007	0.0	0.0	
-0.0	Min	-0.021	-0.036	-0.028	-0.0	-0.0	
808 0.0	C1-C2;~1 Max	0.002	0.004	0.011	0.0	0.0	
-0.0	Min	-0.002	-0.003	-0.016	-0.0	-0.0	
0.0	C3-C4;~1 Max	0.002	0.004	0.012	0.0	0.0	

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.002	-0.003	-0.016	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.006	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.008	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.006	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.009	-0.0	-0.0
-0.0	SLVx (RS)	-0.035	0.031	0.002	-0.0	-0.0
0.0	SLVy (RS)	0.067	0.124	0.004	-0.0	-0.0
-0.0	SLDx (RS)	-0.024	0.021	0.001	-0.0	-0.0
0.0	SLDy (RS)	0.039	0.071	0.002	-0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	G1	0.000	0.001	-0.005	0.0	-0.0
-0.0	G2	0.000	0.000	-0.002	0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.006	0.011	0.001	-0.0	0.0
-0.0	q4-1	-0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.001	-0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.001	-0.000	0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	-0.0	0.0
0.0	q4-6	0.001	0.002	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.011	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.020	0.036	0.003	-0.0	0.0
0.0	q5 - p~3	0.010	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.019	0.034	0.003	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.004	0.005	0.000	-0.0	0.0
0.0	T	-0.001	-0.003	0.000	-0.0	0.0
0.0	M. tor~1	0.011	0.022	0.001	-0.0	-0.0
0.0	M. tor~2	0.006	0.013	0.000	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.032	0.057	0.009	0.0	0.0
-0.0		Min	-0.031	-0.054	-0.034	-0.0	-0.0
0.0	INVS LV	Max	0.078	0.135	-0.003	0.0	0.0
-0.0		Min	-0.078	-0.133	-0.011	0.0	-0.0
0.0	INVS LE	Max	0.021	0.039	0.007	0.0	0.0
-0.0		Min	-0.021	-0.036	-0.025	-0.0	-0.0
809 0.0	C1-C2;~1	Max	0.002	0.004	0.010	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.014	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.004	0.010	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.014	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.005	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.007	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.005	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.007	-0.0	-0.0
-0.0	SLVx (RS)		-0.034	0.031	0.001	-0.0	-0.0
0.0	SLVy (RS)		0.066	0.125	0.003	-0.0	-0.0
-0.0	SLDx (RS)		-0.024	0.021	0.001	-0.0	-0.0
0.0	SLDy (RS)		0.038	0.072	0.002	-0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	0.0
-0.0	G1		0.000	0.001	-0.004	0.0	-0.0
-0.0	G2		0.000	0.000	-0.001	0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.006	0.011	0.001	-0.0	0.0
-0.0	q4-1		-0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.001	-0.000	0.000	0.0	0.0
0.0	q4-5		0.001	0.001	0.000	-0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.001	0.002	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.010	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		0.020	0.036	0.003	-0.0	0.0
0.0	q5 - p~3		0.010	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.019	0.034	0.003	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.004	0.005	0.000	-0.0	0.0
0.0	T		-0.001	-0.002	0.000	-0.0	0.0
0.0	M. tor~1		0.011	0.022	0.001	-0.0	-0.0
0.0	M. tor~2		0.006	0.013	0.000	-0.0	-0.0
0.0	INVS LU	Max	0.031	0.057	0.009	0.0	0.0
-0.0		Min	-0.030	-0.054	-0.029	-0.0	-0.0
0.0	INVS LV	Max	0.077	0.135	-0.002	0.0	0.0
-0.0		Min	-0.077	-0.133	-0.010	-0.0	-0.0
0.0	INVS LE	Max	0.021	0.039	0.006	0.0	0.0
-0.0		Min	-0.021	-0.036	-0.021	-0.0	-0.0
810 0.0	C1-C2;~1	Max	0.002	0.004	0.009	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.012	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.004	0.009	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.012	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.005	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.006	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.005	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.006	-0.0	-0.0
-0.0	SLVx (RS)		-0.034	0.031	0.001	-0.0	-0.0
0.0	SLVy (RS)		0.065	0.125	0.003	-0.0	-0.0
-0.0	SLDx (RS)		-0.024	0.021	0.001	-0.0	-0.0

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.038	0.072	0.002	-0.0	-0.0	
0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0	
0.0	G1	0.000	0.001	-0.003	0.0	-0.0	
-0.0	G2	0.000	0.000	-0.001	0.0	-0.0	
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q3	0.006	0.011	0.001	-0.0	0.0	
0.0	q4-1	-0.001	-0.001	-0.000	0.0	-0.0	
-0.0	q4-2	-0.001	-0.001	-0.000	0.0	-0.0	
-0.0	q4-3	-0.000	-0.001	-0.000	0.0	0.0	
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0	
-0.0	q4-5	0.001	0.001	0.000	-0.0	0.0	
-0.0	q4-6	0.001	0.002	0.000	-0.0	-0.0	
0.0	q4-7	0.001	0.001	0.000	-0.0	-0.0	
0.0	q5 - p~1	0.010	-0.004	-0.000	0.0	0.0	
0.0	q5 - p~2	0.020	0.036	0.002	-0.0	0.0	
0.0	q5 - p~3	0.010	-0.004	-0.000	0.0	0.0	
0.0	q5 - p~4	0.019	0.034	0.002	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.003	0.006	0.000	-0.0	0.0	
0.0	T	-0.001	-0.002	0.000	-0.0	0.0	
0.0	M. tor~1	0.010	0.022	0.000	-0.0	0.0	
0.0	M. tor~2	0.006	0.013	0.000	-0.0	0.0	
0.0	INVSLU Max	0.031	0.057	0.008	0.0	0.0	
0.0	Min	-0.030	-0.054	-0.024	-0.0	-0.0	
-0.0	INVSLV Max	0.076	0.135	-0.001	0.0	0.0	
0.0	Min	-0.076	-0.133	-0.008	-0.0	-0.0	
-0.0	INVSLE Max	0.021	0.038	0.006	0.0	0.0	
0.0	Min	-0.020	-0.036	-0.018	-0.0	-0.0	
-0.0	811 C1-C2;~1 Max	0.002	0.004	0.008	0.0	0.0	

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.002	-0.003	-0.010	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.004	0.008	0.0	0.0
0.0		Min	-0.002	-0.003	-0.010	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.004	0.0	0.0
0.0		Min	-0.001	-0.002	-0.005	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.004	0.0	0.0
0.0		Min	-0.001	-0.002	-0.005	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.033	0.030	0.001	-0.0	-0.0
-0.0	SLVy (RS)		0.064	0.125	0.003	-0.0	-0.0
0.0	SLDx (RS)		-0.023	0.021	0.001	-0.0	-0.0
-0.0	SLDy (RS)		0.037	0.072	0.001	-0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.000	-0.0	0.0
0.0	G1		0.000	0.001	-0.003	0.0	-0.0
0.0	G2		0.000	0.000	-0.001	0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.005	0.011	0.001	-0.0	0.0
0.0	q4-1		-0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-3		-0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	0.000	-0.0	0.0
-0.0	q4-6		0.001	0.002	0.000	-0.0	-0.0
0.0	q4-7		0.000	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.010	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		0.019	0.036	0.002	-0.0	0.0
0.0	q5 - p~3		0.010	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.018	0.035	0.002	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.003	0.006	0.000	-0.0	0.0
0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	T		-0.001	-0.002	0.000	-0.0	0.0
0.0	M. tor~1		0.010	0.022	0.000	-0.0	0.0
0.0	M. tor~2		0.006	0.013	0.000	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.030	0.057	0.008	0.0	0.0
0.0		Min	-0.029	-0.054	-0.020	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.075	0.135	-0.001	0.0	0.0
0.0		Min	-0.074	-0.134	-0.006	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	0.020	0.038	0.006	0.0	0.0
0.0		Min	-0.020	-0.036	-0.015	-0.0	-0.0
-0.0							
812	C1-C2;~1	Max	0.002	0.004	0.006	0.0	0.0
0.0		Min	-0.002	-0.003	-0.008	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.004	0.006	0.0	0.0
0.0		Min	-0.002	-0.003	-0.008	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.003	0.0	0.0
0.0		Min	-0.001	-0.002	-0.004	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.003	0.0	0.0
0.0		Min	-0.001	-0.002	-0.004	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.033	0.030	0.001	-0.0	-0.0
-0.0							
0.0	SLVy (RS)		0.063	0.126	0.002	-0.0	-0.0
0.0							
-0.0	SLDx (RS)		-0.023	0.021	0.001	-0.0	-0.0
-0.0							
0.0	SLDy (RS)		0.037	0.072	0.001	-0.0	-0.0
0.0							
0.0	SLVz (RS)		-0.001	0.000	0.000	-0.0	0.0
0.0							
0.0	G1		0.000	0.000	-0.002	0.0	-0.0
0.0							
0.0	G2		0.000	0.000	-0.001	0.0	-0.0
0.0							
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0							
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0							
0.0	q3		0.005	0.011	0.001	-0.0	0.0
0.0							
-0.0	q4-1		-0.001	-0.001	-0.000	0.0	-0.0
-0.0							
-0.0	q4-2		-0.001	-0.001	-0.000	0.0	-0.0
-0.0							

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-3	-0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	0.000	-0.0	0.0
0.0	q4-6	0.001	0.002	0.000	-0.0	-0.0
0.0	q4-7	0.000	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.010	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.019	0.037	0.002	-0.0	0.0
0.0	q5 - p~3	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.018	0.035	0.002	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.003	0.006	0.000	-0.0	0.0
0.0	T	-0.001	-0.001	0.000	-0.0	0.0
0.0	M. tor~1	0.010	0.022	0.000	-0.0	0.0
0.0	M. tor~2	0.006	0.013	0.000	-0.0	0.0
0.0	INVSLU Max	0.029	0.056	0.007	0.0	0.0
-0.0	Min	-0.029	-0.054	-0.016	-0.0	-0.0
0.0	INVSLV Max	0.074	0.136	-0.000	0.0	0.0
-0.0	Min	-0.073	-0.134	-0.005	-0.0	-0.0
0.0	INVSLE Max	0.020	0.038	0.005	0.0	0.0
-0.0	Min	-0.020	-0.037	-0.011	-0.0	-0.0
813 0.0	C1-C2;~1 Max	0.002	0.004	0.005	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.006	-0.0	-0.0
0.0	C3-C4;~1 Max	0.002	0.004	0.005	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.006	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.002	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.003	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.003	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.003	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.033	0.030	0.001	-0.0	-0.0	
0.0	SLVy (RS)	0.063	0.126	0.002	-0.0	-0.0	
-0.0	SLDx (RS)	-0.023	0.021	0.000	-0.0	-0.0	
0.0	SLDy (RS)	0.036	0.072	0.001	-0.0	-0.0	
0.0	SLVz (RS)	-0.001	0.000	0.000	-0.0	0.0	
0.0	G1	0.000	0.000	-0.001	0.0	-0.0	
0.0	G2	0.000	0.000	-0.000	0.0	-0.0	
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q3	0.005	0.011	0.000	-0.0	0.0	
-0.0	q4-1	-0.001	-0.001	-0.000	0.0	-0.0	
-0.0	q4-2	-0.001	-0.001	-0.000	0.0	-0.0	
0.0	q4-3	-0.000	-0.001	-0.000	0.0	0.0	
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0	
-0.0	q4-5	0.001	0.001	0.000	-0.0	0.0	
0.0	q4-6	0.001	0.002	0.000	-0.0	-0.0	
0.0	q4-7	0.000	0.001	0.000	-0.0	-0.0	
0.0	q5 - p~1	0.010	-0.004	-0.000	0.0	0.0	
0.0	q5 - p~2	0.019	0.037	0.001	-0.0	0.0	
0.0	q5 - p~3	0.009	-0.004	-0.000	0.0	0.0	
0.0	q5 - p~4	0.018	0.035	0.001	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.003	0.006	0.000	-0.0	0.0	
0.0	T	-0.000	-0.001	0.000	-0.0	0.0	
0.0	M. tor~1	0.010	0.022	0.000	-0.0	0.0	
0.0	M. tor~2	0.006	0.013	0.000	-0.0	0.0	
0.0	INVSLU Max	0.029	0.056	0.005	0.0	0.0	
-0.0	Min	-0.029	-0.054	-0.011	-0.0	-0.0	
0.0	INVSLV Max	0.073	0.136	-0.000	0.0	0.0	
-0.0	Min	-0.072	-0.135	-0.004	-0.0	-0.0	
	INVSLE Max	0.019	0.038	0.004	0.0	0.0	


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.019	-0.037	-0.008	-0.0	-0.0
-0.0							
814	C1-C2;~1	Max	0.002	0.004	0.003	0.0	0.0
0.0		Min	-0.002	-0.003	-0.004	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.004	0.003	0.0	0.0
0.0		Min	-0.002	-0.004	-0.004	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.002	0.0	0.0
0.0		Min	-0.001	-0.002	-0.002	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.002	0.0	0.0
0.0		Min	-0.001	-0.002	-0.002	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.032	0.030	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.062	0.127	0.001	-0.0	-0.0
0.0	SLDx (RS)		-0.022	0.020	0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.036	0.073	0.001	-0.0	-0.0
0.0	SLVz (RS)		-0.001	0.000	0.000	-0.0	0.0
0.0	G1		-0.000	0.000	-0.001	0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.005	0.011	0.000	-0.0	0.0
0.0	q4-1		-0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-3		-0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.001	0.001	0.000	-0.0	0.0
-0.0	q4-6		0.000	0.002	0.000	-0.0	-0.0
0.0	q4-7		0.000	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.010	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		0.019	0.037	0.001	-0.0	0.0
0.0	q5 - p~3		0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.018	0.035	0.001	-0.0	0.0
0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.003	0.006	0.000	-0.0	0.0
0.0	T		-0.000	-0.001	0.000	-0.0	0.0
0.0	M. tor~1		0.010	0.022	0.000	-0.0	0.0
0.0	M. tor~2		0.006	0.013	0.000	-0.0	0.0
0.0	INVS LU	Max	0.028	0.056	0.003	0.0	0.0
-0.0		Min	-0.028	-0.055	-0.008	-0.0	-0.0
0.0	INVS LV	Max	0.071	0.136	-0.000	0.0	0.0
-0.0		Min	-0.071	-0.135	-0.003	-0.0	-0.0
0.0	INVS LE	Max	0.019	0.037	0.002	0.0	0.0
-0.0		Min	-0.019	-0.037	-0.006	-0.0	-0.0
0.0	815 C1-C2;~1	Max	0.002	0.004	0.001	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.002	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.004	0.001	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.002	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.001	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.001	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.001	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.001	-0.0	-0.0
-0.0	SLVx (RS)		-0.032	0.030	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.061	0.127	0.001	-0.0	-0.0
-0.0	SLDx (RS)		-0.022	0.020	0.000	-0.0	-0.0
0.0	SLDy (RS)		0.035	0.073	0.000	-0.0	-0.0
-0.0	SLVz (RS)		-0.001	0.000	0.000	-0.0	0.0
0.0	G1		-0.000	0.000	-0.001	0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.005	0.011	0.000	-0.0	0.0
-0.0	q4-1	-0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.001	-0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	0.000	-0.0	0.0
0.0	q4-6	0.000	0.002	0.000	-0.0	-0.0
0.0	q4-7	0.000	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.010	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.018	0.037	0.000	-0.0	0.0
0.0	q5 - p~3	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.017	0.035	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.003	0.006	0.000	-0.0	0.0
0.0	T	-0.000	-0.000	0.000	-0.0	0.0
0.0	M. tor~1	0.010	0.022	0.000	-0.0	0.0
0.0	M. tor~2	0.006	0.013	0.000	-0.0	0.0
0.0	INVSLU Max	0.027	0.055	0.001	0.0	0.0
-0.0	Min	-0.028	-0.055	-0.004	-0.0	-0.0
0.0	INVSLV Max	0.070	0.136	-0.000	0.0	0.0
-0.0	Min	-0.070	-0.136	-0.002	-0.0	-0.0
0.0	INVSLE Max	0.018	0.037	0.001	0.0	0.0
-0.0	Min	-0.019	-0.037	-0.003	-0.0	-0.0
817 0.0	C1-C2;~1 Max	0.002	0.004	0.002	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.002	-0.0	-0.0
0.0	C3-C4;~1 Max	0.002	0.004	0.002	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.002	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.001	0.0	0.0
0.0	Min	-0.001	-0.002	-0.001	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.001	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.001	-0.0	-0.0
-0.0	SLVx	(RS)	-0.031	0.030	-0.000	-0.0	-0.0
0.0	SLVy	(RS)	0.059	0.128	-0.001	-0.0	-0.0
-0.0	SLDx	(RS)	-0.021	0.020	-0.000	-0.0	-0.0
0.0	SLDy	(RS)	0.034	0.073	-0.000	-0.0	-0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.000	0.0	-0.0
0.0	G1		-0.000	-0.000	-0.001	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.005	0.011	-0.000	-0.0	0.0
-0.0	q4-1		-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	-0.0	0.0
-0.0	q4-6		0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7		0.000	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~1		0.010	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		0.018	0.037	-0.000	-0.0	0.0
0.0	q5 - p~3		0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.017	0.035	-0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.003	0.006	-0.000	-0.0	0.0
0.0	T		0.000	0.000	0.000	-0.0	0.0
0.0	M. tor~1		0.009	0.023	-0.000	-0.0	0.0
0.0	M. tor~2		0.006	0.013	-0.000	-0.0	0.0
0.0	INVS LU	Max	0.026	0.055	0.001	0.0	0.0
-0.0		Min	-0.027	-0.056	-0.005	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.068	0.137	-0.000	0.0	0.0
-0.0		Min	-0.069	-0.137	-0.002	-0.0	-0.0
0.0	INVS LE	Max	0.018	0.037	0.001	0.0	0.0
-0.0		Min	-0.018	-0.037	-0.003	-0.0	-0.0
818 0.0	C1-C2;~1	Max	0.002	0.004	0.003	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.004	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.004	0.003	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.004	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.002	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.002	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.002	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.002	-0.0	-0.0
-0.0	SLVx (RS)		-0.031	0.030	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.058	0.128	-0.001	-0.0	-0.0
-0.0	SLDx (RS)		-0.021	0.020	-0.000	-0.0	-0.0
0.0	SLDy (RS)		0.033	0.074	-0.001	-0.0	-0.0
-0.0	SLVz (RS)		-0.001	0.000	0.000	0.0	-0.0
0.0	G1		-0.000	-0.000	-0.001	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.005	0.011	-0.000	-0.0	0.0
-0.0	q4-1		-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6		0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7		0.000	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~1		0.010	-0.004	-0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~2		0.018	0.037	-0.001	-0.0	0.0
0.0	q5 - p~3		0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.017	0.035	-0.001	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.003	0.006	-0.000	-0.0	0.0
0.0	T		0.000	0.001	0.000	-0.0	0.0
0.0	M. tor~1		0.009	0.023	-0.000	-0.0	0.0
0.0	M. tor~2		0.005	0.013	-0.000	-0.0	0.0
0.0	INVS LU	Max	0.026	0.056	0.004	0.0	0.0
-0.0		Min	-0.027	-0.057	-0.008	-0.0	-0.0
0.0	INVS LV	Max	0.067	0.137	-0.000	0.0	0.0
-0.0		Min	-0.068	-0.137	-0.003	-0.0	-0.0
0.0	INVS LE	Max	0.017	0.037	0.003	0.0	0.0
-0.0		Min	-0.018	-0.038	-0.006	-0.0	-0.0
819 0.0	C1-C2;~1	Max	0.002	0.004	0.005	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.006	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.004	0.005	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.006	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.003	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.003	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.003	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.003	-0.0	-0.0
-0.0	SLVx (RS)		-0.030	0.030	-0.001	-0.0	-0.0
0.0	SLVy (RS)		0.057	0.129	-0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.021	0.020	-0.000	-0.0	-0.0
0.0	SLDy (RS)		0.033	0.074	-0.001	-0.0	-0.0
-0.0	SLVz (RS)		-0.001	0.000	0.000	0.0	-0.0
0.0	G1		-0.000	-0.000	-0.002	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	-0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.005	0.011	-0.000	-0.0	0.0
-0.0	q4-1	-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6	0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	0.000	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.017	0.037	-0.001	-0.0	0.0
0.0	q5 - p~3	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.016	0.035	-0.001	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.003	0.006	-0.000	-0.0	0.0
0.0	T	0.000	0.001	0.000	-0.0	0.0
0.0	M. tor~1	0.009	0.023	-0.000	-0.0	0.0
0.0	M. tor~2	0.005	0.013	-0.000	-0.0	0.0
0.0	INVSLU Max	0.026	0.056	0.005	0.0	0.0
-0.0	Min	-0.027	-0.057	-0.012	-0.0	-0.0
0.0	INVSLV Max	0.066	0.137	-0.000	0.0	0.0
-0.0	Min	-0.067	-0.138	-0.004	-0.0	-0.0
0.0	INVSLE Max	0.017	0.038	0.004	0.0	0.0
-0.0	Min	-0.018	-0.039	-0.009	-0.0	-0.0
820 0.0	C1-C2;~1 Max	0.002	0.004	0.006	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.008	-0.0	-0.0
0.0	C3-C4;~1 Max	0.002	0.004	0.007	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.002	-0.004	-0.008	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.003	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.004	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.003	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.004	-0.0	-0.0
-0.0	SLVx (RS)	-0.030	0.029	-0.001	-0.0	-0.0
0.0	SLVy (RS)	0.056	0.129	-0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.021	0.020	-0.001	-0.0	-0.0
0.0	SLDy (RS)	0.032	0.074	-0.001	-0.0	-0.0
0.0	SLVz (RS)	-0.001	0.000	0.000	0.0	-0.0
0.0	G1	-0.000	-0.000	-0.002	-0.0	0.0
0.0	G2	-0.000	-0.000	-0.001	-0.0	0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.005	0.011	-0.001	-0.0	0.0
-0.0	q4-1	-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6	0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	0.000	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.017	0.038	-0.002	-0.0	0.0
0.0	q5 - p~3	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.016	0.036	-0.002	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.003	0.006	-0.000	-0.0	0.0
0.0	T	0.001	0.001	0.000	-0.0	0.0
0.0	M. tor~1	0.009	0.023	-0.000	-0.0	0.0
0.0	M. tor~2	0.005	0.013	-0.000	-0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.025	0.056	0.007	0.0	0.0
-0.0		Min	-0.027	-0.058	-0.016	-0.0	-0.0
0.0	INVS LV	Max	0.065	0.137	-0.000	0.0	0.0
-0.0		Min	-0.066	-0.138	-0.005	-0.0	-0.0
0.0	INVS LE	Max	0.017	0.038	0.005	0.0	0.0
-0.0		Min	-0.018	-0.039	-0.012	-0.0	-0.0
821 0.0	C1-C2;~1	Max	0.001	0.004	0.008	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.010	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.004	0.008	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.010	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.004	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.005	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.004	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.005	-0.0	-0.0
-0.0	SLVx (RS)		-0.030	0.029	-0.001	-0.0	-0.0
0.0	SLVy (RS)		0.055	0.129	-0.003	-0.0	-0.0
-0.0	SLDx (RS)		-0.021	0.020	-0.001	-0.0	-0.0
0.0	SLDy (RS)		0.032	0.074	-0.001	-0.0	-0.0
0.0	SLVz (RS)		-0.001	0.000	0.000	0.0	-0.0
0.0	G1		-0.000	-0.000	-0.003	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.001	-0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.004	0.011	-0.001	-0.0	0.0
-0.0	q4-1		-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	-0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7		0.000	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~1		0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		0.017	0.038	-0.002	-0.0	0.0
0.0	q5 - p~3		0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.016	0.036	-0.002	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.003	0.006	-0.000	-0.0	0.0
0.0	T		0.001	0.002	0.000	-0.0	0.0
0.0	M. tor~1		0.009	0.023	-0.000	-0.0	0.0
0.0	M. tor~2		0.005	0.014	-0.000	-0.0	0.0
0.0	INVS LU	Max	0.025	0.057	0.008	0.0	0.0
-0.0		Min	-0.026	-0.059	-0.021	-0.0	-0.0
0.0	INVS LV	Max	0.064	0.138	-0.001	-0.0	0.0
-0.0		Min	-0.065	-0.139	-0.007	-0.0	-0.0
0.0	INVS LE	Max	0.017	0.038	0.006	0.0	0.0
-0.0		Min	-0.018	-0.040	-0.015	-0.0	-0.0
822	C1-C2;~1	Max	0.001	0.004	0.009	0.0	0.0
0.0		Min	-0.002	-0.004	-0.012	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.004	0.009	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.012	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.005	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.006	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.005	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.007	-0.0	-0.0
-0.0	SLVx (RS)		-0.029	0.029	-0.001	-0.0	-0.0
0.0	SLVy (RS)		0.054	0.130	-0.003	-0.0	-0.0
-0.0	SLDx (RS)		-0.020	0.020	-0.001	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.031	0.074	-0.002	-0.0	-0.0
0.0	SLVz (RS)	-0.001	0.000	0.001	0.0	-0.0
0.0	G1	-0.000	-0.000	-0.004	-0.0	0.0
0.0	G2	-0.000	-0.000	-0.001	-0.0	0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.004	0.011	-0.001	-0.0	0.0
0.0	q4-1	-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-3	-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	-0.0	0.0
-0.0	q4-6	0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	0.000	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.016	0.038	-0.002	-0.0	0.0
0.0	q5 - p~3	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.016	0.036	-0.002	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	0.006	-0.000	-0.0	0.0
0.0	T	0.001	0.002	0.000	-0.0	0.0
0.0	M. tor~1	0.009	0.023	-0.001	-0.0	0.0
0.0	M. tor~2	0.005	0.014	-0.000	-0.0	0.0
0.0	INVSLU Max	0.024	0.057	0.008	0.0	0.0
-0.0	Min	-0.026	-0.059	-0.025	-0.0	-0.0
0.0	INVSLV Max	0.063	0.138	-0.001	-0.0	0.0
-0.0	Min	-0.064	-0.139	-0.008	-0.0	-0.0
0.0	INVSLE Max	0.016	0.039	0.006	0.0	0.0
-0.0	Min	-0.018	-0.040	-0.019	-0.0	-0.0
823	C1-C2;~1 Max	0.001	0.004	0.010	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.002	-0.004	-0.014	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.004	0.011	0.0	0.0
0.0		Min	-0.002	-0.005	-0.014	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.005	0.0	0.0
0.0		Min	-0.001	-0.002	-0.007	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.006	0.0	0.0
0.0		Min	-0.001	-0.002	-0.008	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	-0.029	0.029	-0.002	-0.0	-0.0
-0.0	SLVy	(RS)	0.053	0.130	-0.003	-0.0	-0.0
0.0	SLDx	(RS)	-0.020	0.020	-0.001	-0.0	-0.0
-0.0	SLDy	(RS)	0.031	0.075	-0.002	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	-0.0
0.0	G1		-0.000	-0.000	-0.004	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.002	-0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.004	0.011	-0.001	-0.0	0.0
0.0	q4-1		-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-3		-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	-0.0	0.0
-0.0	q4-6		0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7		0.000	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~1		0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		0.016	0.038	-0.003	-0.0	0.0
0.0	q5 - p~3		0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.015	0.036	-0.003	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.002	0.006	-0.000	-0.0	0.0
0.0							

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	0.001	0.002	0.000	-0.0	0.0
0.0	M. tor~1	0.009	0.023	-0.001	-0.0	0.0
0.0	M. tor~2	0.005	0.014	-0.000	-0.0	0.0
0.0	INVS LU Max	0.024	0.058	0.009	0.0	0.0
0.0	INVS LU Min	-0.026	-0.060	-0.030	-0.0	-0.0
-0.0	INVS LV Max	0.062	0.138	-0.002	-0.0	0.0
0.0	INVS LV Min	-0.063	-0.140	-0.010	-0.0	-0.0
-0.0	INVS LE Max	0.016	0.039	0.006	0.0	0.0
0.0	INVS LE Min	-0.018	-0.040	-0.022	-0.0	-0.0
-0.0	824 C1-C2;~1 Max	0.001	0.004	0.012	0.0	0.0
0.0	824 C1-C2;~1 Min	-0.002	-0.004	-0.016	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.004	0.012	0.0	0.0
0.0	C3-C4;~1 Min	-0.002	-0.005	-0.016	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.002	0.006	0.0	0.0
0.0	C1-C2;~2 Min	-0.001	-0.002	-0.008	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.002	0.006	0.0	0.0
0.0	C3-C4;~2 Min	-0.001	-0.002	-0.009	-0.0	-0.0
-0.0	SLVx (RS)	-0.029	0.029	-0.002	-0.0	-0.0
0.0	SLVy (RS)	0.052	0.130	-0.004	-0.0	-0.0
0.0	SLDx (RS)	-0.020	0.020	-0.001	-0.0	-0.0
-0.0	SLDy (RS)	0.030	0.075	-0.002	-0.0	-0.0
0.0	SLVz (RS)	-0.001	0.000	0.001	0.0	-0.0
0.0	G1	-0.000	-0.000	-0.005	-0.0	0.0
0.0	G2	-0.000	-0.000	-0.002	-0.0	0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.004	0.011	-0.001	-0.0	0.0
0.0	q4-1	-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.001	0.000	0.0	-0.0
-0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-3	-0.000	-0.001	0.000	0.0	0.0	
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0	
0.0	q4-5	0.001	0.001	-0.000	-0.0	0.0	
-0.0	q4-6	0.000	0.002	-0.000	-0.0	-0.0	
0.0	q4-7	0.000	0.001	-0.000	-0.0	-0.0	
0.0	q5 - p~1	0.009	-0.004	-0.000	0.0	0.0	
0.0	q5 - p~2	0.016	0.038	-0.003	-0.0	0.0	
0.0	q5 - p~3	0.009	-0.004	-0.000	0.0	0.0	
0.0	q5 - p~4	0.015	0.036	-0.003	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.002	0.006	-0.000	-0.0	0.0	
0.0	T	0.001	0.003	0.000	-0.0	0.0	
0.0	M. tor~1	0.008	0.023	-0.001	-0.0	0.0	
0.0	M. tor~2	0.005	0.014	-0.000	-0.0	0.0	
0.0	INVS LU	Max	0.024	0.058	0.009	-0.0	0.0
-0.0		Min	-0.026	-0.060	-0.035	-0.0	-0.0
0.0	INVS LV	Max	0.060	0.139	-0.003	-0.0	0.0
-0.0		Min	-0.062	-0.140	-0.012	-0.0	-0.0
0.0	INVS LE	Max	0.016	0.039	0.006	-0.0	0.0
-0.0		Min	-0.017	-0.041	-0.025	-0.0	-0.0
825	C1-C2;~1	Max	0.001	0.004	0.013	0.0	0.0
0.0		Min	-0.002	-0.004	-0.018	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.004	0.013	0.0	0.0
-0.0		Min	-0.002	-0.005	-0.018	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.007	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.010	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.007	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.010	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.028	0.029	-0.002	-0.0	-0.0
0.0	SLVy (RS)	0.051	0.131	-0.004	-0.0	-0.0
-0.0	SLDx (RS)	-0.020	0.020	-0.002	-0.0	-0.0
0.0	SLDy (RS)	0.030	0.075	-0.002	-0.0	-0.0
-0.0	SLVz (RS)	-0.001	0.000	0.001	0.0	-0.0
0.0	G1	-0.000	-0.000	-0.006	-0.0	0.0
0.0	G2	-0.000	-0.000	-0.002	-0.0	0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.004	0.011	-0.001	-0.0	0.0
-0.0	q4-1	-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6	0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	0.000	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.016	0.038	-0.003	-0.0	0.0
0.0	q5 - p~3	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.015	0.036	-0.003	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	0.006	-0.000	-0.0	0.0
0.0	T	0.001	0.003	0.000	-0.0	0.0
0.0	M. tor~1	0.008	0.023	-0.001	-0.0	0.0
0.0	M. tor~2	0.005	0.014	-0.000	-0.0	0.0
0.0	INVSLU Max	0.023	0.059	0.009	-0.0	0.0
-0.0	Min	-0.025	-0.061	-0.039	-0.0	-0.0
0.0	INVSLV Max	0.059	0.139	-0.004	-0.0	0.0
-0.0	Min	-0.061	-0.140	-0.014	-0.0	-0.0
	INVSLE Max	0.016	0.040	0.006	-0.0	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.017	-0.041	-0.029	-0.0	-0.0
-0.0							
826	C1-C2;~1	Max	0.001	0.004	0.014	0.0	0.0
0.0		Min	-0.002	-0.005	-0.020	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.004	0.014	0.0	0.0
0.0		Min	-0.002	-0.005	-0.020	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.007	0.0	0.0
0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.007	0.0	0.0
0.0		Min	-0.001	-0.003	-0.011	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.028	0.029	-0.002	-0.0	-0.0
-0.0	SLVy (RS)		0.050	0.131	-0.004	-0.0	-0.0
0.0	SLDx (RS)		-0.019	0.020	-0.002	0.0	-0.0
-0.0	SLDy (RS)		0.029	0.075	-0.002	-0.0	-0.0
0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	-0.0
-0.0							
0.0	G1		-0.000	-0.000	-0.007	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.003	-0.0	0.0
0.0							
0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0							
0.0	q3		0.004	0.011	-0.001	-0.0	0.0
0.0							
-0.0	q4-1		-0.001	-0.001	0.000	0.0	-0.0
-0.0							
-0.0	q4-2		-0.001	-0.002	0.000	0.0	-0.0
-0.0							
0.0	q4-3		-0.000	-0.001	0.000	0.0	0.0
0.0							
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0							
-0.0	q4-5		0.001	0.001	-0.000	-0.0	0.0
-0.0							
0.0	q4-6		0.000	0.002	-0.000	-0.0	-0.0
0.0							
0.0	q4-7		0.000	0.001	-0.000	-0.0	-0.0
0.0							
0.0	q5 - p~1		0.009	-0.004	-0.000	0.0	0.0
0.0							
0.0	q5 - p~2		0.015	0.038	-0.004	-0.0	0.0
0.0							
0.0	q5 - p~3		0.009	-0.004	-0.000	0.0	0.0
0.0							
0.0	q5 - p~4		0.014	0.036	-0.003	-0.0	0.0
0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.002	0.006	-0.001	-0.0	0.0
0.0	T		0.001	0.003	0.000	-0.0	0.0
0.0	M. tor~1		0.008	0.023	-0.001	-0.0	0.0
0.0	M. tor~2		0.005	0.014	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.023	0.059	0.009	-0.0	0.0
-0.0		Min	-0.025	-0.061	-0.044	-0.0	-0.0
0.0	INVSLV	Max	0.058	0.139	-0.005	-0.0	0.0
-0.0		Min	-0.059	-0.140	-0.015	-0.0	-0.0
0.0	INVSLE	Max	0.015	0.040	0.006	-0.0	0.0
-0.0		Min	-0.017	-0.041	-0.032	-0.0	-0.0
0.0	827 C1-C2;~1	Max	0.001	0.004	0.015	0.0	0.0
-0.0		Min	-0.002	-0.005	-0.022	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.004	0.015	0.0	0.0
-0.0		Min	-0.002	-0.005	-0.022	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.007	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.012	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.012	-0.0	-0.0
-0.0	SLVx (RS)		-0.028	0.029	0.003	0.0	-0.0
0.0	SLVy (RS)		0.049	0.131	-0.005	-0.0	-0.0
-0.0	SLDx (RS)		-0.019	0.020	0.002	0.0	-0.0
0.0	SLDy (RS)		0.028	0.075	-0.003	-0.0	-0.0
-0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	-0.0
0.0	G1		-0.000	-0.000	-0.008	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.003	-0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.004	0.011	-0.001	-0.0	0.0
-0.0	q4-1	-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.002	0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6	0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	0.000	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.015	0.038	-0.004	-0.0	0.0
0.0	q5 - p~3	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.014	0.036	-0.004	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	0.006	-0.001	-0.0	0.0
0.0	T	0.001	0.004	0.000	-0.0	0.0
0.0	M. tor~1	0.008	0.023	-0.001	-0.0	0.0
0.0	M. tor~2	0.005	0.014	-0.000	-0.0	0.0
0.0	INVS LU Max	0.022	0.060	0.008	-0.0	0.0
-0.0	Min	-0.025	-0.062	-0.049	-0.0	-0.0
0.0	INVS LV Max	0.057	0.140	-0.006	-0.0	0.0
-0.0	Min	-0.058	-0.141	-0.017	-0.0	-0.0
0.0	INVS LE Max	0.015	0.040	0.006	-0.0	0.0
-0.0	Min	-0.017	-0.042	-0.036	-0.0	-0.0
828 0.0	C1-C2;~1 Max	0.001	0.004	0.015	0.0	0.0
-0.0	Min	-0.002	-0.005	-0.023	-0.0	-0.0
0.0	C3-C4;~1 Max	0.002	0.004	0.016	0.0	0.0
-0.0	Min	-0.002	-0.005	-0.024	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.008	0.0	0.0
	Min	-0.001	-0.003	-0.013	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	-0.027	0.029	0.003	0.0	-0.0
0.0	SLVy	(RS)	0.048	0.132	-0.005	-0.0	-0.0
-0.0	SLDx	(RS)	-0.019	0.020	0.002	0.0	-0.0
0.0	SLDy	(RS)	0.028	0.076	-0.003	-0.0	-0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.002	0.0	-0.0
0.0	G1		-0.000	-0.000	-0.009	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.003	-0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		0.004	0.012	-0.001	-0.0	0.0
-0.0	q4-1		-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.002	0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	-0.0	0.0
-0.0	q4-6		0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7		0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1		0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		0.015	0.039	-0.004	-0.0	0.0
0.0	q5 - p~3		0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.014	0.037	-0.004	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.002	0.006	-0.001	-0.0	0.0
0.0	T		0.001	0.004	0.000	-0.0	0.0
0.0	M. tor~1		0.008	0.023	-0.001	-0.0	0.0
0.0	M. tor~2		0.005	0.014	-0.000	-0.0	0.0
0.0	INVS LU	Max	0.022	0.060	0.008	-0.0	0.0
-0.0		Min	-0.024	-0.062	-0.053	-0.0	-0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.056	0.140	-0.007	-0.0	0.0
-0.0		Min	-0.057	-0.141	-0.019	-0.0	-0.0
0.0	INVS LE	Max	0.015	0.041	0.005	-0.0	0.0
-0.0		Min	-0.016	-0.042	-0.039	-0.0	-0.0
829 0.0	C1-C2;~1	Max	0.001	0.005	0.016	0.0	0.0
-0.0		Min	-0.002	-0.005	-0.025	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.005	0.017	0.0	0.0
-0.0		Min	-0.002	-0.005	-0.026	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.013	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.014	-0.0	-0.0
-0.0	SLVx (RS)		-0.027	0.029	0.003	0.0	-0.0
0.0	SLVy (RS)		0.047	0.132	-0.005	-0.0	-0.0
-0.0	SLDx (RS)		-0.019	0.020	0.002	0.0	-0.0
0.0	SLDy (RS)		0.027	0.076	-0.003	-0.0	-0.0
-0.0	SLVz (RS)		-0.001	0.000	0.002	0.0	-0.0
0.0	G1		-0.000	-0.000	-0.010	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.004	-0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		0.004	0.012	-0.001	-0.0	0.0
-0.0	q4-1		-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.002	0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6		0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7		0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1		0.009	-0.004	-0.000	0.0	0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	0.014	0.039	-0.004	-0.0	0.0
0.0	q5 - p~3	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.014	0.037	-0.004	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	0.006	-0.001	-0.0	0.0
0.0	T	0.001	0.004	0.000	-0.0	0.0
0.0	M. tor~1	0.008	0.023	-0.001	-0.0	0.0
0.0	M. tor~2	0.004	0.014	-0.000	-0.0	0.0
0.0	INVS LU Max	0.022	0.061	0.007	-0.0	0.0
-0.0	Min	-0.024	-0.062	-0.057	-0.0	-0.0
0.0	INVS LV Max	0.055	0.140	-0.008	-0.0	0.0
-0.0	Min	-0.056	-0.141	-0.020	-0.0	-0.0
0.0	INVS LE Max	0.015	0.041	0.005	-0.0	0.0
-0.0	Min	-0.016	-0.042	-0.042	-0.0	-0.0
830	C1-C2;~1 Max	0.001	0.005	0.017	0.0	0.0
0.0	Min	-0.002	-0.005	-0.027	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.005	0.017	0.0	0.0
0.0	Min	-0.002	-0.005	-0.027	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.002	0.009	0.0	0.0
0.0	Min	-0.001	-0.003	-0.014	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.002	0.009	0.0	0.0
0.0	Min	-0.001	-0.003	-0.015	-0.0	-0.0
-0.0	SLVx (RS)	-0.026	0.029	0.003	0.0	-0.0
0.0	SLVy (RS)	0.046	0.132	-0.005	0.0	-0.0
-0.0	SLDx (RS)	-0.018	0.020	0.003	0.0	-0.0
0.0	SLDy (RS)	0.027	0.076	-0.003	-0.0	-0.0
-0.0	SLVz (RS)	-0.001	0.000	0.002	0.0	-0.0
0.0	G1	-0.000	-0.000	-0.011	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	-0.000	-0.004	-0.0	0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	q3	0.004	0.012	-0.001	-0.0	0.0
-0.0	q4-1	-0.001	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.001	-0.002	0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6	0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.014	0.039	-0.004	-0.0	0.0
0.0	q5 - p~3	0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.013	0.037	-0.004	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	0.006	-0.001	-0.0	0.0
0.0	T	0.002	0.005	0.000	-0.0	0.0
0.0	M. tor~1	0.007	0.023	-0.001	-0.0	0.0
0.0	M. tor~2	0.004	0.014	-0.001	-0.0	0.0
0.0	INVS LU Max	0.021	0.062	0.006	-0.0	0.0
-0.0	Min	-0.023	-0.063	-0.061	-0.0	-0.0
0.0	INVS LV Max	0.054	0.141	-0.009	-0.0	0.0
-0.0	Min	-0.055	-0.141	-0.022	-0.0	-0.0
0.0	INVS LE Max	0.014	0.042	0.005	-0.0	0.0
-0.0	Min	-0.016	-0.043	-0.045	-0.0	-0.0
831 0.0	C1-C2;~1 Max	0.001	0.005	0.018	0.0	0.0
-0.0	Min	-0.002	-0.005	-0.028	-0.0	-0.0
0.0	C3-C4;~1 Max	0.002	0.005	0.018	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.002	-0.005	-0.029	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.003	0.009	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.015	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.003	0.009	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.016	-0.0	-0.0
-0.0	SLVx (RS)	-0.026	0.029	0.004	0.0	-0.0
0.0	SLVy (RS)	0.045	0.133	-0.005	0.0	-0.0
-0.0	SLDx (RS)	-0.018	0.020	0.003	0.0	-0.0
0.0	SLDy (RS)	0.026	0.076	-0.003	-0.0	-0.0
-0.0	SLVz (RS)	-0.001	0.000	0.002	0.0	-0.0
0.0	G1	-0.000	-0.000	-0.012	-0.0	0.0
0.0	G2	-0.000	-0.000	-0.004	-0.0	0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	q3	0.003	0.012	-0.001	-0.0	0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.001	-0.002	0.000	-0.0	-0.0
0.0	q4-3	-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6	0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.014	0.039	-0.004	-0.0	0.0
0.0	q5 - p~3	0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.013	0.037	-0.004	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	0.006	-0.001	-0.0	0.0
0.0	T	0.002	0.005	0.000	-0.0	0.0
0.0	M. tor~1	0.007	0.023	-0.001	-0.0	0.0
0.0	M. tor~2	0.004	0.014	-0.001	-0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


0.0	INVS LU	Max	0.021	0.062	0.006	-0.0	0.0
-0.0		Min	-0.023	-0.063	-0.065	-0.0	-0.0
0.0	INVS LV	Max	0.053	0.141	-0.010	-0.0	0.0
-0.0		Min	-0.054	-0.141	-0.023	-0.0	-0.0
0.0	INVS LE	Max	0.014	0.042	0.004	-0.0	0.0
-0.0		Min	-0.016	-0.043	-0.048	-0.0	-0.0
832 0.0	C1-C2;~1	Max	0.001	0.005	0.018	0.0	0.0
-0.0		Min	-0.002	-0.005	-0.029	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.005	0.018	0.0	0.0
-0.0		Min	-0.002	-0.005	-0.030	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.003	0.009	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.016	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.003	0.009	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.016	-0.0	-0.0
-0.0	SLVx (RS)		-0.026	0.029	0.004	0.0	-0.0
0.0	SLVy (RS)		0.044	0.133	-0.005	0.0	-0.0
-0.0	SLDx (RS)		-0.018	0.020	0.003	0.0	-0.0
0.0	SLDy (RS)		0.026	0.076	-0.003	-0.0	-0.0
-0.0	SLVz (RS)		-0.001	0.000	0.002	0.0	-0.0
0.0	G1		-0.000	-0.000	-0.013	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.005	-0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		0.003	0.012	-0.001	-0.0	0.0
-0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.002	0.000	-0.0	-0.0
0.0	q4-3		-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7		0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1		0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		0.013	0.039	-0.004	-0.0	0.0
0.0	q5 - p~3		0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.013	0.037	-0.004	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.002	0.006	-0.001	-0.0	0.0
0.0	T		0.002	0.006	0.000	-0.0	0.0
0.0	M. tor~1		0.007	0.023	-0.001	-0.0	0.0
0.0	M. tor~2		0.004	0.014	-0.001	-0.0	0.0
0.0	INVS LU	Max	0.021	0.063	0.005	-0.0	0.0
-0.0		Min	-0.023	-0.063	-0.069	-0.0	-0.0
0.0	INVS LV	Max	0.052	0.141	-0.011	-0.0	0.0
-0.0		Min	-0.053	-0.142	-0.025	-0.0	-0.0
0.0	INVS LE	Max	0.014	0.043	0.003	-0.0	0.0
-0.0		Min	-0.016	-0.043	-0.050	-0.0	-0.0
833	C1-C2;~1	Max	0.001	0.005	0.019	0.0	0.0
0.0		Min	-0.002	-0.005	-0.031	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.005	0.019	0.0	0.0
-0.0		Min	-0.002	-0.005	-0.031	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.003	0.009	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.017	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.003	0.010	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.017	-0.0	-0.0
-0.0	SLVx (RS)		-0.025	0.029	0.004	0.0	-0.0
0.0	SLVy (RS)		0.043	0.133	-0.005	-0.0	-0.0
-0.0	SLDx (RS)		-0.018	0.020	0.003	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.025	0.076	-0.003	-0.0	-0.0
-0.0	SLVz (RS)	-0.001	0.000	0.002	0.0	-0.0
0.0	G1	-0.000	0.000	-0.014	-0.0	0.0
0.0	G2	-0.000	0.000	-0.005	-0.0	0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	q3	0.003	0.012	-0.001	-0.0	0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.001	-0.002	0.000	-0.0	-0.0
0.0	q4-3	-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	-0.0	0.0
0.0	q4-6	0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.013	0.039	-0.004	-0.0	0.0
0.0	q5 - p~3	0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.012	0.037	-0.004	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.002	0.006	-0.001	-0.0	0.0
0.0	T	0.002	0.006	0.000	-0.0	0.0
0.0	M. tor~1	0.007	0.023	-0.001	0.0	0.0
0.0	M. tor~2	0.004	0.014	-0.001	0.0	0.0
-0.0	INVSLU Max	0.020	0.063	0.004	-0.0	0.0
-0.0	Min	-0.022	-0.064	-0.072	-0.0	-0.0
0.0	INVSLV Max	0.050	0.142	-0.011	-0.0	0.0
-0.0	Min	-0.052	-0.142	-0.026	-0.0	-0.0
0.0	INVSLE Max	0.014	0.043	0.003	-0.0	0.0
-0.0	Min	-0.015	-0.043	-0.053	-0.0	-0.0
834	C1-C2;~1 Max	0.001	0.005	0.019	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.002	-0.005	-0.032	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.005	0.019	0.0	0.0
0.0		Min	-0.002	-0.005	-0.033	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.003	0.010	0.0	0.0
0.0		Min	-0.001	-0.003	-0.017	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.003	0.010	0.0	0.0
0.0		Min	-0.001	-0.003	-0.018	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	-0.025	-0.029	0.004	0.0	-0.0
-0.0	SLVy	(RS)	0.042	0.133	-0.005	-0.0	-0.0
0.0	SLDx	(RS)	-0.017	0.020	0.003	0.0	-0.0
-0.0	SLDy	(RS)	0.024	0.076	-0.003	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	0.002	0.0	-0.0
-0.0							
0.0	G1		-0.000	0.000	-0.014	-0.0	0.0
0.0	G2		-0.000	0.000	-0.005	-0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		0.003	0.012	-0.001	-0.0	0.0
0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.002	0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
-0.0	q4-6		0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7		0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1		0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		0.013	0.039	-0.004	0.0	0.0
0.0	q5 - p~3		0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.012	0.037	-0.004	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.001	0.006	-0.001	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	0.002	0.006	0.000	-0.0	0.0
0.0	M. tor~1	0.007	0.023	-0.001	0.0	0.0
0.0	M. tor~2	0.004	0.014	-0.001	0.0	0.0
0.0						
0.0	INVSLU Max	0.020	0.064	0.004	-0.0	0.0
0.0	Min	-0.022	-0.064	-0.075	-0.0	-0.0
-0.0						
0.0	INVSLV Max	0.049	0.142	-0.012	-0.0	0.0
0.0	Min	-0.051	-0.142	-0.027	-0.0	-0.0
-0.0						
0.0	INVSLE Max	0.013	0.044	0.002	-0.0	0.0
0.0	Min	-0.015	-0.044	-0.055	-0.0	-0.0
-0.0						
835	C1-C2;~1 Max	0.001	0.005	0.019	0.0	0.0
0.0	Min	-0.002	-0.005	-0.033	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	0.002	0.005	0.020	0.0	0.0
0.0	Min	-0.002	-0.006	-0.034	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.001	0.003	0.010	0.0	0.0
0.0	Min	-0.001	-0.003	-0.018	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	0.001	0.003	0.010	0.0	0.0
0.0	Min	-0.001	-0.003	-0.018	-0.0	-0.0
-0.0						
-0.0	SLVx (RS)	-0.025	-0.029	0.005	0.0	-0.0
-0.0						
0.0	SLVy (RS)	0.041	0.133	-0.005	-0.0	-0.0
0.0						
-0.0	SLDx (RS)	-0.017	0.020	0.003	0.0	-0.0
-0.0						
0.0	SLDy (RS)	0.024	0.077	-0.003	-0.0	-0.0
0.0						
-0.0	SLVz (RS)	-0.000	0.000	0.003	0.0	-0.0
-0.0						
0.0	G1	-0.000	0.000	-0.015	-0.0	0.0
0.0						
0.0	G2	-0.000	0.000	-0.005	-0.0	0.0
0.0						
-0.0	G1-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
-0.0						
0.0	G2-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
0.0						
0.0	q3	0.003	0.012	-0.001	0.0	0.0
0.0						
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0						
-0.0	q4-2	-0.001	-0.002	0.000	-0.0	-0.0
-0.0						

PROJECT TITLE :


	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-0.0	q4-3		-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7		0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1		0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		0.013	0.039	-0.004	0.0	0.0
0.0	q5 - p~3		0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.012	0.037	-0.004	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.001	0.006	-0.001	0.0	0.0
0.0	T		0.002	0.007	0.000	-0.0	0.0
0.0	M. tor~1		0.007	0.024	-0.001	0.0	0.0
0.0	M. tor~2		0.004	0.014	-0.001	0.0	0.0
0.0	INVSLU	Max	0.019	0.065	0.003	-0.0	0.0
-0.0		Min	-0.021	-0.064	-0.077	-0.0	-0.0
0.0	INVSLV	Max	0.048	0.142	-0.013	-0.0	0.0
-0.0		Min	-0.049	-0.142	-0.028	-0.0	-0.0
0.0	INVSLE	Max	0.013	0.044	0.002	-0.0	0.0
-0.0		Min	-0.015	-0.044	-0.057	-0.0	-0.0
836 0.0	C1-C2;~1	Max	0.001	0.005	0.019	0.0	0.0
-0.0		Min	-0.002	-0.005	-0.034	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.006	0.020	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.034	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.003	0.010	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.018	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.003	0.010	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.019	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.024	-0.029	0.005	0.0	-0.0	
0.0	SLVy (RS)	0.040	0.134	-0.005	-0.0	-0.0	
-0.0	SLDx (RS)	-0.017	0.020	0.003	0.0	-0.0	
0.0	SLDy (RS)	0.023	0.077	-0.003	-0.0	-0.0	
-0.0	SLVz (RS)	-0.000	0.000	0.003	0.0	-0.0	
0.0	G1	-0.000	0.000	-0.016	-0.0	0.0	
0.0	G2	-0.000	0.000	-0.006	-0.0	0.0	
-0.0	G1-Imp~1	0.000	-0.000	-0.000	-0.0	0.0	
0.0	G2-Imp~1	0.000	-0.000	-0.000	-0.0	0.0	
0.0	q3	0.003	0.012	-0.001	0.0	0.0	
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0	
-0.0	q4-2	-0.001	-0.002	0.000	-0.0	-0.0	
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	0.0	
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0	
-0.0	q4-5	0.001	0.001	-0.000	0.0	0.0	
0.0	q4-6	0.000	0.002	-0.000	0.0	-0.0	
0.0	q4-7	0.000	0.002	-0.000	-0.0	-0.0	
0.0	q5 - p~1	0.009	-0.004	-0.000	0.0	0.0	
0.0	q5 - p~2	0.012	0.039	-0.004	0.0	0.0	
0.0	q5 - p~3	0.008	-0.004	-0.000	0.0	0.0	
0.0	q5 - p~4	0.012	0.037	-0.004	0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.001	0.006	-0.001	0.0	0.0	
0.0	T	0.002	0.007	0.000	-0.0	0.0	
0.0	M. tor~1	0.007	0.024	-0.001	0.0	0.0	
0.0	M. tor~2	0.004	0.014	-0.001	0.0	0.0	
0.0	INVSLU Max	0.019	0.065	0.002	-0.0	0.0	
-0.0	Min	-0.021	-0.064	-0.079	-0.0	-0.0	
0.0	INVSLV Max	0.047	0.143	-0.014	-0.0	0.0	
-0.0	Min	-0.048	-0.142	-0.029	-0.0	-0.0	
	INVSLE Max	0.013	0.045	0.001	-0.0	0.0	


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.014	-0.044	-0.058	-0.0	-0.0
-0.0							
837	C1-C2;~1	Max	0.001	0.006	0.020	0.0	0.0
0.0		Min	-0.002	-0.005	-0.034	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.006	0.020	0.0	0.0
0.0		Min	-0.002	-0.006	-0.035	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.003	0.010	0.0	0.0
0.0		Min	-0.001	-0.003	-0.018	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.003	0.010	0.0	0.0
0.0		Min	-0.001	-0.003	-0.019	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.024	-0.029	0.005	0.0	-0.0
-0.0	SLVy (RS)		0.039	0.134	-0.005	0.0	-0.0
0.0	SLDx (RS)		-0.017	0.020	0.004	0.0	-0.0
-0.0	SLDy (RS)		0.023	0.077	-0.003	0.0	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.003	0.0	-0.0
-0.0							
0.0	G1		-0.000	0.000	-0.016	-0.0	0.0
0.0	G2		-0.000	0.000	-0.006	-0.0	0.0
0.0							
-0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
-0.0							
0.0	q3		0.003	0.012	-0.001	0.0	0.0
0.0							
-0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0							
-0.0	q4-2		-0.001	-0.002	0.000	-0.0	-0.0
-0.0							
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	0.0
-0.0							
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0							
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
-0.0							
0.0	q4-6		0.000	0.002	-0.000	0.0	-0.0
0.0							
0.0	q4-7		0.000	0.002	-0.000	-0.0	-0.0
0.0							
0.0	q5 - p~1		0.009	-0.004	-0.000	0.0	0.0
0.0							
0.0	q5 - p~2		0.012	0.039	-0.004	0.0	0.0
0.0							
0.0	q5 - p~3		0.008	-0.004	-0.000	0.0	0.0
0.0							
0.0	q5 - p~4		0.011	0.037	-0.004	0.0	0.0
0.0							

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.001	0.006	-0.001	0.0	0.0
0.0	T		0.002	0.007	0.000	-0.0	0.0
0.0	M. tor~1		0.006	0.024	-0.001	0.0	0.0
0.0	M. tor~2		0.004	0.014	-0.001	0.0	0.0
0.0	INVS LU	Max	0.019	0.066	0.002	0.0	0.0
-0.0		Min	-0.021	-0.065	-0.081	-0.0	-0.0
0.0	INVS LV	Max	0.046	0.143	-0.014	-0.0	0.0
-0.0		Min	-0.047	-0.142	-0.030	-0.0	-0.0
0.0	INVS LE	Max	0.013	0.045	0.001	0.0	0.0
-0.0		Min	-0.014	-0.044	-0.060	-0.0	-0.0
838 0.0	C1-C2;~1	Max	0.001	0.006	0.020	0.0	0.0
-0.0		Min	-0.002	-0.005	-0.035	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.006	0.020	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.036	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.003	0.010	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.019	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.003	0.010	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.019	-0.0	-0.0
-0.0	SLVx (RS)		-0.023	-0.029	0.005	0.0	-0.0
0.0	SLVy (RS)		0.038	0.134	-0.005	0.0	-0.0
-0.0	SLDx (RS)		-0.016	0.020	0.004	0.0	-0.0
0.0	SLDy (RS)		0.022	0.077	-0.003	0.0	-0.0
-0.0	SLVz (RS)		-0.000	0.000	0.003	0.0	-0.0
0.0	G1		-0.000	0.000	-0.016	-0.0	0.0
0.0	G2		-0.000	0.000	-0.006	-0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q3		0.003	0.012	-0.001	0.0	0.0
-0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.002	0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7		0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1		0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		0.012	0.039	-0.004	0.0	0.0
0.0	q5 - p~3		0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.011	0.037	-0.004	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.001	0.006	-0.001	0.0	0.0
0.0	T		0.002	0.008	0.000	-0.0	0.0
0.0	M. tor~1		0.006	0.024	-0.001	0.0	0.0
0.0	M. tor~2		0.004	0.014	-0.001	0.0	0.0
0.0	INVSLU	Max	0.018	0.066	0.001	0.0	0.0
-0.0		Min	-0.020	-0.065	-0.082	-0.0	-0.0
0.0	INVSLV	Max	0.045	0.143	-0.015	-0.0	0.0
-0.0		Min	-0.046	-0.142	-0.030	-0.0	-0.0
0.0	INVSLE	Max	0.012	0.046	0.001	0.0	0.0
-0.0		Min	-0.014	-0.044	-0.061	-0.0	-0.0
839	C1-C2;~1	Max	0.001	0.006	0.020	0.0	0.0
0.0		Min	-0.002	-0.005	-0.035	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.006	0.020	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.036	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.001	0.003	0.010	0.0	0.0
		Min	-0.001	-0.003	-0.019	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.003	0.010	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.020	-0.0	-0.0
-0.0	SLVx	(RS)	-0.023	-0.029	0.005	0.0	-0.0
0.0	SLVy	(RS)	0.037	0.134	-0.005	0.0	-0.0
-0.0	SLDx	(RS)	-0.016	0.020	0.004	0.0	-0.0
0.0	SLDy	(RS)	0.022	0.077	-0.003	0.0	-0.0
-0.0	SLVz	(RS)	-0.000	0.000	0.003	0.0	-0.0
0.0	G1		-0.000	0.001	-0.017	-0.0	0.0
0.0	G2		-0.000	0.000	-0.006	-0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		0.003	0.012	-0.001	0.0	0.0
-0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.002	0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7		0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1		0.009	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		0.011	0.039	-0.004	0.0	0.0
0.0	q5 - p~3		0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.011	0.037	-0.004	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.001	0.006	-0.001	0.0	0.0
0.0	T		0.002	0.008	0.000	-0.0	0.0
0.0	M. tor~1		0.006	0.024	-0.001	0.0	0.0
0.0	M. tor~2		0.004	0.014	-0.001	0.0	0.0
0.0	INVSLU	Max	0.018	0.067	0.001	0.0	0.0
-0.0		Min	-0.020	-0.065	-0.083	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.044	0.143	-0.015	0.0	0.0
-0.0		Min	-0.045	-0.142	-0.030	-0.0	-0.0
0.0	INVS LE	Max	0.012	0.046	0.000	0.0	0.0
-0.0		Min	-0.014	-0.045	-0.061	-0.0	-0.0
840 0.0	C1-C2;~1	Max	0.001	0.006	0.020	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.035	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.006	0.020	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.036	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.003	0.010	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.019	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.003	0.010	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.020	-0.0	-0.0
-0.0	SLVx (RS)		-0.022	-0.029	0.005	0.0	-0.0
0.0	SLVy (RS)		0.036	0.134	-0.005	0.0	-0.0
-0.0	SLDx (RS)		-0.016	0.020	0.004	0.0	-0.0
0.0	SLDy (RS)		0.021	0.077	-0.003	0.0	-0.0
-0.0	SLVz (RS)		-0.000	0.000	0.003	-0.0	-0.0
0.0	G1		-0.000	0.001	-0.017	-0.0	0.0
0.0	G2		-0.000	0.000	-0.006	-0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		0.003	0.012	-0.001	0.0	0.0
-0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.002	0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7		0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1		0.008	-0.004	-0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~2		0.011	0.039	-0.004	0.0	0.0
0.0	q5 - p~3		0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.010	0.037	-0.004	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.001	0.006	-0.001	0.0	0.0
0.0	T		0.002	0.008	0.000	-0.0	0.0
0.0	M. tor~1		0.006	0.024	-0.001	0.0	0.0
0.0	M. tor~2		0.003	0.014	-0.001	0.0	0.0
0.0	INVS LU	Max	0.017	0.068	0.000	0.0	0.0
-0.0		Min	-0.019	-0.065	-0.084	-0.0	-0.0
0.0	INVS LV	Max	0.042	0.144	-0.015	0.0	0.0
-0.0		Min	-0.044	-0.142	-0.030	-0.0	-0.0
0.0	INVS LE	Max	0.012	0.046	-0.000	0.0	0.0
-0.0		Min	-0.013	-0.045	-0.062	-0.0	-0.0
0.0	841 C1-C2;~1	Max	0.001	0.006	0.020	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.035	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.006	0.020	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.036	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.003	0.010	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.019	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.003	0.010	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.020	-0.0	-0.0
-0.0	SLVx (RS)		-0.022	-0.029	0.005	0.0	-0.0
0.0	SLVy (RS)		0.035	0.134	-0.005	0.0	-0.0
-0.0	SLDx (RS)		-0.015	0.020	0.004	0.0	-0.0
0.0	SLDy (RS)		0.020	0.077	-0.003	0.0	-0.0
-0.0	SLVz (RS)		-0.000	0.000	0.003	-0.0	-0.0
0.0	G1		-0.000	0.001	-0.017	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	0.000	-0.006	0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	q3	0.002	0.012	-0.001	0.0	0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.001	-0.002	0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7	0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1	0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.011	0.040	-0.004	0.0	0.0
0.0	q5 - p~3	0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.010	0.037	-0.004	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	0.006	-0.001	0.0	0.0
0.0	T	0.002	0.009	0.000	-0.0	0.0
0.0	M. tor~1	0.006	0.024	-0.001	0.0	0.0
0.0	M. tor~2	0.003	0.014	-0.000	0.0	0.0
0.0	INVSLU Max	0.017	0.068	0.000	0.0	0.0
-0.0	Min	-0.019	-0.065	-0.084	-0.0	-0.0
0.0	INVSLV Max	0.041	0.144	-0.015	0.0	0.0
-0.0	Min	-0.042	-0.142	-0.030	-0.0	-0.0
0.0	INVSLE Max	0.012	0.047	-0.000	0.0	0.0
-0.0	Min	-0.013	-0.045	-0.062	-0.0	-0.0
842 0.0	C1-C2;~1 Max	0.001	0.006	0.020	0.0	0.0
-0.0	Min	-0.002	-0.006	-0.035	-0.0	-0.0
0.0	C3-C4;~1 Max	0.002	0.006	0.020	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.002	-0.006	-0.036	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.003	0.010	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.019	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.003	0.010	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.020	-0.0	-0.0
-0.0	SLVx (RS)	-0.021	-0.029	0.005	0.0	-0.0
0.0	SLVy (RS)	0.034	0.134	-0.005	0.0	-0.0
-0.0	SLDx (RS)	-0.015	0.020	0.004	0.0	-0.0
0.0	SLDy (RS)	0.020	0.077	-0.003	0.0	-0.0
-0.0	SLVz (RS)	-0.000	-0.000	0.003	-0.0	-0.0
0.0	G1	-0.000	0.001	-0.017	0.0	0.0
0.0	G2	-0.000	0.000	-0.006	0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	q3	0.002	0.012	-0.001	0.0	0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.001	-0.002	0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7	0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1	0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.010	0.040	-0.004	0.0	0.0
0.0	q5 - p~3	0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.010	0.037	-0.004	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	0.006	-0.001	0.0	0.0
0.0	T	0.002	0.009	0.000	-0.0	0.0
0.0	M. tor~1	0.006	0.024	-0.001	0.0	0.0
0.0	M. tor~2	0.003	0.014	-0.000	0.0	0.0

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	INVS LU	Max	0.017	0.069	0.000	0.0	0.0
-0.0		Min	-0.018	-0.066	-0.083	-0.0	-0.0
0.0	INVS LV	Max	0.040	0.144	-0.015	0.0	0.0
-0.0		Min	-0.041	-0.142	-0.030	0.0	-0.0
0.0	INVS LE	Max	0.011	0.047	-0.000	0.0	0.0
-0.0		Min	-0.013	-0.045	-0.061	-0.0	-0.0
843 0.0	C1-C2;~1	Max	0.001	0.006	0.020	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.035	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.006	0.020	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.036	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.003	0.010	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.019	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.003	0.010	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.019	-0.0	-0.0
-0.0	SLVx (RS)		-0.021	-0.029	0.005	0.0	-0.0
0.0	SLVy (RS)		0.033	0.134	-0.005	0.0	-0.0
-0.0	SLDx (RS)		-0.015	0.020	0.004	0.0	-0.0
0.0	SLDy (RS)		0.019	0.077	-0.003	0.0	-0.0
-0.0	SLVz (RS)		-0.000	-0.000	0.003	-0.0	-0.0
0.0	G1		-0.000	0.001	-0.017	0.0	0.0
0.0	G2		-0.000	0.000	-0.006	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		0.002	0.012	-0.001	0.0	0.0
-0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.002	0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7	0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1	0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.010	0.040	-0.004	0.0	0.0
0.0	q5 - p~3	0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.010	0.038	-0.004	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	0.006	-0.001	0.0	-0.0
0.0	T	0.002	0.009	0.000	-0.0	0.0
0.0	M. tor~1	0.005	0.024	-0.001	0.0	0.0
0.0	M. tor~2	0.003	0.014	-0.000	0.0	0.0
0.0	INVS LU Max	0.016	0.069	0.000	0.0	0.0
-0.0	Min	-0.018	-0.066	-0.082	-0.0	-0.0
0.0	INVS LV Max	0.039	0.144	-0.015	0.0	0.0
-0.0	Min	-0.040	-0.142	-0.030	0.0	-0.0
0.0	INVS LE Max	0.011	0.048	0.000	0.0	0.0
-0.0	Min	-0.012	-0.045	-0.061	-0.0	-0.0
844	C1-C2;~1 Max	0.001	0.006	0.020	0.0	0.0
0.0	Min	-0.002	-0.006	-0.035	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.001	0.006	0.020	0.0	0.0
0.0	Min	-0.002	-0.006	-0.035	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.003	0.010	0.0	0.0
0.0	Min	-0.001	-0.003	-0.019	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.003	0.010	0.0	0.0
0.0	Min	-0.001	-0.003	-0.019	-0.0	-0.0
-0.0	SLVx (RS)	-0.021	-0.029	0.005	0.0	-0.0
0.0	SLVy (RS)	0.032	0.134	-0.005	0.0	-0.0
-0.0	SLDx (RS)	-0.014	0.020	0.004	0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.019	0.077	-0.003	0.0	-0.0
-0.0	SLVz (RS)	-0.000	-0.000	0.003	-0.0	-0.0
0.0	G1	-0.000	0.001	-0.016	0.0	0.0
0.0	G2	-0.000	0.000	-0.006	0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	q3	0.002	0.012	-0.001	0.0	0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.001	-0.002	0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7	0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1	0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.010	0.040	-0.004	0.0	0.0
0.0	q5 - p~3	0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.009	0.038	-0.004	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	0.006	-0.001	0.0	-0.0
0.0	T	0.002	0.010	0.000	-0.0	0.0
0.0	M. tor~1	0.005	0.024	-0.001	0.0	0.0
0.0	M. tor~2	0.003	0.014	-0.000	0.0	0.0
0.0	INVSLU Max	0.016	0.070	0.001	0.0	0.0
-0.0	Min	-0.018	-0.066	-0.081	-0.0	-0.0
0.0	INVSLV Max	0.038	0.144	-0.015	0.0	0.0
-0.0	Min	-0.039	-0.142	-0.030	0.0	-0.0
0.0	INVSLE Max	0.011	0.048	0.000	0.0	0.0
-0.0	Min	-0.012	-0.045	-0.060	-0.0	-0.0
845	C1-C2;~1 Max	0.001	0.006	0.019	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.002	-0.006	-0.034	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.006	0.020	0.0	0.0
0.0		Min	-0.002	-0.006	-0.035	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.003	0.010	0.0	0.0
0.0		Min	-0.001	-0.003	-0.018	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.003	0.010	0.0	0.0
0.0		Min	-0.001	-0.003	-0.019	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	-0.020	-0.029	0.005	0.0	-0.0
-0.0	SLVy	(RS)	0.031	0.134	-0.005	0.0	-0.0
0.0	SLDx	(RS)	-0.014	0.020	0.004	0.0	-0.0
-0.0	SLDy	(RS)	0.018	0.077	-0.003	0.0	-0.0
0.0	SLVz	(RS)	0.000	-0.000	0.003	-0.0	-0.0
-0.0							
0.0	G1		-0.000	0.001	-0.016	0.0	0.0
0.0	G2		-0.000	0.000	-0.006	0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
-0.0	q3		0.002	0.012	-0.001	0.0	0.0
0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
-0.0	q4-6		0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7		0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1		0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2		0.009	0.040	-0.004	0.0	0.0
0.0	q5 - p~3		0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4		0.009	0.038	-0.003	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.001	0.006	-0.001	0.0	-0.0
0.0							

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	0.002	0.010	0.000	-0.0	-0.0
0.0	M. tor~1	0.005	0.024	-0.001	0.0	0.0
0.0	M. tor~2	0.003	0.014	-0.000	0.0	0.0
0.0	INVS LU Max	0.015	0.070	0.001	0.0	0.0
0.0	Min	-0.017	-0.066	-0.079	0.0	-0.0
-0.0	INVS LV Max	0.037	0.144	-0.014	0.0	0.0
0.0	Min	-0.038	-0.142	-0.029	0.0	-0.0
-0.0	INVS LE Max	0.010	0.048	0.001	0.0	0.0
0.0	Min	-0.012	-0.046	-0.059	0.0	-0.0
-0.0	846 C1-C2;~1 Max	0.001	0.006	0.019	0.0	0.0
0.0	Min	-0.002	-0.006	-0.033	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.001	0.006	0.020	0.0	0.0
0.0	Min	-0.002	-0.006	-0.034	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.003	0.010	0.0	0.0
0.0	Min	-0.001	-0.003	-0.018	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.003	0.010	0.0	0.0
0.0	Min	-0.001	-0.003	-0.018	-0.0	-0.0
-0.0	SLVx (RS)	-0.020	-0.029	0.005	0.0	-0.0
0.0	SLVy (RS)	0.030	0.135	-0.004	0.0	-0.0
0.0	SLDx (RS)	-0.014	0.020	0.004	0.0	-0.0
-0.0	SLDy (RS)	0.017	0.077	-0.003	0.0	-0.0
0.0	SLVz (RS)	-0.000	-0.000	0.003	-0.0	-0.0
-0.0	G1	-0.000	0.001	-0.015	0.0	0.0
0.0	G2	-0.000	0.000	-0.006	0.0	0.0
0.0	G1-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
-0.0	q3	0.002	0.012	-0.001	0.0	0.0
0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.000	-0.002	0.000	-0.0	-0.0
-0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7	0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1	0.008	-0.004	-0.000	0.0	0.0
0.0	q5 - p~2	0.009	0.040	-0.004	0.0	0.0
0.0	q5 - p~3	0.007	-0.004	-0.000	0.0	0.0
0.0	q5 - p~4	0.009	0.038	-0.003	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.001	0.006	-0.001	0.0	-0.0
0.0	T	0.002	0.011	0.000	-0.0	-0.0
0.0	M. tor~1	0.005	0.024	-0.001	0.0	0.0
0.0	M. tor~2	0.003	0.014	-0.000	0.0	0.0
0.0	INVS LU Max	0.015	0.070	0.002	0.0	0.0
-0.0	Min	-0.017	-0.066	-0.077	0.0	-0.0
0.0	INVS LV Max	0.035	0.145	-0.014	0.0	0.0
-0.0	Min	-0.037	-0.142	-0.028	0.0	-0.0
0.0	INVS LE Max	0.010	0.049	0.001	0.0	0.0
-0.0	Min	-0.011	-0.046	-0.057	0.0	-0.0
847 0.0	C1-C2;~1 Max	0.001	0.006	0.019	0.0	0.0
-0.0	Min	-0.002	-0.006	-0.032	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.007	0.019	0.0	0.0
-0.0	Min	-0.002	-0.006	-0.033	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.003	0.010	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.017	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.003	0.010	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.018	-0.0	-0.0

MIDAS

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.019	-0.029	0.005	0.0	-0.0
0.0	SLVy (RS)	0.029	0.135	-0.004	0.0	-0.0
-0.0	SLDx (RS)	-0.013	0.020	0.004	0.0	-0.0
0.0	SLDy (RS)	0.017	0.077	-0.003	0.0	-0.0
-0.0	SLVz (RS)	-0.000	-0.000	0.003	-0.0	-0.0
0.0	G1	-0.000	0.001	-0.015	0.0	0.0
0.0	G2	-0.000	0.000	-0.005	0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	q3	0.002	0.012	-0.001	0.0	0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	-0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7	0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1	0.008	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~2	0.009	0.040	-0.003	0.0	0.0
0.0	q5 - p~3	0.007	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4	0.008	0.038	-0.003	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	0.006	-0.000	0.0	-0.0
0.0	T	0.002	0.011	0.000	-0.0	-0.0
0.0	M. tor~1	0.005	0.024	-0.001	0.0	0.0
0.0	M. tor~2	0.003	0.014	-0.000	0.0	0.0
0.0	INVSLU Max	0.014	0.071	0.002	0.0	0.0
-0.0	Min	-0.016	-0.067	-0.075	0.0	-0.0
0.0	INVSLV Max	0.034	0.145	-0.013	0.0	0.0
-0.0	Min	-0.036	-0.142	-0.027	0.0	-0.0
	INVSLE Max	0.010	0.049	0.001	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.011	-0.046	-0.055	0.0	-0.0
-0.0							
848	C1-C2;~1	Max	0.001	0.007	0.019	0.0	0.0
0.0		Min	-0.002	-0.006	-0.031	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.007	0.019	0.0	0.0
0.0		Min	-0.002	-0.006	-0.032	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.003	0.009	0.0	0.0
0.0		Min	-0.001	-0.003	-0.017	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.004	0.010	0.0	0.0
0.0		Min	-0.001	-0.003	-0.017	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.019	-0.029	0.005	0.0	-0.0
-0.0	SLVy (RS)		0.028	0.135	-0.004	0.0	-0.0
0.0	SLDx (RS)		-0.013	0.020	0.003	0.0	-0.0
-0.0	SLDy (RS)		0.016	0.077	-0.002	0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.000	0.002	-0.0	-0.0
-0.0							
0.0	G1		-0.000	0.001	-0.014	0.0	0.0
0.0	G2		-0.000	0.000	-0.005	0.0	0.0
0.0							
-0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
-0.0							
0.0	q3		0.002	0.012	-0.001	0.0	0.0
0.0							
-0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0							
-0.0	q4-2		-0.000	-0.002	0.000	-0.0	-0.0
-0.0							
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	-0.0
-0.0							
0.0	q4-4		0.000	-0.000	-0.000	-0.0	0.0
0.0							
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
-0.0							
0.0	q4-6		0.000	0.002	-0.000	0.0	-0.0
0.0							
0.0	q4-7		0.000	0.002	-0.000	0.0	-0.0
0.0							
0.0	q5 - p~1		0.008	-0.004	-0.000	-0.0	0.0
0.0							
0.0	q5 - p~2		0.009	0.040	-0.003	0.0	0.0
0.0							
0.0	q5 - p~3		0.007	-0.004	-0.000	-0.0	0.0
0.0							
0.0	q5 - p~4		0.008	0.038	-0.003	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.006	-0.000	0.0	-0.0
0.0	T		0.002	0.011	0.000	-0.0	-0.0
0.0	M. tor~1		0.005	0.024	-0.001	0.0	0.0
0.0	M. tor~2		0.003	0.014	-0.000	0.0	0.0
0.0	INVS LU	Max	0.014	0.071	0.003	0.0	0.0
-0.0		Min	-0.016	-0.067	-0.072	0.0	-0.0
0.0	INVS LV	Max	0.033	0.145	-0.013	0.0	0.0
-0.0		Min	-0.034	-0.142	-0.026	0.0	-0.0
0.0	INVS LE	Max	0.010	0.049	0.002	0.0	0.0
-0.0		Min	-0.011	-0.046	-0.053	0.0	-0.0
0.0	849 C1-C2;~1	Max	0.001	0.007	0.018	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.030	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.007	0.019	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.031	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.004	0.009	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.016	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.004	0.009	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.017	-0.0	-0.0
-0.0	SLVx (RS)		-0.018	-0.029	0.005	0.0	-0.0
0.0	SLVy (RS)		0.027	0.135	-0.004	0.0	-0.0
-0.0	SLDx (RS)		-0.013	0.020	0.003	0.0	-0.0
0.0	SLDy (RS)		0.016	0.077	-0.002	0.0	-0.0
-0.0	SLVz (RS)		-0.000	-0.000	0.002	-0.0	-0.0
0.0	G1		-0.000	0.001	-0.013	0.0	0.0
0.0	G2		-0.000	0.000	-0.005	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.002	0.012	-0.001	0.0	0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	-0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7	-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1	0.008	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~2	0.008	0.040	-0.003	0.0	0.0
0.0	q5 - p~3	0.007	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4	0.008	0.038	-0.003	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	0.006	-0.000	0.0	-0.0
0.0	T	0.002	0.012	0.000	-0.0	-0.0
0.0	M. tor~1	0.004	0.024	-0.001	0.0	0.0
0.0	M. tor~2	0.003	0.014	-0.000	0.0	0.0
0.0	INVSLU Max	0.014	0.071	0.003	0.0	0.0
-0.0	Min	-0.015	-0.067	-0.069	0.0	-0.0
0.0	INVSLV Max	0.032	0.145	-0.012	0.0	0.0
-0.0	Min	-0.033	-0.142	-0.025	0.0	-0.0
0.0	INVSLE Max	0.009	0.050	0.002	0.0	0.0
-0.0	Min	-0.011	-0.046	-0.051	0.0	-0.0
850 0.0	C1-C2;~1 Max	0.001	0.007	0.018	0.0	0.0
-0.0	Min	-0.002	-0.006	-0.029	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.007	0.018	0.0	0.0
-0.0	Min	-0.002	-0.006	-0.029	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.004	0.009	0.0	0.0
	Min	-0.001	-0.003	-0.016	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.004	0.009	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.016	-0.0	-0.0
-0.0	SLVx	(RS)	-0.018	-0.029	0.004	0.0	-0.0
0.0	SLVy	(RS)	0.026	0.135	-0.004	0.0	0.0
-0.0	SLDx	(RS)	-0.012	0.020	0.003	0.0	-0.0
0.0	SLDy	(RS)	0.015	0.077	-0.002	0.0	-0.0
-0.0	SLVz	(RS)	-0.000	-0.000	0.002	-0.0	-0.0
0.0	G1		-0.000	0.001	-0.013	0.0	0.0
0.0	G2		-0.000	0.000	-0.005	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		0.002	0.012	-0.001	0.0	0.0
-0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	-0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7		-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1		0.008	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~2		0.008	0.040	-0.003	0.0	0.0
0.0	q5 - p~3		0.007	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4		0.007	0.038	-0.003	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.006	-0.000	0.0	-0.0
0.0	T		0.002	0.012	0.000	-0.0	-0.0
0.0	M. tor~1		0.004	0.024	-0.001	0.0	0.0
0.0	M. tor~2		0.003	0.014	-0.000	0.0	0.0
0.0	INVS LU	Max	0.013	0.072	0.004	0.0	0.0
-0.0		Min	-0.015	-0.067	-0.065	0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.031	0.145	-0.011	0.0	0.0
-0.0		Min	-0.032	-0.142	-0.023	0.0	-0.0
0.0	INVS LE	Max	0.009	0.050	0.003	0.0	0.0
-0.0		Min	-0.010	-0.046	-0.048	0.0	-0.0
851 0.0	C1-C2;~1	Max	0.001	0.007	0.017	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.027	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.007	0.017	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.028	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.004	0.009	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.015	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.004	0.009	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.015	-0.0	-0.0
-0.0	SLVx (RS)		-0.017	-0.029	0.004	-0.0	-0.0
0.0	SLVy (RS)		0.025	0.134	-0.003	0.0	0.0
-0.0	SLDx (RS)		-0.012	0.020	0.003	-0.0	-0.0
0.0	SLDy (RS)		0.015	0.077	-0.002	0.0	0.0
-0.0	SLVz (RS)		-0.000	-0.000	0.002	-0.0	-0.0
0.0	G1		-0.000	0.001	-0.012	0.0	0.0
0.0	G2		-0.000	0.000	-0.004	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.002	0.012	-0.001	0.0	0.0
-0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	-0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7		-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1		0.007	-0.004	-0.000	-0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~2		0.008	0.040	-0.003	0.0	0.0
0.0	q5 - p~3		0.007	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4		0.007	0.038	-0.003	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.006	-0.000	0.0	-0.0
0.0	T		0.002	0.012	0.000	-0.0	-0.0
0.0	M. tor~1		0.004	0.024	-0.001	0.0	0.0
0.0	M. tor~2		0.002	0.014	-0.000	0.0	0.0
0.0	INVS LU	Max	0.013	0.072	0.005	0.0	0.0
-0.0		Min	-0.014	-0.068	-0.062	0.0	-0.0
0.0	INVS LV	Max	0.030	0.145	-0.010	0.0	0.0
-0.0		Min	-0.031	-0.142	-0.022	0.0	-0.0
0.0	INVS LE	Max	0.009	0.050	0.003	0.0	0.0
-0.0		Min	-0.010	-0.047	-0.046	0.0	-0.0
0.0	852 C1-C2;~1	Max	0.001	0.007	0.016	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.026	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.007	0.017	0.0	0.0
-0.0		Min	-0.001	-0.006	-0.026	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.004	0.008	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.014	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.004	0.009	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.014	-0.0	-0.0
-0.0	SLVx (RS)		-0.017	-0.029	0.004	-0.0	-0.0
0.0	SLVy (RS)		0.024	0.134	-0.003	0.0	0.0
-0.0	SLDx (RS)		-0.012	0.020	0.003	-0.0	-0.0
0.0	SLDy (RS)		0.014	0.077	-0.002	0.0	0.0
-0.0	SLVz (RS)		-0.000	-0.000	0.002	-0.0	-0.0
0.0	G1		-0.000	0.001	-0.011	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	0.000	-0.004	0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.001	0.012	-0.001	0.0	0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	-0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7	-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1	0.007	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~2	0.007	0.040	-0.002	0.0	0.0
0.0	q5 - p~3	0.007	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4	0.007	0.038	-0.002	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	0.006	-0.000	0.0	-0.0
0.0	T	0.002	0.013	0.000	-0.0	-0.0
0.0	M. tor~1	0.004	0.024	-0.000	0.0	0.0
0.0	M. tor~2	0.002	0.014	-0.000	0.0	0.0
0.0	INVSLU Max	0.012	0.072	0.005	0.0	0.0
-0.0	Min	-0.014	-0.068	-0.058	0.0	-0.0
0.0	INVSLV Max	0.029	0.145	-0.009	0.0	0.0
-0.0	Min	-0.030	-0.142	-0.020	0.0	-0.0
0.0	INVSLE Max	0.008	0.050	0.004	0.0	0.0
-0.0	Min	-0.010	-0.047	-0.043	0.0	-0.0
853 0.0	C1-C2;~1 Max	0.001	0.007	0.016	0.0	0.0
-0.0	Min	-0.002	-0.006	-0.024	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.007	0.016	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.001	-0.006	-0.025	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.004	0.008	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.013	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.004	0.008	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.013	-0.0	-0.0
-0.0	SLVx (RS)	-0.016	-0.029	0.004	-0.0	-0.0
0.0	SLVy (RS)	0.023	0.134	-0.003	0.0	0.0
-0.0	SLDx (RS)	-0.011	0.020	0.003	-0.0	-0.0
0.0	SLDy (RS)	0.013	0.077	-0.002	0.0	0.0
-0.0	SLVz (RS)	-0.000	-0.000	0.002	-0.0	-0.0
0.0	G1	-0.000	0.001	-0.010	0.0	0.0
0.0	G2	-0.000	0.000	-0.004	0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.001	0.012	-0.001	0.0	0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	-0.0	0.0
-0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7	-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1	0.007	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~2	0.007	0.040	-0.002	0.0	0.0
0.0	q5 - p~3	0.007	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4	0.007	0.038	-0.002	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	0.006	-0.000	0.0	-0.0
-0.0	T	0.002	0.013	0.000	-0.0	-0.0
0.0	M. tor~1	0.004	0.024	-0.000	0.0	0.0
0.0	M. tor~2	0.002	0.014	-0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0	INVS LU	Max	0.012	0.072	0.006	0.0	0.0
-0.0		Min	-0.013	-0.068	-0.054	0.0	-0.0
0.0	INVS LV	Max	0.028	0.145	-0.008	0.0	0.0
-0.0		Min	-0.029	-0.142	-0.018	0.0	-0.0
0.0	INVS LE	Max	0.008	0.050	0.004	0.0	0.0
-0.0		Min	-0.009	-0.047	-0.040	0.0	-0.0
854 0.0	C1-C2;~1	Max	0.001	0.007	0.015	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.023	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.007	0.015	0.0	0.0
-0.0		Min	-0.001	-0.006	-0.023	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.004	0.008	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.012	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.004	0.008	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.012	-0.0	-0.0
-0.0	SLVx (RS)		-0.016	-0.029	0.003	-0.0	-0.0
0.0	SLVy (RS)		0.022	0.134	-0.003	0.0	0.0
-0.0	SLDx (RS)		-0.011	0.020	0.002	-0.0	-0.0
0.0	SLDy (RS)		0.013	0.077	-0.002	0.0	0.0
-0.0	SLVz (RS)		-0.000	-0.000	0.001	-0.0	-0.0
0.0	G1		-0.000	0.001	-0.009	0.0	0.0
0.0	G2		-0.000	0.000	-0.003	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.001	0.012	-0.001	0.0	0.0
-0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	-0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	-0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7	-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1	0.007	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~2	0.007	0.040	-0.002	0.0	0.0
0.0	q5 - p~3	0.007	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4	0.006	0.038	-0.002	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	0.006	-0.000	0.0	-0.0
0.0	T	0.002	0.013	0.000	-0.0	-0.0
-0.0	M. tor~1	0.004	0.024	-0.000	0.0	0.0
0.0	M. tor~2	0.002	0.014	-0.000	0.0	0.0
0.0	INVS LU Max	0.012	0.073	0.006	0.0	0.0
-0.0	Min	-0.013	-0.068	-0.049	0.0	-0.0
0.0	INVS LV Max	0.027	0.144	-0.007	0.0	0.0
-0.0	Min	-0.028	-0.142	-0.017	0.0	-0.0
0.0	INVS LE Max	0.008	0.051	0.005	0.0	0.0
-0.0	Min	-0.009	-0.047	-0.036	0.0	-0.0
855	C1-C2;~1 Max	0.001	0.007	0.014	0.0	0.0
0.0	Min	-0.002	-0.006	-0.021	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.001	0.007	0.014	0.0	0.0
0.0	Min	-0.001	-0.006	-0.021	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.003	0.007	0.0	0.0
0.0	Min	-0.001	-0.003	-0.011	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.004	0.007	0.0	0.0
0.0	Min	-0.001	-0.003	-0.011	-0.0	-0.0
-0.0	SLVx (RS)	-0.015	-0.029	0.003	-0.0	-0.0
0.0	SLVy (RS)	0.021	0.134	-0.002	0.0	0.0
-0.0	SLDx (RS)	-0.011	0.020	0.002	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.012	0.077	-0.001	0.0	0.0	
-0.0	SLVz (RS)	-0.000	-0.000	0.001	-0.0	-0.0	
0.0	G1	-0.000	0.001	-0.008	0.0	0.0	
0.0	G2	-0.000	0.000	-0.003	0.0	0.0	
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q3	0.001	0.012	-0.001	0.0	-0.0	
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0	
-0.0	q4-2	-0.000	-0.002	0.000	-0.0	-0.0	
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	-0.0	
0.0	q4-4	0.000	-0.000	-0.000	-0.0	0.0	
-0.0	q4-5	0.001	0.001	-0.000	0.0	0.0	
0.0	q4-6	-0.000	0.002	-0.000	0.0	-0.0	
0.0	q4-7	-0.000	0.002	-0.000	0.0	-0.0	
0.0	q5 - p~1	0.007	-0.004	-0.000	-0.0	0.0	
0.0	q5 - p~2	0.006	0.040	-0.002	0.0	0.0	
0.0	q5 - p~3	0.007	-0.004	-0.000	-0.0	0.0	
0.0	q5 - p~4	0.006	0.037	-0.002	0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	0.000	0.006	-0.000	0.0	-0.0	
-0.0	T	0.002	0.014	0.000	-0.0	-0.0	
0.0	M. tor~1	0.004	0.024	-0.000	0.0	0.0	
0.0	M. tor~2	0.002	0.014	-0.000	0.0	0.0	
0.0	INVSLU Max	0.012	0.073	0.007	0.0	0.0	
-0.0	Min	-0.013	-0.069	-0.045	0.0	-0.0	
0.0	INVSLV Max	0.025	0.144	-0.006	0.0	0.0	
-0.0	Min	-0.026	-0.142	-0.015	0.0	-0.0	
0.0	INVSLE Max	0.008	0.051	0.005	0.0	0.0	
-0.0	Min	-0.009	-0.048	-0.033	0.0	-0.0	
856	C1-C2;~1 Max	0.001	0.007	0.013	0.0	0.0	


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0							
-0.0	Min	-0.002	-0.006	-0.019	-0.0	-0.0	
0.0	C3-C4;~1	Max	0.001	0.007	0.013	0.0	0.0
-0.0	Min	-0.001	-0.006	-0.019	-0.0	-0.0	
0.0	C1-C2;~2	Max	0.001	0.003	0.007	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.010	-0.0	-0.0	
0.0	C3-C4;~2	Max	0.001	0.003	0.007	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.010	-0.0	-0.0	
0.0	SLVx (RS)		-0.015	-0.029	0.003	-0.0	-0.0
-0.0	SLVy (RS)		0.020	0.134	-0.002	0.0	0.0
0.0	SLDx (RS)		-0.010	0.020	0.002	-0.0	-0.0
-0.0	SLDy (RS)		0.012	0.077	-0.001	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	-0.0
-0.0	G1		-0.000	0.001	-0.007	0.0	0.0
0.0	G2		-0.000	0.000	-0.002	0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q3		0.001	0.012	-0.000	0.0	-0.0
0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	-0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7		-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1		0.007	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~2		0.006	0.040	-0.002	0.0	0.0
0.0	q5 - p~3		0.006	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4		0.006	0.037	-0.002	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.006	-0.000	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	0.002	0.014	0.000	-0.0	-0.0
0.0	M. tor~1	0.003	0.024	-0.000	0.0	0.0
0.0	M. tor~2	0.002	0.014	-0.000	0.0	0.0
0.0	INVS LU Max	0.011	0.073	0.007	0.0	0.0
-0.0	Min	-0.013	-0.069	-0.040	0.0	-0.0
0.0	INVS LV Max	0.024	0.144	-0.005	0.0	0.0
-0.0	Min	-0.025	-0.142	-0.013	0.0	-0.0
0.0	INVS LE Max	0.008	0.051	0.005	0.0	0.0
-0.0	Min	-0.009	-0.048	-0.030	0.0	-0.0
857 0.0	C1-C2;~1 Max	0.001	0.006	0.012	0.0	0.0
-0.0	Min	-0.002	-0.006	-0.017	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.007	0.012	0.0	0.0
-0.0	Min	-0.001	-0.006	-0.017	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.003	0.006	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.009	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.003	0.006	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.009	-0.0	-0.0
-0.0	SLVx (RS)	-0.014	-0.029	0.003	-0.0	-0.0
0.0	SLVy (RS)	0.019	0.134	-0.002	0.0	0.0
-0.0	SLDx (RS)	-0.010	0.020	0.002	-0.0	-0.0
0.0	SLDy (RS)	0.011	0.077	-0.001	0.0	0.0
-0.0	SLVz (RS)	0.001	-0.000	0.001	-0.0	-0.0
0.0	G1	-0.000	0.001	-0.006	0.0	0.0
0.0	G2	-0.000	0.000	-0.002	0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.001	0.012	-0.000	0.0	-0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.000	-0.002	0.000	-0.0	-0.0


MIDAS

PROJECT TITLE :


	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	-0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7		-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1		0.007	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~2		0.006	0.039	-0.002	0.0	0.0
0.0	q5 - p~3		0.006	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4		0.006	0.037	-0.001	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.006	-0.000	0.0	-0.0
-0.0	T		0.002	0.015	0.000	-0.0	-0.0
0.0	M. tor~1		0.003	0.024	-0.000	0.0	0.0
0.0	M. tor~2		0.002	0.014	-0.000	0.0	0.0
0.0	INVSLU	Max	0.011	0.073	0.007	0.0	0.0
-0.0		Min	-0.013	-0.069	-0.036	0.0	-0.0
0.0	INVSLV	Max	0.023	0.144	-0.004	0.0	0.0
-0.0		Min	-0.024	-0.142	-0.011	0.0	-0.0
0.0	INVSLE	Max	0.008	0.051	0.005	0.0	0.0
-0.0		Min	-0.009	-0.048	-0.026	0.0	-0.0
858	C1-C2;~1	Max	0.001	0.006	0.011	0.0	0.0
0.0		Min	-0.002	-0.006	-0.015	-0.0	-0.0
-0.0	C3-C4;~1	Max	0.001	0.006	0.011	0.0	0.0
0.0		Min	-0.001	-0.006	-0.015	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.001	0.003	0.006	0.0	0.0
0.0		Min	-0.001	-0.003	-0.008	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.001	0.003	0.006	0.0	0.0
0.0		Min	-0.001	-0.003	-0.008	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.014	-0.029	0.002	-0.0	-0.0
0.0	SLVy (RS)	0.018	0.134	-0.002	0.0	0.0
-0.0	SLDx (RS)	-0.010	0.020	0.002	-0.0	-0.0
0.0	SLDy (RS)	0.011	0.077	-0.001	0.0	0.0
-0.0	SLVz (RS)	0.001	-0.000	0.001	-0.0	-0.0
0.0	G1	-0.000	0.001	-0.005	0.0	0.0
0.0	G2	-0.000	0.000	-0.002	0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.001	0.012	-0.000	0.0	-0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	-0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	0.0	-0.0
0.0	q4-7	-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1	0.007	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~2	0.006	0.039	-0.001	0.0	0.0
0.0	q5 - p~3	0.006	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4	0.005	0.037	-0.001	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.006	-0.000	0.0	-0.0
-0.0	T	0.002	0.015	0.000	-0.0	-0.0
0.0	M. tor~1	0.003	0.024	-0.000	0.0	0.0
0.0	M. tor~2	0.002	0.014	-0.000	0.0	0.0
0.0	INVSLU Max	0.011	0.073	0.007	0.0	0.0
-0.0	Min	-0.012	-0.069	-0.031	0.0	-0.0
0.0	INVSLV Max	0.022	0.144	-0.004	0.0	0.0
-0.0	Min	-0.023	-0.141	-0.010	0.0	-0.0
	INVSLE Max	0.008	0.051	0.005	0.0	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.009	-0.048	-0.023	0.0	-0.0
-0.0							
859	C1-C2;~1	Max	0.001	0.006	0.010	0.0	0.0
0.0		Min	-0.002	-0.006	-0.013	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.006	0.010	0.0	0.0
0.0		Min	-0.001	-0.006	-0.013	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.003	0.005	0.0	0.0
0.0		Min	-0.001	-0.003	-0.007	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.003	0.005	0.0	0.0
0.0		Min	-0.001	-0.003	-0.007	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.013	-0.029	0.002	-0.0	-0.0
-0.0	SLVy (RS)		0.017	0.134	-0.002	0.0	0.0
0.0	SLDx (RS)		-0.010	0.020	0.001	-0.0	-0.0
-0.0	SLDy (RS)		0.010	0.077	0.001	0.0	0.0
0.0	SLVz (RS)		0.001	0.000	0.001	-0.0	-0.0
-0.0							
0.0	G1		-0.000	0.001	-0.004	0.0	0.0
0.0	G2		-0.000	0.000	-0.001	0.0	0.0
0.0							
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0							
0.0	q3		0.001	0.012	-0.000	0.0	-0.0
0.0							
-0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0							
-0.0	q4-2		-0.000	-0.002	0.000	-0.0	-0.0
-0.0							
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	-0.0
-0.0							
0.0	q4-4		0.000	-0.000	-0.000	-0.0	0.0
0.0							
0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0							
0.0	q4-6		-0.000	0.002	0.000	0.0	-0.0
0.0							
0.0	q4-7		-0.000	0.002	-0.000	0.0	-0.0
0.0							
0.0	q5 - p~1		0.006	-0.004	-0.000	-0.0	0.0
0.0							
0.0	q5 - p~2		0.005	0.039	-0.001	0.0	0.0
0.0							
0.0	q5 - p~3		0.006	-0.004	-0.000	-0.0	0.0
0.0							
0.0	q5 - p~4		0.005	0.037	-0.001	0.0	0.0
0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.006	-0.000	0.0	-0.0
-0.0	T		0.002	0.015	0.000	-0.0	-0.0
0.0	M. tor~1		0.003	0.024	-0.000	0.0	0.0
0.0	M. tor~2		0.002	0.014	-0.000	0.0	0.0
0.0	INVS LU Max		0.011	0.073	0.007	0.0	0.0
-0.0	Min		-0.012	-0.070	-0.026	-0.0	-0.0
0.0	INVS LV Max		0.021	0.144	-0.003	0.0	0.0
-0.0	Min		-0.022	-0.141	-0.008	0.0	-0.0
0.0	INVS LE Max		0.008	0.051	0.005	0.0	0.0
-0.0	Min		-0.008	-0.049	-0.019	-0.0	-0.0
0.0	860 C1-C2;~1 Max		0.001	0.006	0.009	0.0	0.0
-0.0	Min		-0.002	-0.006	-0.011	-0.0	-0.0
0.0	C3-C4;~1 Max		0.001	0.006	0.009	0.0	0.0
-0.0	Min		-0.001	-0.006	-0.011	-0.0	-0.0
0.0	C1-C2;~2 Max		0.001	0.003	0.004	0.0	0.0
-0.0	Min		-0.001	-0.003	-0.006	-0.0	-0.0
0.0	C3-C4;~2 Max		0.001	0.003	0.005	0.0	0.0
-0.0	Min		-0.001	-0.003	-0.006	-0.0	-0.0
-0.0	SLVx (RS)		-0.013	0.029	0.002	-0.0	-0.0
0.0	SLVy (RS)		0.016	0.134	-0.001	0.0	0.0
-0.0	SLDx (RS)		-0.009	0.020	0.001	-0.0	-0.0
0.0	SLDy (RS)		0.010	0.077	0.001	0.0	0.0
-0.0	SLVz (RS)		0.001	0.000	0.001	-0.0	-0.0
0.0	G1		-0.000	0.001	-0.003	0.0	0.0
0.0	G2		-0.000	0.000	-0.001	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.001	0.012	-0.000	0.0	-0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	-0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	-0.000	0.002	0.000	0.0	-0.0
0.0	q4-7	-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1	0.006	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~2	0.005	0.039	-0.001	0.0	0.0
0.0	q5 - p~3	0.006	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4	0.005	0.037	-0.001	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.006	-0.000	0.0	-0.0
-0.0	T	0.002	0.016	0.000	-0.0	-0.0
0.0	M. tor~1	0.003	0.024	-0.000	0.0	0.0
0.0	M. tor~2	0.002	0.014	-0.000	0.0	0.0
0.0	INVSLU Max	0.011	0.073	0.007	0.0	0.0
-0.0	Min	-0.012	-0.070	-0.022	-0.0	-0.0
0.0	INVSLV Max	0.020	0.143	-0.002	0.0	0.0
-0.0	Min	-0.021	-0.141	-0.006	0.0	-0.0
0.0	INVSLE Max	0.007	0.051	0.005	0.0	0.0
-0.0	Min	-0.008	-0.049	-0.016	-0.0	-0.0
861 0.0	C1-C2;~1 Max	0.001	0.006	0.007	0.0	0.0
-0.0	Min	-0.002	-0.006	-0.009	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.006	0.007	0.0	0.0
-0.0	Min	-0.001	-0.006	-0.009	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.003	0.004	0.0	0.0
0.0	Min	-0.001	-0.003	-0.005	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.003	0.004	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.005	-0.0	-0.0
-0.0	SLVx	(RS)	-0.013	0.029	0.001	-0.0	-0.0
0.0	SLVy	(RS)	0.016	0.133	-0.001	0.0	0.0
-0.0	SLDx	(RS)	-0.009	0.020	0.001	-0.0	-0.0
0.0	SLDy	(RS)	0.009	0.077	0.001	0.0	0.0
-0.0	SLVz	(RS)	0.001	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	0.001	-0.002	0.0	0.0
0.0	G2		-0.000	0.000	-0.001	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.001	0.012	-0.000	0.0	-0.0
-0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	-0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		-0.000	0.002	0.000	0.0	-0.0
0.0	q4-7		-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1		0.006	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~2		0.005	0.039	-0.001	0.0	0.0
0.0	q5 - p~3		0.006	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4		0.004	0.037	-0.001	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.006	-0.000	0.0	-0.0
-0.0	T		0.002	0.016	0.000	-0.0	-0.0
0.0	M. tor~1		0.003	0.023	-0.000	0.0	0.0
0.0	M. tor~2		0.002	0.014	-0.000	0.0	0.0
0.0	INVS LU	Max	0.011	0.073	0.006	0.0	0.0
-0.0		Min	-0.012	-0.070	-0.018	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.019	0.143	-0.001	0.0	0.0
-0.0		Min	-0.020	-0.141	-0.005	0.0	-0.0
0.0	INVS LE	Max	0.007	0.051	0.005	0.0	0.0
-0.0		Min	-0.008	-0.049	-0.013	-0.0	-0.0
862 0.0	C1-C2;~1	Max	0.001	0.006	0.006	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.007	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.006	0.006	0.0	0.0
-0.0		Min	-0.001	-0.006	-0.007	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.003	0.003	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.004	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.003	0.003	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.004	-0.0	-0.0
-0.0	SLVx (RS)		-0.012	0.029	0.001	-0.0	-0.0
0.0	SLVy (RS)		0.015	0.133	-0.001	0.0	0.0
-0.0	SLDx (RS)		-0.009	0.020	0.001	-0.0	-0.0
0.0	SLDy (RS)		0.009	0.076	0.000	0.0	0.0
-0.0	SLVz (RS)		0.001	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	0.001	-0.002	0.0	0.0
0.0	G2		-0.000	0.000	-0.001	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.001	0.012	-0.000	0.0	-0.0
-0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	-0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	0.0	0.0
0.0	q4-6		-0.000	0.002	0.000	0.0	-0.0
0.0	q4-7		-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1		0.006	-0.004	-0.000	-0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~2		0.004	0.039	-0.001	0.0	0.0
0.0	q5 - p~3		0.006	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4		0.004	0.037	-0.001	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.006	-0.000	0.0	-0.0
-0.0	T		0.002	0.016	0.000	-0.0	-0.0
0.0	M. tor~1		0.003	0.023	-0.000	0.0	0.0
0.0	M. tor~2		0.002	0.014	-0.000	0.0	0.0
0.0	INVS LU Max		0.010	0.073	0.006	0.0	0.0
-0.0	Min		-0.011	-0.071	-0.013	-0.0	-0.0
0.0	INVS LV Max		0.018	0.143	-0.001	0.0	0.0
-0.0	Min		-0.019	-0.141	-0.004	0.0	-0.0
0.0	INVS LE Max		0.007	0.051	0.004	0.0	0.0
-0.0	Min		-0.008	-0.049	-0.010	-0.0	-0.0
0.0	863 C1-C2;~1 Max		0.001	0.006	0.004	0.0	0.0
-0.0	Min		-0.002	-0.006	-0.005	-0.0	-0.0
0.0	C3-C4;~1 Max		0.002	0.006	0.004	0.0	0.0
-0.0	Min		-0.001	-0.006	-0.005	-0.0	-0.0
0.0	C1-C2;~2 Max		0.001	0.003	0.002	0.0	0.0
-0.0	Min		-0.001	-0.003	-0.003	-0.0	-0.0
0.0	C3-C4;~2 Max		0.001	0.003	0.002	0.0	0.0
-0.0	Min		-0.001	-0.003	-0.003	-0.0	-0.0
-0.0	SLVx (RS)		-0.012	0.029	0.001	-0.0	-0.0
0.0	SLVy (RS)		0.014	0.133	-0.001	0.0	0.0
-0.0	SLDx (RS)		-0.008	0.020	0.001	-0.0	-0.0
0.0	SLDy (RS)		0.008	0.076	0.000	0.0	0.0
-0.0	SLVz (RS)		0.001	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	0.000	-0.001	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.001	0.012	-0.000	0.0	-0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	-0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	-0.000	0.002	0.000	0.0	-0.0
0.0	q4-7	-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1	0.006	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~2	0.004	0.039	-0.000	0.0	0.0
0.0	q5 - p~3	0.006	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4	0.004	0.037	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.006	-0.000	0.0	-0.0
-0.0	T	0.002	0.017	0.000	-0.0	-0.0
0.0	M. tor~1	0.002	0.023	-0.000	0.0	0.0
0.0	M. tor~2	0.001	0.014	-0.000	0.0	0.0
0.0	INVSLU Max	0.010	0.073	0.004	0.0	0.0
-0.0	Min	-0.011	-0.071	-0.010	-0.0	-0.0
0.0	INVSLV Max	0.017	0.142	-0.001	0.0	0.0
-0.0	Min	-0.018	-0.141	-0.003	0.0	-0.0
0.0	INVSLE Max	0.007	0.051	0.003	0.0	0.0
-0.0	Min	-0.008	-0.050	-0.007	-0.0	-0.0
864 0.0	C1-C2;~1 Max	0.001	0.006	0.003	0.0	0.0
-0.0	Min	-0.002	-0.006	-0.003	-0.0	-0.0
0.0	C3-C4;~1 Max	0.002	0.006	0.003	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.001	-0.006	-0.003	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.003	0.001	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.002	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.003	0.002	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.002	-0.0	-0.0
-0.0	SLVx (RS)	-0.012	0.029	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.013	0.133	-0.000	0.0	0.0
-0.0	SLDx (RS)	-0.008	0.020	0.000	-0.0	-0.0
0.0	SLDy (RS)	0.007	0.076	0.000	-0.0	0.0
-0.0	SLVz (RS)	0.001	0.000	0.000	-0.0	-0.0
0.0	G1	-0.000	0.000	-0.001	0.0	0.0
0.0	G2	-0.000	0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.001	0.012	-0.000	0.0	-0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	-0.0	0.0
0.0	q4-5	0.001	0.001	-0.000	0.0	0.0
0.0	q4-6	-0.000	0.002	0.000	0.0	-0.0
0.0	q4-7	-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1	0.006	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~2	0.004	0.039	-0.000	0.0	0.0
0.0	q5 - p~3	0.005	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4	0.004	0.037	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.006	-0.000	0.0	-0.0
-0.0	T	0.002	0.017	0.000	-0.0	-0.0
0.0	M. tor~1	0.002	0.023	-0.000	0.0	0.0
0.0	M. tor~2	0.001	0.014	-0.000	0.0	0.0

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	INVS LU	Max	0.010	0.073	0.003	0.0	0.0
-0.0		Min	-0.011	-0.071	-0.006	-0.0	-0.0
0.0	INVS LV	Max	0.016	0.142	-0.000	0.0	0.0
-0.0		Min	-0.017	-0.141	-0.002	0.0	-0.0
0.0	INVS LE	Max	0.007	0.051	0.002	0.0	0.0
-0.0		Min	-0.007	-0.050	-0.005	-0.0	-0.0
865 0.0	C1-C2;~1	Max	0.001	0.006	0.001	0.0	0.0
-0.0		Min	-0.002	-0.006	-0.001	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.006	0.001	0.0	0.0
-0.0		Min	-0.001	-0.006	-0.001	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.003	0.001	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.001	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.003	0.001	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.001	-0.0	-0.0
-0.0	SLVx (RS)		-0.011	0.029	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.012	0.133	-0.000	0.0	0.0
-0.0	SLDx (RS)		-0.008	0.020	0.000	-0.0	-0.0
0.0	SLDy (RS)		0.007	0.076	0.000	-0.0	0.0
-0.0	SLVz (RS)		0.001	0.000	0.000	-0.0	0.0
0.0	G1		-0.000	0.000	-0.001	0.0	0.0
0.0	G2		-0.000	0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.000	0.012	-0.000	0.0	-0.0
-0.0	q4-1		-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		-0.000	-0.002	0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	-0.0	0.0
0.0	q4-5		0.001	0.001	-0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		-0.000	0.002	0.000	0.0	-0.0
0.0	q4-7		-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1		0.006	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~2		0.004	0.039	-0.000	0.0	0.0
0.0	q5 - p~3		0.005	-0.004	-0.000	-0.0	0.0
0.0	q5 - p~4		0.003	0.037	-0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.006	-0.000	0.0	-0.0
0.0	T		0.002	0.017	0.000	-0.0	-0.0
-0.0	M. tor~1		0.002	0.023	-0.000	0.0	0.0
0.0	M. tor~2		0.001	0.014	-0.000	0.0	0.0
0.0							
0.0	INVSLU	Max	0.010	0.072	0.001	0.0	0.0
-0.0		Min	-0.011	-0.072	-0.003	-0.0	-0.0
0.0	INVSLV	Max	0.015	0.142	-0.000	0.0	0.0
-0.0		Min	-0.016	-0.141	-0.001	-0.0	-0.0
0.0	INVSLE	Max	0.007	0.051	0.001	0.0	0.0
-0.0		Min	-0.007	-0.050	-0.002	-0.0	-0.0
866	C1-C2;~1	Max	0.001	0.006	0.002	0.0	0.0
0.0		Min	-0.001	-0.006	-0.002	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.006	0.002	0.0	0.0
-0.0		Min	-0.001	-0.006	-0.002	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.003	0.001	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.001	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.003	0.001	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.001	-0.0	-0.0
-0.0	SLVx (RS)		-0.011	0.029	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.010	0.132	-0.000	0.0	0.0
-0.0	SLDx (RS)		-0.008	0.020	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	SLDy (RS)	0.006	0.076	0.000	-0.0	0.0
-0.0	SLVz (RS)	0.001	0.000	0.000	0.0	0.0
0.0	G1	-0.000	-0.000	-0.001	-0.0	-0.0
0.0	G2	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.000	0.012	0.000	0.0	-0.0
-0.0	q4-1	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.001	0.000	0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.002	0.000	0.0	-0.0
0.0	q5 - p~1	0.006	-0.004	0.000	-0.0	0.0
0.0	q5 - p~2	0.003	0.039	0.000	0.0	0.0
0.0	q5 - p~3	0.005	-0.004	0.000	-0.0	0.0
0.0	q5 - p~4	0.003	0.037	0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
-0.0	T	0.001	0.018	-0.000	-0.0	-0.0
0.0	M. tor~1	0.002	0.023	0.000	0.0	0.0
0.0	M. tor~2	0.001	0.014	0.000	0.0	0.0
0.0	INVSLU Max	0.010	0.072	0.001	0.0	0.0
-0.0	Min	-0.010	-0.073	-0.004	-0.0	-0.0
0.0	INVSLV Max	0.014	0.141	-0.000	0.0	0.0
-0.0	Min	-0.014	-0.141	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.007	0.050	0.001	0.0	0.0
-0.0	Min	-0.007	-0.051	-0.003	-0.0	-0.0
867	C1-C2;~1 Max	0.001	0.005	0.003	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.001	-0.005	-0.004	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.005	0.003	0.0	0.0
0.0		Min	-0.001	-0.006	-0.004	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.003	0.002	0.0	0.0
0.0		Min	-0.001	-0.003	-0.002	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.003	0.002	0.0	0.0
0.0		Min	-0.001	-0.003	-0.002	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.011	0.029	-0.001	-0.0	-0.0
-0.0	SLVy (RS)		0.009	0.132	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.008	0.020	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		0.006	0.076	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.001	0.000	0.000	0.0	0.0
-0.0	G1		-0.000	-0.000	-0.001	-0.0	-0.0
0.0	G2		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	q3		0.000	0.012	0.000	0.0	-0.0
0.0	q4-1		-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2		-0.000	-0.002	-0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5		0.001	0.001	0.000	0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.002	0.000	0.0	-0.0
0.0	q5 - p~1		0.005	-0.004	0.000	-0.0	0.0
0.0	q5 - p~2		0.003	0.039	0.000	0.0	0.0
0.0	q5 - p~3		0.005	-0.004	0.000	-0.0	0.0
0.0	q5 - p~4		0.003	0.037	0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.006	0.000	0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	0.001	0.018	-0.000	-0.0	-0.0
0.0	M. tor~1	0.002	0.023	0.000	0.0	0.0
0.0	M. tor~2	0.001	0.014	0.000	0.0	0.0
0.0	INVS LU Max	0.009	0.072	0.003	0.0	0.0
-0.0	Min	-0.010	-0.073	-0.007	-0.0	-0.0
0.0	INVS LV Max	0.013	0.141	-0.001	-0.0	0.0
-0.0	Min	-0.014	-0.141	-0.002	-0.0	-0.0
0.0	INVS LE Max	0.007	0.050	0.002	0.0	0.0
-0.0	Min	-0.007	-0.051	-0.005	-0.0	-0.0
868 0.0	C1-C2;~1 Max	0.001	0.005	0.005	0.0	0.0
-0.0	Min	-0.001	-0.005	-0.006	-0.0	-0.0
0.0	C3-C4;~1 Max	0.002	0.005	0.005	0.0	0.0
-0.0	Min	-0.001	-0.006	-0.006	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.003	0.002	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.003	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.003	0.003	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.003	-0.0	-0.0
-0.0	SLVx (RS)	-0.010	0.030	-0.001	0.0	-0.0
0.0	SLVy (RS)	0.009	0.132	-0.001	-0.0	0.0
-0.0	SLDx (RS)	-0.007	0.020	-0.001	-0.0	-0.0
0.0	SLDy (RS)	0.005	0.076	-0.000	-0.0	0.0
-0.0	SLVz (RS)	0.001	0.000	0.000	0.0	0.0
0.0	G1	-0.000	-0.000	-0.001	-0.0	-0.0
0.0	G2	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.000	0.012	0.000	0.0	-0.0
-0.0	q4-1	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2	-0.000	-0.002	-0.000	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-0.0	q4-3		-0.000	-0.001	-0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5		0.001	0.001	0.000	0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.002	0.000	0.0	-0.0
0.0	q5 - p~1		0.005	-0.004	0.000	-0.0	0.0
0.0	q5 - p~2		0.003	0.039	0.000	0.0	0.0
0.0	q5 - p~3		0.005	-0.004	0.000	-0.0	0.0
0.0	q5 - p~4		0.002	0.037	0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.006	0.000	0.0	-0.0
-0.0	T		0.001	0.019	-0.000	-0.0	-0.0
0.0	M. tor~1		0.002	0.023	0.000	0.0	0.0
0.0	M. tor~2		0.001	0.014	0.000	0.0	0.0
0.0	INVSLU	Max	0.009	0.072	0.004	0.0	0.0
-0.0		Min	-0.010	-0.073	-0.011	-0.0	-0.0
0.0	INVSLV	Max	0.013	0.140	-0.001	-0.0	0.0
-0.0		Min	-0.013	-0.141	-0.003	-0.0	-0.0
0.0	INVSLE	Max	0.006	0.050	0.003	0.0	0.0
-0.0		Min	-0.007	-0.051	-0.008	-0.0	-0.0
869 0.0	C1-C2;~1	Max	0.001	0.005	0.006	0.0	0.0
-0.0		Min	-0.001	-0.005	-0.007	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.005	0.006	0.0	0.0
-0.0		Min	-0.001	-0.006	-0.008	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.003	0.003	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.004	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.003	0.003	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.004	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.010	0.030	-0.001	0.0	-0.0	
0.0	SLVy (RS)	0.008	0.131	-0.001	-0.0	0.0	
-0.0	SLDx (RS)	-0.007	0.020	-0.001	0.0	-0.0	
0.0	SLDy (RS)	0.005	0.075	-0.000	-0.0	0.0	
-0.0	SLVz (RS)	0.001	0.000	0.000	0.0	0.0	
0.0	G1	-0.000	-0.000	-0.002	-0.0	-0.0	
0.0	G2	-0.000	-0.000	-0.001	-0.0	-0.0	
-0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0	
-0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0	
0.0	q3	0.000	0.012	0.000	0.0	-0.0	
-0.0	q4-1	-0.000	-0.001	-0.000	-0.0	-0.0	
-0.0	q4-2	-0.000	-0.002	-0.000	-0.0	-0.0	
-0.0	q4-3	-0.000	-0.001	-0.000	-0.0	-0.0	
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0	
0.0	q4-5	0.001	0.001	0.000	-0.0	0.0	
0.0	q4-6	-0.000	0.002	-0.000	-0.0	-0.0	
0.0	q4-7	-0.000	0.002	0.000	0.0	-0.0	
0.0	q5 - p~1	0.005	-0.005	0.000	-0.0	0.0	
0.0	q5 - p~2	0.002	0.039	0.000	0.0	0.0	
0.0	q5 - p~3	0.005	-0.004	0.000	-0.0	0.0	
0.0	q5 - p~4	0.002	0.037	0.000	0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	-0.001	0.006	0.000	0.0	-0.0	
-0.0	T	0.001	0.019	-0.000	-0.0	-0.0	
0.0	M. tor~1	0.001	0.023	0.000	0.0	0.0	
0.0	M. tor~2	0.001	0.014	0.000	0.0	0.0	
0.0	INVS LU Max	0.009	0.072	0.005	0.0	0.0	
-0.0	Min	-0.009	-0.073	-0.014	-0.0	-0.0	
0.0	INVS LV Max	0.013	0.140	-0.001	-0.0	0.0	
-0.0	Min	-0.013	-0.141	-0.004	-0.0	-0.0	
	INVS LE Max	0.006	0.050	0.004	0.0	0.0	

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0		Min	-0.006	-0.052	-0.011	-0.0	-0.0
-0.0							
870	C1-C2;~1	Max	0.001	0.005	0.007	0.0	0.0
0.0		Min	-0.001	-0.005	-0.009	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.005	0.008	0.0	0.0
0.0		Min	-0.001	-0.006	-0.010	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.003	0.004	0.0	0.0
0.0		Min	-0.001	-0.003	-0.005	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.003	0.004	0.0	0.0
0.0		Min	-0.001	-0.003	-0.005	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.010	0.030	-0.001	0.0	-0.0
-0.0	SLVy (RS)		0.007	0.131	-0.001	-0.0	0.0
0.0	SLDx (RS)		-0.007	0.020	-0.001	0.0	-0.0
-0.0	SLDy (RS)		0.004	0.075	-0.001	-0.0	0.0
0.0	SLVz (RS)		0.001	0.000	0.001	0.0	0.0
-0.0							
0.0	G1		-0.000	-0.000	-0.003	-0.0	-0.0
0.0	G2		-0.000	-0.000	-0.001	-0.0	-0.0
0.0							
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0							
0.0	q3		0.000	0.012	0.000	0.0	-0.0
0.0							
-0.0	q4-1		-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
-0.0	q4-2		-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
-0.0	q4-3		-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0							
0.0	q4-5		0.001	0.001	0.000	-0.0	0.0
0.0							
0.0	q4-6		-0.000	0.002	-0.000	-0.0	-0.0
0.0							
0.0	q4-7		-0.000	0.002	0.000	0.0	-0.0
0.0							
0.0	q5 - p~1		0.005	-0.005	0.000	-0.0	0.0
0.0							
0.0	q5 - p~2		0.002	0.039	0.001	0.0	0.0
0.0							
0.0	q5 - p~3		0.005	-0.004	0.000	-0.0	0.0
0.0							
0.0	q5 - p~4		0.002	0.037	0.001	0.0	0.0
0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.006	0.000	0.0	-0.0
-0.0	T		0.001	0.019	-0.000	-0.0	-0.0
0.0	M. tor~1		0.001	0.023	0.000	-0.0	0.0
0.0	M. tor~2		0.001	0.014	0.000	-0.0	0.0
0.0	INVSLU Max		0.009	0.072	0.006	0.0	0.0
-0.0	Min		-0.009	-0.074	-0.018	-0.0	-0.0
0.0	INVSLV Max		0.012	0.139	-0.002	-0.0	0.0
-0.0	Min		-0.013	-0.141	-0.005	-0.0	-0.0
0.0	INVSLE Max		0.006	0.050	0.004	0.0	0.0
-0.0	Min		-0.006	-0.052	-0.014	-0.0	-0.0
0.0	871 C1-C2;~1 Max		0.001	0.005	0.009	0.0	0.0
-0.0	Min		-0.001	-0.005	-0.011	-0.0	-0.0
0.0	C3-C4;~1 Max		0.001	0.005	0.009	0.0	0.0
-0.0	Min		-0.001	-0.006	-0.012	-0.0	-0.0
0.0	C1-C2;~2 Max		0.001	0.003	0.005	0.0	0.0
-0.0	Min		-0.001	-0.003	-0.006	-0.0	-0.0
0.0	C3-C4;~2 Max		0.001	0.003	0.005	0.0	0.0
-0.0	Min		-0.001	-0.003	-0.006	-0.0	-0.0
-0.0	SLVx (RS)		-0.010	0.030	0.001	0.0	-0.0
0.0	SLVy (RS)		0.006	0.131	-0.001	-0.0	0.0
-0.0	SLDx (RS)		-0.007	0.020	-0.001	0.0	-0.0
0.0	SLDy (RS)		0.004	0.075	-0.001	-0.0	0.0
-0.0	SLVz (RS)		0.001	0.000	0.001	0.0	0.0
0.0	G1		-0.000	-0.001	-0.004	-0.0	-0.0
0.0	G2		-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	-0.000	0.012	0.000	0.0	-0.0
-0.0	q4-1	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.001	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.002	0.000	0.0	-0.0
0.0	q5 - p~1	0.005	-0.005	0.000	-0.0	0.0
0.0	q5 - p~2	0.002	0.039	0.001	0.0	0.0
0.0	q5 - p~3	0.005	-0.004	0.000	-0.0	0.0
0.0	q5 - p~4	0.002	0.037	0.001	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
-0.0	T	0.001	0.020	-0.000	-0.0	-0.0
0.0	M. tor~1	0.001	0.023	0.000	-0.0	0.0
0.0	M. tor~2	0.001	0.014	0.000	-0.0	0.0
0.0	INVSLU Max	0.009	0.072	0.006	0.0	0.0
-0.0	Min	-0.009	-0.074	-0.023	-0.0	-0.0
0.0	INVSLV Max	0.012	0.139	-0.003	-0.0	0.0
-0.0	Min	-0.012	-0.141	-0.007	-0.0	-0.0
0.0	INVSLE Max	0.006	0.050	0.004	0.0	0.0
-0.0	Min	-0.006	-0.052	-0.017	-0.0	-0.0
872 0.0	C1-C2;~1 Max	0.001	0.005	0.010	0.0	0.0
-0.0	Min	-0.001	-0.005	-0.013	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.005	0.010	0.0	0.0
-0.0	Min	-0.001	-0.005	-0.014	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.003	0.005	0.0	0.0
	Min	-0.001	-0.003	-0.007	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.003	0.005	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.007	-0.0	-0.0
-0.0	SLVx	(RS)	-0.010	0.030	0.002	0.0	-0.0
0.0	SLVy	(RS)	0.005	0.131	-0.001	-0.0	0.0
-0.0	SLDx	(RS)	-0.007	0.020	0.001	0.0	-0.0
0.0	SLDy	(RS)	0.003	0.075	-0.001	-0.0	0.0
-0.0	SLVz	(RS)	0.001	0.000	0.001	0.0	0.0
0.0	G1		-0.000	-0.001	-0.004	-0.0	-0.0
0.0	G2		-0.000	-0.000	-0.002	-0.0	-0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		-0.000	0.012	0.000	0.0	-0.0
-0.0	q4-1		-0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2		-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	-0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5		0.001	0.001	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.002	0.000	0.0	-0.0
0.0	q5 - p~1		0.005	-0.005	0.000	-0.0	0.0
0.0	q5 - p~2		0.001	0.038	0.001	0.0	0.0
0.0	q5 - p~3		0.005	-0.004	0.000	-0.0	0.0
0.0	q5 - p~4		0.001	0.036	0.001	0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.006	0.000	0.0	-0.0
-0.0	T		0.001	0.020	-0.000	-0.0	-0.0
0.0	M. tor~1		0.001	0.023	0.000	-0.0	0.0
0.0	M. tor~2		0.001	0.014	0.000	-0.0	0.0
0.0	INVS LU	Max	0.009	0.072	0.006	0.0	0.0
-0.0		Min	-0.009	-0.074	-0.027	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.011	0.139	-0.004	-0.0	0.0
-0.0		Min	-0.012	-0.140	-0.008	-0.0	-0.0
0.0	INVS LE	Max	0.006	0.050	0.004	-0.0	0.0
-0.0		Min	-0.006	-0.052	-0.020	-0.0	-0.0
873 0.0	C1-C2;~1	Max	0.001	0.005	0.011	0.0	0.0
-0.0		Min	-0.001	-0.005	-0.015	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.005	0.011	0.0	0.0
-0.0		Min	-0.001	-0.005	-0.016	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.003	0.006	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.008	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.003	0.006	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.008	-0.0	-0.0
-0.0	SLVx (RS)		-0.010	0.030	0.002	0.0	-0.0
0.0	SLVy (RS)		0.005	0.130	-0.001	-0.0	0.0
-0.0	SLDx (RS)		-0.007	0.020	0.001	0.0	-0.0
0.0	SLDy (RS)		0.003	0.075	-0.001	-0.0	0.0
-0.0	SLVz (RS)		0.001	0.000	0.001	0.0	0.0
0.0	G1		-0.000	-0.001	-0.005	-0.0	-0.0
0.0	G2		-0.000	-0.000	-0.002	-0.0	-0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		-0.000	0.012	0.000	0.0	-0.0
-0.0	q4-1		-0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2		-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	-0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5		0.001	0.001	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.002	0.000	0.0	-0.0
0.0	q5 - p~1		0.005	-0.005	0.000	-0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~2		0.001	0.038	0.001	0.0	0.0
0.0	q5 - p~3		0.005	-0.004	0.000	-0.0	0.0
0.0	q5 - p~4		0.001	0.036	0.001	0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.006	0.000	0.0	-0.0
-0.0	T		0.001	0.020	-0.000	-0.0	-0.0
0.0	M. tor~1		0.001	0.023	0.000	-0.0	0.0
0.0	M. tor~2		0.000	0.014	0.000	-0.0	0.0
0.0	INVS LU Max		0.008	0.072	0.006	-0.0	0.0
-0.0	Min		-0.009	-0.074	-0.032	-0.0	-0.0
0.0	INVS LV Max		0.011	0.139	-0.005	-0.0	0.0
-0.0	Min		-0.012	-0.140	-0.010	-0.0	-0.0
0.0	INVS LE Max		0.006	0.050	0.004	-0.0	0.0
-0.0	Min		-0.006	-0.052	-0.023	-0.0	-0.0
0.0	874 C1-C2;~1 Max		0.001	0.005	0.012	0.0	0.0
-0.0	Min		-0.001	-0.005	-0.017	-0.0	-0.0
0.0	C3-C4;~1 Max		0.001	0.005	0.012	0.0	0.0
-0.0	Min		-0.001	-0.005	-0.017	-0.0	-0.0
0.0	C1-C2;~2 Max		0.001	0.003	0.006	0.0	0.0
-0.0	Min		-0.001	-0.003	-0.009	-0.0	-0.0
0.0	C3-C4;~2 Max		0.001	0.002	0.006	0.0	0.0
-0.0	Min		-0.001	-0.003	-0.009	-0.0	-0.0
-0.0	SLVx (RS)		-0.010	0.030	0.002	0.0	-0.0
0.0	SLVy (RS)		0.004	0.130	-0.001	-0.0	0.0
-0.0	SLDx (RS)		-0.007	0.020	0.002	0.0	-0.0
0.0	SLDy (RS)		0.003	0.075	-0.001	-0.0	0.0
-0.0	SLVz (RS)		0.001	0.000	0.001	0.0	0.0
0.0	G1		-0.000	-0.001	-0.006	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	-0.000	-0.002	-0.0	-0.0
-0.0	G1-Imp~1	0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	0.000	0.000	0.0	0.0
0.0	q3	-0.000	0.012	0.000	0.0	-0.0
-0.0	q4-1	-0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.001	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.002	0.000	0.0	-0.0
0.0	q5 - p~1	0.005	-0.005	0.000	-0.0	0.0
0.0	q5 - p~2	0.001	0.038	0.001	0.0	-0.0
0.0	q5 - p~3	0.005	-0.004	0.000	-0.0	0.0
0.0	q5 - p~4	0.001	0.036	0.001	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
-0.0	T	0.001	0.021	-0.000	-0.0	-0.0
0.0	M. tor~1	0.001	0.023	0.000	-0.0	0.0
0.0	M. tor~2	0.000	0.014	0.000	-0.0	0.0
0.0	INVSLU Max	0.008	0.072	0.005	-0.0	0.0
-0.0	Min	-0.009	-0.074	-0.036	-0.0	-0.0
0.0	INVSLV Max	0.011	0.138	-0.006	-0.0	0.0
-0.0	Min	-0.011	-0.140	-0.012	-0.0	-0.0
0.0	INVSLE Max	0.005	0.050	0.004	-0.0	0.0
-0.0	Min	-0.006	-0.052	-0.027	-0.0	-0.0
875 0.0	C1-C2;~1 Max	0.001	0.005	0.013	0.0	0.0
-0.0	Min	-0.001	-0.005	-0.019	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.005	0.013	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.001	-0.005	-0.019	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.007	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.010	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.007	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.010	-0.0	-0.0
-0.0	SLVx (RS)	-0.009	0.030	0.002	0.0	-0.0
0.0	SLVy (RS)	0.003	0.130	-0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.007	0.020	0.002	0.0	-0.0
0.0	SLDy (RS)	0.002	0.074	-0.001	-0.0	-0.0
-0.0	SLVz (RS)	0.001	0.000	0.002	0.0	0.0
0.0	G1	-0.000	-0.001	-0.007	-0.0	-0.0
0.0	G2	-0.000	-0.000	-0.003	-0.0	-0.0
-0.0	G1-Imp~1	0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	0.000	0.000	0.0	0.0
0.0	q3	-0.000	0.011	0.000	0.0	-0.0
-0.0	q4-1	-0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.001	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.002	0.000	0.0	-0.0
0.0	q5 - p~1	0.005	-0.005	0.000	-0.0	0.0
0.0	q5 - p~2	0.001	0.038	0.001	0.0	-0.0
0.0	q5 - p~3	0.005	-0.004	0.000	-0.0	0.0
0.0	q5 - p~4	0.001	0.036	0.001	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
-0.0	T	0.000	0.021	-0.000	-0.0	-0.0
0.0	M. tor~1	0.001	0.023	0.000	-0.0	0.0
0.0	M. tor~2	0.000	0.014	0.000	-0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.008	0.072	0.005	-0.0	0.0
-0.0		Min	-0.009	-0.074	-0.040	-0.0	-0.0
0.0	INVS LV	Max	0.010	0.138	-0.007	-0.0	0.0
-0.0		Min	-0.011	-0.140	-0.013	-0.0	-0.0
0.0	INVS LE	Max	0.005	0.050	0.003	-0.0	0.0
-0.0		Min	-0.006	-0.052	-0.030	-0.0	-0.0
876 0.0	C1-C2;~1	Max	0.001	0.005	0.014	0.0	0.0
-0.0		Min	-0.001	-0.005	-0.020	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.005	0.014	0.0	0.0
-0.0		Min	-0.001	-0.005	-0.021	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.007	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.007	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.011	-0.0	-0.0
-0.0	SLVx (RS)		-0.009	0.030	0.002	-0.0	-0.0
0.0	SLVy (RS)		0.003	0.129	-0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.007	0.020	0.002	-0.0	-0.0
0.0	SLDy (RS)		0.002	0.074	-0.001	-0.0	-0.0
-0.0	SLVz (RS)		0.001	0.000	0.002	0.0	0.0
0.0	G1		-0.000	-0.001	-0.008	-0.0	-0.0
0.0	G2		-0.000	-0.000	-0.003	-0.0	-0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	0.0	0.0
0.0	q3		-0.000	0.011	0.000	0.0	-0.0
-0.0	q4-1		-0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2		-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	-0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5		0.001	0.001	0.000	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.002	0.000	0.0	-0.0
0.0	q5 - p~1		0.005	-0.005	0.000	-0.0	0.0
0.0	q5 - p~2		0.000	0.038	0.001	0.0	-0.0
0.0	q5 - p~3		0.005	-0.005	0.000	-0.0	0.0
0.0	q5 - p~4		0.000	0.036	0.001	0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.006	0.000	0.0	-0.0
0.0	T		0.000	0.021	-0.000	-0.0	-0.0
-0.0	M. tor~1		0.000	0.023	0.000	-0.0	0.0
0.0	M. tor~2		0.000	0.013	0.000	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.008	0.072	0.004	-0.0	0.0
-0.0		Min	-0.009	-0.074	-0.045	-0.0	-0.0
0.0	INVSLV	Max	0.010	0.138	-0.008	-0.0	0.0
-0.0		Min	-0.011	-0.139	-0.015	-0.0	-0.0
0.0	INVSLE	Max	0.005	0.051	0.003	-0.0	0.0
-0.0		Min	-0.006	-0.052	-0.033	-0.0	-0.0
877	C1-C2;~1	Max	0.001	0.004	0.014	0.0	0.0
0.0		Min	-0.001	-0.005	-0.022	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.004	0.015	0.0	0.0
-0.0		Min	-0.001	-0.005	-0.023	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.007	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.012	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.012	-0.0	-0.0
-0.0	SLVx (RS)		-0.009	0.030	0.003	-0.0	-0.0
0.0	SLVy (RS)		0.003	0.129	-0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.007	0.020	0.002	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.002	0.074	-0.001	-0.0	-0.0
-0.0	SLVz (RS)	0.001	0.000	0.002	0.0	0.0
0.0	G1	-0.000	-0.001	-0.010	-0.0	-0.0
0.0	G2	-0.000	-0.000	-0.003	-0.0	-0.0
-0.0	G1-Imp~1	0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	0.000	0.000	0.0	0.0
0.0	q3	-0.000	0.011	0.000	0.0	-0.0
-0.0	q4-1	0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.001	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.002	0.000	0.0	-0.0
0.0	q5 - p~1	0.005	-0.005	0.000	-0.0	0.0
0.0	q5 - p~2	0.000	0.038	0.001	0.0	-0.0
0.0	q5 - p~3	0.005	-0.005	0.000	-0.0	0.0
0.0	q5 - p~4	0.000	0.036	0.001	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
-0.0	T	0.000	0.022	-0.000	-0.0	-0.0
0.0	M. tor~1	0.000	0.023	0.000	-0.0	0.0
0.0	M. tor~2	0.000	0.013	0.000	-0.0	0.0
0.0	INVSLU Max	0.007	0.072	0.003	-0.0	0.0
-0.0	Min	-0.008	-0.074	-0.049	-0.0	-0.0
0.0	INVSLV Max	0.010	0.137	-0.009	-0.0	0.0
-0.0	Min	-0.011	-0.139	-0.017	-0.0	-0.0
0.0	INVSLE Max	0.005	0.051	0.002	-0.0	0.0
-0.0	Min	-0.006	-0.052	-0.036	-0.0	-0.0
878	C1-C2;~1 Max	0.001	0.004	0.015	0.0	0.0


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.001	-0.005	-0.024	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.004	0.015	0.0	0.0
0.0		Min	-0.001	-0.005	-0.024	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.008	0.0	0.0
0.0		Min	-0.001	-0.002	-0.013	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.008	0.0	0.0
0.0		Min	-0.001	-0.003	-0.013	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	-0.009	0.030	0.003	-0.0	-0.0
-0.0	SLVy	(RS)	0.003	0.129	-0.002	-0.0	-0.0
0.0	SLDx	(RS)	-0.007	0.020	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.002	0.074	-0.001	-0.0	-0.0
0.0	SLVz	(RS)	0.001	0.000	0.002	0.0	0.0
-0.0							
0.0	G1		-0.000	-0.001	-0.011	-0.0	-0.0
0.0	G2		-0.000	-0.000	-0.004	-0.0	-0.0
0.0	G1-Imp~1		0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	0.0	0.0
-0.0	q3		-0.000	0.011	0.000	0.0	-0.0
0.0	q4-1		0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2		-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-3		-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5		0.001	0.001	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.002	0.000	0.0	-0.0
0.0	q5 - p~1		0.005	-0.005	0.000	-0.0	0.0
0.0	q5 - p~2		-0.000	0.038	0.001	0.0	-0.0
0.0	q5 - p~3		0.005	-0.005	0.000	-0.0	0.0
0.0	q5 - p~4		-0.000	0.036	0.001	0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.006	0.000	0.0	-0.0
0.0							

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.000	0.022	-0.000	-0.0	-0.0
0.0	M. tor~1	0.000	0.023	0.000	-0.0	0.0
0.0	M. tor~2	0.000	0.013	0.000	-0.0	0.0
0.0	INVS LU Max	0.007	0.072	0.002	-0.0	0.0
-0.0	Min	-0.008	-0.074	-0.053	-0.0	-0.0
0.0	INVS LV Max	0.010	0.137	-0.010	-0.0	0.0
-0.0	Min	-0.011	-0.138	-0.018	-0.0	-0.0
0.0	INVS LE Max	0.005	0.051	0.002	-0.0	0.0
-0.0	Min	-0.006	-0.052	-0.039	-0.0	-0.0
879 0.0	C1-C2;~1 Max	0.001	0.004	0.016	0.0	0.0
-0.0	Min	-0.001	-0.005	-0.025	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.004	0.016	0.0	0.0
-0.0	Min	-0.001	-0.005	-0.026	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.008	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.014	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.008	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.014	-0.0	-0.0
-0.0	SLVx (RS)	-0.009	0.030	0.003	-0.0	-0.0
0.0	SLVy (RS)	0.003	0.128	-0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.007	0.020	0.002	-0.0	-0.0
0.0	SLDy (RS)	0.002	0.074	-0.001	-0.0	-0.0
-0.0	SLVz (RS)	0.001	0.000	0.002	0.0	0.0
0.0	G1	-0.000	-0.000	-0.012	-0.0	-0.0
0.0	G2	-0.000	-0.000	-0.004	-0.0	-0.0
-0.0	G1-Imp~1	0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	0.000	0.000	0.0	0.0
0.0	q3	-0.001	0.011	0.000	0.0	-0.0
-0.0	q4-1	0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.001	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.002	0.000	0.0	-0.0
0.0	q5 - p~1	0.005	-0.005	0.000	-0.0	0.0
0.0	q5 - p~2	-0.000	0.038	0.001	0.0	-0.0
0.0	q5 - p~3	0.004	-0.005	0.000	-0.0	0.0
0.0	q5 - p~4	-0.000	0.036	0.001	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
-0.0	T	-0.000	0.022	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.000	0.023	0.000	-0.0	0.0
0.0	M. tor~2	-0.000	0.013	0.000	-0.0	0.0
0.0	INVSLU Max	0.007	0.072	0.001	-0.0	0.0
-0.0	Min	-0.009	-0.074	-0.057	-0.0	-0.0
0.0	INVSLV Max	0.010	0.137	-0.011	-0.0	0.0
-0.0	Min	-0.011	-0.138	-0.020	-0.0	-0.0
0.0	INVSLE Max	0.005	0.051	0.001	-0.0	0.0
-0.0	Min	-0.006	-0.052	-0.042	-0.0	-0.0
880 0.0	C1-C2;~1 Max	0.001	0.004	0.016	0.0	0.0
-0.0	Min	-0.001	-0.004	-0.027	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.004	0.016	0.0	0.0
-0.0	Min	-0.001	-0.005	-0.027	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.008	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.014	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.009	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.015	-0.0	-0.0

MIDAS

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.009	0.030	0.003	-0.0	-0.0	
0.0	SLVy (RS)	-0.004	0.128	-0.002	-0.0	-0.0	
-0.0	SLDx (RS)	-0.007	0.020	0.002	-0.0	-0.0	
0.0	SLDy (RS)	0.002	0.073	-0.001	-0.0	-0.0	
-0.0	SLVz (RS)	0.001	0.000	0.002	0.0	0.0	
0.0	G1	-0.001	-0.000	-0.012	-0.0	-0.0	
0.0	G2	-0.000	-0.000	-0.005	-0.0	-0.0	
-0.0	G1-Imp~1	0.000	0.000	0.000	0.0	0.0	
-0.0	G2-Imp~1	0.000	0.000	0.000	0.0	0.0	
0.0	q3	-0.001	0.011	0.000	0.0	-0.0	
-0.0	q4-1	0.000	-0.001	-0.000	-0.0	0.0	
-0.0	q4-2	0.000	-0.001	-0.000	-0.0	0.0	
-0.0	q4-3	-0.000	-0.001	-0.000	-0.0	-0.0	
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0	
0.0	q4-5	0.001	0.001	0.000	-0.0	0.0	
0.0	q4-6	-0.000	0.002	-0.000	-0.0	-0.0	
0.0	q4-7	-0.000	0.002	0.000	0.0	-0.0	
0.0	q5 - p~1	0.005	-0.005	0.000	-0.0	0.0	
0.0	q5 - p~2	-0.001	0.038	0.001	0.0	-0.0	
0.0	q5 - p~3	0.004	-0.005	0.000	-0.0	0.0	
0.0	q5 - p~4	-0.001	0.036	0.001	0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	-0.001	0.006	0.000	0.0	-0.0	
-0.0	T	-0.000	0.023	-0.000	-0.0	-0.0	
0.0	M. tor~1	-0.000	0.023	-0.000	-0.0	0.0	
0.0	M. tor~2	-0.000	0.013	-0.000	-0.0	0.0	
0.0	INVSLU Max	0.007	0.072	0.000	-0.0	0.0	
-0.0	Min	-0.009	-0.074	-0.061	-0.0	-0.0	
0.0	INVSLV Max	0.010	0.136	-0.012	-0.0	0.0	
-0.0	Min	-0.011	-0.138	-0.021	-0.0	-0.0	
	INVSLE Max	0.005	0.051	0.000	-0.0	0.0	

PROJECT TITLE :


MIDAS		Company					Client
		Author					File Name
0.0		Min	-0.006	-0.052	-0.045	-0.0	-0.0
-0.0							
881	C1-C2;~1	Max	0.001	0.004	0.016	0.0	0.0
0.0		Min	-0.001	-0.004	-0.028	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.004	0.017	0.0	0.0
0.0		Min	-0.001	-0.005	-0.029	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.009	0.0	0.0
0.0		Min	-0.001	-0.002	-0.015	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.009	0.0	0.0
0.0		Min	-0.001	-0.002	-0.016	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.009	0.030	0.003	-0.0	-0.0
-0.0	SLVy (RS)		-0.004	0.128	-0.002	-0.0	-0.0
0.0	SLDx (RS)		-0.007	0.020	0.002	-0.0	-0.0
-0.0	SLDy (RS)		-0.003	0.073	-0.001	-0.0	-0.0
0.0	SLVz (RS)		0.001	0.000	0.003	0.0	-0.0
-0.0							
0.0	G1		-0.001	-0.000	-0.013	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.005	-0.0	0.0
0.0							
-0.0	G1-Imp~1		0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	0.0	0.0
-0.0							
0.0	q3		-0.001	0.011	0.000	0.0	-0.0
0.0							
-0.0	q4-1		0.000	-0.001	-0.000	-0.0	0.0
-0.0							
-0.0	q4-2		0.000	-0.001	-0.000	-0.0	0.0
-0.0							
-0.0	q4-3		-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0							
0.0	q4-5		0.001	0.001	0.000	-0.0	0.0
0.0							
0.0	q4-6		-0.000	0.002	-0.000	-0.0	-0.0
0.0							
0.0	q4-7		-0.000	0.001	0.000	0.0	-0.0
0.0							
0.0	q5 - p~1		0.005	-0.005	0.000	-0.0	0.0
0.0							
0.0	q5 - p~2		-0.001	0.038	0.001	0.0	-0.0
0.0							
0.0	q5 - p~3		0.004	-0.005	0.000	-0.0	0.0
0.0							
0.0	q5 - p~4		-0.001	0.036	0.001	0.0	-0.0
0.0							

MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.006	0.000	0.0	-0.0
-0.0	T		-0.000	0.023	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.000	0.022	-0.000	-0.0	0.0
0.0	M. tor~2		-0.000	0.013	-0.000	-0.0	0.0
0.0	INVSLU Max		0.007	0.072	-0.001	-0.0	0.0
-0.0	Min		-0.009	-0.074	-0.064	-0.0	-0.0
0.0	INVSLV Max		0.010	0.136	-0.013	-0.0	0.0
-0.0	Min		-0.011	-0.137	-0.023	-0.0	-0.0
0.0	INVSLE Max		0.005	0.051	-0.001	-0.0	0.0
-0.0	Min		-0.006	-0.052	-0.047	-0.0	-0.0
0.0	882 C1-C2;~1 Max		0.001	0.004	0.017	0.0	0.0
-0.0	Min		-0.001	-0.004	-0.029	-0.0	-0.0
0.0	C3-C4;~1 Max		0.001	0.004	0.017	0.0	0.0
-0.0	Min		-0.001	-0.005	-0.030	-0.0	-0.0
0.0	C1-C2;~2 Max		0.001	0.002	0.009	0.0	0.0
-0.0	Min		-0.001	-0.002	-0.016	-0.0	-0.0
0.0	C3-C4;~2 Max		0.001	0.002	0.009	0.0	0.0
-0.0	Min		-0.001	-0.002	-0.016	-0.0	-0.0
-0.0	SLVx (RS)		-0.009	0.030	0.003	-0.0	-0.0
0.0	SLVy (RS)		-0.005	0.127	-0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.007	0.020	0.002	-0.0	-0.0
0.0	SLDy (RS)		-0.003	0.073	-0.001	-0.0	-0.0
-0.0	SLVz (RS)		0.001	0.000	0.003	0.0	-0.0
0.0	G1		-0.001	-0.000	-0.014	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.005	-0.0	0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	-0.001	0.011	0.000	0.0	-0.0
-0.0	q4-1	0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-3	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.005	-0.005	0.000	-0.0	0.0
0.0	q5 - p~2	-0.001	0.037	0.001	0.0	-0.0
0.0	q5 - p~3	0.004	-0.005	0.000	-0.0	0.0
0.0	q5 - p~4	-0.001	0.035	0.001	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
-0.0	T	-0.001	0.023	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.000	0.022	-0.000	-0.0	0.0
0.0	M. tor~2	-0.000	0.013	-0.000	-0.0	0.0
0.0	INVSLU Max	0.007	0.072	-0.002	-0.0	0.0
-0.0	Min	-0.009	-0.074	-0.067	-0.0	-0.0
0.0	INVSLV Max	0.010	0.136	-0.014	-0.0	0.0
-0.0	Min	-0.012	-0.137	-0.024	-0.0	-0.0
0.0	INVSLE Max	0.005	0.051	-0.001	-0.0	0.0
-0.0	Min	-0.006	-0.052	-0.050	-0.0	-0.0
883 0.0	C1-C2;~1 Max	0.001	0.004	0.017	0.0	0.0
-0.0	Min	-0.001	-0.004	-0.030	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.004	0.018	0.0	0.0
-0.0	Min	-0.001	-0.004	-0.031	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.009	0.0	0.0
	Min	-0.001	-0.002	-0.016	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.002	0.009	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.017	-0.0	-0.0
-0.0	SLVx	(RS)	-0.009	0.030	0.004	-0.0	-0.0
0.0	SLVy	(RS)	-0.005	0.127	-0.002	-0.0	-0.0
-0.0	SLDx	(RS)	-0.007	0.020	0.003	-0.0	-0.0
0.0	SLDy	(RS)	-0.003	0.073	-0.001	-0.0	-0.0
-0.0	SLVz	(RS)	0.001	0.000	0.003	0.0	-0.0
0.0	G1		-0.001	-0.000	-0.015	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.005	-0.0	0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	0.0	0.0
0.0	q3		-0.001	0.011	0.000	0.0	-0.0
-0.0	q4-1		0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	-0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5		0.000	0.001	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1		0.005	-0.005	0.000	-0.0	0.0
0.0	q5 - p~2		-0.001	0.037	0.001	0.0	-0.0
0.0	q5 - p~3		0.004	-0.005	0.000	-0.0	0.0
0.0	q5 - p~4		-0.001	0.035	0.001	0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.006	0.000	0.0	-0.0
-0.0	T		-0.001	0.024	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.001	0.022	-0.000	-0.0	0.0
0.0	M. tor~2		-0.000	0.013	-0.000	-0.0	0.0
0.0	INVS LU	Max	0.007	0.073	-0.003	-0.0	0.0
-0.0		Min	-0.009	-0.074	-0.070	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.010	0.135	-0.015	-0.0	0.0
-0.0		Min	-0.012	-0.136	-0.025	-0.0	-0.0
0.0	INVS LE	Max	0.005	0.051	-0.002	-0.0	0.0
-0.0		Min	-0.006	-0.052	-0.052	-0.0	-0.0
884 0.0	C1-C2;~1	Max	0.001	0.004	0.017	0.0	0.0
-0.0		Min	-0.001	-0.004	-0.031	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.004	0.018	0.0	0.0
-0.0		Min	-0.001	-0.004	-0.032	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.002	0.009	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.017	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.009	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.017	-0.0	-0.0
-0.0	SLVx (RS)		-0.009	0.030	0.004	-0.0	-0.0
0.0	SLVy (RS)		-0.006	0.126	-0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.007	0.020	0.003	-0.0	-0.0
0.0	SLDy (RS)		-0.004	0.072	-0.001	-0.0	-0.0
-0.0	SLVz (RS)		0.001	0.000	0.003	0.0	-0.0
0.0	G1		-0.001	-0.000	-0.016	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.006	-0.0	0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	0.0	0.0
0.0	q3		-0.001	0.011	0.000	0.0	-0.0
-0.0	q4-1		0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	-0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5		0.000	0.001	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1		0.005	-0.005	0.000	-0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	-0.001	0.037	0.001	-0.0	-0.0
0.0	q5 - p~3	0.004	-0.005	0.000	-0.0	0.0
0.0	q5 - p~4	-0.001	0.035	0.001	0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
-0.0	T	-0.001	0.024	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.001	0.022	-0.000	-0.0	0.0
0.0	M. tor~2	-0.000	0.013	-0.000	-0.0	0.0
0.0	INVSLU Max	0.007	0.073	-0.004	-0.0	0.0
-0.0	Min	-0.009	-0.074	-0.072	-0.0	-0.0
0.0	INVSLV Max	0.010	0.135	-0.016	-0.0	0.0
-0.0	Min	-0.012	-0.136	-0.026	-0.0	-0.0
0.0	INVSLE Max	0.004	0.052	-0.003	-0.0	0.0
-0.0	Min	-0.006	-0.052	-0.053	-0.0	-0.0
0.0	885 C1-C2;~1 Max	0.001	0.004	0.018	0.0	0.0
-0.0	Min	-0.001	-0.004	-0.032	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.004	0.018	0.0	0.0
-0.0	Min	-0.001	-0.004	-0.032	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.002	0.009	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.017	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.009	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.018	-0.0	-0.0
-0.0	SLVx (RS)	-0.009	0.030	0.004	-0.0	-0.0
0.0	SLVy (RS)	-0.007	0.126	-0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.006	0.020	0.003	-0.0	-0.0
0.0	SLDy (RS)	-0.004	0.072	-0.001	-0.0	-0.0
-0.0	SLVz (RS)	0.001	0.000	0.003	0.0	-0.0
0.0	G1	-0.001	-0.000	-0.016	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	-0.000	-0.006	-0.0	0.0
-0.0	G1-Imp~1	0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	0.000	0.000	0.0	0.0
0.0	q3	-0.001	0.011	0.000	0.0	-0.0
-0.0	q4-1	0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.004	-0.005	0.000	-0.0	0.0
0.0	q5 - p~2	-0.002	0.037	0.001	-0.0	-0.0
0.0	q5 - p~3	0.004	-0.005	0.000	-0.0	0.0
0.0	q5 - p~4	-0.002	0.035	0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
-0.0	T	-0.001	0.024	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.001	0.022	-0.000	-0.0	0.0
0.0	M. tor~2	-0.000	0.013	-0.000	-0.0	0.0
0.0	INVSLU Max	0.007	0.073	-0.004	-0.0	0.0
-0.0	Min	-0.009	-0.074	-0.074	-0.0	-0.0
0.0	INVSLV Max	0.010	0.135	-0.017	-0.0	0.0
-0.0	Min	-0.012	-0.135	-0.027	-0.0	-0.0
0.0	INVSLE Max	0.004	0.052	-0.003	-0.0	0.0
-0.0	Min	-0.007	-0.052	-0.055	-0.0	-0.0
886 0.0	C1-C2;~1 Max	0.001	0.004	0.018	0.0	0.0
-0.0	Min	-0.001	-0.004	-0.032	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.004	0.018	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.001	-0.004	-0.033	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.002	0.009	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.009	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.018	-0.0	-0.0
-0.0	SLVx (RS)	-0.009	0.030	0.004	0.0	-0.0
0.0	SLVy (RS)	-0.008	0.125	-0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.006	0.020	-0.003	0.0	-0.0
0.0	SLDy (RS)	-0.004	0.072	-0.001	-0.0	-0.0
-0.0	SLVz (RS)	0.001	0.000	0.003	0.0	-0.0
0.0	G1	-0.001	-0.000	-0.017	-0.0	0.0
0.0	G2	-0.000	-0.000	-0.006	-0.0	0.0
-0.0	G1-Imp~1	0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	0.000	0.000	0.0	0.0
0.0	q3	-0.001	0.011	0.000	0.0	-0.0
-0.0	q4-1	0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.004	-0.005	0.000	-0.0	0.0
0.0	q5 - p~2	-0.002	0.037	0.001	-0.0	-0.0
0.0	q5 - p~3	0.004	-0.005	0.000	-0.0	0.0
0.0	q5 - p~4	-0.002	0.035	0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
-0.0	T	-0.001	0.025	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.001	0.022	-0.000	-0.0	0.0
0.0	M. tor~2	-0.001	0.013	-0.000	-0.0	0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


0.0	INVS LU	Max	0.006	0.073	-0.005	-0.0	0.0
-0.0		Min	-0.010	-0.073	-0.076	-0.0	-0.0
0.0	INVS LV	Max	0.010	0.135	-0.017	-0.0	0.0
-0.0		Min	-0.012	-0.135	-0.028	-0.0	0.0
0.0	INVS LE	Max	0.004	0.052	-0.004	-0.0	0.0
-0.0		Min	-0.007	-0.052	-0.056	-0.0	-0.0
887 0.0	C1-C2;~1	Max	0.001	0.004	0.018	0.0	0.0
-0.0		Min	-0.001	-0.004	-0.033	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.004	0.018	0.0	0.0
-0.0		Min	-0.001	-0.004	-0.033	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.002	0.009	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.009	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.018	-0.0	-0.0
-0.0	SLVx (RS)		-0.009	0.030	0.004	0.0	-0.0
0.0	SLVy (RS)		-0.008	0.125	-0.002	0.0	-0.0
-0.0	SLDx (RS)		-0.006	0.020	-0.003	0.0	-0.0
0.0	SLDy (RS)		-0.005	0.072	-0.001	0.0	-0.0
-0.0	SLVz (RS)		0.001	0.000	0.003	0.0	-0.0
0.0	G1		-0.001	0.000	-0.017	-0.0	0.0
0.0	G2		-0.000	0.000	-0.006	-0.0	0.0
-0.0	G1-Imp~1		0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	0.000	0.000	0.0	0.0
0.0	q3		-0.001	0.011	0.000	0.0	-0.0
-0.0	q4-1		0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5		0.000	0.001	0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.004	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.002	0.037	0.001	-0.0	-0.0
0.0	q5 - p~3	0.004	-0.005	0.000	-0.0	0.0
0.0	q5 - p~4	-0.002	0.035	0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
0.0	T	-0.001	0.025	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.001	0.022	-0.000	-0.0	0.0
0.0	M. tor~2	-0.001	0.013	-0.000	-0.0	0.0
0.0	INVS LU Max	0.006	0.073	-0.006	-0.0	0.0
-0.0	Min	-0.010	-0.073	-0.077	-0.0	-0.0
0.0	INVS LV Max	0.010	0.134	-0.018	-0.0	0.0
-0.0	Min	-0.012	-0.134	-0.029	-0.0	0.0
0.0	INVS LE Max	0.004	0.052	-0.004	-0.0	0.0
-0.0	Min	-0.007	-0.052	-0.057	-0.0	-0.0
888 0.0	C1-C2;~1 Max	0.001	0.004	0.018	0.0	0.0
-0.0	Min	-0.001	-0.004	-0.033	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.004	0.018	0.0	0.0
-0.0	Min	-0.001	-0.004	-0.034	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.002	0.009	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.002	0.009	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.018	-0.0	-0.0
-0.0	SLVx (RS)	-0.008	0.030	-0.004	0.0	-0.0
0.0	SLVy (RS)	-0.009	0.125	-0.002	0.0	-0.0
-0.0	SLDx (RS)	-0.006	0.020	-0.003	0.0	-0.0


MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	-0.005	0.072	-0.001	0.0	-0.0
-0.0	SLVz (RS)	0.001	0.000	0.003	0.0	-0.0
0.0	G1	-0.001	0.000	-0.017	-0.0	0.0
0.0	G2	-0.000	0.000	-0.006	-0.0	0.0
-0.0	G1-Imp~1	0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	0.000	0.000	0.0	0.0
0.0	q3	-0.001	0.011	0.000	0.0	-0.0
-0.0	q4-1	0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	0.0
0.0	q4-7	-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.004	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.002	0.037	0.001	-0.0	-0.0
0.0	q5 - p~3	0.004	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.002	0.035	0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
0.0	T	-0.002	0.025	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.001	0.022	-0.000	-0.0	0.0
0.0	M. tor~2	-0.001	0.013	-0.000	-0.0	0.0
0.0	INVSLU Max	0.006	0.073	-0.007	-0.0	0.0
-0.0	Min	-0.010	-0.073	-0.078	-0.0	-0.0
0.0	INVSLV Max	0.011	0.134	-0.018	-0.0	0.0
-0.0	Min	-0.013	-0.133	-0.029	-0.0	0.0
0.0	INVSLE Max	0.004	0.052	-0.005	-0.0	0.0
-0.0	Min	-0.007	-0.052	-0.058	-0.0	-0.0
889	C1-C2;~1 Max	0.001	0.004	0.017	0.0	0.0


MIDAS

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0						
	Min	-0.001	-0.004	-0.033	-0.0	-0.0
-0.0						
	C3-C4;~1	Max	0.001	0.004	0.018	0.0
0.0						
	Min	-0.001	-0.004	-0.034	-0.0	-0.0
-0.0						
	C1-C2;~2	Max	0.000	0.002	0.009	0.0
0.0						
	Min	-0.001	-0.002	-0.018	-0.0	-0.0
-0.0						
	C3-C4;~2	Max	0.000	0.002	0.009	0.0
0.0						
	Min	-0.001	-0.002	-0.019	-0.0	-0.0
-0.0						
	SLVx (RS)		-0.008	0.030	-0.004	0.0
-0.0						
	SLVy (RS)		-0.010	0.124	-0.002	0.0
0.0						
	SLDx (RS)		-0.006	0.020	-0.003	0.0
-0.0						
	SLDy (RS)		-0.006	0.071	-0.001	0.0
0.0						
	SLVz (RS)		0.001	0.000	0.003	0.0
-0.0						
	G1		-0.001	0.000	-0.017	-0.0
0.0						
	G2		-0.000	0.000	-0.006	-0.0
0.0						
	G1-Imp~1		0.000	0.000	0.000	0.0
0.0						
	G2-Imp~1		0.000	0.000	0.000	0.0
0.0						
	q3		-0.001	0.011	0.000	0.0
0.0						
	q4-1		0.000	-0.001	-0.000	-0.0
-0.0						
	q4-2		0.000	-0.001	-0.000	0.0
-0.0						
	q4-3		0.000	-0.001	-0.000	0.0
-0.0						
	q4-4		0.000	-0.000	0.000	-0.0
0.0						
	q4-5		0.000	0.001	0.000	-0.0
0.0						
	q4-6		-0.000	0.002	-0.000	-0.0
-0.0						
	q4-7		-0.000	0.001	0.000	0.0
0.0						
	q5 - p~1		0.004	-0.005	-0.000	-0.0
0.0						
	q5 - p~2		-0.003	0.037	0.001	-0.0
0.0						
	q5 - p~3		0.004	-0.005	-0.000	-0.0
0.0						
	q5 - p~4		-0.002	0.035	0.001	-0.0
0.0						
	q5 - p~5		0.000	0.000	0.000	0.0
0.0						
	q5 - p~6		0.000	0.000	0.000	0.0
0.0						
	q7		-0.001	0.006	0.000	0.0
0.0						

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	-0.002	0.026	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.001	0.022	-0.000	-0.0	0.0
0.0	M. tor~2	-0.001	0.013	-0.000	-0.0	0.0
0.0	INVS LU Max	0.006	0.074	-0.007	-0.0	0.0
0.0	Min	-0.010	-0.073	-0.079	-0.0	-0.0
-0.0	INVS LV Max	0.011	0.133	-0.018	-0.0	0.0
0.0	Min	-0.014	-0.133	-0.029	-0.0	0.0
-0.0	INVS LE Max	0.004	0.052	-0.005	-0.0	0.0
0.0	Min	-0.007	-0.052	-0.058	-0.0	-0.0
-0.0	890 C1-C2;~1 Max	0.001	0.004	0.017	0.0	0.0
0.0	Min	-0.002	-0.004	-0.033	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.001	0.004	0.018	0.0	0.0
0.0	Min	-0.001	-0.004	-0.034	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.002	0.009	0.0	0.0
0.0	Min	-0.001	-0.002	-0.018	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.002	0.009	0.0	0.0
0.0	Min	-0.001	-0.002	-0.019	-0.0	-0.0
-0.0	SLVx (RS)	-0.008	0.030	-0.004	0.0	-0.0
0.0	SLVy (RS)	-0.010	0.124	-0.002	0.0	-0.0
0.0	SLDx (RS)	-0.006	0.020	-0.003	0.0	-0.0
-0.0	SLDy (RS)	-0.006	0.071	-0.001	0.0	-0.0
0.0	SLVz (RS)	0.001	0.000	0.003	0.0	-0.0
-0.0	G1	-0.001	0.000	-0.017	-0.0	0.0
0.0	G2	-0.000	0.000	-0.006	-0.0	0.0
0.0	G1-Imp~1	0.000	0.000	0.000	0.0	-0.0
0.0	G2-Imp~1	0.000	0.000	0.000	0.0	-0.0
0.0	q3	-0.001	0.011	0.000	0.0	-0.0
0.0	q4-1	0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	0.0	0.0
-0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
-0.0	q4-6	-0.000	0.002	-0.000	-0.0	0.0
0.0	q4-7	-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.004	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.003	0.036	0.001	-0.0	-0.0
0.0	q5 - p~3	0.004	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.003	0.035	0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
0.0	T	-0.002	0.026	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.002	0.022	-0.000	-0.0	0.0
0.0	M. tor~2	-0.001	0.013	-0.000	-0.0	0.0
0.0	INVS LU Max	0.006	0.074	-0.007	0.0	0.0
-0.0	Min	-0.010	-0.073	-0.079	-0.0	-0.0
0.0	INVS LV Max	0.012	0.133	-0.018	-0.0	0.0
-0.0	Min	-0.014	-0.132	-0.029	-0.0	0.0
0.0	INVS LE Max	0.004	0.053	-0.006	0.0	0.0
-0.0	Min	-0.007	-0.052	-0.058	-0.0	-0.0
891 0.0	C1-C2;~1 Max	0.001	0.004	0.017	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.033	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.004	0.017	0.0	0.0
-0.0	Min	-0.001	-0.004	-0.034	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.002	0.009	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.002	0.009	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.018	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.008	0.030	-0.004	0.0	-0.0
0.0	SLVy (RS)	-0.011	0.123	-0.002	0.0	-0.0
-0.0	SLDx (RS)	-0.006	0.020	-0.003	0.0	-0.0
0.0	SLDy (RS)	-0.006	0.071	-0.001	0.0	0.0
-0.0	SLVz (RS)	0.001	0.000	0.003	0.0	-0.0
0.0	G1	-0.001	0.000	-0.017	-0.0	0.0
0.0	G2	-0.000	0.000	-0.006	-0.0	0.0
0.0	G1-Imp~1	0.000	0.000	0.000	0.0	-0.0
0.0	G2-Imp~1	0.000	0.000	0.000	0.0	-0.0
0.0	q3	-0.001	0.011	0.000	0.0	-0.0
-0.0	q4-1	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
-0.0	q4-6	-0.000	0.002	-0.000	-0.0	0.0
0.0	q4-7	-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.004	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.003	0.036	0.001	-0.0	-0.0
0.0	q5 - p~3	0.004	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.003	0.034	0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
0.0	T	-0.002	0.026	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.002	0.022	-0.000	-0.0	0.0
0.0	M. tor~2	-0.001	0.013	-0.000	-0.0	0.0
0.0	INVSLU Max	0.006	0.074	-0.008	0.0	0.0
-0.0	Min	-0.010	-0.073	-0.078	-0.0	-0.0
0.0	INVSLV Max	0.013	0.133	-0.018	-0.0	0.0
-0.0	Min	-0.015	-0.132	-0.029	-0.0	0.0
	INVSLE Max	0.004	0.053	-0.006	0.0	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.007	-0.052	-0.058	-0.0	0.0
-0.0							
892	C1-C2;~1	Max	0.001	0.004	0.017	0.0	0.0
0.0		Min	-0.002	-0.004	-0.033	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.004	0.017	0.0	0.0
0.0		Min	-0.001	-0.004	-0.033	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.002	0.008	0.0	0.0
0.0		Min	-0.001	-0.002	-0.018	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.002	0.009	0.0	0.0
0.0		Min	-0.001	-0.002	-0.018	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.008	0.030	-0.004	0.0	-0.0
-0.0	SLVy (RS)		-0.012	0.123	-0.002	0.0	-0.0
0.0	SLDx (RS)		-0.006	0.020	-0.003	0.0	-0.0
-0.0	SLDy (RS)		-0.007	0.070	-0.001	0.0	0.0
0.0	SLVz (RS)		0.001	0.000	0.003	0.0	-0.0
0.0	G1		-0.001	0.000	-0.017	-0.0	0.0
0.0	G2		-0.000	0.000	-0.006	-0.0	0.0
0.0	G1-Imp~1		0.000	0.000	0.000	0.0	-0.0
0.0	G2-Imp~1		0.000	0.000	0.000	0.0	-0.0
0.0	q3		-0.001	0.011	0.000	0.0	-0.0
0.0	q4-1		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5		0.000	0.001	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	-0.0	0.0
-0.0	q4-7		-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1		0.004	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~2		-0.003	0.036	0.001	-0.0	-0.0
0.0	q5 - p~3		0.004	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~4		-0.003	0.034	0.001	-0.0	-0.0
0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.006	0.000	0.0	-0.0
0.0	T		-0.002	0.027	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.002	0.022	-0.000	-0.0	0.0
0.0	M. tor~2		-0.001	0.013	-0.000	-0.0	0.0
0.0	INVS LU	Max	0.006	0.074	-0.008	0.0	0.0
-0.0		Min	-0.010	-0.073	-0.078	-0.0	0.0
0.0	INVS LV	Max	0.013	0.132	-0.018	0.0	0.0
-0.0		Min	-0.016	-0.131	-0.029	-0.0	0.0
0.0	INVS LE	Max	0.004	0.053	-0.006	0.0	0.0
-0.0		Min	-0.007	-0.052	-0.057	-0.0	0.0
0.0	893 C1-C2;~1	Max	0.001	0.004	0.016	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.032	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.004	0.017	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.033	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.018	-0.0	-0.0
-0.0	SLVx (RS)		-0.008	0.029	-0.004	0.0	-0.0
0.0	SLVy (RS)		-0.012	0.122	-0.002	0.0	-0.0
-0.0	SLDx (RS)		-0.006	0.020	-0.003	0.0	-0.0
0.0	SLDy (RS)		-0.007	0.070	-0.001	0.0	0.0
0.0	SLVz (RS)		0.001	0.000	0.003	0.0	-0.0
0.0	G1		-0.001	0.000	-0.017	-0.0	0.0
0.0	G2		-0.000	0.000	-0.006	-0.0	0.0
0.0	G1-Imp~1		0.000	0.000	0.000	0.0	-0.0
0.0	G2-Imp~1		0.000	0.000	0.000	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	-0.001	0.011	0.000	0.0	-0.0
-0.0	q4-1	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
-0.0	q4-6	-0.000	0.002	-0.000	-0.0	0.0
0.0	q4-7	-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.004	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.003	0.036	0.001	-0.0	-0.0
0.0	q5 - p~3	0.004	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.003	0.034	0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
0.0	T	-0.003	0.027	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.002	0.022	-0.000	-0.0	0.0
0.0	M. tor~2	-0.001	0.013	-0.000	-0.0	0.0
0.0	INVSLU Max	0.006	0.074	-0.008	0.0	0.0
-0.0	Min	-0.011	-0.073	-0.076	-0.0	0.0
0.0	INVSLV Max	0.014	0.132	-0.018	0.0	0.0
-0.0	Min	-0.017	-0.131	-0.029	-0.0	0.0
0.0	INVSLE Max	0.004	0.053	-0.006	0.0	0.0
-0.0	Min	-0.008	-0.052	-0.057	-0.0	0.0
894 0.0	C1-C2;~1 Max	0.001	0.004	0.016	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.031	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.004	0.016	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.032	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.002	0.008	0.0	0.0
	Min	-0.001	-0.002	-0.017	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.018	-0.0	-0.0
-0.0	SLVx	(RS)	-0.008	0.029	-0.004	0.0	0.0
0.0	SLVy	(RS)	-0.013	0.122	-0.002	0.0	0.0
-0.0	SLDx	(RS)	-0.006	0.020	-0.003	0.0	0.0
0.0	SLDy	(RS)	-0.008	0.070	-0.001	0.0	0.0
0.0	SLVz	(RS)	0.001	0.000	0.003	-0.0	-0.0
0.0	G1		-0.001	0.000	-0.017	0.0	0.0
0.0	G2		-0.000	0.000	-0.006	0.0	0.0
0.0	G1-Imp~1		0.000	0.000	0.000	0.0	-0.0
0.0	G2-Imp~1		0.000	0.000	0.000	0.0	-0.0
0.0	q3		-0.001	0.011	0.000	0.0	-0.0
-0.0	q4-1		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5		0.000	0.001	0.000	-0.0	0.0
-0.0	q4-6		-0.000	0.002	-0.000	-0.0	0.0
0.0	q4-7		-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1		0.004	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~2		-0.004	0.036	0.001	-0.0	-0.0
0.0	q5 - p~3		0.004	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~4		-0.003	0.034	0.001	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.006	0.000	0.0	-0.0
0.0	T		-0.003	0.027	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.002	0.021	-0.000	-0.0	0.0
0.0	M. tor~2		-0.001	0.013	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.006	0.074	-0.008	0.0	0.0
-0.0		Min	-0.011	-0.073	-0.075	-0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.014	0.131	-0.017	0.0	0.0
-0.0		Min	-0.017	-0.130	-0.028	-0.0	0.0
0.0	INVS LE	Max	0.004	0.053	-0.006	0.0	0.0
-0.0		Min	-0.008	-0.052	-0.055	-0.0	0.0
895 0.0	C1-C2;~1	Max	0.001	0.004	0.016	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.031	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.004	0.016	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.032	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.017	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.017	-0.0	-0.0
-0.0	SLVx (RS)		-0.008	0.029	-0.004	0.0	0.0
0.0	SLVy (RS)		-0.014	0.121	-0.002	0.0	0.0
-0.0	SLDx (RS)		-0.006	0.020	-0.003	0.0	0.0
0.0	SLDy (RS)		-0.008	0.070	-0.001	0.0	0.0
0.0	SLVz (RS)		0.001	0.000	0.003	-0.0	-0.0
0.0	G1		-0.001	0.001	-0.016	0.0	0.0
0.0	G2		-0.000	0.000	-0.006	0.0	0.0
0.0	G1-Imp~1		0.000	0.000	0.000	0.0	-0.0
0.0	G2-Imp~1		0.000	0.000	0.000	0.0	-0.0
0.0	q3		-0.002	0.011	0.000	0.0	-0.0
-0.0	q4-1		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5		0.000	0.001	0.000	-0.0	0.0
-0.0	q4-6		-0.000	0.002	-0.000	-0.0	0.0
0.0	q4-7		-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1		0.004	-0.006	-0.000	-0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~2		-0.004	0.036	0.001	-0.0	-0.0
0.0	q5 - p~3		0.004	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~4		-0.004	0.034	0.001	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.006	0.000	0.0	-0.0
0.0	T		-0.003	0.027	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.002	0.021	-0.000	-0.0	0.0
0.0	M. tor~2		-0.001	0.013	-0.000	-0.0	0.0
0.0	INVS LU	Max	0.006	0.075	-0.007	0.0	0.0
-0.0		Min	-0.011	-0.073	-0.073	-0.0	0.0
0.0	INVS LV	Max	0.015	0.131	-0.017	0.0	0.0
-0.0		Min	-0.018	-0.129	-0.027	-0.0	0.0
0.0	INVS LE	Max	0.004	0.053	-0.005	0.0	0.0
-0.0		Min	-0.008	-0.052	-0.054	-0.0	0.0
896 0.0	C1-C2;~1	Max	0.001	0.004	0.016	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.030	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.004	0.016	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.031	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.016	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.017	-0.0	-0.0
-0.0	SLVx (RS)		-0.008	0.029	-0.004	0.0	0.0
0.0	SLVy (RS)		-0.015	0.121	-0.002	0.0	0.0
-0.0	SLDx (RS)		-0.006	0.020	-0.003	0.0	0.0
0.0	SLDy (RS)		-0.008	0.069	-0.001	0.0	0.0
0.0	SLVz (RS)		0.001	0.000	0.003	-0.0	-0.0
0.0	G1		-0.001	0.001	-0.016	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	0.000	-0.006	0.0	0.0
0.0	G1-Imp~1	0.000	0.000	0.000	0.0	-0.0
0.0	G2-Imp~1	0.000	0.000	0.000	0.0	-0.0
0.0	q3	-0.002	0.011	0.000	0.0	-0.0
0.0	q4-1	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
-0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	0.0
-0.0	q4-7	-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.004	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.004	0.036	0.001	-0.0	-0.0
0.0	q5 - p~3	0.004	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.004	0.034	0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
0.0	T	-0.003	0.028	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.002	0.021	-0.000	-0.0	0.0
0.0	M. tor~2	-0.001	0.013	-0.000	-0.0	0.0
0.0	INVS LU Max	0.007	0.075	-0.007	0.0	0.0
-0.0	Min	-0.011	-0.072	-0.071	-0.0	0.0
0.0	INVS LV Max	0.016	0.131	-0.016	0.0	0.0
-0.0	Min	-0.019	-0.129	-0.026	-0.0	0.0
0.0	INVS LE Max	0.005	0.053	-0.005	0.0	0.0
-0.0	Min	-0.008	-0.052	-0.052	-0.0	0.0
897	C1-C2;~1 Max	0.001	0.004	0.015	0.0	0.0
0.0	Min	-0.002	-0.004	-0.029	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.001	0.004	0.015	0.0	0.0
0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.002	-0.004	-0.030	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.002	0.008	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.016	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.002	0.008	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.016	-0.0	-0.0
-0.0	SLVx (RS)	-0.008	0.029	-0.004	0.0	0.0
0.0	SLVy (RS)	-0.015	0.120	-0.002	-0.0	0.0
-0.0	SLDx (RS)	-0.006	0.020	-0.003	0.0	0.0
0.0	SLDy (RS)	-0.009	0.069	-0.001	-0.0	0.0
0.0	SLVz (RS)	0.001	0.000	0.003	-0.0	-0.0
0.0	G1	-0.001	0.001	-0.015	0.0	0.0
0.0	G2	-0.000	0.000	-0.005	0.0	0.0
0.0	G1-Imp~1	0.000	0.000	0.000	0.0	-0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	-0.0
0.0	q3	-0.002	0.011	0.000	0.0	-0.0
-0.0	q4-1	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
-0.0	q4-6	-0.000	0.002	-0.000	-0.0	0.0
0.0	q4-7	-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.004	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.004	0.036	0.001	-0.0	-0.0
0.0	q5 - p~3	0.004	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.004	0.034	0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
0.0	T	-0.003	0.028	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.002	0.021	-0.000	-0.0	0.0
0.0	M. tor~2	-0.001	0.013	-0.000	-0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0	INVS LU	Max	0.007	0.075	-0.006	0.0	0.0
-0.0		Min	-0.012	-0.072	-0.068	-0.0	0.0
0.0	INVS LV	Max	0.016	0.130	-0.015	0.0	0.0
-0.0		Min	-0.019	-0.128	-0.025	0.0	0.0
0.0	INVS LE	Max	0.005	0.053	-0.004	0.0	0.0
-0.0		Min	-0.009	-0.052	-0.050	-0.0	0.0
898 0.0	C1-C2;~1	Max	0.001	0.004	0.015	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.028	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.004	0.015	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.028	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.002	0.007	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.015	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.016	-0.0	-0.0
-0.0	SLVx (RS)		-0.007	0.029	-0.004	0.0	0.0
0.0	SLVy (RS)		-0.016	0.120	-0.002	-0.0	0.0
-0.0	SLDx (RS)		-0.005	0.020	-0.003	0.0	0.0
0.0	SLDy (RS)		-0.009	0.069	-0.001	-0.0	0.0
0.0	SLVz (RS)		0.001	0.000	0.002	-0.0	-0.0
0.0	G1		-0.001	0.001	-0.014	0.0	0.0
0.0	G2		-0.000	0.000	-0.005	0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	-0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	-0.0
0.0	q3		-0.002	0.011	0.000	0.0	-0.0
-0.0	q4-1		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5		0.000	0.001	0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-6	-0.000	0.002	-0.000	-0.0	0.0
0.0	q4-7	-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.004	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.004	0.035	0.001	-0.0	-0.0
0.0	q5 - p~3	0.003	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.004	0.034	0.001	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
0.0	T	-0.004	0.028	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.003	0.021	-0.000	-0.0	0.0
0.0	M. tor~2	-0.001	0.012	-0.000	-0.0	0.0
0.0	INVS LU Max	0.008	0.075	-0.005	0.0	0.0
-0.0	Min	-0.012	-0.072	-0.065	-0.0	0.0
0.0	INVS LV Max	0.017	0.130	-0.014	0.0	0.0
-0.0	Min	-0.020	-0.128	-0.024	0.0	0.0
0.0	INVS LE Max	0.005	0.054	-0.004	0.0	0.0
-0.0	Min	-0.009	-0.052	-0.048	-0.0	0.0
899 0.0	C1-C2;~1 Max	0.001	0.004	0.014	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.026	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.004	0.015	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.027	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.002	0.007	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.014	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.002	0.007	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.015	-0.0	-0.0
-0.0	SLVx (RS)	-0.007	0.029	-0.004	0.0	0.0
0.0	SLVy (RS)	-0.017	0.119	-0.002	-0.0	0.0
-0.0	SLDx (RS)	-0.005	0.020	-0.003	0.0	0.0

MIDAS


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	-0.010	0.068	-0.001	-0.0	0.0
0.0	SLVz (RS)	0.001	0.000	0.002	-0.0	-0.0
0.0	G1	-0.001	0.001	-0.013	0.0	0.0
0.0	G2	-0.000	0.000	-0.005	0.0	0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	-0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	-0.0
0.0	q3	-0.002	0.011	0.000	0.0	-0.0
0.0	q4-1	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
-0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	0.0
0.0	q4-7	-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.004	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.005	0.035	0.000	-0.0	-0.0
0.0	q5 - p~3	0.003	-0.005	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.004	0.033	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
0.0	T	-0.004	0.029	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.003	0.021	-0.000	-0.0	0.0
0.0	M. tor~2	-0.002	0.012	-0.000	-0.0	0.0
0.0	INVSLU Max	0.008	0.075	-0.004	0.0	0.0
-0.0	Min	-0.013	-0.072	-0.062	0.0	0.0
0.0	INVSLV Max	0.018	0.129	-0.013	0.0	0.0
-0.0	Min	-0.020	-0.127	-0.023	0.0	0.0
0.0	INVSLE Max	0.006	0.054	-0.003	0.0	0.0
-0.0	Min	-0.009	-0.052	-0.046	0.0	0.0
900	C1-C2;~1 Max	0.001	0.004	0.014	0.0	0.0


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0		Min	-0.002	-0.004	-0.025	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.004	0.014	0.0	0.0
0.0		Min	-0.002	-0.004	-0.026	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.002	0.007	0.0	0.0
0.0		Min	-0.001	-0.002	-0.014	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.002	0.007	0.0	0.0
0.0		Min	-0.001	-0.002	-0.014	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.007	0.029	-0.003	0.0	0.0
-0.0	SLVy (RS)		-0.017	0.119	-0.001	-0.0	0.0
0.0	SLDx (RS)		-0.005	0.020	-0.003	0.0	0.0
-0.0	SLDy (RS)		-0.010	0.068	-0.001	-0.0	0.0
0.0	SLVz (RS)		0.001	0.000	0.002	-0.0	-0.0
0.0	G1		-0.001	0.001	-0.012	0.0	0.0
-0.0	G2		-0.000	0.000	-0.005	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	-0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	-0.0
0.0	q3		-0.002	0.011	0.000	0.0	-0.0
0.0	q4-1		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
-0.0	q4-5		0.000	0.001	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	-0.0	0.0
0.0	q4-7		-0.000	0.001	0.000	0.0	-0.0
-0.0	q5 - p~1		0.004	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~2		-0.005	0.035	0.000	-0.0	-0.0
0.0	q5 - p~3		0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~4		-0.005	0.033	0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.006	0.000	0.0	-0.0
0.0							

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	-0.004	0.029	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.003	0.021	-0.000	-0.0	0.0
0.0	M. tor~2	-0.002	0.012	-0.000	-0.0	0.0
0.0	INVS LU Max	0.008	0.075	-0.004	0.0	0.0
0.0	Min	-0.013	-0.072	-0.058	0.0	0.0
-0.0	INVS LV Max	0.018	0.129	-0.012	0.0	0.0
0.0	Min	-0.021	-0.127	-0.021	0.0	0.0
-0.0	INVS LE Max	0.006	0.054	-0.003	0.0	0.0
0.0	Min	-0.009	-0.052	-0.043	0.0	0.0
-0.0	901 C1-C2;~1 Max	0.001	0.004	0.013	0.0	0.0
0.0	Min	-0.002	-0.004	-0.024	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.001	0.004	0.013	0.0	0.0
0.0	Min	-0.002	-0.004	-0.024	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.002	0.007	0.0	0.0
0.0	Min	-0.001	-0.002	-0.013	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.002	0.007	0.0	0.0
0.0	Min	-0.001	-0.002	-0.013	-0.0	-0.0
-0.0	SLVx (RS)	-0.007	0.029	-0.003	0.0	0.0
0.0	SLVy (RS)	-0.018	0.118	-0.001	-0.0	0.0
0.0	SLDx (RS)	-0.005	0.020	-0.002	0.0	0.0
-0.0	SLDy (RS)	-0.010	0.068	-0.001	-0.0	0.0
0.0	SLVz (RS)	0.001	0.000	0.002	-0.0	-0.0
0.0	G1	-0.001	0.001	-0.012	0.0	0.0
-0.0	G2	-0.000	0.000	-0.004	0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	-0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	-0.0
0.0	q3	-0.002	0.011	0.000	0.0	-0.0
0.0	q4-1	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	0.0	0.0
-0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	0.0
-0.0	q4-7	-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.005	0.035	0.000	-0.0	-0.0
0.0	q5 - p~3	0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.005	0.033	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
0.0	T	-0.004	0.029	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.003	0.021	-0.000	-0.0	0.0
0.0	M. tor~2	-0.002	0.012	-0.000	-0.0	0.0
0.0	INVS LU Max	0.009	0.075	-0.003	0.0	0.0
-0.0	Min	-0.013	-0.072	-0.054	0.0	0.0
0.0	INVS LV Max	0.019	0.128	-0.011	0.0	0.0
-0.0	Min	-0.022	-0.126	-0.020	0.0	0.0
0.0	INVS LE Max	0.006	0.054	-0.002	0.0	0.0
-0.0	Min	-0.010	-0.052	-0.040	0.0	0.0
902 0.0	C1-C2;~1 Max	0.001	0.004	0.013	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.022	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.004	0.013	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.023	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.002	0.006	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.012	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.002	0.007	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.012	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.007	0.029	-0.003	0.0	0.0
0.0	SLVy (RS)	-0.018	0.118	-0.001	-0.0	0.0
-0.0	SLDx (RS)	-0.005	0.020	-0.002	0.0	0.0
0.0	SLDy (RS)	-0.011	0.068	-0.001	-0.0	0.0
0.0	SLVz (RS)	0.001	0.000	0.002	-0.0	-0.0
-0.0	G1	-0.001	0.001	-0.011	0.0	0.0
-0.0	G2	-0.000	0.000	-0.004	0.0	0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	-0.0	-0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	-0.0	-0.0
0.0	q3	-0.002	0.011	0.000	0.0	-0.0
-0.0	q4-1	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	0.0
-0.0	q4-7	-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.005	0.035	0.000	-0.0	-0.0
0.0	q5 - p~3	0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.005	0.033	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
0.0	T	-0.005	0.029	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.003	0.021	-0.000	-0.0	0.0
0.0	M. tor~2	-0.002	0.012	-0.000	-0.0	0.0
0.0	INVSLU Max	0.009	0.075	-0.002	0.0	0.0
-0.0	Min	-0.014	-0.072	-0.050	0.0	0.0
0.0	INVSLV Max	0.019	0.127	-0.010	0.0	0.0
-0.0	Min	-0.022	-0.125	-0.018	0.0	0.0
	INVSLE Max	0.007	0.054	-0.001	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.010	-0.052	-0.037	0.0	0.0
-0.0							
903	C1-C2;~1	Max	0.001	0.004	0.012	0.0	0.0
0.0		Min	-0.002	-0.004	-0.020	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.004	0.012	0.0	0.0
0.0		Min	-0.002	-0.004	-0.021	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.002	0.006	0.0	0.0
0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.002	0.006	0.0	0.0
0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.007	0.029	-0.003	0.0	0.0
-0.0	SLVy (RS)		-0.019	0.117	-0.001	-0.0	0.0
0.0	SLDx (RS)		-0.005	0.020	-0.002	0.0	0.0
-0.0	SLDy (RS)		-0.011	0.067	-0.001	-0.0	0.0
0.0	SLVz (RS)		0.001	-0.000	0.001	-0.0	-0.0
0.0	G1		-0.001	0.001	-0.010	0.0	0.0
-0.0	G2		-0.000	0.000	-0.003	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	q3		-0.002	0.011	0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	0.0
-0.0	q4-5		0.000	0.001	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	-0.0	0.0
0.0	q4-7		-0.000	0.001	0.000	0.0	-0.0
-0.0	q5 - p~1		0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~2		-0.005	0.035	0.000	-0.0	-0.0
0.0	q5 - p~3		0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~4		-0.005	0.033	0.000	-0.0	-0.0
0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.006	0.000	0.0	-0.0
0.0	T		-0.005	0.030	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.003	0.021	-0.000	-0.0	0.0
0.0	M. tor~2		-0.002	0.012	-0.000	-0.0	0.0
0.0	INVS LU Max		0.010	0.075	-0.001	0.0	0.0
-0.0	Min		-0.014	-0.072	-0.046	0.0	0.0
0.0	INVS LV Max		0.020	0.127	-0.009	0.0	0.0
-0.0	Min		-0.023	-0.125	-0.017	0.0	0.0
0.0	INVS LE Max		0.007	0.054	-0.001	0.0	0.0
-0.0	Min		-0.010	-0.052	-0.034	0.0	0.0
0.0	904 C1-C2;~1 Max		0.001	0.004	0.011	0.0	0.0
-0.0	Min		-0.002	-0.004	-0.019	-0.0	-0.0
0.0	C3-C4;~1 Max		0.001	0.004	0.011	0.0	0.0
-0.0	Min		-0.002	-0.004	-0.019	-0.0	-0.0
0.0	C1-C2;~2 Max		0.000	0.002	0.006	0.0	0.0
-0.0	Min		-0.001	-0.002	-0.010	-0.0	-0.0
0.0	C3-C4;~2 Max		0.000	0.002	0.006	0.0	0.0
-0.0	Min		-0.001	-0.002	-0.011	-0.0	-0.0
-0.0	SLVx (RS)		-0.007	0.029	0.003	0.0	0.0
0.0	SLVy (RS)		-0.020	0.117	-0.001	-0.0	0.0
-0.0	SLDx (RS)		-0.005	0.020	0.002	0.0	0.0
0.0	SLDy (RS)		-0.011	0.067	-0.001	-0.0	0.0
0.0	SLVz (RS)		0.001	-0.000	0.001	-0.0	-0.0
-0.0	G1		-0.001	0.001	-0.009	0.0	0.0
-0.0	G2		-0.000	0.000	-0.003	0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	-0.002	0.010	0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	0.0
-0.0	q4-7	-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.006	0.035	0.000	-0.0	-0.0
0.0	q5 - p~3	0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.005	0.033	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.006	0.000	0.0	-0.0
0.0	T	-0.005	0.030	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.003	0.021	-0.000	-0.0	0.0
0.0	M. tor~2	-0.002	0.012	-0.000	-0.0	0.0
0.0	INVSLU Max	0.011	0.075	0.000	0.0	0.0
-0.0	Min	-0.014	-0.072	-0.042	0.0	0.0
0.0	INVSLV Max	0.021	0.126	-0.008	0.0	0.0
-0.0	Min	-0.023	-0.124	-0.015	0.0	0.0
0.0	INVSLE Max	0.008	0.054	0.000	0.0	0.0
-0.0	Min	-0.011	-0.052	-0.031	0.0	0.0
905 0.0	C1-C2;~1 Max	0.001	0.004	0.010	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.017	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.004	0.011	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.017	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.002	0.005	0.0	0.0
	Min	-0.001	-0.002	-0.009	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.002	0.006	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.010	-0.0	-0.0
-0.0	SLVx	(RS)	-0.007	0.029	0.003	0.0	0.0
0.0	SLVy	(RS)	-0.020	0.116	-0.001	-0.0	0.0
-0.0	SLDx	(RS)	-0.005	0.019	0.002	0.0	0.0
0.0	SLDy	(RS)	-0.012	0.067	-0.001	-0.0	0.0
0.0	SLVz	(RS)	0.001	0.000	0.001	-0.0	-0.0
-0.0	G1		-0.001	0.001	-0.007	0.0	0.0
-0.0	G2		-0.000	0.000	-0.003	0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	q3		-0.002	0.010	0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	-0.0
0.0	q4-5		0.000	0.001	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	-0.0	0.0
-0.0	q4-7		-0.000	0.001	0.000	0.0	-0.0
0.0	q5 - p~1		0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~2		-0.006	0.034	0.000	-0.0	-0.0
0.0	q5 - p~3		0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~4		-0.005	0.033	0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.001	0.006	0.000	0.0	-0.0
0.0	T		-0.005	0.030	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.003	0.020	-0.000	-0.0	0.0
0.0	M. tor~2		-0.002	0.012	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.011	0.075	0.001	0.0	0.0
-0.0		Min	-0.015	-0.072	-0.038	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.021	0.126	-0.007	0.0	0.0
-0.0		Min	-0.024	-0.124	-0.013	0.0	0.0
0.0	INVS LE	Max	0.008	0.054	0.001	0.0	0.0
-0.0		Min	-0.011	-0.052	-0.028	0.0	0.0
906 0.0	C1-C2;~1	Max	0.001	0.004	0.010	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.015	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.004	0.010	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.016	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.005	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.008	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.005	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.009	-0.0	-0.0
-0.0	SLVx (RS)		-0.007	0.028	0.002	0.0	0.0
0.0	SLVy (RS)		-0.021	0.115	-0.001	-0.0	0.0
-0.0	SLDx (RS)		-0.005	0.019	0.002	0.0	0.0
0.0	SLDy (RS)		-0.012	0.066	-0.001	-0.0	0.0
0.0	SLVz (RS)		0.001	0.000	0.001	-0.0	-0.0
-0.0	G1		-0.001	0.001	-0.006	0.0	0.0
-0.0	G2		-0.000	0.000	-0.002	0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	q3		-0.002	0.010	0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	-0.0
0.0	q4-5		0.000	0.001	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	-0.0	0.0
-0.0	q4-7		-0.000	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.003	-0.006	-0.000	-0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	-0.006	0.034	0.000	-0.0	-0.0
0.0	q5 - p~3	0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.006	0.032	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.006	0.000	0.0	-0.0
0.0	T	-0.006	0.030	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.003	0.020	-0.000	-0.0	0.0
0.0	M. tor~2	-0.002	0.012	-0.000	-0.0	0.0
0.0	INVS LU Max	0.012	0.075	0.002	0.0	0.0
-0.0	Min	-0.015	-0.072	-0.033	0.0	0.0
0.0	INVS LV Max	0.022	0.125	-0.006	0.0	0.0
-0.0	Min	-0.024	-0.123	-0.012	0.0	0.0
0.0	INVS LE Max	0.008	0.054	0.001	0.0	0.0
-0.0	Min	-0.011	-0.052	-0.025	0.0	0.0
0.0	907 C1-C2;~1 Max	0.001	0.004	0.009	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.013	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.004	0.009	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.014	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.005	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.007	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.005	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.008	-0.0	-0.0
-0.0	SLVx (RS)	-0.007	0.028	0.002	0.0	-0.0
0.0	SLVy (RS)	-0.021	0.115	-0.001	-0.0	0.0
-0.0	SLDx (RS)	-0.005	0.019	0.002	0.0	-0.0
0.0	SLDy (RS)	-0.012	0.066	-0.001	-0.0	0.0
0.0	SLVz (RS)	0.001	0.000	0.001	-0.0	-0.0
-0.0	G1	-0.001	0.001	-0.005	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-0.0	G2		-0.000	0.000	-0.002	0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	q3		-0.002	0.010	0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	-0.0
0.0	q4-5		0.000	0.001	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	-0.0	0.0
-0.0	q4-7		-0.000	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~2		-0.006	0.034	0.000	-0.0	-0.0
0.0	q5 - p~3		0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~4		-0.006	0.032	0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.006	0.000	0.0	-0.0
0.0	T		-0.006	0.031	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.004	0.020	-0.000	-0.0	0.0
0.0	M. tor~2		-0.002	0.012	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.012	0.075	0.002	0.0	0.0
-0.0		Min	-0.015	-0.072	-0.029	0.0	0.0
0.0	INVSLV	Max	0.023	0.124	-0.005	0.0	0.0
-0.0		Min	-0.025	-0.122	-0.010	0.0	0.0
0.0	INVSLE	Max	0.009	0.054	0.002	0.0	0.0
-0.0		Min	-0.011	-0.052	-0.021	0.0	0.0
908	C1-C2;~1	Max	0.001	0.004	0.008	0.0	0.0
0.0		Min	-0.002	-0.004	-0.012	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.004	0.008	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.002	-0.004	-0.012	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.004	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.006	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.004	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.007	-0.0	-0.0
-0.0	SLVx (RS)	-0.007	0.028	0.002	0.0	-0.0
0.0	SLVy (RS)	-0.022	0.114	-0.001	-0.0	0.0
-0.0	SLDx (RS)	-0.005	0.019	0.001	0.0	-0.0
0.0	SLDy (RS)	-0.013	0.066	-0.001	-0.0	0.0
0.0	SLVz (RS)	0.001	0.000	0.001	-0.0	-0.0
-0.0	G1	-0.001	0.001	-0.004	0.0	0.0
-0.0	G2	-0.000	0.000	-0.002	0.0	0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	-0.0	-0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	-0.0	-0.0
0.0	q3	-0.002	0.010	0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	0.000	-0.0	-0.0
0.0	q4-5	0.000	0.001	-0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	0.0
-0.0	q4-7	-0.000	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.006	0.034	0.000	-0.0	-0.0
0.0	q5 - p~3	0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.006	0.032	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.006	0.000	0.0	-0.0
0.0	T	-0.006	0.031	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.004	0.020	-0.000	-0.0	0.0
0.0	M. tor~2	-0.002	0.012	-0.000	-0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.013	0.075	0.003	0.0	0.0
-0.0		Min	-0.016	-0.072	-0.025	0.0	0.0
0.0	INVS LV	Max	0.023	0.124	-0.004	0.0	0.0
-0.0		Min	-0.025	-0.122	-0.008	0.0	0.0
0.0	INVS LE	Max	0.009	0.054	0.002	0.0	0.0
-0.0		Min	-0.011	-0.052	-0.018	0.0	0.0
909 0.0	C1-C2;~1	Max	0.001	0.004	0.007	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.010	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.004	0.007	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.010	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.004	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.005	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.004	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.006	-0.0	-0.0
-0.0	SLVx (RS)		-0.007	0.028	0.002	0.0	-0.0
0.0	SLVy (RS)		-0.023	0.114	-0.001	-0.0	0.0
-0.0	SLDx (RS)		-0.005	0.019	0.001	0.0	-0.0
0.0	SLDy (RS)		-0.013	0.065	-0.001	-0.0	0.0
0.0	SLVz (RS)		0.001	0.000	0.000	-0.0	-0.0
-0.0	G1		-0.001	0.001	-0.003	0.0	0.0
-0.0	G2		-0.000	0.000	-0.001	0.0	0.0
0.0	G1-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	q3		-0.002	0.010	0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	-0.0
0.0	q4-5		0.000	0.001	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	-0.000	0.002	-0.000	-0.0	0.0
-0.0	q4-7	-0.000	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.006	0.034	0.000	-0.0	-0.0
0.0	q5 - p~3	0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.006	0.032	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.006	0.000	0.0	-0.0
0.0	T	-0.006	0.031	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.004	0.020	-0.000	-0.0	0.0
0.0	M. tor~2	-0.002	0.012	-0.000	-0.0	0.0
0.0	INVS LU Max	0.013	0.074	0.003	0.0	0.0
-0.0	Min	-0.016	-0.072	-0.020	0.0	0.0
0.0	INVS LV Max	0.024	0.123	-0.003	0.0	0.0
-0.0	Min	-0.026	-0.121	-0.007	0.0	0.0
0.0	INVS LE Max	0.010	0.054	0.002	0.0	0.0
-0.0	Min	-0.012	-0.052	-0.015	0.0	0.0
910 0.0	C1-C2;~1 Max	0.001	0.004	0.006	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.008	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.004	0.006	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.008	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.003	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.004	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.003	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.005	-0.0	-0.0
-0.0	SLVx (RS)	-0.007	0.028	0.001	0.0	-0.0
0.0	SLVy (RS)	-0.023	0.113	-0.001	-0.0	0.0
-0.0	SLDx (RS)	-0.005	0.019	0.001	0.0	-0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	SLDy (RS)	-0.013	0.065	-0.000	-0.0	0.0
0.0	SLVz (RS)	0.001	0.000	0.000	-0.0	-0.0
0.0	G1	-0.001	0.001	-0.003	0.0	0.0
-0.0	G2	-0.000	0.000	-0.001	0.0	0.0
-0.0	G1-Imp~1	0.000	-0.000	0.000	-0.0	-0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	-0.0	-0.0
0.0	q3	-0.002	0.010	0.000	-0.0	-0.0
0.0	q4-1	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	0.000	-0.0	-0.0
-0.0	q4-5	0.000	0.001	-0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	0.0	0.0
0.0	q4-7	-0.000	0.001	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.007	0.034	0.000	-0.0	0.0
0.0	q5 - p~3	0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.006	0.032	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.006	0.000	0.0	-0.0
0.0	T	-0.007	0.032	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.004	0.020	-0.000	-0.0	0.0
0.0	M. tor~2	-0.002	0.012	-0.000	-0.0	0.0
0.0	INVSLU Max	0.014	0.074	0.003	0.0	0.0
0.0	Min	-0.016	-0.072	-0.016	0.0	-0.0
-0.0	INVSLV Max	0.025	0.123	-0.002	0.0	0.0
0.0	Min	-0.026	-0.121	-0.005	0.0	0.0
-0.0	INVSLE Max	0.010	0.054	0.002	0.0	0.0
0.0	Min	-0.012	-0.052	-0.012	0.0	-0.0
-0.0	911 C1-C2;~1 Max	0.001	0.004	0.005	0.0	0.0

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.002	-0.004	-0.006	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.004	0.005	0.0	0.0
0.0		Min	-0.002	-0.004	-0.006	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.002	0.0	0.0
0.0		Min	-0.001	-0.002	-0.003	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.003	0.0	0.0
0.0		Min	-0.001	-0.002	-0.004	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	-0.007	0.028	0.001	0.0	-0.0
-0.0	SLVy	(RS)	-0.024	0.113	-0.001	-0.0	0.0
0.0	SLDx	(RS)	-0.005	0.019	0.001	0.0	-0.0
-0.0	SLDy	(RS)	-0.014	0.065	-0.000	-0.0	0.0
0.0	SLVz	(RS)	0.000	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	0.001	-0.002	0.0	0.0
-0.0	G2		-0.000	0.000	-0.001	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	q3		-0.002	0.010	0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	-0.0
-0.0	q4-5		0.000	0.000	-0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	0.0	0.0
0.0	q4-7		-0.000	0.001	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.003	-0.007	-0.000	-0.0	0.0
0.0	q5 - p~2		-0.007	0.033	0.000	-0.0	0.0
0.0	q5 - p~3		0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~4		-0.006	0.032	0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.006	0.000	0.0	-0.0
0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	T		-0.007	0.032	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.004	0.020	-0.000	-0.0	0.0
0.0	M. tor~2		-0.002	0.012	-0.000	-0.0	0.0
0.0	INVS LU	Max	0.015	0.074	0.003	0.0	0.0
0.0		Min	-0.016	-0.072	-0.012	-0.0	-0.0
-0.0							
0.0	INVS LV	Max	0.025	0.122	-0.001	0.0	0.0
0.0		Min	-0.026	-0.120	-0.004	0.0	0.0
-0.0							
0.0	INVS LE	Max	0.011	0.054	0.002	0.0	0.0
0.0		Min	-0.012	-0.052	-0.009	-0.0	-0.0
-0.0							
912	C1-C2;~1	Max	0.002	0.004	0.004	0.0	0.0
0.0		Min	-0.002	-0.004	-0.005	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.004	0.004	0.0	0.0
0.0		Min	-0.002	-0.004	-0.005	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.002	0.0	0.0
0.0		Min	-0.001	-0.002	-0.002	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.002	0.0	0.0
0.0		Min	-0.001	-0.002	-0.003	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.007	0.028	0.001	0.0	-0.0
-0.0	SLVy (RS)		-0.024	0.112	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.005	0.019	0.001	0.0	-0.0
-0.0	SLDy (RS)		-0.014	0.064	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	0.000	0.000	-0.0	-0.0
0.0							
-0.0	G1		-0.000	0.001	-0.001	0.0	0.0
-0.0	G2		-0.000	0.000	-0.000	0.0	0.0
-0.0							
0.0	G1-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0							
0.0	q3		-0.002	0.010	0.000	-0.0	-0.0
0.0							
-0.0	q4-1		0.000	-0.001	-0.000	0.0	0.0
-0.0							
-0.0	q4-2		0.000	-0.001	-0.000	0.0	0.0
-0.0							

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	0.000	-0.0	-0.0
0.0	q4-5	-0.000	0.000	-0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	0.0	0.0
-0.0	q4-7	-0.000	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1	0.003	-0.007	-0.000	-0.0	0.0
0.0	q5 - p~2	-0.007	0.033	0.000	-0.0	0.0
0.0	q5 - p~3	0.003	-0.006	-0.000	-0.0	0.0
0.0	q5 - p~4	-0.006	0.032	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.006	0.000	-0.0	-0.0
0.0	T	-0.007	0.032	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.004	0.020	-0.000	-0.0	0.0
0.0	M. tor~2	-0.002	0.012	-0.000	-0.0	0.0
0.0	INVS LU Max	0.015	0.074	0.003	0.0	0.0
-0.0	Min	-0.017	-0.072	-0.009	-0.0	-0.0
0.0	INVS LV Max	0.026	0.121	-0.001	0.0	0.0
-0.0	Min	-0.027	-0.120	-0.003	0.0	0.0
0.0	INVS LE Max	0.011	0.053	0.002	0.0	0.0
-0.0	Min	-0.012	-0.052	-0.006	-0.0	-0.0
913 0.0	C1-C2;~1 Max	0.002	0.004	0.002	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.003	-0.0	-0.0
0.0	C3-C4;~1 Max	0.002	0.004	0.002	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.003	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.001	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.002	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.001	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.002	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.007	0.028	0.001	-0.0	-0.0	
0.0	SLVy (RS)	-0.025	0.111	-0.000	0.0	0.0	
-0.0	SLDx (RS)	-0.005	0.019	0.000	-0.0	-0.0	
0.0	SLDy (RS)	-0.014	0.064	-0.000	0.0	0.0	
0.0	SLVz (RS)	0.000	0.000	0.000	-0.0	-0.0	
-0.0	G1	-0.000	0.001	-0.001	0.0	0.0	
-0.0	G2	-0.000	0.000	-0.000	0.0	0.0	
0.0	G1-Imp~1	0.000	-0.000	0.000	-0.0	-0.0	
0.0	G2-Imp~1	0.000	-0.000	0.000	-0.0	-0.0	
0.0	q3	-0.002	0.010	0.000	-0.0	-0.0	
-0.0	q4-1	0.000	-0.001	-0.000	0.0	0.0	
-0.0	q4-2	0.000	-0.001	-0.000	0.0	0.0	
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0	
-0.0	q4-4	0.000	-0.000	0.000	-0.0	-0.0	
0.0	q4-5	-0.000	0.000	-0.000	-0.0	0.0	
0.0	q4-6	-0.000	0.002	-0.000	0.0	0.0	
-0.0	q4-7	-0.000	0.001	0.000	-0.0	-0.0	
0.0	q5 - p~1	0.003	-0.007	-0.000	-0.0	0.0	
0.0	q5 - p~2	-0.007	0.033	0.000	-0.0	0.0	
0.0	q5 - p~3	0.003	-0.006	-0.000	-0.0	0.0	
0.0	q5 - p~4	-0.007	0.031	0.000	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	-0.002	0.006	0.000	-0.0	-0.0	
0.0	T	-0.007	0.032	-0.000	-0.0	-0.0	
0.0	M. tor~1	-0.004	0.019	-0.000	0.0	0.0	
0.0	M. tor~2	-0.002	0.012	-0.000	0.0	0.0	
0.0	INVSLU Max	0.016	0.074	0.002	0.0	0.0	
-0.0	Min	-0.017	-0.072	-0.005	-0.0	-0.0	
0.0	INVSLV Max	0.027	0.120	-0.000	0.0	0.0	
-0.0	Min	-0.027	-0.119	-0.002	0.0	0.0	
	INVSLE Max	0.012	0.053	0.001	0.0	0.0	


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.012	-0.052	-0.004	-0.0	-0.0
-0.0							
914	C1-C2;~1	Max	0.002	0.004	0.001	0.0	0.0
0.0		Min	-0.002	-0.004	-0.001	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.004	0.001	0.0	0.0
0.0		Min	-0.002	-0.004	-0.001	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.001	0.0	0.0
0.0		Min	-0.001	-0.002	-0.001	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.001	0.0	0.0
0.0		Min	-0.001	-0.002	-0.001	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.007	0.028	0.000	-0.0	-0.0
0.0	SLVy (RS)		-0.025	0.111	-0.000	0.0	0.0
0.0	SLDx (RS)		-0.005	0.019	0.000	-0.0	-0.0
0.0	SLDy (RS)		-0.015	0.064	-0.000	0.0	0.0
0.0	SLVz (RS)		0.000	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	0.000	-0.000	0.0	0.0
-0.0	G2		-0.000	0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	G2-Imp~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	q3		-0.002	0.010	0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	0.0	0.0
0.0	q4-7		-0.000	0.001	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.003	-0.007	-0.000	0.0	0.0
0.0	q5 - p~2		-0.007	0.033	0.000	-0.0	0.0
0.0	q5 - p~3		0.003	-0.006	-0.000	0.0	0.0
0.0	q5 - p~4		-0.007	0.031	0.000	-0.0	0.0
0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.006	0.000	-0.0	-0.0
0.0	T		-0.008	0.032	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.004	0.019	-0.000	0.0	0.0
0.0	M. tor~2		-0.003	0.011	-0.000	0.0	0.0
0.0	INVS LU	Max	0.017	0.074	0.001	0.0	0.0
-0.0		Min	-0.017	-0.072	-0.003	-0.0	-0.0
0.0	INVS LV	Max	0.027	0.120	-0.000	0.0	0.0
-0.0		Min	-0.028	-0.119	-0.001	0.0	-0.0
0.0	INVS LE	Max	0.012	0.053	0.001	0.0	0.0
-0.0		Min	-0.012	-0.052	-0.002	-0.0	-0.0
0.0	954 C1-C2;~1	Max	0.003	0.002	0.001	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.002	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.002	0.001	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.002	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.001	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.001	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.001	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.001	-0.0	-0.0
0.0	SLVx (RS)		-0.051	0.056	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.104	0.077	-0.000	-0.0	0.0
0.0	SLDx (RS)		-0.035	0.039	-0.000	-0.0	-0.0
0.0	SLDy (RS)		0.061	0.047	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.001	0.000	0.0	0.0
0.0	G1		-0.000	-0.001	-0.001	-0.0	-0.0
0.0	G2		-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.010	0.004	0.000	0.0	0.0
0.0	q4-1	-0.002	-0.002	-0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.003	0.000	0.0	0.0
0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	0.000	0.0	0.0
0.0	q4-7	0.001	0.001	0.000	0.0	0.0
0.0	q5 - p~1	0.015	-0.006	0.000	0.0	-0.0
-0.0	q5 - p~2	0.026	0.030	-0.000	-0.0	0.0
0.0	q5 - p~3	0.014	-0.006	0.000	0.0	-0.0
-0.0	q5 - p~4	0.025	0.028	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.030	-0.016	-0.000	-0.0	-0.0
-0.0	M. tor~1	0.019	-0.001	-0.000	0.0	-0.0
0.0	M. tor~2	0.011	-0.001	-0.000	0.0	-0.0
0.0	INVS LU Max	0.061	0.055	-0.000	0.0	0.0
0.0	INVS LU Min	-0.062	-0.057	-0.004	-0.0	-0.0
-0.0	INVS LV Max	0.119	0.093	-0.001	0.0	0.0
0.0	INVS LV Min	-0.120	-0.095	-0.002	-0.0	-0.0
-0.0	INVS LE Max	0.045	0.039	-0.000	0.0	0.0
0.0	INVS LE Min	-0.045	-0.040	-0.003	-0.0	-0.0
-0.0						
955	C1-C2;~1 Max	0.003	0.002	0.002	0.0	0.0
0.0	C1-C2;~1 Min	-0.004	-0.003	-0.003	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	0.004	0.002	0.003	0.0	0.0
0.0	C3-C4;~1 Min	-0.003	-0.003	-0.003	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.002	0.001	0.001	0.0	0.0
0.0	C1-C2;~2 Min	-0.002	-0.001	-0.002	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.002	0.001	0.001	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.002	-0.0	-0.0
0.0	SLVx	(RS)	-0.051	0.057	-0.001	-0.0	-0.0
0.0	SLVy	(RS)	0.104	0.076	-0.000	-0.0	0.0
0.0	SLDx	(RS)	-0.035	0.040	-0.000	-0.0	-0.0
0.0	SLDy	(RS)	0.061	0.047	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.000	0.001	0.000	0.0	0.0
-0.0	G1		-0.000	-0.001	-0.001	-0.0	-0.0
0.0	G2		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		0.010	0.004	0.000	0.0	0.0
0.0	q4-1		-0.002	-0.002	-0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	0.0
0.0	q4-6		0.001	0.001	0.000	0.0	0.0
0.0	q4-7		0.001	0.001	0.000	0.0	0.0
0.0	q5 - p~1		0.015	-0.006	0.000	0.0	-0.0
-0.0	q5 - p~2		0.026	0.030	-0.000	-0.0	0.0
0.0	q5 - p~3		0.014	-0.006	0.000	0.0	-0.0
-0.0	q5 - p~4		0.025	0.028	-0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0	T		-0.030	-0.016	-0.000	-0.0	-0.0
-0.0	M. tor~1		0.019	-0.001	-0.000	0.0	-0.0
0.0	M. tor~2		0.011	-0.001	-0.000	0.0	-0.0
0.0							
0.0	INVSLU	Max	0.062	0.054	0.001	0.0	0.0
-0.0		Min	-0.062	-0.057	-0.006	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.119	0.093	-0.001	0.0	0.0
-0.0		Min	-0.120	-0.095	-0.002	-0.0	-0.0
0.0	INVS LE	Max	0.045	0.038	0.001	0.0	0.0
-0.0		Min	-0.045	-0.040	-0.005	-0.0	-0.0
956 0.0	C1-C2;~1	Max	0.003	0.002	0.004	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.004	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.002	0.004	0.0	0.0
-0.0		Min	-0.003	-0.003	-0.004	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.002	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.002	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.002	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.002	-0.0	-0.0
0.0	SLVx (RS)		-0.051	0.058	-0.001	-0.0	-0.0
0.0	SLVy (RS)		0.104	0.076	-0.001	-0.0	0.0
0.0	SLDx (RS)		-0.035	0.040	-0.001	-0.0	-0.0
0.0	SLDy (RS)		0.061	0.046	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.001	0.001	0.0	0.0
0.0	G1		-0.000	-0.001	-0.001	-0.0	-0.0
0.0	G2		-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1		0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.010	0.004	0.000	0.0	0.0
0.0	q4-1		-0.002	-0.002	-0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
0.0	q4-4		0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	0.0
0.0	q4-6		0.001	0.001	0.000	0.0	0.0
0.0	q4-7		0.001	0.001	0.000	0.0	0.0
-0.0	q5 - p~1		0.015	-0.006	0.000	0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	0.026	0.030	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.015	-0.006	0.000	0.0	-0.0
0.0	q5 - p~4	0.025	0.028	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.030	-0.016	-0.000	-0.0	-0.0
0.0	M. tor~1	0.019	-0.002	-0.000	0.0	-0.0
0.0	M. tor~2	0.011	-0.001	-0.000	0.0	-0.0
0.0	INVS LU Max	0.062	0.054	0.003	0.0	0.0
-0.0	Min	-0.062	-0.057	-0.009	-0.0	-0.0
0.0	INVS LV Max	0.119	0.093	-0.001	0.0	0.0
-0.0	Min	-0.119	-0.095	-0.003	-0.0	-0.0
0.0	INVS LE Max	0.045	0.038	0.002	0.0	0.0
-0.0	Min	-0.045	-0.040	-0.006	-0.0	-0.0
0.0	957 C1-C2;~1 Max	0.003	0.002	0.005	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.006	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.002	0.005	0.0	0.0
-0.0	Min	-0.003	-0.003	-0.006	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.003	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.003	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.003	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.003	-0.0	-0.0
0.0	SLVx (RS)	-0.051	0.059	-0.001	-0.0	-0.0
0.0	SLVy (RS)	0.104	0.076	-0.001	-0.0	0.0
0.0	SLDx (RS)	-0.035	0.041	-0.001	-0.0	-0.0
0.0	SLDy (RS)	0.061	0.046	-0.001	-0.0	0.0
0.0	SLVz (RS)	-0.000	0.001	0.001	0.0	0.0
0.0	G1	-0.000	-0.001	-0.002	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	G1-Imp~1	0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.010	0.004	0.000	0.0	0.0
0.0	q4-1	-0.002	-0.002	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
0.0	q4-4	0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	0.000	0.0	0.0
0.0	q4-7	0.001	0.001	0.000	0.0	0.0
-0.0	q5 - p~1	0.015	-0.006	0.000	0.0	-0.0
0.0	q5 - p~2	0.026	0.029	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.015	-0.006	0.000	0.0	-0.0
0.0	q5 - p~4	0.025	0.028	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.031	-0.016	-0.000	-0.0	-0.0
0.0	M. tor~1	0.019	-0.002	-0.000	0.0	-0.0
0.0	M. tor~2	0.011	-0.001	-0.000	0.0	-0.0
0.0	INVSLU Max	0.063	0.054	0.003	0.0	0.0
-0.0	Min	-0.063	-0.056	-0.011	-0.0	-0.0
0.0	INVSLV Max	0.119	0.093	-0.001	0.0	-0.0
-0.0	Min	-0.119	-0.094	-0.004	-0.0	-0.0
0.0	INVSLE Max	0.046	0.038	0.003	0.0	0.0
-0.0	Min	-0.045	-0.040	-0.008	-0.0	-0.0
0.0	958 C1-C2;~1 Max	0.003	0.002	0.006	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.007	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.002	0.006	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.003	-0.003	-0.007	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.003	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.004	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.003	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.004	-0.0	-0.0
0.0	SLVx (RS)	-0.051	0.060	-0.001	-0.0	-0.0
0.0	SLVy (RS)	0.104	0.075	-0.001	-0.0	0.0
0.0	SLDx (RS)	-0.035	0.042	-0.001	-0.0	-0.0
0.0	SLDy (RS)	0.060	0.046	-0.001	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.001	0.001	0.0	0.0
0.0	G1	0.000	-0.001	-0.002	-0.0	-0.0
0.0	G2	0.000	-0.000	-0.001	-0.0	-0.0
-0.0	G1-Imp~1	0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.010	0.004	0.000	0.0	0.0
0.0	q4-1	-0.002	-0.002	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
0.0	q4-4	0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	0.000	0.0	0.0
0.0	q4-7	0.001	0.001	0.000	0.0	0.0
-0.0	q5 - p~1	0.016	-0.006	0.000	0.0	-0.0
0.0	q5 - p~2	0.026	0.029	0.000	-0.0	0.0
-0.0	q5 - p~3	0.015	-0.006	0.000	0.0	-0.0
0.0	q5 - p~4	0.025	0.028	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.031	-0.016	-0.000	-0.0	-0.0
0.0	M. tor~1	0.019	-0.003	-0.000	0.0	-0.0
0.0	M. tor~2	0.011	-0.002	-0.000	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.063	0.053	0.004	0.0	0.0
-0.0		Min	-0.063	-0.056	-0.014	-0.0	-0.0
0.0	INVS LV	Max	0.119	0.093	-0.001	0.0	-0.0
-0.0		Min	-0.119	-0.094	-0.005	-0.0	-0.0
0.0	INVS LE	Max	0.046	0.037	0.003	0.0	0.0
-0.0		Min	-0.045	-0.040	-0.010	-0.0	-0.0
959 0.0	C1-C2;~1	Max	0.003	0.002	0.007	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.008	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.002	0.007	0.0	0.0
-0.0		Min	-0.003	-0.003	-0.009	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.004	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.005	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.004	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.005	-0.0	-0.0
0.0	SLVx (RS)		-0.052	0.061	-0.002	-0.0	-0.0
0.0	SLVy (RS)		0.104	0.075	-0.001	-0.0	0.0
0.0	SLDx (RS)		-0.036	0.042	-0.001	-0.0	-0.0
0.0	SLDy (RS)		0.060	0.046	-0.001	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.001	0.002	0.0	0.0
0.0	G1		0.000	-0.001	-0.003	-0.0	-0.0
0.0	G2		0.000	-0.000	-0.001	-0.0	-0.0
-0.0	G1-Imp~1		0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.010	0.004	0.000	0.0	0.0
0.0	q4-1		-0.002	-0.002	-0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
0.0	q4-4		0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.001	0.001	0.000	0.0	0.0
0.0	q4-7		0.001	0.001	0.000	0.0	0.0
-0.0	q5 - p~1		0.016	-0.006	0.000	0.0	-0.0
0.0	q5 - p~2		0.026	0.029	0.000	-0.0	0.0
-0.0	q5 - p~3		0.015	-0.005	0.000	0.0	-0.0
0.0	q5 - p~4		0.025	0.028	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
-0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0	T		-0.031	-0.016	-0.000	-0.0	-0.0
0.0	M. tor~1		0.018	-0.003	-0.000	0.0	-0.0
0.0	M. tor~2		0.011	-0.002	-0.000	0.0	-0.0
0.0	INVSLU	Max	0.064	0.053	0.004	0.0	0.0
-0.0		Min	-0.063	-0.056	-0.017	-0.0	-0.0
0.0	INVSLV	Max	0.119	0.092	-0.002	0.0	-0.0
-0.0		Min	-0.119	-0.094	-0.006	-0.0	-0.0
0.0	INVSLE	Max	0.046	0.037	0.003	-0.0	0.0
-0.0		Min	-0.045	-0.039	-0.013	-0.0	-0.0
960 0.0	C1-C2;~1	Max	0.004	0.002	0.007	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.010	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.002	0.008	0.0	0.0
-0.0		Min	-0.003	-0.003	-0.010	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.004	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.005	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.004	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.005	-0.0	-0.0
0.0	SLVx (RS)		-0.052	0.062	-0.002	-0.0	-0.0
0.0	SLVy (RS)		0.103	0.075	-0.001	-0.0	0.0
0.0	SLDx (RS)		-0.036	0.043	-0.001	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	SLDy (RS)	0.060	0.046	-0.001	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.001	0.002	0.0	0.0
0.0	G1	0.000	-0.001	-0.004	-0.0	-0.0
0.0	G2	0.000	-0.000	-0.001	-0.0	-0.0
-0.0	G1-Imp~1	0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.010	0.004	0.000	0.0	0.0
0.0	q4-1	-0.002	-0.003	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
0.0	q4-4	0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	0.000	0.0	0.0
0.0	q4-7	0.001	0.001	0.000	0.0	0.0
-0.0	q5 - p~1	0.016	-0.005	0.000	0.0	-0.0
0.0	q5 - p~2	0.026	0.029	0.000	-0.0	0.0
-0.0	q5 - p~3	0.015	-0.005	0.000	0.0	-0.0
0.0	q5 - p~4	0.025	0.027	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.032	-0.016	-0.000	-0.0	-0.0
0.0	M. tor~1	0.018	-0.004	-0.000	0.0	-0.0
0.0	M. tor~2	0.011	-0.002	-0.000	0.0	-0.0
0.0	INVSLU Max	0.064	0.053	0.004	0.0	-0.0
-0.0	Min	-0.064	-0.056	-0.020	-0.0	-0.0
0.0	INVSLV Max	0.119	0.092	-0.002	0.0	-0.0
-0.0	Min	-0.119	-0.094	-0.008	-0.0	-0.0
0.0	INVSLE Max	0.046	0.037	0.003	-0.0	-0.0
-0.0	Min	-0.045	-0.039	-0.015	-0.0	-0.0
961	C1-C2;~1 Max	0.004	0.002	0.008	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.004	-0.003	-0.011	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.002	0.008	0.0	0.0
0.0		Min	-0.003	-0.003	-0.011	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.004	0.0	0.0
0.0		Min	-0.002	-0.001	-0.006	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.005	0.0	0.0
0.0		Min	-0.002	-0.001	-0.006	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	-0.052	0.063	-0.002	-0.0	-0.0
0.0	SLVy	(RS)	0.103	0.074	-0.002	-0.0	0.0
0.0	SLDx	(RS)	-0.036	0.044	-0.002	-0.0	-0.0
0.0	SLDy	(RS)	0.060	0.045	-0.001	-0.0	0.0
0.0	SLVz	(RS)	-0.000	0.001	0.002	0.0	0.0
-0.0							
0.0	G1		0.000	-0.001	-0.004	-0.0	-0.0
0.0	G2		0.000	-0.000	-0.001	-0.0	-0.0
0.0	G1-Imp~1		0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	-0.0	-0.0
-0.0							
0.0	q3		0.010	0.004	0.000	0.0	0.0
0.0	q4-1		-0.002	-0.003	-0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	0.0
0.0	q4-6		0.001	0.001	0.000	0.0	0.0
0.0	q4-7		0.001	0.001	0.000	0.0	0.0
0.0	q5 - p~1		0.016	-0.005	0.000	0.0	-0.0
-0.0	q5 - p~2		0.026	0.029	0.000	-0.0	0.0
0.0	q5 - p~3		0.015	-0.005	0.000	0.0	-0.0
-0.0	q5 - p~4		0.024	0.027	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0							

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.032	-0.016	-0.000	-0.0	-0.0
0.0	M. tor~1	0.018	-0.004	-0.000	0.0	-0.0
0.0	M. tor~2	0.011	-0.003	-0.000	0.0	-0.0
0.0	INVS LU Max	0.064	0.052	0.003	0.0	-0.0
-0.0	Min	-0.064	-0.055	-0.024	-0.0	-0.0
0.0	INVS LV Max	0.119	0.092	-0.003	0.0	-0.0
-0.0	Min	-0.119	-0.094	-0.009	-0.0	-0.0
0.0	INVS LE Max	0.047	0.037	0.003	-0.0	-0.0
-0.0	Min	-0.046	-0.039	-0.017	-0.0	-0.0
0.0	962 C1-C2;~1 Max	0.004	0.002	0.009	0.0	0.0
-0.0	Min	-0.004	-0.002	-0.012	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.002	0.009	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.012	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.005	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.007	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.005	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.007	-0.0	-0.0
0.0	SLVx (RS)	-0.052	0.064	-0.002	-0.0	-0.0
0.0	SLVy (RS)	0.103	0.074	-0.002	-0.0	0.0
0.0	SLDx (RS)	-0.036	0.045	-0.002	-0.0	-0.0
0.0	SLDy (RS)	0.060	0.045	-0.001	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.001	0.003	0.0	0.0
0.0	G1	0.000	-0.001	-0.005	-0.0	-0.0
0.0	G2	0.000	-0.000	-0.002	-0.0	-0.0
-0.0	G1-Imp~1	0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.010	0.004	0.000	0.0	0.0
0.0	q4-1	-0.002	-0.003	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.003	0.000	0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	0.000	-0.000	0.000	0.0	-0.0
0.0	q4-4	0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	0.000	0.0	0.0
0.0	q4-7	0.001	0.000	0.000	0.0	0.0
-0.0	q5 - p~1	0.016	-0.005	0.000	0.0	-0.0
0.0	q5 - p~2	0.026	0.029	0.000	-0.0	0.0
-0.0	q5 - p~3	0.015	-0.005	0.000	0.0	-0.0
0.0	q5 - p~4	0.024	0.027	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.032	-0.016	-0.000	-0.0	-0.0
0.0	M. tor~1	0.018	-0.005	-0.000	0.0	-0.0
0.0	M. tor~2	0.011	-0.003	-0.000	0.0	-0.0
0.0	INVSLU Max	0.065	0.052	0.003	0.0	-0.0
-0.0	Min	-0.065	-0.055	-0.027	-0.0	-0.0
0.0	INVSLV Max	0.119	0.092	-0.003	0.0	-0.0
-0.0	Min	-0.119	-0.094	-0.011	-0.0	-0.0
0.0	INVSLE Max	0.047	0.037	0.002	0.0	-0.0
-0.0	Min	-0.046	-0.039	-0.020	-0.0	-0.0
963	C1-C2;~1 Max	0.004	0.002	0.009	0.0	0.0
0.0	Min	-0.004	-0.002	-0.014	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.004	0.002	0.010	0.0	0.0
0.0	Min	-0.004	-0.003	-0.014	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.002	0.001	0.005	0.0	0.0
0.0	Min	-0.002	-0.001	-0.007	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.002	0.001	0.005	0.0	0.0
0.0	Min	-0.002	-0.001	-0.008	-0.0	-0.0
-0.0						

MIDAS


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.052	0.065	-0.003	-0.0	-0.0
0.0	SLVy (RS)	0.103	0.073	-0.002	-0.0	0.0
0.0	SLDx (RS)	-0.036	0.045	-0.002	-0.0	-0.0
0.0	SLDy (RS)	0.060	0.045	-0.001	-0.0	0.0
0.0	SLVz (RS)	-0.000	0.001	0.003	0.0	0.0
-0.0	G1	0.000	-0.001	-0.006	-0.0	-0.0
0.0	G2	0.000	-0.000	-0.002	-0.0	-0.0
0.0	G1-Imp~1	0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3	0.010	0.004	0.000	0.0	-0.0
0.0	q4-1	-0.002	-0.003	-0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	0.000	0.0	0.0
0.0	q4-7	0.001	0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.016	-0.005	0.000	0.0	-0.0
-0.0	q5 - p~2	0.026	0.029	0.000	-0.0	0.0
0.0	q5 - p~3	0.015	-0.005	0.000	0.0	-0.0
-0.0	q5 - p~4	0.024	0.027	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.033	-0.016	-0.000	-0.0	-0.0
-0.0	M. tor~1	0.018	-0.005	-0.000	0.0	-0.0
0.0	M. tor~2	0.011	-0.003	-0.000	0.0	-0.0
0.0	INVS LU Max	0.065	0.052	0.002	0.0	-0.0
0.0	Min	-0.065	-0.055	-0.030	-0.0	-0.0
-0.0	INVS LV Max	0.119	0.092	-0.004	0.0	-0.0
0.0	Min	-0.119	-0.094	-0.012	-0.0	-0.0
-0.0	INVS LE Max	0.047	0.036	0.002	0.0	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.046	-0.039	-0.022	-0.0	-0.0
-0.0							
964	C1-C2;~1	Max	0.004	0.002	0.010	0.0	0.0
0.0		Min	-0.004	-0.002	-0.015	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.002	0.010	0.0	0.0
0.0		Min	-0.004	-0.003	-0.015	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.005	0.0	0.0
0.0		Min	-0.002	-0.001	-0.008	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.005	0.0	0.0
0.0		Min	-0.002	-0.001	-0.008	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.053	0.066	-0.003	-0.0	-0.0
0.0	SLVy (RS)		0.103	0.073	-0.002	-0.0	0.0
0.0	SLDx (RS)		-0.036	0.046	-0.002	-0.0	-0.0
0.0	SLDy (RS)		0.060	0.045	-0.002	-0.0	0.0
0.0	SLVz (RS)		-0.000	0.001	0.003	0.0	0.0
-0.0							
0.0	G1		-0.000	-0.001	-0.007	-0.0	-0.0
0.0	G2		-0.000	-0.001	-0.002	-0.0	-0.0
0.0							
-0.0	G1-Imp~1		0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	-0.0	-0.0
-0.0							
0.0	q3		0.010	0.004	0.000	0.0	-0.0
0.0	q4-1		-0.002	-0.003	-0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	0.0
0.0	q4-6		0.001	0.001	0.000	0.0	0.0
0.0	q4-7		0.001	0.000	0.000	0.0	0.0
0.0							
-0.0	q5 - p~1		0.016	-0.005	0.000	0.0	-0.0
0.0	q5 - p~2		0.026	0.028	0.000	-0.0	0.0
0.0							
-0.0	q5 - p~3		0.015	-0.005	0.000	0.0	-0.0
-0.0	q5 - p~4		0.024	0.027	0.000	-0.0	0.0
0.0							

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
-0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0	T		-0.033	-0.016	-0.000	-0.0	-0.0
0.0	M. tor~1		0.018	-0.006	-0.000	0.0	-0.0
0.0	M. tor~2		0.010	-0.003	-0.000	0.0	-0.0
0.0	INVS LU Max		0.065	0.051	0.001	0.0	-0.0
-0.0	Min		-0.065	-0.055	-0.033	-0.0	-0.0
0.0	INVS LV Max		0.119	0.092	-0.005	0.0	-0.0
-0.0	Min		-0.119	-0.094	-0.014	-0.0	-0.0
0.0	INVS LE Max		0.047	0.036	0.001	0.0	-0.0
-0.0	Min		-0.046	-0.039	-0.024	-0.0	-0.0
0.0	965 C1-C2;~1 Max		0.004	0.002	0.010	0.0	0.0
-0.0	Min		-0.004	-0.002	-0.016	-0.0	-0.0
0.0	C3-C4;~1 Max		0.004	0.002	0.010	0.0	0.0
-0.0	Min		-0.004	-0.003	-0.016	-0.0	-0.0
0.0	C1-C2;~2 Max		0.002	0.001	0.005	0.0	0.0
-0.0	Min		-0.002	-0.001	-0.009	-0.0	-0.0
0.0	C3-C4;~2 Max		0.002	0.001	0.006	0.0	0.0
-0.0	Min		-0.002	-0.001	-0.009	-0.0	-0.0
0.0	SLVx (RS)		-0.053	0.068	-0.003	-0.0	-0.0
0.0	SLVy (RS)		0.103	0.073	-0.002	-0.0	0.0
0.0	SLDx (RS)		-0.036	0.047	-0.002	-0.0	-0.0
0.0	SLDy (RS)		0.060	0.045	-0.002	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.001	0.004	0.0	0.0
0.0	G1		-0.000	-0.001	-0.008	-0.0	-0.0
0.0	G2		-0.000	-0.001	-0.003	-0.0	-0.0
-0.0	G1-Imp~1		0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.010	0.003	0.000	0.0	-0.0
0.0	q4-1	-0.002	-0.003	-0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	0.000	0.0	0.0
0.0	q4-7	0.001	0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.016	-0.005	0.000	0.0	-0.0
-0.0	q5 - p~2	0.026	0.028	0.000	-0.0	0.0
0.0	q5 - p~3	0.015	-0.004	0.000	0.0	-0.0
-0.0	q5 - p~4	0.024	0.027	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.033	-0.015	-0.000	-0.0	-0.0
-0.0	M. tor~1	0.018	-0.006	-0.000	0.0	-0.0
0.0	M. tor~2	0.010	-0.004	-0.000	0.0	-0.0
0.0	INVS LU Max	0.066	0.051	0.000	0.0	-0.0
0.0	INVS LU Min	-0.066	-0.054	-0.036	-0.0	-0.0
-0.0	INVS LV Max	0.119	0.092	-0.005	0.0	-0.0
0.0	INVS LV Min	-0.119	-0.094	-0.015	-0.0	-0.0
-0.0	INVS LE Max	0.047	0.036	0.000	0.0	-0.0
0.0	INVS LE Min	-0.046	-0.038	-0.026	-0.0	-0.0
-0.0						
967	C1-C2;~1 Max	0.004	0.001	0.000	0.0	0.0
0.0	C1-C2;~1 Min	-0.005	-0.003	-0.000	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	0.004	0.001	0.000	0.0	0.0
0.0	C3-C4;~1 Min	-0.005	-0.004	-0.000	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.002	0.001	0.000	0.0	0.0
0.0	C1-C2;~2 Min	-0.002	-0.002	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	-0.063	0.109	0.005	0.0	-0.0
0.0	SLVy	(RS)	0.100	0.065	0.002	-0.0	0.0
0.0	SLDx	(RS)	-0.044	0.076	0.003	0.0	-0.0
0.0	SLDy	(RS)	0.059	0.041	0.002	-0.0	0.0
0.0	SLVz	(RS)	0.000	0.000	-0.000	-0.0	-0.0
0.0	G1		-0.002	-0.002	-0.001	0.0	0.0
0.0	G2		-0.001	-0.001	-0.000	0.0	0.0
0.0	G1-Imp~1		0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	0.0	-0.0
0.0	q3		0.009	0.002	-0.000	0.0	-0.0
0.0	q4-1		-0.003	-0.006	-0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.002	-0.000	0.0	-0.0
-0.0	q4-3		0.001	0.000	0.000	-0.0	-0.0
-0.0	q4-4		0.000	0.000	0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	-0.000	0.0	-0.0
0.0	q4-6		0.001	0.000	-0.000	0.0	-0.0
0.0	q4-7		0.001	0.000	-0.000	0.0	-0.0
0.0	q5 - p~1		0.018	0.001	-0.000	0.0	-0.0
-0.0	q5 - p~2		0.023	0.022	0.000	-0.0	0.0
0.0	q5 - p~3		0.017	0.001	-0.000	0.0	-0.0
-0.0	q5 - p~4		0.022	0.020	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.002	-0.000	0.0	-0.0
-0.0	T		-0.043	-0.012	-0.000	-0.0	-0.0
-0.0	M. tor~1		0.013	-0.021	-0.001	0.0	-0.0
0.0	M. tor~2		0.007	-0.012	-0.001	0.0	-0.0
0.0							
0.0	INVSLU	Max	0.073	0.038	-0.001	0.0	0.0
-0.0		Min	-0.078	-0.044	-0.003	0.0	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.117	0.128	0.005	0.0	0.0
-0.0		Min	-0.121	-0.131	-0.007	-0.0	0.0
0.0	INVS LE	Max	0.049	0.027	-0.001	0.0	0.0
-0.0		Min	-0.052	-0.031	-0.002	0.0	0.0
968 0.0	C1-C2;~1	Max	0.004	0.001	0.001	0.0	0.0
-0.0		Min	-0.005	-0.003	-0.002	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.001	0.001	0.0	0.0
-0.0		Min	-0.005	-0.004	-0.002	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.001	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.001	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.001	-0.0	-0.0
0.0	SLVx (RS)		-0.062	0.107	0.005	0.0	-0.0
0.0	SLVy (RS)		0.100	0.065	0.002	-0.0	0.0
0.0	SLDx (RS)		-0.043	0.075	0.003	0.0	-0.0
0.0	SLDy (RS)		0.059	0.041	0.002	-0.0	0.0
0.0	SLVz (RS)		0.000	0.000	0.000	-0.0	-0.0
0.0	G1		-0.002	-0.002	-0.002	0.0	0.0
0.0	G2		-0.001	-0.001	-0.001	0.0	0.0
-0.0	G1-Imp~1		0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	0.0	-0.0
0.0	q3		0.009	0.002	-0.000	0.0	-0.0
0.0	q4-1		-0.003	-0.006	-0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.002	-0.000	0.0	-0.0
-0.0	q4-3		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-4		0.000	0.000	0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6		0.001	0.000	0.000	0.0	-0.0
0.0	q4-7		0.001	0.000	0.000	0.0	-0.0
-0.0	q5 - p~1		0.018	0.001	-0.000	0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	0.024	0.022	0.000	-0.0	0.0
-0.0	q5 - p~3	0.017	0.001	-0.000	0.0	-0.0
0.0	q5 - p~4	0.022	0.021	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.002	-0.000	0.0	-0.0
-0.0	T	-0.042	-0.012	-0.000	-0.0	-0.0
0.0	M. tor~1	0.013	-0.020	-0.001	0.0	-0.0
0.0	M. tor~2	0.008	-0.012	-0.001	0.0	-0.0
0.0	INVS LU Max	0.072	0.039	-0.003	0.0	0.0
-0.0	Min	-0.078	-0.044	-0.008	0.0	0.0
0.0	INVS LV Max	0.117	0.126	0.002	0.0	0.0
-0.0	Min	-0.121	-0.128	-0.009	-0.0	0.0
0.0	INVS LE Max	0.049	0.027	-0.002	0.0	0.0
-0.0	Min	-0.052	-0.031	-0.006	0.0	0.0
0.0	969 C1-C2;~1 Max	0.004	0.001	0.002	0.0	0.0
-0.0	Min	-0.005	-0.003	-0.004	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.001	0.002	0.0	0.0
-0.0	Min	-0.005	-0.004	-0.004	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.001	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.002	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.001	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.002	-0.0	-0.0
0.0	SLVx (RS)	-0.062	0.106	0.005	0.0	-0.0
0.0	SLVy (RS)	0.100	0.065	0.002	-0.0	0.0
0.0	SLDx (RS)	-0.043	0.073	0.003	0.0	-0.0
0.0	SLDy (RS)	0.059	0.041	0.001	-0.0	0.0
0.0	SLVz (RS)	0.000	0.000	0.001	-0.0	-0.0
0.0	G1	-0.002	-0.002	-0.004	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.001	-0.001	-0.001	0.0	0.0
-0.0	G1-Imp~1	0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	0.0	-0.0
0.0	q3	0.009	0.002	0.000	0.0	-0.0
0.0	q4-1	-0.003	-0.006	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.002	-0.000	0.0	-0.0
-0.0	q4-3	0.001	0.000	0.000	-0.0	-0.0
0.0	q4-4	0.000	0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6	0.001	0.000	0.000	0.0	-0.0
0.0	q4-7	0.001	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.018	0.000	-0.000	0.0	-0.0
0.0	q5 - p~2	0.024	0.022	0.001	-0.0	0.0
-0.0	q5 - p~3	0.017	0.000	-0.000	0.0	-0.0
0.0	q5 - p~4	0.022	0.021	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.042	-0.012	-0.000	-0.0	-0.0
0.0	M. tor~1	0.013	-0.020	-0.001	0.0	-0.0
0.0	M. tor~2	0.008	-0.012	-0.001	0.0	-0.0
0.0	INVSLU Max	0.072	0.040	-0.004	0.0	0.0
-0.0	Min	-0.078	-0.045	-0.012	0.0	0.0
0.0	INVSLV Max	0.117	0.124	0.001	0.0	0.0
-0.0	Min	-0.121	-0.127	-0.010	-0.0	0.0
0.0	INVSLE Max	0.049	0.028	-0.003	0.0	0.0
-0.0	Min	-0.052	-0.032	-0.009	0.0	0.0
0.0	970 C1-C2;~1 Max	0.004	0.001	0.002	0.0	0.0
-0.0	Min	-0.005	-0.003	-0.006	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.001	0.002	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.005	-0.003	-0.006	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.001	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.003	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.001	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.003	-0.0	-0.0
0.0	SLVx (RS)	-0.062	0.104	0.004	0.0	-0.0
0.0	SLVy (RS)	0.100	0.065	0.002	-0.0	0.0
0.0	SLDx (RS)	-0.043	0.072	0.003	0.0	-0.0
0.0	SLDy (RS)	0.059	0.041	0.001	-0.0	0.0
0.0	SLVz (RS)	0.000	0.000	0.001	-0.0	-0.0
0.0	G1	-0.002	-0.002	-0.005	0.0	0.0
0.0	G2	-0.001	-0.001	-0.001	0.0	0.0
-0.0	G1-Imp~1	0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	0.0	-0.0
0.0	q3	0.009	0.002	0.000	0.0	-0.0
0.0	q4-1	-0.003	-0.006	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.002	-0.000	0.0	-0.0
-0.0	q4-3	0.001	0.000	0.000	-0.0	-0.0
0.0	q4-4	0.000	0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6	0.001	0.000	0.000	0.0	-0.0
0.0	q4-7	0.001	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.018	0.000	-0.000	0.0	-0.0
0.0	q5 - p~2	0.024	0.022	0.001	-0.0	0.0
-0.0	q5 - p~3	0.017	0.000	-0.000	0.0	-0.0
0.0	q5 - p~4	0.023	0.021	0.001	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.042	-0.013	-0.000	-0.0	-0.0
0.0	M. tor~1	0.013	-0.019	-0.001	0.0	-0.0
0.0	M. tor~2	0.008	-0.011	-0.000	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0	INVS LU	Max	0.072	0.040	-0.005	0.0	0.0
-0.0		Min	-0.077	-0.045	-0.017	0.0	0.0
0.0	INVS LV	Max	0.117	0.122	-0.001	0.0	0.0
-0.0		Min	-0.121	-0.125	-0.012	-0.0	0.0
0.0	INVS LE	Max	0.049	0.028	-0.004	0.0	0.0
-0.0		Min	-0.052	-0.032	-0.012	0.0	0.0
971 0.0	C1-C2;~1	Max	0.004	0.001	0.003	0.0	0.0
-0.0		Min	-0.005	-0.003	-0.007	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.001	0.003	0.0	0.0
-0.0		Min	-0.005	-0.003	-0.007	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.002	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.004	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.002	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.004	-0.0	-0.0
0.0	SLVx (RS)		-0.061	0.102	0.004	0.0	-0.0
0.0	SLVy (RS)		0.100	0.066	0.002	-0.0	0.0
0.0	SLDx (RS)		-0.042	0.071	0.003	0.0	-0.0
0.0	SLDy (RS)		0.059	0.041	0.001	-0.0	0.0
0.0	SLVz (RS)		0.000	0.000	0.002	-0.0	-0.0
0.0	G1		-0.002	-0.002	-0.006	0.0	0.0
0.0	G2		-0.001	-0.001	-0.002	0.0	0.0
-0.0	G1-Imp~1		0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	0.0	-0.0
0.0	q3		0.009	0.002	0.000	0.0	-0.0
0.0	q4-1		-0.003	-0.006	-0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.002	-0.000	0.0	-0.0
-0.0	q4-3		0.001	0.000	0.000	0.0	-0.0
0.0	q4-4		0.000	0.000	0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	-0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.001	0.000	0.000	0.0	-0.0
0.0	q4-7		0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1		0.018	0.000	0.000	0.0	-0.0
-0.0	q5 - p~2		0.024	0.023	0.001	-0.0	0.0
0.0	q5 - p~3		0.017	-0.000	0.000	0.0	-0.0
-0.0	q5 - p~4		0.023	0.022	0.001	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0	T		-0.041	-0.013	-0.000	-0.0	-0.0
-0.0	M. tor~1		0.013	-0.018	-0.001	0.0	-0.0
0.0	M. tor~2		0.008	-0.011	-0.000	0.0	-0.0
0.0							
0.0	INVSLU	Max	0.071	0.041	-0.006	0.0	0.0
-0.0		Min	-0.077	-0.045	-0.021	-0.0	0.0
0.0	INVSLV	Max	0.117	0.121	-0.002	0.0	0.0
-0.0		Min	-0.121	-0.123	-0.013	-0.0	0.0
0.0	INVSLE	Max	0.049	0.029	-0.004	0.0	0.0
-0.0		Min	-0.052	-0.032	-0.015	0.0	0.0
972	C1-C2;~1	Max	0.004	0.001	0.004	0.0	0.0
0.0		Min	-0.005	-0.003	-0.009	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.001	0.004	0.0	0.0
-0.0		Min	-0.005	-0.003	-0.009	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.002	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.005	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.002	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.005	-0.0	-0.0
0.0	SLVx (RS)		-0.061	0.100	0.004	0.0	-0.0
0.0	SLVy (RS)		0.101	0.066	0.002	-0.0	0.0
0.0	SLDx (RS)		-0.042	0.070	0.003	0.0	-0.0

MIDAS

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.059	0.041	0.001	-0.0	0.0	
0.0	SLVz (RS)	0.000	0.000	0.002	-0.0	-0.0	
0.0	G1	-0.002	-0.002	-0.007	0.0	0.0	
0.0	G2	-0.001	-0.001	-0.002	0.0	0.0	
-0.0	G1-Imp~1	0.000	0.001	-0.000	0.0	-0.0	
-0.0	G2-Imp~1	0.000	0.000	-0.000	0.0	-0.0	
0.0	q3	0.009	0.003	0.000	0.0	-0.0	
0.0	q4-1	-0.003	-0.006	-0.000	0.0	-0.0	
-0.0	q4-2	-0.001	-0.002	-0.000	0.0	-0.0	
-0.0	q4-3	0.001	0.000	0.000	0.0	-0.0	
0.0	q4-4	0.000	0.000	0.000	-0.0	0.0	
0.0	q4-5	0.001	0.000	0.000	-0.0	-0.0	
0.0	q4-6	0.001	0.000	0.000	0.0	-0.0	
0.0	q4-7	0.001	0.000	0.000	-0.0	-0.0	
-0.0	q5 - p~1	0.018	-0.000	0.000	0.0	-0.0	
0.0	q5 - p~2	0.024	0.023	0.001	-0.0	0.0	
-0.0	q5 - p~3	0.016	-0.000	0.000	0.0	-0.0	
0.0	q5 - p~4	0.023	0.022	0.001	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
-0.0	q7	0.007	0.001	0.000	0.0	-0.0	
-0.0	T	-0.041	-0.013	-0.000	-0.0	-0.0	
0.0	M. tor~1	0.014	-0.018	-0.001	0.0	-0.0	
0.0	M. tor~2	0.008	-0.011	-0.000	0.0	-0.0	
0.0	INVSLU Max	0.071	0.041	-0.007	0.0	0.0	
-0.0	Min	-0.077	-0.046	-0.025	-0.0	0.0	
0.0	INVSLV Max	0.117	0.119	-0.004	0.0	0.0	
-0.0	Min	-0.121	-0.121	-0.015	-0.0	0.0	
0.0	INVSLE Max	0.049	0.029	-0.005	0.0	0.0	
-0.0	Min	-0.052	-0.032	-0.018	-0.0	0.0	
973	C1-C2;~1 Max	0.004	0.001	0.004	0.0	0.0	

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.005	-0.003	-0.010	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.001	0.004	0.0	0.0
0.0		Min	-0.005	-0.003	-0.010	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.002	0.0	0.0
0.0		Min	-0.002	-0.001	-0.006	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.002	0.0	0.0
0.0		Min	-0.002	-0.002	-0.006	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	-0.060	0.099	0.004	0.0	-0.0
0.0	SLVy	(RS)	0.101	0.066	-0.002	-0.0	0.0
0.0	SLDx	(RS)	-0.042	0.069	0.003	0.0	-0.0
0.0	SLDy	(RS)	0.059	0.042	0.002	-0.0	0.0
0.0	SLVz	(RS)	0.000	0.000	0.003	-0.0	-0.0
0.0	G1		-0.002	-0.002	-0.008	0.0	0.0
0.0	G2		-0.001	-0.001	-0.003	0.0	0.0
0.0	G1-Imp~1		0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	0.0	-0.0
-0.0	q3		0.009	0.003	0.000	0.0	-0.0
0.0	q4-1		-0.003	-0.006	-0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.002	-0.000	0.0	-0.0
-0.0	q4-3		0.001	0.000	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6		0.001	0.000	0.000	0.0	-0.0
0.0	q4-7		0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1		0.017	-0.000	0.000	0.0	-0.0
-0.0	q5 - p~2		0.024	0.023	0.001	-0.0	0.0
0.0	q5 - p~3		0.016	-0.000	0.000	0.0	-0.0
-0.0	q5 - p~4		0.023	0.022	0.001	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0							


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.041	-0.013	-0.000	-0.0	-0.0
0.0	M. tor~1	0.014	-0.017	-0.001	0.0	-0.0
0.0	M. tor~2	0.008	-0.010	-0.000	0.0	-0.0
0.0	INVS LU Max	0.071	0.042	-0.008	0.0	0.0
-0.0	Min	-0.076	-0.046	-0.029	-0.0	0.0
0.0	INVS LV Max	0.117	0.117	-0.005	0.0	0.0
-0.0	Min	-0.121	-0.120	-0.016	-0.0	0.0
0.0	INVS LE Max	0.048	0.029	-0.006	0.0	0.0
-0.0	Min	-0.052	-0.033	-0.021	-0.0	0.0
0.0	974 C1-C2;~1 Max	0.004	0.001	0.005	0.0	0.0
-0.0	Min	-0.005	-0.003	-0.012	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.001	0.005	0.0	0.0
-0.0	Min	-0.005	-0.003	-0.012	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.003	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.006	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.003	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.007	-0.0	-0.0
0.0	SLVx (RS)	-0.060	0.097	0.004	0.0	-0.0
0.0	SLVy (RS)	0.101	0.066	-0.002	-0.0	0.0
0.0	SLDx (RS)	-0.041	0.067	-0.003	0.0	-0.0
0.0	SLDy (RS)	0.059	0.042	-0.002	-0.0	0.0
0.0	SLVz (RS)	0.000	0.000	0.003	-0.0	-0.0
0.0	G1	-0.002	-0.002	-0.009	0.0	0.0
0.0	G2	-0.001	-0.001	-0.003	0.0	0.0
-0.0	G1-Imp~1	0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	0.0	-0.0
0.0	q3	0.009	0.003	0.000	0.0	-0.0
0.0	q4-1	-0.003	-0.005	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.002	-0.000	0.0	-0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-0.0	q4-3		0.001	0.000	0.000	0.0	-0.0
0.0	q4-4		0.000	0.000	0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6		0.001	0.000	0.000	0.0	-0.0
0.0	q4-7		0.001	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.017	-0.001	0.000	0.0	-0.0
0.0	q5 - p~2		0.024	0.024	0.001	-0.0	0.0
-0.0	q5 - p~3		0.016	-0.001	0.000	0.0	-0.0
0.0	q5 - p~4		0.023	0.022	0.001	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
-0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0	T		-0.040	-0.013	-0.000	-0.0	-0.0
0.0	M. tor~1		0.014	-0.017	-0.001	0.0	-0.0
0.0	M. tor~2		0.008	-0.010	-0.000	0.0	-0.0
0.0	INVSLU	Max	0.070	0.042	-0.009	0.0	0.0
-0.0		Min	-0.076	-0.047	-0.032	-0.0	0.0
0.0	INVSLV	Max	0.117	0.116	-0.006	0.0	0.0
-0.0		Min	-0.121	-0.118	-0.018	-0.0	0.0
0.0	INVSLE	Max	0.048	0.030	-0.006	0.0	0.0
-0.0		Min	-0.051	-0.033	-0.024	-0.0	0.0
975 0.0	C1-C2;~1	Max	0.004	0.001	0.006	0.0	0.0
-0.0		Min	-0.005	-0.003	-0.013	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.001	0.006	0.0	0.0
-0.0		Min	-0.005	-0.003	-0.013	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.003	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.007	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.003	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.007	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.059	0.095	-0.004	0.0	-0.0
0.0	SLVy (RS)	0.101	0.067	-0.002	-0.0	0.0
0.0	SLDx (RS)	-0.041	0.066	-0.003	0.0	-0.0
0.0	SLDy (RS)	0.059	0.042	-0.002	-0.0	0.0
0.0	SLVz (RS)	0.000	0.000	0.004	-0.0	-0.0
0.0	G1	-0.002	-0.002	-0.010	0.0	0.0
0.0	G2	-0.001	-0.001	-0.003	0.0	0.0
0.0	G1-Imp~1	0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	0.0	-0.0
-0.0	q3	0.009	0.003	0.000	0.0	-0.0
0.0	q4-1	-0.003	-0.005	-0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.002	-0.000	0.0	-0.0
-0.0	q4-3	0.001	0.000	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6	0.001	0.000	0.000	0.0	-0.0
0.0	q4-7	0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.017	-0.001	0.000	0.0	-0.0
-0.0	q5 - p~2	0.024	0.024	0.001	-0.0	0.0
0.0	q5 - p~3	0.016	-0.001	0.000	0.0	-0.0
-0.0	q5 - p~4	0.023	0.023	0.001	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.040	-0.013	-0.000	-0.0	-0.0
-0.0	M. tor~1	0.014	-0.016	-0.001	0.0	-0.0
0.0	M. tor~2	0.008	-0.010	-0.000	0.0	-0.0
0.0	INVS LU Max	0.070	0.043	-0.009	0.0	0.0
0.0	Min	-0.076	-0.047	-0.036	-0.0	0.0
-0.0	INVS LV Max	0.117	0.114	-0.007	0.0	0.0
0.0	Min	-0.121	-0.117	-0.019	-0.0	-0.0
-0.0	INVS LE Max	0.048	0.030	-0.007	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


0.0		Min	-0.051	-0.033	-0.026	-0.0	0.0
-0.0							
976	C1-C2;~1	Max	0.004	0.001	0.006	0.0	0.0
0.0		Min	-0.005	-0.003	-0.014	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.001	0.006	0.0	0.0
0.0		Min	-0.005	-0.003	-0.014	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.003	0.0	0.0
0.0		Min	-0.002	-0.001	-0.008	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.004	0.0	0.0
0.0		Min	-0.002	-0.002	-0.008	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.059	0.094	-0.004	0.0	-0.0
0.0	SLVy (RS)		0.101	0.067	-0.002	-0.0	0.0
0.0	SLDx (RS)		-0.041	0.065	-0.003	0.0	-0.0
0.0	SLDy (RS)		0.059	0.042	-0.002	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.004	-0.0	-0.0
0.0	G1		-0.002	-0.002	-0.010	0.0	0.0
0.0	G2		-0.001	-0.001	-0.004	0.0	0.0
0.0	G1-Imp~1		0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	0.0	-0.0
-0.0	q3		0.009	0.003	0.000	0.0	-0.0
0.0	q4-1		-0.003	-0.005	-0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.002	-0.000	0.0	-0.0
-0.0	q4-3		0.001	0.000	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6		0.001	0.000	0.000	0.0	-0.0
0.0	q4-7		0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1		0.017	-0.001	0.000	0.0	-0.0
-0.0	q5 - p~2		0.024	0.024	0.001	-0.0	0.0
0.0	q5 - p~3		0.016	-0.001	0.000	0.0	-0.0
-0.0	q5 - p~4		0.023	0.023	0.001	-0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.040	-0.013	-0.000	-0.0	-0.0
0.0	M. tor~1	0.014	-0.016	-0.001	0.0	-0.0
0.0	M. tor~2	0.008	-0.009	-0.000	0.0	-0.0
0.0	INVSLU Max	0.070	0.043	-0.010	0.0	0.0
-0.0	Min	-0.075	-0.047	-0.039	-0.0	0.0
0.0	INVSLV Max	0.117	0.113	-0.008	0.0	0.0
-0.0	Min	-0.121	-0.115	-0.020	-0.0	-0.0
0.0	INVSLE Max	0.048	0.030	-0.007	0.0	0.0
-0.0	Min	-0.051	-0.033	-0.029	-0.0	0.0
0.0	977 C1-C2;~1 Max	0.004	0.001	0.007	0.0	0.0
-0.0	Min	-0.005	-0.003	-0.015	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.001	0.007	0.0	0.0
-0.0	Min	-0.005	-0.003	-0.015	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.004	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.009	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.004	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.009	-0.0	-0.0
0.0	SLVx (RS)	-0.059	0.092	-0.004	0.0	-0.0
0.0	SLVy (RS)	0.101	0.067	-0.002	-0.0	0.0
0.0	SLDx (RS)	-0.041	0.064	-0.003	0.0	-0.0
0.0	SLDy (RS)	0.059	0.042	-0.002	-0.0	0.0
0.0	SLVz (RS)	0.000	-0.000	0.004	-0.0	-0.0
0.0	G1	-0.001	-0.002	-0.011	0.0	0.0
0.0	G2	-0.001	-0.001	-0.004	0.0	0.0
-0.0	G1-Imp~1	0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.009	0.003	0.000	0.0	-0.0
0.0	q4-1	-0.003	-0.005	-0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.002	-0.000	0.0	-0.0
-0.0	q4-3	0.001	-0.000	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6	0.001	0.000	0.000	0.0	-0.0
0.0	q4-7	0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.017	-0.001	0.000	0.0	-0.0
-0.0	q5 - p~2	0.024	0.024	0.001	-0.0	0.0
0.0	q5 - p~3	0.016	-0.001	0.000	0.0	-0.0
-0.0	q5 - p~4	0.023	0.023	0.001	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.039	-0.013	-0.000	-0.0	-0.0
-0.0	M. tor~1	0.015	-0.015	-0.001	0.0	-0.0
0.0	M. tor~2	0.009	-0.009	-0.000	0.0	-0.0
0.0	INVS LU Max	0.070	0.044	-0.010	0.0	0.0
0.0	INVS LU Min	-0.075	-0.048	-0.041	-0.0	0.0
-0.0	INVS LV Max	0.117	0.111	-0.009	0.0	0.0
0.0	INVS LV Min	-0.120	-0.113	-0.021	-0.0	-0.0
-0.0	INVS LE Max	0.048	0.031	-0.008	0.0	0.0
0.0	INVS LE Min	-0.051	-0.034	-0.031	-0.0	0.0
-0.0						
978	C1-C2;~1 Max	0.004	0.001	0.007	0.0	0.0
0.0	C1-C2;~1 Min	-0.005	-0.003	-0.016	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	0.004	0.001	0.008	0.0	0.0
0.0	C3-C4;~1 Min	-0.005	-0.003	-0.016	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.002	0.001	0.004	0.0	0.0
0.0	C1-C2;~2 Min	-0.002	-0.001	-0.009	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.002	0.001	0.004	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.009	-0.0	-0.0
0.0	SLVx	(RS)	-0.058	0.090	-0.004	0.0	-0.0
0.0	SLVy	(RS)	0.101	0.067	-0.003	-0.0	0.0
0.0	SLDx	(RS)	-0.040	0.063	-0.003	0.0	-0.0
0.0	SLDy	(RS)	0.059	0.042	-0.002	-0.0	0.0
0.0	SLVz	(RS)	0.000	-0.000	0.004	-0.0	-0.0
0.0	G1		-0.001	-0.002	-0.012	0.0	0.0
0.0	G2		-0.001	-0.001	-0.004	0.0	0.0
0.0	G1-Imp~1		0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	0.0	-0.0
0.0	q3		0.010	0.003	0.000	0.0	-0.0
0.0	q4-1		-0.003	-0.005	-0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.002	-0.000	0.0	-0.0
-0.0	q4-3		0.001	-0.000	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1		0.017	-0.002	0.000	0.0	-0.0
-0.0	q5 - p~2		0.024	0.025	0.001	-0.0	0.0
0.0	q5 - p~3		0.016	-0.001	0.000	0.0	-0.0
-0.0	q5 - p~4		0.023	0.023	0.001	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0	T		-0.039	-0.014	-0.000	-0.0	-0.0
-0.0	M. tor~1		0.015	-0.015	-0.001	0.0	-0.0
0.0	M. tor~2		0.009	-0.009	-0.000	0.0	-0.0
0.0	INVSU	Max	0.069	0.044	-0.010	0.0	0.0
0.0		Min	-0.074	-0.048	-0.044	-0.0	0.0
-0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.117	0.110	-0.009	0.0	0.0
-0.0		Min	-0.120	-0.112	-0.022	-0.0	-0.0
0.0	INVS LE	Max	0.048	0.031	-0.008	0.0	0.0
-0.0		Min	-0.051	-0.034	-0.032	-0.0	0.0
979 0.0	C1-C2;~1	Max	0.004	0.001	0.008	0.0	0.0
-0.0		Min	-0.005	-0.003	-0.017	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.001	0.008	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.017	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.004	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.010	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.004	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.010	-0.0	-0.0
0.0	SLVx (RS)		-0.058	0.089	-0.004	0.0	-0.0
0.0	SLVy (RS)		0.101	0.068	-0.003	-0.0	0.0
0.0	SLDx (RS)		-0.040	0.062	-0.003	0.0	-0.0
0.0	SLDy (RS)		0.059	0.042	-0.002	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.005	-0.0	-0.0
0.0	G1		-0.001	-0.002	-0.012	0.0	0.0
0.0	G2		-0.000	-0.001	-0.004	0.0	0.0
-0.0	G1-Imp~1		0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	0.0	-0.0
0.0	q3		0.010	0.003	0.000	0.0	-0.0
0.0	q4-1		-0.002	-0.005	-0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.002	-0.000	0.0	-0.0
-0.0	q4-3		0.001	-0.000	0.000	0.0	-0.0
0.0	q4-4		0.000	0.000	0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.017	-0.002	0.000	0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	0.025	0.025	0.000	-0.0	0.0
-0.0	q5 - p~3	0.016	-0.002	0.000	0.0	-0.0
0.0	q5 - p~4	0.023	0.024	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.039	-0.014	-0.000	-0.0	-0.0
0.0	M. tor~1	0.015	-0.014	-0.001	0.0	-0.0
0.0	M. tor~2	0.009	-0.008	-0.000	0.0	-0.0
0.0	INVS LU Max	0.069	0.045	-0.011	0.0	0.0
-0.0	Min	-0.074	-0.049	-0.046	-0.0	-0.0
0.0	INVS LV Max	0.117	0.108	-0.010	0.0	0.0
-0.0	Min	-0.120	-0.110	-0.023	-0.0	-0.0
0.0	INVS LE Max	0.048	0.031	-0.008	0.0	0.0
-0.0	Min	-0.050	-0.034	-0.034	-0.0	0.0
0.0	980 C1-C2;~1 Max	0.004	0.001	0.008	0.0	0.0
-0.0	Min	-0.005	-0.003	-0.018	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.001	0.009	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.018	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.005	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.010	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.005	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.010	-0.0	-0.0
0.0	SLVx (RS)	-0.057	0.087	-0.004	0.0	-0.0
0.0	SLVy (RS)	0.101	0.068	-0.003	-0.0	0.0
0.0	SLDx (RS)	-0.040	0.061	-0.003	0.0	-0.0
0.0	SLDy (RS)	0.059	0.042	-0.002	-0.0	0.0
0.0	SLVz (RS)	0.000	0.000	0.005	-0.0	-0.0
0.0	G1	-0.001	-0.002	-0.012	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	-0.001	-0.004	0.0	0.0
-0.0	G1-Imp~1	0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	0.0	-0.0
0.0	q3	0.010	0.003	0.000	0.0	-0.0
0.0	q4-1	-0.002	-0.005	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.003	-0.000	0.0	-0.0
-0.0	q4-3	0.001	-0.000	0.000	0.0	-0.0
0.0	q4-4	0.000	0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6	0.001	0.000	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.017	-0.002	0.000	0.0	-0.0
0.0	q5 - p~2	0.025	0.025	0.000	-0.0	0.0
-0.0	q5 - p~3	0.016	-0.002	0.000	0.0	-0.0
0.0	q5 - p~4	0.023	0.024	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.038	-0.014	-0.000	-0.0	-0.0
0.0	M. tor~1	0.015	-0.014	-0.001	0.0	-0.0
0.0	M. tor~2	0.009	-0.008	-0.000	0.0	-0.0
0.0	INVSLU Max	0.069	0.045	-0.011	0.0	0.0
-0.0	Min	-0.073	-0.049	-0.048	-0.0	-0.0
0.0	INVSLV Max	0.117	0.107	-0.010	0.0	0.0
-0.0	Min	-0.120	-0.109	-0.024	-0.0	-0.0
0.0	INVSLE Max	0.048	0.032	-0.008	0.0	0.0
-0.0	Min	-0.050	-0.035	-0.035	-0.0	-0.0
981 0.0	C1-C2;~1 Max	0.004	0.001	0.009	0.0	0.0
-0.0	Min	-0.005	-0.002	-0.019	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.001	0.009	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.004	-0.003	-0.019	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.005	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.011	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.005	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.011	-0.0	-0.0
0.0	SLVx (RS)	-0.057	0.086	-0.004	0.0	-0.0
0.0	SLVy (RS)	0.101	0.068	-0.003	-0.0	0.0
0.0	SLDx (RS)	-0.039	0.060	-0.003	0.0	-0.0
0.0	SLDy (RS)	0.059	0.042	-0.002	-0.0	0.0
0.0	SLVz (RS)	0.000	0.000	0.005	-0.0	-0.0
0.0	G1	-0.001	-0.002	-0.013	0.0	0.0
0.0	G2	-0.000	-0.001	-0.004	0.0	0.0
-0.0	G1-Imp~1	0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	0.0	-0.0
0.0	q3	0.010	0.003	0.000	0.0	-0.0
0.0	q4-1	-0.002	-0.005	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.003	-0.000	0.0	-0.0
-0.0	q4-3	0.001	-0.000	0.000	0.0	-0.0
0.0	q4-4	0.000	0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6	0.001	0.000	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.017	-0.002	0.000	0.0	-0.0
0.0	q5 - p~2	0.025	0.025	0.000	-0.0	0.0
-0.0	q5 - p~3	0.016	-0.002	0.000	0.0	-0.0
0.0	q5 - p~4	0.023	0.024	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.038	-0.014	-0.000	-0.0	-0.0
0.0	M. tor~1	0.015	-0.013	-0.001	0.0	-0.0
0.0	M. tor~2	0.009	-0.008	-0.000	0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.069	0.046	-0.011	0.0	0.0
-0.0		Min	-0.073	-0.049	-0.049	-0.0	-0.0
0.0	INVS LV	Max	0.117	0.105	-0.010	0.0	0.0
-0.0		Min	-0.120	-0.107	-0.024	-0.0	-0.0
0.0	INVS LE	Max	0.048	0.032	-0.008	0.0	0.0
-0.0		Min	-0.050	-0.035	-0.036	-0.0	-0.0
982 0.0	C1-C2;~1	Max	0.004	0.001	0.009	0.0	0.0
-0.0		Min	-0.005	-0.002	-0.019	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.001	0.010	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.019	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.005	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.005	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0
0.0	SLVx (RS)		-0.057	0.084	-0.004	0.0	-0.0
0.0	SLVy (RS)		0.102	0.069	-0.003	-0.0	0.0
0.0	SLDx (RS)		-0.039	0.059	-0.003	0.0	-0.0
0.0	SLDy (RS)		0.059	0.043	-0.002	-0.0	0.0
0.0	SLVz (RS)		0.000	0.000	0.005	-0.0	-0.0
0.0	G1		-0.001	-0.002	-0.013	0.0	0.0
0.0	G2		-0.000	-0.001	-0.004	0.0	0.0
-0.0	G1-Imp~1		0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	0.0	-0.0
0.0	q3		0.010	0.003	0.000	0.0	-0.0
0.0	q4-1		-0.002	-0.004	-0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	-0.0
0.0	q4-4		0.000	0.000	0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	-0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1		0.017	-0.002	0.000	0.0	-0.0
-0.0	q5 - p~2		0.025	0.026	0.000	-0.0	0.0
0.0	q5 - p~3		0.016	-0.002	0.000	0.0	-0.0
-0.0	q5 - p~4		0.024	0.024	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0	T		-0.038	-0.014	-0.000	-0.0	-0.0
-0.0	M. tor~1		0.015	-0.013	-0.001	0.0	-0.0
0.0	M. tor~2		0.009	-0.007	-0.000	0.0	-0.0
0.0							
0.0	INVSLU	Max	0.068	0.046	-0.010	0.0	0.0
0.0		Min	-0.072	-0.050	-0.050	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.117	0.104	-0.010	0.0	0.0
0.0		Min	-0.120	-0.106	-0.025	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	0.048	0.032	-0.008	0.0	0.0
0.0		Min	-0.050	-0.035	-0.037	-0.0	-0.0
-0.0							
983	C1-C2;~1	Max	0.004	0.002	0.010	0.0	0.0
0.0		Min	-0.005	-0.002	-0.020	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.001	0.010	0.0	0.0
0.0		Min	-0.004	-0.003	-0.020	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.005	0.0	0.0
0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.005	0.0	0.0
0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.056	0.083	-0.004	0.0	-0.0
0.0	SLVy (RS)		0.102	0.069	-0.003	-0.0	0.0
0.0	SLDx (RS)		-0.039	0.057	-0.003	0.0	-0.0
0.0							

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.059	0.043	-0.002	-0.0	0.0
0.0	SLVz (RS)	0.000	0.000	0.005	-0.0	-0.0
0.0	G1	-0.001	-0.002	-0.013	-0.0	0.0
0.0	G2	-0.000	-0.001	-0.005	-0.0	0.0
0.0	G1-Imp~1	0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3	0.010	0.003	0.000	0.0	-0.0
0.0	q4-1	-0.002	-0.004	-0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6	0.001	0.000	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.017	-0.003	0.000	0.0	-0.0
-0.0	q5 - p~2	0.025	0.026	0.000	-0.0	0.0
0.0	q5 - p~3	0.016	-0.002	0.000	0.0	-0.0
-0.0	q5 - p~4	0.024	0.025	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.037	-0.014	-0.000	-0.0	-0.0
-0.0	M. tor~1	0.016	-0.012	-0.000	0.0	-0.0
0.0	M. tor~2	0.009	-0.007	-0.000	0.0	-0.0
0.0	INVS LU Max	0.068	0.047	-0.010	0.0	0.0
0.0	INVS LU Min	-0.072	-0.050	-0.051	-0.0	-0.0
-0.0	INVS LV Max	0.117	0.102	-0.010	0.0	0.0
0.0	INVS LV Min	-0.120	-0.104	-0.025	-0.0	-0.0
-0.0	INVS LE Max	0.048	0.033	-0.007	0.0	0.0
0.0	INVS LE Min	-0.049	-0.035	-0.038	-0.0	-0.0
-0.0	984 C1-C2;~1 Max	0.004	0.002	0.010	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.005	-0.002	-0.020	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.001	0.010	0.0	0.0
0.0		Min	-0.004	-0.003	-0.020	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.005	0.0	0.0
0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.006	0.0	0.0
0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	-0.056	0.081	-0.004	0.0	-0.0
0.0	SLVy	(RS)	0.102	0.069	-0.003	-0.0	0.0
0.0	SLDx	(RS)	-0.039	0.056	-0.003	0.0	-0.0
0.0	SLDy	(RS)	0.060	0.043	-0.002	-0.0	0.0
0.0	SLVz	(RS)	0.000	0.001	0.005	-0.0	0.0
0.0	G1		-0.001	-0.002	-0.013	-0.0	-0.0
0.0	G2		-0.000	-0.001	-0.004	-0.0	-0.0
0.0	G1-Imp~1		0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		0.010	0.003	0.000	0.0	-0.0
0.0	q4-1		-0.002	-0.004	-0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1		0.017	-0.003	0.000	0.0	-0.0
-0.0	q5 - p~2		0.025	0.026	0.000	-0.0	0.0
0.0	q5 - p~3		0.016	-0.003	0.000	0.0	-0.0
-0.0	q5 - p~4		0.024	0.025	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0							

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.037	-0.014	-0.000	-0.0	-0.0
0.0	M. tor~1	0.016	-0.011	-0.000	0.0	-0.0
0.0	M. tor~2	0.009	-0.007	-0.000	0.0	-0.0
0.0	INVS LU Max	0.068	0.047	-0.009	0.0	0.0
-0.0	Min	-0.071	-0.051	-0.051	-0.0	-0.0
0.0	INVS LV Max	0.117	0.101	-0.010	0.0	0.0
-0.0	Min	-0.120	-0.103	-0.025	-0.0	-0.0
0.0	INVS LE Max	0.048	0.033	-0.007	0.0	0.0
-0.0	Min	-0.049	-0.036	-0.038	-0.0	-0.0
0.0	985 C1-C2;~1 Max	0.004	0.002	0.010	0.0	0.0
-0.0	Min	-0.005	-0.002	-0.020	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.002	0.011	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.020	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.006	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.011	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.006	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.011	-0.0	-0.0
0.0	SLVx (RS)	-0.056	0.080	-0.004	0.0	-0.0
0.0	SLVy (RS)	0.102	0.070	-0.003	-0.0	0.0
0.0	SLDx (RS)	-0.038	0.055	-0.003	0.0	-0.0
0.0	SLDy (RS)	0.060	0.043	-0.002	-0.0	0.0
0.0	SLVz (RS)	0.000	0.001	0.005	-0.0	0.0
0.0	G1	-0.001	-0.002	-0.013	-0.0	-0.0
0.0	G2	-0.000	-0.001	-0.004	-0.0	-0.0
-0.0	G1-Imp~1	0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.010	0.003	0.000	0.0	-0.0
0.0	q4-1	-0.002	-0.004	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.003	0.000	0.0	-0.0


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-0.0	q4-3		0.000	-0.000	0.000	0.0	-0.0
0.0	q4-4		0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.017	-0.003	0.000	0.0	-0.0
0.0	q5 - p~2		0.025	0.026	0.000	-0.0	0.0
-0.0	q5 - p~3		0.016	-0.003	0.000	0.0	-0.0
0.0	q5 - p~4		0.024	0.025	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
-0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0	T		-0.036	-0.014	-0.000	-0.0	-0.0
0.0	M. tor~1		0.016	-0.011	-0.000	0.0	-0.0
0.0	M. tor~2		0.009	-0.006	-0.000	0.0	-0.0
0.0	INVSLU	Max	0.068	0.047	-0.009	0.0	0.0
-0.0		Min	-0.071	-0.051	-0.051	-0.0	-0.0
0.0	INVSLV	Max	0.118	0.100	-0.010	0.0	0.0
-0.0		Min	-0.120	-0.102	-0.025	-0.0	-0.0
0.0	INVSLE	Max	0.048	0.033	-0.006	0.0	0.0
-0.0		Min	-0.049	-0.036	-0.038	-0.0	-0.0
986 0.0	C1-C2;~1	Max	0.004	0.002	0.010	0.0	0.0
-0.0		Min	-0.005	-0.002	-0.020	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.002	0.011	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.020	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.006	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.006	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.055	0.078	-0.004	0.0	-0.0
0.0	SLVy (RS)	0.102	0.070	-0.003	-0.0	0.0
0.0	SLDx (RS)	-0.038	0.054	-0.003	0.0	-0.0
0.0	SLDy (RS)	0.060	0.043	-0.002	-0.0	0.0
0.0	SLVz (RS)	0.000	0.001	0.005	0.0	0.0
0.0	G1	-0.001	-0.002	-0.012	-0.0	-0.0
0.0	G2	-0.000	-0.001	-0.004	-0.0	-0.0
0.0	G1-Imp~1	0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3	0.010	0.003	0.000	0.0	-0.0
0.0	q4-1	-0.002	-0.004	-0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6	0.001	0.000	0.000	-0.0	-0.0
0.0	q4-7	0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.016	-0.003	0.000	0.0	-0.0
-0.0	q5 - p~2	0.025	0.027	0.000	-0.0	0.0
0.0	q5 - p~3	0.016	-0.003	0.000	0.0	-0.0
-0.0	q5 - p~4	0.024	0.025	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.036	-0.014	-0.000	-0.0	-0.0
-0.0	M. tor~1	0.016	-0.010	-0.000	0.0	-0.0
0.0	M. tor~2	0.010	-0.006	-0.000	0.0	-0.0
0.0	INVS LU Max	0.068	0.048	-0.008	0.0	-0.0
0.0	Min	-0.070	-0.051	-0.051	-0.0	-0.0
-0.0	INVS LV Max	0.118	0.098	-0.010	0.0	0.0
0.0	Min	-0.119	-0.100	-0.024	-0.0	-0.0
-0.0	INVS LE Max	0.048	0.034	-0.006	0.0	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.049	-0.036	-0.037	-0.0	-0.0
-0.0							
987	C1-C2;~1	Max	0.004	0.002	0.011	0.0	0.0
0.0		Min	-0.004	-0.002	-0.020	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.004	0.002	0.011	0.0	0.0
0.0		Min	-0.004	-0.003	-0.020	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.006	0.0	0.0
0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.006	0.0	0.0
0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.055	0.077	-0.004	0.0	-0.0
0.0	SLVy (RS)		0.102	0.070	-0.003	-0.0	0.0
0.0	SLDx (RS)		-0.038	0.053	-0.003	0.0	-0.0
0.0	SLDy (RS)		0.060	0.043	-0.002	-0.0	0.0
0.0	SLVz (RS)		0.000	0.001	0.005	0.0	0.0
0.0	G1		-0.001	-0.002	-0.012	-0.0	-0.0
0.0	G2		-0.000	-0.001	-0.004	-0.0	-0.0
0.0	G1-Imp~1		0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		0.010	0.003	0.000	0.0	-0.0
0.0	q4-1		-0.002	-0.004	-0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-6		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-7		0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1		0.016	-0.003	0.000	0.0	-0.0
-0.0	q5 - p~2		0.025	0.027	0.000	-0.0	0.0
0.0	q5 - p~3		0.015	-0.003	0.000	0.0	-0.0
-0.0	q5 - p~4		0.024	0.025	0.000	-0.0	0.0
0.0							

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
-0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0	T		-0.036	-0.015	-0.000	-0.0	-0.0
0.0	M. tor~1		0.016	-0.010	-0.000	0.0	-0.0
0.0	M. tor~2		0.010	-0.006	-0.000	0.0	-0.0
0.0	INVS LU Max		0.067	0.048	-0.007	0.0	-0.0
-0.0	Min		-0.070	-0.052	-0.050	-0.0	-0.0
0.0	INVS LV Max		0.118	0.097	-0.009	0.0	0.0
-0.0	Min		-0.119	-0.099	-0.024	-0.0	-0.0
0.0	INVS LE Max		0.048	0.034	-0.005	0.0	-0.0
-0.0	Min		-0.048	-0.037	-0.037	-0.0	-0.0
0.0	988 C1-C2;~1 Max		0.004	0.002	0.011	0.0	0.0
-0.0	Min		-0.004	-0.002	-0.020	-0.0	-0.0
0.0	C3-C4;~1 Max		0.004	0.002	0.011	0.0	0.0
-0.0	Min		-0.004	-0.003	-0.020	-0.0	-0.0
0.0	C1-C2;~2 Max		0.002	0.001	0.006	0.0	0.0
-0.0	Min		-0.002	-0.001	-0.011	-0.0	-0.0
0.0	C3-C4;~2 Max		0.002	0.001	0.006	0.0	0.0
-0.0	Min		-0.002	-0.001	-0.011	-0.0	-0.0
0.0	SLVx (RS)		-0.055	0.075	-0.004	0.0	-0.0
0.0	SLVy (RS)		0.102	0.071	-0.003	-0.0	0.0
0.0	SLDx (RS)		-0.038	0.052	-0.003	0.0	-0.0
0.0	SLDy (RS)		0.060	0.044	-0.002	-0.0	0.0
0.0	SLVz (RS)		0.000	0.001	0.005	0.0	0.0
0.0	G1		-0.001	-0.002	-0.012	-0.0	-0.0
0.0	G2		-0.000	-0.001	-0.004	-0.0	-0.0
-0.0	G1-Imp~1		0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.010	0.003	0.000	0.0	-0.0
0.0	q4-1	-0.002	-0.004	-0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	0.0
0.0	q4-6	0.001	0.000	0.000	0.0	-0.0
0.0	q4-7	0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.016	-0.004	0.000	0.0	-0.0
-0.0	q5 - p~2	0.025	0.027	0.000	-0.0	0.0
0.0	q5 - p~3	0.015	-0.003	0.000	0.0	-0.0
-0.0	q5 - p~4	0.024	0.026	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.035	-0.015	-0.000	-0.0	-0.0
-0.0	M. tor~1	0.017	-0.009	-0.000	0.0	-0.0
0.0	M. tor~2	0.010	-0.006	-0.000	0.0	-0.0
0.0	INVS LU Max	0.067	0.049	-0.006	0.0	-0.0
0.0	INVS LU Min	-0.069	-0.052	-0.049	-0.0	-0.0
-0.0	INVS LV Max	0.118	0.096	-0.009	0.0	0.0
0.0	INVS LV Min	-0.119	-0.098	-0.023	-0.0	-0.0
-0.0	INVS LE Max	0.048	0.034	-0.004	0.0	-0.0
0.0	INVS LE Min	-0.048	-0.037	-0.036	-0.0	-0.0
-0.0						
989	C1-C2;~1 Max	0.004	0.002	0.011	0.0	0.0
0.0	C1-C2;~1 Min	-0.004	-0.002	-0.019	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	0.004	0.002	0.011	0.0	0.0
0.0	C3-C4;~1 Min	-0.004	-0.003	-0.020	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.002	0.001	0.006	0.0	0.0
0.0	C1-C2;~2 Min	-0.002	-0.001	-0.011	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.006	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0
0.0	SLVx	(RS)	-0.054	0.074	-0.004	0.0	-0.0
0.0	SLVy	(RS)	0.102	0.071	-0.003	-0.0	0.0
0.0	SLDx	(RS)	-0.038	0.051	-0.003	0.0	-0.0
0.0	SLDy	(RS)	0.060	0.044	-0.002	-0.0	0.0
0.0	SLVz	(RS)	-0.000	0.001	0.005	0.0	0.0
0.0	G1		-0.000	-0.002	-0.011	-0.0	-0.0
0.0	G2		-0.000	-0.001	-0.004	-0.0	-0.0
0.0	G1-Imp~1		0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		0.010	0.003	0.000	0.0	-0.0
0.0	q4-1		-0.002	-0.004	-0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	-0.0
-0.0	q4-4		0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	0.0
0.0	q4-6		0.001	0.000	0.000	0.0	-0.0
0.0	q4-7		0.001	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1		0.016	-0.004	0.000	0.0	-0.0
-0.0	q5 - p~2		0.025	0.027	0.000	-0.0	0.0
0.0	q5 - p~3		0.015	-0.004	0.000	0.0	-0.0
-0.0	q5 - p~4		0.024	0.026	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0	T		-0.035	-0.015	-0.000	-0.0	-0.0
-0.0	M. tor~1		0.017	-0.009	-0.000	0.0	-0.0
0.0	M. tor~2		0.010	-0.005	-0.000	0.0	-0.0
0.0							
0.0	INVSLU	Max	0.067	0.049	-0.005	0.0	-0.0
-0.0		Min	-0.068	-0.053	-0.047	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.118	0.094	-0.008	0.0	0.0
-0.0		Min	-0.119	-0.097	-0.022	-0.0	-0.0
0.0	INVS LE	Max	0.047	0.034	-0.004	0.0	-0.0
-0.0		Min	-0.048	-0.037	-0.035	-0.0	-0.0
990 0.0	C1-C2;~1	Max	0.004	0.002	0.011	0.0	0.0
-0.0		Min	-0.004	-0.002	-0.019	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.002	0.011	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.019	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.006	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.006	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0
0.0	SLVx (RS)		-0.054	0.073	-0.004	0.0	-0.0
0.0	SLVy (RS)		0.102	0.071	-0.003	-0.0	0.0
0.0	SLDx (RS)		-0.037	0.050	-0.003	0.0	-0.0
0.0	SLDy (RS)		0.060	0.044	-0.002	-0.0	0.0
0.0	SLVz (RS)		-0.000	0.001	0.005	0.0	0.0
0.0	G1		-0.000	-0.002	-0.011	-0.0	-0.0
0.0	G2		-0.000	-0.001	-0.004	-0.0	-0.0
-0.0	G1-Imp~1		0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.010	0.003	0.000	0.0	-0.0
0.0	q4-1		-0.002	-0.003	-0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	-0.0
0.0	q4-4		0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	0.0
0.0	q4-6		0.001	0.000	0.000	0.0	-0.0
0.0	q4-7		0.001	0.000	0.000	-0.0	0.0
-0.0	q5 - p~1		0.016	-0.004	0.000	0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	0.025	0.027	0.000	-0.0	0.0
-0.0	q5 - p~3	0.015	-0.004	0.000	0.0	-0.0
0.0	q5 - p~4	0.024	0.026	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.035	-0.015	-0.000	-0.0	-0.0
0.0	M. tor~1	0.017	-0.008	-0.000	0.0	-0.0
0.0	M. tor~2	0.010	-0.005	-0.000	0.0	-0.0
0.0	INVSLU Max	0.067	0.049	-0.004	0.0	-0.0
-0.0	Min	-0.068	-0.053	-0.045	-0.0	-0.0
0.0	INVSLV Max	0.118	0.093	-0.008	0.0	-0.0
-0.0	Min	-0.119	-0.095	-0.021	-0.0	-0.0
0.0	INVSLE Max	0.047	0.035	-0.003	0.0	-0.0
-0.0	Min	-0.047	-0.037	-0.034	-0.0	-0.0
0.0	991 C1-C2;~1 Max	0.004	0.002	0.011	0.0	0.0
-0.0	Min	-0.004	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.002	0.011	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.018	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.006	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.010	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.006	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.010	-0.0	-0.0
0.0	SLVx (RS)	-0.054	0.071	-0.004	0.0	-0.0
0.0	SLVy (RS)	0.103	0.072	-0.003	-0.0	0.0
0.0	SLDx (RS)	-0.037	0.050	-0.003	0.0	-0.0
0.0	SLDy (RS)	0.060	0.044	-0.002	-0.0	0.0
0.0	SLVz (RS)	-0.000	0.001	0.004	0.0	0.0
0.0	G1	-0.000	-0.001	-0.010	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	-0.000	-0.001	-0.003	-0.0	-0.0
-0.0	G1-Imp~1	0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.010	0.003	0.000	0.0	-0.0
0.0	q4-1	-0.002	-0.003	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	-0.0
0.0	q4-4	0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	0.0
0.0	q4-6	0.001	0.000	0.000	0.0	0.0
0.0	q4-7	0.001	0.000	0.000	-0.0	0.0
-0.0	q5 - p~1	0.016	-0.004	0.000	0.0	-0.0
0.0	q5 - p~2	0.025	0.028	0.000	-0.0	0.0
-0.0	q5 - p~3	0.015	-0.004	0.000	0.0	-0.0
0.0	q5 - p~4	0.024	0.026	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.034	-0.015	-0.000	-0.0	-0.0
0.0	M. tor~1	0.017	-0.008	-0.000	0.0	-0.0
0.0	M. tor~2	0.010	-0.005	-0.000	0.0	-0.0
0.0	INVSLU Max	0.067	0.050	-0.003	0.0	-0.0
-0.0	Min	-0.067	-0.053	-0.043	-0.0	-0.0
0.0	INVSLV Max	0.118	0.092	-0.007	0.0	-0.0
-0.0	Min	-0.119	-0.094	-0.020	-0.0	-0.0
0.0	INVSLE Max	0.047	0.035	-0.002	0.0	-0.0
-0.0	Min	-0.047	-0.038	-0.032	-0.0	-0.0
0.0	992 C1-C2;~1 Max	0.004	0.002	0.011	0.0	0.0
-0.0	Min	-0.004	-0.002	-0.018	-0.0	-0.0
0.0	C3-C4;~1 Max	0.004	0.002	0.011	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.004	-0.003	-0.018	-0.0	-0.0
0.0	C1-C2;~2 Max	0.002	0.001	0.006	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.010	-0.0	-0.0
0.0	C3-C4;~2 Max	0.002	0.001	0.006	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.010	-0.0	-0.0
0.0	SLVx (RS)	-0.053	0.070	-0.003	0.0	-0.0
0.0	SLVy (RS)	0.103	0.072	-0.003	-0.0	0.0
0.0	SLDx (RS)	-0.037	0.049	-0.002	0.0	-0.0
0.0	SLDy (RS)	0.060	0.044	-0.002	-0.0	0.0
0.0	SLVz (RS)	-0.000	0.001	0.004	0.0	0.0
0.0	G1	-0.000	-0.001	-0.009	-0.0	-0.0
0.0	G2	-0.000	-0.001	-0.003	-0.0	-0.0
-0.0	G1-Imp~1	0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.010	0.003	0.000	0.0	-0.0
0.0	q4-1	-0.002	-0.003	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	-0.0
0.0	q4-4	0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	0.000	0.0	0.0
0.0	q4-7	0.001	0.000	0.000	-0.0	0.0
-0.0	q5 - p~1	0.016	-0.004	0.000	0.0	-0.0
0.0	q5 - p~2	0.025	0.028	0.000	-0.0	0.0
-0.0	q5 - p~3	0.015	-0.004	0.000	0.0	-0.0
0.0	q5 - p~4	0.024	0.026	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.034	-0.015	-0.000	-0.0	-0.0
0.0	M. tor~1	0.017	-0.007	-0.000	0.0	-0.0
0.0	M. tor~2	0.010	-0.004	-0.000	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


0.0	INVS LU	Max	0.066	0.050	-0.002	0.0	-0.0
-0.0		Min	-0.067	-0.054	-0.041	-0.0	-0.0
0.0	INVS LV	Max	0.119	0.092	-0.007	0.0	-0.0
-0.0		Min	-0.119	-0.094	-0.018	-0.0	-0.0
0.0	INVS LE	Max	0.047	0.035	-0.001	0.0	-0.0
-0.0		Min	-0.047	-0.038	-0.030	-0.0	-0.0
993 0.0	C1-C2;~1	Max	0.004	0.002	0.010	0.0	0.0
-0.0		Min	-0.004	-0.002	-0.017	-0.0	-0.0
0.0	C3-C4;~1	Max	0.004	0.002	0.011	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.017	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.006	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.009	-0.0	-0.0
0.0	C3-C4;~2	Max	0.002	0.001	0.006	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.009	-0.0	-0.0
0.0	SLVx (RS)		-0.053	0.069	-0.003	0.0	-0.0
0.0	SLVy (RS)		0.103	0.072	-0.002	-0.0	0.0
0.0	SLDx (RS)		-0.037	0.048	-0.002	0.0	-0.0
0.0	SLDy (RS)		0.060	0.044	-0.002	-0.0	0.0
0.0	SLVz (RS)		-0.000	0.001	0.004	0.0	0.0
0.0	G1		-0.000	-0.001	-0.008	-0.0	-0.0
0.0	G2		-0.000	-0.001	-0.003	-0.0	-0.0
-0.0	G1-Imp~1		0.000	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.010	0.003	0.000	0.0	-0.0
0.0	q4-1		-0.002	-0.003	-0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.003	0.000	0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	-0.0
0.0	q4-4		0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.001	0.001	0.000	0.0	0.0
0.0	q4-7		0.001	0.000	0.000	-0.0	0.0
0.0	q5 - p~1		0.016	-0.004	0.000	0.0	-0.0
-0.0	q5 - p~2		0.026	0.028	0.000	-0.0	0.0
0.0	q5 - p~3		0.015	-0.004	0.000	0.0	-0.0
-0.0	q5 - p~4		0.024	0.026	0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.007	0.001	0.000	0.0	-0.0
-0.0	T		-0.034	-0.015	-0.000	-0.0	-0.0
-0.0	M. tor~1		0.017	-0.007	-0.000	0.0	-0.0
0.0	M. tor~2		0.010	-0.004	-0.000	0.0	-0.0
0.0							
0.0	INVSLU	Max	0.066	0.051	-0.001	0.0	-0.0
0.0		Min	-0.066	-0.054	-0.038	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.119	0.092	-0.006	0.0	-0.0
0.0		Min	-0.119	-0.094	-0.017	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	0.047	0.036	-0.000	0.0	-0.0
0.0		Min	-0.047	-0.038	-0.028	-0.0	-0.0
-0.0							
994	C1-C2;~1	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.001	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.142	-0.080	0.009	-0.0	-0.0
0.0	SLVy (RS)		0.074	0.048	-0.007	-0.0	0.0
-0.0	SLDx (RS)		-0.098	-0.056	0.006	-0.0	-0.0
0.0							

MIDAS

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLDy (RS)	0.052	0.034	-0.005	-0.0	0.0
0.0	SLVz (RS)	0.001	-0.000	-0.000	0.0	0.0
-0.0	G1	0.002	-0.000	-0.001	0.0	0.0
-0.0	G2	0.001	-0.000	-0.000	0.0	0.0
0.0	G1-Imp~1	-0.002	0.001	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.004	-0.004	0.000	0.0	0.0
0.0	q4-2	0.001	-0.001	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.002	-0.003	0.000	0.0	0.0
-0.0	q5 - p~2	-0.010	0.011	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.002	-0.003	0.000	0.0	0.0
-0.0	q5 - p~4	-0.010	0.010	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~1	0.020	-0.018	0.000	0.0	0.0
0.0	M. tor~2	0.012	-0.011	0.000	0.0	0.0
0.0	INVSLU Max	0.016	0.017	-0.001	0.0	0.0
-0.0	Min	-0.015	-0.015	-0.003	-0.0	-0.0
0.0	INVSLV Max	0.164	0.095	0.010	0.0	0.0
-0.0	Min	-0.165	-0.094	-0.012	-0.0	-0.0
0.0	INVSLE Max	0.011	0.012	-0.001	0.0	0.0
-0.0	Min	-0.010	-0.011	-0.002	-0.0	-0.0
995	C1-C2;~1 Max	0.005	0.001	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0							
-0.0	Min	-0.008	-0.002	-0.001	-0.0	-0.0	
0.0	C3-C4;~1	Max	0.005	0.001	0.000	0.0	0.0
-0.0	Min	-0.008	-0.003	-0.000	-0.0	-0.0	
0.0	C1-C2;~2	Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.004	-0.001	-0.000	-0.0	-0.0	
0.0	C3-C4;~2	Max	0.003	0.001	0.000	0.0	0.0
-0.0	Min	-0.004	-0.001	-0.000	-0.0	-0.0	
0.0	SLVx (RS)		-0.066	0.105	0.009	0.0	-0.0
0.0	SLVy (RS)		0.100	0.063	-0.007	-0.0	0.0
0.0	SLDx (RS)		-0.045	0.073	0.006	0.0	-0.0
0.0	SLDy (RS)		0.059	0.040	-0.005	-0.0	0.0
0.0	SLVz (RS)		0.001	0.001	-0.000	-0.0	-0.0
0.0	G1		-0.004	-0.002	-0.001	0.0	0.0
0.0	G2		-0.002	-0.001	-0.000	0.0	0.0
-0.0	G1-Imp~1		0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	0.0	-0.0
0.0	q3		0.009	0.002	0.000	0.0	-0.0
0.0	q4-1		-0.003	-0.006	0.000	0.0	-0.0
-0.0	q4-2		-0.000	-0.002	0.000	0.0	-0.0
-0.0	q4-3		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-4		0.000	0.000	-0.000	-0.0	0.0
0.0	q4-5		0.001	0.000	0.000	0.0	-0.0
0.0	q4-6		0.001	0.000	0.000	0.0	-0.0
0.0	q4-7		0.001	0.000	0.000	0.0	-0.0
-0.0	q5 - p~1		0.019	0.001	0.000	0.0	-0.0
0.0	q5 - p~2		0.023	0.021	-0.000	-0.0	0.0
-0.0	q5 - p~3		0.017	0.001	0.000	0.0	-0.0
0.0	q5 - p~4		0.022	0.020	-0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
-0.0	q7		0.007	0.002	0.000	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.043	-0.012	0.000	-0.0	-0.0
0.0	M. tor~1	0.012	-0.019	0.000	0.0	-0.0
-0.0	M. tor~2	0.007	-0.012	0.000	0.0	-0.0
0.0	INVS LU Max	0.068	0.039	-0.001	0.0	0.0
-0.0	Min	-0.085	-0.041	-0.003	0.0	0.0
0.0	INVS LV Max	0.114	0.123	0.010	0.0	0.0
-0.0	Min	-0.125	-0.124	-0.012	-0.0	0.0
0.0	INVS LE Max	0.046	0.028	-0.001	0.0	0.0
-0.0	Min	-0.057	-0.029	-0.002	0.0	0.0
996	C1-C2;~1 Max	0.003	0.002	0.000	0.0	0.0
0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.002	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.002	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.142	-0.080	-0.008	-0.0	-0.0
0.0	SLVy (RS)	0.074	0.049	0.005	-0.0	0.0
-0.0	SLDx (RS)	-0.098	-0.056	-0.006	-0.0	-0.0
0.0	SLDy (RS)	0.052	0.034	0.004	-0.0	0.0
-0.0	SLVz (RS)	0.001	-0.000	-0.000	0.0	0.0
0.0	G1	0.002	-0.000	-0.001	0.0	0.0
-0.0	G2	0.001	-0.000	-0.000	0.0	0.0
0.0	G1-Imp~1	-0.002	0.001	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1	0.004	-0.004	-0.000	0.0	0.0
0.0	q4-2	0.001	-0.001	-0.000	0.0	0.0


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-5		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.003	-0.003	-0.000	0.0	0.0
-0.0	q5 - p~2		-0.010	0.011	0.001	-0.0	-0.0
0.0	q5 - p~3		0.002	-0.003	-0.000	0.0	0.0
-0.0	q5 - p~4		-0.010	0.010	0.001	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		0.020	-0.018	-0.002	0.0	0.0
0.0	M. tor~2		0.012	-0.011	-0.001	0.0	0.0
0.0	INVS LU	Max	0.016	0.017	0.000	0.0	0.0
-0.0		Min	-0.016	-0.015	-0.003	-0.0	-0.0
0.0	INVS LV	Max	0.164	0.095	0.009	0.0	0.0
-0.0		Min	-0.165	-0.094	-0.011	-0.0	-0.0
0.0	INVS LE	Max	0.011	0.012	0.000	0.0	0.0
-0.0		Min	-0.011	-0.011	-0.002	-0.0	-0.0
0.0	997 C1-C2;~1	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.008	-0.002	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.008	-0.003	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.004	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.003	0.001	0.000	0.0	0.0
-0.0		Min	-0.004	-0.002	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.059	0.108	-0.008	0.0	-0.0
0.0	SLVy (RS)	0.101	0.062	0.005	-0.0	0.0
0.0	SLDx (RS)	-0.041	0.075	-0.006	0.0	-0.0
0.0	SLDy (RS)	0.059	0.040	0.004	-0.0	0.0
0.0	SLVz (RS)	0.001	0.001	-0.000	-0.0	-0.0
0.0	G1	-0.004	-0.002	-0.001	0.0	0.0
0.0	G2	-0.001	-0.001	-0.000	0.0	0.0
0.0	G1-Imp~1	0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1	0.000	0.000	-0.000	0.0	-0.0
-0.0	q3	0.009	0.002	-0.000	0.0	-0.0
0.0	q4-1	-0.003	-0.006	-0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.002	-0.000	0.0	-0.0
-0.0	q4-3	0.001	0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	-0.000	0.0	-0.0
0.0	q4-6	0.001	0.000	-0.000	0.0	-0.0
0.0	q4-7	0.001	0.000	-0.000	0.0	-0.0
0.0	q5 - p~1	0.017	0.001	-0.000	0.0	-0.0
-0.0	q5 - p~2	0.024	0.021	0.001	-0.0	0.0
0.0	q5 - p~3	0.016	0.001	-0.000	0.0	-0.0
-0.0	q5 - p~4	0.023	0.020	0.001	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.002	-0.000	0.0	-0.0
-0.0	T	-0.043	-0.012	-0.000	-0.0	-0.0
-0.0	M. tor~1	0.014	-0.020	-0.002	0.0	-0.0
0.0	M. tor~2	0.008	-0.012	-0.001	0.0	-0.0
0.0	INVS LU Max	0.070	0.038	0.000	0.0	0.0
0.0	Min	-0.085	-0.041	-0.003	0.0	0.0
-0.0	INVS LV Max	0.114	0.126	0.009	0.0	0.0
0.0	Min	-0.124	-0.127	-0.011	-0.0	0.0
-0.0	INVS LE Max	0.047	0.027	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.058	-0.029	-0.002	0.0	0.0
-0.0							
998	C1-C2;~1	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.002	-0.001	-0.001	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.002	-0.002	-0.001	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.074	0.036	-0.003	-0.0	-0.0
-0.0	SLVy (RS)		0.071	0.036	-0.004	-0.0	0.0
-0.0	SLDx (RS)		-0.051	0.025	-0.002	-0.0	-0.0
-0.0	SLDy (RS)		0.050	0.025	-0.003	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.001	0.000	0.0	-0.0
-0.0	G1		0.001	0.000	-0.001	-0.0	0.0
0.0	G2		0.001	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-1		0.001	-0.001	0.000	0.0	0.0
0.0	q4-2		0.002	-0.001	0.000	0.0	0.0
0.0	q4-3		0.001	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.011	-0.007	0.001	0.0	0.0
0.0	q5 - p~2		-0.011	0.007	-0.001	-0.0	-0.0
-0.0	q5 - p~3		0.011	-0.007	0.001	0.0	0.0
0.0	q5 - p~4		-0.011	0.007	-0.001	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.002	-0.001	0.000	0.0	0.0
-0.0	T		-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1		0.010	-0.006	0.000	0.0	0.0
0.0	M. tor~2		0.006	-0.003	0.000	0.0	0.0
0.0	INVSLU Max		0.020	0.013	-0.001	0.0	0.0
-0.0	Min		-0.016	-0.010	-0.004	-0.0	-0.0
0.0	INVSLV Max		0.097	0.048	0.003	0.0	0.0
-0.0	Min		-0.094	-0.046	-0.007	-0.0	-0.0
0.0	INVSLE Max		0.014	0.009	-0.001	0.0	0.0
-0.0	Min		-0.011	-0.007	-0.003	-0.0	-0.0
0.0	999 C1-C2;~1 Max		0.004	0.002	0.000	0.0	0.0
-0.0	Min		-0.005	-0.003	-0.001	-0.0	-0.0
0.0	C3-C4;~1 Max		0.004	0.002	0.000	0.0	0.0
-0.0	Min		-0.005	-0.003	-0.001	-0.0	-0.0
0.0	C1-C2;~2 Max		0.002	0.001	0.000	0.0	0.0
-0.0	Min		-0.003	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.002	0.001	0.000	0.0	0.0
-0.0	Min		-0.003	-0.001	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.052	0.053	-0.003	-0.0	-0.0
0.0	SLVy (RS)		0.103	0.077	-0.004	-0.0	0.0
0.0	SLDx (RS)		-0.036	0.037	-0.002	-0.0	-0.0
0.0	SLDy (RS)		0.060	0.046	-0.003	-0.0	0.0
-0.0	SLVz (RS)		-0.001	0.001	0.000	0.0	0.0
0.0	G1		-0.001	-0.001	-0.001	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.010	0.004	0.000	0.0	0.0
0.0	q4-1	-0.002	-0.002	0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.003	0.000	0.0	0.0
0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4	0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.001	0.000	-0.000	-0.0	0.0
0.0	q4-6	0.001	0.001	0.000	0.0	0.0
0.0	q4-7	0.001	0.001	0.000	0.0	0.0
0.0	q5 - p~1	0.016	-0.006	0.001	0.0	0.0
-0.0	q5 - p~2	0.026	0.029	-0.001	-0.0	0.0
0.0	q5 - p~3	0.015	-0.006	0.001	0.0	0.0
-0.0	q5 - p~4	0.024	0.028	-0.001	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.001	0.000	0.0	-0.0
-0.0	T	-0.029	-0.017	-0.000	-0.0	-0.0
-0.0	M. tor~1	0.018	0.000	0.000	0.0	-0.0
0.0	M. tor~2	0.011	0.000	0.000	0.0	-0.0
0.0	INVS LU Max	0.060	0.054	-0.001	0.0	0.0
0.0	Min	-0.063	-0.056	-0.004	-0.0	-0.0
-0.0	INVS LV Max	0.118	0.092	0.003	0.0	0.0
0.0	Min	-0.120	-0.093	-0.007	-0.0	-0.0
-0.0	INVS LE Max	0.044	0.038	-0.001	0.0	0.0
0.0	Min	-0.046	-0.040	-0.003	-0.0	-0.0
-0.0						
1000	C1-C2;~1 Max	0.003	0.002	0.000	0.0	0.0
0.0	Min	-0.002	-0.001	-0.000	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	0.003	0.002	0.000	0.0	0.0
0.0	Min	-0.002	-0.002	-0.001	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.002	0.001	0.000	0.0	0.0
0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.075	0.036	0.003	-0.0	-0.0
-0.0	SLVy	(RS)	0.071	0.036	0.004	-0.0	0.0
-0.0	SLDx	(RS)	-0.052	0.025	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.050	0.025	0.003	-0.0	0.0
-0.0	SLVz	(RS)	-0.000	0.001	0.000	0.0	-0.0
0.0	G1		0.001	0.000	-0.001	-0.0	0.0
0.0	G2		0.001	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-1		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-2		0.002	-0.001	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.012	-0.007	-0.001	0.0	0.0
-0.0	q5 - p~2		-0.012	0.007	0.001	-0.0	-0.0
0.0	q5 - p~3		0.011	-0.007	-0.001	0.0	0.0
-0.0	q5 - p~4		-0.011	0.007	0.001	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.002	-0.001	-0.000	0.0	0.0
-0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.010	-0.006	-0.000	0.0	0.0
0.0	M. tor~2		0.006	-0.003	-0.000	0.0	0.0
0.0	INVS LU	Max	0.021	0.013	-0.001	0.0	0.0
-0.0		Min	-0.016	-0.011	-0.003	-0.0	-0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.098	0.048	0.004	0.0	0.0
		Min	-0.094	-0.046	-0.006	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	0.014	0.009	-0.001	0.0	0.0
		Min	-0.011	-0.007	-0.002	-0.0	-0.0
-0.0							
1001 0.0	C1-C2;~1	Max	0.004	0.002	0.000	0.0	0.0
		Min	-0.005	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.005	0.002	0.000	0.0	0.0
		Min	-0.005	-0.003	-0.001	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.000	0.0	0.0
		Min	-0.003	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.000	0.0	0.0
		Min	-0.003	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.050	0.054	0.003	-0.0	-0.0
0.0	SLVy (RS)		0.105	0.076	0.004	-0.0	0.0
0.0	SLDx (RS)		-0.034	0.037	0.002	-0.0	-0.0
0.0	SLDy (RS)		0.061	0.046	0.003	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.001	0.000	0.0	0.0
0.0	G1		-0.001	-0.001	-0.001	-0.0	0.0
0.0	G2		-0.000	-0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.010	0.004	-0.000	0.0	0.0
0.0	q4-1		-0.001	-0.002	-0.000	0.0	-0.0
0.0	q4-2		-0.001	-0.003	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	-0.0
0.0	q4-4		0.000	0.000	0.000	-0.0	-0.0
0.0	q4-5		0.001	0.000	0.000	-0.0	0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	0.0
-0.0	q5 - p~1		0.015	-0.006	-0.001	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	0.026	0.029	0.001	-0.0	0.0
-0.0	q5 - p~3	0.014	-0.006	-0.001	0.0	0.0
0.0	q5 - p~4	0.025	0.028	0.001	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.007	0.001	-0.000	0.0	-0.0
-0.0	T	-0.029	-0.017	0.000	-0.0	-0.0
0.0	M. tor~1	0.020	-0.000	-0.000	0.0	-0.0
0.0	M. tor~2	0.012	-0.000	-0.000	0.0	-0.0
0.0	INVS LU Max	0.061	0.054	-0.001	0.0	0.0
-0.0	Min	-0.064	-0.056	-0.003	-0.0	-0.0
0.0	INVS LV Max	0.119	0.092	0.004	0.0	0.0
-0.0	Min	-0.121	-0.093	-0.006	-0.0	-0.0
0.0	INVS LE Max	0.045	0.038	-0.001	0.0	0.0
-0.0	Min	-0.046	-0.040	-0.002	-0.0	-0.0
1002	C1-C2;~1 Max	0.001	0.001	0.000	0.0	0.0
0.0	Min	-0.001	-0.001	-0.001	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.001	0.001	0.000	0.0	0.0
0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.001	0.000	0.0	0.0
0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.071	0.018	-0.005	-0.0	-0.0
-0.0	SLVy (RS)	-0.048	0.038	-0.003	-0.0	-0.0
-0.0	SLDx (RS)	-0.049	0.013	-0.003	-0.0	-0.0
-0.0	SLDy (RS)	-0.034	0.026	-0.002	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.001	0.000	0.0	-0.0
-0.0	G1	-0.000	0.000	-0.001	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.001	-0.000	0.000	0.0	0.0
-0.0	q4-1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
0.0	q4-3	0.001	-0.000	0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.014	-0.004	0.001	0.0	0.0
-0.0	q5 - p~2	-0.002	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.013	-0.004	0.001	0.0	0.0
-0.0	q5 - p~4	-0.002	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.003	-0.001	0.000	0.0	0.0
0.0	T	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1	0.001	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.001	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.020	0.007	0.001	0.0	0.0
-0.0	Min	-0.021	-0.006	-0.004	-0.0	-0.0
0.0	INVS LV Max	0.085	0.044	0.005	0.0	0.0
-0.0	Min	-0.086	-0.043	-0.007	-0.0	-0.0
0.0	INVS LE Max	0.013	0.005	0.000	0.0	0.0
-0.0	Min	-0.014	-0.004	-0.003	-0.0	-0.0
1003	C1-C2;~1 Max	0.001	0.001	0.000	0.0	0.0
0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.001	0.000	0.000	0.0	0.0
0.0						

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.026	0.028	-0.005	-0.0	-0.0
0.0	SLVy (RS)	0.056	0.119	-0.002	-0.0	0.0
-0.0	SLDx (RS)	-0.018	0.019	-0.003	-0.0	-0.0
0.0	SLDy (RS)	0.032	0.069	-0.001	-0.0	0.0
-0.0	SLVz (RS)	-0.001	0.000	0.000	-0.0	-0.0
0.0	G1	-0.000	0.000	-0.001	-0.0	-0.0
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.005	0.010	-0.000	-0.0	0.0
-0.0	q4-1	-0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.001	-0.000	0.0	-0.0
0.0	q4-3	-0.000	-0.001	0.000	0.0	-0.0
0.0	q4-4	0.001	-0.000	0.000	0.0	0.0
-0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
0.0	q4-6	0.000	0.001	-0.000	-0.0	0.0
0.0	q4-7	0.000	0.001	-0.000	-0.0	0.0
0.0	q5 - p~1	0.008	-0.003	0.001	0.0	0.0
0.0	q5 - p~2	0.017	0.034	0.000	-0.0	0.0
0.0	q5 - p~3	0.008	-0.003	0.001	0.0	0.0
0.0	q5 - p~4	0.016	0.032	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.003	0.005	0.000	-0.0	0.0
0.0	T	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~1	0.009	0.021	-0.000	-0.0	0.0
0.0	M. tor~2	0.005	0.013	-0.000	-0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.024	0.049	0.001	0.0	0.0
-0.0		Min	-0.025	-0.049	-0.003	-0.0	-0.0
0.0	INVS LV	Max	0.064	0.128	0.005	0.0	0.0
-0.0		Min	-0.064	-0.128	-0.006	-0.0	-0.0
0.0	INVS LE	Max	0.016	0.033	0.000	0.0	0.0
-0.0		Min	-0.016	-0.032	-0.002	-0.0	-0.0
1004 0.0	C1-C2;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.009	0.006	-0.001	-0.0	-0.0
-0.0	SLVy (RS)		0.003	0.005	0.001	-0.0	0.0
0.0	SLDx (RS)		-0.007	0.005	-0.001	-0.0	-0.0
-0.0	SLDy (RS)		0.002	0.004	0.000	-0.0	0.0
-0.0	SLVz (RS)		0.001	-0.001	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5		0.000	-0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~1	0.005	-0.003	0.001	0.0	0.0
0.0	q5 - p~2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~3	0.004	-0.002	0.001	0.0	0.0
0.0	q5 - p~4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.000	-0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.007	0.004	0.000	0.0	0.0
-0.0	Min	-0.008	-0.004	-0.002	-0.0	-0.0
0.0	INVS LV Max	0.010	0.008	0.001	0.0	0.0
-0.0	Min	-0.010	-0.008	-0.002	-0.0	-0.0
0.0	INVS LE Max	0.005	0.003	0.000	0.0	0.0
-0.0	Min	-0.005	-0.003	-0.002	-0.0	-0.0
1005	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.002	0.000	-0.000	-0.0	-0.0
0.0	SLVy (RS)	0.001	0.000	0.000	0.0	0.0
-0.0	SLDx (RS)	-0.001	0.000	-0.000	-0.0	-0.0
0.0						

MIDAS

PROJECT TITLE :


	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	SLDy (RS)	0.001	-0.000	0.000	0.0	0.0
-0.0	SLVz (RS)	0.000	0.000	0.000	0.0	0.0
-0.0	G1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0
0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
0.0	q4-3	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~1	0.001	-0.000	0.000	0.0	0.0
-0.0	q5 - p~2	0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~3	0.001	-0.000	0.000	0.0	0.0
-0.0	q5 - p~4	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
0.0	T	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	M. tor~1	0.000	0.000	0.000	-0.0	0.0
-0.0	M. tor~2	0.000	0.000	0.000	-0.0	0.0
0.0	INVSLU Max	0.001	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.002	0.000	0.000	0.0	0.0
-0.0	Min	-0.002	-0.000	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.001	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
1007	C1-C2;~1 Max	0.006	0.006	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.007	-0.007	-0.001	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.007	0.006	0.000	0.0	0.0
0.0		Min	-0.007	-0.007	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.003	0.003	0.000	0.0	0.0
0.0		Min	-0.004	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.003	0.003	0.000	0.0	0.0
0.0		Min	-0.004	-0.004	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.045	0.036	-0.005	-0.0	-0.0
-0.0	SLVy (RS)		0.095	0.099	-0.003	-0.0	-0.0
0.0	SLDx (RS)		-0.031	0.025	-0.003	-0.0	-0.0
-0.0	SLDy (RS)		0.055	0.058	-0.002	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.001	0.000	-0.0	0.0
0.0	G1		-0.000	0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	0.0	-0.0
-0.0	G1-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	0.000	0.0	0.0
-0.0	q3		0.009	0.008	0.000	0.0	-0.0
0.0	q4-1		-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2		-0.001	-0.002	0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		0.001	0.000	0.000	0.0	0.0
-0.0	q4-5		0.001	0.001	-0.000	0.0	-0.0
0.0	q4-6		0.001	0.001	-0.000	0.0	-0.0
0.0	q4-7		0.001	0.001	-0.000	0.0	-0.0
0.0	q5 - p~1		0.013	-0.005	0.001	0.0	0.0
0.0	q5 - p~2		0.026	0.032	-0.000	-0.0	-0.0
0.0	q5 - p~3		0.012	-0.005	0.001	0.0	0.0
0.0	q5 - p~4		0.025	0.030	-0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.006	0.003	0.000	0.0	0.0
0.0							

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	-0.012	-0.013	-0.000	0.0	-0.0
0.0	M. tor~1	0.016	0.016	0.000	0.0	0.0
0.0	M. tor~2	0.009	0.010	0.000	0.0	0.0
0.0	INVS LU Max	0.050	0.060	0.001	0.0	0.0
-0.0	Min	-0.051	-0.060	-0.004	-0.0	-0.0
0.0	INVS LV Max	0.108	0.111	0.005	0.0	0.0
-0.0	Min	-0.108	-0.110	-0.007	-0.0	-0.0
0.0	INVS LE Max	0.035	0.042	0.000	0.0	0.0
-0.0	Min	-0.036	-0.042	-0.003	-0.0	-0.0
1008	C1-C2;~1 Max	0.001	0.001	0.000	0.0	0.0
0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.001	0.000	0.000	0.0	0.0
0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.027	0.029	-0.005	-0.0	-0.0
0.0	SLVy (RS)	0.058	0.124	-0.002	-0.0	-0.0
-0.0	SLDx (RS)	-0.019	0.020	-0.003	-0.0	-0.0
0.0	SLDy (RS)	0.033	0.071	-0.001	-0.0	-0.0
-0.0	SLVz (RS)	-0.001	0.000	0.000	0.0	-0.0
0.0	G1	-0.000	0.000	-0.001	-0.0	-0.0
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	G2-Imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.005	0.010	-0.000	-0.0	0.0
-0.0	q4-1	-0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-2	-0.001	-0.001	-0.000	0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-3	-0.000	-0.001	0.000	0.0	0.0
0.0	q4-4	0.001	-0.000	0.000	0.0	0.0
0.0	q4-5	0.000	0.001	0.000	-0.0	0.0
-0.0	q4-6	0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	0.000	0.001	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.008	-0.004	0.001	0.0	0.0
0.0	q5 - p~2	0.017	0.035	0.000	-0.0	0.0
0.0	q5 - p~3	0.008	-0.003	0.001	0.0	0.0
0.0	q5 - p~4	0.016	0.033	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.003	0.005	0.000	-0.0	0.0
0.0	T	-0.000	0.000	-0.000	-0.0	0.0
0.0	M. tor~1	0.009	0.022	-0.000	-0.0	0.0
0.0	M. tor~2	0.006	0.013	-0.000	-0.0	0.0
0.0	INVS LU Max	0.025	0.051	0.001	0.0	0.0
-0.0	Min	-0.025	-0.050	-0.003	-0.0	-0.0
0.0	INVS LV Max	0.066	0.133	0.005	0.0	0.0
-0.0	Min	-0.066	-0.133	-0.006	-0.0	-0.0
0.0	INVS LE Max	0.017	0.034	0.000	0.0	0.0
-0.0	Min	-0.017	-0.034	-0.002	-0.0	-0.0
1009 0.0	C1-C2;~1 Max	0.001	0.009	0.000	0.0	0.0
-0.0	Min	-0.001	-0.008	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.001	0.009	0.000	0.0	0.0
-0.0	Min	-0.001	-0.008	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.005	0.000	0.0	0.0
-0.0	Min	-0.001	-0.004	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.005	0.000	0.0	0.0
-0.0	Min	-0.000	-0.004	-0.000	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLVx (RS)	-0.010	0.030	-0.001	-0.0	-0.0
0.0	SLVy (RS)	0.012	0.131	0.001	0.0	0.0
-0.0	SLDx (RS)	-0.007	0.020	-0.001	-0.0	-0.0
0.0	SLDy (RS)	0.007	0.075	0.000	-0.0	0.0
-0.0	SLVz (RS)	0.001	0.000	0.000	-0.0	0.0
0.0	G1	-0.000	-0.000	-0.001	-0.0	-0.0
0.0	G2	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	G1-Imp~1	0.000	0.000	0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	0.000	0.000	0.0	0.0
0.0	q3	0.001	0.012	-0.000	0.0	-0.0
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0	q4-3	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.001	0.000	0.0	0.0
0.0	q4-6	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.002	-0.000	0.0	-0.0
0.0	q5 - p~1	0.005	-0.005	0.001	-0.0	0.0
0.0	q5 - p~2	0.003	0.039	-0.000	0.0	0.0
0.0	q5 - p~3	0.005	-0.004	0.001	-0.0	0.0
0.0	q5 - p~4	0.003	0.037	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.006	-0.000	0.0	-0.0
-0.0	T	0.001	0.018	0.000	-0.0	-0.0
0.0	M. tor~1	0.002	0.023	-0.000	0.0	0.0
0.0	M. tor~2	0.001	0.014	-0.000	0.0	0.0
0.0	INVSLU Max	0.009	0.074	0.000	0.0	0.0
-0.0	Min	-0.009	-0.073	-0.002	-0.0	-0.0
0.0	INVSLV Max	0.015	0.140	0.001	0.0	0.0
-0.0	Min	-0.015	-0.140	-0.002	-0.0	-0.0
	INVSLE Max	0.006	0.052	0.000	0.0	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.006	-0.051	-0.002	-0.0	-0.0
-0.0							
1010	C1-C2;~1	Max	0.001	0.005	0.000	0.0	0.0
0.0		Min	-0.001	-0.004	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.005	0.000	0.0	0.0
0.0		Min	-0.001	-0.004	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.007	0.027	-0.000	-0.0	-0.0
0.0	SLVy (RS)		-0.024	0.109	0.000	0.0	0.0
0.0	SLDx (RS)		-0.005	0.019	-0.000	-0.0	-0.0
0.0	SLDy (RS)		-0.014	0.063	0.000	0.0	0.0
0.0	SLVz (RS)		0.001	0.001	0.000	0.0	0.0
0.0	G1		-0.000	0.001	-0.000	0.0	0.0
-0.0	G2		-0.000	0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1		0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3		-0.002	0.010	-0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	-0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	0.000	0.0	0.0
0.0	q4-7		-0.000	0.001	-0.000	-0.0	-0.0
-0.0	q5 - p~1		0.003	-0.007	0.000	0.0	0.0
0.0	q5 - p~2		-0.007	0.032	0.000	-0.0	0.0
0.0	q5 - p~3		0.002	-0.006	0.000	0.0	0.0
0.0	q5 - p~4		-0.007	0.031	0.000	-0.0	0.0
0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.006	-0.000	-0.0	-0.0
0.0	T		-0.008	0.033	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.004	0.019	0.000	0.0	0.0
0.0	M. tor~2		-0.002	0.011	0.000	0.0	0.0
0.0	INVS LU	Max	0.016	0.074	-0.000	0.0	0.0
-0.0		Min	-0.017	-0.072	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.026	0.118	0.000	0.0	0.0
-0.0		Min	-0.027	-0.117	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.012	0.053	-0.000	0.0	0.0
-0.0		Min	-0.012	-0.052	-0.001	-0.0	-0.0
1012	C1-C2;~1	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.001	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.071	0.018	0.005	-0.0	-0.0
-0.0	SLVy (RS)		-0.048	0.038	0.004	-0.0	-0.0
-0.0	SLDx (RS)		-0.050	0.012	0.003	-0.0	-0.0
-0.0	SLDy (RS)		-0.034	0.026	0.002	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.001	0.000	0.0	-0.0
-0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-1	-0.001	0.000	0.000	-0.0	-0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1	0.014	-0.004	-0.001	0.0	0.0
-0.0	q5 - p~2	-0.002	0.001	0.000	-0.0	-0.0
0.0	q5 - p~3	0.013	-0.003	-0.001	0.0	0.0
-0.0	q5 - p~4	-0.002	0.001	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.003	-0.001	-0.000	0.0	0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1	0.001	-0.000	-0.000	0.0	0.0
0.0	M. tor~2	0.001	-0.000	-0.000	0.0	0.0
0.0	INVSLU Max	0.020	0.006	0.001	0.0	0.0
-0.0	Min	-0.021	-0.005	-0.004	-0.0	-0.0
0.0	INVSLV Max	0.085	0.043	0.005	0.0	0.0
-0.0	Min	-0.086	-0.043	-0.007	-0.0	-0.0
0.0	INVSLE Max	0.014	0.004	0.001	0.0	0.0
-0.0	Min	-0.014	-0.004	-0.003	-0.0	-0.0
1013	C1-C2;~1 Max	0.001	0.001	0.000	0.0	0.0
0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.001	0.000	0.000	0.0	0.0
0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.027	-0.027	0.005	-0.0	-0.0
0.0	SLVy	(RS)	0.058	0.124	0.002	-0.0	0.0
-0.0	SLDx	(RS)	-0.019	0.018	0.003	-0.0	-0.0
0.0	SLDy	(RS)	0.033	0.071	0.001	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.005	0.011	0.000	-0.0	0.0
-0.0	q4-1		-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.001	-0.000	0.0	-0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-5		0.000	0.001	-0.000	-0.0	0.0
-0.0	q4-6		0.000	0.002	0.000	-0.0	0.0
0.0	q4-7		0.000	0.001	0.000	-0.0	0.0
0.0	q5 - p~1		0.008	-0.003	-0.001	0.0	0.0
0.0	q5 - p~2		0.017	0.035	-0.000	-0.0	0.0
0.0	q5 - p~3		0.008	-0.003	-0.001	0.0	0.0
0.0	q5 - p~4		0.016	0.033	-0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.003	0.006	-0.000	-0.0	0.0
0.0	T		-0.000	0.000	0.000	-0.0	-0.0
0.0	M. tor~1		0.009	0.022	0.000	-0.0	0.0
0.0	M. tor~2		0.006	0.013	0.000	-0.0	0.0
0.0	INVS LU	Max	0.025	0.051	0.001	0.0	0.0
-0.0		Min	-0.025	-0.050	-0.003	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.066	0.132	0.005	0.0	0.0
		Min	-0.066	-0.132	-0.006	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	0.017	0.034	0.001	0.0	0.0
		Min	-0.017	-0.034	-0.002	-0.0	-0.0
-0.0							
1014 0.0	C1-C2;~1	Max	0.001	0.000	0.000	0.0	0.0
		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.001	0.000	0.0	0.0
		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.009	0.007	0.001	-0.0	-0.0
-0.0	SLVy (RS)		0.003	0.005	-0.001	-0.0	0.0
-0.0	SLDx (RS)		-0.007	0.005	0.001	-0.0	-0.0
0.0	SLDy (RS)		0.002	0.004	-0.000	-0.0	0.0
-0.0	SLVz (RS)		0.001	-0.001	0.000	0.0	0.0
-0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-6		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1		0.005	-0.003	-0.001	0.0	0.0
-0.0							


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~3	0.004	-0.003	-0.001	0.0	0.0
0.0	q5 - p~4	-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.001	0.001	0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.007	0.005	0.000	0.0	0.0
-0.0	Min	-0.008	-0.004	-0.002	-0.0	-0.0
0.0	INVS LV Max	0.010	0.009	0.001	0.0	0.0
-0.0	Min	-0.011	-0.009	-0.002	-0.0	-0.0
0.0	INVS LE Max	0.005	0.003	0.000	0.0	0.0
-0.0	Min	-0.005	-0.003	-0.002	-0.0	-0.0
1015	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.002	0.001	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.002	-0.001	-0.000	0.0	0.0
-0.0	SLDx (RS)	-0.002	0.000	0.000	-0.0	-0.0
0.0	SLDy (RS)	0.001	-0.000	-0.000	0.0	0.0
-0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
0.0	G1	0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0
0.0	G1-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~1	0.001	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~2	0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~3	0.001	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~4	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.000	0.000	-0.0	-0.0
0.0	T	-0.000	0.000	0.000	-0.0	-0.0
-0.0	M. tor~1	0.000	0.000	-0.000	-0.0	0.0
-0.0	M. tor~2	0.000	0.000	-0.000	-0.0	0.0
0.0	INVSLU Max	0.001	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.003	0.001	0.000	0.0	0.0
-0.0	Min	-0.003	-0.001	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.001	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
1017	C1-C2;~1 Max	0.006	0.006	0.000	0.0	0.0
0.0	Min	-0.007	-0.007	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.007	0.006	0.000	0.0	0.0
0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.007	-0.007	-0.001	-0.0	-0.0
0.0	C1-C2;~2 Max	0.003	0.003	0.000	0.0	0.0
-0.0	Min	-0.004	-0.003	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.003	0.003	0.000	0.0	0.0
-0.0	Min	-0.004	-0.004	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.046	0.036	0.005	-0.0	-0.0
0.0	SLVy (RS)	0.098	0.101	0.004	-0.0	-0.0
-0.0	SLDx (RS)	-0.032	0.025	0.003	-0.0	-0.0
0.0	SLDy (RS)	0.057	0.058	0.002	-0.0	-0.0
0.0	SLVz (RS)	-0.000	-0.001	0.000	-0.0	0.0
-0.0	G1	-0.000	0.000	-0.001	0.0	-0.0
-0.0	G2	-0.000	0.000	-0.000	0.0	-0.0
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.009	0.008	-0.000	0.0	-0.0
-0.0	q4-1	-0.001	-0.001	0.000	-0.0	-0.0
0.0	q4-2	-0.001	-0.001	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	0.000	0.000	-0.000	0.0	0.0
0.0	q4-5	0.001	0.001	0.000	0.0	-0.0
0.0	q4-6	0.001	0.001	0.000	0.0	-0.0
0.0	q4-7	0.001	0.001	0.000	0.0	-0.0
0.0	q5 - p~1	0.013	-0.005	-0.001	0.0	0.0
0.0	q5 - p~2	0.026	0.032	0.000	-0.0	-0.0
0.0	q5 - p~3	0.012	-0.005	-0.001	0.0	0.0
0.0	q5 - p~4	0.025	0.031	0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.006	0.003	-0.000	0.0	0.0
-0.0	T	-0.012	-0.013	0.000	0.0	-0.0
0.0	M. tor~1	0.017	0.017	-0.000	0.0	0.0
0.0	M. tor~2	0.010	0.010	-0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0	INVS LU	Max	0.050	0.060	0.001	0.0	0.0
-0.0		Min	-0.051	-0.060	-0.004	-0.0	-0.0
0.0	INVS LV	Max	0.112	0.112	0.005	0.0	0.0
-0.0		Min	-0.112	-0.112	-0.007	-0.0	-0.0
0.0	INVS LE	Max	0.035	0.042	0.001	0.0	0.0
-0.0		Min	-0.036	-0.042	-0.003	-0.0	-0.0
1018 0.0	C1-C2;~1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.028	-0.028	0.005	-0.0	-0.0
0.0	SLVy (RS)		0.060	0.128	0.002	-0.0	-0.0
-0.0	SLDx (RS)		-0.019	0.019	0.003	-0.0	-0.0
0.0	SLDy (RS)		0.035	0.074	0.001	-0.0	-0.0
-0.0	SLVz (RS)		-0.001	0.000	0.000	0.0	-0.0
0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.005	0.011	0.000	-0.0	0.0
-0.0	q4-1		-0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-2		-0.001	-0.001	0.000	0.0	-0.0
0.0	q4-3		-0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-5		0.000	0.001	-0.000	-0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-6		0.000	0.002	0.000	-0.0	-0.0
0.0	q4-7		0.000	0.001	0.000	-0.0	-0.0
0.0	q5 - p~1		0.009	-0.003	-0.001	0.0	0.0
0.0	q5 - p~2		0.018	0.037	-0.000	-0.0	0.0
0.0	q5 - p~3		0.008	-0.003	-0.001	0.0	0.0
0.0	q5 - p~4		0.017	0.035	-0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.003	0.006	-0.000	-0.0	0.0
0.0	T		-0.000	0.000	0.000	-0.0	0.0
0.0	M. tor~1		0.010	0.023	0.000	-0.0	0.0
0.0	M. tor~2		0.006	0.013	0.000	-0.0	0.0
0.0	INVS LU	Max	0.026	0.052	0.001	0.0	0.0
-0.0		Min	-0.026	-0.052	-0.003	-0.0	-0.0
0.0	INVS LV	Max	0.068	0.137	0.005	0.0	0.0
-0.0		Min	-0.069	-0.137	-0.006	-0.0	-0.0
0.0	INVS LE	Max	0.017	0.035	0.001	0.0	0.0
-0.0		Min	-0.018	-0.035	-0.002	-0.0	-0.0
1019	C1-C2;~1	Max	0.001	0.009	0.000	0.0	0.0
0.0		Min	-0.001	-0.008	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.009	0.000	0.0	0.0
-0.0		Min	-0.001	-0.009	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.005	0.000	0.0	0.0
-0.0		Min	-0.001	-0.004	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.005	0.000	0.0	0.0
-0.0		Min	-0.000	-0.004	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.010	-0.029	0.001	-0.0	-0.0
0.0	SLVy (RS)		0.011	0.135	-0.001	0.0	0.0
-0.0	SLDx (RS)		-0.007	0.020	0.001	-0.0	-0.0

MIDAS

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	0.006	0.077	-0.000	-0.0	0.0	
-0.0	SLVz (RS)	0.001	0.000	0.000	-0.0	0.0	
0.0	G1	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	G1-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
-0.0	G2-Imp~1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q3	0.000	0.012	0.000	0.0	-0.0	
-0.0	q4-1	-0.000	-0.001	0.000	-0.0	-0.0	
-0.0	q4-2	-0.000	-0.002	0.000	-0.0	-0.0	
-0.0	q4-3	-0.000	-0.001	0.000	-0.0	-0.0	
0.0	q4-4	0.000	-0.000	-0.000	-0.0	0.0	
0.0	q4-5	0.001	0.001	-0.000	0.0	0.0	
0.0	q4-6	-0.000	0.002	0.000	-0.0	-0.0	
0.0	q4-7	-0.000	0.002	0.000	0.0	-0.0	
0.0	q5 - p~1	0.005	-0.004	-0.001	-0.0	0.0	
0.0	q5 - p~2	0.003	0.040	0.000	0.0	0.0	
0.0	q5 - p~3	0.005	-0.004	-0.001	-0.0	0.0	
0.0	q5 - p~4	0.003	0.038	0.000	0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	-0.000	0.006	0.000	0.0	-0.0	
-0.0	T	0.001	0.018	-0.000	-0.0	-0.0	
0.0	M. tor~1	0.002	0.024	-0.000	0.0	0.0	
0.0	M. tor~2	0.001	0.014	-0.000	0.0	0.0	
0.0	INVSLU Max	0.008	0.076	0.000	0.0	0.0	
-0.0	Min	-0.009	-0.075	-0.002	-0.0	-0.0	
0.0	INVSLV Max	0.014	0.144	0.001	0.0	0.0	
-0.0	Min	-0.014	-0.144	-0.002	-0.0	-0.0	
0.0	INVSLE Max	0.006	0.053	0.000	0.0	0.0	
-0.0	Min	-0.006	-0.053	-0.002	-0.0	-0.0	
1020	C1-C2;~1 Max	0.001	0.005	0.000	0.0	0.0	

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.001	-0.004	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.001	0.005	0.000	0.0	0.0
0.0		Min	-0.001	-0.005	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	-0.007	0.028	0.000	-0.0	-0.0
0.0	SLVy	(RS)	-0.027	0.111	-0.000	0.0	0.0
0.0	SLDx	(RS)	-0.005	0.019	0.000	-0.0	-0.0
0.0	SLDy	(RS)	-0.016	0.064	-0.000	0.0	0.0
0.0	SLVz	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.000	0.0	0.0
-0.0	G2		-0.000	0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1		-0.000	-0.000	0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	0.000	-0.0	-0.0
0.0	q3		-0.003	0.010	0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	-0.000	0.0	0.0
0.0	q4-7		-0.000	0.001	0.000	-0.0	-0.0
-0.0	q5 - p~1		0.002	-0.007	-0.000	0.0	0.0
0.0	q5 - p~2		-0.008	0.033	-0.000	-0.0	0.0
0.0	q5 - p~3		0.002	-0.006	-0.000	0.0	0.0
0.0	q5 - p~4		-0.007	0.031	-0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.006	0.000	-0.0	-0.0
0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	T		-0.008	0.033	0.000	-0.0	-0.0
0.0	M. tor~1		-0.005	0.020	-0.000	0.0	0.0
0.0	M. tor~2		-0.003	0.012	-0.000	0.0	0.0
0.0							
0.0	INVSLU	Max	0.017	0.075	-0.000	0.0	0.0
0.0		Min	-0.018	-0.073	-0.001	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.029	0.120	0.000	0.0	0.0
0.0		Min	-0.029	-0.119	-0.001	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	0.013	0.054	-0.000	0.0	0.0
0.0		Min	-0.013	-0.053	-0.001	-0.0	-0.0
-0.0							
1022	C1-C2;~1	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.142	-0.080	-0.005	-0.0	-0.0
0.0	SLVy (RS)		0.074	0.049	-0.002	-0.0	0.0
-0.0	SLDx (RS)		-0.098	-0.056	-0.003	-0.0	-0.0
0.0	SLDy (RS)		0.052	0.034	-0.002	-0.0	0.0
-0.0	SLVz (RS)		0.001	-0.000	0.000	0.0	0.0
0.0							
0.0	G1		0.002	-0.000	-0.001	0.0	0.0
-0.0	G2		0.001	-0.000	-0.000	0.0	0.0
-0.0							
0.0	G1-Imp~1		-0.002	0.001	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0							
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0							
0.0	q4-1		0.004	-0.004	0.000	0.0	0.0
0.0							
0.0	q4-2		0.001	-0.001	0.000	0.0	0.0
0.0							

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	q4-3		-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q4-4		-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q4-5		0.000	-0.000	0.000	0.0	0.0	
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0	
0.0	q4-7		0.000	-0.000	0.000	0.0	0.0	
0.0	q5 - p~1		0.003	-0.003	0.000	0.0	0.0	
-0.0	q5 - p~2		-0.010	0.011	-0.000	-0.0	-0.0	
0.0	q5 - p~3		0.002	-0.003	0.000	0.0	0.0	
-0.0	q5 - p~4		-0.010	0.010	-0.000	-0.0	-0.0	
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0	
0.0	q7		0.000	-0.000	0.000	0.0	0.0	
0.0	T		0.000	-0.000	0.000	0.0	0.0	
0.0	M. tor~1		0.020	-0.018	0.001	0.0	0.0	
0.0	M. tor~2		0.012	-0.011	0.001	0.0	0.0	
0.0	INVS LU	Max	0.016	0.017	-0.001	0.0	0.0	
-0.0		Min	-0.016	-0.015	-0.002	-0.0	-0.0	
0.0	INVS LV	Max	0.164	0.096	0.005	0.0	0.0	
-0.0		Min	-0.165	-0.094	-0.007	-0.0	-0.0	
0.0	INVS LE	Max	0.011	0.012	-0.001	0.0	0.0	
-0.0		Min	-0.010	-0.011	-0.002	-0.0	-0.0	
1023	C1-C2;~1	Max	0.003	0.002	0.000	0.0	0.0	
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	0.003	0.001	0.000	0.0	0.0	
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0	
0.0	C1-C2;~2	Max	0.002	0.001	0.000	0.0	0.0	
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0	
0.0	C3-C4;~2	Max	0.002	0.001	0.000	0.0	0.0	
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.145	-0.082	-0.005	-0.0	-0.0
-0.0	SLVy (RS)	0.076	0.050	-0.002	-0.0	0.0
0.0	SLDx (RS)	-0.100	-0.057	-0.003	-0.0	-0.0
-0.0	SLDy (RS)	0.053	0.034	-0.002	-0.0	0.0
0.0	SLVz (RS)	0.001	-0.000	0.000	0.0	0.0
-0.0	G1	0.002	-0.000	-0.001	0.0	0.0
-0.0	G2	0.001	-0.000	-0.000	0.0	0.0
0.0	G1-Imp~1	-0.002	0.001	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.004	-0.004	0.000	0.0	0.0
0.0	q4-2	0.001	-0.001	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-4	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-5	0.000	-0.000	0.000	0.0	0.0
0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	0.003	-0.003	0.000	0.0	0.0
-0.0	q5 - p~2	-0.010	0.011	-0.000	-0.0	-0.0
0.0	q5 - p~3	0.002	-0.003	0.000	0.0	0.0
-0.0	q5 - p~4	-0.010	0.010	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~1	0.020	-0.019	0.001	0.0	0.0
0.0	M. tor~2	0.012	-0.011	0.001	0.0	0.0
0.0	INVSLU Max	0.017	0.018	-0.001	0.0	0.0
-0.0	Min	-0.016	-0.016	-0.002	-0.0	-0.0
0.0	INVSLV Max	0.167	0.097	0.005	0.0	0.0
-0.0	Min	-0.168	-0.096	-0.007	-0.0	-0.0
	INVSLE Max	0.012	0.012	-0.001	0.0	0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0		Min	-0.011	-0.011	-0.002	-0.0	-0.0
-0.0							
1024	C1-C2;~1	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.142	-0.080	0.005	-0.0	-0.0
0.0	SLVy (RS)		0.074	0.049	0.002	-0.0	0.0
-0.0	SLDx (RS)		-0.098	-0.056	0.003	-0.0	-0.0
0.0	SLDy (RS)		0.052	0.034	0.002	-0.0	0.0
-0.0	SLVz (RS)		0.001	-0.000	-0.000	0.0	0.0
0.0	G1		0.002	-0.000	-0.001	0.0	0.0
-0.0	G2		0.001	-0.000	-0.000	0.0	0.0
-0.0	G1-Imp~1		-0.002	0.001	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-1		0.004	-0.004	-0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-5		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-6		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-7		0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1		0.003	-0.003	-0.000	0.0	0.0
0.0	q5 - p~2		-0.010	0.011	0.000	-0.0	-0.0
-0.0	q5 - p~3		0.002	-0.003	-0.000	0.0	0.0
0.0	q5 - p~4		-0.010	0.010	0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		0.020	-0.018	-0.001	0.0	0.0
0.0	M. tor~2		0.012	-0.011	-0.001	0.0	0.0
0.0	INVS LU Max		0.016	0.017	-0.001	0.0	0.0
-0.0	Min		-0.016	-0.015	-0.003	-0.0	-0.0
0.0	INVS LV Max		0.164	0.095	0.005	0.0	0.0
-0.0	Min		-0.165	-0.094	-0.007	-0.0	-0.0
0.0	INVS LE Max		0.011	0.012	-0.001	0.0	0.0
-0.0	Min		-0.010	-0.011	-0.002	-0.0	-0.0
1025	C1-C2;~1 Max		0.005	0.001	0.000	0.0	0.0
0.0	Min		-0.008	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1 Max		0.005	0.001	0.000	0.0	0.0
-0.0	Min		-0.008	-0.003	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.002	0.001	0.000	0.0	0.0
-0.0	Min		-0.004	-0.001	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.003	0.001	0.000	0.0	0.0
-0.0	Min		-0.004	-0.002	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.062	0.106	0.005	0.0	-0.0
0.0	SLVy (RS)		0.100	0.063	0.002	-0.0	0.0
0.0	SLDx (RS)		-0.043	0.074	0.003	0.0	-0.0
0.0	SLDy (RS)		0.059	0.040	0.002	-0.0	0.0
0.0	SLVz (RS)		0.001	0.001	-0.000	-0.0	-0.0
0.0	G1		-0.004	-0.002	-0.001	0.0	0.0
0.0	G2		-0.001	-0.001	-0.000	0.0	0.0
0.0	G1-Imp~1		0.000	0.001	-0.000	0.0	-0.0
-0.0	G2-Imp~1		0.000	0.000	-0.000	0.0	-0.0
-0.0							

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	0.009	0.002	-0.000	0.0	-0.0
0.0	q4-1	-0.003	-0.006	-0.000	0.0	-0.0
0.0	q4-2	-0.001	-0.002	-0.000	0.0	-0.0
-0.0	q4-3	0.001	0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	0.000	0.000	-0.0	0.0
0.0	q4-5	0.001	0.000	-0.000	0.0	-0.0
0.0	q4-6	0.001	0.000	-0.000	0.0	-0.0
0.0	q4-7	0.001	0.000	-0.000	0.0	-0.0
0.0	q5 - p~1	0.018	0.001	-0.000	0.0	-0.0
-0.0	q5 - p~2	0.023	0.021	0.000	-0.0	0.0
0.0	q5 - p~3	0.017	0.001	-0.000	0.0	-0.0
-0.0	q5 - p~4	0.022	0.020	0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.007	0.002	-0.000	0.0	-0.0
-0.0	T	-0.043	-0.012	-0.000	-0.0	-0.0
-0.0	M. tor~1	0.013	-0.020	-0.001	0.0	-0.0
0.0	M. tor~2	0.008	-0.012	-0.001	0.0	-0.0
0.0	INVS LU Max	0.069	0.039	-0.001	0.0	0.0
0.0	INVS LU Min	-0.085	-0.041	-0.003	0.0	0.0
-0.0	INVS LV Max	0.114	0.125	0.005	0.0	0.0
0.0	INVS LV Min	-0.125	-0.126	-0.007	-0.0	0.0
-0.0	INVS LE Max	0.047	0.027	-0.001	0.0	0.0
0.0	INVS LE Min	-0.057	-0.029	-0.002	0.0	0.0
-0.0						
1031	C1-C2;~1 Max	0.002	0.004	0.001	0.0	0.0
0.0	C1-C2;~1 Min	-0.002	-0.004	-0.001	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	0.002	0.004	0.001	0.0	0.0
0.0	C3-C4;~1 Min	-0.002	-0.004	-0.001	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.001	0.002	0.001	0.0	0.0
0.0	C1-C2;~2 Min	-0.001	-0.002	-0.001	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.002	0.001	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.001	-0.0	-0.0
0.0	SLVx	(RS)	-0.007	0.027	-0.000	-0.0	-0.0
0.0	SLVy	(RS)	-0.026	0.110	0.000	0.0	0.0
0.0	SLDx	(RS)	-0.005	0.019	-0.000	-0.0	-0.0
0.0	SLDy	(RS)	-0.015	0.063	0.000	0.0	0.0
0.0	SLVz	(RS)	0.000	0.000	0.000	0.0	0.0
-0.0	G1		0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2		0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3		-0.003	0.010	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	0.000	0.0	0.0
-0.0	q4-7		-0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1		0.003	-0.007	0.000	0.0	0.0
0.0	q5 - p~2		-0.007	0.033	-0.000	-0.0	0.0
0.0	q5 - p~3		0.003	-0.006	0.000	0.0	0.0
0.0	q5 - p~4		-0.007	0.031	-0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.006	-0.000	-0.0	-0.0
0.0	T		-0.008	0.033	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.004	0.019	0.000	0.0	0.0
0.0	M. tor~2		-0.003	0.011	0.000	0.0	0.0
0.0	INVS LU	Max	0.018	0.073	0.002	0.0	0.0
-0.0		Min	-0.017	-0.072	-0.002	-0.0	-0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.029	0.118	0.000	0.0	0.0
-0.0		Min	-0.028	-0.118	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.013	0.053	0.001	0.0	0.0
-0.0		Min	-0.013	-0.052	-0.002	-0.0	-0.0
1032	C1-C2;~1	Max	0.002	0.004	0.003	0.0	0.0
0.0		Min	-0.002	-0.004	-0.003	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.004	0.003	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.003	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.001	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.002	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.001	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.002	-0.0	-0.0
0.0	SLVx (RS)		-0.007	0.027	-0.001	-0.0	-0.0
0.0	SLVy (RS)		-0.027	0.109	0.000	0.0	0.0
0.0	SLDx (RS)		-0.005	0.019	-0.001	-0.0	-0.0
0.0	SLDy (RS)		-0.015	0.063	0.000	0.0	0.0
0.0	SLVz (RS)		0.000	0.000	0.000	0.0	0.0
-0.0	G1		0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2		0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3		-0.003	0.010	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	0.000	0.0	0.0
-0.0	q4-7		-0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1		0.003	-0.007	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	-0.008	0.033	-0.000	-0.0	0.0
0.0	q5 - p~3	0.002	-0.006	0.000	0.0	0.0
0.0	q5 - p~4	-0.007	0.031	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.006	-0.000	-0.0	-0.0
0.0	T	-0.009	0.033	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.005	0.019	0.000	0.0	0.0
0.0	M. tor~2	-0.003	0.011	0.000	0.0	0.0
0.0	INVS LU Max	0.019	0.073	0.003	0.0	0.0
-0.0	INVS LU Min	-0.018	-0.072	-0.005	-0.0	-0.0
0.0	INVS LV Max	0.029	0.118	0.000	0.0	0.0
-0.0	INVS LV Min	-0.029	-0.117	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.014	0.053	0.002	0.0	0.0
-0.0	INVS LE Min	-0.013	-0.052	-0.003	-0.0	-0.0
1033	C1-C2;~1 Max	0.002	0.004	0.004	0.0	0.0
0.0	C1-C2;~1 Min	-0.002	-0.004	-0.004	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.004	0.004	0.0	0.0
0.0	C3-C4;~1 Min	-0.002	-0.004	-0.004	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.002	0.002	0.0	0.0
0.0	C1-C2;~2 Min	-0.001	-0.002	-0.002	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.002	0.002	0.0	0.0
0.0	C3-C4;~2 Min	-0.001	-0.002	-0.002	-0.0	-0.0
0.0	SLVx (RS)	-0.007	0.027	-0.001	-0.0	-0.0
0.0	SLVy (RS)	-0.027	0.108	0.000	0.0	0.0
0.0	SLDx (RS)	-0.005	0.019	-0.001	-0.0	-0.0
0.0	SLDy (RS)	-0.016	0.062	0.000	0.0	0.0
0.0	SLVz (RS)	0.000	0.001	0.000	0.0	0.0
0.0	G1	0.000	0.000	-0.001	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	G2	0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3	-0.003	0.010	-0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	0.000	0.0	0.0
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.003	-0.007	0.000	0.0	0.0
0.0	q5 - p~2	-0.008	0.032	-0.000	-0.0	0.0
0.0	q5 - p~3	0.002	-0.006	0.000	0.0	0.0
0.0	q5 - p~4	-0.007	0.031	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.006	-0.000	-0.0	-0.0
0.0	T	-0.009	0.033	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.005	0.019	0.000	0.0	0.0
0.0	M. tor~2	-0.003	0.011	0.000	0.0	0.0
0.0	INVSLU Max	0.020	0.073	0.004	0.0	0.0
-0.0	Min	-0.018	-0.072	-0.007	-0.0	-0.0
0.0	INVSLV Max	0.030	0.117	0.000	-0.0	-0.0
-0.0	Min	-0.029	-0.116	-0.002	-0.0	-0.0
0.0	INVSLE Max	0.014	0.053	0.003	0.0	0.0
-0.0	Min	-0.013	-0.052	-0.005	-0.0	-0.0
1034	C1-C2;~1 Max	0.002	0.004	0.005	0.0	0.0
0.0	Min	-0.002	-0.004	-0.006	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.004	0.005	0.0	0.0
0.0						

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.002	-0.004	-0.006	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.003	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.003	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.003	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.003	-0.0	-0.0
0.0	SLVx (RS)	-0.007	0.027	-0.001	-0.0	-0.0
0.0	SLVy (RS)	-0.028	0.108	0.000	0.0	0.0
0.0	SLDx (RS)	-0.005	0.019	-0.001	-0.0	-0.0
0.0	SLDy (RS)	-0.016	0.062	0.000	-0.0	0.0
0.0	SLVz (RS)	0.000	0.001	0.001	0.0	0.0
-0.0	G1	0.001	0.000	-0.001	-0.0	-0.0
-0.0	G2	0.000	0.000	-0.000	-0.0	-0.0
0.0	G1-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3	-0.003	0.010	-0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	0.000	0.0	0.0
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.003	-0.007	0.000	0.0	0.0
0.0	q5 - p~2	-0.008	0.032	-0.000	-0.0	0.0
0.0	q5 - p~3	0.002	-0.006	0.000	0.0	0.0
0.0	q5 - p~4	-0.007	0.030	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.006	-0.000	-0.0	-0.0
0.0	T	-0.009	0.034	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.005	0.019	0.000	0.0	0.0
0.0	M. tor~2	-0.003	0.011	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.020	0.073	0.005	0.0	0.0
-0.0		Min	-0.018	-0.072	-0.010	-0.0	-0.0
0.0	INVS LV	Max	0.031	0.116	0.000	-0.0	-0.0
-0.0		Min	-0.029	-0.116	-0.003	-0.0	-0.0
0.0	INVS LE	Max	0.015	0.053	0.004	0.0	0.0
-0.0		Min	-0.013	-0.052	-0.008	-0.0	-0.0
1035 0.0	C1-C2;~1	Max	0.002	0.004	0.006	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.007	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.003	0.006	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.007	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.003	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.004	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.003	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.004	-0.0	-0.0
0.0	SLVx (RS)		-0.007	0.027	-0.002	-0.0	-0.0
0.0	SLVy (RS)		-0.028	0.107	0.001	0.0	0.0
0.0	SLDx (RS)		-0.005	0.018	-0.001	-0.0	-0.0
0.0	SLDy (RS)		-0.016	0.061	0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	0.001	0.001	0.0	0.0
-0.0	G1		0.001	0.000	-0.002	-0.0	-0.0
-0.0	G2		0.000	0.000	-0.001	-0.0	-0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3		-0.003	0.010	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	-0.000	0.002	0.000	0.0	0.0
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.003	-0.007	0.000	0.0	0.0
0.0	q5 - p~2	-0.008	0.032	-0.000	-0.0	0.0
0.0	q5 - p~3	0.002	-0.007	0.000	0.0	0.0
0.0	q5 - p~4	-0.007	0.030	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.006	-0.000	-0.0	-0.0
0.0	T	-0.009	0.034	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.005	0.019	0.000	0.0	0.0
0.0	M. tor~2	-0.003	0.011	0.000	0.0	0.0
0.0	INVS LU Max	0.021	0.073	0.005	0.0	0.0
-0.0	Min	-0.018	-0.072	-0.013	-0.0	-0.0
0.0	INVS LV Max	0.031	0.116	-0.000	-0.0	-0.0
-0.0	Min	-0.030	-0.115	-0.004	-0.0	-0.0
0.0	INVS LE Max	0.015	0.053	0.004	0.0	0.0
-0.0	Min	-0.013	-0.052	-0.010	-0.0	-0.0
1036	C1-C2;~1 Max	0.002	0.004	0.007	0.0	0.0
0.0	Min	-0.002	-0.003	-0.009	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.003	0.007	0.0	0.0
0.0	Min	-0.002	-0.004	-0.009	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.002	0.004	0.0	0.0
0.0	Min	-0.001	-0.002	-0.005	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.002	0.004	0.0	0.0
0.0	Min	-0.001	-0.002	-0.005	-0.0	-0.0
0.0	SLVx (RS)	-0.007	0.027	-0.002	-0.0	-0.0
0.0	SLVy (RS)	-0.029	0.107	0.001	0.0	0.0
0.0	SLDx (RS)	-0.005	0.018	-0.001	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	-0.017	0.061	0.000	-0.0	0.0	
0.0	SLVz (RS)	0.000	-0.001	0.001	0.0	0.0	
-0.0	G1	0.001	0.000	-0.002	-0.0	-0.0	
-0.0	G2	0.000	0.000	-0.001	-0.0	-0.0	
0.0	G1-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	G2-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	q3	-0.003	0.010	-0.000	-0.0	-0.0	
-0.0	q4-1	0.000	-0.001	0.000	0.0	0.0	
-0.0	q4-2	0.000	-0.001	0.000	0.0	0.0	
-0.0	q4-3	0.000	-0.001	0.000	0.0	0.0	
-0.0	q4-4	0.000	-0.000	-0.000	-0.0	-0.0	
0.0	q4-5	-0.000	0.000	0.000	-0.0	0.0	
0.0	q4-6	-0.000	0.002	0.000	0.0	0.0	
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	-0.0	
0.0	q5 - p~1	0.003	-0.007	0.000	0.0	0.0	
0.0	q5 - p~2	-0.008	0.032	-0.000	-0.0	0.0	
0.0	q5 - p~3	0.002	-0.007	0.000	0.0	0.0	
0.0	q5 - p~4	-0.008	0.030	-0.000	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	-0.002	0.006	-0.000	-0.0	-0.0	
0.0	T	-0.010	0.034	-0.000	-0.0	-0.0	
0.0	M. tor~1	-0.005	0.018	0.000	0.0	0.0	
0.0	M. tor~2	-0.003	0.011	0.000	0.0	0.0	
-0.0	INVSLU Max	0.022	0.072	0.005	0.0	-0.0	
-0.0	Min	-0.019	-0.072	-0.017	-0.0	-0.0	
0.0	INVSLV Max	0.032	0.115	-0.001	-0.0	-0.0	
-0.0	Min	-0.030	-0.115	-0.006	-0.0	-0.0	
0.0	INVSLE Max	0.016	0.053	0.004	0.0	-0.0	
-0.0	Min	-0.013	-0.052	-0.012	-0.0	-0.0	
1037	C1-C2;~1 Max	0.002	0.004	0.008	0.0	0.0	

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0							
-0.0	Min	-0.002	-0.003	-0.010	-0.0	-0.0	
0.0	C3-C4;~1 Max	0.002	0.003	0.008	0.0	0.0	
-0.0	Min	-0.002	-0.004	-0.010	-0.0	-0.0	
0.0	C1-C2;~2 Max	0.001	0.002	0.004	0.0	0.0	
-0.0	Min	-0.001	-0.002	-0.005	-0.0	-0.0	
0.0	C3-C4;~2 Max	0.001	0.002	0.004	0.0	0.0	
-0.0	Min	-0.001	-0.002	-0.006	-0.0	-0.0	
0.0	SLVx (RS)	-0.008	0.027	-0.002	-0.0	-0.0	
0.0	SLVy (RS)	-0.029	0.106	0.001	0.0	0.0	
0.0	SLDx (RS)	-0.005	0.018	-0.002	-0.0	-0.0	
0.0	SLDy (RS)	-0.017	0.061	0.001	-0.0	0.0	
0.0	SLVz (RS)	0.000	-0.001	0.001	0.0	0.0	
-0.0	G1	0.001	0.000	-0.003	-0.0	-0.0	
-0.0	G2	0.000	0.000	-0.001	-0.0	-0.0	
0.0	G1-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	G2-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	q3	-0.003	0.010	-0.000	-0.0	-0.0	
-0.0	q4-1	0.000	-0.001	0.000	0.0	0.0	
-0.0	q4-2	0.000	-0.001	0.000	0.0	0.0	
-0.0	q4-3	0.000	-0.001	0.000	0.0	0.0	
-0.0	q4-4	0.000	-0.000	-0.000	-0.0	-0.0	
0.0	q4-5	-0.000	0.000	0.000	-0.0	0.0	
0.0	q4-6	-0.000	0.002	0.000	-0.0	0.0	
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	-0.0	
0.0	q5 - p~1	0.003	-0.007	0.000	-0.0	0.0	
0.0	q5 - p~2	-0.008	0.032	-0.000	-0.0	0.0	
0.0	q5 - p~3	0.002	-0.007	0.000	0.0	0.0	
0.0	q5 - p~4	-0.008	0.030	-0.000	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	-0.002	0.006	-0.000	-0.0	-0.0	

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	-0.010	0.034	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.005	0.018	0.000	0.0	0.0
0.0	M. tor~2	-0.003	0.011	0.000	0.0	0.0
0.0	INVS LU Max	0.022	0.072	0.005	-0.0	-0.0
0.0	Min	-0.019	-0.072	-0.020	-0.0	-0.0
-0.0	INVS LV Max	0.033	0.114	-0.001	-0.0	-0.0
0.0	Min	-0.031	-0.114	-0.007	-0.0	-0.0
-0.0	INVS LE Max	0.016	0.053	0.004	-0.0	-0.0
0.0	Min	-0.014	-0.052	-0.015	-0.0	-0.0
-0.0	1038 C1-C2;~1 Max	0.002	0.004	0.008	0.0	0.0
0.0	Min	-0.002	-0.003	-0.011	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.003	0.009	0.0	0.0
0.0	Min	-0.002	-0.004	-0.011	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.002	0.005	0.0	0.0
0.0	Min	-0.001	-0.002	-0.006	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.002	0.005	0.0	0.0
0.0	Min	-0.001	-0.002	-0.006	-0.0	-0.0
-0.0	SLVx (RS)	-0.008	0.027	-0.003	-0.0	-0.0
0.0	SLVy (RS)	-0.030	0.105	0.001	-0.0	0.0
0.0	SLDx (RS)	-0.005	0.018	-0.002	-0.0	-0.0
0.0	SLDy (RS)	-0.017	0.060	0.001	-0.0	0.0
0.0	SLVz (RS)	-0.000	-0.001	0.002	0.0	0.0
0.0	G1	0.001	0.000	-0.004	-0.0	-0.0
-0.0	G2	0.000	0.000	-0.001	-0.0	-0.0
-0.0	G1-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3	-0.003	0.010	-0.000	-0.0	-0.0
0.0	q4-1	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	0.000	0.0	0.0
-0.0						

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	0.000	-0.0	0.0
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.003	-0.007	0.000	-0.0	0.0
0.0	q5 - p~2	-0.008	0.032	-0.000	-0.0	0.0
0.0	q5 - p~3	0.002	-0.007	0.000	-0.0	0.0
0.0	q5 - p~4	-0.008	0.030	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.006	-0.000	-0.0	-0.0
0.0	T	-0.010	0.034	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.005	0.018	0.000	0.0	0.0
0.0	M. tor~2	-0.003	0.011	0.000	0.0	0.0
0.0	INVS LU Max	0.023	0.072	0.005	-0.0	-0.0
-0.0	Min	-0.020	-0.072	-0.023	-0.0	-0.0
0.0	INVS LV Max	0.033	0.114	-0.002	-0.0	-0.0
-0.0	Min	-0.031	-0.113	-0.009	-0.0	-0.0
0.0	INVS LE Max	0.016	0.053	0.003	-0.0	-0.0
-0.0	Min	-0.014	-0.052	-0.017	-0.0	-0.0
1039	C1-C2;~1 Max	0.002	0.003	0.009	0.0	0.0
0.0	Min	-0.002	-0.003	-0.013	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.003	0.009	0.0	0.0
0.0	Min	-0.002	-0.004	-0.013	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.002	0.005	0.0	0.0
0.0	Min	-0.001	-0.002	-0.007	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.002	0.005	0.0	0.0
0.0	Min	-0.001	-0.002	-0.007	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.008	0.026	-0.003	-0.0	-0.0
0.0	SLVy (RS)	-0.030	0.105	0.001	-0.0	0.0
0.0	SLDx (RS)	-0.005	0.018	-0.002	-0.0	-0.0
0.0	SLDy (RS)	-0.017	0.060	0.001	-0.0	0.0
0.0	SLVz (RS)	-0.000	-0.001	0.002	0.0	0.0
-0.0	G1	0.001	0.000	-0.005	-0.0	-0.0
-0.0	G2	0.000	0.000	-0.002	-0.0	-0.0
0.0	G1-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3	-0.003	0.010	-0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	0.000	-0.0	0.0
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.003	-0.007	0.001	-0.0	0.0
0.0	q5 - p~2	-0.008	0.031	-0.000	-0.0	0.0
0.0	q5 - p~3	0.002	-0.007	0.000	-0.0	0.0
0.0	q5 - p~4	-0.008	0.030	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.006	-0.000	-0.0	-0.0
0.0	T	-0.011	0.035	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.005	0.018	0.000	0.0	0.0
0.0	M. tor~2	-0.003	0.011	0.000	0.0	0.0
0.0	INVSLU Max	0.023	0.072	0.004	-0.0	-0.0
-0.0	Min	-0.020	-0.072	-0.027	-0.0	-0.0
0.0	INVSLV Max	0.034	0.113	-0.003	-0.0	-0.0
-0.0	Min	-0.032	-0.113	-0.010	-0.0	-0.0
	INVSLE Max	0.017	0.053	0.003	-0.0	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.014	-0.052	-0.020	-0.0	-0.0
-0.0							
1040	C1-C2;~1	Max	0.002	0.003	0.009	0.0	0.0
0.0		Min	-0.002	-0.003	-0.014	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.003	0.010	0.0	0.0
0.0		Min	-0.002	-0.003	-0.014	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.005	0.0	0.0
0.0		Min	-0.001	-0.002	-0.008	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.005	0.0	0.0
0.0		Min	-0.001	-0.002	-0.008	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.008	0.026	-0.003	-0.0	-0.0
0.0	SLVy (RS)		-0.031	0.104	0.001	-0.0	0.0
0.0	SLDx (RS)		-0.006	0.018	-0.002	-0.0	-0.0
0.0	SLDy (RS)		-0.018	0.060	0.001	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.001	0.002	0.0	0.0
0.0	G1		0.001	0.000	-0.006	-0.0	-0.0
-0.0	G2		0.000	0.000	-0.002	-0.0	-0.0
-0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3		-0.003	0.009	-0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	-0.000	-0.0	-0.0
-0.0	q4-5		-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	0.000	-0.0	0.0
0.0	q4-7		-0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5 - p~1		0.003	-0.007	0.001	-0.0	0.0
0.0	q5 - p~2		-0.009	0.031	-0.000	-0.0	0.0
0.0	q5 - p~3		0.002	-0.007	0.001	-0.0	0.0
0.0	q5 - p~4		-0.008	0.030	-0.000	-0.0	-0.0
0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.006	-0.000	-0.0	-0.0
0.0	T		-0.011	0.035	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.005	0.018	0.000	0.0	0.0
0.0	M. tor~2		-0.003	0.011	0.000	0.0	0.0
0.0	INVS LU	Max	0.024	0.073	0.003	-0.0	-0.0
-0.0		Min	-0.020	-0.072	-0.030	-0.0	-0.0
0.0	INVS LV	Max	0.034	0.112	-0.004	-0.0	-0.0
-0.0		Min	-0.032	-0.112	-0.012	-0.0	-0.0
0.0	INVS LE	Max	0.017	0.053	0.002	-0.0	-0.0
-0.0		Min	-0.014	-0.052	-0.022	-0.0	-0.0
1041	C1-C2;~1	Max	0.002	0.003	0.010	0.0	0.0
0.0		Min	-0.002	-0.003	-0.015	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.003	0.010	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.015	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.005	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.008	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.006	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.008	-0.0	-0.0
0.0	SLVx (RS)		-0.008	0.026	-0.003	-0.0	-0.0
0.0	SLVy (RS)		-0.031	0.103	0.001	-0.0	0.0
0.0	SLDx (RS)		-0.006	0.018	-0.002	-0.0	-0.0
0.0	SLDy (RS)		-0.018	0.059	0.001	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.001	0.002	0.0	0.0
-0.0	G1		0.001	0.000	-0.007	-0.0	-0.0
-0.0	G2		0.000	0.000	-0.002	-0.0	-0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	-0.003	0.009	-0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	0.000	-0.0	0.0
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1	0.003	-0.007	0.001	-0.0	0.0
0.0	q5 - p~2	-0.009	0.031	-0.000	-0.0	0.0
0.0	q5 - p~3	0.002	-0.007	0.001	-0.0	0.0
0.0	q5 - p~4	-0.008	0.029	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.006	-0.000	-0.0	-0.0
0.0	T	-0.011	0.035	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.005	0.018	0.000	0.0	0.0
0.0	M. tor~2	-0.003	0.011	0.000	0.0	0.0
0.0	INVSLU Max	0.024	0.073	0.002	-0.0	-0.0
-0.0	Min	-0.021	-0.072	-0.033	-0.0	-0.0
0.0	INVSLV Max	0.035	0.112	-0.005	-0.0	-0.0
-0.0	Min	-0.032	-0.111	-0.013	-0.0	-0.0
0.0	INVSLE Max	0.017	0.053	0.002	-0.0	-0.0
-0.0	Min	-0.015	-0.052	-0.024	-0.0	-0.0
1042	C1-C2;~1 Max	0.002	0.003	0.010	0.0	0.0
0.0	Min	-0.002	-0.003	-0.016	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.003	0.003	0.011	0.0	0.0
0.0	Min	-0.002	-0.003	-0.016	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.002	0.006	0.0	0.0
0.0	Min	-0.001	-0.002	-0.009	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.002	0.006	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.009	-0.0	-0.0
0.0	SLVx	(RS)	-0.008	0.026	-0.004	-0.0	-0.0
0.0	SLVy	(RS)	-0.032	0.103	0.001	-0.0	-0.0
0.0	SLDx	(RS)	-0.006	0.018	-0.003	-0.0	-0.0
0.0	SLDy	(RS)	-0.018	0.059	0.001	-0.0	-0.0
0.0	SLVz	(RS)	-0.000	-0.001	0.003	0.0	0.0
-0.0	G1		0.001	0.000	-0.007	-0.0	-0.0
-0.0	G2		0.000	0.000	-0.003	-0.0	-0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3		-0.003	0.009	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	0.000	-0.0	0.0
-0.0	q4-7		-0.000	0.002	-0.000	-0.0	-0.0
0.0	q5 - p~1		0.003	-0.007	0.001	-0.0	0.0
0.0	q5 - p~2		-0.009	0.031	-0.000	-0.0	0.0
0.0	q5 - p~3		0.002	-0.007	0.001	-0.0	0.0
0.0	q5 - p~4		-0.008	0.029	-0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.005	-0.000	0.0	-0.0
0.0	T		-0.012	0.035	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.006	0.018	0.000	0.0	0.0
0.0	M. tor~2		-0.003	0.010	0.000	0.0	0.0
0.0	INVS LU	Max	0.025	0.073	0.001	-0.0	-0.0
-0.0		Min	-0.021	-0.072	-0.036	-0.0	-0.0

PROJECT TITLE :


	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.035	0.111	-0.005	-0.0	-0.0
-0.0		Min	-0.033	-0.110	-0.015	-0.0	-0.0
0.0	INVS LE	Max	0.018	0.053	0.001	-0.0	-0.0
-0.0		Min	-0.015	-0.052	-0.027	-0.0	-0.0
1043 0.0	C1-C2;~1	Max	0.002	0.003	0.011	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.017	-0.0	-0.0
0.0	C3-C4;~1	Max	0.003	0.003	0.011	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.017	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.006	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.009	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.006	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.010	-0.0	-0.0
0.0	SLVx (RS)		-0.008	0.026	-0.004	-0.0	-0.0
0.0	SLVy (RS)		-0.032	0.102	0.001	-0.0	-0.0
0.0	SLDx (RS)		-0.006	0.018	-0.003	-0.0	-0.0
0.0	SLDy (RS)		-0.018	0.059	0.001	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.001	0.003	0.0	0.0
-0.0	G1		0.001	0.000	-0.008	-0.0	-0.0
-0.0	G2		0.000	0.000	-0.003	-0.0	-0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3		-0.003	0.009	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	0.000	-0.0	0.0
-0.0	q4-7		-0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5 - p~1		0.003	-0.007	0.001	-0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	-0.009	0.031	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.002	-0.007	0.001	-0.0	0.0
0.0	q5 - p~4	-0.008	0.029	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	-0.0
0.0	T	-0.012	0.035	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.006	0.018	0.000	0.0	0.0
0.0	M. tor~2	-0.003	0.010	0.000	0.0	0.0
0.0	INVS LU Max	0.025	0.073	0.000	-0.0	-0.0
-0.0	Min	-0.022	-0.072	-0.039	-0.0	-0.0
0.0	INVS LV Max	0.036	0.110	-0.006	-0.0	-0.0
-0.0	Min	-0.033	-0.110	-0.016	-0.0	-0.0
0.0	INVS LE Max	0.018	0.053	0.000	-0.0	-0.0
-0.0	Min	-0.015	-0.052	-0.029	-0.0	-0.0
1044	C1-C2;~1 Max	0.002	0.003	0.011	0.0	0.0
0.0	Min	-0.002	-0.003	-0.018	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.003	0.003	0.011	0.0	0.0
0.0	Min	-0.002	-0.003	-0.018	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.002	0.006	0.0	0.0
0.0	Min	-0.001	-0.002	-0.010	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.002	0.006	0.0	0.0
0.0	Min	-0.001	-0.002	-0.010	-0.0	-0.0
0.0	SLVx (RS)	-0.008	0.026	-0.004	-0.0	0.0
0.0	SLVy (RS)	-0.032	0.101	0.001	-0.0	-0.0
0.0	SLDx (RS)	-0.006	0.018	-0.003	-0.0	0.0
0.0	SLDy (RS)	-0.019	0.058	0.001	-0.0	-0.0
0.0	SLVz (RS)	-0.000	-0.001	0.003	0.0	0.0
-0.0	G1	0.001	0.001	-0.009	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	G2	0.000	0.000	-0.003	-0.0	-0.0
0.0	G1-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3	-0.003	0.009	-0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.001	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	0.000	-0.0	0.0
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5 - p~1	0.003	-0.007	0.001	-0.0	0.0
0.0	q5 - p~2	-0.009	0.031	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.002	-0.007	0.001	-0.0	0.0
0.0	q5 - p~4	-0.009	0.029	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	-0.0
0.0	T	-0.012	0.036	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.006	0.017	0.000	0.0	0.0
0.0	M. tor~2	-0.003	0.010	0.000	0.0	0.0
0.0	INVSLU Max	0.026	0.073	-0.001	-0.0	-0.0
-0.0	Min	-0.022	-0.072	-0.042	-0.0	-0.0
0.0	INVSLV Max	0.036	0.110	-0.007	-0.0	-0.0
-0.0	Min	-0.034	-0.109	-0.017	-0.0	-0.0
0.0	INVSLE Max	0.018	0.053	-0.001	-0.0	-0.0
-0.0	Min	-0.016	-0.052	-0.031	-0.0	-0.0
1045	C1-C2;~1 Max	0.002	0.003	0.011	0.0	0.0
0.0	Min	-0.002	-0.003	-0.019	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.003	0.003	0.011	0.0	0.0
0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.002	-0.003	-0.019	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.006	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.010	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.006	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.011	-0.0	-0.0
0.0	SLVx (RS)	-0.009	0.026	-0.004	-0.0	0.0
0.0	SLVy (RS)	-0.033	0.101	0.001	-0.0	-0.0
0.0	SLDx (RS)	-0.006	0.018	-0.003	-0.0	0.0
0.0	SLDy (RS)	-0.019	0.058	0.001	-0.0	-0.0
0.0	SLVz (RS)	-0.000	-0.001	0.003	0.0	0.0
-0.0	G1	0.001	0.001	-0.010	-0.0	-0.0
-0.0	G2	0.000	0.000	-0.004	-0.0	-0.0
0.0	G1-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3	-0.003	0.009	-0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-2	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	0.000	-0.0	0.0
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5 - p~1	0.003	-0.007	0.001	-0.0	0.0
0.0	q5 - p~2	-0.009	0.030	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.002	-0.007	0.001	-0.0	0.0
0.0	q5 - p~4	-0.009	0.029	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	-0.0
0.0	T	-0.012	0.036	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.006	0.017	0.000	0.0	0.0
0.0	M. tor~2	-0.003	0.010	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


0.0	INVS LU	Max	0.026	0.074	-0.002	-0.0	-0.0
-0.0		Min	-0.023	-0.072	-0.044	-0.0	-0.0
0.0	INVS LV	Max	0.037	0.109	-0.008	-0.0	-0.0
-0.0		Min	-0.034	-0.108	-0.019	-0.0	-0.0
0.0	INVS LE	Max	0.018	0.053	-0.002	-0.0	-0.0
-0.0		Min	-0.016	-0.051	-0.033	-0.0	-0.0
1046 0.0	C1-C2;~1	Max	0.002	0.004	0.011	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.019	-0.0	-0.0
0.0	C3-C4;~1	Max	0.003	0.003	0.011	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.020	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.006	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.006	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
0.0	SLVx (RS)		-0.009	0.026	-0.004	-0.0	0.0
0.0	SLVy (RS)		-0.033	0.100	0.001	-0.0	-0.0
0.0	SLDx (RS)		-0.006	0.018	-0.003	-0.0	0.0
0.0	SLDy (RS)		-0.019	0.057	0.001	-0.0	-0.0
0.0	SLVz (RS)		-0.000	-0.001	0.004	0.0	0.0
-0.0	G1		0.001	0.001	-0.010	-0.0	-0.0
-0.0	G2		0.000	0.000	-0.004	-0.0	-0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3		-0.003	0.009	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-2		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	-0.000	0.002	0.000	-0.0	0.0
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5 - p~1	0.003	-0.007	0.001	-0.0	0.0
0.0	q5 - p~2	-0.009	0.030	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.002	-0.007	0.001	-0.0	0.0
0.0	q5 - p~4	-0.009	0.029	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	-0.0
0.0	T	-0.013	0.036	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.006	0.017	0.000	0.0	0.0
0.0	M. tor~2	-0.003	0.010	0.000	0.0	0.0
0.0	INVS LU Max	0.027	0.074	-0.003	-0.0	-0.0
-0.0	Min	-0.023	-0.072	-0.046	-0.0	-0.0
0.0	INVS LV Max	0.037	0.109	-0.009	-0.0	-0.0
-0.0	Min	-0.035	-0.107	-0.020	-0.0	-0.0
0.0	INVS LE Max	0.019	0.053	-0.002	-0.0	-0.0
-0.0	Min	-0.016	-0.051	-0.034	-0.0	-0.0
1047	C1-C2;~1 Max	0.002	0.004	0.011	0.0	0.0
0.0	Min	-0.002	-0.003	-0.020	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.003	0.003	0.011	0.0	0.0
0.0	Min	-0.002	-0.003	-0.020	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.002	0.006	0.0	0.0
0.0	Min	-0.001	-0.002	-0.011	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.002	0.006	0.0	0.0
0.0	Min	-0.001	-0.002	-0.011	-0.0	-0.0
0.0	SLVx (RS)	-0.009	0.025	-0.004	-0.0	0.0
0.0	SLVy (RS)	-0.034	0.099	0.001	-0.0	-0.0
0.0	SLDx (RS)	-0.006	0.017	-0.003	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	-0.019	0.057	0.001	-0.0	-0.0	
0.0	SLVz (RS)	-0.000	-0.001	0.004	0.0	0.0	
0.0	G1	0.001	0.001	-0.011	-0.0	-0.0	
-0.0	G2	0.000	0.000	-0.004	-0.0	-0.0	
-0.0	G1-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	G2-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	q3	-0.003	0.009	-0.000	-0.0	0.0	
0.0	q4-1	0.000	-0.001	0.000	0.0	-0.0	
-0.0	q4-2	0.000	-0.001	0.000	0.0	-0.0	
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0	
-0.0	q4-4	0.000	-0.000	-0.000	-0.0	-0.0	
-0.0	q4-5	-0.000	0.000	0.000	-0.0	0.0	
0.0	q4-6	-0.000	0.002	0.000	-0.0	0.0	
0.0	q4-7	-0.000	0.002	-0.000	-0.0	-0.0	
-0.0	q5 - p~1	0.003	-0.007	0.001	-0.0	0.0	
-0.0	q5 - p~2	-0.009	0.030	-0.000	-0.0	0.0	
0.0	q5 - p~3	0.002	-0.007	0.001	-0.0	0.0	
-0.0	q5 - p~4	-0.009	0.028	-0.000	-0.0	-0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	-0.002	0.005	-0.000	0.0	-0.0	
0.0	T	-0.013	0.036	-0.000	-0.0	-0.0	
0.0	M. tor~1	-0.006	0.017	0.000	0.0	0.0	
0.0	M. tor~2	-0.004	0.010	0.000	0.0	0.0	
0.0	INVSLU Max	0.027	0.074	-0.004	-0.0	-0.0	
0.0	INVSLU Min	-0.024	-0.072	-0.048	-0.0	-0.0	
-0.0	INVSLV Max	0.037	0.108	-0.009	-0.0	-0.0	
0.0	INVSLV Min	-0.035	-0.106	-0.021	-0.0	-0.0	
-0.0	INVSLE Max	0.019	0.053	-0.003	-0.0	-0.0	
0.0	INVSLE Min	-0.017	-0.051	-0.036	-0.0	-0.0	
-0.0							
1048	C1-C2;~1 Max	0.002	0.004	0.011	0.0	0.0	


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.002	-0.003	-0.020	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.003	0.011	0.0	0.0
0.0		Min	-0.002	-0.003	-0.021	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.006	0.0	0.0
0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.006	0.0	0.0
0.0		Min	-0.001	-0.002	-0.012	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	-0.009	0.025	-0.004	-0.0	0.0
0.0	SLVy	(RS)	-0.034	0.099	0.001	-0.0	-0.0
0.0	SLDx	(RS)	-0.006	0.017	-0.003	-0.0	0.0
0.0	SLDy	(RS)	-0.020	0.057	0.001	-0.0	-0.0
0.0	SLVz	(RS)	-0.000	-0.001	0.004	0.0	0.0
0.0	G1		0.001	0.001	-0.012	-0.0	-0.0
-0.0	G2		0.000	0.000	-0.004	-0.0	-0.0
-0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3		-0.003	0.009	-0.000	-0.0	0.0
0.0	q4-1		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-2		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.002	0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5 - p~1		0.003	-0.007	0.001	-0.0	0.0
-0.0	q5 - p~2		-0.009	0.030	-0.000	-0.0	0.0
0.0	q5 - p~3		0.003	-0.007	0.001	-0.0	0.0
-0.0	q5 - p~4		-0.009	0.028	-0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.005	-0.000	0.0	-0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	-0.013	0.036	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.006	0.017	0.000	0.0	0.0
0.0	M. tor~2	-0.004	0.010	0.000	0.0	0.0
0.0	INVS LU Max	0.028	0.074	-0.005	-0.0	-0.0
0.0	Min	-0.025	-0.072	-0.050	-0.0	-0.0
-0.0	INVS LV Max	0.038	0.107	-0.010	-0.0	-0.0
0.0	Min	-0.036	-0.106	-0.022	-0.0	-0.0
-0.0	INVS LE Max	0.019	0.053	-0.004	-0.0	-0.0
0.0	Min	-0.017	-0.051	-0.037	-0.0	-0.0
-0.0						
1049	C1-C2;~1 Max	0.002	0.004	0.011	0.0	0.0
0.0	Min	-0.002	-0.003	-0.021	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	0.003	0.003	0.011	0.0	0.0
0.0	Min	-0.002	-0.003	-0.021	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.001	0.002	0.006	0.0	0.0
0.0	Min	-0.001	-0.002	-0.011	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	0.001	0.002	0.006	0.0	0.0
0.0	Min	-0.001	-0.002	-0.012	-0.0	-0.0
-0.0						
0.0	SLVx (RS)	-0.009	0.025	-0.004	-0.0	0.0
0.0	SLVy (RS)	-0.034	0.098	0.001	-0.0	-0.0
0.0	SLDx (RS)	-0.006	0.017	-0.003	-0.0	0.0
0.0	SLDy (RS)	-0.020	0.056	0.001	-0.0	-0.0
0.0	SLVz (RS)	-0.000	-0.001	0.004	0.0	0.0
0.0						
-0.0	G1	0.001	0.001	-0.012	-0.0	-0.0
-0.0	G2	0.000	0.000	-0.004	-0.0	-0.0
-0.0						
0.0	G1-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0						
0.0	q3	-0.003	0.009	-0.000	0.0	0.0
0.0						
-0.0	q4-1	0.000	-0.001	0.000	0.0	-0.0
-0.0						
-0.0	q4-2	0.000	-0.001	0.000	0.0	-0.0
-0.0						

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5 - p~1	0.003	-0.007	0.001	-0.0	0.0
0.0	q5 - p~2	-0.010	0.030	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.003	-0.007	0.001	-0.0	0.0
0.0	q5 - p~4	-0.009	0.028	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	-0.0
0.0	T	-0.014	0.037	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.006	0.017	0.000	0.0	0.0
0.0	M. tor~2	-0.004	0.010	0.000	0.0	0.0
0.0	INVS LU Max	0.028	0.074	-0.006	-0.0	0.0
-0.0	Min	-0.025	-0.072	-0.051	-0.0	-0.0
0.0	INVS LV Max	0.038	0.107	-0.010	-0.0	-0.0
-0.0	Min	-0.036	-0.105	-0.022	-0.0	-0.0
0.0	INVS LE Max	0.019	0.053	-0.005	-0.0	0.0
-0.0	Min	-0.017	-0.051	-0.038	-0.0	-0.0
1050	C1-C2;~1 Max	0.002	0.004	0.011	0.0	0.0
0.0	Min	-0.002	-0.003	-0.021	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.003	0.004	0.011	0.0	0.0
0.0	Min	-0.002	-0.003	-0.021	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.002	0.006	0.0	0.0
0.0	Min	-0.001	-0.002	-0.012	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.002	0.006	0.0	0.0
0.0	Min	-0.001	-0.002	-0.012	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.009	0.025	-0.004	-0.0	0.0
0.0	SLVy (RS)	-0.035	0.097	0.001	-0.0	-0.0
0.0	SLDx (RS)	-0.006	0.017	-0.003	-0.0	0.0
0.0	SLDy (RS)	-0.020	0.056	0.001	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.000	0.004	0.0	0.0
-0.0	G1	0.001	0.001	-0.012	-0.0	-0.0
-0.0	G2	0.000	0.000	-0.004	-0.0	-0.0
0.0	G1-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3	-0.003	0.009	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-2	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.002	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5 - p~1	0.003	-0.007	0.001	-0.0	0.0
0.0	q5 - p~2	-0.010	0.029	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.003	-0.007	0.001	-0.0	-0.0
0.0	q5 - p~4	-0.009	0.028	-0.000	-0.0	-0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	0.0
0.0	T	-0.014	0.037	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.006	0.017	0.001	0.0	0.0
0.0	M. tor~2	-0.004	0.010	0.000	0.0	0.0
0.0	INVSLU Max	0.028	0.075	-0.007	-0.0	0.0
-0.0	Min	-0.026	-0.072	-0.052	-0.0	-0.0
0.0	INVSLV Max	0.039	0.106	-0.011	-0.0	0.0
-0.0	Min	-0.037	-0.104	-0.023	-0.0	-0.0
	INVSLE Max	0.020	0.053	-0.005	-0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


0.0		Min	-0.018	-0.051	-0.038	-0.0	-0.0
-0.0							
1051	C1-C2;~1	Max	0.002	0.004	0.010	0.0	0.0
0.0		Min	-0.002	-0.003	-0.021	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.004	0.011	0.0	0.0
0.0		Min	-0.002	-0.004	-0.021	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.006	0.0	0.0
0.0		Min	-0.001	-0.002	-0.012	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.006	0.0	0.0
0.0		Min	-0.001	-0.002	-0.012	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.009	0.025	-0.004	-0.0	0.0
0.0	SLVy (RS)		-0.035	0.097	0.001	-0.0	-0.0
0.0	SLDx (RS)		-0.007	0.017	-0.003	-0.0	0.0
0.0	SLDy (RS)		-0.020	0.056	0.001	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.004	0.0	0.0
0.0	G1		0.001	0.001	-0.013	-0.0	-0.0
-0.0	G2		0.000	0.000	-0.005	-0.0	-0.0
-0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3		-0.003	0.009	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-2		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.001	0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5 - p~1		0.003	-0.007	0.001	-0.0	-0.0
-0.0	q5 - p~2		-0.010	0.029	-0.000	-0.0	0.0
0.0	q5 - p~3		0.003	-0.007	0.001	-0.0	-0.0
-0.0	q5 - p~4		-0.009	0.028	-0.000	-0.0	-0.0
0.0							

MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.005	-0.000	0.0	0.0
0.0	T		-0.014	0.037	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.006	0.016	0.001	0.0	0.0
0.0	M. tor~2		-0.004	0.010	0.000	0.0	0.0
0.0	INVS LU	Max	0.029	0.075	-0.008	-0.0	0.0
-0.0		Min	-0.026	-0.071	-0.052	-0.0	-0.0
0.0	INVS LV	Max	0.039	0.105	-0.011	-0.0	0.0
-0.0		Min	-0.037	-0.103	-0.023	-0.0	-0.0
0.0	INVS LE	Max	0.020	0.053	-0.006	-0.0	0.0
-0.0		Min	-0.018	-0.051	-0.039	-0.0	-0.0
1052	C1-C2;~1	Max	0.002	0.004	0.010	0.0	0.0
0.0		Min	-0.002	-0.003	-0.020	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.004	0.010	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.021	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.006	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.006	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.012	-0.0	-0.0
0.0	SLVx (RS)		-0.009	0.025	-0.004	-0.0	0.0
0.0	SLVy (RS)		-0.036	0.096	0.001	-0.0	-0.0
0.0	SLDx (RS)		-0.007	0.017	-0.003	-0.0	0.0
0.0	SLDy (RS)		-0.020	0.055	0.001	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.004	0.0	-0.0
-0.0	G1		0.001	0.001	-0.013	-0.0	0.0
-0.0	G2		0.000	0.000	-0.005	-0.0	0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	-0.003	0.009	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-2	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6	-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5 - p~1	0.003	-0.007	0.001	-0.0	-0.0
0.0	q5 - p~2	-0.010	0.029	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.003	-0.007	0.001	-0.0	-0.0
0.0	q5 - p~4	-0.009	0.028	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	0.0
0.0	T	-0.015	0.037	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.006	0.016	0.001	0.0	0.0
0.0	M. tor~2	-0.004	0.010	0.000	0.0	0.0
0.0	INVSLU Max	0.029	0.075	-0.009	-0.0	0.0
-0.0	Min	-0.027	-0.071	-0.052	-0.0	-0.0
0.0	INVSLV Max	0.039	0.105	-0.011	-0.0	0.0
-0.0	Min	-0.038	-0.102	-0.024	-0.0	-0.0
0.0	INVSLE Max	0.020	0.053	-0.007	-0.0	0.0
-0.0	Min	-0.018	-0.050	-0.039	-0.0	-0.0
1053	C1-C2;~1 Max	0.002	0.004	0.010	0.0	0.0
0.0	Min	-0.002	-0.003	-0.020	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.004	0.010	0.0	0.0
0.0	Min	-0.002	-0.004	-0.021	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.002	0.005	0.0	0.0
0.0	Min	-0.001	-0.002	-0.011	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.002	0.006	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.012	-0.0	-0.0
0.0	SLVx	(RS)	-0.010	0.024	-0.004	-0.0	0.0
0.0	SLVy	(RS)	-0.036	0.095	0.001	-0.0	-0.0
0.0	SLDx	(RS)	-0.007	0.017	-0.003	-0.0	0.0
0.0	SLDy	(RS)	-0.021	0.055	0.001	-0.0	-0.0
0.0	SLVz	(RS)	0.000	-0.000	0.004	0.0	-0.0
-0.0	G1		0.001	0.001	-0.013	-0.0	0.0
-0.0	G2		0.000	0.000	-0.005	-0.0	0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3		-0.003	0.009	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.002	-0.000	-0.0	0.0
-0.0	q5 - p~1		0.003	-0.007	0.001	-0.0	-0.0
0.0	q5 - p~2		-0.010	0.029	-0.000	-0.0	0.0
-0.0	q5 - p~3		0.003	-0.007	0.001	-0.0	-0.0
0.0	q5 - p~4		-0.009	0.027	-0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.005	-0.000	0.0	0.0
0.0	T		-0.015	0.037	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.006	0.016	0.001	0.0	0.0
0.0	M. tor~2		-0.004	0.010	0.000	0.0	0.0
0.0	INVS LU	Max	0.030	0.075	-0.009	-0.0	0.0
-0.0		Min	-0.027	-0.071	-0.052	-0.0	-0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.040	0.104	-0.012	-0.0	0.0
-0.0		Min	-0.038	-0.101	-0.024	-0.0	-0.0
0.0	INVS LE	Max	0.020	0.053	-0.007	-0.0	0.0
-0.0		Min	-0.019	-0.050	-0.039	-0.0	-0.0
1054 0.0	C1-C2;~1	Max	0.002	0.004	0.009	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.020	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.004	0.010	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.020	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.005	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.005	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
0.0	SLVx (RS)		-0.010	0.024	-0.004	-0.0	0.0
0.0	SLVy (RS)		-0.036	0.095	0.001	-0.0	-0.0
0.0	SLDx (RS)		-0.007	0.017	-0.003	-0.0	0.0
0.0	SLDy (RS)		-0.021	0.054	0.001	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.004	0.0	-0.0
-0.0	G1		0.001	0.001	-0.013	-0.0	0.0
-0.0	G2		0.000	0.001	-0.005	-0.0	0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3		-0.003	0.009	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	0.0
0.0	q4-6		-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.002	-0.000	-0.0	0.0
-0.0	q5 - p~1		0.003	-0.007	0.001	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	-0.010	0.029	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.003	-0.007	0.001	-0.0	-0.0
0.0	q5 - p~4	-0.010	0.027	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	0.0
0.0	T	-0.015	0.037	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.007	0.016	0.001	-0.0	0.0
0.0	M. tor~2	-0.004	0.009	0.000	-0.0	0.0
0.0	INVS LU Max	0.030	0.076	-0.010	0.0	0.0
-0.0	Min	-0.028	-0.071	-0.051	-0.0	-0.0
0.0	INVS LV Max	0.040	0.104	-0.012	-0.0	0.0
-0.0	Min	-0.039	-0.100	-0.023	-0.0	0.0
0.0	INVS LE Max	0.021	0.053	-0.007	0.0	0.0
-0.0	Min	-0.019	-0.050	-0.038	-0.0	-0.0
1055	C1-C2;~1 Max	0.002	0.004	0.009	0.0	0.0
0.0	Min	-0.002	-0.003	-0.019	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.004	0.009	0.0	0.0
0.0	Min	-0.002	-0.004	-0.020	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.002	0.005	0.0	0.0
0.0	Min	-0.001	-0.002	-0.011	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.002	0.005	0.0	0.0
0.0	Min	-0.001	-0.002	-0.011	-0.0	-0.0
0.0	SLVx (RS)	-0.010	0.024	-0.004	-0.0	0.0
0.0	SLVy (RS)	-0.037	0.094	0.001	-0.0	-0.0
0.0	SLDx (RS)	-0.007	0.017	-0.003	-0.0	0.0
0.0	SLDy (RS)	-0.021	0.054	0.001	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.000	0.004	0.0	-0.0
-0.0	G1	0.001	0.002	-0.013	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
	G2	0.000	0.001	-0.005	-0.0	0.0
-0.0	G1-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3	-0.003	0.009	-0.000	0.0	0.0
0.0	q4-1	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-3	0.000	-0.001	0.000	0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6	-0.000	0.001	0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.002	-0.000	-0.0	0.0
-0.0	q5 - p~1	0.003	-0.007	0.001	-0.0	-0.0
-0.0	q5 - p~2	-0.010	0.028	-0.000	-0.0	0.0
0.0	q5 - p~3	0.003	-0.007	0.001	-0.0	-0.0
-0.0	q5 - p~4	-0.010	0.027	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	0.0
0.0	T	-0.016	0.038	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.007	0.016	0.001	-0.0	-0.0
0.0	M. tor~2	-0.004	0.009	0.000	-0.0	-0.0
0.0	INVS LU Max	0.030	0.076	-0.010	0.0	0.0
-0.0	Min	-0.028	-0.071	-0.050	-0.0	-0.0
0.0	INVS LV Max	0.040	0.103	-0.012	-0.0	0.0
-0.0	Min	-0.039	-0.100	-0.023	-0.0	0.0
0.0	INVS LE Max	0.021	0.053	-0.008	0.0	0.0
-0.0	Min	-0.019	-0.050	-0.037	-0.0	-0.0
1056	C1-C2;~1 Max	0.002	0.004	0.009	0.0	0.0
0.0	Min	-0.002	-0.004	-0.019	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.004	0.009	0.0	0.0
0.0						

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.002	-0.004	-0.019	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.002	0.005	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.010	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.002	0.005	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.011	-0.0	-0.0
0.0	SLVx (RS)	-0.010	0.024	-0.004	-0.0	0.0
0.0	SLVy (RS)	-0.037	0.093	0.001	-0.0	-0.0
0.0	SLDx (RS)	-0.007	0.017	-0.003	-0.0	0.0
0.0	SLDy (RS)	-0.021	0.054	0.001	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.000	0.004	0.0	-0.0
-0.0	G1	0.001	0.002	-0.012	-0.0	0.0
-0.0	G2	0.000	0.001	-0.004	-0.0	0.0
0.0	G1-Imp~1	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3	-0.003	0.009	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-3	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6	-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	0.0
-0.0	q5 - p~1	0.003	-0.007	0.001	-0.0	-0.0
0.0	q5 - p~2	-0.010	0.028	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.003	-0.006	0.001	-0.0	-0.0
0.0	q5 - p~4	-0.010	0.027	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	0.0
0.0	T	-0.016	0.038	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.007	0.016	0.001	-0.0	-0.0
0.0	M. tor~2	-0.004	0.009	0.000	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	INVS LU	Max	0.031	0.076	-0.010	0.0	0.0
-0.0		Min	-0.029	-0.071	-0.049	-0.0	0.0
0.0	INVS LV	Max	0.041	0.102	-0.011	-0.0	0.0
-0.0		Min	-0.040	-0.099	-0.022	-0.0	0.0
0.0	INVS LE	Max	0.021	0.053	-0.008	0.0	0.0
-0.0		Min	-0.020	-0.050	-0.036	-0.0	0.0
1057 0.0	C1-C2;~1	Max	0.002	0.005	0.008	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.018	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.004	0.008	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.018	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.002	0.004	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.010	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.002	0.005	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.010	-0.0	-0.0
0.0	SLVx (RS)		-0.010	0.024	-0.004	-0.0	0.0
0.0	SLVy (RS)		-0.038	0.093	0.001	-0.0	-0.0
0.0	SLDx (RS)		-0.007	0.016	-0.003	-0.0	0.0
0.0	SLDy (RS)		-0.022	0.053	0.001	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.004	0.0	-0.0
-0.0	G1		0.001	0.002	-0.012	-0.0	0.0
-0.0	G2		0.000	0.001	-0.004	-0.0	0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3		-0.003	0.009	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.002	-0.000	-0.0	0.0
-0.0	q5 - p~1	0.003	-0.007	0.001	-0.0	-0.0
0.0	q5 - p~2	-0.010	0.028	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.003	-0.006	0.001	-0.0	-0.0
0.0	q5 - p~4	-0.010	0.027	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	0.0
0.0	T	-0.016	0.038	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.007	0.016	0.001	-0.0	-0.0
0.0	M. tor~2	-0.004	0.009	0.000	-0.0	-0.0
0.0	INVS LU Max	0.031	0.076	-0.010	0.0	0.0
-0.0	Min	-0.030	-0.071	-0.047	-0.0	0.0
0.0	INVS LV Max	0.041	0.102	-0.011	0.0	0.0
-0.0	Min	-0.040	-0.098	-0.022	-0.0	0.0
0.0	INVS LE Max	0.021	0.054	-0.008	0.0	0.0
-0.0	Min	-0.020	-0.049	-0.035	-0.0	0.0
1058	C1-C2;~1 Max	0.002	0.005	0.008	0.0	0.0
0.0	Min	-0.002	-0.004	-0.017	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.005	0.008	0.0	0.0
0.0	Min	-0.002	-0.004	-0.017	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.002	0.004	0.0	0.0
0.0	Min	-0.001	-0.002	-0.009	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.002	0.004	0.0	0.0
0.0	Min	-0.001	-0.002	-0.010	-0.0	-0.0
0.0	SLVx (RS)	-0.010	0.024	-0.004	-0.0	0.0
0.0	SLVy (RS)	-0.038	0.092	0.001	-0.0	-0.0
0.0	SLDx (RS)	-0.007	0.016	-0.003	-0.0	0.0

MIDAS

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	-0.022	0.053	0.001	-0.0	-0.0	
0.0	SLVz (RS)	0.000	-0.000	0.004	0.0	-0.0	
0.0	G1	0.001	0.002	-0.011	-0.0	0.0	
-0.0	G2	0.000	0.001	-0.004	0.0	0.0	
-0.0	G1-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0	
0.0	G2-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0	
0.0	q3	-0.004	0.008	-0.000	0.0	0.0	
0.0	q4-1	0.000	-0.001	0.000	-0.0	-0.0	
-0.0	q4-2	0.000	-0.001	0.000	-0.0	-0.0	
-0.0	q4-3	0.000	-0.001	0.000	-0.0	-0.0	
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0	
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q4-6	-0.000	0.001	0.000	-0.0	-0.0	
0.0	q4-7	-0.000	0.002	-0.000	-0.0	0.0	
-0.0	q5 - p~1	0.003	-0.007	0.001	-0.0	-0.0	
-0.0	q5 - p~2	-0.011	0.028	-0.000	-0.0	0.0	
0.0	q5 - p~3	0.003	-0.006	0.000	-0.0	-0.0	
-0.0	q5 - p~4	-0.010	0.026	-0.000	-0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	-0.002	0.005	-0.000	0.0	0.0	
0.0	T	-0.017	0.038	-0.000	-0.0	-0.0	
0.0	M. tor~1	-0.007	0.015	0.001	-0.0	-0.0	
0.0	M. tor~2	-0.004	0.009	0.000	-0.0	-0.0	
0.0	INVSLU Max	0.032	0.077	-0.010	0.0	0.0	
0.0	INVSLU Min	-0.030	-0.071	-0.045	-0.0	0.0	
-0.0	INVSLV Max	0.042	0.101	-0.011	0.0	0.0	
0.0	INVSLV Min	-0.041	-0.097	-0.021	-0.0	0.0	
-0.0	INVSLE Max	0.022	0.054	-0.008	0.0	0.0	
0.0	INVSLE Min	-0.020	-0.049	-0.033	-0.0	0.0	
-0.0							
1059	C1-C2;~1 Max	0.002	0.005	0.007	0.0	0.0	

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.002	-0.004	-0.016	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.005	0.007	0.0	0.0
0.0		Min	-0.002	-0.004	-0.016	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.002	0.004	0.0	0.0
0.0		Min	-0.001	-0.002	-0.009	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.002	0.004	0.0	0.0
0.0		Min	-0.001	-0.002	-0.009	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	-0.010	0.024	-0.003	-0.0	0.0
0.0	SLVy	(RS)	-0.038	0.091	0.001	-0.0	-0.0
0.0	SLDx	(RS)	-0.007	0.016	-0.003	-0.0	0.0
0.0	SLDy	(RS)	-0.022	0.052	0.001	-0.0	-0.0
0.0	SLVz	(RS)	0.000	-0.000	0.003	-0.0	-0.0
0.0	G1		0.000	0.002	-0.011	0.0	0.0
-0.0	G2		0.000	0.001	-0.004	0.0	0.0
-0.0	G1-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3		-0.004	0.008	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6		-0.000	0.001	0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.002	-0.000	-0.0	0.0
-0.0	q5 - p~1		0.003	-0.007	0.000	-0.0	-0.0
-0.0	q5 - p~2		-0.011	0.028	-0.000	-0.0	0.0
0.0	q5 - p~3		0.003	-0.006	0.000	-0.0	-0.0
-0.0	q5 - p~4		-0.010	0.026	-0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.005	-0.000	0.0	0.0
0.0							


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	-0.017	0.038	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.007	0.015	0.001	-0.0	-0.0
0.0	M. tor~2	-0.004	0.009	0.000	-0.0	-0.0
0.0	INVS LU Max	0.032	0.077	-0.010	0.0	0.0
0.0	Min	-0.031	-0.070	-0.042	-0.0	0.0
-0.0	INVS LV Max	0.042	0.100	-0.010	0.0	0.0
0.0	Min	-0.041	-0.096	-0.020	-0.0	0.0
-0.0	INVS LE Max	0.022	0.054	-0.007	0.0	0.0
0.0	Min	-0.021	-0.049	-0.031	-0.0	0.0
-0.0						
1060	C1-C2;~1 Max	0.002	0.005	0.006	0.0	0.0
0.0	Min	-0.002	-0.004	-0.015	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	0.002	0.005	0.007	0.0	0.0
0.0	Min	-0.002	-0.004	-0.015	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.001	0.003	0.003	0.0	0.0
0.0	Min	-0.001	-0.002	-0.008	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	0.001	0.002	0.004	0.0	0.0
0.0	Min	-0.001	-0.002	-0.008	-0.0	-0.0
-0.0						
0.0	SLVx (RS)	-0.010	0.023	-0.003	-0.0	0.0
0.0	SLVy (RS)	-0.039	0.090	0.001	-0.0	-0.0
0.0	SLDx (RS)	-0.007	0.016	-0.002	-0.0	0.0
0.0	SLDy (RS)	-0.022	0.052	0.001	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.000	0.003	-0.0	-0.0
0.0						
-0.0	G1	0.000	0.002	-0.010	0.0	0.0
-0.0	G2	0.000	0.001	-0.004	0.0	0.0
-0.0						
0.0	G1-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0
0.0						
0.0	q3	-0.004	0.008	-0.000	0.0	0.0
0.0						
-0.0	q4-1	0.000	-0.001	0.000	-0.0	-0.0
-0.0						
-0.0	q4-2	0.000	-0.001	0.000	-0.0	-0.0
-0.0						


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6		-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.002	-0.000	0.0	0.0
-0.0	q5 - p~1		0.003	-0.007	0.000	-0.0	-0.0
0.0	q5 - p~2		-0.011	0.027	-0.000	-0.0	0.0
-0.0	q5 - p~3		0.003	-0.006	0.000	-0.0	-0.0
0.0	q5 - p~4		-0.010	0.026	-0.000	-0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.005	-0.000	0.0	0.0
0.0	T		-0.017	0.038	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.007	0.015	0.000	-0.0	-0.0
0.0	M. tor~2		-0.004	0.009	0.000	-0.0	-0.0
0.0	INVS LU	Max	0.032	0.077	-0.010	0.0	0.0
-0.0		Min	-0.031	-0.070	-0.039	-0.0	0.0
0.0	INVS LV	Max	0.042	0.100	-0.009	0.0	0.0
-0.0		Min	-0.041	-0.095	-0.018	-0.0	0.0
0.0	INVS LE	Max	0.022	0.054	-0.007	0.0	0.0
-0.0		Min	-0.021	-0.049	-0.029	-0.0	0.0
1061	C1-C2;~1	Max	0.002	0.005	0.006	0.0	0.0
0.0		Min	-0.002	-0.004	-0.013	-0.0	-0.0
-0.0	C3-C4;~1	Max	0.002	0.005	0.006	0.0	0.0
0.0		Min	-0.002	-0.004	-0.013	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.001	0.003	0.003	0.0	0.0
0.0		Min	-0.001	-0.002	-0.007	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.001	0.003	0.003	0.0	0.0
0.0		Min	-0.001	-0.002	-0.008	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.011	0.023	-0.003	-0.0	0.0
0.0	SLVy (RS)	-0.039	0.090	0.001	-0.0	-0.0
0.0	SLDx (RS)	-0.007	0.016	-0.002	-0.0	0.0
0.0	SLDy (RS)	-0.022	0.051	0.001	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.000	0.003	-0.0	-0.0
-0.0	G1	0.000	0.002	-0.009	0.0	0.0
-0.0	G2	0.000	0.001	-0.003	0.0	0.0
0.0	G1-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3	-0.004	0.008	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-3	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6	-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.002	-0.000	0.0	0.0
-0.0	q5 - p~1	0.003	-0.007	0.000	-0.0	-0.0
0.0	q5 - p~2	-0.011	0.027	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.003	-0.006	0.000	-0.0	-0.0
0.0	q5 - p~4	-0.010	0.026	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	0.0
0.0	T	-0.018	0.039	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.007	0.015	0.000	-0.0	-0.0
0.0	M. tor~2	-0.004	0.009	0.000	-0.0	-0.0
0.0	INVSLU Max	0.033	0.078	-0.009	0.0	0.0
-0.0	Min	-0.032	-0.070	-0.036	-0.0	0.0
0.0	INVSLV Max	0.043	0.099	-0.009	0.0	0.0
-0.0	Min	-0.042	-0.094	-0.017	0.0	0.0
	INVSLE Max	0.022	0.054	-0.007	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0		Min	-0.021	-0.048	-0.027	-0.0	0.0
-0.0							
1062	C1-C2;~1	Max	0.002	0.005	0.005	0.0	0.0
0.0		Min	-0.002	-0.004	-0.012	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.002	0.005	0.005	0.0	0.0
0.0		Min	-0.002	-0.004	-0.012	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.001	0.003	0.003	0.0	0.0
0.0		Min	-0.001	-0.002	-0.007	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.001	0.003	0.003	0.0	0.0
0.0		Min	-0.001	-0.002	-0.007	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.011	0.023	-0.003	-0.0	0.0
0.0	SLVy (RS)		-0.039	0.089	0.001	-0.0	-0.0
0.0	SLDx (RS)		-0.007	0.016	-0.002	-0.0	0.0
0.0	SLDy (RS)		-0.023	0.051	0.001	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.003	-0.0	-0.0
0.0	G1		0.000	0.002	-0.009	0.0	0.0
-0.0	G2		0.000	0.001	-0.003	0.0	0.0
-0.0	G1-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3		-0.004	0.008	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6		-0.000	0.001	0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.002	-0.000	0.0	0.0
-0.0	q5 - p~1		0.003	-0.007	0.000	-0.0	-0.0
-0.0	q5 - p~2		-0.011	0.027	-0.000	-0.0	0.0
0.0	q5 - p~3		0.003	-0.006	0.000	-0.0	-0.0
-0.0	q5 - p~4		-0.010	0.026	-0.000	-0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.005	-0.000	0.0	0.0
0.0	T		-0.018	0.039	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.007	0.015	0.000	-0.0	-0.0
0.0	M. tor~2		-0.004	0.009	0.000	-0.0	-0.0
0.0	INVS LU Max		0.033	0.078	-0.008	0.0	0.0
-0.0	Min		-0.032	-0.070	-0.033	0.0	0.0
0.0	INVS LV Max		0.043	0.099	-0.008	0.0	0.0
-0.0	Min		-0.042	-0.093	-0.016	0.0	0.0
0.0	INVS LE Max		0.023	0.054	-0.006	0.0	0.0
-0.0	Min		-0.022	-0.048	-0.024	0.0	0.0
1063	C1-C2;~1 Max		0.002	0.006	0.004	0.0	0.0
0.0	Min		-0.002	-0.004	-0.010	-0.0	-0.0
-0.0							
0.0	C3-C4;~1 Max		0.002	0.005	0.005	0.0	0.0
-0.0	Min		-0.002	-0.004	-0.011	-0.0	-0.0
0.0	C1-C2;~2 Max		0.001	0.003	0.002	0.0	0.0
-0.0	Min		-0.001	-0.002	-0.006	-0.0	-0.0
0.0	C3-C4;~2 Max		0.001	0.003	0.003	0.0	0.0
-0.0	Min		-0.001	-0.002	-0.006	-0.0	-0.0
0.0	SLVx (RS)		-0.011	0.023	-0.002	-0.0	0.0
0.0	SLVy (RS)		-0.040	0.088	0.001	-0.0	-0.0
0.0	SLDx (RS)		-0.008	0.016	-0.002	-0.0	0.0
0.0	SLDy (RS)		-0.023	0.051	0.001	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.002	-0.0	-0.0
-0.0	G1		0.000	0.002	-0.008	0.0	0.0
-0.0	G2		0.000	0.001	-0.003	0.0	0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q3	-0.004	0.008	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-3	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6	-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.002	-0.000	0.0	0.0
-0.0	q5 - p~1	0.003	-0.007	0.000	-0.0	-0.0
0.0	q5 - p~2	-0.011	0.027	-0.000	-0.0	0.0
-0.0	q5 - p~3	0.003	-0.006	0.000	-0.0	-0.0
0.0	q5 - p~4	-0.011	0.025	-0.000	-0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	0.0
0.0	T	-0.018	0.039	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.007	0.015	0.000	-0.0	-0.0
0.0	M. tor~2	-0.004	0.009	0.000	-0.0	-0.0
0.0	INVSLU Max	0.034	0.078	-0.008	0.0	0.0
-0.0	Min	-0.033	-0.070	-0.029	0.0	0.0
0.0	INVSLV Max	0.043	0.098	-0.007	0.0	0.0
-0.0	Min	-0.043	-0.093	-0.014	0.0	0.0
0.0	INVSLE Max	0.023	0.054	-0.006	0.0	0.0
-0.0	Min	-0.022	-0.048	-0.021	0.0	0.0
1064	C1-C2;~1 Max	0.002	0.006	0.004	0.0	0.0
0.0	Min	-0.002	-0.004	-0.009	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.006	0.004	0.0	0.0
0.0	Min	-0.002	-0.004	-0.009	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.003	0.002	0.0	0.0
0.0	Min	-0.001	-0.002	-0.005	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.001	0.003	0.002	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.005	-0.0	-0.0
-0.0	SLVx	(RS)	-0.011	0.023	-0.002	-0.0	0.0
0.0	SLVy	(RS)	-0.040	0.088	0.001	-0.0	-0.0
-0.0	SLDx	(RS)	-0.008	0.016	-0.001	-0.0	0.0
0.0	SLDy	(RS)	-0.023	0.050	0.001	-0.0	-0.0
0.0	SLVz	(RS)	0.000	-0.000	0.002	-0.0	-0.0
-0.0	G1		0.000	0.002	-0.007	0.0	0.0
-0.0	G2		0.000	0.001	-0.002	0.0	0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3		-0.004	0.008	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6		-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.002	-0.000	0.0	0.0
-0.0	q5 - p~1		0.003	-0.007	0.000	-0.0	-0.0
0.0	q5 - p~2		-0.011	0.026	-0.000	-0.0	0.0
-0.0	q5 - p~3		0.003	-0.006	0.000	-0.0	-0.0
0.0	q5 - p~4		-0.011	0.025	-0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.005	-0.000	0.0	0.0
0.0	T		-0.019	0.039	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.007	0.014	0.000	-0.0	-0.0
0.0	M. tor~2		-0.004	0.009	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.034	0.078	-0.007	0.0	0.0
-0.0		Min	-0.033	-0.070	-0.025	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.044	0.097	-0.006	0.0	0.0
-0.0		Min	-0.043	-0.092	-0.012	0.0	0.0
0.0	INVS LE	Max	0.023	0.054	-0.005	0.0	0.0
-0.0		Min	-0.022	-0.048	-0.018	0.0	0.0
1065 0.0	C1-C2;~1	Max	0.002	0.006	0.003	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.007	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.006	0.003	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.008	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.003	0.002	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.004	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.003	0.002	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.004	-0.0	-0.0
-0.0	SLVx (RS)		-0.011	0.022	-0.002	-0.0	0.0
0.0	SLVy (RS)		-0.040	0.087	0.001	-0.0	-0.0
-0.0	SLDx (RS)		-0.008	0.016	-0.001	-0.0	0.0
0.0	SLDy (RS)		-0.023	0.050	0.001	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.002	-0.0	-0.0
-0.0	G1		0.000	0.003	-0.006	0.0	0.0
-0.0	G2		0.000	0.001	-0.002	0.0	0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3		-0.004	0.008	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6		-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-7		-0.000	0.002	-0.000	0.0	0.0
-0.0	q5 - p~1		0.003	-0.007	0.000	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~2	-0.011	0.026	-0.000	0.0	0.0
-0.0	q5 - p~3	0.003	-0.006	0.000	-0.0	-0.0
0.0	q5 - p~4	-0.011	0.025	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	0.0
0.0	T	-0.019	0.039	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.007	0.014	0.000	-0.0	-0.0
0.0	M. tor~2	-0.004	0.008	0.000	-0.0	-0.0
0.0	INVS LU Max	0.035	0.079	-0.006	0.0	0.0
-0.0	Min	-0.034	-0.070	-0.021	0.0	0.0
0.0	INVS LV Max	0.044	0.097	-0.005	0.0	0.0
-0.0	Min	-0.043	-0.091	-0.010	0.0	0.0
0.0	INVS LE Max	0.023	0.054	-0.004	0.0	0.0
-0.0	Min	-0.023	-0.048	-0.015	0.0	0.0
1066 0.0	C1-C2;~1 Max	0.002	0.006	0.002	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.006	-0.0	-0.0
0.0	C3-C4;~1 Max	0.002	0.006	0.002	0.0	0.0
-0.0	Min	-0.002	-0.004	-0.006	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.003	0.001	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.003	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.003	0.001	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.003	-0.0	-0.0
-0.0	SLVx (RS)	-0.011	0.022	-0.001	-0.0	0.0
0.0	SLVy (RS)	-0.040	0.086	0.001	-0.0	-0.0
-0.0	SLDx (RS)	-0.008	0.015	-0.001	-0.0	0.0
0.0	SLDy (RS)	-0.023	0.049	0.000	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.000	0.001	-0.0	-0.0
-0.0	G1	0.000	0.003	-0.004	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
	G2	0.000	0.001	-0.002	0.0	0.0
-0.0	G1-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3	-0.004	0.008	-0.000	0.0	0.0
0.0	q4-1	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-3	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6	-0.000	0.001	0.000	-0.0	-0.0
0.0	q4-7	-0.000	0.002	-0.000	0.0	0.0
-0.0	q5 - p~1	0.003	-0.007	0.000	-0.0	-0.0
-0.0	q5 - p~2	-0.011	0.026	-0.000	0.0	0.0
0.0	q5 - p~3	0.003	-0.006	0.000	-0.0	-0.0
-0.0	q5 - p~4	-0.011	0.025	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	0.0
0.0	T	-0.019	0.039	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.007	0.014	0.000	-0.0	-0.0
0.0	M. tor~2	-0.004	0.008	0.000	-0.0	-0.0
0.0	INVS LU Max	0.035	0.079	-0.005	0.0	0.0
-0.0	Min	-0.034	-0.069	-0.016	0.0	0.0
0.0	INVS LV Max	0.044	0.096	-0.004	0.0	0.0
-0.0	Min	-0.044	-0.090	-0.008	0.0	0.0
0.0	INVS LE Max	0.024	0.054	-0.003	0.0	0.0
-0.0	Min	-0.023	-0.047	-0.012	0.0	0.0
1067	C1-C2;~1 Max	0.002	0.006	0.002	0.0	0.0
0.0	Min	-0.002	-0.004	-0.004	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.006	0.002	0.0	0.0
0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.002	-0.004	-0.004	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.003	0.001	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.002	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.003	0.001	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.002	-0.0	-0.0
-0.0	SLVx (RS)	-0.011	0.022	0.001	-0.0	0.0
0.0	SLVy (RS)	-0.041	0.085	0.001	-0.0	-0.0
-0.0	SLDx (RS)	-0.008	0.015	0.001	-0.0	0.0
0.0	SLDy (RS)	-0.023	0.049	0.000	-0.0	-0.0
0.0	SLVz (RS)	0.001	-0.000	0.001	-0.0	-0.0
-0.0	G1	0.000	0.003	-0.003	0.0	0.0
-0.0	G2	0.000	0.001	-0.001	0.0	0.0
0.0	G1-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3	-0.004	0.008	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-3	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6	-0.001	0.001	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.002	-0.000	0.0	0.0
-0.0	q5 - p~1	0.003	-0.007	0.000	-0.0	-0.0
0.0	q5 - p~2	-0.012	0.026	-0.000	0.0	0.0
-0.0	q5 - p~3	0.003	-0.006	0.000	-0.0	-0.0
0.0	q5 - p~4	-0.011	0.024	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	0.0
0.0	T	-0.020	0.039	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.007	0.014	0.000	-0.0	-0.0
0.0	M. tor~2	-0.004	0.008	0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0	INVS LU	Max	0.036	0.079	-0.003	0.0	0.0
-0.0		Min	-0.035	-0.069	-0.012	0.0	0.0
0.0	INVS LV	Max	0.045	0.095	-0.003	0.0	0.0
-0.0		Min	-0.044	-0.089	-0.006	0.0	0.0
0.0	INVS LE	Max	0.024	0.054	-0.003	0.0	0.0
-0.0		Min	-0.023	-0.047	-0.009	0.0	0.0
1068 0.0	C1-C2;~1	Max	0.002	0.006	0.001	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.002	-0.0	-0.0
0.0	C3-C4;~1	Max	0.002	0.006	0.001	0.0	0.0
-0.0		Min	-0.002	-0.005	-0.002	-0.0	-0.0
0.0	C1-C2;~2	Max	0.001	0.003	0.001	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.001	-0.0	-0.0
0.0	C3-C4;~2	Max	0.001	0.003	0.001	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.001	-0.0	-0.0
-0.0	SLVx (RS)		-0.011	0.022	0.001	-0.0	0.0
0.0	SLVy (RS)		-0.041	0.085	-0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.008	0.015	0.001	-0.0	0.0
0.0	SLDy (RS)		-0.024	0.049	-0.000	-0.0	-0.0
0.0	SLVz (RS)		0.001	-0.001	0.001	-0.0	-0.0
-0.0	G1		0.001	0.003	-0.002	0.0	0.0
-0.0	G2		0.000	0.001	-0.001	0.0	0.0
0.0	G1-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3		-0.004	0.008	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q4-6	-0.001	0.001	0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.002	-0.000	0.0	0.0
-0.0	q5 - p~1	0.003	-0.007	0.000	-0.0	-0.0
0.0	q5 - p~2	-0.012	0.026	-0.000	0.0	0.0
-0.0	q5 - p~3	0.003	-0.006	0.000	-0.0	-0.0
0.0	q5 - p~4	-0.011	0.024	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	0.0
0.0	T	-0.020	0.040	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.007	0.014	0.000	-0.0	-0.0
0.0	M. tor~2	-0.004	0.008	0.000	-0.0	-0.0
0.0	INVS LU Max	0.036	0.079	-0.002	0.0	0.0
-0.0	Min	-0.035	-0.069	-0.007	0.0	0.0
0.0	INVS LV Max	0.045	0.095	-0.002	0.0	0.0
-0.0	Min	-0.044	-0.088	-0.004	0.0	0.0
0.0	INVS LE Max	0.024	0.054	-0.002	0.0	0.0
-0.0	Min	-0.023	-0.047	-0.005	0.0	0.0
1069	C1-C2;~1 Max	0.002	0.007	0.000	0.0	0.0
0.0	Min	-0.002	-0.004	-0.001	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.007	0.000	0.0	0.0
0.0	Min	-0.002	-0.005	-0.001	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.003	0.000	0.0	0.0
0.0	Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.003	0.000	0.0	0.0
0.0	Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.011	0.022	0.001	-0.0	0.0
0.0	SLVy (RS)	-0.041	0.084	-0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.008	0.015	0.001	-0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	-0.024	0.048	-0.000	-0.0	0.0
0.0	SLVz (RS)	0.001	-0.001	0.000	-0.0	-0.0
-0.0	G1	0.001	0.003	-0.001	0.0	0.0
-0.0	G2	0.000	0.001	-0.000	0.0	0.0
0.0	G1-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3	-0.004	0.008	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-3	0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.002	-0.000	0.0	0.0
-0.0	q5 - p~1	0.003	-0.006	0.000	-0.0	-0.0
0.0	q5 - p~2	-0.012	0.025	-0.000	0.0	0.0
-0.0	q5 - p~3	0.003	-0.006	0.000	-0.0	-0.0
0.0	q5 - p~4	-0.011	0.024	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	0.0
0.0	T	-0.020	0.040	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.008	0.014	0.000	-0.0	-0.0
0.0	M. tor~2	-0.004	0.008	0.000	-0.0	-0.0
-0.0	INVSLU Max	0.037	0.079	-0.001	0.0	0.0
-0.0	Min	-0.035	-0.069	-0.002	0.0	0.0
0.0	INVSLV Max	0.045	0.094	-0.000	0.0	0.0
-0.0	Min	-0.044	-0.087	-0.002	0.0	0.0
0.0	INVSLE Max	0.025	0.054	-0.001	0.0	0.0
-0.0	Min	-0.024	-0.047	-0.002	0.0	0.0
1084	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0							
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	C3-C4 ; ~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	C1-C2 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0	
-0.0	SLVx (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLVz (RS)		-0.000	-0.000	0.000	0.0	-0.0
-0.0	G1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	G1 - Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	G2 - Imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4 - 1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4 - 2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4 - 3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4 - 4		0.000	-0.000	0.000	0.0	0.0
-0.0	q4 - 5		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4 - 6		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4 - 7		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~3		0.000	-0.000	-0.000	0.0	0.0
-0.0	q5 - p~4		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	0.000	0.000	-0.000	-0.0	0.0
0.0	M. tor~1	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~2	0.000	-0.000	0.000	0.0	0.0
0.0	INVS LU Max	0.000	0.000	-0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	INVS LV Max	0.000	0.000	-0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	INVS LE Max	0.000	0.000	-0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	1087 C1-C2;~1 Max	0.002	0.007	0.001	0.0	0.0
0.0	Min	-0.002	-0.005	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.002	0.007	0.001	0.0	0.0
0.0	Min	-0.002	-0.005	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.001	0.003	0.001	0.0	0.0
0.0	Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.001	0.003	0.001	0.0	0.0
0.0	Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.012	0.022	0.001	-0.0	0.0
0.0	SLVy (RS)	-0.042	0.083	-0.000	-0.0	0.0
0.0	SLDx (RS)	-0.008	0.015	0.001	-0.0	0.0
-0.0	SLDy (RS)	-0.024	0.048	-0.000	-0.0	0.0
0.0	SLVz (RS)	0.001	-0.001	-0.000	-0.0	-0.0
0.0	G1	0.001	0.003	0.000	0.0	0.0
-0.0	G2	0.000	0.001	0.000	0.0	0.0
-0.0	G1-Imp~1	-0.000	-0.001	-0.000	0.0	0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3	-0.004	0.008	0.000	0.0	0.0
0.0	q4-1	0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-2	0.000	-0.001	-0.000	-0.0	-0.0
-0.0						

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.002	-0.000	0.0	0.0
-0.0	q5 - p~1	0.003	-0.006	-0.000	-0.0	-0.0
0.0	q5 - p~2	-0.012	0.025	-0.000	0.0	0.0
-0.0	q5 - p~3	0.003	-0.006	-0.000	-0.0	-0.0
0.0	q5 - p~4	-0.011	0.024	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	0.000	0.0	0.0
0.0	T	-0.020	0.040	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.008	0.013	0.000	-0.0	-0.0
0.0	M. tor~2	-0.004	0.008	0.000	-0.0	-0.0
0.0	INVSLU Max	0.037	0.079	0.002	0.0	0.0
-0.0	Min	-0.036	-0.069	0.000	0.0	0.0
0.0	INVSLV Max	0.046	0.093	0.002	0.0	0.0
-0.0	Min	-0.045	-0.086	-0.001	0.0	0.0
0.0	INVSLE Max	0.025	0.054	0.001	0.0	0.0
-0.0	Min	-0.024	-0.047	0.000	0.0	0.0
1088	C1-C2;~1 Max	0.001	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.012	0.007	0.000	-0.0	-0.0	
-0.0	SLVy (RS)	-0.002	0.002	-0.000	-0.0	-0.0	
0.0	SLDx (RS)	-0.009	0.005	-0.000	-0.0	-0.0	
-0.0	SLDy (RS)	-0.002	0.001	-0.000	-0.0	-0.0	
0.0	SLVz (RS)	0.001	-0.001	0.000	0.0	0.0	
0.0	G1	0.000	0.000	-0.000	-0.0	0.0	
0.0	G2	0.000	0.000	-0.000	-0.0	0.0	
-0.0	G1-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0	
-0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q3	0.000	-0.000	-0.000	0.0	0.0	
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-2	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q4-6	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-7	0.000	-0.000	0.000	0.0	0.0	
0.0	q5 - p~1	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q5 - p~2	0.001	-0.000	0.000	0.0	0.0	
0.0	q5 - p~3	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q5 - p~4	0.001	-0.000	0.000	0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0	
-0.0	T	0.000	-0.000	-0.000	0.0	0.0	
0.0	M. tor~1	-0.001	0.000	-0.000	-0.0	-0.0	
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	INVS LU Max	0.001	0.001	-0.001	0.0	0.0	
-0.0	Min	-0.002	-0.000	-0.001	-0.0	-0.0	
0.0	INVS LV Max	0.013	0.008	-0.000	0.0	0.0	
-0.0	Min	-0.014	-0.007	-0.001	-0.0	-0.0	
	INVS LE Max	0.001	0.001	-0.000	0.0	0.0	

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.001	-0.000	-0.001	-0.0	-0.0
-0.0							
1089	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.011	0.007	0.000	-0.0	-0.0
0.0	SLVy (RS)		-0.002	0.002	-0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.008	0.005	-0.000	-0.0	-0.0
0.0	SLDy (RS)		-0.002	0.001	-0.000	-0.0	-0.0
-0.0	SLVz (RS)		0.001	-0.000	0.000	0.0	0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~2		0.001	-0.000	0.000	0.0	0.0
-0.0	q5 - p~3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~4		0.001	-0.000	0.000	0.0	0.0
-0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
-0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max		0.001	0.001	-0.001	0.0	0.0
-0.0	Min		-0.002	-0.000	-0.001	-0.0	-0.0
0.0	INVS LV Max		0.012	0.007	-0.000	0.0	0.0
-0.0	Min		-0.012	-0.007	-0.001	-0.0	-0.0
0.0	INVS LE Max		0.001	0.001	-0.000	0.0	0.0
-0.0	Min		-0.001	-0.000	-0.001	-0.0	-0.0
1090	C1-C2;~1 Max		0.000	0.000	0.000	0.0	0.0
0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.010	0.006	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.002	0.001	-0.000	-0.0	-0.0
0.0	SLDx (RS)		-0.008	0.004	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.001	0.001	-0.000	-0.0	-0.0
0.0	SLVz (RS)		0.001	-0.000	0.000	0.0	0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q3	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~2	0.001	-0.000	0.000	0.0	0.0
0.0	q5 - p~3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~4	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.001	0.001	-0.001	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.011	0.007	-0.000	0.0	0.0
-0.0	Min	-0.011	-0.006	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
1091	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	-0.009	0.005	0.000	-0.0	-0.0
-0.0	SLVy	(RS)	-0.002	0.001	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	-0.007	0.004	-0.000	-0.0	-0.0
-0.0	SLDy	(RS)	-0.001	0.001	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	0.001	-0.000	0.000	0.0	0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
-0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~2		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~4		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
-0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		-0.001	0.000	-0.000	-0.0	-0.0
-0.0	M. tor~2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.001	0.001	-0.001	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.001	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.009	0.006	-0.000	0.0	0.0
-0.0		Min	-0.010	-0.006	-0.001	-0.0	-0.0
0.0	INVS LE	Max	0.001	0.000	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.001	-0.0	-0.0
1092 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.012	0.007	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.002	0.002	0.000	-0.0	-0.0
0.0	SLDx (RS)		-0.009	0.005	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.002	0.001	0.000	-0.0	-0.0
0.0	SLVz (RS)		0.001	-0.001	0.000	0.0	0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		-0.000	0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q5 - p~2	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~3	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~4	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	0.000	0.0	0.0
-0.0	T	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	0.000	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.013	0.008	0.000	0.0	0.0
-0.0	Min	-0.013	-0.007	-0.001	-0.0	-0.0
0.0	INVS LE Max	0.000	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	0.000	-0.000	-0.0	-0.0
1093	C1-C2;~1 Max	0.001	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.001	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.012	0.007	0.000	-0.0	-0.0
0.0	SLVy (RS)	-0.002	0.002	-0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.009	0.005	0.000	-0.0	-0.0
0.0	SLDy (RS)	-0.002	0.001	-0.000	-0.0	-0.0
-0.0	SLVz (RS)	0.001	-0.000	0.000	0.0	0.0
0.0	G1	0.000	0.000	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-7	0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~2	0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~4	0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.001	0.000	0.000	-0.0	-0.0
0.0	M. tor~2	-0.001	0.000	0.000	-0.0	-0.0
0.0	INVSLU Max	0.001	0.001	-0.001	0.0	0.0
-0.0	Min	-0.002	-0.000	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.013	0.008	0.000	0.0	0.0
-0.0	Min	-0.014	-0.007	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
1094 0.0	C1-C2;~1 Max	0.001	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)	-0.012	0.007	0.001	-0.0	-0.0
-0.0	SLVy (RS)	-0.002	0.002	0.000	-0.0	-0.0
0.0	SLDx (RS)	-0.009	0.005	0.001	-0.0	-0.0
-0.0	SLDy (RS)	-0.002	0.001	0.000	-0.0	-0.0
0.0	SLVz (RS)	0.001	-0.001	-0.000	0.0	0.0
0.0	G1	0.000	0.000	-0.000	-0.0	0.0
0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-3	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~2	0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~4	0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.001	0.000	0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	0.000	-0.0	-0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


0.0	INVS LU	Max	0.001	0.001	-0.000	0.0	0.0
-0.0		Min	-0.002	-0.000	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.013	0.008	0.001	0.0	0.0
-0.0		Min	-0.013	-0.007	-0.002	-0.0	-0.0
0.0	INVS LE	Max	0.001	0.001	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.001	-0.0	-0.0
1095 0.0	C1-C2;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.012	0.007	0.001	-0.0	-0.0
-0.0	SLVy (RS)		-0.002	0.002	0.000	-0.0	-0.0
0.0	SLDx (RS)		-0.009	0.005	0.001	-0.0	-0.0
-0.0	SLDy (RS)		-0.002	0.001	0.000	-0.0	-0.0
0.0	SLVz (RS)		0.001	-0.000	-0.000	0.0	0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-7	0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~2	0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~4	0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.001	0.000	0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	0.000	-0.0	-0.0
0.0	INVS LU Max	0.001	0.001	-0.001	0.0	0.0
-0.0	Min	-0.002	-0.000	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.013	0.008	0.001	0.0	0.0
-0.0	Min	-0.014	-0.007	-0.002	-0.0	-0.0
0.0	INVS LE Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
1096	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.008	0.005	0.000	-0.0	-0.0
0.0	SLVy (RS)	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.006	0.004	-0.000	-0.0	-0.0
0.0						

MIDAS

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLDy (RS)	-0.001	0.001	-0.000	-0.0	-0.0
0.0	SLVz (RS)	0.001	-0.000	0.000	0.0	0.0
0.0	G1	0.000	0.000	-0.000	-0.0	0.0
0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~2	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~4	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.001	0.001	-0.001	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.008	0.005	-0.000	0.0	0.0
-0.0	Min	-0.009	-0.005	-0.000	-0.0	-0.0
0.0	INVSLE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
1097	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0							
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	C3-C4 ; ~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	C1-C2 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	SLVx (RS)		-0.007	0.004	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.001	0.001	-0.000	-0.0	-0.0
0.0	SLDx (RS)		-0.005	0.003	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.001	0.001	-0.000	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1 - Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2 - Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~2		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~4		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
-0.0	q7		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.001	0.001	-0.001	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.007	0.005	-0.000	0.0	0.0
-0.0	Min	-0.008	-0.004	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
1098	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.006	0.004	0.000	-0.0	-0.0
0.0	SLVy (RS)	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.005	0.003	-0.000	-0.0	-0.0
0.0	SLDy (RS)	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
0.0	G1	0.000	0.000	-0.000	-0.0	0.0
0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~2	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~4	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.001	0.000	-0.001	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.006	0.004	-0.000	0.0	0.0
-0.0	Min	-0.007	-0.004	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
1099	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.005	0.003	0.000	-0.0	-0.0	
-0.0	SLVy (RS)	-0.001	0.001	-0.000	-0.0	-0.0	
0.0	SLDx (RS)	-0.004	0.002	-0.000	-0.0	-0.0	
-0.0	SLDy (RS)	-0.001	0.001	-0.000	-0.0	-0.0	
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0	
0.0	G1	0.000	0.000	-0.000	-0.0	0.0	
0.0	G2	0.000	0.000	-0.000	-0.0	0.0	
-0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q3	0.000	-0.000	-0.000	0.0	0.0	
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-2	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q4-6	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-7	0.000	-0.000	0.000	0.0	0.0	
0.0	q5 - p~1	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q5 - p~2	0.000	-0.000	0.000	0.0	0.0	
0.0	q5 - p~3	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q5 - p~4	0.000	-0.000	0.000	0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0	
-0.0	T	0.000	-0.000	-0.000	0.0	0.0	
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	INVS LU Max	0.000	0.000	-0.000	0.0	0.0	
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0	
0.0	INVS LV Max	0.005	0.004	-0.000	0.0	0.0	
-0.0	Min	-0.006	-0.003	-0.000	-0.0	-0.0	
	INVS LE Max	0.000	0.000	-0.000	0.0	0.0	

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
1100	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.004	0.003	0.000	-0.0	-0.0
0.0	SLVy (RS)		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.003	0.002	-0.000	-0.0	-0.0
0.0	SLDy (RS)		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~2		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~4		0.000	-0.000	0.000	0.0	0.0
-0.0							

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV Max	0.005	0.003	-0.000	0.0	0.0
-0.0	Min	-0.005	-0.003	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
1101 0.0	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)	-0.004	0.002	0.000	-0.0	-0.0
-0.0	SLVy (RS)	-0.001	0.001	-0.000	-0.0	-0.0
0.0	SLDx (RS)	-0.003	0.002	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	-0.001	0.000	-0.000	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
0.0	G1	0.000	0.000	-0.000	-0.0	0.0
0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q3	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~2	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~4	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVSLV Max	0.004	0.002	-0.000	0.0	0.0
-0.0	Min	-0.004	-0.002	-0.000	-0.0	-0.0
0.0	INVSLE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
1102	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	-0.003	0.002	0.000	-0.0	-0.0
-0.0	SLVy	(RS)	-0.001	0.000	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	-0.002	0.001	-0.000	-0.0	-0.0
-0.0	SLDy	(RS)	-0.000	0.000	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	0.000	-0.000	0.000	0.0	0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
-0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~2		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~4		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
-0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	M. tor~2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.003	0.002	-0.000	0.0	0.0
-0.0		Min	-0.003	-0.002	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
1103 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.002	0.001	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.000	0.000	-0.000	-0.0	-0.0
0.0	SLDx (RS)		-0.002	0.001	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.000	0.000	-0.000	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		-0.000	0.000	0.000	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q5 - p~2	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~4	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV Max	0.002	0.001	-0.000	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
1104	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.002	0.001	0.000	-0.0	-0.0
0.0	SLVy (RS)	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.001	0.001	-0.000	-0.0	-0.0
0.0	SLDy (RS)	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
0.0	G1	0.000	0.000	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~2	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~4	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV Max	0.002	0.001	-0.000	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	INVS LE Max	0.000	0.000	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
1105	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0						

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)	-0.001	0.001	0.000	-0.0	-0.0
-0.0	SLVy (RS)	-0.000	0.000	-0.000	-0.0	-0.0
0.0	SLDx (RS)	-0.001	0.000	-0.000	-0.0	-0.0
-0.0	SLDy (RS)	-0.000	0.000	-0.000	-0.0	-0.0
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
0.0	G1	0.000	0.000	-0.000	-0.0	0.0
0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~2	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~4	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	INVS LU	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV	Max	0.001	0.001	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
1106 0.0	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.001	0.000	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.000	0.000	-0.000	-0.0	-0.0
0.0	SLDx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLDy (RS)		-0.000	0.000	-0.000	-0.0	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~2		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~4		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
-0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	INVS LV	Max	0.001	0.000	-0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	INVS LE	Max	0.000	0.000	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
1107	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLVy (RS)		-0.000	0.000	-0.000	-0.0	-0.0
0.0	SLDx (RS)		-0.000	0.000	-0.000	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	SLDy (RS)	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0	
0.0	G1	0.000	0.000	-0.000	-0.0	0.0	
0.0	G2	0.000	0.000	-0.000	-0.0	0.0	
-0.0	G1-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q3	0.000	-0.000	-0.000	0.0	0.0	
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-2	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q4-6	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-7	0.000	-0.000	0.000	0.0	0.0	
0.0	q5 - p~1	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q5 - p~2	0.000	-0.000	0.000	0.0	0.0	
0.0	q5 - p~3	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q5 - p~4	0.000	-0.000	0.000	0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0	
-0.0	T	0.000	-0.000	-0.000	0.0	0.0	
0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	INVSLU Max	0.000	0.000	-0.000	0.0	0.0	
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	INVSLV Max	0.000	0.000	-0.000	0.0	0.0	
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	INVSLE Max	0.000	0.000	-0.000	0.0	0.0	
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0	
1108	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0	


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4 ; ~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	SLVy (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
0.0	SLDy (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.000	-0.0	0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	0.0
0.0	G1 - Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	G2 - Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1		0.000	0.000	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~2		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q5 - p~4		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0							

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	T	0.000	-0.000	-0.000	0.0	0.0
-0.0	M. tor~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0						
0.0	INVS LU Max	0.000	0.000	-0.000	0.0	0.0
0.0	Min	-0.000	0.000	-0.000	-0.0	-0.0
-0.0						
0.0	INVS LV Max	0.000	0.000	-0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0						
0.0	INVS LE Max	0.000	0.000	-0.000	0.0	0.0
0.0	Min	-0.000	0.000	-0.000	-0.0	-0.0
-0.0						
1109	C1-C2;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	0.000	0.000	0.000	0.0	0.0
0.0						
0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	0.000	0.000	0.000	0.0	0.0
0.0						
0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	0.000	0.000	0.000	0.0	0.0
0.0						
0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	0.000	0.000	0.000	0.0	0.0
0.0						
0.0	SLVx (RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLVy (RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLDx (RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLDy (RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLVz (RS)	0.000	0.000	0.000	0.0	0.0
0.0						
0.0	G1	0.000	0.000	0.000	0.0	0.0
0.0	G2	0.000	0.000	0.000	0.0	0.0
0.0						
0.0	G1-Imp~1	0.000	0.000	0.000	0.0	0.0
0.0	G2-Imp~1	0.000	0.000	0.000	0.0	0.0
0.0						
0.0	q3	0.000	0.000	0.000	0.0	0.0
0.0						
0.0	q4-1	0.000	0.000	0.000	0.0	0.0
0.0						
0.0	q4-2	0.000	0.000	0.000	0.0	0.0
0.0						

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q4-3		0.000	0.000	0.000	0.0	0.0
0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q4-5		0.000	0.000	0.000	0.0	0.0
0.0	q4-6		0.000	0.000	0.000	0.0	0.0
0.0	q4-7		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~1		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~2		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~3		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~4		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.000	0.000	0.0	0.0
0.0	T		0.000	0.000	0.000	0.0	0.0
0.0	M. tor~1		0.000	0.000	0.000	0.0	0.0
0.0	M. tor~2		0.000	0.000	0.000	0.0	0.0
0.0	INVS LU	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	INVS LV	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	INVS LE	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
1110	C1-C2;~1	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLVx (RS)	-0.012	0.007	-0.001	-0.0	-0.0	
-0.0	SLVy (RS)	-0.002	0.002	-0.000	-0.0	-0.0	
0.0	SLDx (RS)	-0.009	0.005	-0.001	-0.0	-0.0	
-0.0	SLDy (RS)	-0.002	0.001	-0.000	-0.0	-0.0	
0.0	SLVz (RS)	0.001	-0.001	0.000	0.0	0.0	
0.0	G1	0.000	0.000	-0.000	-0.0	0.0	
0.0	G2	0.000	0.000	-0.000	-0.0	0.0	
-0.0	G1-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0	
-0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q3	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-2	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-4	0.000	-0.000	0.000	0.0	0.0	
0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q4-6	0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-7	0.000	-0.000	0.000	0.0	0.0	
0.0	q5 - p~1	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q5 - p~2	0.001	-0.000	0.000	0.0	0.0	
0.0	q5 - p~3	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q5 - p~4	0.001	-0.000	0.000	0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
-0.0	q7	0.000	-0.000	0.000	0.0	0.0	
-0.0	T	0.000	-0.000	0.000	0.0	0.0	
0.0	M. tor~1	-0.001	0.000	-0.000	-0.0	-0.0	
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	INVSLU Max	0.001	0.001	-0.001	0.0	0.0	
-0.0	Min	-0.002	-0.000	-0.001	-0.0	-0.0	
0.0	INVSLV Max	0.013	0.008	0.001	0.0	0.0	
-0.0	Min	-0.014	-0.007	-0.002	-0.0	-0.0	
	INVSLE Max	0.001	0.001	-0.000	0.0	0.0	

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0		Min	-0.001	-0.000	-0.001	-0.0	-0.0
-0.0							
1111	C1-C2;~1	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		-0.012	0.007	-0.001	-0.0	-0.0
0.0	SLVy (RS)		-0.002	0.002	-0.000	-0.0	-0.0
-0.0	SLDx (RS)		-0.009	0.005	-0.001	-0.0	-0.0
0.0	SLDy (RS)		-0.002	0.001	-0.000	-0.0	-0.0
-0.0	SLVz (RS)		0.001	-0.001	0.000	0.0	0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	0.000	-0.0	0.0
0.0	G1-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
-0.0	q5 - p~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~2		0.001	-0.000	0.000	0.0	0.0
-0.0	q5 - p~3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5 - p~4		0.001	-0.000	0.000	0.0	0.0
-0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
-0.0	q7		0.000	-0.000	0.000	0.0	0.0
-0.0	T		0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max		0.001	0.001	-0.001	0.0	0.0
-0.0	Min		-0.002	0.000	-0.001	-0.0	-0.0
0.0	INVS LV Max		0.013	0.008	0.001	0.0	0.0
-0.0	Min		-0.013	-0.007	-0.002	-0.0	-0.0
0.0	INVS LE Max		0.001	0.001	-0.000	0.0	0.0
-0.0	Min		-0.001	0.000	-0.001	-0.0	-0.0
1112 0.0	C1-C2;~1 Max		0.001	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max		0.000	0.000	0.000	0.0	0.0
-0.0	Min		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.012	0.007	-0.001	-0.0	-0.0
-0.0	SLVy (RS)		-0.002	0.002	-0.000	-0.0	-0.0
0.0	SLDx (RS)		-0.009	0.005	-0.001	-0.0	-0.0
-0.0	SLDy (RS)		-0.002	0.001	-0.000	-0.0	-0.0
0.0	SLVz (RS)		0.001	-0.001	0.000	0.0	0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7	0.001	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~2	0.001	-0.000	0.000	0.0	0.0
0.0	q5 - p~3	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~4	0.001	-0.000	0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	0.000	0.0	0.0
-0.0	T	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.001	0.001	-0.001	0.0	0.0
-0.0	Min	-0.002	-0.000	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.013	0.008	0.001	0.0	0.0
-0.0	Min	-0.014	-0.007	-0.002	-0.0	-0.0
0.0	INVSLE Max	0.001	0.001	-0.001	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
1113	C1-C2;~1 Max	0.001	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	


-0.0							
0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	-0.013	0.007	-0.001	-0.0	-0.0
-0.0	SLVy	(RS)	-0.002	0.002	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	-0.009	0.006	-0.001	-0.0	-0.0
-0.0	SLDy	(RS)	-0.002	0.001	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	0.001	-0.001	0.000	0.0	0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
-0.0	G2		0.000	0.000	0.000	-0.0	0.0
0.0	G1-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7		0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~2		0.001	-0.000	0.000	0.0	0.0
0.0	q5 - p~3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~4		0.001	-0.000	0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
-0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
-0.0	T		0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~1		-0.001	0.000	-0.000	-0.0	-0.0
-0.0	M. tor~2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.001	0.001	-0.001	0.0	0.0
-0.0		Min	-0.002	0.000	-0.001	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	INVS LV	Max	0.013	0.009	0.001	0.0	0.0
-0.0		Min	-0.014	-0.008	-0.002	-0.0	-0.0
0.0	INVS LE	Max	0.001	0.001	-0.000	0.0	0.0
-0.0		Min	-0.001	0.000	-0.001	-0.0	-0.0
1114 0.0	C1-C2;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.013	0.007	-0.001	-0.0	-0.0
-0.0	SLVy (RS)		-0.002	0.002	-0.000	-0.0	-0.0
0.0	SLDx (RS)		-0.009	0.006	-0.001	-0.0	-0.0
-0.0	SLDy (RS)		-0.002	0.001	-0.000	-0.0	-0.0
0.0	SLVz (RS)		0.001	-0.001	0.000	0.0	0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7		0.001	-0.000	0.000	0.0	0.0
0.0	q5 - p~1		-0.000	0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q5 - p~2	0.001	-0.000	0.000	0.0	0.0
0.0	q5 - p~3	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~4	0.001	-0.000	0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	0.000	0.0	0.0
-0.0	T	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.001	0.000	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.001	0.001	-0.001	0.0	0.0
-0.0	Min	-0.002	-0.000	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.013	0.008	0.001	0.0	0.0
-0.0	Min	-0.014	-0.008	-0.002	-0.0	-0.0
0.0	INVS LE Max	0.001	0.001	-0.001	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
1115	C1-C2;~1 Max	0.001	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.013	0.007	-0.000	-0.0	-0.0
0.0	SLVy (RS)	-0.002	0.002	0.000	-0.0	-0.0
-0.0	SLDx (RS)	-0.009	0.006	-0.000	-0.0	-0.0
0.0	SLDy (RS)	-0.002	0.001	0.000	-0.0	-0.0
-0.0	SLVz (RS)	0.001	-0.001	0.000	0.0	0.0
0.0	G1	0.000	0.000	-0.000	-0.0	0.0
0.0						

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	G2	0.000	0.000	0.000	-0.0	0.0
-0.0	G1-Imp~1	-0.001	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-6	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-7	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~2	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~3	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5 - p~4	0.000	-0.000	0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	0.000	0.0	0.0
-0.0	T	0.000	-0.000	0.000	0.0	0.0
0.0	M. tor~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	0.000	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.013	0.009	0.000	0.0	0.0
-0.0	Min	-0.014	-0.008	-0.001	-0.0	-0.0
0.0	INVSLE Max	0.000	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	0.000	-0.000	-0.0	-0.0
1116 0.0	C1-C2;~1 Max	0.003	0.008	0.000	0.0	0.0
-0.0	Min	-0.004	-0.005	-0.000	-0.0	-0.0
0.0	C3-C4;~1 Max	0.003	0.008	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	Min	-0.004	-0.005	-0.000	-0.0	-0.0
0.0	C1-C2;~2 Max	0.001	0.004	0.000	0.0	0.0
-0.0	Min	-0.002	-0.002	-0.000	-0.0	-0.0
0.0	C3-C4;~2 Max	0.001	0.004	0.000	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.012	0.022	0.000	-0.0	0.0
0.0	SLVy (RS)	-0.043	0.084	-0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.009	0.015	0.000	-0.0	0.0
0.0	SLDy (RS)	-0.025	0.048	-0.000	-0.0	0.0
0.0	SLVz (RS)	0.001	-0.001	0.000	-0.0	-0.0
-0.0	G1	-0.002	0.004	-0.000	0.0	0.0
-0.0	G2	-0.001	0.001	-0.000	0.0	0.0
0.0	G1-Imp~1	-0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3	-0.004	0.008	-0.000	0.0	0.0
-0.0	q4-1	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2	0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-3	0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	q4-7	-0.000	0.002	-0.000	0.0	0.0
-0.0	q5 - p~1	0.003	-0.007	0.000	-0.0	-0.0
0.0	q5 - p~2	-0.012	0.025	-0.000	0.0	0.0
-0.0	q5 - p~3	0.003	-0.006	0.000	-0.0	-0.0
0.0	q5 - p~4	-0.012	0.024	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
0.0	q7	-0.002	0.005	-0.000	0.0	0.0
0.0	T	-0.020	0.040	-0.000	-0.0	-0.0
0.0	M. tor~1	-0.008	0.014	0.000	-0.0	-0.0
0.0	M. tor~2	-0.005	0.008	0.000	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	INVS LU	Max	0.034	0.082	-0.001	0.0	0.0
-0.0		Min	-0.042	-0.068	-0.001	0.0	0.0
0.0	INVS LV	Max	0.044	0.096	0.000	0.0	0.0
-0.0		Min	-0.050	-0.087	-0.001	0.0	0.0
0.0	INVS LE	Max	0.023	0.057	-0.000	0.0	0.0
-0.0		Min	-0.029	-0.046	-0.001	0.0	0.0
1117 0.0	C1-C2;~1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.013	0.007	0.001	-0.0	-0.0
-0.0	SLVy (RS)		-0.002	0.002	0.000	-0.0	-0.0
0.0	SLDx (RS)		-0.009	0.006	0.001	-0.0	-0.0
-0.0	SLDy (RS)		-0.002	0.001	0.000	-0.0	-0.0
0.0	SLVz (RS)		0.001	-0.001	-0.000	0.0	0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	G1-Imp~1		-0.001	0.000	-0.000	-0.0	-0.0
-0.0	G2-Imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	q4-6	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-7	0.000	-0.000	-0.000	0.0	0.0
0.0	q5 - p~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~2	0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q5 - p~4	0.001	-0.000	-0.000	0.0	0.0
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	M. tor~1	-0.001	0.000	0.000	-0.0	-0.0
0.0	M. tor~2	-0.000	0.000	0.000	-0.0	-0.0
0.0	INVS LU Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.002	-0.000	-0.001	-0.0	-0.0
0.0	INVS LV Max	0.013	0.008	0.001	0.0	0.0
-0.0	Min	-0.014	-0.008	-0.002	-0.0	-0.0
0.0	INVS LE Max	0.001	0.001	-0.000	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
1118	C1-C2;~1 Max	0.003	0.008	0.000	0.0	0.0
0.0	Min	-0.005	-0.005	-0.000	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.003	0.008	0.000	0.0	0.0
0.0	Min	-0.005	-0.005	-0.000	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.002	0.004	0.000	0.0	0.0
0.0	Min	-0.003	-0.003	-0.000	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.002	0.004	0.000	0.0	0.0
0.0	Min	-0.003	-0.003	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.011	0.022	0.001	-0.0	0.0
0.0	SLVy (RS)	-0.040	0.083	0.000	-0.0	0.0
-0.0	SLDx (RS)	-0.008	0.015	0.001	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	SLDy (RS)	-0.023	0.048	0.000	-0.0	0.0	
0.0	SLVz (RS)	0.001	-0.001	-0.000	-0.0	-0.0	
0.0	G1	-0.002	0.004	-0.000	0.0	0.0	
-0.0	G2	-0.001	0.001	-0.000	0.0	0.0	
-0.0	G1-Imp~1	-0.000	-0.001	-0.000	0.0	0.0	
0.0	G2-Imp~1	-0.000	-0.000	-0.000	0.0	-0.0	
0.0	q3	-0.004	0.008	-0.000	0.0	0.0	
0.0	q4-1	0.000	-0.001	-0.000	-0.0	-0.0	
-0.0	q4-2	0.000	-0.001	-0.000	-0.0	-0.0	
-0.0	q4-3	0.000	-0.001	-0.000	-0.0	-0.0	
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0	
-0.0	q4-5	-0.000	0.000	0.000	-0.0	-0.0	
0.0	q4-6	-0.000	0.001	-0.000	-0.0	-0.0	
0.0	q4-7	-0.000	0.002	-0.000	0.0	0.0	
-0.0	q5 - p~1	0.003	-0.006	0.000	-0.0	-0.0	
-0.0	q5 - p~2	-0.011	0.025	-0.000	0.0	0.0	
0.0	q5 - p~3	0.003	-0.006	0.000	-0.0	-0.0	
-0.0	q5 - p~4	-0.011	0.024	-0.000	0.0	0.0	
0.0	q5 - p~5	0.000	0.000	0.000	0.0	0.0	
0.0	q5 - p~6	0.000	0.000	0.000	0.0	0.0	
0.0	q7	-0.002	0.005	-0.000	0.0	0.0	
0.0	T	-0.020	0.040	-0.000	-0.0	-0.0	
0.0	M. tor~1	-0.007	0.013	0.000	-0.0	-0.0	
0.0	M. tor~2	-0.004	0.008	0.000	-0.0	-0.0	
0.0	INVSLU Max	0.033	0.082	-0.001	0.0	0.0	
0.0	Min	-0.042	-0.067	-0.001	0.0	0.0	
-0.0	INVSLV Max	0.040	0.094	0.001	0.0	0.0	
0.0	Min	-0.046	-0.085	-0.002	0.0	0.0	
-0.0	INVSLE Max	0.022	0.057	-0.000	0.0	0.0	
0.0	Min	-0.029	-0.046	-0.001	0.0	0.0	
-0.0	1119 C1-C2;~1 Max	0.003	0.008	0.000	0.0	0.0	


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

0.0		Min	-0.004	-0.005	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.003	0.008	0.000	0.0	0.0
0.0		Min	-0.004	-0.005	-0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.002	0.004	0.000	0.0	0.0
0.0		Min	-0.002	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.002	0.004	0.000	0.0	0.0
0.0		Min	-0.002	-0.003	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	-0.012	0.022	0.001	-0.0	0.0
-0.0	SLVy	(RS)	-0.041	0.084	-0.000	-0.0	0.0
0.0	SLDx	(RS)	-0.008	0.015	0.001	-0.0	0.0
-0.0	SLDy	(RS)	-0.024	0.048	-0.000	-0.0	0.0
0.0	SLVz	(RS)	0.001	-0.001	-0.000	-0.0	-0.0
0.0	G1		-0.002	0.004	-0.000	0.0	0.0
-0.0	G2		-0.001	0.001	-0.000	0.0	0.0
-0.0	G1-Imp~1		-0.000	-0.000	-0.000	0.0	0.0
0.0	G2-Imp~1		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q3		-0.004	0.008	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-5		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-6		-0.001	0.001	-0.000	-0.0	-0.0
0.0	q4-7		-0.000	0.002	-0.000	0.0	0.0
-0.0	q5 - p~1		0.003	-0.007	0.000	-0.0	-0.0
-0.0	q5 - p~2		-0.012	0.025	-0.000	0.0	0.0
0.0	q5 - p~3		0.003	-0.006	0.000	-0.0	-0.0
-0.0	q5 - p~4		-0.011	0.024	-0.000	0.0	0.0
0.0	q5 - p~5		0.000	0.000	0.000	0.0	0.0
0.0	q5 - p~6		0.000	0.000	0.000	0.0	0.0
0.0	q7		-0.002	0.005	-0.000	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

	Company				Client
	Author				File Name
					PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

0.0	T		-0.020	0.040	-0.000	-0.0	-0.0
0.0	M. tor~1		-0.007	0.014	0.000	-0.0	-0.0
0.0	M. tor~2		-0.004	0.008	0.000	-0.0	-0.0
0.0							
0.0	INVSLU	Max	0.033	0.082	-0.001	0.0	0.0
-0.0		Min	-0.042	-0.068	-0.001	0.0	0.0
0.0	INVSLV	Max	0.042	0.095	0.000	0.0	0.0
-0.0		Min	-0.048	-0.086	-0.001	0.0	0.0
0.0	INVSLE	Max	0.022	0.057	-0.000	0.0	0.0
-0.0		Min	-0.029	-0.046	-0.001	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


BEAM ELEMENT FORCES & MOMENTS DEFAULT PRINTOUT.
kN , m

Unit System :

ELEM MENT-y	MAT MOMENT-z	SEC	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MO	
521	4	45	C1-C2;~1	Max	I	286.3	28.1	20.0	25.4	
1298.3	1060.9				J	286.3	28.1	20.0	25.4	
1313.0	1086.2			Min	I	-1786.5	-48.4	-34.4	-43.9	
-116.2	-2915.5				J	-1786.5	-48.4	-34.4	-43.9	
-126.8	-2915.6									
			C3-C4;~1	Max	I	294.7	32.0	22.8	29.0	
1266.4	2080.0				J	294.7	32.0	22.8	29.0	
1285.6	2105.5			Min	I	-1785.9	-50.2	-35.7	-45.5	
-98.6	-1914.0				J	-1785.9	-50.2	-35.7	-45.5	
-113.0	-1912.9									
			C1-C2;~2	Max	I	155.5	14.7	10.5	13.4	
797.6	533.5				J	155.5	14.7	10.5	13.4	
803.7	545.6			Min	I	-1063.6	-26.2	-18.7	-23.8	
-63.1	-1644.9				J	-1063.6	-26.2	-18.7	-23.8	
-69.2	-1647.1									
			C3-C4;~2	Max	I	160.6	17.1	12.2	15.5	
776.2	1141.6				J	160.6	17.1	12.2	15.5	
785.2	1154.8			Min	I	-1063.0	-27.2	-19.3	-24.6	
-52.9	-1040.0				J	-1063.0	-27.2	-19.3	-24.6	
-61.1	-1041.1									
			SLVx (RS)		I	-330.5	1153.7	-735.9	698.1	-
5126.2	5527.2				J	-330.5	1153.7	-735.9	698.1	-
4416.3	-4630.0									
			SLVy (RS)		I	-146.1	-977.3	-293.1	-680.2	-
1806.5	-5963.3				J	-146.1	-977.3	-293.1	-680.2	-
1524.8	-5059.5									
			SLDx (RS)		I	-243.2	804.4	-519.3	490.4	-
3657.2	3885.2				J	-243.2	804.4	-519.3	490.4	-
3157.0	3267.7									
			SLDy (RS)		I	-106.0	-688.3	-207.2	-484.4	-
1278.6	-4258.7				J	-106.0	-688.3	-207.2	-484.4	-
1079.9	-3621.9									

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1595.0	835.6	SLVz (RS)	I	626.5	58.2	228.8	110.6	
			J	626.5	58.2	228.8	110.6	
1377.7	794.8							
		G1	I	-3341.6	-27.8	-19.8	-25.2	
1073.3	-391.3		J	-3167.1	-27.8	-19.8	-25.2	
1093.0	-363.5							
		G2	I	-558.0	-10.1	-7.2	-9.2	
391.9	-143.3		J	-558.0	-10.1	-7.2	-9.2	
399.1	-133.1							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1136.1	69.4		J	-1476.1	8.3	5.9	7.5	-
1142.0	61.1							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-415.7	25.4		J	-540.0	3.0	2.2	2.8	
-417.8	22.4							
		q3	I	7.4	11.0	7.8	10.0	
53.2	136.2		J	7.4	11.0	7.8	10.0	
45.3	125.2							
		q4-1	I	7.2	141.8	100.9	128.6	
755.8	1549.8		J	7.2	141.8	100.9	128.6	
655.0	1407.9							
		q4-2	I	5.0	43.9	31.2	39.8	
231.6	471.7		J	5.0	43.9	31.2	39.8	
200.4	427.8							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-14.3	-4.2		J	0.4	-2.6	-1.9	-2.4	
-12.4	-1.6							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-12.1	-22.4		J	-0.2	-2.3	-1.6	-2.1	
-10.5	-20.1							
		q4-5	I	0.2	0.3	0.2	0.3	
1.5	2.0		J	0.2	0.3	0.2	0.3	
1.3	1.7							
		q4-6	I	0.3	0.5	0.3	0.4	
2.3	4.2		J	0.3	0.5	0.3	0.4	
2.0	3.8							
		q4-7	I	0.3	0.4	0.3	0.3	
1.8	3.2		J	0.3	0.4	0.3	0.3	
1.5	2.9							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
469.2	1232.5		J	39.5	93.3	66.3	84.6	
402.9	1139.2							
1915.4	-3877.5	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
1658.5	-3516.2		J	-30.5	-361.3	-256.9	-327.6	-
449.2	1156.5	q5 - p~3	I	31.7	88.4	62.9	80.2	
386.4	1068.1		J	31.7	88.4	62.9	80.2	
1814.1	-3574.8	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
1570.9	-3232.9		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
64.2	185.8	q7	I	4.4	12.6	9.0	11.4	
55.2	173.2		J	4.4	12.6	9.0	11.4	
4.6	11.3	T	I	-0.1	0.8	0.6	0.8	
4.0	10.5		J	-0.1	0.8	0.6	0.8	
907.3	1209.5	M. tor~1	I	15.9	171.3	121.9	155.4	
785.4	1038.1		J	15.9	171.3	121.9	155.4	
536.4	715.1	M. tor~2	I	9.4	101.3	72.0	91.9	
464.3	613.8		J	9.4	101.3	72.0	91.9	
3707.5	6537.5	INVSLU Max	I	-7552.7	504.4	358.7	457.4	
3373.4	6074.1		J	-7317.1	504.4	358.7	457.4	
2926.6	-8184.5	Min	I	-10433.6	-586.0	-416.8	-531.5	-
2544.1	-7665.9		J	-10198.0	-586.0	-416.8	-531.5	-
6060.1	7432.4	INVSLV Max	I	-5146.3	1437.7	873.6	911.2	
5219.4	6273.9		J	-4971.8	1437.7	873.6	911.2	
6233.3	-8311.8	Min	I	-6685.2	-1490.9	-911.4	-959.5	-
5354.8	-7100.1		J	-6510.7	-1490.9	-911.4	-959.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

2618.9	4584.9	INVSLE Max	I	-5597.2	349.6	248.6	317.0	
			J	-5422.7	349.6	248.6	317.0	
2388.5	4265.6	Min	I	-7726.0	-396.2	-281.8	-359.3	-
1966.6	-5688.5		J	-7551.5	-396.2	-281.8	-359.3	-
1710.3	-5444.7							
522	4	45 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1313.0	1086.2		J	286.3	28.1	20.0	25.4	
1328.7	1112.8	Min	I	-1786.5	-48.4	-34.4	-43.9	
-126.8	-2915.6		J	-1786.5	-48.4	-34.4	-43.9	
-138.7	-2917.4							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1285.6	2105.5		J	294.7	32.0	22.8	29.0	
1306.1	2132.6	Min	I	-1785.9	-50.2	-35.7	-45.5	
-113.0	-1912.9		J	-1785.9	-50.2	-35.7	-45.5	
-128.8	-1913.0							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
803.7	545.6		J	155.5	14.7	10.5	13.4	
810.1	558.3	Min	I	-1063.6	-26.2	-18.7	-23.8	
-69.2	-1647.1		J	-1063.6	-26.2	-18.7	-23.8	
-75.9	-1650.0							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
785.2	1154.8		J	160.6	17.1	12.2	15.5	
794.7	1168.7	Min	I	-1063.0	-27.2	-19.3	-24.6	
-61.1	-1041.1		J	-1063.0	-27.2	-19.3	-24.6	
-70.1	-1042.7							
		SLVx (RS)	I	-330.5	1122.3	-729.4	698.1	-
4416.3	-4630.0		J	-330.5	1122.3	-729.4	698.1	-
3707.3	-3871.3							
		SLVy (RS)	I	-146.1	-967.3	-280.7	-680.2	-
1524.8	-5059.5		J	-146.1	-967.3	-280.7	-680.2	-
1255.0	-4182.0							
		SLDx (RS)	I	-243.2	782.7	-516.5	490.4	-
3157.0	3267.7		J	-243.2	782.7	-516.5	490.4	-
2655.5	-2747.2							
		SLDy (RS)	I	-106.0	-682.5	-198.6	-484.4	-
1079.9	-3621.9		J	-106.0	-682.5	-198.6	-484.4	-
-889.4	-3001.4							

MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1377.7	794.8	SLVz (RS)	I	626.5	-74.4	242.3	110.6	
			J	626.5	-74.4	242.3	110.6	
1146.4	735.5							
		G1	I	-3167.1	-27.8	-19.8	-25.2	
1093.0	-363.5		J	-2992.6	-27.8	-19.8	-25.2	
1112.8	-335.7							
		G2	I	-558.0	-10.1	-7.2	-9.2	
399.1	-133.1		J	-558.0	-10.1	-7.2	-9.2	
406.4	-123.0							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1142.0	61.1		J	-1476.1	8.3	5.9	7.5	-
1147.9	52.8							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-417.8	22.4		J	-540.0	3.0	2.2	2.8	
-420.0	19.3							
		q3	I	7.4	11.0	7.8	10.0	
45.3	125.2		J	7.4	11.0	7.8	10.0	
37.5	114.2							
		q4-1	I	7.2	141.8	100.9	128.6	
655.0	1407.9		J	7.2	141.8	100.9	128.6	
554.1	1266.1							
		q4-2	I	5.0	43.9	31.2	39.8	
200.4	427.8		J	5.0	43.9	31.2	39.8	
169.2	383.9							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-12.4	-1.6		J	0.4	-2.6	-1.9	-2.4	
-10.6	1.0							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-10.5	-20.1		J	-0.2	-2.3	-1.6	-2.1	
-8.8	-17.8							
		q4-5	I	0.2	0.3	0.2	0.3	
1.3	1.7		J	0.2	0.3	0.2	0.3	
1.1	1.4							
		q4-6	I	0.3	0.5	0.3	0.4	
2.0	3.8		J	0.3	0.5	0.3	0.4	
1.6	3.3							
		q4-7	I	0.3	0.4	0.3	0.3	
1.5	2.9		J	0.3	0.4	0.3	0.3	
1.2	2.5							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
402.9	1139.2		J	39.5	93.3	66.3	84.6	
336.6	1045.9							
1658.5	-3516.2	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
1401.6	-3154.9		J	-30.5	-361.3	-256.9	-327.6	-
386.4	1068.1	q5 - p~3	I	31.7	88.4	62.9	80.2	
323.5	979.7		J	31.7	88.4	62.9	80.2	
1570.9	-3232.9	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
1327.8	-2891.0		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
55.2	173.2	q7	I	4.4	12.6	9.0	11.4	
46.3	160.6		J	4.4	12.6	9.0	11.4	
4.0	10.5	T	I	-0.1	0.8	0.6	0.8	
3.4	9.6		J	-0.1	0.8	0.6	0.8	
785.4	1038.1	M. tor~1	I	15.9	171.3	121.9	155.4	
663.6	866.8		J	15.9	171.3	121.9	155.4	
464.3	613.8	M. tor~2	I	9.4	101.3	72.0	91.9	
392.3	512.5		J	9.4	101.3	72.0	91.9	
3373.4	6074.1	INVSLU Max	I	-7317.1	504.4	358.7	457.4	
3039.8	5611.5		J	-7081.6	504.4	358.7	457.4	
2544.1	-7665.9	Min	I	-10198.0	-586.0	-416.8	-531.5	-
2162.5	-7306.6		J	-9962.5	-586.0	-416.8	-531.5	-
5219.4	6273.9	INVSLV Max	I	-4971.8	1408.2	867.4	911.2	
4379.0	5177.5		J	-4797.3	1408.2	867.4	911.2	
5354.8	-7100.1	Min	I	-6510.7	-1461.4	-905.3	-959.5	-
4476.5	-5950.5		J	-6336.2	-1461.4	-905.3	-959.5	-

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

2388.5	4265.6	INVSLE Max	I	-5422.7	349.6	248.6	317.0	
			J	-5248.2	349.6	248.6	317.0	
2158.5	3947.0	Min	I	-7551.5	-396.2	-281.8	-359.3	-
1710.3	-5444.7		J	-7377.0	-396.2	-281.8	-359.3	-
1454.5	-5202.6							
523	4	45 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1328.7	1112.8		J	286.3	28.1	20.0	25.4	
1345.6	1140.2	Min	I	-1786.5	-48.4	-34.4	-43.9	
-138.7	-2917.4		J	-1786.5	-48.4	-34.4	-43.9	
-151.9	-2920.2							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1306.1	2132.6		J	294.7	32.0	22.8	29.0	
1327.3	2160.8	Min	I	-1785.9	-50.2	-35.7	-45.5	
-128.8	-1913.0		J	-1785.9	-50.2	-35.7	-45.5	
-145.4	-1914.1							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
810.1	558.3		J	155.5	14.7	10.5	13.4	
817.1	571.3	Min	I	-1063.6	-26.2	-18.7	-23.8	
-75.9	-1650.0		J	-1063.6	-26.2	-18.7	-23.8	
-83.2	-1653.4							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
794.7	1168.7		J	160.6	17.1	12.2	15.5	
804.4	1183.0	Min	I	-1063.0	-27.2	-19.3	-24.6	
-70.1	-1042.7		J	-1063.0	-27.2	-19.3	-24.6	
-79.4	-1044.7							
		SLVx (RS)	I	-330.5	1089.7	-721.9	698.1	-
3707.3	-3871.3		J	-330.5	1089.7	-721.9	698.1	-
3001.9	-3315.7							
		SLVy (RS)	I	-146.1	-956.0	-268.1	-680.2	-
1255.0	-4182.0		J	-146.1	-956.0	-268.1	-680.2	-
-997.5	3348.2							
		SLDx (RS)	I	-243.2	760.1	-512.8	490.4	-
2655.5	-2747.2		J	-243.2	760.1	-512.8	490.4	-
2154.7	-2367.3							
		SLDy (RS)	I	-106.0	-675.6	-189.9	-484.4	
-889.4	-3001.4		J	-106.0	-675.6	-189.9	-484.4	
-707.4	2409.0							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1146.4	735.5	SLVz (RS)	I	626.5	-90.3	252.8	110.6	
905.8	660.9		J	626.5	-90.3	252.8	110.6	
1112.8	-335.7	G1	I	-2992.6	-27.8	-19.8	-25.2	
1132.6	-307.9		J	-2818.1	-27.8	-19.8	-25.2	
406.4	-123.0	G2	I	-558.0	-10.1	-7.2	-9.2	
413.6	-112.8		J	-558.0	-10.1	-7.2	-9.2	
1147.9	52.8	G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1153.8	44.5		J	-1476.1	8.3	5.9	7.5	-
-420.0	19.3	G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-422.1	16.3		J	-540.0	3.0	2.2	2.8	
37.5	114.2	q3	I	7.4	11.0	7.8	10.0	
29.7	103.2		J	7.4	11.0	7.8	10.0	
554.1	1266.1	q4-1	I	7.2	141.8	100.9	128.6	
453.2	1124.3		J	7.2	141.8	100.9	128.6	
169.2	383.9	q4-2	I	5.0	43.9	31.2	39.8	
138.0	340.0		J	5.0	43.9	31.2	39.8	
-10.6	1.0	q4-3	I	0.4	-2.6	-1.9	-2.4	
-8.7	3.6		J	0.4	-2.6	-1.9	-2.4	
-8.8	-17.8	q4-4	I	-0.2	-2.3	-1.6	-2.1	
-7.2	-15.5		J	-0.2	-2.3	-1.6	-2.1	
1.1	1.4	q4-5	I	0.2	0.3	0.2	0.3	
0.9	1.1		J	0.2	0.3	0.2	0.3	
1.6	3.3	q4-6	I	0.3	0.5	0.3	0.4	
1.3	2.8		J	0.3	0.5	0.3	0.4	
1.2	2.5	q4-7	I	0.3	0.4	0.3	0.3	
1.0	2.1		J	0.3	0.4	0.3	0.3	
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
336.6	1045.9		J	39.5	93.3	66.3	84.6	
270.2	952.7							
1401.6	-3154.9	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
1144.7	-2793.7		J	-30.5	-361.3	-256.9	-327.6	-
323.5	979.7	q5 - p~3	I	31.7	88.4	62.9	80.2	
260.6	891.3		J	31.7	88.4	62.9	80.2	
1327.8	-2891.0	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
1084.6	-2549.1		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
46.3	160.6	q7	I	4.4	12.6	9.0	11.4	
37.3	148.0		J	4.4	12.6	9.0	11.4	
3.4	9.6	T	I	-0.1	0.8	0.6	0.8	
2.8	8.8		J	-0.1	0.8	0.6	0.8	
663.6	866.8	M. tor~1	I	15.9	171.3	121.9	155.4	
541.7	695.5		J	15.9	171.3	121.9	155.4	
392.3	512.5	M. tor~2	I	9.4	101.3	72.0	91.9	
320.3	411.2		J	9.4	101.3	72.0	91.9	
3039.8	5611.5	INVSLU Max	I	-7081.6	504.4	358.7	457.4	
2808.5	5149.6		J	-6846.0	504.4	358.7	457.4	
2162.5	-7306.6	Min	I	-9962.5	-586.0	-416.8	-531.5	-
1781.6	-6948.7		J	-9726.9	-586.0	-416.8	-531.5	-
4379.0	5177.5	INVSLV Max	I	-4797.3	1377.0	859.2	911.2	
3543.1	4181.3		J	-4622.8	1377.0	859.2	911.2	
4476.5	-5950.5	Min	I	-6336.2	-1430.2	-897.1	-959.5	-
3602.7	-4901.0		J	-6161.7	-1430.2	-897.1	-959.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

2158.5	3947.0	INVSLE	Max	I	-5248.2	349.6	248.6	317.0	
				J	-5073.7	349.6	248.6	317.0	
2004.2	3628.9		Min	I	-7377.0	-396.2	-281.8	-359.3	-
1454.5	-5202.6			J	-7202.5	-396.2	-281.8	-359.3	-
1199.4	-4961.5								
524	4	45	C1-C2;~1	Max	I	286.3	28.1	20.0	25.4
1345.6	1140.2			J	286.3	28.1	20.0	25.4	
1363.1	1168.1		Min	I	-1786.5	-48.4	-34.4	-43.9	
-151.9	-2920.2			J	-1786.5	-48.4	-34.4	-43.9	
-165.9	-2923.7								
			C3-C4;~1	Max	I	294.7	32.0	22.8	29.0
1327.3	2160.8			J	294.7	32.0	22.8	29.0	
1348.9	2189.9		Min	I	-1785.9	-50.2	-35.7	-45.5	
-145.4	-1914.1			J	-1785.9	-50.2	-35.7	-45.5	
-162.6	-1915.9								
			C1-C2;~2	Max	I	155.5	14.7	10.5	13.4
817.1	571.3			J	155.5	14.7	10.5	13.4	
824.3	584.5		Min	I	-1063.6	-26.2	-18.7	-23.8	
-83.2	-1653.4			J	-1063.6	-26.2	-18.7	-23.8	
-90.9	-1657.0								
			C3-C4;~2	Max	I	160.6	17.1	12.2	15.5
804.4	1183.0			J	160.6	17.1	12.2	15.5	
814.3	1197.7		Min	I	-1063.0	-27.2	-19.3	-24.6	
-79.4	-1044.7			J	-1063.0	-27.2	-19.3	-24.6	
-88.9	-1047.0								
			SLVx (RS)	I	-330.5	1055.9	-712.3	698.1	-
3001.9	-3315.7			J	-330.5	1055.9	-712.3	698.1	-
2304.2	3040.5								
			SLVy (RS)	I	-146.1	-942.6	-255.5	-680.2	
-997.5	3348.2			J	-146.1	-942.6	-255.5	-680.2	
-753.2	2594.5								
			SLDx (RS)	I	-243.2	736.8	-507.5	490.4	-
2154.7	-2367.3			J	-243.2	736.8	-507.5	490.4	-
1657.8	2178.5								
			SLDy (RS)	I	-106.0	-667.1	-181.1	-484.4	
-707.4	2409.0			J	-106.0	-667.1	-181.1	-484.4	
-534.4	1869.1								

MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
905.8	660.9	SLVz (RS)	I	626.5	-103.8	259.7	110.6	
662.9	575.5		J	626.5	-103.8	259.7	110.6	
1132.6	-307.9	G1	I	-2818.1	-27.8	-19.8	-25.2	
1152.3	-280.1		J	-2643.6	-27.8	-19.8	-25.2	
413.6	-112.8	G2	I	-558.0	-10.1	-7.2	-9.2	
420.8	-102.7		J	-558.0	-10.1	-7.2	-9.2	
1153.8	44.5	G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1159.8	36.2		J	-1476.1	8.3	5.9	7.5	-
-422.1	16.3	G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-424.3	13.2		J	-540.0	3.0	2.2	2.8	
29.7	103.2	q3	I	7.4	11.0	7.8	10.0	
21.9	92.2		J	7.4	11.0	7.8	10.0	
453.2	1124.3	q4-1	I	7.2	141.8	100.9	128.6	
352.4	982.4		J	7.2	141.8	100.9	128.6	
138.0	340.0	q4-2	I	5.0	43.9	31.2	39.8	
106.8	296.1		J	5.0	43.9	31.2	39.8	
-8.7	3.6	q4-3	I	0.4	-2.6	-1.9	-2.4	
-6.9	6.2		J	0.4	-2.6	-1.9	-2.4	
-7.2	-15.5	q4-4	I	-0.2	-2.3	-1.6	-2.1	
-5.6	-13.3		J	-0.2	-2.3	-1.6	-2.1	
0.9	1.1	q4-5	I	0.2	0.3	0.2	0.3	
0.6	0.7		J	0.2	0.3	0.2	0.3	
1.3	2.8	q4-6	I	0.3	0.5	0.3	0.4	
1.0	2.3		J	0.3	0.5	0.3	0.4	
1.0	2.1	q4-7	I	0.3	0.4	0.3	0.3	
0.7	1.7		J	0.3	0.4	0.3	0.3	
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
270.2	952.7		J	39.5	93.3	66.3	84.6	
203.9	859.4							
1144.7	-2793.7	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
-887.7	-2432.4		J	-30.5	-361.3	-256.9	-327.6	
260.6	891.3	q5 - p~3	I	31.7	88.4	62.9	80.2	
197.8	802.9		J	31.7	88.4	62.9	80.2	
1084.6	-2549.1	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
-841.5	-2207.2		J	-27.2	-341.9	-243.2	-310.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
37.3	148.0	q7	I	4.4	12.6	9.0	11.4	
28.3	135.4		J	4.4	12.6	9.0	11.4	
2.8	8.8	T	I	-0.1	0.8	0.6	0.8	
2.2	7.9		J	-0.1	0.8	0.6	0.8	
541.7	695.5	M. tor~1	I	15.9	171.3	121.9	155.4	
419.8	524.1		J	15.9	171.3	121.9	155.4	
320.3	411.2	M. tor~2	I	9.4	101.3	72.0	91.9	
248.2	309.9		J	9.4	101.3	72.0	91.9	
2808.5	5149.6	INVSLU Max	I	-6846.0	504.4	358.7	457.4	
2626.0	4701.4		J	-6610.4	504.4	358.7	457.4	
1781.6	-6948.7	Min	I	-9726.9	-586.0	-416.8	-531.5	-
1401.2	-6591.8		J	-9491.3	-586.0	-416.8	-531.5	-
3543.1	4181.3	INVSLV Max	I	-4622.8	1343.3	847.9	911.2	
2718.1	3658.2		J	-4448.3	1343.3	847.9	911.2	
3602.7	-4901.0	Min	I	-6161.7	-1396.5	-885.8	-959.5	-
2740.0	-4324.8		J	-5987.2	-1396.5	-885.8	-959.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

2004.2	3628.9	INVSLE Max	I	-5073.7	349.6	248.6	317.0	
			J	-4899.2	349.6	248.6	317.0	
1886.1	3320.9	Min	I	-7202.5	-396.2	-281.8	-359.3	-
1199.4	-4961.5		J	-7028.0	-396.2	-281.8	-359.3	
-944.6	-4721.2							
525	4	51 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1363.1	1168.1		J	286.3	28.1	20.0	25.4	
1381.0	1196.5	Min	I	-1786.5	-48.4	-34.4	-43.9	
-165.9	-2923.7		J	-1786.5	-48.4	-34.4	-43.9	
-180.5	-2928.9							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1348.9	2189.9		J	294.7	32.0	22.8	29.0	
1370.8	2219.7	Min	I	-1785.9	-50.2	-35.7	-45.5	
-162.6	-1915.9		J	-1785.9	-50.2	-35.7	-45.5	
-180.3	-1918.1							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
824.3	584.5		J	155.5	14.7	10.5	13.4	
831.6	597.9	Min	I	-1063.6	-26.2	-18.7	-23.8	
-90.9	-1657.0		J	-1063.6	-26.2	-18.7	-23.8	
-98.8	-1661.7							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
814.3	1197.7		J	160.6	17.1	12.2	15.5	
824.4	1212.7	Min	I	-1063.0	-27.2	-19.3	-24.6	
-88.9	-1047.0		J	-1063.0	-27.2	-19.3	-24.6	
-98.5	-1049.5							
		SLVx (RS)	I	-330.5	1010.9	-696.0	698.1	-
2304.2	3040.5		J	-330.5	1010.9	-696.0	698.1	-
1621.8	3076.7							
		SLVy (RS)	I	-146.1	-921.7	-239.5	-680.2	
-753.2	2594.5		J	-146.1	-921.7	-239.5	-680.2	
-525.2	1998.6							
		SLDx (RS)	I	-243.2	705.7	-497.5	490.4	-
1657.8	2178.5		J	-243.2	705.7	-497.5	490.4	-
1170.2	2199.8							
		SLDy (RS)	I	-106.0	-653.4	-170.0	-484.4	
-534.4	1869.1		J	-106.0	-653.4	-170.0	-484.4	
-372.7	1433.1							

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
662.9	575.5	SLVz (RS)	I	626.5	-116.9	263.1	110.6	
-430.6	482.1		J	626.5	-116.9	263.1	110.6	
1152.3	-280.1	G1	I	-2643.6	-27.8	-19.8	-25.2	
1172.1	-252.3		J	-2365.9	-27.8	-19.8	-25.2	
420.8	-102.7	G2	I	-558.0	-10.1	-7.2	-9.2	
428.0	-92.5		J	-558.0	-10.1	-7.2	-9.2	
1159.8	36.2	G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1165.7	27.9		J	-1476.1	8.3	5.9	7.5	-
-424.3	13.2	G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-426.5	10.2		J	-540.0	3.0	2.2	2.8	
21.9	92.2	q3	I	7.4	11.0	7.8	10.0	
14.0	81.2		J	7.4	11.0	7.8	10.0	
352.4	982.4	q4-1	I	7.2	141.8	100.9	128.6	
251.5	840.6		J	7.2	141.8	100.9	128.6	
106.8	296.1	q4-2	I	5.0	43.9	31.2	39.8	
75.6	252.2		J	5.0	43.9	31.2	39.8	
-6.9	6.2	q4-3	I	0.4	-2.6	-1.9	-2.4	
-5.0	8.8		J	0.4	-2.6	-1.9	-2.4	
-5.6	-13.3	q4-4	I	-0.2	-2.3	-1.6	-2.1	
-4.0	-11.0		J	-0.2	-2.3	-1.6	-2.1	
0.6	0.7	q4-5	I	0.2	0.3	0.2	0.3	
0.4	0.4		J	0.2	0.3	0.2	0.3	
1.0	2.3	q4-6	I	0.3	0.5	0.3	0.4	
0.6	1.9		J	0.3	0.5	0.3	0.4	
0.7	1.7	q4-7	I	0.3	0.4	0.3	0.3	
0.4	1.4		J	0.3	0.4	0.3	0.3	
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
203.9	859.4		J	39.5	93.3	66.3	84.6
137.6	766.1						
-887.7	-2432.4	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6
-630.8	-2071.1		J	-30.5	-361.3	-256.9	-327.6
197.8	802.9	q5 - p~3	I	31.7	88.4	62.9	80.2
134.9	714.6		J	31.7	88.4	62.9	80.2
-841.5	-2207.2	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0
-598.3	-1865.3		J	-27.2	-341.9	-243.2	-310.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
28.3	135.4	q7	I	4.4	12.6	9.0	11.4
19.4	122.8		J	4.4	12.6	9.0	11.4
2.2	7.9	T	I	-0.1	0.8	0.6	0.8
1.6	7.1		J	-0.1	0.8	0.6	0.8
419.8	524.1	M. tor~1	I	15.9	171.3	121.9	155.4
298.0	352.8		J	15.9	171.3	121.9	155.4
248.2	309.9	M. tor~2	I	9.4	101.3	72.0	91.9
176.2	208.6		J	9.4	101.3	72.0	91.9
2626.0	4701.4	INVSLU Max	I	-6610.4	504.4	358.7	457.4
2444.1	4451.7		J	-6235.5	504.4	358.7	457.4
1401.2	-6591.8	Min	I	-9491.3	-586.0	-416.8	-531.5
1021.2	-6237.1		J	-9116.4	-586.0	-416.8	-531.5
2718.1	3658.2	INVSLV Max	I	-4448.3	1295.9	827.9	911.2
1916.6	3514.3		J	-4170.6	1295.9	827.9	911.2
2740.0	-4324.8	Min	I	-5987.2	-1349.1	-865.7	-959.5
1900.5	-4127.6		J	-5709.5	-1349.1	-865.7	-959.5

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1886.1	3320.9	INVSLE	Max	I	-4899.2	349.6	248.6	317.0	
				J	-4621.5	349.6	248.6	317.0	
1768.5	3160.0		Min	I	-7028.0	-396.2	-281.8	-359.3	
-944.6	-4721.2			J	-6750.3	-396.2	-281.8	-359.3	
-690.0	-4482.5								
526	4	51	C1-C2;~1	Max	I	286.3	28.1	20.0	25.4
1381.0	1196.5			J	286.3	28.1	20.0	25.4	
1399.3	1225.2			Min	I	-1786.5	-48.4	-34.4	-43.9
-180.5	-2928.9			J	-1786.5	-48.4	-34.4	-43.9	
-199.3	-2934.4								
			C3-C4;~1	Max	I	294.7	32.0	22.8	29.0
1370.8	2219.7			J	294.7	32.0	22.8	29.0	
1393.0	2250.0			Min	I	-1785.9	-50.2	-35.7	-45.5
-180.3	-1918.1			J	-1785.9	-50.2	-35.7	-45.5	
-201.9	-1920.7								
			C1-C2;~2	Max	I	155.5	14.7	10.5	13.4
831.6	597.9			J	155.5	14.7	10.5	13.4	
839.1	611.4			Min	I	-1063.6	-26.2	-18.7	-23.8
-98.8	-1661.7			J	-1063.6	-26.2	-18.7	-23.8	
-108.7	-1666.5								
			C3-C4;~2	Max	I	160.6	17.1	12.2	15.5
824.4	1212.7			J	160.6	17.1	12.2	15.5	
834.5	1227.9			Min	I	-1063.0	-27.2	-19.3	-24.6
-98.5	-1049.5			J	-1063.0	-27.2	-19.3	-24.6	
-110.2	-1052.3								
			SLVx (RS)	I	-330.5	954.6	-669.6	698.1	-
1621.8	3076.7			J	-330.5	954.6	-669.6	698.1	
-970.0	-3361.7								
			SLVy (RS)	I	-146.1	-890.9	-221.6	-680.2	
-525.2	1998.6			J	-146.1	-890.9	-221.6	-680.2	
-317.1	-1701.9								
			SLDx (RS)	I	-243.2	666.9	-480.3	490.4	-
1170.2	2199.8			J	-243.2	666.9	-480.3	490.4	
-702.9	-2389.6								
			SLDy (RS)	I	-106.0	-632.5	-157.5	-484.4	
-372.7	1433.1			J	-106.0	-632.5	-157.5	-484.4	
-225.1	-1199.2								


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-430.6	482.1	SLVz (RS)	I	626.5	126.9	259.7	110.6
			J	626.5	126.9	259.7	110.6
257.1	387.5						
		G1	I	-2365.9	-27.8	-19.8	-25.2
1172.1	-252.3		J	-2088.2	-27.8	-19.8	-25.2
1191.9	-224.5						
		G2	I	-558.0	-10.1	-7.2	-9.2
428.0	-92.5		J	-558.0	-10.1	-7.2	-9.2
435.2	-82.4						
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5
1165.7	27.9		J	-1476.1	8.3	5.9	7.5
1171.6	19.6						
		G2- Imp~1	I	-540.0	3.0	2.2	2.8
-426.5	10.2		J	-540.0	3.0	2.2	2.8
-428.6	7.2						
		q3	I	7.4	11.0	7.8	10.0
14.0	81.2		J	7.4	11.0	7.8	10.0
6.2	70.2						
		q4-1	I	7.2	141.8	100.9	128.6
251.5	840.6		J	7.2	141.8	100.9	128.6
150.6	698.8						
		q4-2	I	5.0	43.9	31.2	39.8
75.6	252.2		J	5.0	43.9	31.2	39.8
44.4	208.4						
		q4-3	I	0.4	-2.6	-1.9	-2.4
-5.0	8.8		J	0.4	-2.6	-1.9	-2.4
-3.2	11.4						
		q4-4	I	-0.2	-2.3	-1.6	-2.1
-4.0	-11.0		J	-0.2	-2.3	-1.6	-2.1
-2.3	-8.7						
		q4-5	I	0.2	0.3	0.2	0.3
0.4	0.4		J	0.2	0.3	0.2	0.3
0.2	0.1						
		q4-6	I	0.3	0.5	0.3	0.4
0.6	1.9		J	0.3	0.5	0.3	0.4
0.3	1.4						
		q4-7	I	0.3	0.4	0.3	0.3
0.4	1.4		J	0.3	0.4	0.3	0.3
0.2	1.0						
		q5 - p~1	I	39.5	93.3	66.3	84.6

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
137.6	766.1		J	39.5	93.3	66.3	84.6
71.2	672.8						
-630.8	-2071.1	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6
-373.9	-1709.8		J	-30.5	-361.3	-256.9	-327.6
134.9	714.6	q5 - p~3	I	31.7	88.4	62.9	80.2
72.1	626.2		J	31.7	88.4	62.9	80.2
-598.3	-1865.3	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0
-355.2	-1523.4		J	-27.2	-341.9	-243.2	-310.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
19.4	122.8	q7	I	4.4	12.6	9.0	11.4
10.4	110.2		J	4.4	12.6	9.0	11.4
1.6	7.1	T	I	-0.1	0.8	0.6	0.8
1.0	6.2		J	-0.1	0.8	0.6	0.8
298.0	352.8	M. tor~1	I	15.9	171.3	121.9	155.4
176.1	181.4		J	15.9	171.3	121.9	155.4
176.2	208.6	M. tor~2	I	9.4	101.3	72.0	91.9
104.1	107.3		J	9.4	101.3	72.0	91.9
2444.1	4451.7	INVSLU Max	I	-6235.5	504.4	358.7	457.4
2262.6	4202.8		J	-5860.6	504.4	358.7	457.4
1021.2	-6237.1	Min	I	-9116.4	-586.0	-416.8	-531.5
-645.9	-5882.9		J	-8741.5	-586.0	-416.8	-531.5
1916.6	3514.3	INVSLV Max	I	-4170.6	1233.3	795.0	911.2
1169.2	3708.5		J	-3892.9	1233.3	795.0	911.2
1900.5	-4127.6	Min	I	-5709.5	-1286.5	-832.9	-959.5
1115.3	-4268.6		J	-5431.8	-1286.5	-832.9	-959.5

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1768.5	3160.0	INVSLE	Max	I	-4621.5	349.6	248.6	317.0	
				J	-4343.8	349.6	248.6	317.0	
1651.2	2999.6		Min	I	-6750.3	-396.2	-281.8	-359.3	
-690.0	-4482.5			J	-6472.6	-396.2	-281.8	-359.3	
-439.1	-4244.1								
527	4	50	C1-C2;~1	Max	I	286.3	28.1	20.0	25.4
1399.3	1225.2			J	286.3	28.1	20.0	25.4	
1417.8	1254.1		Min	I	-1786.5	-48.4	-34.4	-43.9	
-199.3	-2934.4			J	-1786.5	-48.4	-34.4	-43.9	
-218.5	-2940.2								
			C3-C4;~1	Max	I	294.7	32.0	22.8	29.0
1393.0	2250.0			J	294.7	32.0	22.8	29.0	
1415.3	2280.7		Min	I	-1785.9	-50.2	-35.7	-45.5	
-201.9	-1920.7			J	-1785.9	-50.2	-35.7	-45.5	
-223.7	-1923.7								
			C1-C2;~2	Max	I	155.5	14.7	10.5	13.4
839.1	611.4			J	155.5	14.7	10.5	13.4	
846.7	625.0		Min	I	-1063.6	-26.2	-18.7	-23.8	
-108.7	-1666.5			J	-1063.6	-26.2	-18.7	-23.8	
-118.8	-1671.5								
			C3-C4;~2	Max	I	160.6	17.1	12.2	15.5
834.5	1227.9			J	160.6	17.1	12.2	15.5	
844.8	1243.2		Min	I	-1063.0	-27.2	-19.3	-24.6	
-110.2	-1052.3			J	-1063.0	-27.2	-19.3	-24.6	
-122.0	-1055.1								
			SLVx (RS)	I	-330.5	870.1	-618.0	698.1	
-970.0	-3361.7			J	-330.5	870.1	-618.0	698.1	
402.7	-3761.1								
			SLVy (RS)	I	-146.1	-835.7	-201.6	-680.2	
-317.1	-1701.9			J	-146.1	-835.7	-201.6	-680.2	
-145.3	-1799.6								
			SLDx (RS)	I	-243.2	609.0	-445.2	490.4	
-702.9	-2389.6			J	-243.2	609.0	-445.2	490.4	
294.9	-2657.6								
			SLDy (RS)	I	-106.0	-594.4	-143.4	-484.4	
-225.1	-1199.2			J	-106.0	-594.4	-143.4	-484.4	
-103.7	-1246.0								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
257.1	387.5	SLVz (RS)	I	626.5	132.3	241.8	110.6	
-269.1	-301.1		J	626.5	132.3	241.8	110.6	
1191.9	-224.5	G1	I	-2088.2	-27.8	-19.8	-25.2	
1211.7	-196.7		J	-1528.2	-27.8	-19.8	-25.2	
435.2	-82.4	G2	I	-558.0	-10.1	-7.2	-9.2	
442.5	-72.2		J	-558.0	-10.1	-7.2	-9.2	
1171.6	19.6	G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1177.5	11.3		J	-1476.1	8.3	5.9	7.5	-
-428.6	7.2	G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-430.8	4.1		J	-540.0	3.0	2.2	2.8	
6.2	70.2	q3	I	7.4	11.0	7.8	10.0	
-1.6	59.2		J	7.4	11.0	7.8	10.0	
150.6	698.8	q4-1	I	7.2	141.8	100.9	128.6	
49.7	556.9		J	7.2	141.8	100.9	128.6	
44.4	208.4	q4-2	I	5.0	43.9	31.2	39.8	
13.2	164.5		J	5.0	43.9	31.2	39.8	
-3.2	11.4	q4-3	I	0.4	-2.6	-1.9	-2.4	
-1.3	14.1		J	0.4	-2.6	-1.9	-2.4	
-2.3	-8.7	q4-4	I	-0.2	-2.3	-1.6	-2.1	
-0.7	-6.4		J	-0.2	-2.3	-1.6	-2.1	
0.2	0.1	q4-5	I	0.2	0.3	0.2	0.3	
-0.1	-0.2		J	0.2	0.3	0.2	0.3	
0.3	1.4	q4-6	I	0.3	0.5	0.3	0.4	
-0.1	0.9		J	0.3	0.5	0.3	0.4	
0.2	1.0	q4-7	I	0.3	0.4	0.3	0.3	
-0.1	0.6		J	0.3	0.4	0.3	0.3	
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
71.2	672.8		J	39.5	93.3	66.3	84.6
4.9	579.6						
-373.9	-1709.8	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6
-116.9	-1348.6		J	-30.5	-361.3	-256.9	-327.6
72.1	626.2	q5 - p~3	I	31.7	88.4	62.9	80.2
9.2	537.8		J	31.7	88.4	62.9	80.2
-355.2	-1523.4	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0
-112.0	-1181.5		J	-27.2	-341.9	-243.2	-310.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
10.4	110.2	q7	I	4.4	12.6	9.0	11.4
1.4	97.6		J	4.4	12.6	9.0	11.4
1.0	6.2	T	I	-0.1	0.8	0.6	0.8
0.4	5.4		J	-0.1	0.8	0.6	0.8
176.1	181.4	M. tor~1	I	15.9	171.3	121.9	155.4
54.3	10.1		J	15.9	171.3	121.9	155.4
104.1	107.3	M. tor~2	I	9.4	101.3	72.0	91.9
32.1	6.0		J	9.4	101.3	72.0	91.9
2262.6	4202.8	INVSLU Max	I	-5860.6	504.4	358.7	457.4
2081.5	3954.4		J	-5104.6	504.4	358.7	457.4
-645.9	-5882.9	Min	I	-8741.5	-586.0	-416.8	-531.5
-345.7	-5529.1		J	-7985.5	-586.0	-416.8	-531.5
1169.2	3708.5	INVSLV Max	I	-3892.9	1133.9	732.1	911.2
572.9	4137.9		J	-3332.9	1133.9	732.1	911.2
1115.3	-4268.6	Min	I	-5431.8	-1187.1	-770.0	-959.5
-481.1	-4644.8		J	-4871.8	-1187.1	-770.0	-959.5

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1651.2	2999.6	INVSLE	Max	I	-4343.8	349.6	248.6	317.0	
				J	-3783.8	349.6	248.6	317.0	
1534.1	2839.7		Min	I	-6472.6	-396.2	-281.8	-359.3	
-439.1	-4244.1			J	-5912.6	-396.2	-281.8	-359.3	
-248.3	-4006.1								
528	4	45	C1-C2;~1	Max	I	356.8	95.8	73.1	175.5
548.4	1493.3			J	356.8	95.8	73.1	175.5	
475.3	1500.2		Min	I	-3244.7	-66.0	-50.4	-120.9	
-377.9	-4468.1			J	-3244.7	-66.0	-50.4	-120.9	
-327.5	-4510.2								
			C3-C4;~1	Max	I	366.2	96.8	73.9	177.3
554.1	2786.8			J	366.2	96.8	73.9	177.3	
480.2	2776.0		Min	I	-3253.0	-72.9	-55.6	-133.4	
-416.9	-3157.9			J	-3253.0	-72.9	-55.6	-133.4	
-361.3	-3184.7								
			C1-C2;~2	Max	I	194.0	51.5	39.3	94.2
294.5	705.2			J	194.0	51.5	39.3	94.2	
255.2	709.0		Min	I	-1647.1	-34.6	-26.4	-63.4	
-198.1	-2257.2			J	-1647.1	-34.6	-26.4	-63.4	
-171.6	-2282.9								
			C3-C4;~2	Max	I	199.7	51.3	39.1	93.9
293.4	1409.9			J	199.7	51.3	39.1	93.9	
254.2	1407.4		Min	I	-1651.3	-38.5	-29.4	-70.6	
-220.5	-1544.9			J	-1651.3	-38.5	-29.4	-70.6	
-191.1	-1562.4								
			SLVx (RS)	I	-441.2	649.1	-510.2	-973.4	-
3543.4	-4317.2			J	-441.2	649.1	-510.2	-973.4	-
3053.2	-4104.6								
			SLVy (RS)	I	-182.1	-799.3	-368.6	-941.2	-
1944.2	-4767.6			J	-182.1	-799.3	-368.6	-941.2	-
1669.9	-4200.7								
			SLDx (RS)	I	-326.0	452.6	-361.0	-695.8	-
2528.9	-3057.8			J	-326.0	452.6	-361.0	-695.8	-
2181.9	-2916.2								
			SLDy (RS)	I	-134.2	-561.3	-264.7	-672.3	-
1413.8	-3413.9			J	-134.2	-561.3	-264.7	-672.3	-
1214.8	-3014.5								

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
137.8	671.6	SLVz (RS)	I	1081.2	-31.5	28.4	-115.0
			J	1081.2	-31.5	28.4	-115.0
128.8	688.1						
		G1	I	-6548.5	44.9	34.2	82.1
256.7	-1606.5		J	-6374.0	44.9	34.2	82.1
222.5	-1651.3						
		G2	I	-1827.0	16.4	12.5	30.0
93.8	-587.1		J	-1827.0	16.4	12.5	30.0
81.3	-603.5						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-69.6	-103.4		J	0.0	-12.2	-9.3	-22.3
-60.3	-91.2						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-25.5	-37.8		J	0.0	-4.4	-3.4	-8.1
-22.1	-33.4						
		q3	I	-10.0	42.6	32.5	78.0
243.9	433.5		J	-10.0	42.6	32.5	78.0
211.4	390.9						
		q4-1	I	-16.2	30.4	23.2	55.7
174.1	358.6		J	-16.2	30.4	23.2	55.7
150.8	328.2						
		q4-2	I	-6.8	65.2	49.7	119.4
373.1	757.1		J	-6.8	65.2	49.7	119.4
323.4	691.9						
		q4-3	I	4.0	22.6	17.3	41.4
129.5	242.8		J	4.0	22.6	17.3	41.4
112.2	220.2						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-11.0	-5.7		J	1.0	-1.9	-1.5	-3.5
-9.5	-3.8						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-4.2	-7.8		J	-1.2	-0.7	-0.6	-1.4
-3.7	-7.0						
		q4-6	I	-1.3	0.2	0.2	0.4
1.3	1.6		J	-1.3	0.2	0.2	0.4
1.2	1.3						
		q4-7	I	-1.3	0.1	0.1	0.3
0.8	1.1		J	-1.3	0.1	0.1	0.3
0.7	1.0						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
2279.5	4165.9		J	36.7	398.4	303.9	729.4	
1975.5	3767.6							
2282.5	-4073.7	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
1978.1	-3674.8		J	22.5	-398.9	-304.3	-730.4	-
2159.4	3879.6	q5 - p~3	I	35.5	377.4	287.9	691.0	
1871.5	3502.2		J	35.5	377.4	287.9	691.0	
2165.8	-3677.5	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
1877.0	-3299.0		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
444.8	766.3	q7	I	3.8	77.7	59.3	142.3	
385.5	688.6		J	3.8	77.7	59.3	142.3	
-7.2	-9.7	T	I	1.1	-1.3	-1.0	-2.3	
-6.2	-8.5		J	1.1	-1.3	-1.0	-2.3	
507.8	564.3	M. tor~1	I	-31.8	88.7	67.7	162.5	
440.1	475.6		J	-31.8	88.7	67.7	162.5	
300.2	333.6	M. tor~2	I	-18.8	52.5	40.0	96.1	
260.2	281.2		J	-18.8	52.5	40.0	96.1	
3996.2	4577.8	INVSLU Max	I	-10778.6	698.4	532.8	1278.8	
3463.3	3947.2		J	-10543.0	698.4	532.8	1278.8	
3206.6	-12940.3	Min	I	-15732.2	-560.4	-427.6	-1026.1	-
2779.1	-12698.0		J	-15496.6	-560.4	-427.6	-1026.1	-
4423.4	3929.4	INVSLV Max	I	-7107.2	1048.1	663.3	1372.0	
3814.1	3259.1		J	-6932.7	1048.1	663.3	1372.0	
3912.6	-8599.1	Min	I	-9643.6	-958.8	-595.2	-1208.6	-
3371.4	-8018.0		J	-9469.1	-958.8	-595.2	-1208.6	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

2719.9	2960.5	INVSLE	Max	I	-7986.5	475.4	362.7	870.4	
				J	-7812.0	475.4	362.7	870.4	
2357.3	2662.2		Min	I	-11651.1	-373.2	-284.7	-683.2	-
2135.1	-9308.3			J	-11476.6	-373.2	-284.7	-683.2	-
1850.4	-9155.3								
529	4	45	C1-C2;~1	Max	I	356.8	95.8	73.1	175.5
475.3	1500.2			J	356.8	95.8	73.1	175.5	
402.2	1507.6		Min	I	-3244.7	-66.0	-50.4	-120.9	
-327.5	-4510.2			J	-3244.7	-66.0	-50.4	-120.9	
-277.1	-4553.3								
			C3-C4;~1	Max	I	366.2	96.8	73.9	177.3
480.2	2776.0			J	366.2	96.8	73.9	177.3	
406.3	2765.3		Min	I	-3253.0	-72.9	-55.6	-133.4	
-361.3	-3184.7			J	-3253.0	-72.9	-55.6	-133.4	
-305.7	-3211.8								
			C1-C2;~2	Max	I	194.0	51.5	39.3	94.2
255.2	709.0			J	194.0	51.5	39.3	94.2	
216.0	713.1		Min	I	-1647.1	-34.6	-26.4	-63.4	
-171.6	-2282.9			J	-1647.1	-34.6	-26.4	-63.4	
-145.2	-2309.1								
			C3-C4;~2	Max	I	199.7	51.3	39.1	93.9
254.2	1407.4			J	199.7	51.3	39.1	93.9	
215.1	1405.1		Min	I	-1651.3	-38.5	-29.4	-70.6	
-191.1	-1562.4			J	-1651.3	-38.5	-29.4	-70.6	
-161.7	-1580.0								
			SLVx (RS)	I	-441.2	-624.5	-509.3	-973.4	-
3053.2	-4104.6			J	-441.2	-624.5	-509.3	-973.4	-
2558.1	-3959.0								
			SLVy (RS)	I	-182.1	-773.0	-336.4	-941.2	-
1669.9	-4200.7			J	-182.1	-773.0	-336.4	-941.2	-
1423.6	-3716.6								
			SLDx (RS)	I	-326.0	-435.6	-361.8	-695.8	-
2181.9	-2916.2			J	-326.0	-435.6	-361.8	-695.8	-
1830.1	-2818.6								
			SLDy (RS)	I	-134.2	-543.8	-242.8	-672.3	
1214.8	-3014.5			J	-134.2	-543.8	-242.8	-672.3	
1034.6	-2670.2								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
128.8	688.1	SLVz (RS)	I	1081.2	-31.1	26.7	-115.0
			J	1081.2	-31.1	26.7	-115.0
120.0	697.7						
		G1	I	-6374.0	44.9	34.2	82.1
222.5	-1651.3		J	-6199.5	44.9	34.2	82.1
188.2	-1696.2						
		G2	I	-1827.0	16.4	12.5	30.0
81.3	-603.5		J	-1827.0	16.4	12.5	30.0
68.8	-619.9						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-60.3	-91.2		J	0.0	-12.2	-9.3	-22.3
-51.0	-79.1						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-22.1	-33.4		J	0.0	-4.4	-3.4	-8.1
-18.7	-28.9						
		q3	I	-10.0	42.6	32.5	78.0
211.4	390.9		J	-10.0	42.6	32.5	78.0
178.9	348.3						
		q4-1	I	-16.2	30.4	23.2	55.7
150.8	328.2		J	-16.2	30.4	23.2	55.7
127.6	297.8						
		q4-2	I	-6.8	65.2	49.7	119.4
323.4	691.9		J	-6.8	65.2	49.7	119.4
273.6	626.6						
		q4-3	I	4.0	22.6	17.3	41.4
112.2	220.2		J	4.0	22.6	17.3	41.4
95.0	197.6						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-9.5	-3.8		J	1.0	-1.9	-1.5	-3.5
-8.0	-1.9						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-3.7	-7.0		J	-1.2	-0.7	-0.6	-1.4
-3.1	-6.3						
		q4-6	I	-1.3	0.2	0.2	0.4
1.2	1.3		J	-1.3	0.2	0.2	0.4
1.0	1.1						
		q4-7	I	-1.3	0.1	0.1	0.3
0.7	1.0		J	-1.3	0.1	0.1	0.3
0.6	0.8						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1975.5	3767.6		J	36.7	398.4	303.9	729.4	
1671.6	3369.2							
1978.1	-3674.8	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
1673.8	-3275.9		J	22.5	-398.9	-304.3	-730.4	-
1871.5	3502.2	q5 - p~3	I	35.5	377.4	287.9	691.0	
1583.6	3124.8		J	35.5	377.4	287.9	691.0	
1877.0	-3299.0	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
1588.2	-2920.5		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
385.5	688.6	q7	I	3.8	77.7	59.3	142.3	
326.2	610.9		J	3.8	77.7	59.3	142.3	
-6.2	-8.5	T	I	1.1	-1.3	-1.0	-2.3	
-5.2	-7.2		J	1.1	-1.3	-1.0	-2.3	
440.1	475.6	M. tor~1	I	-31.8	88.7	67.7	162.5	
372.4	386.8		J	-31.8	88.7	67.7	162.5	
260.2	281.2	M. tor~2	I	-18.8	52.5	40.0	96.1	
220.2	228.7		J	-18.8	52.5	40.0	96.1	
3463.3	3947.2	INVSLU Max	I	-10543.0	698.4	532.8	1278.8	
2930.5	3498.1		J	-10307.4	698.4	532.8	1278.8	
2779.1	-12698.0	Min	I	-15496.6	-560.4	-427.6	-1026.1	-
2351.5	-12456.9		J	-15261.0	-560.4	-427.6	-1026.1	-
3814.1	3259.1	INVSLV Max	I	-6932.7	1014.3	652.3	1372.0	
3208.5	2859.2		J	-6758.2	1014.3	652.3	1372.0	
3371.4	-8018.0	Min	I	-9469.1	-925.0	-584.2	-1208.6	-
2833.9	-7707.4		J	-9294.6	-925.0	-584.2	-1208.6	-


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

2357.3	2662.2	INVSLE	Max	I	-7812.0	475.4	362.7	870.4	
				J	-7637.5	475.4	362.7	870.4	
1994.6	2367.0		Min	I	-11476.6	-373.2	-284.7	-683.2	-
1850.4	-9155.3			J	-11302.1	-373.2	-284.7	-683.2	-
1565.8	-9003.2								
530	4	45	C1-C2;~1	Max	I	356.8	95.8	73.1	175.5
402.2	1507.6			J	356.8	95.8	73.1	175.5	
329.0	1516.1		Min	I	-3244.7	-66.0	-50.4	-120.9	
-277.1	-4553.3			J	-3244.7	-66.0	-50.4	-120.9	
-226.7	-4598.3								
			C3-C4;~1	Max	I	366.2	96.8	73.9	177.3
406.3	2765.3			J	366.2	96.8	73.9	177.3	
332.5	2760.2		Min	I	-3253.0	-72.9	-55.6	-133.4	
-305.7	-3211.8			J	-3253.0	-72.9	-55.6	-133.4	
-250.1	-3247.6								
			C1-C2;~2	Max	I	194.0	51.5	39.3	94.2
216.0	713.1			J	194.0	51.5	39.3	94.2	
176.7	717.6		Min	I	-1647.1	-34.6	-26.4	-63.4	
-145.2	-2309.1			J	-1647.1	-34.6	-26.4	-63.4	
-118.8	-2336.0								
			C3-C4;~2	Max	I	199.7	51.3	39.1	93.9
215.1	1405.1			J	199.7	51.3	39.1	93.9	
176.0	1405.0		Min	I	-1651.3	-38.5	-29.4	-70.6	
-161.7	-1580.0			J	-1651.3	-38.5	-29.4	-70.6	
-132.3	-1603.6								
			SLVx (RS)	I	-441.2	-601.4	-506.9	-973.4	-
2558.1	-3959.0			J	-441.2	-601.4	-506.9	-973.4	-
2062.0	-3876.2								
			SLVy (RS)	I	-182.1	-744.5	-306.3	-941.2	-
1423.6	-3716.6			J	-182.1	-744.5	-306.3	-941.2	-
1198.8	-3336.4								
			SLDx (RS)	I	-326.0	-419.7	-361.3	-695.8	-
1830.1	-2818.6			J	-326.0	-419.7	-361.3	-695.8	-
1476.2	-2761.6								
			SLDy (RS)	I	-134.2	-524.8	-222.2	-672.3	
1034.6	-2670.2			J	-134.2	-524.8	-222.2	-672.3	
869.2	-2395.5								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
120.0	697.7	SLVz (RS)	I	1081.2	-34.0	25.0	-115.0
			J	1081.2	-34.0	25.0	-115.0
110.4	701.1						
		G1	I	-6199.5	44.9	34.2	82.1
188.2	-1696.2		J	-6025.0	44.9	34.2	82.1
154.0	-1741.1						
		G2	I	-1827.0	16.4	12.5	30.0
68.8	-619.9		J	-1827.0	16.4	12.5	30.0
56.3	-636.3						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-51.0	-79.1		J	0.0	-12.2	-9.3	-22.3
-41.7	-66.9						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-18.7	-28.9		J	0.0	-4.4	-3.4	-8.1
-15.3	-24.5						
		q3	I	-10.0	42.6	32.5	78.0
178.9	348.3		J	-10.0	42.6	32.5	78.0
146.3	305.6						
		q4-1	I	-16.2	30.4	23.2	55.7
127.6	297.8		J	-16.2	30.4	23.2	55.7
104.4	267.4						
		q4-2	I	-6.8	65.2	49.7	119.4
273.6	626.6		J	-6.8	65.2	49.7	119.4
223.9	561.4						
		q4-3	I	4.0	22.6	17.3	41.4
95.0	197.6		J	4.0	22.6	17.3	41.4
77.7	174.9						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-8.0	-1.9		J	1.0	-1.9	-1.5	-3.5
-6.6	0.0						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-3.1	-6.3		J	-1.2	-0.7	-0.6	-1.4
-2.5	-5.5						
		q4-6	I	-1.3	0.2	0.2	0.4
1.0	1.1		J	-1.3	0.2	0.2	0.4
0.8	0.9						
		q4-7	I	-1.3	0.1	0.1	0.3
0.6	0.8		J	-1.3	0.1	0.1	0.3
0.5	0.7						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1671.6	3369.2		J	36.7	398.4	303.9	729.4	
1367.7	2970.8							
1673.8	-3275.9	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
1369.5	-2877.0		J	22.5	-398.9	-304.3	-730.4	-
1583.6	3124.8	q5 - p~3	I	35.5	377.4	287.9	691.0	
1295.6	2747.4		J	35.5	377.4	287.9	691.0	
1588.2	-2920.5	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
1299.5	-2542.0		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
326.2	610.9	q7	I	3.8	77.7	59.3	142.3	
266.9	533.1		J	3.8	77.7	59.3	142.3	
-5.2	-7.2	T	I	1.1	-1.3	-1.0	-2.3	
-4.3	-6.0		J	1.1	-1.3	-1.0	-2.3	
372.4	386.8	M. tor~1	I	-31.8	88.7	67.7	162.5	
304.7	298.1		J	-31.8	88.7	67.7	162.5	
220.2	228.7	M. tor~2	I	-18.8	52.5	40.0	96.1	
180.1	176.2		J	-18.8	52.5	40.0	96.1	
2930.5	3498.1	INVSLU Max	I	-10307.4	698.4	532.8	1278.8	
2397.7	3071.4		J	-10071.8	698.4	532.8	1278.8	
2351.5	-12456.9	Min	I	-15261.0	-560.4	-427.6	-1026.1	-
1924.0	-12218.5		J	-15025.4	-560.4	-427.6	-1026.1	-
3208.5	2859.2	INVSLV Max	I	-6758.2	979.8	640.3	1372.0	
2608.0	2618.7		J	-6583.7	979.8	640.3	1372.0	
2833.9	-7707.4	Min	I	-9294.6	-890.5	-572.2	-1208.6	-
2301.5	-7556.2		J	-9120.1	-890.5	-572.2	-1208.6	-


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1994.6	2367.0	INVSLE Max	I	-7637.5	475.4	362.7	870.4	
			J	-7463.0	475.4	362.7	870.4	
1632.0	2077.5	Min	I	-11302.1	-373.2	-284.7	-683.2	-
1565.8	-9003.2		J	-11127.6	-373.2	-284.7	-683.2	-
1281.1	-8853.1							
531	4	45 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
329.0	1516.1		J	356.8	95.8	73.1	175.5	
255.9	1524.9	Min	I	-3244.7	-66.0	-50.4	-120.9	
-226.7	-4598.3		J	-3244.7	-66.0	-50.4	-120.9	
-176.4	-4643.8							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
332.5	2760.2		J	366.2	96.8	73.9	177.3	
258.6	2760.7	Min	I	-3253.0	-72.9	-55.6	-133.4	
-250.1	-3247.6		J	-3253.0	-72.9	-55.6	-133.4	
-194.5	-3294.3							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
176.7	717.6		J	194.0	51.5	39.3	94.2	
137.4	722.2	Min	I	-1647.1	-34.6	-26.4	-63.4	
-118.8	-2336.0		J	-1647.1	-34.6	-26.4	-63.4	
-92.4	-2363.1							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
176.0	1405.0		J	199.7	51.3	39.1	93.9	
136.9	1407.4	Min	I	-1651.3	-38.5	-29.4	-70.6	
-132.3	-1603.6		J	-1651.3	-38.5	-29.4	-70.6	
-102.9	-1634.5							
		SLVx (RS)	I	-441.2	-580.0	-500.9	-973.4	-
2062.0	-3876.2		J	-441.2	-580.0	-500.9	-973.4	-
1570.1	-3849.2							
		SLVy (RS)	I	-182.1	-713.6	-281.1	-941.2	
1198.8	-3336.4		J	-182.1	-713.6	-281.1	-941.2	
-986.2	-3081.4							
		SLDx (RS)	I	-326.0	-405.4	-358.0	-695.8	-
1476.2	-2761.6		J	-326.0	-405.4	-358.0	-695.8	-
1124.5	-2740.3							
		SLDy (RS)	I	-134.2	-503.9	204.8	-672.3	
869.2	-2395.5		J	-134.2	-503.9	204.8	-672.3	
712.4	-2205.2							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
110.4	701.1	SLVz (RS)	I	1081.2	-38.6	23.8	-115.0
98.8	699.6		J	1081.2	-38.6	23.8	-115.0
154.0	-1741.1	G1	I	-6025.0	44.9	34.2	82.1
119.8	-1785.9		J	-5850.5	44.9	34.2	82.1
56.3	-636.3	G2	I	-1827.0	16.4	12.5	30.0
43.8	-652.7		J	-1827.0	16.4	12.5	30.0
-41.7	-66.9	G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-32.5	-54.8		J	0.0	-12.2	-9.3	-22.3
-15.3	-24.5	G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-11.9	-20.0		J	0.0	-4.4	-3.4	-8.1
146.3	305.6	q3	I	-10.0	42.6	32.5	78.0
113.8	263.0		J	-10.0	42.6	32.5	78.0
104.4	267.4	q4-1	I	-16.2	30.4	23.2	55.7
81.2	236.9		J	-16.2	30.4	23.2	55.7
223.9	561.4	q4-2	I	-6.8	65.2	49.7	119.4
174.1	496.2		J	-6.8	65.2	49.7	119.4
77.7	174.9	q4-3	I	4.0	22.6	17.3	41.4
60.4	152.3		J	4.0	22.6	17.3	41.4
-6.6	0.0	q4-4	I	1.0	-1.9	-1.5	-3.5
-5.1	2.0		J	1.0	-1.9	-1.5	-3.5
-2.5	-5.5	q4-5	I	-1.2	-0.7	-0.6	-1.4
-2.0	-4.8		J	-1.2	-0.7	-0.6	-1.4
0.8	0.9	q4-6	I	-1.3	0.2	0.2	0.4
0.6	0.6		J	-1.3	0.2	0.2	0.4
0.5	0.7	q4-7	I	-1.3	0.1	0.1	0.3
0.4	0.5		J	-1.3	0.1	0.1	0.3
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1367.7	2970.8		J	36.7	398.4	303.9	729.4	
1063.8	2572.4							
1369.5	-2877.0	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
1065.2	-2478.0		J	22.5	-398.9	-304.3	-730.4	-
1295.6	2747.4	q5 - p~3	I	35.5	377.4	287.9	691.0	
1007.7	2370.0		J	35.5	377.4	287.9	691.0	
1299.5	-2542.0	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
1010.7	-2163.5		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
266.9	533.1	q7	I	3.8	77.7	59.3	142.3	
207.6	455.4		J	3.8	77.7	59.3	142.3	
-4.3	-6.0	T	I	1.1	-1.3	-1.0	-2.3	
-3.3	-4.7		J	1.1	-1.3	-1.0	-2.3	
304.7	298.1	M. tor~1	I	-31.8	88.7	67.7	162.5	
237.0	209.3		J	-31.8	88.7	67.7	162.5	
180.1	176.2	M. tor~2	I	-18.8	52.5	40.0	96.1	
140.1	123.8		J	-18.8	52.5	40.0	96.1	
2397.7	3071.4	INVSLU Max	I	-10071.8	698.4	532.8	1278.8	
1864.9	2652.4		J	-9836.3	698.4	532.8	1278.8	
1924.0	-12218.5	Min	I	-15025.4	-560.4	-427.6	-1026.1	-
1496.4	-11980.8		J	-14789.9	-560.4	-427.6	-1026.1	-
2608.0	2618.7	INVSLV Max	I	-6583.7	943.9	626.4	1372.0	
2014.8	2470.1		J	-6409.2	943.9	626.4	1372.0	
2301.5	-7556.2	Min	I	-9120.1	-854.6	-558.3	-1208.6	-
1776.4	-7496.9		J	-8945.6	-854.6	-558.3	-1208.6	-

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1632.0	2077.5	INVSLE Max	I	-7463.0	475.4	362.7	870.4	
			J	-7288.5	475.4	362.7	870.4	
1269.3	1793.6	Min	I	-11127.6	-373.2	-284.7	-683.2	-
1281.1	-8853.1		J	-10953.1	-373.2	-284.7	-683.2	
-996.4	-8703.5							
532	4	57 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
255.9	1524.9		J	356.8	95.8	73.1	175.5	
182.8	1534.1	Min	I	-3244.7	-66.0	-50.4	-120.9	
-176.4	-4643.8		J	-3244.7	-66.0	-50.4	-120.9	
-126.0	-4698.7							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
258.6	2760.7		J	366.2	96.8	73.9	177.3	
184.7	2766.4	Min	I	-3253.0	-72.9	-55.6	-133.4	
-194.5	-3294.3		J	-3253.0	-72.9	-55.6	-133.4	
-139.0	-3344.8							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
137.4	722.2		J	194.0	51.5	39.3	94.2	
98.2	727.0	Min	I	-1647.1	-34.6	-26.4	-63.4	
-92.4	-2363.1		J	-1647.1	-34.6	-26.4	-63.4	
-66.0	-2397.2							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
136.9	1407.4		J	199.7	51.3	39.1	93.9	
97.8	1412.5	Min	I	-1651.3	-38.5	-29.4	-70.6	
-102.9	-1634.5		J	-1651.3	-38.5	-29.4	-70.6	
-73.5	-1667.0							
		SLVx (RS)	I	-441.2	-559.1	-488.3	-973.4	-
1570.1	-3849.2		J	-441.2	-559.1	-488.3	-973.4	-
1089.6	-3864.6							
		SLVy (RS)	I	-182.1	-675.8	264.5	-941.2	
-986.2	-3081.4		J	-182.1	-675.8	264.5	-941.2	
-768.9	-2961.9							
		SLDx (RS)	I	-326.0	-391.9	-349.7	-695.8	-
1124.5	-2740.3		J	-326.0	-391.9	-349.7	-695.8	
-780.3	-2745.6							
		SLDy (RS)	I	-134.2	-478.2	192.9	-672.3	
712.4	-2205.2		J	-134.2	-478.2	192.9	-672.3	
-553.0	-2107.9							

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
98.8	699.6	SLVz (RS)	I	1081.2	-44.2	23.8	-115.0
			J	1081.2	-44.2	23.8	-115.0
83.1	694.0						
119.8	-1785.9	G1	I	-5850.5	44.9	34.2	82.1
			J	-5631.8	44.9	34.2	82.1
85.6	-1830.8						
43.8	-652.7	G2	I	-1827.0	16.4	12.5	30.0
			J	-1827.0	16.4	12.5	30.0
31.3	-669.0						
-32.5	-54.8	G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
			J	0.0	-12.2	-9.3	-22.3
-23.2	-42.6						
-11.9	-20.0	G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
			J	0.0	-4.4	-3.4	-8.1
-8.5	-15.6						
113.8	263.0	q3	I	-10.0	42.6	32.5	78.0
			J	-10.0	42.6	32.5	78.0
81.3	220.4						
81.2	236.9	q4-1	I	-16.2	30.4	23.2	55.7
			J	-16.2	30.4	23.2	55.7
58.0	206.5						
174.1	496.2	q4-2	I	-6.8	65.2	49.7	119.4
			J	-6.8	65.2	49.7	119.4
124.4	431.0						
60.4	152.3	q4-3	I	4.0	22.6	17.3	41.4
			J	4.0	22.6	17.3	41.4
43.2	129.7						
-5.1	2.0	q4-4	I	1.0	-1.9	-1.5	-3.5
			J	1.0	-1.9	-1.5	-3.5
-3.7	3.9						
-2.0	-4.8	q4-5	I	-1.2	-0.7	-0.6	-1.4
			J	-1.2	-0.7	-0.6	-1.4
-1.4	-4.1						
0.6	0.6	q4-6	I	-1.3	0.2	0.2	0.4
			J	-1.3	0.2	0.2	0.4
0.4	0.4						
0.4	0.5	q4-7	I	-1.3	0.1	0.1	0.3
			J	-1.3	0.1	0.1	0.3
0.3	0.4						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :


MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1063.8	2572.4		J	36.7	398.4	303.9	729.4	
759.8	2174.0							
1065.2	-2478.0	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
-760.8	-2079.1		J	22.5	-398.9	-304.3	-730.4	
1007.7	2370.0	q5 - p~3	I	35.5	377.4	287.9	691.0	
719.8	1992.6		J	35.5	377.4	287.9	691.0	
1010.7	-2163.5	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
-721.9	-1785.0		J	18.2	-378.5	-288.8	-693.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
207.6	455.4	q7	I	3.8	77.7	59.3	142.3	
148.3	377.7		J	3.8	77.7	59.3	142.3	
-3.3	-4.7	T	I	1.1	-1.3	-1.0	-2.3	
-2.4	-3.5		J	1.1	-1.3	-1.0	-2.3	
237.0	209.3	M. tor~1	I	-31.8	88.7	67.7	162.5	
169.3	120.6		J	-31.8	88.7	67.7	162.5	
140.1	123.8	M. tor~2	I	-18.8	52.5	40.0	96.1	
100.1	71.3		J	-18.8	52.5	40.0	96.1	
1864.9	2652.4	INVSLU Max	I	-9836.3	698.4	532.8	1278.8	
1332.1	2240.4		J	-9541.0	698.4	532.8	1278.8	
1496.4	-11980.8	Min	I	-14789.9	-560.4	-427.6	-1026.1	-
1068.9	-11755.6		J	-14494.6	-560.4	-427.6	-1026.1	-
2014.8	2470.1	INVSLV Max	I	-6409.2	901.4	608.9	1372.0	
1430.4	2403.3		J	-6190.5	901.4	608.9	1372.0	
1776.4	-7496.9	Min	I	-8945.6	-812.1	-540.8	-1208.6	-
1260.1	-7519.4		J	-8726.9	-812.1	-540.8	-1208.6	-

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


1269.3	1793.6	INVSLE Max	I	-7288.5	475.4	362.7	870.4	
			J	-7069.8	475.4	362.7	870.4	
906.6	1514.8	Min	I	-10953.1	-373.2	-284.7	-683.2	
-996.4	-8703.5		J	-10734.4	-373.2	-284.7	-683.2	
-711.7	-8563.2							
533	4	57 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
182.8	1534.1		J	356.8	95.8	73.1	175.5	
109.7	1543.8	Min	I	-3244.7	-66.0	-50.4	-120.9	
-126.0	-4698.7		J	-3244.7	-66.0	-50.4	-120.9	
-75.6	-4755.3							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
184.7	2766.4		J	366.2	96.8	73.9	177.3	
110.8	2774.7	Min	I	-3253.0	-72.9	-55.6	-133.4	
-139.0	-3344.8		J	-3253.0	-72.9	-55.6	-133.4	
-83.4	-3397.7							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
98.2	727.0		J	194.0	51.5	39.3	94.2	
58.9	732.0	Min	I	-1647.1	-34.6	-26.4	-63.4	
-66.0	-2397.2		J	-1647.1	-34.6	-26.4	-63.4	
-39.6	-2432.6							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
97.8	1412.5		J	199.7	51.3	39.1	93.9	
58.7	1418.6	Min	I	-1651.3	-38.5	-29.4	-70.6	
-73.5	-1667.0		J	-1651.3	-38.5	-29.4	-70.6	
-44.1	-1700.5							
		SLVx (RS)	I	-441.2	-541.2	-467.1	-973.4	-
1089.6	-3864.6		J	-441.2	-541.2	-467.1	-973.4	
-629.3	-3907.6							
		SLVy (RS)	I	-182.1	-630.2	269.5	-941.2	
-768.9	-2961.9		J	-182.1	-630.2	269.5	-941.2	
-524.1	-2967.5							
		SLDx (RS)	I	-326.0	-381.0	-334.7	-695.8	
-780.3	-2745.6		J	-326.0	-381.0	-334.7	-695.8	
-450.4	-2767.8							
		SLDy (RS)	I	-134.2	-447.1	195.7	-672.3	
-553.0	-2107.9		J	-134.2	-447.1	195.7	-672.3	
-375.3	-2098.4							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
83.1	694.0	SLVz (RS)	I	1081.2	-50.0	26.5	-115.0
			J	1081.2	-50.0	26.5	-115.0
-60.9	685.5						
		G1	I	-5631.8	44.9	34.2	82.1
85.6	-1830.8		J	-5413.1	44.9	34.2	82.1
51.3	-1875.6						
		G2	I	-1827.0	16.4	12.5	30.0
31.3	-669.0		J	-1827.0	16.4	12.5	30.0
18.8	-685.4						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-23.2	-42.6		J	0.0	-12.2	-9.3	-22.3
-13.9	-30.5						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-8.5	-15.6		J	0.0	-4.4	-3.4	-8.1
-5.1	-11.1						
		q3	I	-10.0	42.6	32.5	78.0
81.3	220.4		J	-10.0	42.6	32.5	78.0
48.8	177.8						
		q4-1	I	-16.2	30.4	23.2	55.7
58.0	206.5		J	-16.2	30.4	23.2	55.7
34.8	176.1						
		q4-2	I	-6.8	65.2	49.7	119.4
124.4	431.0		J	-6.8	65.2	49.7	119.4
74.6	365.8						
		q4-3	I	4.0	22.6	17.3	41.4
43.2	129.7		J	4.0	22.6	17.3	41.4
25.9	107.0						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-3.7	3.9		J	1.0	-1.9	-1.5	-3.5
-2.2	5.8						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-1.4	-4.1		J	-1.2	-0.7	-0.6	-1.4
-0.8	-3.3						
		q4-6	I	-1.3	0.2	0.2	0.4
0.4	0.4		J	-1.3	0.2	0.2	0.4
0.3	0.2						
		q4-7	I	-1.3	0.1	0.1	0.3
0.3	0.4		J	-1.3	0.1	0.1	0.3
0.2	0.2						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
759.8	2174.0		J	36.7	398.4	303.9	729.4
455.9	1775.6						
-760.8	-2079.1	q5 - p~2	I	22.5	-398.9	-304.3	-730.4
-456.5	-1680.2		J	22.5	-398.9	-304.3	-730.4
719.8	1992.6	q5 - p~3	I	35.5	377.4	287.9	691.0
431.9	1615.2		J	35.5	377.4	287.9	691.0
-721.9	-1785.0	q5 - p~4	I	18.2	-378.5	-288.8	-693.0
-433.2	-1406.5		J	18.2	-378.5	-288.8	-693.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
148.3	377.7	q7	I	3.8	77.7	59.3	142.3
89.0	299.9		J	3.8	77.7	59.3	142.3
-2.4	-3.5	T	I	1.1	-1.3	-1.0	-2.3
-1.4	-2.2		J	1.1	-1.3	-1.0	-2.3
169.3	120.6	M. tor~1	I	-31.8	88.7	67.7	162.5
101.6	31.8		J	-31.8	88.7	67.7	162.5
100.1	71.3	M. tor~2	I	-18.8	52.5	40.0	96.1
60.0	18.8		J	-18.8	52.5	40.0	96.1
1332.1	2240.4	INVSLU Max	I	-9541.0	698.4	532.8	1278.8
799.2	1831.9		J	-9245.8	698.4	532.8	1278.8
1068.9	-11755.6	Min	I	-14494.6	-560.4	-427.6	-1026.1
-641.3	-11532.9		J	-14199.4	-560.4	-427.6	-1026.1
1430.4	2403.3	INVSLV Max	I	-6190.5	852.2	589.9	1372.0
855.9	2400.8		J	-5971.8	852.2	589.9	1372.0
1260.1	-7519.4	Min	I	-8726.9	-762.9	-521.8	-1208.6
-753.7	-7606.1		J	-8508.2	-762.9	-521.8	-1208.6


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

906.6	1514.8	INVSLE	Max	I	-7069.8	475.4	362.7	870.4	
				J	-6851.1	475.4	362.7	870.4	
544.0	1238.7		Min	I	-10734.4	-373.2	-284.7	-683.2	
-711.7	-8563.2			J	-10515.7	-373.2	-284.7	-683.2	
-427.0	-8424.7								
534	4	55	C1-C2;~1	Max	I	356.8	95.8	73.1	175.5
109.7	1543.8			J	356.8	95.8	73.1	175.5	
40.2	1554.7		Min	I	-3244.7	-66.0	-50.4	-120.9	
-75.6	-4755.3			J	-3244.7	-66.0	-50.4	-120.9	
-27.7	-4810.2								
			C3-C4;~1	Max	I	366.2	96.8	73.9	177.3
110.8	2774.7			J	366.2	96.8	73.9	177.3	
40.6	2786.0		Min	I	-3253.0	-72.9	-55.6	-133.4	
-83.4	-3397.7			J	-3253.0	-72.9	-55.6	-133.4	
-30.6	-3449.3								
			C1-C2;~2	Max	I	194.0	51.5	39.3	94.2
58.9	732.0			J	194.0	51.5	39.3	94.2	
21.6	737.4		Min	I	-1647.1	-34.6	-26.4	-63.4	
-39.6	-2432.6			J	-1647.1	-34.6	-26.4	-63.4	
-14.5	-2466.6								
			C3-C4;~2	Max	I	199.7	51.3	39.1	93.9
58.7	1418.6			J	199.7	51.3	39.1	93.9	
21.5	1425.8		Min	I	-1651.3	-38.5	-29.4	-70.6	
-44.1	-1700.5			J	-1651.3	-38.5	-29.4	-70.6	
-16.2	-1732.9								
			SLVx (RS)	I	-441.2	-529.1	-429.4	-973.4	
-629.3	-3907.6			J	-441.2	-529.1	-429.4	-973.4	
-223.1	-3943.4								
			SLVy (RS)	I	-182.1	-560.9	-327.7	-941.2	
-524.1	-2967.5			J	-182.1	-560.9	-327.7	-941.2	
-215.7	-3049.6								
			SLDx (RS)	I	-326.0	-375.7	-307.5	-695.8	
-450.4	-2767.8			J	-326.0	-375.7	-307.5	-695.8	
-159.4	-2783.2								
			SLDy (RS)	I	-134.2	-399.4	-235.1	-672.3	
-375.3	-2098.4			J	-134.2	-399.4	-235.1	-672.3	
-154.1	-2145.5								


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-60.9	685.5	SLVz (RS)	I	1081.2	-57.8	-37.0	-115.0	
			J	1081.2	-57.8	-37.0	-115.0	
-26.4	674.7							
		G1	I	-5413.1	44.9	34.2	82.1	
51.3	-1875.6		J	-5002.7	44.9	34.2	82.1	
18.8	-1918.3							
		G2	I	-1827.0	16.4	12.5	30.0	
18.8	-685.4		J	-1827.0	16.4	12.5	30.0	
6.9	-701.0							
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3	
-13.9	-30.5		J	0.0	-12.2	-9.3	-22.3	
-5.1	-18.9							
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1	
-5.1	-11.1		J	0.0	-4.4	-3.4	-8.1	
-1.9	-6.9							
		q3	I	-10.0	42.6	32.5	78.0	
48.8	177.8		J	-10.0	42.6	32.5	78.0	
17.9	137.3							
		q4-1	I	-16.2	30.4	23.2	55.7	
34.8	176.1		J	-16.2	30.4	23.2	55.7	
12.8	147.2							
		q4-2	I	-6.8	65.2	49.7	119.4	
74.6	365.8		J	-6.8	65.2	49.7	119.4	
27.4	303.9							
		q4-3	I	4.0	22.6	17.3	41.4	
25.9	107.0		J	4.0	22.6	17.3	41.4	
9.5	85.5							
		q4-4	I	1.0	-1.9	-1.5	-3.5	
-2.2	5.8		J	1.0	-1.9	-1.5	-3.5	
-0.8	7.6							
		q4-5	I	-1.2	-0.7	-0.6	-1.4	
-0.8	-3.3		J	-1.2	-0.7	-0.6	-1.4	
-0.3	-2.6							
		q4-6	I	-1.3	0.2	0.2	0.4	
0.3	0.2		J	-1.3	0.2	0.2	0.4	
0.1	-0.1							
		q4-7	I	-1.3	0.1	0.1	0.3	
0.2	0.2		J	-1.3	0.1	0.1	0.3	
0.1	0.1							
		q5 - p~1	I	36.7	398.4	303.9	729.4	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
455.9	1775.6		J	36.7	398.4	303.9	729.4
167.2	1397.2						
-456.5	-1680.2	q5 - p~2	I	22.5	-398.9	-304.3	-730.4
-167.4	-1301.3		J	22.5	-398.9	-304.3	-730.4
431.9	1615.2	q5 - p~3	I	35.5	377.4	287.9	691.0
158.4	1256.7		J	35.5	377.4	287.9	691.0
-433.2	-1406.5	q5 - p~4	I	18.2	-378.5	-288.8	-693.0
-158.8	-1046.9		J	18.2	-378.5	-288.8	-693.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
89.0	299.9	q7	I	3.8	77.7	59.3	142.3
32.6	226.1		J	3.8	77.7	59.3	142.3
-1.4	-2.2	T	I	1.1	-1.3	-1.0	-2.3
-0.5	-1.0		J	1.1	-1.3	-1.0	-2.3
101.6	31.8	M. tor~1	I	-31.8	88.7	67.7	162.5
37.2	-52.5		J	-31.8	88.7	67.7	162.5
60.0	18.8	M. tor~2	I	-18.8	52.5	40.0	96.1
22.0	-31.0		J	-18.8	52.5	40.0	96.1
799.2	1831.9	INVSLU Max	I	-9245.8	698.4	532.8	1278.8
293.1	1448.5		J	-8691.7	698.4	532.8	1278.8
-641.3	-11532.9	Min	I	-14199.4	-560.4	-427.6	-1026.1
-235.2	-11322.8		J	-13645.3	-560.4	-427.6	-1026.1
855.9	2400.8	INVSLV Max	I	-5971.8	781.6	572.9	1372.0
314.4	2415.6		J	-5561.4	781.6	572.9	1372.0
-753.7	-7606.1	Min	I	-8508.2	-692.3	-504.8	-1208.6
-277.0	-7705.7		J	-8097.8	-692.3	-504.8	-1208.6


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

544.0	1238.7	INVSLE Max	I	-6851.1	475.4	362.7	870.4	
			J	-6440.7	475.4	362.7	870.4	
199.5	979.9							
-427.0	-8424.7	Min	I	-10515.7	-373.2	-284.7	-683.2	
			J	-10105.3	-373.2	-284.7	-683.2	
-156.6	-8294.2							
535	4	45 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
221.4	2037.7		J	471.1	88.8	29.5	70.8	
191.9	2004.6							
-231.2	-4517.4	Min	I	-3383.5	-92.8	-30.8	-74.0	
			J	-3383.5	-92.8	-30.8	-74.0	
-200.4	-4505.5							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
211.8	3483.4		J	482.4	85.0	28.2	67.8	
183.6	3479.0							
-222.5	-3098.4	Min	I	-3391.9	-89.3	-29.7	-71.2	
			J	-3391.9	-89.3	-29.7	-71.2	
-192.9	-3083.8							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
116.2	925.1		J	239.0	46.6	15.5	37.2	
100.7	909.1							
-116.5	-2245.5	Min	I	-1702.5	-46.7	-15.5	-37.3	
			J	-1702.5	-46.7	-15.5	-37.3	
-101.0	-2243.0							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
109.3	1678.8		J	245.6	43.9	14.6	35.0	
94.7	1680.4							
-113.6	-1493.3	Min	I	-1706.5	-45.6	-15.1	-36.3	
			J	-1706.5	-45.6	-15.1	-36.3	
-98.4	-1487.1							
		SLVx (RS)	I	478.1	-1481.5	-721.1	-1067.8	-
4539.3	-9705.6		J	478.1	-1481.5	-721.1	-1067.8	-
3830.8	-8288.4							
		SLVy (RS)	I	270.7	-1034.7	608.2	-710.4	-
2967.5	-6984.2		J	270.7	-1034.7	608.2	-710.4	-
2398.2	-6031.1							
		SLDx (RS)	I	355.3	-1031.0	-502.7	-742.4	-
3169.4	-6735.2		J	355.3	-1031.0	-502.7	-742.4	-
2675.8	-5754.3							
		SLDy (RS)	I	196.9	-727.3	428.2	-503.2	-
2103.4	-4956.5		J	196.9	-727.3	428.2	-503.2	-
1702.6	-4290.1							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-252.5	337.3	SLVz (RS)	I	796.5	-74.1	18.0	63.8
			J	796.5	-74.1	18.0	63.8
-243.2	391.3						
		G1	I	-6608.1	-15.4	-5.1	-12.3
-38.4	-682.6		J	-6433.6	-15.4	-5.1	-12.3
-33.2	-667.2						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-14.0	-247.9		J	-1848.5	-5.6	-1.9	-4.5
-12.2	-242.3						
		G1- Imp~1	I	0.3	2.6	0.9	2.1
6.5	14.0		J	0.3	2.6	0.9	2.1
5.6	11.4						
		G2- Imp~1	I	0.1	1.0	0.3	0.8
2.4	5.2		J	0.1	1.0	0.3	0.8
2.1	4.2						
		q3	I	17.5	144.9	48.2	115.6
361.2	1381.1		J	17.5	144.9	48.2	115.6
313.0	1236.1						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-195.9	-707.9		J	7.7	-78.6	-26.1	-62.7
-169.8	-629.3						
		q4-2	I	-2.0	10.4	3.5	8.3
26.0	156.5		J	-2.0	10.4	3.5	8.3
22.5	146.0						
		q4-3	I	-6.3	121.8	40.5	97.2
303.6	1257.9		J	-6.3	121.8	40.5	97.2
263.1	1136.1						
		q4-4	I	1.4	27.4	9.1	21.9
68.4	317.4		J	1.4	27.4	9.1	21.9
59.3	289.9						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-11.4	-37.9		J	3.9	-4.6	-1.5	-3.7
-9.9	-33.3						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-2.7	-23.8		J	3.5	-1.1	-0.4	-0.9
-2.4	-22.7						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-0.9	-13.9		J	3.8	-0.4	-0.1	-0.3
-0.8	-13.5						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
3387.3	13736.1		J	-65.3	1359.2	451.6	1083.9
2935.6	12376.9						
		q5 - p~2	I	95.6	-187.1	-62.2	-149.2
-466.2	-2172.5		J	95.6	-187.1	-62.2	-149.2
-404.0	-1985.4						
		q5 - p~3	I	-58.9	1287.9	427.9	1027.0
3209.3	12832.7		J	-58.9	1287.9	427.9	1027.0
2781.4	11544.9						
		q5 - p~4	I	87.5	-177.4	-59.0	-141.5
-442.2	-1929.7		J	87.5	-177.4	-59.0	-141.5
-383.2	-1752.3						
		q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q7	I	0.6	270.7	90.0	215.9
674.7	2450.1		J	0.6	270.7	90.0	215.9
584.7	2179.3						
		T	I	-1.6	0.4	0.1	0.4
1.1	-26.4		J	-1.6	0.4	0.1	0.4
1.0	-26.9						
		M. tor~1	I	32.7	35.4	11.8	28.2
88.2	333.9		J	32.7	35.4	11.8	28.2
76.4	298.5						
		M. tor~2	I	19.3	20.9	6.9	16.7
52.1	197.4		J	19.3	20.9	6.9	16.7
45.2	176.5						
		INVSLU Max	I	-10677.3	1971.5	655.1	1572.2
4913.0	20304.2		J	-10441.7	1971.5	655.1	1572.2
4257.9	18398.4						
		Min	I	-16082.0	-2018.8	-670.8	-1609.9
5030.8	-23529.8		J	-15846.4	-2018.8	-670.8	-1609.9
4360.0	-21571.4						
		INVSLV Max	I	-7435.0	1796.7	903.2	1286.1
5461.8	10990.8		J	-7260.5	1796.7	903.2	1286.1
4585.5	9321.2						
		Min	I	-9477.2	-1831.6	-914.8	-1314.0
5548.8	-12813.4		J	-9302.7	-1831.6	-914.8	-1314.0
4660.9	-11109.0						

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

3282.7	13616.0	INVSLE Max	I	-7915.4	1317.3	437.7	1050.5	
			J	-7740.9	1317.3	437.7	1050.5	
2845.0	12347.5	Min	I	-11906.3	-1352.3	-449.3	-1078.4	-
3370.0	-16005.4		J	-11731.8	-1352.3	-449.3	-1078.4	-
2920.7	-14697.8							
536	4	45 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
191.9	2004.6		J	471.1	88.8	29.5	70.8	
162.4	1977.6	Min	I	-3383.5	-92.8	-30.8	-74.0	
-200.4	-4505.5		J	-3383.5	-92.8	-30.8	-74.0	
-169.6	-4495.2							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
183.6	3479.0		J	482.4	85.0	28.2	67.8	
155.3	3474.7	Min	I	-3391.9	-89.3	-29.7	-71.2	
-192.9	-3083.8		J	-3391.9	-89.3	-29.7	-71.2	
-163.2	-3072.1							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
100.7	909.1		J	239.0	46.6	15.5	37.2	
85.2	897.2	Min	I	-1702.5	-46.7	-15.5	-37.3	
-101.0	-2243.0		J	-1702.5	-46.7	-15.5	-37.3	
-85.4	-2241.4							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
94.7	1680.4		J	245.6	43.9	14.6	35.0	
80.2	1682.0	Min	I	-1706.5	-45.6	-15.1	-36.3	
-98.4	-1487.1		J	-1706.5	-45.6	-15.1	-36.3	
-83.3	-1483.0							
		SLVx (RS)	I	478.1	-1465.8	-697.1	-1067.8	-
3830.8	-8288.4		J	478.1	-1465.8	-697.1	-1067.8	-
3143.8	-6901.8							
		SLVy (RS)	I	270.7	-1017.8	559.4	-710.4	-
2398.2	-6031.1		J	270.7	-1017.8	559.4	-710.4	-
1879.6	-5108.0							
		SLDx (RS)	I	355.3	-1019.8	-486.7	-742.4	-
2675.8	-5754.3		J	355.3	-1019.8	-486.7	-742.4	-
2196.2	-4796.2							
		SLDy (RS)	I	196.9	-715.6	-394.7	-503.2	-
1702.6	-4290.1		J	196.9	-715.6	-394.7	-503.2	-
1336.4	-3644.3							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-243.2	391.3	SLVz (RS)	I	796.5	-61.9	-29.9	63.8
			J	796.5	-61.9	-29.9	63.8
-217.4	436.3						
		G1	I	-6433.6	-15.4	-5.1	-12.3
-33.2	-667.2		J	-6259.1	-15.4	-5.1	-12.3
-28.1	-651.8						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-12.2	-242.3		J	-1848.5	-5.6	-1.9	-4.5
-10.3	-236.6						
		G1 - Imp~1	I	0.3	2.6	0.9	2.1
5.6	11.4		J	0.3	2.6	0.9	2.1
4.8	8.8						
		G2 - Imp~1	I	0.1	1.0	0.3	0.8
2.1	4.2		J	0.1	1.0	0.3	0.8
1.8	3.3						
		q3	I	17.5	144.9	48.2	115.6
313.0	1236.1		J	17.5	144.9	48.2	115.6
264.9	1091.2						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-169.8	-629.3		J	7.7	-78.6	-26.1	-62.7
-143.7	-550.7						
		q4-2	I	-2.0	10.4	3.5	8.3
22.5	146.0		J	-2.0	10.4	3.5	8.3
19.1	135.6						
		q4-3	I	-6.3	121.8	40.5	97.2
263.1	1136.1		J	-6.3	121.8	40.5	97.2
222.6	1014.2						
		q4-4	I	1.4	27.4	9.1	21.9
59.3	289.9		J	1.4	27.4	9.1	21.9
50.1	262.5						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-9.9	-33.3		J	3.9	-4.6	-1.5	-3.7
-8.4	-28.8						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-2.4	-22.7		J	3.5	-1.1	-0.4	-0.9
-2.0	-21.6						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-0.8	-13.5		J	3.8	-0.4	-0.1	-0.3
-0.7	-13.1						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
2935.6	12376.9		J	-65.3	1359.2	451.6	1083.9	
2484.0	11017.6							
-404.0	-1985.4	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	
-341.9	-1798.3		J	95.6	-187.1	-62.2	-149.2	
2781.4	11544.9	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	
2353.5	10257.0		J	-58.9	1287.9	427.9	1027.0	
-383.2	-1752.3	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	
-324.3	-1574.8		J	87.5	-177.4	-59.0	-141.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
584.7	2179.3	q7	I	0.6	270.7	90.0	215.9	
494.7	1908.6		J	0.6	270.7	90.0	215.9	
1.0	-26.9	T	I	-1.6	0.4	0.1	0.4	
0.8	-27.3		J	-1.6	0.4	0.1	0.4	
76.4	298.5	M. tor~1	I	32.7	35.4	11.8	28.2	
64.7	263.1		J	32.7	35.4	11.8	28.2	
45.2	176.5	M. tor~2	I	19.3	20.9	6.9	16.7	
38.2	155.6		J	19.3	20.9	6.9	16.7	
4257.9	18398.4	INVSLU Max	I	-10441.7	1971.5	655.1	1572.2	
3602.9	16492.7		J	-10206.2	1971.5	655.1	1572.2	
4360.0	-21571.4	Min	I	-15846.4	-2018.8	-670.8	-1609.9	-
3689.3	-19614.3		J	-15610.9	-2018.8	-670.8	-1609.9	-
4585.5	9321.2	INVSLV Max	I	-7260.5	1772.3	868.1	1286.1	
3741.0	7688.6		J	-7086.0	1772.3	868.1	1286.1	
4660.9	-11109.0	Min	I	-9302.7	-1807.2	-879.7	-1314.0	-
3804.8	-9441.5		J	-9128.2	-1807.2	-879.7	-1314.0	-


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


2845.0	12347.5	INVSLE Max	I	-7740.9	1317.3	437.7	1050.5	
			J	-7566.4	1317.3	437.7	1050.5	
2407.3	11079.0	Min	I	-11731.8	-1352.3	-449.3	-1078.4	-
2920.7	-14697.8		J	-11557.3	-1352.3	-449.3	-1078.4	-
2471.3	-13391.3							
537	4	45 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
162.4	1977.6		J	471.1	88.8	29.5	70.8	
132.8	1958.8	Min	I	-3383.5	-92.8	-30.8	-74.0	
-169.6	-4495.2		J	-3383.5	-92.8	-30.8	-74.0	
-138.7	-4485.5							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
155.3	3474.7		J	482.4	85.0	28.2	67.8	
127.1	3471.2	Min	I	-3391.9	-89.3	-29.7	-71.2	
-163.2	-3072.1		J	-3391.9	-89.3	-29.7	-71.2	
-133.5	-3060.7							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
85.2	897.2		J	239.0	46.6	15.5	37.2	
69.7	890.8	Min	I	-1702.5	-46.7	-15.5	-37.3	
-85.4	-2241.4		J	-1702.5	-46.7	-15.5	-37.3	
-69.9	-2240.2							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
80.2	1682.0		J	245.6	43.9	14.6	35.0	
65.6	1684.2	Min	I	-1706.5	-45.6	-15.1	-36.3	
-83.3	-1483.0		J	-1706.5	-45.6	-15.1	-36.3	
-68.1	-1479.0							
		SLVx (RS)	I	478.1	-1449.7	-670.9	-1067.8	-
3143.8	-6901.8		J	478.1	-1449.7	-670.9	-1067.8	-
2481.5	-5557.7							
		SLVy (RS)	I	270.7	-1000.9	-507.1	-710.4	-
1879.6	-5108.0		J	270.7	-1000.9	-507.1	-710.4	-
1416.8	-4224.8							
		SLDx (RS)	I	355.3	-1008.3	-469.0	-742.4	-
2196.2	-4796.2		J	355.3	-1008.3	-469.0	-742.4	-
1733.3	-3870.0							
		SLDy (RS)	I	196.9	-704.1	-358.6	-503.2	-
1336.4	-3644.3		J	196.9	-704.1	-358.6	-503.2	-
1008.7	-3025.8							

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-217.4	436.3	SLVz (RS)	I	796.5	49.8	-42.1	63.8
			J	796.5	49.8	-42.1	63.8
-178.5	468.8						
		G1	I	-6259.1	-15.4	-5.1	-12.3
-28.1	-651.8		J	-6084.6	-15.4	-5.1	-12.3
-23.0	-636.4						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-10.3	-236.6		J	-1848.5	-5.6	-1.9	-4.5
-8.4	-231.0						
		G1- Imp~1	I	0.3	2.6	0.9	2.1
4.8	8.8		J	0.3	2.6	0.9	2.1
3.9	6.1						
		G2- Imp~1	I	0.1	1.0	0.3	0.8
1.8	3.3		J	0.1	1.0	0.3	0.8
1.4	2.3						
		q3	I	17.5	144.9	48.2	115.6
264.9	1091.2		J	17.5	144.9	48.2	115.6
216.7	946.3						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-143.7	-550.7		J	7.7	-78.6	-26.1	-62.7
-117.6	-472.0						
		q4-2	I	-2.0	10.4	3.5	8.3
19.1	135.6		J	-2.0	10.4	3.5	8.3
15.6	125.2						
		q4-3	I	-6.3	121.8	40.5	97.2
222.6	1014.2		J	-6.3	121.8	40.5	97.2
182.2	892.4						
		q4-4	I	1.4	27.4	9.1	21.9
50.1	262.5		J	1.4	27.4	9.1	21.9
41.0	235.1						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-8.4	-28.8		J	3.9	-4.6	-1.5	-3.7
-6.9	-24.2						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-2.0	-21.6		J	3.5	-1.1	-0.4	-0.9
-1.6	-20.5						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-0.7	-13.1		J	3.8	-0.4	-0.1	-0.3
-0.6	-12.8						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
2484.0	11017.6		J	-65.3	1359.2	451.6	1083.9	
2032.4	9658.4							
-341.9	-1798.3	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	
-279.7	-1611.3		J	95.6	-187.1	-62.2	-149.2	
2353.5	10257.0	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	
1925.6	8969.2		J	-58.9	1287.9	427.9	1027.0	
-324.3	-1574.8	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	
-265.3	-1397.4		J	87.5	-177.4	-59.0	-141.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
494.7	1908.6	q7	I	0.6	270.7	90.0	215.9	
404.8	1637.9		J	0.6	270.7	90.0	215.9	
0.8	-27.3	T	I	-1.6	0.4	0.1	0.4	
0.7	-27.8		J	-1.6	0.4	0.1	0.4	
64.7	263.1	M. tor~1	I	32.7	35.4	11.8	28.2	
52.9	227.7		J	32.7	35.4	11.8	28.2	
38.2	155.6	M. tor~2	I	19.3	20.9	6.9	16.7	
31.3	134.6		J	19.3	20.9	6.9	16.7	
3602.9	16492.7	INVSLU Max	I	-10206.2	1971.5	655.1	1572.2	
2947.8	14587.7		J	-9970.6	1971.5	655.1	1572.2	
3689.3	-19614.3	Min	I	-15610.9	-2018.8	-670.8	-1609.9	-
3018.5	-17657.6		J	-15375.3	-2018.8	-670.8	-1609.9	-
3741.0	7688.6	INVSLV Max	I	-7086.0	1747.4	829.8	1286.1	
2934.0	6106.8		J	-6911.5	1747.4	829.8	1286.1	
3804.8	-9441.5	Min	I	-9128.2	-1782.3	-841.4	-1314.0	-
2986.2	-7824.7		J	-8953.7	-1782.3	-841.4	-1314.0	-


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

2407.3	11079.0		INVSLE Max	I	-7566.4	1317.3	437.7	1050.5	
				J	-7391.9	1317.3	437.7	1050.5	
1969.6	9811.0								
			Min	I	-11557.3	-1352.3	-449.3	-1078.4	-
2471.3	-13391.3			J	-11382.8	-1352.3	-449.3	-1078.4	-
2022.0	-12085.0								
538	4	45	C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
132.8	1958.8			J	471.1	88.8	29.5	70.8	
103.3	1943.0								
			Min	I	-3383.5	-92.8	-30.8	-74.0	
-138.7	-4485.5			J	-3383.5	-92.8	-30.8	-74.0	
-107.9	-4476.8								
			C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
127.1	3471.2			J	482.4	85.0	28.2	67.8	
98.9	3468.9								
			Min	I	-3391.9	-89.3	-29.7	-71.2	
-133.5	-3060.7			J	-3391.9	-89.3	-29.7	-71.2	
-103.9	-3049.5								
			C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
69.7	890.8			J	239.0	46.6	15.5	37.2	
54.2	886.0								
			Min	I	-1702.5	-46.7	-15.5	-37.3	
-69.9	-2240.2			J	-1702.5	-46.7	-15.5	-37.3	
-54.4	-2239.3								
			C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
65.6	1684.2			J	245.6	43.9	14.6	35.0	
51.0	1687.2								
			Min	I	-1706.5	-45.6	-15.1	-36.3	
-68.1	-1479.0			J	-1706.5	-45.6	-15.1	-36.3	
-53.0	-1475.2								
			SLVx (RS)	I	478.1	-1433.0	-641.5	-1067.8	-
2481.5	-5557.7			J	478.1	-1433.0	-641.5	-1067.8	-
1848.3	-4281.4								
			SLVy (RS)	I	270.7	-983.8	-451.3	-710.4	-
1416.8	-4224.8			J	270.7	-983.8	-451.3	-710.4	-
1015.4	-3400.6								
			SLDx (RS)	I	355.3	-996.4	-448.8	-742.4	-
1733.3	-3870.0			J	355.3	-996.4	-448.8	-742.4	-
1290.3	-2994.5								
			SLDy (RS)	I	196.9	-692.7	-319.9	-503.2	-
1008.7	-3025.8			J	196.9	-692.7	-319.9	-503.2	-
-723.5	-2447.5								

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-178.5	468.8	SLVz (RS)	I	796.5	40.6	-50.2	63.8
			J	796.5	40.6	-50.2	63.8
-131.5	487.3						
		G1	I	-6084.6	-15.4	-5.1	-12.3
-23.0	-636.4		J	-5910.1	-15.4	-5.1	-12.3
-17.9	-621.0						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-8.4	-231.0		J	-1848.5	-5.6	-1.9	-4.5
-6.6	-225.4						
		G1- Imp~1	I	0.3	2.6	0.9	2.1
3.9	6.1		J	0.3	2.6	0.9	2.1
3.0	3.5						
		G2- Imp~1	I	0.1	1.0	0.3	0.8
1.4	2.3		J	0.1	1.0	0.3	0.8
1.1	1.3						
		q3	I	17.5	144.9	48.2	115.6
216.7	946.3		J	17.5	144.9	48.2	115.6
168.6	801.3						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-117.6	-472.0		J	7.7	-78.6	-26.1	-62.7
-91.4	-393.4						
		q4-2	I	-2.0	10.4	3.5	8.3
15.6	125.2		J	-2.0	10.4	3.5	8.3
12.1	114.7						
		q4-3	I	-6.3	121.8	40.5	97.2
182.2	892.4		J	-6.3	121.8	40.5	97.2
141.7	770.6						
		q4-4	I	1.4	27.4	9.1	21.9
41.0	235.1		J	1.4	27.4	9.1	21.9
31.9	207.6						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-6.9	-24.2		J	3.9	-4.6	-1.5	-3.7
-5.3	-19.6						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-1.6	-20.5		J	3.5	-1.1	-0.4	-0.9
-1.3	-19.4						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-0.6	-12.8		J	3.8	-0.4	-0.1	-0.3
-0.4	-12.4						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
2032.4	9658.4		J	-65.3	1359.2	451.6	1083.9	
1580.7	8299.1							
-279.7	-1611.3	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	
-217.5	-1424.2		J	95.6	-187.1	-62.2	-149.2	
1925.6	8969.2	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	
1497.7	7681.3		J	-58.9	1287.9	427.9	1027.0	
-265.3	-1397.4	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	
-206.4	-1219.9		J	87.5	-177.4	-59.0	-141.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
404.8	1637.9	q7	I	0.6	270.7	90.0	215.9	
314.8	1367.2		J	0.6	270.7	90.0	215.9	
0.7	-27.8	T	I	-1.6	0.4	0.1	0.4	
0.5	-28.2		J	-1.6	0.4	0.1	0.4	
52.9	227.7	M. tor~1	I	32.7	35.4	11.8	28.2	
41.1	192.4		J	32.7	35.4	11.8	28.2	
31.3	134.6	M. tor~2	I	19.3	20.9	6.9	16.7	
24.3	113.7		J	19.3	20.9	6.9	16.7	
2947.8	14587.7	INVSLU Max	I	-9970.6	1971.5	655.1	1572.2	
2292.7	12684.0		J	-9735.0	1971.5	655.1	1572.2	
3018.5	-17657.6	Min	I	-15375.3	-2018.8	-670.8	-1609.9	-
2347.7	-15701.3		J	-15139.7	-2018.8	-670.8	-1609.9	-
2934.0	6106.8	INVSLV Max	I	-6911.5	1722.9	786.1	1286.1	
2172.1	4606.3		J	-6737.0	1722.9	786.1	1286.1	
2986.2	-7824.7	Min	I	-8953.7	-1757.8	-797.7	-1314.0	-
2212.7	-6289.3		J	-8779.2	-1757.8	-797.7	-1314.0	-


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


1969.6	9811.0	INVSLE	Max	I	-7391.9	1317.3	437.7	1050.5	
				J	-7217.4	1317.3	437.7	1050.5	
1531.9	8543.9		Min	I	-11382.8	-1352.3	-449.3	-1078.4	-
2022.0	-12085.0			J	-11208.3	-1352.3	-449.3	-1078.4	-
1572.7	-10779.0								
539	4	57	C1-C2;~1	Max	I	471.1	88.8	29.5	70.8
103.3	1943.0			J	471.1	88.8	29.5	70.8	
73.8	1931.2		Min	I	-3383.5	-92.8	-30.8	-74.0	
-107.9	-4476.8			J	-3383.5	-92.8	-30.8	-74.0	
-77.1	-4469.5								
			C3-C4;~1	Max	I	482.4	85.0	28.2	67.8
98.9	3468.9			J	482.4	85.0	28.2	67.8	
70.6	3467.1		Min	I	-3391.9	-89.3	-29.7	-71.2	
-103.9	-3049.5			J	-3391.9	-89.3	-29.7	-71.2	
-74.2	-3038.7								
			C1-C2;~2	Max	I	239.0	46.6	15.5	37.2
54.2	886.0			J	239.0	46.6	15.5	37.2	
38.7	882.7		Min	I	-1702.5	-46.7	-15.5	-37.3	
-54.4	-2239.3			J	-1702.5	-46.7	-15.5	-37.3	
-38.8	-2238.9								
			C3-C4;~2	Max	I	245.6	43.9	14.6	35.0
51.0	1687.2			J	245.6	43.9	14.6	35.0	
36.4	1690.4		Min	I	-1706.5	-45.6	-15.1	-36.3	
-53.0	-1475.2			J	-1706.5	-45.6	-15.1	-36.3	
-37.9	-1471.4								
			SLVx (RS)	I	478.1	-1413.6	-603.7	-1067.8	-
1848.3	-4281.4			J	478.1	-1413.6	-603.7	-1067.8	-
1252.7	-3133.8								
			SLVy (RS)	I	270.7	-964.4	-386.6	-710.4	-
1015.4	-3400.6			J	270.7	-964.4	-386.6	-710.4	-
-681.8	-2673.4								
			SLDx (RS)	I	355.3	-982.8	-422.5	-742.4	-
1290.3	-2994.5			J	355.3	-982.8	-422.5	-742.4	-
-873.5	-2214.7								
			SLDy (RS)	I	196.9	-679.7	-274.8	-503.2	
-723.5	-2447.5			J	196.9	-679.7	-274.8	-503.2	
-485.7	-1934.8								

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-131.5	487.3	SLVz (RS)	I	796.5	-37.9	-52.8	63.8
			J	796.5	-37.9	-52.8	63.8
-82.8	489.6						
		G1	I	-5910.1	-15.4	-5.1	-12.3
-17.9	-621.0		J	-5691.4	-15.4	-5.1	-12.3
-12.8	-605.6						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-6.6	-225.4		J	-1848.5	-5.6	-1.9	-4.5
-4.7	-219.7						
		G1- Imp~1	I	0.3	2.6	0.9	2.1
3.0	3.5		J	0.3	2.6	0.9	2.1
2.2	0.9						
		G2- Imp~1	I	0.1	1.0	0.3	0.8
1.1	1.3		J	0.1	1.0	0.3	0.8
0.8	0.4						
		q3	I	17.5	144.9	48.2	115.6
168.6	801.3		J	17.5	144.9	48.2	115.6
120.4	656.4						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-91.4	-393.4		J	7.7	-78.6	-26.1	-62.7
-65.3	-314.8						
		q4-2	I	-2.0	10.4	3.5	8.3
12.1	114.7		J	-2.0	10.4	3.5	8.3
8.7	104.3						
		q4-3	I	-6.3	121.8	40.5	97.2
141.7	770.6		J	-6.3	121.8	40.5	97.2
101.2	648.7						
		q4-4	I	1.4	27.4	9.1	21.9
31.9	207.6		J	1.4	27.4	9.1	21.9
22.8	180.2						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-5.3	-19.6		J	3.9	-4.6	-1.5	-3.7
-3.8	-15.0						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-1.3	-19.4		J	3.5	-1.1	-0.4	-0.9
-0.9	-18.3						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-0.4	-12.4		J	3.8	-0.4	-0.1	-0.3
-0.3	-12.0						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1580.7	8299.1		J	-65.3	1359.2	451.6	1083.9
1129.1	6939.9						
-217.5	-1424.2	q5 - p~2	I	95.6	-187.1	-62.2	-149.2
-155.4	-1237.1		J	95.6	-187.1	-62.2	-149.2
1497.7	7681.3	q5 - p~3	I	-58.9	1287.9	427.9	1027.0
1069.8	6393.5		J	-58.9	1287.9	427.9	1027.0
-206.4	-1219.9	q5 - p~4	I	87.5	-177.4	-59.0	-141.5
-147.4	-1042.5		J	87.5	-177.4	-59.0	-141.5
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
314.8	1367.2	q7	I	0.6	270.7	90.0	215.9
224.9	1096.4		J	0.6	270.7	90.0	215.9
0.5	-28.2	T	I	-1.6	0.4	0.1	0.4
0.4	-28.7		J	-1.6	0.4	0.1	0.4
41.1	192.4	M. tor~1	I	32.7	35.4	11.8	28.2
29.4	157.0		J	32.7	35.4	11.8	28.2
24.3	113.7	M. tor~2	I	19.3	20.9	6.9	16.7
17.4	92.8		J	19.3	20.9	6.9	16.7
2292.7	12684.0	INVSLU Max	I	-9735.0	1971.5	655.1	1572.2
1637.7	10780.4		J	-9439.8	1971.5	655.1	1572.2
2347.7	-15701.3	Min	I	-15139.7	-2018.8	-670.8	-1609.9
1676.9	-13745.9		J	-14844.5	-2018.8	-670.8	-1609.9
2172.1	4606.3	INVSLV Max	I	-6737.0	1696.9	729.7	1286.1
1467.6	3258.7		J	-6518.3	1696.9	729.7	1286.1
2212.7	-6289.3	Min	I	-8779.2	-1731.8	-741.3	-1314.0
1496.5	-4906.8		J	-8560.5	-1731.8	-741.3	-1314.0


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


1531.9	8543.9	INVSLE Max	I	-7217.4	1317.3	437.7	1050.5	
			J	-6998.7	1317.3	437.7	1050.5	
1094.2	7277.0	Min	I	-11208.3	-1352.3	-449.3	-1078.4	-
1572.7	-10779.0		J	-10989.6	-1352.3	-449.3	-1078.4	-
1123.3	-9474.7							
540	4	57 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
73.8	1931.2		J	471.1	88.8	29.5	70.8	
44.3	1921.3	Min	I	-3383.5	-92.8	-30.8	-74.0	
-77.1	-4469.5		J	-3383.5	-92.8	-30.8	-74.0	
-46.2	-4463.5							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
70.6	3467.1		J	482.4	85.0	28.2	67.8	
42.4	3466.3	Min	I	-3391.9	-89.3	-29.7	-71.2	
-74.2	-3038.7		J	-3391.9	-89.3	-29.7	-71.2	
-44.5	-3028.6							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
38.7	882.7		J	239.0	46.6	15.5	37.2	
23.2	880.2	Min	I	-1702.5	-46.7	-15.5	-37.3	
-38.8	-2238.9		J	-1702.5	-46.7	-15.5	-37.3	
-23.3	-2239.2							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
36.4	1690.4		J	245.6	43.9	14.6	35.0	
21.9	1694.1	Min	I	-1706.5	-45.6	-15.1	-36.3	
-37.9	-1471.4		J	-1706.5	-45.6	-15.1	-36.3	
-22.7	-1468.0							
		SLVx (RS)	I	478.1	-1391.5	-556.4	-1067.8	-
1252.7	-3133.8		J	478.1	-1391.5	-556.4	-1067.8	
-704.0	2278.4							
		SLVy (RS)	I	270.7	-942.6	-319.7	-710.4	
-681.8	-2673.4		J	270.7	-942.6	-319.7	-710.4	
-410.4	-2119.7							
		SLDx (RS)	I	355.3	-967.3	-389.0	-742.4	
-873.5	-2214.7		J	355.3	-967.3	-389.0	-742.4	
-490.1	1645.0							
		SLDy (RS)	I	196.9	-665.2	-227.8	-503.2	
-485.7	-1934.8		J	196.9	-665.2	-227.8	-503.2	
-291.6	-1538.0							

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-82.8	489.6	SLVz (RS)	I	796.5	-45.3	-47.7	63.8
			J	796.5	-45.3	-47.7	63.8
-41.2	475.3						
		G1	I	-5691.4	-15.4	-5.1	-12.3
-12.8	-605.6		J	-5472.7	-15.4	-5.1	-12.3
-7.7	-590.3						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-4.7	-219.7		J	-1848.5	-5.6	-1.9	-4.5
-2.8	-214.1						
		G1 - Imp~1	I	0.3	2.6	0.9	2.1
2.2	0.9		J	0.3	2.6	0.9	2.1
1.3	-1.7						
		G2 - Imp~1	I	0.1	1.0	0.3	0.8
0.8	0.4		J	0.1	1.0	0.3	0.8
0.5	-0.6						
		q3	I	17.5	144.9	48.2	115.6
120.4	656.4		J	17.5	144.9	48.2	115.6
72.2	511.4						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-65.3	-314.8		J	7.7	-78.6	-26.1	-62.7
-39.2	-236.1						
		q4-2	I	-2.0	10.4	3.5	8.3
8.7	104.3		J	-2.0	10.4	3.5	8.3
5.2	93.9						
		q4-3	I	-6.3	121.8	40.5	97.2
101.2	648.7		J	-6.3	121.8	40.5	97.2
60.7	526.9						
		q4-4	I	1.4	27.4	9.1	21.9
22.8	180.2		J	1.4	27.4	9.1	21.9
13.7	152.8						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-3.8	-15.0		J	3.9	-4.6	-1.5	-3.7
-2.3	-10.4						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-0.9	-18.3		J	3.5	-1.1	-0.4	-0.9
-0.5	-17.2						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-0.3	-12.0		J	3.8	-0.4	-0.1	-0.3
-0.2	-11.7						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1129.1	6939.9		J	-65.3	1359.2	451.6	1083.9
677.5	5580.7						
-155.4	-1237.1	q5 - p~2	I	95.6	-187.1	-62.2	-149.2
-93.2	-1050.1		J	95.6	-187.1	-62.2	-149.2
1069.8	6393.5	q5 - p~3	I	-58.9	1287.9	427.9	1027.0
641.9	5105.6		J	-58.9	1287.9	427.9	1027.0
-147.4	-1042.5	q5 - p~4	I	87.5	-177.4	-59.0	-141.5
-88.4	-865.0		J	87.5	-177.4	-59.0	-141.5
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
224.9	1096.4	q7	I	0.6	270.7	90.0	215.9
134.9	825.7		J	0.6	270.7	90.0	215.9
0.4	-28.7	T	I	-1.6	0.4	0.1	0.4
0.2	-29.1		J	-1.6	0.4	0.1	0.4
29.4	157.0	M. tor~1	I	32.7	35.4	11.8	28.2
17.6	121.6		J	32.7	35.4	11.8	28.2
17.4	92.8	M. tor~2	I	19.3	20.9	6.9	16.7
10.4	71.9		J	19.3	20.9	6.9	16.7
1637.7	10780.4	INVSLU Max	I	-9439.8	1971.5	655.1	1572.2
982.6	8877.4		J	-9144.5	1971.5	655.1	1572.2
1676.9	-13745.9	Min	I	-14844.5	-2018.8	-670.8	-1609.9
1006.2	-12158.2		J	-14549.2	-2018.8	-670.8	-1609.9
1467.6	3258.7	INVSLV Max	I	-6518.3	1670.4	660.8	1286.1
830.7	2250.3		J	-6299.6	1670.4	660.8	1286.1
1496.5	-4906.8	Min	I	-8560.5	-1705.4	-672.4	-1314.0
-848.1	-3863.5		J	-8341.8	-1705.4	-672.4	-1314.0


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


1094.2	7277.0	INVSLE Max	I	-6998.7	1317.3	437.7	1050.5	
			J	-6780.0	1317.3	437.7	1050.5	
656.5	6025.6	Min	I	-10989.6	-1352.3	-449.3	-1078.4	-
1123.3	-9474.7		J	-10770.9	-1352.3	-449.3	-1078.4	
-674.0	-8636.0							
541	4	55 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
44.3	1921.3		J	471.1	88.8	29.5	70.8	
16.2	1912.7	Min	I	-3383.5	-92.8	-30.8	-74.0	
-46.2	-4463.5		J	-3383.5	-92.8	-30.8	-74.0	
-17.0	-4458.7							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
42.4	3466.3		J	482.4	85.0	28.2	67.8	
15.5	3466.6	Min	I	-3391.9	-89.3	-29.7	-71.2	
-44.5	-3028.6		J	-3391.9	-89.3	-29.7	-71.2	
-16.3	-3021.5							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
23.2	880.2		J	239.0	46.6	15.5	37.2	
8.5	878.1	Min	I	-1702.5	-46.7	-15.5	-37.3	
-23.3	-2239.2		J	-1702.5	-46.7	-15.5	-37.3	
-8.5	-2239.7							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
21.9	1694.1		J	245.6	43.9	14.6	35.0	
8.0	1697.9	Min	I	-1706.5	-45.6	-15.1	-36.3	
-22.7	-1468.0		J	-1706.5	-45.6	-15.1	-36.3	
-8.3	-1466.5							
		SLVx (RS)	I	478.1	-1359.7	-485.7	-1067.8	
-704.0	2278.4		J	478.1	-1359.7	-485.7	-1067.8	
-244.7	2036.8							
		SLVy (RS)	I	270.7	-911.2	-270.4	-710.4	
-410.4	-2119.7		J	270.7	-911.2	-270.4	-710.4	
-162.8	-1858.4							
		SLDx (RS)	I	355.3	-945.2	-338.5	-742.4	
-490.1	1645.0		J	355.3	-945.2	-338.5	-742.4	
-170.1	1490.9							
		SLDy (RS)	I	196.9	-644.4	-192.4	-503.2	
-291.6	-1538.0		J	196.9	-644.4	-192.4	-503.2	
-115.3	-1337.2							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-41.2	475.3	SLVz (RS)	I	796.5	-65.4	-31.5	63.8
14.6	441.3		J	796.5	-65.4	-31.5	63.8
-7.7	-590.3	G1	I	-5472.7	-15.4	-5.1	-12.3
-2.8	-575.6		J	-5062.3	-15.4	-5.1	-12.3
-2.8	-214.1	G2	I	-1848.5	-5.6	-1.9	-4.5
-1.0	-208.7		J	-1848.5	-5.6	-1.9	-4.5
1.3	-1.7	G1- Imp~1	I	0.3	2.6	0.9	2.1
0.5	-4.2		J	0.3	2.6	0.9	2.1
0.5	-0.6	G2- Imp~1	I	0.1	1.0	0.3	0.8
0.2	-1.5		J	0.1	1.0	0.3	0.8
72.2	511.4	q3	I	17.5	144.9	48.2	115.6
26.5	373.7		J	17.5	144.9	48.2	115.6
-39.2	-236.1	q4-1	I	7.7	-78.6	-26.1	-62.7
-14.4	-161.4		J	7.7	-78.6	-26.1	-62.7
5.2	93.9	q4-2	I	-2.0	10.4	3.5	8.3
1.9	84.0		J	-2.0	10.4	3.5	8.3
60.7	526.9	q4-3	I	-6.3	121.8	40.5	97.2
22.3	411.2		J	-6.3	121.8	40.5	97.2
13.7	152.8	q4-4	I	1.4	27.4	9.1	21.9
5.0	126.7		J	1.4	27.4	9.1	21.9
-2.3	-10.4	q4-5	I	3.9	-4.6	-1.5	-3.7
-0.8	-6.1		J	3.9	-4.6	-1.5	-3.7
-0.5	-17.2	q4-6	I	3.5	-1.1	-0.4	-0.9
-0.2	-16.1		J	3.5	-1.1	-0.4	-0.9
-0.2	-11.7	q4-7	I	3.8	-0.4	-0.1	-0.3
-0.1	-11.3		J	3.8	-0.4	-0.1	-0.3
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
677.5	5580.7		J	-65.3	1359.2	451.6	1083.9
248.4	4289.4						
-93.2	-1050.1	q5 - p~2	I	95.6	-187.1	-62.2	-149.2
-34.2	-872.4		J	95.6	-187.1	-62.2	-149.2
641.9	5105.6	q5 - p~3	I	-58.9	1287.9	427.9	1027.0
235.4	3882.1		J	-58.9	1287.9	427.9	1027.0
-88.4	-865.0	q5 - p~4	I	87.5	-177.4	-59.0	-141.5
-32.4	-696.4		J	87.5	-177.4	-59.0	-141.5
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
134.9	825.7	q7	I	0.6	270.7	90.0	215.9
49.5	568.5		J	0.6	270.7	90.0	215.9
0.2	-29.1	T	I	-1.6	0.4	0.1	0.4
0.1	-29.5		J	-1.6	0.4	0.1	0.4
17.6	121.6	M. tor~1	I	32.7	35.4	11.8	28.2
6.5	88.0		J	32.7	35.4	11.8	28.2
10.4	71.9	M. tor~2	I	19.3	20.9	6.9	16.7
3.8	52.0		J	19.3	20.9	6.9	16.7
982.6	8877.4	INVSLU Max	I	-9144.5	1971.5	655.1	1572.2
360.3	7495.1		J	-8590.5	1971.5	655.1	1572.2
1006.2	-12158.2	Min	I	-14549.2	-2018.8	-670.8	-1609.9
-368.9	-10967.5		J	-13995.2	-2018.8	-670.8	-1609.9
830.7	2250.3	INVSLV Max	I	-6299.6	1635.2	570.5	1286.1
294.7	1936.7		J	-5889.2	1635.2	570.5	1286.1
-848.1	-3863.5	Min	I	-8341.8	-1670.1	-582.1	-1314.0
-301.1	-3516.8		J	-7931.4	-1670.1	-582.1	-1314.0


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

656.5	6025.6	INVSLE Max	I	-6780.0	1317.3	437.7	1050.5	
240.7	5267.9		J	-6369.6	1317.3	437.7	1050.5	
-674.0	-8636.0	Min	I	-10770.9	-1352.3	-449.3	-1078.4	
-247.1	-7840.1		J	-10360.5	-1352.3	-449.3	-1078.4	
542	4	40 C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
39.9	2178.0		J	517.8	92.5	5.3	294.2	
34.6	2148.6	Min	I	-3409.6	-96.4	-5.6	-343.4	
-42.3	-4444.3		J	-3409.6	-96.4	-5.6	-343.4	
-36.7	-4428.7							
37.1	3608.3	C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
32.2	3593.1		J	530.7	78.4	4.9	285.5	
-40.3	-3017.7	Min	I	-3418.0	-87.1	-5.3	-283.8	
-35.0	-2998.5		J	-3418.0	-87.1	-5.3	-283.8	
19.0	999.5	C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
16.5	987.7		J	257.0	45.7	2.5	147.1	
-20.2	-2195.5	Min	I	-1713.0	-46.7	-2.7	-169.0	
-17.6	-2193.3		J	-1713.0	-46.7	-2.7	-169.0	
18.1	1744.4	C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
15.7	1741.0		J	264.1	37.8	2.4	145.5	
-19.2	-1445.4	Min	I	-1717.0	-42.6	-2.5	-139.3	
-16.7	-1439.3		J	-1717.0	-42.6	-2.5	-139.3	
3396.4	-17438.8	SLVx (RS)	I	762.7	-2224.4	-464.1	-7462.9	-
2935.3	-15254.8		J	762.7	-2224.4	-464.1	-7462.9	-
0562.2	-6422.7	SLVy (RS)	I	185.8	-767.8	2755.0	10740.0	2
7813.5	-5686.7		J	185.8	-767.8	2755.0	10740.0	1
2271.1	-12139.6	SLDx (RS)	I	568.4	-1551.0	-310.6	-5227.3	-
1963.1	-10619.1		J	568.4	-1551.0	-310.6	-5227.3	-
1821.2	-4553.4	SLDy (RS)	I	137.2	-541.8	1580.5	6313.4	1
0246.7	-4034.8		J	137.2	-541.8	1580.5	6313.4	1

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-174.4	342.8	SLVz (RS)	I	758.0	-81.0	28.0	-105.6
			J	758.0	-81.0	28.0	-105.6
185.5	312.4						
		G1	I	-6576.5	-10.5	-0.9	16.9
-6.5	-400.8		J	-6402.0	-10.5	-0.9	16.9
-5.6	-390.3						
		G2	I	-1829.2	-3.8	-0.3	6.5
-2.4	-146.6		J	-1829.2	-3.8	-0.3	6.5
-2.1	-142.8						
		G1- Imp~1	I	-0.5	2.9	0.0	7.7
0.2	30.1		J	-0.5	2.9	0.0	7.7
0.2	27.2						
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9
-0.0	11.1		J	-0.2	1.1	-0.0	2.9
-0.0	10.0						
		q3	I	17.7	-8.9	691.4	1160.7
5220.0	-45.6		J	17.7	-8.9	691.4	1160.7
4528.6	-36.8						
		q4-1	I	-0.8	-40.9	-69.6	-210.1
-525.2	-425.8		J	-0.8	-40.9	-69.6	-210.1
-455.6	-384.9						
		q4-2	I	0.8	-48.5	-98.3	-189.0
-741.9	-458.6		J	0.8	-48.5	-98.3	-189.0
-643.6	-410.1						
		q4-3	I	-0.9	31.2	-58.1	115.5
-438.5	354.5		J	-0.9	31.2	-58.1	115.5
-380.4	323.3						
		q4-4	I	-4.4	148.0	4.2	38.0
31.3	1561.4		J	-4.4	148.0	4.2	38.0
27.2	1413.4						
		q4-5	I	1.3	8.5	61.8	-23.6
466.4	121.1		J	1.3	8.5	61.8	-23.6
404.6	112.6						
		q4-6	I	6.4	-39.1	95.5	166.4
721.3	-384.7		J	6.4	-39.1	95.5	166.4
625.7	-345.6						
		q4-7	I	2.9	-30.6	84.5	147.9
638.1	-310.6		J	2.9	-30.6	84.5	147.9
553.6	-279.9						
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0

MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
206.7	16698.4		J	-68.7	1622.1	27.4	1051.0	
179.3	15076.4							
7834.5	1705.4	q5 - p~2	I	33.1	183.5	2362.2	3071.2	1
5472.3	1521.9		J	33.1	183.5	2362.2	3071.2	1
190.6	15593.7	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
165.4	14056.7		J	-61.3	1537.0	25.2	988.9	
6894.9	1595.6	q5 - p~4	I	34.8	174.6	2237.7	2917.4	1
4657.2	1420.9		J	34.8	174.6	2237.7	2917.4	1
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
2797.1	477.4	q7	I	8.7	43.6	370.5	994.5	
2426.6	433.8		J	8.7	43.6	370.5	994.5	
0.3	-20.2	T	I	0.3	-0.4	0.0	2.8	
0.3	-19.8		J	0.3	-0.4	0.0	2.8	
3624.8	-177.8	M. tor~1	I	10.3	-58.7	480.1	1602.7	
3144.7	-119.1		J	10.3	-58.7	480.1	1602.7	
2143.0	-105.1	M. tor~2	I	6.1	-34.7	283.8	947.6	
1859.2	-70.4		J	6.1	-34.7	283.8	947.6	
5356.5	25076.5	INVSLU Max	I	-10570.2	2353.4	3358.5	4622.4	2
1998.0	22780.3		J	-10334.6	2353.4	3358.5	4622.4	2
5381.6	-27052.4	Min	I	-16024.9	-2382.9	-3361.8	-4560.4	-2
2019.8	-24729.6		J	-15789.3	-2382.9	-3361.8	-4560.4	-2
1624.8	18962.2	INVSLV Max	I	-7360.6	2468.6	2901.4	13044.4	2
8742.2	16558.7		J	-7186.1	2468.6	2901.4	13044.4	1
1642.2	-19974.7	Min	I	-9452.2	-2489.5	-2903.8	-12976.6	-2
8757.3	-17550.3		J	-9277.7	-2489.5	-2903.8	-12976.6	-1


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


6905.4	16843.9		INVSLE Max	I	-7834.3	1572.5	2239.1	3186.1	1
				J	-7659.8	1572.5	2239.1	3186.1	1
4666.3	15313.8		Min	I	-11865.7	-1594.3	-2241.6	-3054.1	-1
6924.0	-18307.5			J	-11691.2	-1594.3	-2241.6	-3054.1	-1
4682.4	-16757.7								
543	4	40	C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
34.6	2148.6			J	517.8	92.5	5.3	294.2	
29.3	2119.5		Min	I	-3409.6	-96.4	-5.6	-343.4	
-36.7	-4428.7			J	-3409.6	-96.4	-5.6	-343.4	
-31.1	-4413.4								
			C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
32.2	3593.1			J	530.7	78.4	4.9	285.5	
27.3	3578.6		Min	I	-3418.0	-87.1	-5.3	-283.8	
-35.0	-2998.5			J	-3418.0	-87.1	-5.3	-283.8	
-29.6	-2979.6								
			C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
16.5	987.7			J	257.0	45.7	2.5	147.1	
14.0	976.0		Min	I	-1713.0	-46.7	-2.7	-169.0	
-17.6	-2193.3			J	-1713.0	-46.7	-2.7	-169.0	
-14.9	-2191.3								
			C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
15.7	1741.0			J	264.1	37.8	2.4	145.5	
13.3	1737.8		Min	I	-1717.0	-42.6	-2.5	-139.3	
-16.7	-1439.3			J	-1717.0	-42.6	-2.5	-139.3	
-14.1	-1433.3								
			SLVx (RS)	I	762.7	-2205.1	-460.7	-7462.9	-
2935.3	-15254.8			J	762.7	-2205.1	-460.7	-7462.9	-
2477.0	-13094.6								
			SLVy (RS)	I	185.8	-761.2	2748.1	10740.0	1
7813.5	-5686.7			J	185.8	-761.2	2748.1	10740.0	1
5069.7	-4960.8								
			SLDx (RS)	I	568.4	-1537.4	-308.2	-5227.3	-
1963.1	-10619.1			J	568.4	-1537.4	-308.2	-5227.3	-
1657.0	-9115.7								
			SLDy (RS)	I	137.2	-537.1	1577.4	6313.4	1
0246.7	-4034.8			J	137.2	-537.1	1577.4	6313.4	
8673.3	-3523.3								

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
185.5	312.4	SLVz (RS)	I	758.0	-77.3	21.5	-105.6
			J	758.0	-77.3	21.5	-105.6
187.1	290.7						
		G1	I	-6402.0	-10.5	-0.9	16.9
-5.6	-390.3		J	-6227.5	-10.5	-0.9	16.9
-4.8	-379.8						
		G2	I	-1829.2	-3.8	-0.3	6.5
-2.1	-142.8		J	-1829.2	-3.8	-0.3	6.5
-1.8	-138.9						
		G1- Imp~1	I	-0.5	2.9	0.0	7.7
0.2	27.2		J	-0.5	2.9	0.0	7.7
0.2	24.4						
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9
-0.0	10.0		J	-0.2	1.1	-0.0	2.9
-0.0	9.0						
		q3	I	17.7	-8.9	691.4	1160.7
4528.6	-36.8		J	17.7	-8.9	691.4	1160.7
3837.2	-27.9						
		q4-1	I	-0.8	-40.9	-69.6	-210.1
-455.6	-384.9		J	-0.8	-40.9	-69.6	-210.1
-386.1	-343.9						
		q4-2	I	0.8	-48.5	-98.3	-189.0
-643.6	-410.1		J	0.8	-48.5	-98.3	-189.0
-545.3	-361.7						
		q4-3	I	-0.9	31.2	-58.1	115.5
-380.4	323.3		J	-0.9	31.2	-58.1	115.5
-322.3	292.1						
		q4-4	I	-4.4	148.0	4.2	38.0
27.2	1413.4		J	-4.4	148.0	4.2	38.0
23.0	1265.4						
		q4-5	I	1.3	8.5	61.8	-23.6
404.6	112.6		J	1.3	8.5	61.8	-23.6
342.8	104.0						
		q4-6	I	6.4	-39.1	95.5	166.4
625.7	-345.6		J	6.4	-39.1	95.5	166.4
530.2	-306.6						
		q4-7	I	2.9	-30.6	84.5	147.9
553.6	-279.9		J	2.9	-30.6	84.5	147.9
469.0	-249.3						
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0

MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
179.3	15076.4		J	-68.7	1622.1	27.4	1051.0	
152.0	13454.3							
5472.3	1521.9	q5 - p~2	I	33.1	183.5	2362.2	3071.2	1
3110.1	1338.4		J	33.1	183.5	2362.2	3071.2	1
165.4	14056.7	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
140.1	12519.7		J	-61.3	1537.0	25.2	988.9	
4657.2	1420.9	q5 - p~4	I	34.8	174.6	2237.7	2917.4	1
2419.4	1246.3		J	34.8	174.6	2237.7	2917.4	1
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
2426.6	433.8	q7	I	8.7	43.6	370.5	994.5	
2056.1	390.2		J	8.7	43.6	370.5	994.5	
0.3	-19.8	T	I	0.3	-0.4	0.0	2.8	
0.2	-19.5		J	0.3	-0.4	0.0	2.8	
3144.7	-119.1	M. tor~1	I	10.3	-58.7	480.1	1602.7	
2664.6	-60.4		J	10.3	-58.7	480.1	1602.7	
1859.2	-70.4	M. tor~2	I	6.1	-34.7	283.8	947.6	
1575.3	-35.7		J	6.1	-34.7	283.8	947.6	
1998.0	22780.3	INVSLU Max	I	-10334.6	2353.4	3358.5	4622.4	2
8639.5	20484.4		J	-10099.0	2353.4	3358.5	4622.4	1
2019.8	-24729.6	Min	I	-15789.3	-2382.9	-3361.8	-4560.4	-2
8658.0	-22407.0		J	-15553.8	-2382.9	-3361.8	-4560.4	-1
8742.2	16558.7	INVSLV Max	I	-7186.1	2446.2	2891.6	13044.4	1
5862.5	14184.7		J	-7011.6	2446.2	2891.6	13044.4	1
8757.3	-17550.3	Min	I	-9277.7	-2467.1	-2893.9	-12976.6	-1
5875.3	-15155.4		J	-9103.2	-2467.1	-2893.9	-12976.6	-1

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

4666.3	15313.8	INVSLE Max	I	-7659.8	1572.5	2239.1	3186.1	1
			J	-7485.3	1572.5	2239.1	3186.1	1
2427.1	13783.9	Min	I	-11691.2	-1594.3	-2241.6	-3054.1	-1
4682.4	-16757.7		J	-11516.7	-1594.3	-2241.6	-3054.1	-1
2440.8	-15208.0							
544	4	40 C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
29.3	2119.5		J	517.8	92.5	5.3	294.2	
24.1	2090.9	Min	I	-3409.6	-96.4	-5.6	-343.4	
-31.1	-4413.4		J	-3409.6	-96.4	-5.6	-343.4	
-25.5	-4398.4							
		C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
27.3	3578.6		J	530.7	78.4	4.9	285.5	
22.3	3565.1	Min	I	-3418.0	-87.1	-5.3	-283.8	
-29.6	-2979.6		J	-3418.0	-87.1	-5.3	-283.8	
-24.3	-2961.3							
		C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
14.0	976.0		J	257.0	45.7	2.5	147.1	
11.4	964.4	Min	I	-1713.0	-46.7	-2.7	-169.0	
-14.9	-2191.3		J	-1713.0	-46.7	-2.7	-169.0	
-12.2	-2189.5							
		C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
13.3	1737.8		J	264.1	37.8	2.4	145.5	
10.9	1735.1	Min	I	-1717.0	-42.6	-2.5	-139.3	
-14.1	-1433.3		J	-1717.0	-42.6	-2.5	-139.3	
-11.6	-1427.6							
		SLVx (RS)	I	762.7	-2184.7	-457.2	-7462.9	-
2477.0	-13094.6		J	762.7	-2184.7	-457.2	-7462.9	-
2021.6	-10962.8							
		SLVy (RS)	I	185.8	-754.6	2741.2	10740.0	1
5069.7	-4960.8		J	185.8	-754.6	2741.2	10740.0	1
2331.3	-4247.4							
		SLDx (RS)	I	568.4	-1523.0	-305.8	-5227.3	-
1657.0	-9115.7		J	568.4	-1523.0	-305.8	-5227.3	-
1352.7	-7632.6							
		SLDy (RS)	I	137.2	-532.4	1574.5	6313.4	
8673.3	-3523.3		J	137.2	-532.4	1574.5	6313.4	
7101.4	-3020.3							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
187.1	290.7	SLVz (RS)	I	758.0	-73.7	20.9	-105.6
			J	758.0	-73.7	20.9	-105.6
177.7	277.4						
		G1	I	-6227.5	-10.5	-0.9	16.9
-4.8	-379.8		J	-6053.0	-10.5	-0.9	16.9
-3.9	-369.3						
		G2	I	-1829.2	-3.8	-0.3	6.5
-1.8	-138.9		J	-1829.2	-3.8	-0.3	6.5
-1.4	-135.1						
		G1- Imp~1	I	-0.5	2.9	0.0	7.7
0.2	24.4		J	-0.5	2.9	0.0	7.7
0.1	21.5						
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9
-0.0	9.0		J	-0.2	1.1	-0.0	2.9
-0.0	7.9						
		q3	I	17.7	-8.9	691.4	1160.7
3837.2	-27.9		J	17.7	-8.9	691.4	1160.7
3145.8	-19.1						
		q4-1	I	-0.8	-40.9	-69.6	-210.1
-386.1	-343.9		J	-0.8	-40.9	-69.6	-210.1
-316.5	-303.0						
		q4-2	I	0.8	-48.5	-98.3	-189.0
-545.3	-361.7		J	0.8	-48.5	-98.3	-189.0
-447.1	-313.2						
		q4-3	I	-0.9	31.2	-58.1	115.5
-322.3	292.1		J	-0.9	31.2	-58.1	115.5
-264.3	261.0						
		q4-4	I	-4.4	148.0	4.2	38.0
23.0	1265.4		J	-4.4	148.0	4.2	38.0
18.9	1117.4						
		q4-5	I	1.3	8.5	61.8	-23.6
342.8	104.0		J	1.3	8.5	61.8	-23.6
281.1	95.5						
		q4-6	I	6.4	-39.1	95.5	166.4
530.2	-306.6		J	6.4	-39.1	95.5	166.4
434.7	-267.5						
		q4-7	I	2.9	-30.6	84.5	147.9
469.0	-249.3		J	2.9	-30.6	84.5	147.9
384.5	-218.6						
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
152.0	13454.3		J	-68.7	1622.1	27.4	1051.0	
124.6	11832.2							
3110.1	1338.4	q5 - p~2	I	33.1	183.5	2362.2	3071.2	1
0748.0	1154.9		J	33.1	183.5	2362.2	3071.2	1
140.1	12519.7	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
114.9	10982.7		J	-61.3	1537.0	25.2	988.9	
2419.4	1246.3	q5 - p~4	I	34.8	174.6	2237.7	2917.4	1
0181.7	1071.7		J	34.8	174.6	2237.7	2917.4	1
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
2056.1	390.2	q7	I	8.7	43.6	370.5	994.5	
1685.7	346.5		J	8.7	43.6	370.5	994.5	
0.2	-19.5	T	I	0.3	-0.4	0.0	2.8	
0.2	-19.1		J	0.3	-0.4	0.0	2.8	
2664.6	-60.4	M. tor~1	I	10.3	-58.7	480.1	1602.7	
2184.5	-1.6		J	10.3	-58.7	480.1	1602.7	
1575.3	-35.7	M. tor~2	I	6.1	-34.7	283.8	947.6	
1291.5	-1.0		J	6.1	-34.7	283.8	947.6	
8639.5	20484.4	INVSLU Max	I	-10099.0	2353.4	3358.5	4622.4	1
5281.0	18189.1		J	-9863.4	2353.4	3358.5	4622.4	1
8658.0	-22407.0	Min	I	-15553.8	-2382.9	-3361.8	-4560.4	-1
5296.2	-20084.7		J	-15318.2	-2382.9	-3361.8	-4560.4	-1
5862.5	14184.7	INVSLV Max	I	-7011.6	2422.7	2883.4	13044.4	1
2985.8	11845.3		J	-6837.1	2422.7	2883.4	13044.4	1
5875.3	-15155.4	Min	I	-9103.2	-2443.6	-2885.7	-12976.6	-1
2996.3	-12795.1		J	-8928.7	-2443.6	-2885.7	-12976.6	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

2427.1	13783.9		INVSLE Max	I	-7485.3	1572.5	2239.1	3186.1	1
				J	-7310.8	1572.5	2239.1	3186.1	1
0188.0	12254.4		Min	I	-11516.7	-1594.3	-2241.6	-3054.1	-1
2440.8	-15208.0			J	-11342.2	-1594.3	-2241.6	-3054.1	-1
0199.3	-13658.5								
545	4	40	C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
24.1	2090.9			J	517.8	92.5	5.3	294.2	
18.8	2063.0		Min	I	-3409.6	-96.4	-5.6	-343.4	
-25.5	-4398.4			J	-3409.6	-96.4	-5.6	-343.4	
-19.9	-4384.1								
			C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
22.3	3565.1			J	530.7	78.4	4.9	285.5	
17.4	3553.3		Min	I	-3418.0	-87.1	-5.3	-283.8	
-24.3	-2961.3			J	-3418.0	-87.1	-5.3	-283.8	
-19.0	-2943.9								
			C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
11.4	964.4			J	257.0	45.7	2.5	147.1	
8.9	953.2		Min	I	-1713.0	-46.7	-2.7	-169.0	
-12.2	-2189.5			J	-1713.0	-46.7	-2.7	-169.0	
-9.5	-2187.9								
			C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
10.9	1735.1			J	264.1	37.8	2.4	145.5	
8.5	1733.1		Min	I	-1717.0	-42.6	-2.5	-139.3	
-11.6	-1427.6			J	-1717.0	-42.6	-2.5	-139.3	
-9.0	-1422.5								
			SLVx (RS)	I	762.7	-2163.2	-453.6	-7462.9	-
2021.6	-10962.8			J	762.7	-2163.2	-453.6	-7462.9	-
1569.4	-8867.3								
			SLVy (RS)	I	185.8	-748.1	2733.8	10740.0	1
2331.3	-4247.4			J	185.8	-748.1	2733.8	10740.0	
9599.2	-3550.5								
			SLDx (RS)	I	568.4	-1507.9	-303.5	-5227.3	-
1352.7	-7632.6			J	568.4	-1507.9	-303.5	-5227.3	-
1050.5	-6175.6								
			SLDy (RS)	I	137.2	-527.8	1571.6	6313.4	
7101.4	-3020.3			J	137.2	-527.8	1571.6	6313.4	
5531.3	-2528.7								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
177.7	277.4	SLVz (RS)	I	758.0	-70.3	26.5	-105.6
			J	758.0	-70.3	26.5	-105.6
157.3	-271.8						
		G1	I	-6053.0	-10.5	-0.9	16.9
-3.9	-369.3		J	-5878.5	-10.5	-0.9	16.9
-3.1	-358.7						
		G2	I	-1829.2	-3.8	-0.3	6.5
-1.4	-135.1		J	-1829.2	-3.8	-0.3	6.5
-1.1	-131.2						
		G1- Imp~1	I	-0.5	2.9	0.0	7.7
0.1	21.5		J	-0.5	2.9	0.0	7.7
0.1	18.7						
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9
-0.0	7.9		J	-0.2	1.1	-0.0	2.9
-0.0	6.8						
		q3	I	17.7	-8.9	691.4	1160.7
3145.8	-19.1		J	17.7	-8.9	691.4	1160.7
2454.4	-10.2						
		q4-1	I	-0.8	-40.9	-69.6	-210.1
-316.5	-303.0		J	-0.8	-40.9	-69.6	-210.1
-246.9	-262.0						
		q4-2	I	0.8	-48.5	-98.3	-189.0
-447.1	-313.2		J	0.8	-48.5	-98.3	-189.0
-348.8	-264.7						
		q4-3	I	-0.9	31.2	-58.1	115.5
-264.3	261.0		J	-0.9	31.2	-58.1	115.5
-206.2	229.8						
		q4-4	I	-4.4	148.0	4.2	38.0
18.9	1117.4		J	-4.4	148.0	4.2	38.0
14.7	969.5						
		q4-5	I	1.3	8.5	61.8	-23.6
281.1	95.5		J	1.3	8.5	61.8	-23.6
219.3	86.9						
		q4-6	I	6.4	-39.1	95.5	166.4
434.7	-267.5		J	6.4	-39.1	95.5	166.4
339.1	-228.5						
		q4-7	I	2.9	-30.6	84.5	147.9
384.5	-218.6		J	2.9	-30.6	84.5	147.9
300.0	-188.0						
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
124.6	11832.2		J	-68.7	1622.1	27.4	1051.0	
97.2	10210.2							
0748.0	1154.9	q5 - p~2	I	33.1	183.5	2362.2	3071.2	1
8385.8	971.4		J	33.1	183.5	2362.2	3071.2	
114.9	10982.7	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
89.6	9445.7		J	-61.3	1537.0	25.2	988.9	
0181.7	1071.7	q5 - p~4	I	34.8	174.6	2237.7	2917.4	1
7944.0	897.0		J	34.8	174.6	2237.7	2917.4	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1685.7	346.5	q7	I	8.7	43.6	370.5	994.5	
1315.2	302.9		J	8.7	43.6	370.5	994.5	
0.2	-19.1	T	I	0.3	-0.4	0.0	2.8	
0.2	-18.7		J	0.3	-0.4	0.0	2.8	
2184.5	-1.6	M. tor~1	I	10.3	-58.7	480.1	1602.7	
1704.4	57.1		J	10.3	-58.7	480.1	1602.7	
1291.5	-1.0	M. tor~2	I	6.1	-34.7	283.8	947.6	
1007.6	33.7		J	6.1	-34.7	283.8	947.6	
5281.0	18189.1	INVSLU Max	I	-9863.4	2353.4	3358.5	4622.4	1
1922.6	15894.7		J	-9627.9	2353.4	3358.5	4622.4	1
5296.2	-20084.7	Min	I	-15318.2	-2382.9	-3361.8	-4560.4	-1
1934.4	-17762.7		J	-15082.6	-2382.9	-3361.8	-4560.4	-1
2985.8	11845.3	INVSLV Max	I	-6837.1	2398.2	2876.6	13044.4	1
0113.2	9549.5		J	-6662.6	2398.2	2876.6	13044.4	1
2996.3	-12795.1	Min	I	-8928.7	-2419.1	-2878.9	-12976.6	-1
0121.4	-10478.4		J	-8754.2	-2419.1	-2878.9	-12976.6	-1


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


0188.0	12254.4	INVSLE Max	I	-7310.8	1572.5	2239.1	3186.1	1
			J	-7136.3	1572.5	2239.1	3186.1	
7948.9	10725.6	Min	I	-11342.2	-1594.3	-2241.6	-3054.1	-1
0199.3	-13658.5		J	-11167.7	-1594.3	-2241.6	-3054.1	-
7957.7	-12109.3							
546	4	56 C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
18.8	2063.0		J	517.8	92.5	5.3	294.2	
13.5	2036.6	Min	I	-3409.6	-96.4	-5.6	-343.4	
-19.9	-4384.1		J	-3409.6	-96.4	-5.6	-343.4	
-14.3	-4370.7							
		C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
17.4	3553.3		J	530.7	78.4	4.9	285.5	
12.5	3545.9	Min	I	-3418.0	-87.1	-5.3	-283.8	
-19.0	-2943.9		J	-3418.0	-87.1	-5.3	-283.8	
-13.6	-2930.7							
		C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
8.9	953.2		J	257.0	45.7	2.5	147.1	
6.4	942.6	Min	I	-1713.0	-46.7	-2.7	-169.0	
-9.5	-2187.9		J	-1713.0	-46.7	-2.7	-169.0	
-6.8	-2186.9							
		C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
8.5	1733.1		J	264.1	37.8	2.4	145.5	
6.1	1732.8	Min	I	-1717.0	-42.6	-2.5	-139.3	
-9.0	-1422.5		J	-1717.0	-42.6	-2.5	-139.3	
-6.5	-1419.9							
		SLVx (RS)	I	762.7	-2137.5	-449.6	-7462.9	-
1569.4	-8867.3		J	762.7	-2137.5	-449.6	-7462.9	-
1120.9	-6824.9							
		SLVy (RS)	I	185.8	-740.7	2724.5	10740.0	
9599.2	-3550.5		J	185.8	-740.7	2724.5	10740.0	
6875.7	-2877.8							
		SLDx (RS)	I	568.4	-1490.0	-300.8	-5227.3	-
1050.5	-6175.6		J	568.4	-1490.0	-300.8	-5227.3	-
-750.6	-4757.1							
		SLDy (RS)	I	137.2	-522.6	1567.9	6313.4	
5531.3	-2528.7		J	137.2	-522.6	1567.9	6313.4	
3964.3	-2053.5							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
157.3	-271.8	SLVz (RS)	I	758.0	-66.9	34.9	-105.6
			J	758.0	-66.9	34.9	-105.6
-126.0	271.6						
		G1	I	-5878.5	-10.5	-0.9	16.9
-3.1	-358.7		J	-5659.8	-10.5	-0.9	16.9
-2.2	-348.2						
		G2	I	-1829.2	-3.8	-0.3	6.5
-1.1	-131.2		J	-1829.2	-3.8	-0.3	6.5
-0.8	-127.4						
		G1- Imp~1	I	-0.5	2.9	0.0	7.7
0.1	18.7		J	-0.5	2.9	0.0	7.7
0.1	15.8						
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9
-0.0	6.8		J	-0.2	1.1	-0.0	2.9
-0.0	5.8						
		q3	I	17.7	-8.9	691.4	1160.7
2454.4	-10.2		J	17.7	-8.9	691.4	1160.7
1763.0	-1.4						
		q4-1	I	-0.8	-40.9	-69.6	-210.1
-246.9	-262.0		J	-0.8	-40.9	-69.6	-210.1
-177.4	-221.1						
		q4-2	I	0.8	-48.5	-98.3	-189.0
-348.8	-264.7		J	0.8	-48.5	-98.3	-189.0
-250.6	-216.2						
		q4-3	I	-0.9	31.2	-58.1	115.5
-206.2	229.8		J	-0.9	31.2	-58.1	115.5
-148.1	198.7						
		q4-4	I	-4.4	148.0	4.2	38.0
14.7	969.5		J	-4.4	148.0	4.2	38.0
10.6	821.5						
		q4-5	I	1.3	8.5	61.8	-23.6
219.3	86.9		J	1.3	8.5	61.8	-23.6
157.5	78.4						
		q4-6	I	6.4	-39.1	95.5	166.4
339.1	-228.5		J	6.4	-39.1	95.5	166.4
243.6	-189.4						
		q4-7	I	2.9	-30.6	84.5	147.9
300.0	-188.0		J	2.9	-30.6	84.5	147.9
215.5	-157.3						
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name			
97.2	10210.2					
69.8	8588.1		J	-68.7	1622.1	27.4 1051.0
8385.8	971.4	q5 - p~2	I	33.1	183.5	2362.2 3071.2
6023.6	787.9		J	33.1	183.5	2362.2 3071.2
89.6	9445.7	q5 - p~3	I	-61.3	1537.0	25.2 988.9
64.4	7908.7		J	-61.3	1537.0	25.2 988.9
7944.0	897.0	q5 - p~4	I	34.8	174.6	2237.7 2917.4
5706.2	722.4		J	34.8	174.6	2237.7 2917.4
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0 0.0
0.0	0.0		J	0.0	0.0	0.0 0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0 0.0
0.0	0.0		J	0.0	0.0	0.0 0.0
1315.2	302.9	q7	I	8.7	43.6	370.5 994.5
944.7	259.3		J	8.7	43.6	370.5 994.5
0.2	-18.7	T	I	0.3	-0.4	0.0 2.8
0.1	-18.4		J	0.3	-0.4	0.0 2.8
1704.4	57.1	M. tor~1	I	10.3	-58.7	480.1 1602.7
1224.3	115.8		J	10.3	-58.7	480.1 1602.7
1007.6	33.7	M. tor~2	I	6.1	-34.7	283.8 947.6
723.8	68.5		J	6.1	-34.7	283.8 947.6
1922.6	15894.7	INVSLU Max	I	-9627.9	2353.4	3358.5 4622.4 1
8564.1	13602.6		J	-9332.6	2353.4	3358.5 4622.4
1934.4	-17762.7	Min	I	-15082.6	-2382.9	-3361.8 -4560.4 -1
8572.6	-15441.5		J	-14787.4	-2382.9	-3361.8 -4560.4 -
0113.2	9549.5	INVSLV Max	I	-6662.6	2369.4	2868.7 13044.4 1
7246.8	7315.7		J	-6443.9	2369.4	2868.7 13044.4
0121.4	-10478.4	Min	I	-8754.2	-2390.3	-2871.0 -12976.6 -1
7252.7	-8223.7		J	-8535.5	-2390.3	-2871.0 -12976.6 -

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

7948.9	10725.6		INVSLE Max	I	-7136.3	1572.5	2239.1	3186.1	
				J	-6917.6	1572.5	2239.1	3186.1	
5709.8	9198.5		Min	I	-11167.7	-1594.3	-2241.6	-3054.1	-
7957.7	-12109.3			J	-10949.0	-1594.3	-2241.6	-3054.1	-
5716.1	-10560.6								
547	4	56	C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
13.5	2036.6			J	517.8	92.5	5.3	294.2	
8.2	2014.2		Min	I	-3409.6	-96.4	-5.6	-343.4	
-14.3	-4370.7			J	-3409.6	-96.4	-5.6	-343.4	
-8.7	-4361.0								
			C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
12.5	3545.9			J	530.7	78.4	4.9	285.5	
7.6	3544.0		Min	I	-3418.0	-87.1	-5.3	-283.8	
-13.6	-2930.7			J	-3418.0	-87.1	-5.3	-283.8	
-8.3	-2920.9								
			C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
6.4	942.6			J	257.0	45.7	2.5	147.1	
3.9	933.5		Min	I	-1713.0	-46.7	-2.7	-169.0	
-6.8	-2186.9			J	-1713.0	-46.7	-2.7	-169.0	
-4.2	-2187.8								
			C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
6.1	1732.8			J	264.1	37.8	2.4	145.5	
3.7	1734.7		Min	I	-1717.0	-42.6	-2.5	-139.3	
-6.5	-1419.9			J	-1717.0	-42.6	-2.5	-139.3	
-3.9	-1419.0								
			SLVx (RS)	I	762.7	-2107.3	-444.9	-7462.9	-
1120.9	-6824.9			J	762.7	-2107.3	-444.9	-7462.9	
-676.7	-4873.2								
			SLVy (RS)	I	185.8	-732.7	2712.6	10740.0	
6875.7	-2877.8			J	185.8	-732.7	2712.6	10740.0	
4163.5	-2244.4								
			SLDx (RS)	I	568.4	-1468.8	-297.8	-5227.3	
-750.6	-4757.1			J	568.4	-1468.8	-297.8	-5227.3	
-453.3	-3404.7								
			SLDy (RS)	I	137.2	-517.1	1562.7	6313.4	
3964.3	-2053.5			J	137.2	-517.1	1562.7	6313.4	
2402.0	-1604.6								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-126.0	271.6	SLVz (RS)	I	758.0	-63.6	43.3	-105.6
			J	758.0	-63.6	43.3	-105.6
-84.9	274.6						
		G1	I	-5659.8	-10.5	-0.9	16.9
-2.2	-348.2		J	-5441.1	-10.5	-0.9	16.9
-1.3	-337.7						
		G2	I	-1829.2	-3.8	-0.3	6.5
-0.8	-127.4		J	-1829.2	-3.8	-0.3	6.5
-0.5	-123.5						
		G1- Imp~1	I	-0.5	2.9	0.0	7.7
0.1	15.8		J	-0.5	2.9	0.0	7.7
0.0	12.9						
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9
-0.0	5.8		J	-0.2	1.1	-0.0	2.9
-0.0	4.7						
		q3	I	17.7	-8.9	691.4	1160.7
1763.0	-1.4		J	17.7	-8.9	691.4	1160.7
1071.7	7.5						
		q4-1	I	-0.8	-40.9	-69.6	-210.1
-177.4	-221.1		J	-0.8	-40.9	-69.6	-210.1
-107.8	-180.1						
		q4-2	I	0.8	-48.5	-98.3	-189.0
-250.6	-216.2		J	0.8	-48.5	-98.3	-189.0
-152.3	-167.8						
		q4-3	I	-0.9	31.2	-58.1	115.5
-148.1	198.7		J	-0.9	31.2	-58.1	115.5
-90.0	167.5						
		q4-4	I	-4.4	148.0	4.2	38.0
10.6	821.5		J	-4.4	148.0	4.2	38.0
6.4	673.5						
		q4-5	I	1.3	8.5	61.8	-23.6
157.5	78.4		J	1.3	8.5	61.8	-23.6
95.8	69.8						
		q4-6	I	6.4	-39.1	95.5	166.4
243.6	-189.4		J	6.4	-39.1	95.5	166.4
148.1	-150.4						
		q4-7	I	2.9	-30.6	84.5	147.9
215.5	-157.3		J	2.9	-30.6	84.5	147.9
131.0	-126.7						
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0

MIDAS

PROJECT TITLE :


MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
69.8	8588.1		J	-68.7	1622.1	27.4	1051.0	
42.4	6966.1							
6023.6	787.9	q5 - p~2	I	33.1	183.5	2362.2	3071.2	
3661.4	604.4		J	33.1	183.5	2362.2	3071.2	
64.4	7908.7	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
39.1	6371.7		J	-61.3	1537.0	25.2	988.9	
5706.2	722.4	q5 - p~4	I	34.8	174.6	2237.7	2917.4	
3468.5	547.8		J	34.8	174.6	2237.7	2917.4	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
944.7	259.3	q7	I	8.7	43.6	370.5	994.5	
574.2	215.6		J	8.7	43.6	370.5	994.5	
0.1	-18.4	T	I	0.3	-0.4	0.0	2.8	
0.1	-18.0		J	0.3	-0.4	0.0	2.8	
1224.3	115.8	M. tor~1	I	10.3	-58.7	480.1	1602.7	
744.2	174.5		J	10.3	-58.7	480.1	1602.7	
723.8	68.5	M. tor~2	I	6.1	-34.7	283.8	947.6	
440.0	103.2		J	6.1	-34.7	283.8	947.6	
8564.1	13602.6	INVSLU Max	I	-9332.6	2353.4	3358.5	4622.4	
5205.6	11313.6		J	-9037.4	2353.4	3358.5	4622.4	
8572.6	-15441.5	Min	I	-14787.4	-2382.9	-3361.8	-4560.4	-
5210.8	-13122.9		J	-14492.1	-2382.9	-3361.8	-4560.4	-
7246.8	7315.7	INVSLV Max	I	-6443.9	2335.7	2857.9	13044.4	
4390.2	5185.3		J	-6225.2	2335.7	2857.9	13044.4	
7252.7	-8223.7	Min	I	-8535.5	-2356.6	-2860.2	-12976.6	-
4393.8	-6072.4		J	-8316.8	-2356.6	-2860.2	-12976.6	-

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


5709.8	9198.5	INVSLE Max	I	-6917.6	1572.5	2239.1	3186.1	
			J	-6698.9	1572.5	2239.1	3186.1	
3470.6	7673.7	Min	I	-10949.0	-1594.3	-2241.6	-3054.1	-
5716.1	-10560.6		J	-10730.3	-1594.3	-2241.6	-3054.1	-
3474.5	-9013.9							
548	4	54 C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
8.2	2014.2		J	517.8	92.5	5.3	294.2	
2.9	2003.3	Min	I	-3409.6	-96.4	-5.6	-343.4	
-8.7	-4361.0		J	-3409.6	-96.4	-5.6	-343.4	
-3.1	-4361.2							
		C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
7.6	3544.0		J	530.7	78.4	4.9	285.5	
2.7	3546.7	Min	I	-3418.0	-87.1	-5.3	-283.8	
-8.3	-2920.9		J	-3418.0	-87.1	-5.3	-283.8	
-2.9	-2914.2							
		C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
3.9	933.5		J	257.0	45.7	2.5	147.1	
1.4	929.1	Min	I	-1713.0	-46.7	-2.7	-169.0	
-4.2	-2187.8		J	-1713.0	-46.7	-2.7	-169.0	
-1.5	-2194.2							
		C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
3.7	1734.7		J	264.1	37.8	2.4	145.5	
1.3	1738.5	Min	I	-1717.0	-42.6	-2.5	-139.3	
-3.9	-1419.0		J	-1717.0	-42.6	-2.5	-139.3	
-1.4	-1419.5							
		SLVx (RS)	I	762.7	-2059.7	-438.2	-7462.9	
-676.7	-4873.2		J	762.7	-2059.7	-438.2	-7462.9	
-238.6	-3125.0							
		SLVy (RS)	I	185.8	-721.5	2691.9	10740.0	
4163.5	-2244.4		J	185.8	-721.5	2691.9	10740.0	
1471.6	-1682.7							
		SLDx (RS)	I	568.4	-1435.6	-293.5	-5227.3	
-453.3	-3404.7		J	568.4	-1435.6	-293.5	-5227.3	
-159.9	-2200.0							
		SLDy (RS)	I	137.2	-509.5	1552.7	6313.4	
2402.0	-1604.6		J	137.2	-509.5	1552.7	6313.4	
849.3	-1203.1							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-84.9	274.6	SLVz (RS)	I	758.0	-60.2	-53.2	-105.6
			J	758.0	-60.2	-53.2	-105.6
-32.2	274.0						
		G1	I	-5441.1	-10.5	-0.9	16.9
-1.3	-337.7		J	-5009.1	-10.5	-0.9	16.9
-0.5	-327.1						
		G2	I	-1829.2	-3.8	-0.3	6.5
-0.5	-123.5		J	-1829.2	-3.8	-0.3	6.5
-0.2	-119.7						
		G1- Imp~1	I	-0.5	2.9	0.0	7.7
0.0	12.9		J	-0.5	2.9	0.0	7.7
0.0	10.1						
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9
-0.0	4.7		J	-0.2	1.1	-0.0	2.9
-0.0	3.6						
		q3	I	17.7	-8.9	691.4	1160.7
1071.7	7.5		J	17.7	-8.9	691.4	1160.7
380.3	16.3						
		q4-1	I	-0.8	-40.9	-69.6	-210.1
-107.8	-180.1		J	-0.8	-40.9	-69.6	-210.1
-38.3	-139.2						
		q4-2	I	0.8	-48.5	-98.3	-189.0
-152.3	-167.8		J	0.8	-48.5	-98.3	-189.0
-54.0	-119.3						
		q4-3	I	-0.9	31.2	-58.1	115.5
-90.0	167.5		J	-0.9	31.2	-58.1	115.5
-31.9	136.3						
		q4-4	I	-4.4	148.0	4.2	38.0
6.4	673.5		J	-4.4	148.0	4.2	38.0
2.3	525.5						
		q4-5	I	1.3	8.5	61.8	-23.6
95.8	69.8		J	1.3	8.5	61.8	-23.6
34.0	61.3						
		q4-6	I	6.4	-39.1	95.5	166.4
148.1	-150.4		J	6.4	-39.1	95.5	166.4
52.5	-111.3						
		q4-7	I	2.9	-30.6	84.5	147.9
131.0	-126.7		J	2.9	-30.6	84.5	147.9
46.5	-96.0						
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name				
					PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
42.4	6966.1		J	-68.7	1622.1	27.4	1051.0
15.1	5344.0						
3661.4	604.4	q5 - p~2	I	33.1	183.5	2362.2	3071.2
1299.2	420.9		J	33.1	183.5	2362.2	3071.2
39.1	6371.7	q5 - p~3	I	-61.3	1537.0	25.2	988.9
13.9	4834.7		J	-61.3	1537.0	25.2	988.9
3468.5	547.8	q5 - p~4	I	34.8	174.6	2237.7	2917.4
1230.8	373.2		J	34.8	174.6	2237.7	2917.4
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
574.2	215.6	q7	I	8.7	43.6	370.5	994.5
203.8	172.0		J	8.7	43.6	370.5	994.5
0.1	-18.0	T	I	0.3	-0.4	0.0	2.8
0.0	-17.7		J	0.3	-0.4	0.0	2.8
744.2	174.5	M. tor~1	I	10.3	-58.7	480.1	1602.7
264.1	233.2		J	10.3	-58.7	480.1	1602.7
440.0	103.2	M. tor~2	I	6.1	-34.7	283.8	947.6
156.1	137.9		J	6.1	-34.7	283.8	947.6
5205.6	11313.6	INVSLU Max	I	-9037.4	2353.4	3358.5	4622.4
1847.2	9027.1		J	-8454.2	2353.4	3358.5	4622.4
5210.8	-13122.9	Min	I	-14492.1	-2382.9	-3361.8	-4560.4
1849.0	-11294.7		J	-13908.9	-2382.9	-3361.8	-4560.4
4390.2	5185.3	INVSLV Max	I	-6225.2	2283.7	2838.2	13044.4
1552.2	3278.9		J	-5793.2	2283.7	2838.2	13044.4
4393.8	-6072.4	Min	I	-8316.8	-2304.6	-2840.5	-12976.6
1553.5	-4145.1		J	-7884.8	-2304.6	-2840.5	-12976.6

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

3470.6	7673.7	INVSLE Max	I	-6698.9	1572.5	2239.1	3186.1	
			J	-6266.9	1572.5	2239.1	3186.1	
1231.5	6330.7	Min	I	-10730.3	-1594.3	-2241.6	-3054.1	-
3474.5	-9013.9		J	-10298.3	-1594.3	-2241.6	-3054.1	-
1232.9	-8011.3							
549	4	38 C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
457.1	2601.2		J	473.6	183.9	60.9	146.3	
396.1	2505.2	Min	I	-3384.9	-192.1	-58.3	-140.0	
-437.4	-4805.0		J	-3384.9	-192.1	-58.3	-140.0	
-379.1	-4754.8							
		C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
458.3	3980.5		J	484.3	177.5	61.1	146.7	
397.2	3906.9	Min	I	-3393.3	-192.6	-56.3	-135.1	
-422.3	-3452.6		J	-3393.3	-192.6	-56.3	-135.1	
-366.0	-3364.4							
		C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
238.2	1215.5		J	239.7	98.1	31.8	76.2	
206.4	1163.3	Min	I	-1703.2	-100.1	-31.1	-74.7	
-233.3	-2429.8		J	-1703.2	-100.1	-31.1	-74.7	
-202.2	-2405.5							
		C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
239.0	1914.5		J	246.0	95.1	31.9	76.5	
207.2	1877.5	Min	I	-1707.2	-100.5	-30.2	-72.4	
-226.2	-1710.0		J	-1707.2	-100.5	-30.2	-72.4	
-196.0	-1665.8							
		SLVx (RS)	I	-581.5	-2524.1	961.8	1806.1	
6593.2	-24276.3		J	-581.5	-2524.1	961.8	1806.1	
5636.1	-21771.3							
		SLVy (RS)	I	-306.0	991.7	664.2	-633.9	
3218.4	8744.5		J	-306.0	991.7	664.2	-633.9	
2580.7	7779.1							
		SLDx (RS)	I	-434.2	-1812.4	697.2	1292.6	
4756.2	-17320.4		J	-434.2	-1812.4	697.2	1292.6	
4062.7	-15522.1							
		SLDy (RS)	I	-216.4	710.0	491.5	-447.1	
2349.9	6186.9		J	-216.4	710.0	491.5	-447.1	
1877.1	5496.4							


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-768.7	1609.6	SLVz (RS)	I	772.8	202.3	-126.0	-137.9
			J	772.8	202.3	-126.0	-137.9
-646.7	1420.7						
		G1	I	-6599.5	-35.8	11.4	27.3
85.2	-547.4		J	-6425.0	-35.8	11.4	27.3
73.9	-511.6						
		G2	I	-1845.8	-13.1	4.2	10.0
31.2	-200.6		J	-1845.8	-13.1	4.2	10.0
27.0	-187.5						
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8
-18.3	75.3		J	0.5	7.7	-2.4	-5.8
-15.8	67.6						
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8
-5.7	23.6		J	0.2	2.4	-0.8	-1.8
-5.0	21.2						
		q3	I	-27.1	-136.1	43.2	103.6
323.7	-1330.6		J	-27.1	-136.1	43.2	103.6
280.6	-1194.5						
		q4-1	I	2.8	1.2	-0.4	-0.9
-2.9	-2.1		J	2.8	1.2	-0.4	-0.9
-2.5	-3.3						
		q4-2	I	4.1	-5.9	1.9	4.5
14.0	-72.4		J	4.1	-5.9	1.9	4.5
12.1	-66.5						
		q4-3	I	3.8	-9.9	3.1	7.5
23.5	-84.0		J	3.8	-9.9	3.1	7.5
20.3	-74.1						
		q4-4	I	1.6	38.0	-12.1	-28.9
-90.4	418.6		J	1.6	38.0	-12.1	-28.9
-78.3	380.6						
		q4-5	I	-8.6	129.8	-41.2	-98.8
-308.9	1432.1		J	-8.6	129.8	-41.2	-98.8
-267.7	1302.2						
		q4-6	I	-7.7	-50.9	16.1	38.7
121.1	-498.5		J	-7.7	-50.9	16.1	38.7
104.9	-447.6						
		q4-7	I	2.8	-73.9	23.4	56.2
175.7	-730.8		J	2.8	-73.9	23.4	56.2
152.3	-657.0						
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2
							-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
3031.7	13224.4		J	-17.1	1274.3	-404.2	-970.2	-
2627.5	11950.1							
		q5 - p~2	I	-121.6	-47.7	15.1	36.3	
113.6	-254.4		J	-121.6	-47.7	15.1	36.3	
98.4	-206.7							
		q5 - p~3	I	-13.1	1207.3	-383.0	-919.2	-
2872.4	12343.6		J	-13.1	1207.3	-383.0	-919.2	-
2489.4	11136.3							
		q5 - p~4	I	-115.3	-44.7	14.2	34.0	
106.3	-340.4		J	-115.3	-44.7	14.2	34.0	
92.1	-295.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-9.9	-239.5	76.0	182.3	
569.8	-2199.0		J	-9.9	-239.5	76.0	182.3	
493.8	-1959.5							
		T	I	-0.5	3.4	-1.1	-2.6	
-8.2	32.4		J	-0.5	3.4	-1.1	-2.6	
-7.1	29.0							
		M. tor~1	I	-38.3	-31.0	9.8	23.6	
73.7	114.1		J	-38.3	-31.0	9.8	23.6	
63.9	145.1							
		M. tor~2	I	-22.7	-18.3	5.8	13.9	
43.6	67.5		J	-22.7	-18.3	5.8	13.9	
37.8	85.8							
		INVSLU Max	I	-10636.6	1893.4	634.9	1523.8	
4761.9	20247.1		J	-10401.0	1893.4	634.9	1523.8	
4127.0	18436.1							
		Min	I	-16091.2	-2001.5	-600.6	-1441.5	-
4504.6	-22695.3		J	-15855.6	-2001.5	-600.6	-1441.5	-
3904.0	-20796.6							
		INVSLV Max	I	-7405.6	2843.5	1211.2	2067.2	
7881.7	26733.4		J	-7231.1	2843.5	1211.2	2067.2	
6684.4	23921.0							
		Min	I	-9483.7	-2921.2	-1186.6	-2008.0	-
7696.8	-28031.6		J	-9309.2	-2921.2	-1186.6	-2008.0	-
6524.2	-25141.5							

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

3208.7	13628.5	INVSLE Max	I	-7887.0	1268.6	427.8	1026.8	
			J	-7712.5	1268.6	427.8	1026.8	
2780.9	12420.9	Min	I	-11911.3	-1348.7	-402.4	-965.8	-
3018.1	-15442.0		J	-11736.8	-1348.7	-402.4	-965.8	-
2615.7	-14169.5							
550	4	38 C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
396.1	2505.2		J	473.6	183.9	60.9	146.3	
335.2	2418.7	Min	I	-3384.9	-192.1	-58.3	-140.0	
-379.1	-4754.8		J	-3384.9	-192.1	-58.3	-140.0	
-320.8	-4706.9							
		C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
397.2	3906.9		J	484.3	177.5	61.1	146.7	
336.1	3846.1	Min	I	-3393.3	-192.6	-56.3	-135.1	
-366.0	-3364.4		J	-3393.3	-192.6	-56.3	-135.1	
-309.7	-3285.9							
		C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
206.4	1163.3		J	239.7	98.1	31.8	76.2	
174.7	1115.4	Min	I	-1703.2	-100.1	-31.1	-74.7	
-202.2	-2405.5		J	-1703.2	-100.1	-31.1	-74.7	
-171.1	-2382.1							
		C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
207.2	1877.5		J	246.0	95.1	31.9	76.5	
175.3	1849.5	Min	I	-1707.2	-100.5	-30.2	-72.4	
-196.0	-1665.8		J	-1707.2	-100.5	-30.2	-72.4	
-165.8	-1626.7							
		SLVx (RS)	I	-581.5	-2510.8	944.7	1806.1	
5636.1	-21771.3		J	-581.5	-2510.8	944.7	1806.1	
4695.2	-19281.3							
		SLVy (RS)	I	-306.0	976.0	613.3	-633.9	
2580.7	7779.1		J	-306.0	976.0	613.3	-633.9	
1996.1	6829.7							
		SLDx (RS)	I	-434.2	-1802.4	684.1	1292.6	
4062.7	-15522.1		J	-434.2	-1802.4	684.1	1292.6	
3381.6	-13735.1							
		SLDy (RS)	I	-216.4	698.0	452.9	-447.1	
1877.1	5496.4		J	-216.4	698.0	452.9	-447.1	
1444.4	4818.2							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-646.7	1420.7	SLVz (RS)	I	772.8	198.4	-124.4	-137.9	
			J	772.8	198.4	-124.4	-137.9	
-524.6	1234.1							
		G1	I	-6425.0	-35.8	11.4	27.3	
73.9	-511.6		J	-6250.5	-35.8	11.4	27.3	
62.5	-475.8							
		G2	I	-1845.8	-13.1	4.2	10.0	
27.0	-187.5		J	-1845.8	-13.1	4.2	10.0	
22.9	-174.4							
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8	
-15.8	67.6		J	0.5	7.7	-2.4	-5.8	
-13.4	59.9							
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8	
-5.0	21.2		J	0.2	2.4	-0.8	-1.8	
-4.2	18.8							
		q3	I	-27.1	-136.1	43.2	103.6	
280.6	-1194.5		J	-27.1	-136.1	43.2	103.6	
237.4	-1058.4							
		q4-1	I	2.8	1.2	-0.4	-0.9	
-2.5	-3.3		J	2.8	1.2	-0.4	-0.9	
-2.1	-4.5							
		q4-2	I	4.1	-5.9	1.9	4.5	
12.1	-66.5		J	4.1	-5.9	1.9	4.5	
10.3	-60.6							
		q4-3	I	3.8	-9.9	3.1	7.5	
20.3	-74.1		J	3.8	-9.9	3.1	7.5	
17.2	-64.3							
		q4-4	I	1.6	38.0	-12.1	-28.9	
-78.3	380.6		J	1.6	38.0	-12.1	-28.9	
-66.3	342.6							
		q4-5	I	-8.6	129.8	-41.2	-98.8	
-267.7	1302.2		J	-8.6	129.8	-41.2	-98.8	
-226.5	1172.4							
		q4-6	I	-7.7	-50.9	16.1	38.7	
104.9	-447.6		J	-7.7	-50.9	16.1	38.7	
88.8	-396.7							
		q4-7	I	2.8	-73.9	23.4	56.2	
152.3	-657.0		J	2.8	-73.9	23.4	56.2	
128.8	-583.1							
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2	-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
2627.5	11950.1		J	-17.1	1274.3	-404.2	-970.2	-
2223.3	10675.8							
98.4	-206.7	q5 - p~2	I	-121.6	-47.7	15.1	36.3	
83.3	-158.9		J	-121.6	-47.7	15.1	36.3	
2489.4	11136.3	q5 - p~3	I	-13.1	1207.3	-383.0	-919.2	-
2106.4	9929.0		J	-13.1	1207.3	-383.0	-919.2	-
92.1	-295.7	q5 - p~4	I	-115.3	-44.7	14.2	34.0	
78.0	-251.0		J	-115.3	-44.7	14.2	34.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
493.8	-1959.5	q7	I	-9.9	-239.5	76.0	182.3	
417.8	-1720.0		J	-9.9	-239.5	76.0	182.3	
-7.1	29.0	T	I	-0.5	3.4	-1.1	-2.6	
-6.0	25.6		J	-0.5	3.4	-1.1	-2.6	
63.9	145.1	M. tor~1	I	-38.3	-31.0	9.8	23.6	
54.0	176.1		J	-38.3	-31.0	9.8	23.6	
37.8	85.8	M. tor~2	I	-22.7	-18.3	5.8	13.9	
31.9	104.1		J	-22.7	-18.3	5.8	13.9	
4127.0	18436.1	INVSLU Max	I	-10401.0	1893.4	634.9	1523.8	
3492.1	16637.3		J	-10165.4	1893.4	634.9	1523.8	
3904.0	-20796.6	Min	I	-15855.6	-2001.5	-600.6	-1441.5	-
3303.4	-18899.2		J	-15620.0	-2001.5	-600.6	-1441.5	-
6684.4	23921.0	INVSLV Max	I	-7231.1	2824.3	1178.3	2067.2	
5519.2	21129.0		J	-7056.6	2824.3	1178.3	2067.2	
6524.2	-25141.5	Min	I	-9309.2	-2902.0	-1153.7	-2008.0	-
5383.7	-22271.9		J	-9134.7	-2902.0	-1153.7	-2008.0	-

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

2780.9	12420.9	INVSLE Max	I	-7712.5	1268.6	427.8	1026.8	
			J	-7538.0	1268.6	427.8	1026.8	
2353.1	11222.4	Min	I	-11736.8	-1348.7	-402.4	-965.8	-
2615.7	-14169.5		J	-11562.3	-1348.7	-402.4	-965.8	-
2213.3	-12897.9							
551	4	38 C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
335.2	2418.7		J	473.6	183.9	60.9	146.3	
274.3	2335.2	Min	I	-3384.9	-192.1	-58.3	-140.0	
-320.8	-4706.9		J	-3384.9	-192.1	-58.3	-140.0	
-262.5	-4659.2							
		C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
336.1	3846.1		J	484.3	177.5	61.1	146.7	
275.0	3790.2	Min	I	-3393.3	-192.6	-56.3	-135.1	
-309.7	-3285.9		J	-3393.3	-192.6	-56.3	-135.1	
-253.4	-3215.4							
		C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
174.7	1115.4		J	239.7	98.1	31.8	76.2	
142.9	1069.5	Min	I	-1703.2	-100.1	-31.1	-74.7	
-171.1	-2382.1		J	-1703.2	-100.1	-31.1	-74.7	
-140.0	-2358.9							
		C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
175.3	1849.5		J	246.0	95.1	31.9	76.5	
143.4	1824.4	Min	I	-1707.2	-100.5	-30.2	-72.4	
-165.8	-1626.7		J	-1707.2	-100.5	-30.2	-72.4	
-135.7	-1591.1							
		SLVx (RS)	I	-581.5	-2496.2	925.4	1806.1	
4695.2	-19281.3		J	-581.5	-2496.2	925.4	1806.1	
3773.1	-16808.7							
		SLVy (RS)	I	-306.0	959.3	556.5	-633.9	
1996.1	6829.7		J	-306.0	959.3	556.5	-633.9	-
1472.6	5898.1							
		SLDx (RS)	I	-434.2	-1791.4	669.3	1292.6	
3381.6	-13735.1		J	-434.2	-1791.4	669.3	1292.6	
2714.9	-11961.2							
		SLDy (RS)	I	-216.4	685.1	409.9	-447.1	
1444.4	4818.2		J	-216.4	685.1	409.9	-447.1	
1058.1	4153.8							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-524.6	1234.1	SLVz (RS)	I	772.8	194.9	-121.9	-137.9
			J	772.8	194.9	-121.9	-137.9
-404.7	1049.8						
		G1	I	-6250.5	-35.8	11.4	27.3
62.5	-475.8		J	-6076.0	-35.8	11.4	27.3
51.1	-439.9						
		G2	I	-1845.8	-13.1	4.2	10.0
22.9	-174.4		J	-1845.8	-13.1	4.2	10.0
18.7	-161.3						
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8
-13.4	59.9		J	0.5	7.7	-2.4	-5.8
-11.0	52.3						
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8
-4.2	18.8		J	0.2	2.4	-0.8	-1.8
-3.4	16.4						
		q3	I	-27.1	-136.1	43.2	103.6
237.4	-1058.4		J	-27.1	-136.1	43.2	103.6
194.2	-922.4						
		q4-1	I	2.8	1.2	-0.4	-0.9
-2.1	-4.5		J	2.8	1.2	-0.4	-0.9
-1.7	-5.8						
		q4-2	I	4.1	-5.9	1.9	4.5
10.3	-60.6		J	4.1	-5.9	1.9	4.5
8.4	-54.7						
		q4-3	I	3.8	-9.9	3.1	7.5
17.2	-64.3		J	3.8	-9.9	3.1	7.5
14.1	-54.4						
		q4-4	I	1.6	38.0	-12.1	-28.9
-66.3	342.6		J	1.6	38.0	-12.1	-28.9
-54.2	304.6						
		q4-5	I	-8.6	129.8	-41.2	-98.8
-226.5	1172.4		J	-8.6	129.8	-41.2	-98.8
-185.3	1042.6						
		q4-6	I	-7.7	-50.9	16.1	38.7
88.8	-396.7		J	-7.7	-50.9	16.1	38.7
72.6	-345.8						
		q4-7	I	2.8	-73.9	23.4	56.2
128.8	-583.1		J	2.8	-73.9	23.4	56.2
105.4	-509.2						
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2
							-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
2223.3	10675.8		J	-17.1	1274.3	-404.2	-970.2	-
1819.0	9401.5							
83.3	-158.9	q5 - p~2	I	-121.6	-47.7	15.1	36.3	
68.1	-111.2		J	-121.6	-47.7	15.1	36.3	
2106.4	9929.0	q5 - p~3	I	-13.1	1207.3	-383.0	-919.2	-
1723.4	8721.7		J	-13.1	1207.3	-383.0	-919.2	-
78.0	-251.0	q5 - p~4	I	-115.3	-44.7	14.2	34.0	
63.8	-206.3		J	-115.3	-44.7	14.2	34.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
417.8	-1720.0	q7	I	-9.9	-239.5	76.0	182.3	
341.9	-1480.5		J	-9.9	-239.5	76.0	182.3	
-6.0	25.6	T	I	-0.5	3.4	-1.1	-2.6	
-4.9	22.1		J	-0.5	3.4	-1.1	-2.6	
54.0	176.1	M. tor~1	I	-38.3	-31.0	9.8	23.6	
44.2	207.1		J	-38.3	-31.0	9.8	23.6	
31.9	104.1	M. tor~2	I	-22.7	-18.3	5.8	13.9	
26.1	122.4		J	-22.7	-18.3	5.8	13.9	
3492.1	16637.3	INVSLU Max	I	-10165.4	1893.4	634.9	1523.8	
2857.1	14842.5		J	-9929.9	1893.4	634.9	1523.8	
3303.4	-18899.2	Min	I	-15620.0	-2001.5	-600.6	-1441.5	-
2702.8	-17001.9		J	-15384.5	-2001.5	-600.6	-1441.5	-
5519.2	21129.0	INVSLV Max	I	-7056.6	2803.6	1141.2	2067.2	
4391.7	18360.5		J	-6882.1	2803.6	1141.2	2067.2	
5383.7	-22271.9	Min	I	-9134.7	-2881.3	-1116.6	-2008.0	-
4280.8	-19425.6		J	-8960.2	-2881.3	-1116.6	-2008.0	-


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


2353.1	11222.4	INVSLE Max	I	-7538.0	1268.6	427.8	1026.8	
			J	-7363.5	1268.6	427.8	1026.8	
1925.2	10026.8	Min	I	-11562.3	-1348.7	-402.4	-965.8	-
2213.3	-12897.9		J	-11387.8	-1348.7	-402.4	-965.8	-
1810.9	-11626.4							
552	4	38 C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
274.3	2335.2		J	473.6	183.9	60.9	146.3	
213.3	2256.9	Min	I	-3384.9	-192.1	-58.3	-140.0	
-262.5	-4659.2		J	-3384.9	-192.1	-58.3	-140.0	
-204.1	-4611.5							
		C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
275.0	3790.2		J	484.3	177.5	61.1	146.7	
213.9	3741.9	Min	I	-3393.3	-192.6	-56.3	-135.1	
-253.4	-3215.4		J	-3393.3	-192.6	-56.3	-135.1	
-197.1	-3154.8							
		C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
142.9	1069.5		J	239.7	98.1	31.8	76.2	
111.1	1027.4	Min	I	-1703.2	-100.1	-31.1	-74.7	
-140.0	-2358.9		J	-1703.2	-100.1	-31.1	-74.7	
-108.9	-2335.6							
		C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
143.4	1824.4		J	246.0	95.1	31.9	76.5	
111.5	1804.2	Min	I	-1707.2	-100.5	-30.2	-72.4	
-135.7	-1591.1		J	-1707.2	-100.5	-30.2	-72.4	
-105.5	-1560.0							
		SLVx (RS)	I	-581.5	-2480.1	903.4	1806.1	
3773.1	-16808.7		J	-581.5	-2480.1	903.4	1806.1	
2872.7	-14356.8							
		SLVy (RS)	I	-306.0	941.4	493.7	-633.9	-
1472.6	5898.1		J	-306.0	941.4	493.7	-633.9	-
1019.2	4987.0							
		SLDx (RS)	I	-434.2	-1779.3	652.5	1292.6	
2714.9	-11961.2		J	-434.2	-1779.3	652.5	1292.6	
2064.8	-10202.8							
		SLDy (RS)	I	-216.4	671.2	362.1	-447.1	
1058.1	4153.8		J	-216.4	671.2	362.1	-447.1	
-725.2	3505.3							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-404.7	1049.8	SLVz (RS)	I	772.8	191.9	-117.0	-137.9
			J	772.8	191.9	-117.0	-137.9
-289.9	867.6						
		G1	I	-6076.0	-35.8	11.4	27.3
51.1	-439.9		J	-5901.5	-35.8	11.4	27.3
39.8	-404.1						
		G2	I	-1845.8	-13.1	4.2	10.0
18.7	-161.3		J	-1845.8	-13.1	4.2	10.0
14.6	-148.2						
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8
-11.0	52.3		J	0.5	7.7	-2.4	-5.8
-8.5	44.6						
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8
-3.4	16.4		J	0.2	2.4	-0.8	-1.8
-2.7	14.0						
		q3	I	-27.1	-136.1	43.2	103.6
194.2	-922.4		J	-27.1	-136.1	43.2	103.6
151.1	-786.3						
		q4-1	I	2.8	1.2	-0.4	-0.9
-1.7	-5.8		J	2.8	1.2	-0.4	-0.9
-1.4	-7.0						
		q4-2	I	4.1	-5.9	1.9	4.5
8.4	-54.7		J	4.1	-5.9	1.9	4.5
6.5	-48.9						
		q4-3	I	3.8	-9.9	3.1	7.5
14.1	-54.4		J	3.8	-9.9	3.1	7.5
10.9	-44.6						
		q4-4	I	1.6	38.0	-12.1	-28.9
-54.2	304.6		J	1.6	38.0	-12.1	-28.9
-42.2	266.7						
		q4-5	I	-8.6	129.8	-41.2	-98.8
-185.3	1042.6		J	-8.6	129.8	-41.2	-98.8
-144.1	912.7						
		q4-6	I	-7.7	-50.9	16.1	38.7
72.6	-345.8		J	-7.7	-50.9	16.1	38.7
56.5	-294.9						
		q4-7	I	2.8	-73.9	23.4	56.2
105.4	-509.2		J	2.8	-73.9	23.4	56.2
82.0	-435.4						
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2
							-

MIDAS

PROJECT TITLE :

	Company			Client					
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1819.0	9401.5			J	-17.1	1274.3	-404.2	-970.2	-
1414.8	8127.2								
68.1	-111.2	q5 - p~2	I		-121.6	-47.7	15.1	36.3	
53.0	-63.5		J		-121.6	-47.7	15.1	36.3	
1723.4	8721.7	q5 - p~3	I		-13.1	1207.3	-383.0	-919.2	-
1340.4	7514.4		J		-13.1	1207.3	-383.0	-919.2	-
63.8	-206.3	q5 - p~4	I		-115.3	-44.7	14.2	34.0	
49.6	-161.6		J		-115.3	-44.7	14.2	34.0	
0.0	0.0	q5 - p~5	I		0.0	0.0	0.0	0.0	
0.0	0.0		J		0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I		0.0	0.0	0.0	0.0	
0.0	0.0		J		0.0	0.0	0.0	0.0	
341.9	-1480.5	q7	I		-9.9	-239.5	76.0	182.3	
265.9	-1241.0		J		-9.9	-239.5	76.0	182.3	
-4.9	22.1	T	I		-0.5	3.4	-1.1	-2.6	
-3.8	18.7		J		-0.5	3.4	-1.1	-2.6	
44.2	207.1	M. tor~1	I		-38.3	-31.0	9.8	23.6	
34.4	238.0		J		-38.3	-31.0	9.8	23.6	
26.1	122.4	M. tor~2	I		-22.7	-18.3	5.8	13.9	
20.3	140.7		J		-22.7	-18.3	5.8	13.9	
2857.1	14842.5	INVSLU Max	I		-9929.9	1893.4	634.9	1523.8	
2222.2	13054.2		J		-9694.3	1893.4	634.9	1523.8	
2702.8	-17001.9	Min	I		-15384.5	-2001.5	-600.6	-1441.5	-
2102.2	-15104.6		J		-15148.9	-2001.5	-600.6	-1441.5	-
4391.7	18360.5	INVSLV Max	I		-6882.1	2781.2	1098.9	2067.2	
3308.6	15619.5		J		-6707.6	2781.2	1098.9	2067.2	
4280.8	-19425.6	Min	I		-8960.2	-2858.9	-1074.3	-2008.0	-
3222.3	-16606.9		J		-8785.7	-2858.9	-1074.3	-2008.0	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1925.2	10026.8	INVSLE Max	I	-7363.5	1268.6	427.8	1026.8	
			J	-7189.0	1268.6	427.8	1026.8	
1497.4	8836.1	Min	I	-11387.8	-1348.7	-402.4	-965.8	-
1810.9	-11626.4		J	-11213.3	-1348.7	-402.4	-965.8	-
1408.5	-10354.9							
553	4	48 C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
213.3	2256.9		J	473.6	183.9	60.9	146.3	
152.4	2190.2	Min	I	-3384.9	-192.1	-58.3	-140.0	
-204.1	-4611.5		J	-3384.9	-192.1	-58.3	-140.0	
-145.8	-4563.8							
		C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
213.9	3741.9		J	484.3	177.5	61.1	146.7	
152.8	3707.7	Min	I	-3393.3	-192.6	-56.3	-135.1	
-197.1	-3154.8		J	-3393.3	-192.6	-56.3	-135.1	
-140.8	-3103.0							
		C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
111.1	1027.4		J	239.7	98.1	31.8	76.2	
79.4	994.1	Min	I	-1703.2	-100.1	-31.1	-74.7	
-108.9	-2335.6		J	-1703.2	-100.1	-31.1	-74.7	
-77.8	-2312.4							
		C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
111.5	1804.2		J	246.0	95.1	31.9	76.5	
79.7	1793.7	Min	I	-1707.2	-100.5	-30.2	-72.4	
-105.5	-1560.0		J	-1707.2	-100.5	-30.2	-72.4	
-75.4	-1532.5							
		SLVx (RS)	I	-581.5	-2460.2	875.4	1806.1	
2872.7	-14356.8		J	-581.5	-2460.2	875.4	1806.1	
2000.1	-11932.2							
		SLVy (RS)	I	-306.0	919.8	417.2	-633.9	-
1019.2	4987.0		J	-306.0	919.8	417.2	-633.9	
-650.4	4101.2							
		SLDx (RS)	I	-434.2	-1764.3	631.2	1292.6	
2064.8	-10202.8		J	-434.2	-1764.3	631.2	1292.6	
1435.7	-8464.9							
		SLDy (RS)	I	-216.4	654.6	304.0	-447.1	
-725.2	3505.3		J	-216.4	654.6	304.0	-447.1	
-457.4	-2876.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-289.9	867.6	SLVz (RS)	I	772.8	188.9	-107.9	-137.9	
			J	772.8	188.9	-107.9	-137.9	
-185.0	687.8							
		G1	I	-5901.5	-35.8	11.4	27.3	
39.8	-404.1		J	-5682.8	-35.8	11.4	27.3	
28.4	-368.3							
		G2	I	-1845.8	-13.1	4.2	10.0	
14.6	-148.2		J	-1845.8	-13.1	4.2	10.0	
10.4	-135.1							
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8	
-8.5	44.6		J	0.5	7.7	-2.4	-5.8	
-6.1	36.9							
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8	
-2.7	14.0		J	0.2	2.4	-0.8	-1.8	
-1.9	11.6							
		q3	I	-27.1	-136.1	43.2	103.6	
151.1	-786.3		J	-27.1	-136.1	43.2	103.6	
107.9	-650.2							
		q4-1	I	2.8	1.2	-0.4	-0.9	
-1.4	-7.0		J	2.8	1.2	-0.4	-0.9	
-1.0	-8.2							
		q4-2	I	4.1	-5.9	1.9	4.5	
6.5	-48.9		J	4.1	-5.9	1.9	4.5	
4.7	-43.0							
		q4-3	I	3.8	-9.9	3.1	7.5	
10.9	-44.6		J	3.8	-9.9	3.1	7.5	
7.8	-34.7							
		q4-4	I	1.6	38.0	-12.1	-28.9	
-42.2	266.7		J	1.6	38.0	-12.1	-28.9	
-30.1	228.7							
		q4-5	I	-8.6	129.8	-41.2	-98.8	
-144.1	912.7		J	-8.6	129.8	-41.2	-98.8	
-103.0	782.9							
		q4-6	I	-7.7	-50.9	16.1	38.7	
56.5	-294.9		J	-7.7	-50.9	16.1	38.7	
40.4	-244.1							
		q4-7	I	2.8	-73.9	23.4	56.2	
82.0	-435.4		J	2.8	-73.9	23.4	56.2	
58.6	-361.5							
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2	-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1414.8	8127.2		J	-17.1	1274.3	-404.2	-970.2	-
1010.6	6852.9							
		q5 - p~2	I	-121.6	-47.7	15.1	36.3	
53.0	-63.5		J	-121.6	-47.7	15.1	36.3	
37.9	-15.7							
		q5 - p~3	I	-13.1	1207.3	-383.0	-919.2	-
1340.4	7514.4		J	-13.1	1207.3	-383.0	-919.2	
-957.5	6307.1							
		q5 - p~4	I	-115.3	-44.7	14.2	34.0	
49.6	-161.6		J	-115.3	-44.7	14.2	34.0	
35.4	-117.0							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-9.9	-239.5	76.0	182.3	
265.9	-1241.0		J	-9.9	-239.5	76.0	182.3	
189.9	-1001.5							
		T	I	-0.5	3.4	-1.1	-2.6	
-3.8	18.7		J	-0.5	3.4	-1.1	-2.6	
-2.7	15.3							
		M. tor~1	I	-38.3	-31.0	9.8	23.6	
34.4	238.0		J	-38.3	-31.0	9.8	23.6	
24.6	269.0							
		M. tor~2	I	-22.7	-18.3	5.8	13.9	
20.3	140.7		J	-22.7	-18.3	5.8	13.9	
14.5	159.0							
		INVSLU Max	I	-9694.3	1893.4	634.9	1523.8	
2222.2	13054.2		J	-9399.1	1893.4	634.9	1523.8	
1587.3	11279.1							
		Min	I	-15148.9	-2001.5	-600.6	-1441.5	-
2102.2	-15104.6		J	-14853.6	-2001.5	-600.6	-1441.5	-
1501.5	-13207.3							
		INVSLV Max	I	-6707.6	2754.0	1045.2	2067.2	
3308.6	15619.5		J	-6488.9	2754.0	1045.2	2067.2	
2281.5	12914.0							
		Min	I	-8785.7	-2831.7	-1020.6	-2008.0	-
3222.3	-16606.9		J	-8567.0	-2831.7	-1020.6	-2008.0	-
2219.9	-13823.7							

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1497.4	8836.1	INVSLE Max	I	-7189.0	1268.6	427.8	1026.8	
			J	-6970.3	1268.6	427.8	1026.8	
1069.6	7655.1	Min	I	-11213.3	-1348.7	-402.4	-965.8	-
1408.5	-10354.9		J	-10994.6	-1348.7	-402.4	-965.8	-
1006.0	-9139.6							
554	4	48 C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
152.4	2190.2		J	473.6	183.9	60.9	146.3	
91.4	2138.5	Min	I	-3384.9	-192.1	-58.3	-140.0	
-145.8	-4563.8		J	-3384.9	-192.1	-58.3	-140.0	
-87.5	-4516.3							
		C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
152.8	3707.7		J	484.3	177.5	61.1	146.7	
91.7	3673.5	Min	I	-3393.3	-192.6	-56.3	-135.1	
-140.8	-3103.0		J	-3393.3	-192.6	-56.3	-135.1	
-84.5	-3051.5							
		C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
79.4	994.1		J	239.7	98.1	31.8	76.2	
47.6	971.9	Min	I	-1703.2	-100.1	-31.1	-74.7	
-77.8	-2312.4		J	-1703.2	-100.1	-31.1	-74.7	
-46.7	-2289.2							
		C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
79.7	1793.7		J	246.0	95.1	31.9	76.5	
47.8	1783.3	Min	I	-1707.2	-100.5	-30.2	-72.4	
-75.4	-1532.5		J	-1707.2	-100.5	-30.2	-72.4	
-45.2	-1505.2							
		SLVx (RS)	I	-581.5	-2436.1	840.8	1806.1	
2000.1	-11932.2		J	-581.5	-2436.1	840.8	1806.1	
1161.6	-9544.2							
		SLVy (RS)	I	-306.0	894.4	332.1	-633.9	
-650.4	4101.2		J	-306.0	894.4	332.1	-633.9	
-370.6	-3247.1							
		SLDx (RS)	I	-434.2	-1746.1	605.0	1292.6	
1435.7	-8464.9		J	-434.2	-1746.1	605.0	1292.6	
832.5	-6754.6							
		SLDy (RS)	I	-216.4	635.0	238.8	-447.1	
-457.4	-2876.3		J	-216.4	635.0	238.8	-447.1	
-259.1	-2271.8							


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-185.0	687.8	SLVz (RS)	I	772.8	186.0	-93.4	-137.9
			J	772.8	186.0	-93.4	-137.9
-95.7	510.8						
		G1	I	-5682.8	-35.8	11.4	27.3
28.4	-368.3		J	-5464.1	-35.8	11.4	27.3
17.0	-332.5						
		G2	I	-1845.8	-13.1	4.2	10.0
10.4	-135.1		J	-1845.8	-13.1	4.2	10.0
6.2	-122.0						
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8
-6.1	36.9		J	0.5	7.7	-2.4	-5.8
-3.7	29.2						
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8
-1.9	11.6		J	0.2	2.4	-0.8	-1.8
-1.1	9.2						
		q3	I	-27.1	-136.1	43.2	103.6
107.9	-650.2		J	-27.1	-136.1	43.2	103.6
64.7	-514.1						
		q4-1	I	2.8	1.2	-0.4	-0.9
-1.0	-8.2		J	2.8	1.2	-0.4	-0.9
-0.6	-9.4						
		q4-2	I	4.1	-5.9	1.9	4.5
4.7	-43.0		J	4.1	-5.9	1.9	4.5
2.8	-37.1						
		q4-3	I	3.8	-9.9	3.1	7.5
7.8	-34.7		J	3.8	-9.9	3.1	7.5
4.7	-24.8						
		q4-4	I	1.6	38.0	-12.1	-28.9
-30.1	228.7		J	1.6	38.0	-12.1	-28.9
-18.1	190.7						
		q4-5	I	-8.6	129.8	-41.2	-98.8
-103.0	782.9		J	-8.6	129.8	-41.2	-98.8
-61.8	653.1						
		q4-6	I	-7.7	-50.9	16.1	38.7
40.4	-244.1		J	-7.7	-50.9	16.1	38.7
24.2	-193.2						
		q4-7	I	2.8	-73.9	23.4	56.2
58.6	-361.5		J	2.8	-73.9	23.4	56.2
35.1	-287.7						
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2
							-

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1010.6	6852.9		J	-17.1	1274.3	-404.2	-970.2
-606.3	5578.6						
		q5 - p~2	I	-121.6	-47.7	15.1	36.3
37.9	-15.7		J	-121.6	-47.7	15.1	36.3
22.7	32.0						
		q5 - p~3	I	-13.1	1207.3	-383.0	-919.2
-957.5	6307.1		J	-13.1	1207.3	-383.0	-919.2
-574.5	5099.8						
		q5 - p~4	I	-115.3	-44.7	14.2	34.0
35.4	-117.0		J	-115.3	-44.7	14.2	34.0
21.3	-72.3						
		q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q7	I	-9.9	-239.5	76.0	182.3
189.9	-1001.5		J	-9.9	-239.5	76.0	182.3
114.0	-762.0						
		T	I	-0.5	3.4	-1.1	-2.6
-2.7	15.3		J	-0.5	3.4	-1.1	-2.6
-1.6	11.9						
		M. tor~1	I	-38.3	-31.0	9.8	23.6
24.6	269.0		J	-38.3	-31.0	9.8	23.6
14.7	300.0						
		M. tor~2	I	-22.7	-18.3	5.8	13.9
14.5	159.0		J	-22.7	-18.3	5.8	13.9
8.7	177.3						
		INVSLU Max	I	-9399.1	1893.4	634.9	1523.8
1587.3	11279.1		J	-9103.8	1893.4	634.9	1523.8
952.4	9504.0						
		Min	I	-14853.6	-2001.5	-600.6	-1441.5
1501.5	-13207.3		J	-14558.4	-2001.5	-600.6	-1441.5
-900.9	-11687.9						
		INVSLV Max	I	-6488.9	2721.4	980.7	2067.2
2281.5	12914.0		J	-6270.2	2721.4	980.7	2067.2
1320.0	10255.5						
		Min	I	-8567.0	-2799.1	-956.1	-2008.0
2219.9	-13823.7		J	-8348.3	-2799.1	-956.1	-2008.0
1283.0	-11087.5						


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


1069.6	7655.1	INVSLE Max	I	-6970.3	1268.6	427.8	1026.8	
			J	-6751.6	1268.6	427.8	1026.8	
641.7	6611.8							
1006.0	-9139.6	Min	I	-10994.6	-1348.7	-402.4	-965.8	-
			J	-10775.9	-1348.7	-402.4	-965.8	
-603.6	-8286.6							
555	4	49 C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
91.4	2138.5		J	473.6	183.9	60.9	146.3	
33.5	2095.3							
		Min	I	-3384.9	-192.1	-58.3	-140.0	
-87.5	-4516.3		J	-3384.9	-192.1	-58.3	-140.0	
-32.1	-4471.4							
		C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
91.7	3673.5		J	484.3	177.5	61.1	146.7	
33.6	3641.5							
		Min	I	-3393.3	-192.6	-56.3	-135.1	
-84.5	-3051.5		J	-3393.3	-192.6	-56.3	-135.1	
-31.0	-3003.6							
		C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
47.6	971.9		J	239.7	98.1	31.8	76.2	
17.5	955.3							
		Min	I	-1703.2	-100.1	-31.1	-74.7	
-46.7	-2289.2		J	-1703.2	-100.1	-31.1	-74.7	
-17.1	-2267.2							
		C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
47.8	1783.3		J	246.0	95.1	31.9	76.5	
17.5	1773.5							
		Min	I	-1707.2	-100.5	-30.2	-72.4	
-45.2	-1505.2		J	-1707.2	-100.5	-30.2	-72.4	
-16.6	-1479.7							
		SLVx (RS)	I	-581.5	-2398.5	787.6	1806.1	
1161.6	-9544.2		J	-581.5	-2398.5	787.6	1806.1	
413.9	-7331.2							
		SLVy (RS)	I	-306.0	856.9	-249.9	-633.9	
-370.6	-3247.1		J	-306.0	856.9	-249.9	-633.9	
-145.3	-2477.8							
		SLDx (RS)	I	-434.2	-1717.7	564.9	1292.6	
832.5	-6754.6		J	-434.2	-1717.7	564.9	1292.6	
296.2	-5171.7							
		SLDy (RS)	I	-216.4	606.0	-174.9	-447.1	
-259.1	-2271.8		J	-216.4	606.0	-174.9	-447.1	
-102.5	-1729.9							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-95.7	510.8	SLVz (RS)	I	772.8	182.7	-69.2	-137.9
			J	772.8	182.7	-69.2	-137.9
-31.6	345.2						
		G1	I	-5464.1	-35.8	11.4	27.3
17.0	-332.5		J	-5053.7	-35.8	11.4	27.3
6.3	-298.4						
		G2	I	-1845.8	-13.1	4.2	10.0
6.2	-122.0		J	-1845.8	-13.1	4.2	10.0
2.3	-109.5						
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8
-3.7	29.2		J	0.5	7.7	-2.4	-5.8
-1.3	21.9						
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8
-1.1	9.2		J	0.2	2.4	-0.8	-1.8
-0.4	6.9						
		q3	I	-27.1	-136.1	43.2	103.6
64.7	-514.1		J	-27.1	-136.1	43.2	103.6
23.7	-384.9						
		q4-1	I	2.8	1.2	-0.4	-0.9
-0.6	-9.4		J	2.8	1.2	-0.4	-0.9
-0.2	-10.6						
		q4-2	I	4.1	-5.9	1.9	4.5
2.8	-37.1		J	4.1	-5.9	1.9	4.5
1.0	-31.5						
		q4-3	I	3.8	-9.9	3.1	7.5
4.7	-24.8		J	3.8	-9.9	3.1	7.5
1.7	-15.5						
		q4-4	I	1.6	38.0	-12.1	-28.9
-18.1	190.7		J	1.6	38.0	-12.1	-28.9
-6.6	154.6						
		q4-5	I	-8.6	129.8	-41.2	-98.8
-61.8	653.1		J	-8.6	129.8	-41.2	-98.8
-22.7	529.7						
		q4-6	I	-7.7	-50.9	16.1	38.7
24.2	-193.2		J	-7.7	-50.9	16.1	38.7
8.9	-144.8						
		q4-7	I	2.8	-73.9	23.4	56.2
35.1	-287.7		J	2.8	-73.9	23.4	56.2
12.9	-217.5						
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-606.3	5578.6		J	-17.1	1274.3	-404.2	-970.2
-222.3	4368.0						
22.7	32.0	q5 - p~2	I	-121.6	-47.7	15.1	36.3
8.3	77.3		J	-121.6	-47.7	15.1	36.3
-574.5	5099.8	q5 - p~3	I	-13.1	1207.3	-383.0	-919.2
-210.6	3952.8		J	-13.1	1207.3	-383.0	-919.2
21.3	-72.3	q5 - p~4	I	-115.3	-44.7	14.2	34.0
7.8	-29.8		J	-115.3	-44.7	14.2	34.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
114.0	-762.0	q7	I	-9.9	-239.5	76.0	182.3
41.8	-534.5		J	-9.9	-239.5	76.0	182.3
-1.6	11.9	T	I	-0.5	3.4	-1.1	-2.6
-0.6	8.6		J	-0.5	3.4	-1.1	-2.6
14.7	300.0	M. tor~1	I	-38.3	-31.0	9.8	23.6
5.4	329.4		J	-38.3	-31.0	9.8	23.6
8.7	177.3	M. tor~2	I	-22.7	-18.3	5.8	13.9
3.2	194.7		J	-22.7	-18.3	5.8	13.9
952.4	9504.0	INVSLU Max	I	-9103.8	1893.4	634.9	1523.8
349.2	8341.6		J	-8549.8	1893.4	634.9	1523.8
-900.9	-11687.9	Min	I	-14558.4	-2001.5	-600.6	-1441.5
-330.3	-10485.5		J	-14004.3	-2001.5	-600.6	-1441.5
1320.0	10255.5	INVSLV Max	I	-6270.2	2671.6	895.7	2067.2
473.7	7799.0		J	-5859.8	2671.6	895.7	2067.2
1283.0	-11087.5	Min	I	-8348.3	-2749.3	-871.0	-2008.0
-460.2	-8557.2		J	-7937.9	-2749.3	-871.0	-2008.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

641.7	6611.8	INVSLE	Max	I	-6751.6	1268.6	427.8	1026.8	
				J	-6341.2	1268.6	427.8	1026.8	
235.3	5888.4		Min	I	-10775.9	-1348.7	-402.4	-965.8	
-603.6	-8286.6			J	-10365.5	-1348.7	-402.4	-965.8	
-221.3	-7476.4								
556	4	38	C1-C2;~1	Max	I	359.7	245.8	152.3	365.5
1149.9	2900.7			J	359.7	245.8	152.3	365.5	
997.6	2730.3		Min	I	-3257.1	-206.4	-181.3	-435.2	-
1369.2	-4441.2			J	-3257.1	-206.4	-181.3	-435.2	-
1187.8	-4369.3								
			C3-C4;~1	Max	I	369.3	250.2	154.4	370.5
1165.6	4132.7			J	369.3	250.2	154.4	370.5	
1011.2	4025.3		Min	I	-3264.4	-209.3	-184.6	-443.1	-
1394.0	-3022.3			J	-3264.4	-209.3	-184.6	-443.1	-
1209.4	-2933.8								
			C1-C2;~2	Max	I	195.5	129.9	81.8	196.3
617.7	1386.1			J	195.5	129.9	81.8	196.3	
535.9	1296.0		Min	I	-1652.6	-110.9	-95.8	-230.0	
-723.4	-2294.0			J	-1652.6	-110.9	-95.8	-230.0	
-627.6	-2255.2								
			C3-C4;~2	Max	I	201.4	131.9	83.0	199.2
626.7	2029.2			J	201.4	131.9	83.0	199.2	
543.7	1970.6		Min	I	-1656.0	-112.5	-97.3	-233.6	
-734.8	-1513.2			J	-1656.0	-112.5	-97.3	-233.6	
-637.5	-1465.7								
			SLVx (RS)	I	-471.1	-2068.4	1624.7	3514.7	1
1878.0	-19613.1			J	-471.1	-2068.4	1624.7	3514.7	1
0254.5	-17547.3								
			SLVy (RS)	I	350.6	1444.3	-1177.7	-2322.8	-
8269.4	13215.4			J	350.6	1444.3	-1177.7	-2322.8	-
7100.0	11777.4								
			SLDx (RS)	I	-352.3	-1558.4	1224.4	2647.6	
8951.9	-14780.0			J	-352.3	-1558.4	1224.4	2647.6	
7728.3	-13223.4								
			SLDy (RS)	I	257.3	1061.3	-865.7	-1707.6	-
6080.5	9717.9			J	257.3	1061.3	-865.7	-1707.6	-
5220.8	8661.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1578.7	2672.4	SLVz (RS)	I	888.5	302.5	-237.0	-452.3	-
			J	888.5	302.5	-237.0	-452.3	-
1347.4	2376.8							
		G1	I	-6593.3	68.4	-50.5	-121.2	
-381.2	691.6		J	-6418.8	68.4	-50.5	-121.2	
-330.7	623.2							
		G2	I	-1834.7	25.1	-18.5	-44.4	
-139.6	256.7		J	-1834.7	25.1	-18.5	-44.4	
-121.1	231.7							
		G1- Imp~1	I	-0.5	-13.0	9.6	23.1	
72.6	-129.8		J	-0.5	-13.0	9.6	23.1	
62.9	-116.8							
		G2- Imp~1	I	-0.2	-4.1	3.0	7.3	
22.8	-41.4		J	-0.2	-4.1	3.0	7.3	
19.8	-37.3							
		q3	I	5.2	-69.2	51.1	122.6	
385.5	-740.6		J	5.2	-69.2	51.1	122.6	
334.5	-671.4							
		q4-1	I	-1.0	1.2	-0.9	-2.2	
-6.8	13.0		J	-1.0	1.2	-0.9	-2.2	
-5.9	11.8							
		q4-2	I	-1.6	1.6	-1.2	-2.9	
-9.0	15.9		J	-1.6	1.6	-1.2	-2.9	
-7.8	14.3							
		q4-3	I	-1.2	-1.8	1.3	3.1	
9.8	-18.6		J	-1.2	-1.8	1.3	3.1	
8.5	-16.9							
		q4-4	I	0.9	-10.0	7.4	17.8	
55.9	-92.8		J	0.9	-10.0	7.4	17.8	
48.5	-82.7							
		q4-5	I	4.9	35.4	-26.1	-62.7	
-197.2	383.7		J	4.9	35.4	-26.1	-62.7	
-171.1	348.3							
		q4-6	I	-6.2	135.8	-100.2	-240.5	
-756.5	1572.1		J	-6.2	135.8	-100.2	-240.5	
-656.3	1436.3							
		q4-7	I	-19.1	-39.7	29.3	70.3	
221.1	-437.6		J	-19.1	-39.7	29.3	70.3	
191.8	-397.9							
		q5 - p~1	I	53.5	665.9	-491.3	-1179.1	-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
3709.4	7157.7		J	53.5	665.9	-491.3	-1179.1	-
3218.1	6491.7							
		q5 - p~2	I	-16.9	361.8	-266.9	-640.7	-
2015.4	3858.7		J	-16.9	361.8	-266.9	-640.7	-
1748.5	3496.9							
		q5 - p~3	I	51.4	630.3	-465.0	-1116.1	-
3510.9	6697.6		J	51.4	630.3	-465.0	-1116.1	-
3045.9	6067.3							
		q5 - p~4	I	-15.6	342.3	-252.6	-606.2	-
1907.0	3501.6		J	-15.6	342.3	-252.6	-606.2	-
1654.4	3159.2							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-4.5	-175.3	129.3	310.4	
976.5	-1781.0		J	-4.5	-175.3	129.3	310.4	
847.2	-1605.7							
		T	I	1.6	-5.1	3.8	9.1	
28.6	-32.4		J	1.6	-5.1	3.8	9.1	
24.8	-27.2							
		M. tor~1	I	27.7	27.1	-20.0	-48.1	
-151.2	587.8		J	27.7	27.1	-20.0	-48.1	
-131.2	560.7							
		M. tor~2	I	16.4	16.0	-11.8	-28.4	
-89.4	347.5		J	16.4	16.0	-11.8	-28.4	
-77.5	331.5							
		INVSLU Max	I	-10830.7	1230.3	736.3	1767.0	
5558.7	13858.2		J	-10595.1	1230.3	736.3	1767.0	
4822.5	12726.9							
		Min	I	-15834.8	-997.9	-907.7	-2178.5	-
6853.2	-12117.6		J	-15599.3	-997.9	-907.7	-2178.5	-
5945.5	-11219.1							
		INVSLV Max	I	-7293.6	2668.8	1992.7	4212.0	1
4407.0	25156.6		J	-7119.1	2668.8	1992.7	4212.0	1
2419.7	22494.3							
		Min	I	-9563.6	-2516.1	-2105.4	-4482.5	-1
5257.8	-23602.4		J	-9389.1	-2516.1	-2105.4	-4482.5	-1
3157.8	-21092.8							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3729.4	9523.3	INVSLE Max	I	-8026.2	841.6	494.0	1185.5	
			J	-7851.7	841.6	494.0	1185.5	
3235.4	8755.0	Min	I	-11726.0	-669.5	-621.0	-1490.3	-
4688.3	-8234.0		J	-11551.5	-669.5	-621.0	-1490.3	-
4067.3	-7638.1							
557	4	38 C1-C2;~1 Max	I	359.7	245.8	152.3	365.5	
997.6	2730.3		J	359.7	245.8	152.3	365.5	
845.3	2567.2	Min	I	-3257.1	-206.4	-181.3	-435.2	-
1187.8	-4369.3		J	-3257.1	-206.4	-181.3	-435.2	-
1006.5	-4304.2							
		C3-C4;~1 Max	I	369.3	250.2	154.4	370.5	
1011.2	4025.3		J	369.3	250.2	154.4	370.5	
856.9	3941.2	Min	I	-3264.4	-209.3	-184.6	-443.1	-
1209.4	-2933.8		J	-3264.4	-209.3	-184.6	-443.1	-
1024.7	-2867.7							
		C1-C2;~2 Max	I	195.5	129.9	81.8	196.3	
535.9	1296.0		J	195.5	129.9	81.8	196.3	
454.1	1209.1	Min	I	-1652.6	-110.9	-95.8	-230.0	
-627.6	-2255.2		J	-1652.6	-110.9	-95.8	-230.0	
-531.8	-2219.7							
		C3-C4;~2 Max	I	201.4	131.9	83.0	199.2	
543.7	1970.6		J	201.4	131.9	83.0	199.2	
460.7	1928.8	Min	I	-1656.0	-112.5	-97.3	-233.6	
-637.5	-1465.7		J	-1656.0	-112.5	-97.3	-233.6	
-540.1	-1432.5							
		SLVx (RS)	I	-471.1	-2065.4	1619.3	3514.7	1
0254.5	-17547.3		J	-471.1	-2065.4	1619.3	3514.7	
8636.6	-15485.1							
		SLVy (RS)	I	350.6	1438.6	-1168.2	-2322.8	-
7100.0	11777.4		J	350.6	1438.6	-1168.2	-2322.8	-
5941.2	10345.8							
		SLDx (RS)	I	-352.3	-1556.1	1220.4	2647.6	
7728.3	-13223.4		J	-352.3	-1556.1	1220.4	2647.6	
6508.9	-11669.5							
		SLDy (RS)	I	257.3	1057.1	-858.8	-1707.6	-
5220.8	8661.1		J	257.3	1057.1	-858.8	-1707.6	-
4368.9	7609.0							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1347.4	2376.8	SLVz (RS)	I	888.5	299.5	-233.4	-452.3	-
			J	888.5	299.5	-233.4	-452.3	-
1120.5	2084.7							
		G1	I	-6418.8	68.4	-50.5	-121.2	
-330.7	623.2		J	-6244.3	68.4	-50.5	-121.2	
-280.2	554.7							
		G2	I	-1834.7	25.1	-18.5	-44.4	
-121.1	231.7		J	-1834.7	25.1	-18.5	-44.4	
-102.6	206.6							
		G1- Imp~1	I	-0.5	-13.0	9.6	23.1	
62.9	-116.8		J	-0.5	-13.0	9.6	23.1	
53.3	-103.8							
		G2- Imp~1	I	-0.2	-4.1	3.0	7.3	
19.8	-37.3		J	-0.2	-4.1	3.0	7.3	
16.8	-33.2							
		q3	I	5.2	-69.2	51.1	122.6	
334.5	-671.4		J	5.2	-69.2	51.1	122.6	
283.4	-602.2							
		q4-1	I	-1.0	1.2	-0.9	-2.2	
-5.9	11.8		J	-1.0	1.2	-0.9	-2.2	
-5.0	10.6							
		q4-2	I	-1.6	1.6	-1.2	-2.9	
-7.8	14.3		J	-1.6	1.6	-1.2	-2.9	
-6.6	12.6							
		q4-3	I	-1.2	-1.8	1.3	3.1	
8.5	-16.9		J	-1.2	-1.8	1.3	3.1	
7.2	-15.1							
		q4-4	I	0.9	-10.0	7.4	17.8	
48.5	-82.7		J	0.9	-10.0	7.4	17.8	
41.1	-72.7							
		q4-5	I	4.9	35.4	-26.1	-62.7	
-171.1	348.3		J	4.9	35.4	-26.1	-62.7	
-145.0	312.9							
		q4-6	I	-6.2	135.8	-100.2	-240.5	
-656.3	1436.3		J	-6.2	135.8	-100.2	-240.5	
-556.1	1300.5							
		q4-7	I	-19.1	-39.7	29.3	70.3	
191.8	-397.9		J	-19.1	-39.7	29.3	70.3	
162.5	-358.3							
		q5 - p~1	I	53.5	665.9	-491.3	-1179.1	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3218.1	6491.7		J	53.5	665.9	-491.3	-1179.1	-
2726.8	5825.8							
1748.5	3496.9	q5 - p~2	I	-16.9	361.8	-266.9	-640.7	-
1481.5	3135.1		J	-16.9	361.8	-266.9	-640.7	-
3045.9	6067.3	q5 - p~3	I	51.4	630.3	-465.0	-1116.1	-
2580.9	5437.0		J	51.4	630.3	-465.0	-1116.1	-
1654.4	3159.2	q5 - p~4	I	-15.6	342.3	-252.6	-606.2	-
1401.8	2816.9		J	-15.6	342.3	-252.6	-606.2	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
847.2	-1605.7	q7	I	-4.5	-175.3	129.3	310.4	
717.8	-1430.4		J	-4.5	-175.3	129.3	310.4	
24.8	-27.2	T	I	1.6	-5.1	3.8	9.1	
21.0	-22.1		J	1.6	-5.1	3.8	9.1	
-131.2	560.7	M. tor~1	I	27.7	27.1	-20.0	-48.1	
-111.1	533.5		J	27.7	27.1	-20.0	-48.1	
-77.5	331.5	M. tor~2	I	16.4	16.0	-11.8	-28.4	
-65.7	315.4		J	16.4	16.0	-11.8	-28.4	
4822.5	12726.9	INVSLU Max	I	-10595.1	1230.3	736.3	1767.0	
4086.2	11618.2		J	-10359.5	1230.3	736.3	1767.0	
5945.5	-11219.1	Min	I	-15599.3	-997.9	-907.7	-2178.5	-
5037.8	-10325.2		J	-15363.7	-997.9	-907.7	-2178.5	-
2419.7	22494.3	INVSLV Max	I	-7119.1	2663.2	1983.4	4212.0	1
0442.4	19838.6		J	-6944.6	2663.2	1983.4	4212.0	1
3157.8	-21092.8	Min	I	-9389.1	-2510.5	-2096.1	-4482.5	-1
1067.8	-18589.9		J	-9214.6	-2510.5	-2096.1	-4482.5	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3235.4	8755.0	INVSLE Max	I	-7851.7	841.6	494.0	1185.5	
			J	-7677.2	841.6	494.0	1185.5	
2741.5	8074.3	Min	I	-11551.5	-669.5	-621.0	-1490.3	-
4067.3	-7638.1		J	-11377.0	-669.5	-621.0	-1490.3	-
3446.3	-7188.6							
558	4	38 C1-C2;~1 Max	I	359.7	245.8	152.3	365.5	
845.3	2567.2		J	359.7	245.8	152.3	365.5	
693.0	2415.4	Min	I	-3257.1	-206.4	-181.3	-435.2	-
1006.5	-4304.2		J	-3257.1	-206.4	-181.3	-435.2	
-825.1	-4245.9							
		C3-C4;~1 Max	I	369.3	250.2	154.4	370.5	
856.9	3941.2		J	369.3	250.2	154.4	370.5	
702.5	3870.3	Min	I	-3264.4	-209.3	-184.6	-443.1	-
1024.7	-2867.7		J	-3264.4	-209.3	-184.6	-443.1	
-840.1	-2818.9							
		C1-C2;~2 Max	I	195.5	129.9	81.8	196.3	
454.1	1209.1		J	195.5	129.9	81.8	196.3	
372.2	1127.2	Min	I	-1652.6	-110.9	-95.8	-230.0	
-531.8	-2219.7		J	-1652.6	-110.9	-95.8	-230.0	
-436.0	-2187.7							
		C3-C4;~2 Max	I	201.4	131.9	83.0	199.2	
460.7	1928.8		J	201.4	131.9	83.0	199.2	
377.7	1896.1	Min	I	-1656.0	-112.5	-97.3	-233.6	
-540.1	-1432.5		J	-1656.0	-112.5	-97.3	-233.6	
-442.8	-1409.5							
		SLVx (RS)	I	-471.1	-2060.6	1610.4	3514.7	
8636.6	-15485.1		J	-471.1	-2060.6	1610.4	3514.7	
7027.6	-13428.3							
		SLVy (RS)	I	350.6	1429.8	-1153.0	-2322.8	-
5941.2	10345.8		J	350.6	1429.8	-1153.0	-2322.8	-
4798.5	8923.6							
		SLDx (RS)	I	-352.3	-1552.5	1213.7	2647.6	
6508.9	-11669.5		J	-352.3	-1552.5	1213.7	2647.6	
5296.2	-10119.6							
		SLDy (RS)	I	257.3	1050.7	-847.6	-1707.6	-
4368.9	7609.0		J	257.3	1050.7	-847.6	-1707.6	-
3528.6	6563.7							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1120.5	2084.7	SLVz (RS)	I	888.5	295.3	-227.8	-452.3	-
			J	888.5	295.3	-227.8	-452.3	
-900.0	1797.4							
		G1	I	-6244.3	68.4	-50.5	-121.2	
-280.2	554.7		J	-6069.8	68.4	-50.5	-121.2	
-229.7	486.3							
		G2	I	-1834.7	25.1	-18.5	-44.4	
-102.6	206.6		J	-1834.7	25.1	-18.5	-44.4	
-84.2	181.5							
		G1- Imp~1	I	-0.5	-13.0	9.6	23.1	
53.3	-103.8		J	-0.5	-13.0	9.6	23.1	
43.7	-90.8							
		G2- Imp~1	I	-0.2	-4.1	3.0	7.3	
16.8	-33.2		J	-0.2	-4.1	3.0	7.3	
13.8	-29.1							
		q3	I	5.2	-69.2	51.1	122.6	
283.4	-602.2		J	5.2	-69.2	51.1	122.6	
232.3	-533.0							
		q4-1	I	-1.0	1.2	-0.9	-2.2	
-5.0	10.6		J	-1.0	1.2	-0.9	-2.2	
-4.1	9.4							
		q4-2	I	-1.6	1.6	-1.2	-2.9	
-6.6	12.6		J	-1.6	1.6	-1.2	-2.9	
-5.4	11.0							
		q4-3	I	-1.2	-1.8	1.3	3.1	
7.2	-15.1		J	-1.2	-1.8	1.3	3.1	
5.9	-13.4							
		q4-4	I	0.9	-10.0	7.4	17.8	
41.1	-72.7		J	0.9	-10.0	7.4	17.8	
33.7	-62.7							
		q4-5	I	4.9	35.4	-26.1	-62.7	
-145.0	312.9		J	4.9	35.4	-26.1	-62.7	
-118.8	277.5							
		q4-6	I	-6.2	135.8	-100.2	-240.5	
-556.1	1300.5		J	-6.2	135.8	-100.2	-240.5	
-455.9	1164.7							
		q4-7	I	-19.1	-39.7	29.3	70.3	
162.5	-358.3		J	-19.1	-39.7	29.3	70.3	
133.2	-318.6							
		q5 - p~1	I	53.5	665.9	-491.3	-1179.1	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
2726.8	5825.8		J	53.5	665.9	-491.3	-1179.1	-
2235.5	5159.9							
1481.5	3135.1	q5 - p~2	I	-16.9	361.8	-266.9	-640.7	-
1214.6	2773.3		J	-16.9	361.8	-266.9	-640.7	-
2580.9	5437.0	q5 - p~3	I	51.4	630.3	-465.0	-1116.1	-
2115.9	4806.8		J	51.4	630.3	-465.0	-1116.1	-
1401.8	2816.9	q5 - p~4	I	-15.6	342.3	-252.6	-606.2	-
1149.2	2474.5		J	-15.6	342.3	-252.6	-606.2	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
717.8	-1430.4	q7	I	-4.5	-175.3	129.3	310.4	
588.5	-1255.1		J	-4.5	-175.3	129.3	310.4	
21.0	-22.1	T	I	1.6	-5.1	3.8	9.1	
17.2	-17.0		J	1.6	-5.1	3.8	9.1	
-111.1	533.5	M. tor~1	I	27.7	27.1	-20.0	-48.1	
-91.1	506.4		J	27.7	27.1	-20.0	-48.1	
-65.7	315.4	M. tor~2	I	16.4	16.0	-11.8	-28.4	
-53.9	299.4		J	16.4	16.0	-11.8	-28.4	
4086.2	11618.2	INVSLU Max	I	-10359.5	1230.3	736.3	1767.0	
3350.0	10620.8		J	-10123.9	1230.3	736.3	1767.0	
5037.8	-10325.2	Min	I	-15363.7	-997.9	-907.7	-2178.5	-
4130.1	-9648.4		J	-15128.1	-997.9	-907.7	-2178.5	-
0442.4	19838.6	INVSLV Max	I	-6944.6	2654.5	1968.3	4212.0	1
8480.8	17192.6		J	-6770.1	2654.5	1968.3	4212.0	
1067.8	-18589.9	Min	I	-9214.6	-2501.8	-2081.0	-4482.5	-1
8993.5	-16096.6		J	-9040.1	-2501.8	-2081.0	-4482.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

2741.5	8074.3	INVSLE Max	I	-7677.2	841.6	494.0	1185.5	
			J	-7502.7	841.6	494.0	1185.5	
2247.5	7524.4	Min	I	-11377.0	-669.5	-621.0	-1490.3	-
3446.3	-7188.6		J	-11202.5	-669.5	-621.0	-1490.3	-
2825.4	-6804.1							
559	4	38 C1-C2;~1 Max	I	359.7	245.8	152.3	365.5	
693.0	2415.4		J	359.7	245.8	152.3	365.5	
540.7	2282.8	Min	I	-3257.1	-206.4	-181.3	-435.2	
-825.1	-4245.9		J	-3257.1	-206.4	-181.3	-435.2	
-643.8	-4210.4							
		C3-C4;~1 Max	I	369.3	250.2	154.4	370.5	
702.5	3870.3		J	369.3	250.2	154.4	370.5	
548.1	3801.8	Min	I	-3264.4	-209.3	-184.6	-443.1	
-840.1	-2818.9		J	-3264.4	-209.3	-184.6	-443.1	
-655.5	-2781.8							
		C1-C2;~2 Max	I	195.5	129.9	81.8	196.3	
372.2	1127.2		J	195.5	129.9	81.8	196.3	
290.4	1054.3	Min	I	-1652.6	-110.9	-95.8	-230.0	
-436.0	-2187.7		J	-1652.6	-110.9	-95.8	-230.0	
-340.2	-2170.9							
		C3-C4;~2 Max	I	201.4	131.9	83.0	199.2	
377.7	1896.1		J	201.4	131.9	83.0	199.2	
294.7	1864.4	Min	I	-1656.0	-112.5	-97.3	-233.6	
-442.8	-1409.5		J	-1656.0	-112.5	-97.3	-233.6	
-345.5	-1392.3							
		SLVx (RS)	I	-471.1	-2053.8	1597.3	3514.7	
7027.6	-13428.3		J	-471.1	-2053.8	1597.3	3514.7	
5431.7	-11379.5							
		SLVy (RS)	I	350.6	1417.7	-1131.6	-2322.8	-
4798.5	8923.6		J	350.6	1417.7	-1131.6	-2322.8	-
3677.5	7514.0							
		SLDx (RS)	I	-352.3	-1547.4	1203.8	2647.6	
5296.2	-10119.6		J	-352.3	-1547.4	1203.8	2647.6	
4093.3	-8575.7							
		SLDy (RS)	I	257.3	1041.8	-832.0	-1707.6	-
3528.6	6563.7		J	257.3	1041.8	-832.0	-1707.6	-
2704.3	5527.6							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-900.0	1797.4	SLVz (RS)	I	888.5	289.7	-220.4	-452.3	
			J	888.5	289.7	-220.4	-452.3	
-687.3	1515.7							
		G1	I	-6069.8	68.4	-50.5	-121.2	
-229.7	486.3		J	-5895.3	68.4	-50.5	-121.2	
-179.2	417.9							
		G2	I	-1834.7	25.1	-18.5	-44.4	
-84.2	181.5		J	-1834.7	25.1	-18.5	-44.4	
-65.7	156.5							
		G1- Imp~1	I	-0.5	-13.0	9.6	23.1	
43.7	-90.8		J	-0.5	-13.0	9.6	23.1	
34.1	-77.7							
		G2- Imp~1	I	-0.2	-4.1	3.0	7.3	
13.8	-29.1		J	-0.2	-4.1	3.0	7.3	
10.7	-25.0							
		q3	I	5.2	-69.2	51.1	122.6	
232.3	-533.0		J	5.2	-69.2	51.1	122.6	
181.3	-463.8							
		q4-1	I	-1.0	1.2	-0.9	-2.2	
-4.1	9.4		J	-1.0	1.2	-0.9	-2.2	
-3.2	8.1							
		q4-2	I	-1.6	1.6	-1.2	-2.9	
-5.4	11.0		J	-1.6	1.6	-1.2	-2.9	
-4.2	9.4							
		q4-3	I	-1.2	-1.8	1.3	3.1	
5.9	-13.4		J	-1.2	-1.8	1.3	3.1	
4.6	-11.6							
		q4-4	I	0.9	-10.0	7.4	17.8	
33.7	-62.7		J	0.9	-10.0	7.4	17.8	
26.3	-52.6							
		q4-5	I	4.9	35.4	-26.1	-62.7	
-118.8	277.5		J	4.9	35.4	-26.1	-62.7	
-92.7	242.1							
		q4-6	I	-6.2	135.8	-100.2	-240.5	
-455.9	1164.7		J	-6.2	135.8	-100.2	-240.5	
-355.7	1028.9							
		q4-7	I	-19.1	-39.7	29.3	70.3	
133.2	-318.6		J	-19.1	-39.7	29.3	70.3	
103.9	-278.9							
		q5 - p~1	I	53.5	665.9	-491.3	-1179.1	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
2235.5	5159.9		J	53.5	665.9	-491.3	-1179.1	-
1744.1	4494.0							
1214.6	2773.3	q5 - p~2	I	-16.9	361.8	-266.9	-640.7	-
-947.7	2411.5		J	-16.9	361.8	-266.9	-640.7	
2115.9	4806.8	q5 - p~3	I	51.4	630.3	-465.0	-1116.1	-
1650.8	4176.5		J	51.4	630.3	-465.0	-1116.1	-
1149.2	2474.5	q5 - p~4	I	-15.6	342.3	-252.6	-606.2	-
-896.7	2132.2		J	-15.6	342.3	-252.6	-606.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
588.5	-1255.1	q7	I	-4.5	-175.3	129.3	310.4	
459.1	-1079.8		J	-4.5	-175.3	129.3	310.4	
17.2	-17.0	T	I	1.6	-5.1	3.8	9.1	
13.4	-11.9		J	1.6	-5.1	3.8	9.1	
-91.1	506.4	M. tor~1	I	27.7	27.1	-20.0	-48.1	
-71.1	479.2		J	27.7	27.1	-20.0	-48.1	
-53.9	299.4	M. tor~2	I	16.4	16.0	-11.8	-28.4	
-42.0	283.3		J	16.4	16.0	-11.8	-28.4	
3350.0	10620.8	INVSLU Max	I	-10123.9	1230.3	736.3	1767.0	
2613.7	9822.3		J	-9888.4	1230.3	736.3	1767.0	
4130.1	-9648.4	Min	I	-15128.1	-997.9	-907.7	-2178.5	-
3222.4	-9100.6		J	-14892.5	-997.9	-907.7	-2178.5	-
8480.8	17192.6	INVSLV Max	I	-6770.1	2642.4	1946.6	4212.0	
6541.1	14559.9		J	-6595.6	2642.4	1946.6	4212.0	
8993.5	-16096.6	Min	I	-9040.1	-2489.7	-2059.3	-4482.5	-
6941.2	-13616.7		J	-8865.6	-2489.7	-2059.3	-4482.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

2247.5	7524.4	INVSLE Max	I	-7502.7	841.6	494.0	1185.5	
			J	-7328.2	841.6	494.0	1185.5	
1753.5	6977.0	Min	I	-11202.5	-669.5	-621.0	-1490.3	-
2825.4	-6804.1		J	-11028.0	-669.5	-621.0	-1490.3	-
2204.4	-6442.3							
560	4	48 C1-C2;~1 Max	I	359.7	245.8	152.3	365.5	
540.7	2282.8		J	359.7	245.8	152.3	365.5	
388.4	2190.6	Min	I	-3257.1	-206.4	-181.3	-435.2	
-643.8	-4210.4		J	-3257.1	-206.4	-181.3	-435.2	
-462.4	-4185.9							
		C3-C4;~1 Max	I	369.3	250.2	154.4	370.5	
548.1	3801.8		J	369.3	250.2	154.4	370.5	
393.7	3735.3	Min	I	-3264.4	-209.3	-184.6	-443.1	
-655.5	-2781.8		J	-3264.4	-209.3	-184.6	-443.1	
-470.8	-2751.1							
		C1-C2;~2 Max	I	195.5	129.9	81.8	196.3	
290.4	1054.3		J	195.5	129.9	81.8	196.3	
208.6	1003.5	Min	I	-1652.6	-110.9	-95.8	-230.0	
-340.2	-2170.9		J	-1652.6	-110.9	-95.8	-230.0	
-244.3	-2159.8							
		C3-C4;~2 Max	I	201.4	131.9	83.0	199.2	
294.7	1864.4		J	201.4	131.9	83.0	199.2	
211.7	1833.4	Min	I	-1656.0	-112.5	-97.3	-233.6	
-345.5	-1392.3		J	-1656.0	-112.5	-97.3	-233.6	
-248.2	-1377.8							
		SLVx (RS)	I	-471.1	-2043.7	1577.6	3514.7	
5431.7	-11379.5		J	-471.1	-2043.7	1577.6	3514.7	
3855.5	-9342.4							
		SLVy (RS)	I	350.6	1400.2	-1100.9	-2322.8	-
3677.5	7514.0		J	350.6	1400.2	-1100.9	-2322.8	-
2586.4	6121.9							
		SLDx (RS)	I	-352.3	-1539.8	1189.0	2647.6	
4093.3	-8575.7		J	-352.3	-1539.8	1189.0	2647.6	
2905.2	-7040.6							
		SLDy (RS)	I	257.3	1029.1	-809.5	-1707.6	-
2704.3	5527.6		J	257.3	1029.1	-809.5	-1707.6	-
1901.9	4504.2							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-687.3	1515.7	SLVz (RS)	I	888.5	282.3	-210.4	-452.3	
			J	888.5	282.3	-210.4	-452.3	
-484.1	1240.7							
		G1	I	-5895.3	68.4	-50.5	-121.2	
-179.2	417.9		J	-5676.6	68.4	-50.5	-121.2	
-128.7	349.4							
		G2	I	-1834.7	25.1	-18.5	-44.4	
-65.7	156.5		J	-1834.7	25.1	-18.5	-44.4	
-47.2	131.4							
		G1- Imp~1	I	-0.5	-13.0	9.6	23.1	
34.1	-77.7		J	-0.5	-13.0	9.6	23.1	
24.5	-64.7							
		G2- Imp~1	I	-0.2	-4.1	3.0	7.3	
10.7	-25.0		J	-0.2	-4.1	3.0	7.3	
7.7	-20.9							
		q3	I	5.2	-69.2	51.1	122.6	
181.3	-463.8		J	5.2	-69.2	51.1	122.6	
130.2	-394.6							
		q4-1	I	-1.0	1.2	-0.9	-2.2	
-3.2	8.1		J	-1.0	1.2	-0.9	-2.2	
-2.3	6.9							
		q4-2	I	-1.6	1.6	-1.2	-2.9	
-4.2	9.4		J	-1.6	1.6	-1.2	-2.9	
-3.0	7.8							
		q4-3	I	-1.2	-1.8	1.3	3.1	
4.6	-11.6		J	-1.2	-1.8	1.3	3.1	
3.3	-9.9							
		q4-4	I	0.9	-10.0	7.4	17.8	
26.3	-52.6		J	0.9	-10.0	7.4	17.8	
18.9	-42.6							
		q4-5	I	4.9	35.4	-26.1	-62.7	
-92.7	242.1		J	4.9	35.4	-26.1	-62.7	
-66.6	206.7							
		q4-6	I	-6.2	135.8	-100.2	-240.5	
-355.7	1028.9		J	-6.2	135.8	-100.2	-240.5	
-255.5	893.1							
		q4-7	I	-19.1	-39.7	29.3	70.3	
103.9	-278.9		J	-19.1	-39.7	29.3	70.3	
74.7	-239.2							
		q5 - p~1	I	53.5	665.9	-491.3	-1179.1	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1744.1	4494.0		J	53.5	665.9	-491.3	-1179.1	-
1252.8	3828.1							
-947.7	2411.5	q5 - p~2	I	-16.9	361.8	-266.9	-640.7	
-680.7	2049.7		J	-16.9	361.8	-266.9	-640.7	
1650.8	4176.5	q5 - p~3	I	51.4	630.3	-465.0	-1116.1	-
1185.8	3546.2		J	51.4	630.3	-465.0	-1116.1	-
-896.7	2132.2	q5 - p~4	I	-15.6	342.3	-252.6	-606.2	
-644.1	1789.8		J	-15.6	342.3	-252.6	-606.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
459.1	-1079.8	q7	I	-4.5	-175.3	129.3	310.4	
329.8	-904.5		J	-4.5	-175.3	129.3	310.4	
13.4	-11.9	T	I	1.6	-5.1	3.8	9.1	
9.6	-6.7		J	1.6	-5.1	3.8	9.1	
-71.1	479.2	M. tor~1	I	27.7	27.1	-20.0	-48.1	
-51.1	452.1		J	27.7	27.1	-20.0	-48.1	
-42.0	283.3	M. tor~2	I	16.4	16.0	-11.8	-28.4	
-30.2	267.3		J	16.4	16.0	-11.8	-28.4	
2613.7	9822.3	INVSLU Max	I	-9888.4	1230.3	736.3	1767.0	
1877.4	9026.3		J	-9593.1	1230.3	736.3	1767.0	
3222.4	-9100.6	Min	I	-14892.5	-997.9	-907.7	-2178.5	-
2314.7	-8567.6		J	-14597.3	-997.9	-907.7	-2178.5	-
6541.1	14559.9	INVSLV Max	I	-6595.6	2624.8	1914.6	4212.0	
4633.0	11946.4		J	-6376.9	2624.8	1914.6	4212.0	
6941.2	-13616.7	Min	I	-8865.6	-2472.1	-2027.3	-4482.5	-
4920.3	-11156.0		J	-8646.9	-2472.1	-2027.3	-4482.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1753.5	6977.0	INVSLE	Max	I	-7328.2	841.6	494.0	1185.5	
				J	-7109.5	841.6	494.0	1185.5	
1259.6	6431.4		Min	I	-11028.0	-669.5	-621.0	-1490.3	-
2204.4	-6442.3			J	-10809.3	-669.5	-621.0	-1490.3	-
1583.5	-6091.6								
561	4	48	C1-C2;~1	Max	I	359.7	245.8	152.3	365.5
388.4	2190.6			J	359.7	245.8	152.3	365.5	
236.1	2131.6		Min	I	-3257.1	-206.4	-181.3	-435.2	
-462.4	-4185.9			J	-3257.1	-206.4	-181.3	-435.2	
-281.1	-4164.5								
			C3-C4;~1	Max	I	369.3	250.2	154.4	370.5
393.7	3735.3			J	369.3	250.2	154.4	370.5	
239.3	3670.1		Min	I	-3264.4	-209.3	-184.6	-443.1	
-470.8	-2751.1			J	-3264.4	-209.3	-184.6	-443.1	
-286.2	-2723.7								
			C1-C2;~2	Max	I	195.5	129.9	81.8	196.3
208.6	1003.5			J	195.5	129.9	81.8	196.3	
126.8	976.2		Min	I	-1652.6	-110.9	-95.8	-230.0	
-244.3	-2159.8			J	-1652.6	-110.9	-95.8	-230.0	
-148.5	-2149.8								
			C3-C4;~2	Max	I	201.4	131.9	83.0	199.2
211.7	1833.4			J	201.4	131.9	83.0	199.2	
128.7	1803.1		Min	I	-1656.0	-112.5	-97.3	-233.6	
-248.2	-1377.8			J	-1656.0	-112.5	-97.3	-233.6	
-150.8	-1364.5								
			SLVx (RS)	I	-471.1	-2029.5	1550.0	3514.7	
3855.5	-9342.4			J	-471.1	-2029.5	1550.0	3514.7	
2306.5	-7322.5								
			SLVy (RS)	I	350.6	1377.0	-1061.7	-2322.8	-
2586.4	6121.9			J	350.6	1377.0	-1061.7	-2322.8	-
1532.9	4753.0								
			SLDx (RS)	I	-352.3	-1529.0	1168.2	2647.6	
2905.2	-7040.6			J	-352.3	-1529.0	1168.2	2647.6	
1737.8	-5518.2								
			SLDy (RS)	I	257.3	1012.1	-780.7	-1707.6	-
1901.9	4504.2			J	257.3	1012.1	-780.7	-1707.6	-
1127.1	3497.6								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-484.1	1240.7	SLVz (RS)	I	888.5	273.4	-199.4	-452.3	
			J	888.5	273.4	-199.4	-452.3	
-290.8	973.2							
		G1	I	-5676.6	68.4	-50.5	-121.2	
-128.7	349.4		J	-5457.9	68.4	-50.5	-121.2	
-78.3	281.0							
		G2	I	-1834.7	25.1	-18.5	-44.4	
-47.2	131.4		J	-1834.7	25.1	-18.5	-44.4	
-28.7	106.3							
		G1- Imp~1	I	-0.5	-13.0	9.6	23.1	
24.5	-64.7		J	-0.5	-13.0	9.6	23.1	
14.9	-51.7							
		G2- Imp~1	I	-0.2	-4.1	3.0	7.3	
7.7	-20.9		J	-0.2	-4.1	3.0	7.3	
4.7	-16.8							
		q3	I	5.2	-69.2	51.1	122.6	
130.2	-394.6		J	5.2	-69.2	51.1	122.6	
79.2	-325.3							
		q4-1	I	-1.0	1.2	-0.9	-2.2	
-2.3	6.9		J	-1.0	1.2	-0.9	-2.2	
-1.4	5.7							
		q4-2	I	-1.6	1.6	-1.2	-2.9	
-3.0	7.8		J	-1.6	1.6	-1.2	-2.9	
-1.8	6.2							
		q4-3	I	-1.2	-1.8	1.3	3.1	
3.3	-9.9		J	-1.2	-1.8	1.3	3.1	
2.0	-8.1							
		q4-4	I	0.9	-10.0	7.4	17.8	
18.9	-42.6		J	0.9	-10.0	7.4	17.8	
11.5	-32.6							
		q4-5	I	4.9	35.4	-26.1	-62.7	
-66.6	206.7		J	4.9	35.4	-26.1	-62.7	
-40.5	171.3							
		q4-6	I	-6.2	135.8	-100.2	-240.5	
-255.5	893.1		J	-6.2	135.8	-100.2	-240.5	
-155.3	757.3							
		q4-7	I	-19.1	-39.7	29.3	70.3	
74.7	-239.2		J	-19.1	-39.7	29.3	70.3	
45.4	-199.5							
		q5 - p~1	I	53.5	665.9	-491.3	-1179.1	-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1252.8	3828.1		J	53.5	665.9	-491.3	-1179.1	
-761.5	3162.2							
-680.7	2049.7	q5 - p~2	I	-16.9	361.8	-266.9	-640.7	
-413.8	1687.9		J	-16.9	361.8	-266.9	-640.7	
1185.8	3546.2	q5 - p~3	I	51.4	630.3	-465.0	-1116.1	-
-720.8	2915.9		J	51.4	630.3	-465.0	-1116.1	
-644.1	1789.8	q5 - p~4	I	-15.6	342.3	-252.6	-606.2	
-391.5	1447.5		J	-15.6	342.3	-252.6	-606.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
329.8	-904.5	q7	I	-4.5	-175.3	129.3	310.4	
200.5	-729.2		J	-4.5	-175.3	129.3	310.4	
9.6	-6.7	T	I	1.6	-5.1	3.8	9.1	
5.9	-1.6		J	1.6	-5.1	3.8	9.1	
-51.1	452.1	M. tor~1	I	27.7	27.1	-20.0	-48.1	
-31.0	425.0		J	27.7	27.1	-20.0	-48.1	
-30.2	267.3	M. tor~2	I	16.4	16.0	-11.8	-28.4	
-18.4	251.2		J	16.4	16.0	-11.8	-28.4	
1877.4	9026.3	INVSLU Max	I	-9593.1	1230.3	736.3	1767.0	
1141.2	8232.2		J	-9297.9	1230.3	736.3	1767.0	
2314.7	-8567.6	Min	I	-14597.3	-997.9	-907.7	-2178.5	-
1407.0	-8038.8		J	-14302.0	-997.9	-907.7	-2178.5	-
4633.0	11946.4	INVSLV Max	I	-6376.9	2601.0	1872.0	4212.0	
2766.3	9359.2		J	-6158.2	2601.0	1872.0	4212.0	
4920.3	-11156.0	Min	I	-8646.9	-2448.3	-1984.7	-4482.5	-
2941.0	-8721.5		J	-8428.2	-2448.3	-1984.7	-4482.5	-


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


1259.6	6431.4	INVSLE Max	I	-7109.5	841.6	494.0	1185.5	
			J	-6890.8	841.6	494.0	1185.5	
765.6	5887.2	Min	I	-10809.3	-669.5	-621.0	-1490.3	-
1583.5	-6091.6		J	-10590.6	-669.5	-621.0	-1490.3	
-962.5	-5743.9							
562	4	49 C1-C2;~1 Max	I	359.7	245.8	152.3	365.5	
236.1	2131.6		J	359.7	245.8	152.3	365.5	
83.8	2082.0	Min	I	-3257.1	-206.4	-181.3	-435.2	
-281.1	-4164.5		J	-3257.1	-206.4	-181.3	-435.2	
-99.7	-4150.8							
		C3-C4;~1 Max	I	369.3	250.2	154.4	370.5	
239.3	3670.1		J	369.3	250.2	154.4	370.5	
84.9	3610.6	Min	I	-3264.4	-209.3	-184.6	-443.1	
-286.2	-2723.7		J	-3264.4	-209.3	-184.6	-443.1	
-101.5	-2701.3							
		C1-C2;~2 Max	I	195.5	129.9	81.8	196.3	
126.8	976.2		J	195.5	129.9	81.8	196.3	
45.0	955.1	Min	I	-1652.6	-110.9	-95.8	-230.0	
-148.5	-2149.8		J	-1652.6	-110.9	-95.8	-230.0	
-52.7	-2143.1							
		C3-C4;~2 Max	I	201.4	131.9	83.0	199.2	
128.7	1803.1		J	201.4	131.9	83.0	199.2	
45.7	1776.5	Min	I	-1656.0	-112.5	-97.3	-233.6	
-150.8	-1364.5		J	-1656.0	-112.5	-97.3	-233.6	
-53.5	-1353.5							
		SLVx (RS)	I	-471.1	-2004.2	1501.3	3514.7	
2306.5	-7322.5		J	-471.1	-2004.2	1501.3	3514.7	
805.5	-5333.9							
		SLVy (RS)	I	350.6	1338.5	-1002.5	-2322.8	-
1532.9	4753.0		J	350.6	1338.5	-1002.5	-2322.8	
-532.3	3421.9							
		SLDx (RS)	I	-352.3	-1509.8	1131.2	2647.6	
1737.8	-5518.2		J	-352.3	-1509.8	1131.2	2647.6	
606.7	-4019.3							
		SLDy (RS)	I	257.3	983.9	-737.2	-1707.6	-
1127.1	3497.6		J	257.3	983.9	-737.2	-1707.6	
-391.3	2518.4							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-290.8	973.2	SLVz (RS)	I	888.5	261.3	-188.5	-452.3
			J	888.5	261.3	-188.5	-452.3
-103.6	713.8						
		G1	I	-5457.9	68.4	-50.5	-121.2
-78.3	281.0		J	-5025.9	68.4	-50.5	-121.2
-27.8	212.6						
		G2	I	-1834.7	25.1	-18.5	-44.4
-28.7	106.3		J	-1834.7	25.1	-18.5	-44.4
-10.2	81.3						
		G1- Imp~1	I	-0.5	-13.0	9.6	23.1
14.9	-51.7		J	-0.5	-13.0	9.6	23.1
5.3	-38.7						
		G2- Imp~1	I	-0.2	-4.1	3.0	7.3
4.7	-16.8		J	-0.2	-4.1	3.0	7.3
1.7	-12.7						
		q3	I	5.2	-69.2	51.1	122.6
79.2	-325.3		J	5.2	-69.2	51.1	122.6
28.1	-256.1						
		q4-1	I	-1.0	1.2	-0.9	-2.2
-1.4	5.7		J	-1.0	1.2	-0.9	-2.2
-0.5	4.5						
		q4-2	I	-1.6	1.6	-1.2	-2.9
-1.8	6.2		J	-1.6	1.6	-1.2	-2.9
-0.7	4.6						
		q4-3	I	-1.2	-1.8	1.3	3.1
2.0	-8.1		J	-1.2	-1.8	1.3	3.1
0.7	-6.4						
		q4-4	I	0.9	-10.0	7.4	17.8
11.5	-32.6		J	0.9	-10.0	7.4	17.8
4.1	-22.5						
		q4-5	I	4.9	35.4	-26.1	-62.7
-40.5	171.3		J	4.9	35.4	-26.1	-62.7
-14.4	135.9						
		q4-6	I	-6.2	135.8	-100.2	-240.5
-155.3	757.3		J	-6.2	135.8	-100.2	-240.5
-55.1	621.5						
		q4-7	I	-19.1	-39.7	29.3	70.3
45.4	-199.5		J	-19.1	-39.7	29.3	70.3
16.1	-159.8						
		q5 - p~1	I	53.5	665.9	-491.3	-1179.1

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-761.5	3162.2		J	53.5	665.9	-491.3	-1179.1
-270.2	2496.3						
-413.8	1687.9	q5 - p~2	I	-16.9	361.8	-266.9	-640.7
-146.8	1326.0		J	-16.9	361.8	-266.9	-640.7
-720.8	2915.9	q5 - p~3	I	51.4	630.3	-465.0	-1116.1
-255.8	2285.6		J	51.4	630.3	-465.0	-1116.1
-391.5	1447.5	q5 - p~4	I	-15.6	342.3	-252.6	-606.2
-138.9	1105.2		J	-15.6	342.3	-252.6	-606.2
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
200.5	-729.2	q7	I	-4.5	-175.3	129.3	310.4
71.1	-553.9		J	-4.5	-175.3	129.3	310.4
5.9	-1.6	T	I	1.6	-5.1	3.8	9.1
2.1	3.5		J	1.6	-5.1	3.8	9.1
-31.0	425.0	M. tor~1	I	27.7	27.1	-20.0	-48.1
-11.0	397.8		J	27.7	27.1	-20.0	-48.1
-18.4	251.2	M. tor~2	I	16.4	16.0	-11.8	-28.4
-6.5	235.2		J	16.4	16.0	-11.8	-28.4
1141.2	8232.2	INVSLU Max	I	-9297.9	1230.3	736.3	1767.0
404.9	7450.9		J	-8714.7	1230.3	736.3	1767.0
1407.0	-8038.8	Min	I	-14302.0	-997.9	-907.7	-2178.5
-499.2	-7525.4		J	-13718.8	-997.9	-907.7	-2178.5
2766.3	9359.2	INVSLV Max	I	-6158.2	2560.5	1802.2	4212.0
965.3	6817.1		J	-5726.2	2560.5	1802.2	4212.0
2941.0	-8721.5	Min	I	-8428.2	-2407.8	-1914.9	-4482.5
1027.2	-6332.1		J	-7996.2	-2407.8	-1914.9	-4482.5

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

765.6	5887.2	INVSLE Max	I	-6890.8	841.6	494.0	1185.5	
			J	-6458.8	841.6	494.0	1185.5	
271.7	5353.0	Min	I	-10590.6	-669.5	-621.0	-1490.3	
-962.5	-5743.9		J	-10158.6	-669.5	-621.0	-1490.3	
-341.5	-5408.2							
570	4	45 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1215.6	907.5		J	286.3	28.1	20.0	25.4	
1219.7	914.7	Min	I	-1786.5	-48.4	-34.4	-43.9	
-148.9	-2983.0		J	-1786.5	-48.4	-34.4	-43.9	
-138.7	-2970.3							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1147.8	1945.4		J	294.7	32.0	22.8	29.0	
1153.7	1953.7	Min	I	-1785.9	-50.2	-35.7	-45.5	
-111.0	-2023.6		J	-1785.9	-50.2	-35.7	-45.5	
-100.1	-2007.1							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
762.7	454.9		J	155.5	14.7	10.5	13.4	
764.5	459.3	Min	I	-1063.6	-26.2	-18.7	-23.8	
-83.9	-1660.5		J	-1063.6	-26.2	-18.7	-23.8	
-78.2	-1655.4							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
716.0	1059.9		J	160.6	17.1	12.2	15.5	
719.7	1065.7	Min	I	-1063.0	-27.2	-19.3	-24.6	
-61.5	-1087.5		J	-1063.0	-27.2	-19.3	-24.6	
-55.4	-1079.5							
		SLVx (RS)	I	-330.5	1400.7	-857.2	698.1	-1
2209.6	17568.2		J	-330.5	1400.7	-857.2	698.1	-1
1487.1	16220.7							
		SLVy (RS)	I	-146.1	-1095.2	392.6	-680.2	-
5184.6	-15517.3		J	-146.1	-1095.2	392.6	-680.2	-
4808.1	-14530.4							
		SLDx (RS)	I	-243.2	977.5	-598.4	490.4	-
8539.4	12233.5		J	-243.2	977.5	-598.4	490.4	-
8047.6	11297.0							
		SLDy (RS)	I	-106.0	-766.1	-277.2	-484.4	-
3648.5	-10902.5		J	-106.0	-766.1	-277.2	-484.4	-
3384.7	-10220.9							


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2352.5	466.5	SLVz (RS)	I	626.5	-138.3	-81.9	110.6
			J	626.5	-138.3	-81.9	110.6
2427.6	486.6						
		G1	I	-5086.6	-27.8	-19.8	-25.2
875.6	-669.3		J	-4912.1	-27.8	-19.8	-25.2
895.3	-641.5						
		G2	I	-558.0	-10.1	-7.2	-9.2
319.7	-244.8		J	-558.0	-10.1	-7.2	-9.2
327.0	-234.6						
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5
1077.1	152.4		J	-1476.1	8.3	5.9	7.5
1083.0	144.1						
		G2- Imp~1	I	-540.0	3.0	2.2	2.8
-394.1	55.8		J	-540.0	3.0	2.2	2.8
-396.2	52.7						
		q3	I	7.4	11.0	7.8	10.0
131.4	246.2		J	7.4	11.0	7.8	10.0
123.6	235.2						
		q4-1	I	7.2	141.8	100.9	128.6
1764.6	2968.1		J	7.2	141.8	100.9	128.6
1663.7	2826.3						
		q4-2	I	5.0	43.9	31.2	39.8
543.7	910.5		J	5.0	43.9	31.2	39.8
512.5	866.6						
		q4-3	I	0.4	-2.6	-1.9	-2.4
-32.9	-30.3		J	0.4	-2.6	-1.9	-2.4
-31.0	-27.7						
		q4-4	I	-0.2	-2.3	-1.6	-2.1
-28.4	-45.3		J	-0.2	-2.3	-1.6	-2.1
-26.7	-43.0						
		q4-5	I	0.2	0.3	0.2	0.3
3.9	5.3		J	0.2	0.3	0.2	0.3
3.6	5.0						
		q4-6	I	0.3	0.5	0.3	0.4
5.7	9.0		J	0.3	0.5	0.3	0.4
5.3	8.5						
		q4-7	I	0.3	0.4	0.3	0.3
4.4	7.0		J	0.3	0.4	0.3	0.3
4.2	6.6						
		q5 - p~1	I	39.5	93.3	66.3	84.6

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1132.5	2165.1		J	39.5	93.3	66.3	84.6	
1066.2	2071.9							
4484.8	-7490.2	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
4227.8	-7128.9		J	-30.5	-361.3	-256.9	-327.6	-
1077.9	2040.4	q5 - p~3	I	31.7	88.4	62.9	80.2	
1015.0	1952.0		J	31.7	88.4	62.9	80.2	
4245.6	-6993.7	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
4002.4	-6651.8		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
153.8	311.8	q7	I	4.4	12.6	9.0	11.4	
144.8	299.2		J	4.4	12.6	9.0	11.4	
10.7	19.8	T	I	-0.1	0.8	0.6	0.8	
10.1	18.9		J	-0.1	0.8	0.6	0.8	
2125.8	2922.9	M. tor~1	I	15.9	171.3	121.9	155.4	
2004.0	2751.6		J	15.9	171.3	121.9	155.4	
1256.8	1728.1	M. tor~2	I	9.4	101.3	72.0	91.9	
1184.8	1626.8		J	9.4	101.3	72.0	91.9	
7083.3	11240.4	INVSLU Max	I	-9908.5	504.4	358.7	457.4	
6743.5	10766.9		J	-9672.9	504.4	358.7	457.4	
6861.8	-13699.4	Min	I	-12789.4	-586.0	-416.8	-531.5	-
6463.3	-13143.1		J	-12553.8	-586.0	-416.8	-531.5	-
4194.8	21657.5	INVSLV Max	I	-6891.3	1744.2	980.6	911.2	1
3400.9	20046.6		J	-6716.8	1744.2	980.6	911.2	1
4746.6	-23069.1	Min	I	-8430.2	-1797.4	-1018.4	-959.5	-1
3914.8	-21405.0		J	-8255.7	-1797.4	-1018.4	-959.5	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4948.6	7828.2	INVSLE	Max	I	-7342.2	349.6	248.6	317.0	
				J	-7167.7	349.6	248.6	317.0	
4714.0	7501.5		Min	I	-9471.0	-396.2	-281.8	-359.3	-
4611.8	-9372.0			J	-9296.5	-396.2	-281.8	-359.3	-
4343.6	-8997.8								
571	4	45	C1-C2;~1	Max	I	286.3	28.1	20.0	25.4
1219.7	914.7			J	286.3	28.1	20.0	25.4	
1225.1	921.9		Min	I	-1786.5	-48.4	-34.4	-43.9	
-138.7	-2970.3			J	-1786.5	-48.4	-34.4	-43.9	
-130.0	-2957.6								
			C3-C4;~1	Max	I	294.7	32.0	22.8	29.0
1153.7	1953.7			J	294.7	32.0	22.8	29.0	
1160.6	1962.5		Min	I	-1785.9	-50.2	-35.7	-45.5	
-100.1	-2007.1			J	-1785.9	-50.2	-35.7	-45.5	
-90.6	-1992.2								
			C1-C2;~2	Max	I	155.5	14.7	10.5	13.4
764.5	459.3			J	155.5	14.7	10.5	13.4	
766.8	463.7		Min	I	-1063.6	-26.2	-18.7	-23.8	
-78.2	-1655.4			J	-1063.6	-26.2	-18.7	-23.8	
-72.9	-1650.3								
			C3-C4;~2	Max	I	160.6	17.1	12.2	15.5
719.7	1065.7			J	160.6	17.1	12.2	15.5	
723.7	1071.7		Min	I	-1063.0	-27.2	-19.3	-24.6	
-55.4	-1079.5			J	-1063.0	-27.2	-19.3	-24.6	
-50.1	-1072.2								
			SLVx (RS)	I	-330.5	1381.6	-836.9	698.1	-1
1487.1	16220.7			J	-330.5	1381.6	-836.9	698.1	-1
0772.5	14896.2								
			SLVy (RS)	I	-146.1	-1078.3	384.8	-680.2	-
4808.1	-14530.4			J	-146.1	-1078.3	384.8	-680.2	-
4438.8	-13551.8								
			SLDx (RS)	I	-243.2	963.9	-583.4	490.4	-
8047.6	11297.0			J	-243.2	963.9	-583.4	490.4	-
7560.7	10376.8								
			SLDy (RS)	I	-106.0	-753.8	-271.5	-484.4	-
3384.7	-10220.9			J	-106.0	-753.8	-271.5	-484.4	-
3126.1	-9544.7								


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2427.6	486.6	SLVz (RS)	I	626.5	-135.5	-53.9	110.6
			J	626.5	-135.5	-53.9	110.6
2464.8	534.8						
		G1	I	-4912.1	-27.8	-19.8	-25.2
895.3	-641.5		J	-4737.6	-27.8	-19.8	-25.2
915.1	-613.7						
		G2	I	-558.0	-10.1	-7.2	-9.2
327.0	-234.6		J	-558.0	-10.1	-7.2	-9.2
334.2	-224.5						
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5
1083.0	144.1		J	-1476.1	8.3	5.9	7.5
1088.9	135.8						
		G2- Imp~1	I	-540.0	3.0	2.2	2.8
-396.2	52.7		J	-540.0	3.0	2.2	2.8
-398.4	49.7						
		q3	I	7.4	11.0	7.8	10.0
123.6	235.2		J	7.4	11.0	7.8	10.0
115.7	224.2						
		q4-1	I	7.2	141.8	100.9	128.6
1663.7	2826.3		J	7.2	141.8	100.9	128.6
1562.8	2684.4						
		q4-2	I	5.0	43.9	31.2	39.8
512.5	866.6		J	5.0	43.9	31.2	39.8
481.3	822.7						
		q4-3	I	0.4	-2.6	-1.9	-2.4
-31.0	-27.7		J	0.4	-2.6	-1.9	-2.4
-29.1	-25.1						
		q4-4	I	-0.2	-2.3	-1.6	-2.1
-26.7	-43.0		J	-0.2	-2.3	-1.6	-2.1
-25.1	-40.7						
		q4-5	I	0.2	0.3	0.2	0.3
3.6	5.0		J	0.2	0.3	0.2	0.3
3.4	4.6						
		q4-6	I	0.3	0.5	0.3	0.4
5.3	8.5		J	0.3	0.5	0.3	0.4
5.0	8.0						
		q4-7	I	0.3	0.4	0.3	0.3
4.2	6.6		J	0.3	0.4	0.3	0.3
3.9	6.2						
		q5 - p~1	I	39.5	93.3	66.3	84.6

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1066.2	2071.9		J	39.5	93.3	66.3	84.6	
999.9	1978.6							
4227.8	-7128.9	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
3970.9	-6767.6		J	-30.5	-361.3	-256.9	-327.6	-
1015.0	1952.0	q5 - p~3	I	31.7	88.4	62.9	80.2	
952.1	1863.6		J	31.7	88.4	62.9	80.2	
4002.4	-6651.8	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
3759.3	-6309.9		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
144.8	299.2	q7	I	4.4	12.6	9.0	11.4	
135.9	286.6		J	4.4	12.6	9.0	11.4	
10.1	18.9	T	I	-0.1	0.8	0.6	0.8	
9.5	18.1		J	-0.1	0.8	0.6	0.8	
2004.0	2751.6	M. tor~1	I	15.9	171.3	121.9	155.4	
1882.1	2580.2		J	15.9	171.3	121.9	155.4	
1184.8	1626.8	M. tor~2	I	9.4	101.3	72.0	91.9	
1112.7	1525.5		J	9.4	101.3	72.0	91.9	
6743.5	10766.9	INVSLU Max	I	-9672.9	504.4	358.7	457.4	
6404.3	10293.7		J	-9437.3	504.4	358.7	457.4	
6463.3	-13143.1	Min	I	-12553.8	-586.0	-416.8	-531.5	-
6065.5	-12586.8		J	-12318.2	-586.0	-416.8	-531.5	-
3400.9	20046.6	INVSLV Max	I	-6716.8	1719.1	949.6	911.2	1
2605.6	18469.6		J	-6542.3	1719.1	949.6	911.2	1
3914.8	-21405.0	Min	I	-8255.7	-1772.3	-987.4	-959.5	-1
3081.6	-19774.8		J	-8081.2	-1772.3	-987.4	-959.5	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4714.0	7501.5	INVSLE Max	I	-7167.7	349.6	248.6	317.0	
			J	-6993.2	349.6	248.6	317.0	
4479.8	7175.0	Min	I	-9296.5	-396.2	-281.8	-359.3	-
4343.6	-8997.8		J	-9122.0	-396.2	-281.8	-359.3	-
4075.9	-8623.6							
572	4	45 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1225.1	921.9		J	286.3	28.1	20.0	25.4	
1231.2	929.4	Min	I	-1786.5	-48.4	-34.4	-43.9	
-130.0	-2957.6		J	-1786.5	-48.4	-34.4	-43.9	
-121.9	-2945.6							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1160.6	1962.5		J	294.7	32.0	22.8	29.0	
1168.8	1971.4	Min	I	-1785.9	-50.2	-35.7	-45.5	
-90.6	-1992.2		J	-1785.9	-50.2	-35.7	-45.5	
-82.9	-1978.6							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
766.8	463.7		J	155.5	14.7	10.5	13.4	
769.5	468.2	Min	I	-1063.6	-26.2	-18.7	-23.8	
-72.9	-1650.3		J	-1063.6	-26.2	-18.7	-23.8	
-68.0	-1645.6							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
723.7	1071.7		J	160.6	17.1	12.2	15.5	
728.2	1077.8	Min	I	-1063.0	-27.2	-19.3	-24.6	
-50.1	-1072.2		J	-1063.0	-27.2	-19.3	-24.6	
-45.7	-1066.0							
		SLVx (RS)	I	-330.5	1361.1	-818.3	698.1	-1
0772.5	14896.2		J	-330.5	1361.1	-818.3	698.1	-1
0063.6	13596.7							
		SLVy (RS)	I	-146.1	-1062.8	-376.5	-680.2	-
4438.8	-13551.8		J	-146.1	-1062.8	-376.5	-680.2	-
4077.4	-12580.6							
		SLDx (RS)	I	-243.2	949.4	-569.9	490.4	-
7560.7	10376.8		J	-243.2	949.4	-569.9	490.4	-
7076.7	9474.4							
		SLDy (RS)	I	-106.0	-742.7	-265.6	-484.4	-
3126.1	-9544.7		J	-106.0	-742.7	-265.6	-484.4	-
2872.9	-8872.8							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2464.8	534.8	SLVz (RS)	I	626.5	-128.5	-48.3	110.6	
			J	626.5	-128.5	-48.3	110.6	
2464.8	600.0							
915.1	-613.7	G1	I	-4737.6	-27.8	-19.8	-25.2	
			J	-4563.1	-27.8	-19.8	-25.2	
934.9	-585.9							
334.2	-224.5	G2	I	-558.0	-10.1	-7.2	-9.2	
			J	-558.0	-10.1	-7.2	-9.2	
341.4	-214.3							
1088.9	135.8	G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
			J	-1476.1	8.3	5.9	7.5	-
1094.8	127.5							
-398.4	49.7	G2- Imp~1	I	-540.0	3.0	2.2	2.8	
			J	-540.0	3.0	2.2	2.8	
-400.5	46.7							
115.7	224.2	q3	I	7.4	11.0	7.8	10.0	
			J	7.4	11.0	7.8	10.0	
107.9	213.2							
1562.8	2684.4	q4-1	I	7.2	141.8	100.9	128.6	
			J	7.2	141.8	100.9	128.6	
1461.9	2542.6							
481.3	822.7	q4-2	I	5.0	43.9	31.2	39.8	
			J	5.0	43.9	31.2	39.8	
450.1	778.8							
-29.1	-25.1	q4-3	I	0.4	-2.6	-1.9	-2.4	
			J	0.4	-2.6	-1.9	-2.4	
-27.3	-22.5							
-25.1	-40.7	q4-4	I	-0.2	-2.3	-1.6	-2.1	
			J	-0.2	-2.3	-1.6	-2.1	
-23.5	-38.4							
3.4	4.6	q4-5	I	0.2	0.3	0.2	0.3	
			J	0.2	0.3	0.2	0.3	
3.2	4.3							
5.0	8.0	q4-6	I	0.3	0.5	0.3	0.4	
			J	0.3	0.5	0.3	0.4	
4.7	7.6							
3.9	6.2	q4-7	I	0.3	0.4	0.3	0.3	
			J	0.3	0.4	0.3	0.3	
3.6	5.9							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
999.9	1978.6		J	39.5	93.3	66.3	84.6	
933.5	1885.3							
3970.9	-6767.6	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
3714.0	-6406.3		J	-30.5	-361.3	-256.9	-327.6	-
952.1	1863.6	q5 - p~3	I	31.7	88.4	62.9	80.2	
889.3	1775.3		J	31.7	88.4	62.9	80.2	
3759.3	-6309.9	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
3516.1	-5968.0		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
135.9	286.6	q7	I	4.4	12.6	9.0	11.4	
126.9	274.0		J	4.4	12.6	9.0	11.4	
9.5	18.1	T	I	-0.1	0.8	0.6	0.8	
8.9	17.2		J	-0.1	0.8	0.6	0.8	
1882.1	2580.2	M. tor~1	I	15.9	171.3	121.9	155.4	
1760.3	2408.9		J	15.9	171.3	121.9	155.4	
1112.7	1525.5	M. tor~2	I	9.4	101.3	72.0	91.9	
1040.7	1424.2		J	9.4	101.3	72.0	91.9	
6404.3	10293.7	INVSLU Max	I	-9437.3	504.4	358.7	457.4	
6065.6	9820.6		J	-9201.7	504.4	358.7	457.4	
6065.5	-12586.8	Min	I	-12318.2	-586.0	-416.8	-531.5	-
5668.2	-12031.1		J	-12082.6	-586.0	-416.8	-531.5	-
2605.6	18469.6	INVSLV Max	I	-6542.3	1691.9	926.8	911.2	1
1807.2	16924.9		J	-6367.8	1691.9	926.8	911.2	1
3081.6	-19774.8	Min	I	-8081.2	-1745.1	-964.7	-959.5	-1
2245.4	-18176.9		J	-7906.7	-1745.1	-964.7	-959.5	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4479.8	7175.0		INVSLE Max	I	-6993.2	349.6	248.6	317.0	
				J	-6818.7	349.6	248.6	317.0	
4246.0	6848.6		Min	I	-9122.0	-396.2	-281.8	-359.3	-
4075.9	-8623.6			J	-8947.5	-396.2	-281.8	-359.3	-
3808.6	-8249.9								
573	4	45	C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1231.2	929.4			J	286.3	28.1	20.0	25.4	
1237.9	937.4		Min	I	-1786.5	-48.4	-34.4	-43.9	
-121.9	-2945.6			J	-1786.5	-48.4	-34.4	-43.9	
-114.4	-2934.6								
			C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1168.8	1971.4			J	294.7	32.0	22.8	29.0	
1178.8	1980.4		Min	I	-1785.9	-50.2	-35.7	-45.5	
-82.9	-1978.6			J	-1785.9	-50.2	-35.7	-45.5	
-77.3	-1966.1								
			C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
769.5	468.2			J	155.5	14.7	10.5	13.4	
772.3	472.9		Min	I	-1063.6	-26.2	-18.7	-23.8	
-68.0	-1645.6			J	-1063.6	-26.2	-18.7	-23.8	
-63.4	-1641.6								
			C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
728.2	1077.8			J	160.6	17.1	12.2	15.5	
733.5	1083.9		Min	I	-1063.0	-27.2	-19.3	-24.6	
-45.7	-1066.0			J	-1063.0	-27.2	-19.3	-24.6	
-42.3	-1060.4								
			SLVx (RS)	I	-330.5	1339.5	-801.7	698.1	-1
0063.6	13596.7			J	-330.5	1339.5	-801.7	698.1	-
9358.5	12324.8								
			SLVy (RS)	I	-146.1	-1048.8	-367.8	-680.2	-
4077.4	-12580.6			J	-146.1	-1048.8	-367.8	-680.2	-
3724.3	-11615.9								
			SLDx (RS)	I	-243.2	934.1	-558.1	490.4	-
7076.7	9474.4			J	-243.2	934.1	-558.1	490.4	-
6594.0	8591.5								
			SLDy (RS)	I	-106.0	-732.8	-259.4	-484.4	-
2872.9	-8872.8			J	-106.0	-732.8	-259.4	-484.4	-
2625.5	-8204.4								


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2464.8	600.0	SLVz (RS)	I	626.5	-117.6	-67.9	110.6
			J	626.5	-117.6	-67.9	110.6
2429.1	670.8						
		G1	I	-4563.1	-27.8	-19.8	-25.2
934.9	-585.9		J	-4388.6	-27.8	-19.8	-25.2
954.6	-558.1						
		G2	I	-558.0	-10.1	-7.2	-9.2
341.4	-214.3		J	-558.0	-10.1	-7.2	-9.2
348.6	-204.2						
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5
1094.8	127.5		J	-1476.1	8.3	5.9	7.5
1100.7	119.2						
		G2- Imp~1	I	-540.0	3.0	2.2	2.8
-400.5	46.7		J	-540.0	3.0	2.2	2.8
-402.7	43.6						
		q3	I	7.4	11.0	7.8	10.0
107.9	213.2		J	7.4	11.0	7.8	10.0
100.1	202.2						
		q4-1	I	7.2	141.8	100.9	128.6
1461.9	2542.6		J	7.2	141.8	100.9	128.6
1361.1	2400.8						
		q4-2	I	5.0	43.9	31.2	39.8
450.1	778.8		J	5.0	43.9	31.2	39.8
418.9	734.9						
		q4-3	I	0.4	-2.6	-1.9	-2.4
-27.3	-22.5		J	0.4	-2.6	-1.9	-2.4
-25.4	-19.9						
		q4-4	I	-0.2	-2.3	-1.6	-2.1
-23.5	-38.4		J	-0.2	-2.3	-1.6	-2.1
-21.9	-36.1						
		q4-5	I	0.2	0.3	0.2	0.3
3.2	4.3		J	0.2	0.3	0.2	0.3
2.9	4.0						
		q4-6	I	0.3	0.5	0.3	0.4
4.7	7.6		J	0.3	0.5	0.3	0.4
4.3	7.1						
		q4-7	I	0.3	0.4	0.3	0.3
3.6	5.9		J	0.3	0.4	0.3	0.3
3.4	5.5						
		q5 - p~1	I	39.5	93.3	66.3	84.6

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
933.5	1885.3		J	39.5	93.3	66.3	84.6	
867.2	1792.1							
3714.0	-6406.3	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
3457.0	-6045.1		J	-30.5	-361.3	-256.9	-327.6	-
889.3	1775.3	q5 - p~3	I	31.7	88.4	62.9	80.2	
826.4	1686.9		J	31.7	88.4	62.9	80.2	
3516.1	-5968.0	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
3273.0	-5626.1		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
126.9	274.0	q7	I	4.4	12.6	9.0	11.4	
117.9	261.4		J	4.4	12.6	9.0	11.4	
8.9	17.2	T	I	-0.1	0.8	0.6	0.8	
8.2	16.4		J	-0.1	0.8	0.6	0.8	
1760.3	2408.9	M. tor~1	I	15.9	171.3	121.9	155.4	
1638.4	2237.5		J	15.9	171.3	121.9	155.4	
1040.7	1424.2	M. tor~2	I	9.4	101.3	72.0	91.9	
968.7	1322.9		J	9.4	101.3	72.0	91.9	
6065.6	9820.6	INVSLU Max	I	-9201.7	504.4	358.7	457.4	
5727.1	9347.6		J	-8966.2	504.4	358.7	457.4	
5668.2	-12031.1	Min	I	-12082.6	-586.0	-416.8	-531.5	-
5271.2	-11476.3		J	-11847.1	-586.0	-416.8	-531.5	-
1807.2	16924.9	INVSLV Max	I	-6367.8	1662.8	913.5	911.2	1
1004.4	15411.4		J	-6193.3	1662.8	913.5	911.2	1
2245.4	-18176.9	Min	I	-7906.7	-1716.0	-951.3	-959.5	-1
1404.7	-16610.2		J	-7732.2	-1716.0	-951.3	-959.5	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

4246.0	6848.6	INVSLE Max	I	-6818.7	349.6	248.6	317.0	
			J	-6644.2	349.6	248.6	317.0	
4012.4	6522.2	Min	I	-8947.5	-396.2	-281.8	-359.3	-
3808.6	-8249.9		J	-8773.0	-396.2	-281.8	-359.3	-
3541.5	-7876.9							
574	4	45 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1237.9	937.4		J	286.3	28.1	20.0	25.4	
1245.1	949.6	Min	I	-1786.5	-48.4	-34.4	-43.9	
-114.4	-2934.6		J	-1786.5	-48.4	-34.4	-43.9	
-107.8	-2925.0							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1178.8	1980.4		J	294.7	32.0	22.8	29.0	
1190.9	1989.7	Min	I	-1785.9	-50.2	-35.7	-45.5	
-77.3	-1966.1		J	-1785.9	-50.2	-35.7	-45.5	
-73.9	-1953.7							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
772.3	472.9		J	155.5	14.7	10.5	13.4	
775.4	479.3	Min	I	-1063.6	-26.2	-18.7	-23.8	
-63.4	-1641.6		J	-1063.6	-26.2	-18.7	-23.8	
-59.2	-1638.2							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
733.5	1083.9		J	160.6	17.1	12.2	15.5	
739.6	1090.2	Min	I	-1063.0	-27.2	-19.3	-24.6	
-42.3	-1060.4		J	-1063.0	-27.2	-19.3	-24.6	
-39.6	-1055.0							
		SLVx (RS)	I	-330.5	1316.6	-787.1	698.1	-
9358.5	12324.8		J	-330.5	1316.6	-787.1	698.1	-
8655.3	11083.4							
		SLVy (RS)	I	-146.1	-1036.2	-358.6	-680.2	-
3724.3	-11615.9		J	-146.1	-1036.2	-358.6	-680.2	-
3379.9	-10657.0							
		SLDx (RS)	I	-243.2	918.0	-548.0	490.4	-
6594.0	8591.5		J	-243.2	918.0	-548.0	490.4	-
6111.1	7730.3							
		SLDy (RS)	I	-106.0	-724.2	-252.9	-484.4	-
2625.5	-8204.4		J	-106.0	-724.2	-252.9	-484.4	-
2384.1	-7538.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2429.1	670.8	SLVz (RS)	I	626.5	-103.4	95.8	110.6	
			J	626.5	-103.4	95.8	110.6	
2359.7	737.6							
		G1	I	-4388.6	-27.8	-19.8	-25.2	
954.6	-558.1		J	-4214.1	-27.8	-19.8	-25.2	
974.4	-530.3							
		G2	I	-558.0	-10.1	-7.2	-9.2	
348.6	-204.2		J	-558.0	-10.1	-7.2	-9.2	
355.8	-194.0							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1100.7	119.2		J	-1476.1	8.3	5.9	7.5	-
1106.6	110.9							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-402.7	43.6		J	-540.0	3.0	2.2	2.8	
-404.9	40.6							
		q3	I	7.4	11.0	7.8	10.0	
100.1	202.2		J	7.4	11.0	7.8	10.0	
92.3	191.2							
		q4-1	I	7.2	141.8	100.9	128.6	
1361.1	2400.8		J	7.2	141.8	100.9	128.6	
1260.2	2258.9							
		q4-2	I	5.0	43.9	31.2	39.8	
418.9	734.9		J	5.0	43.9	31.2	39.8	
387.6	691.1							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-25.4	-19.9		J	0.4	-2.6	-1.9	-2.4	
-23.6	-17.2							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-21.9	-36.1		J	-0.2	-2.3	-1.6	-2.1	
-20.2	-33.9							
		q4-5	I	0.2	0.3	0.2	0.3	
2.9	4.0		J	0.2	0.3	0.2	0.3	
2.7	3.7							
		q4-6	I	0.3	0.5	0.3	0.4	
4.3	7.1		J	0.3	0.5	0.3	0.4	
4.0	6.6							
		q4-7	I	0.3	0.4	0.3	0.3	
3.4	5.5		J	0.3	0.4	0.3	0.3	
3.1	5.1							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
867.2	1792.1		J	39.5	93.3	66.3	84.6	
800.9	1698.8							
3457.0	-6045.1	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
3200.1	-5683.8		J	-30.5	-361.3	-256.9	-327.6	-
826.4	1686.9	q5 - p~3	I	31.7	88.4	62.9	80.2	
763.5	1598.5		J	31.7	88.4	62.9	80.2	
3273.0	-5626.1	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
3029.8	-5284.3		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
117.9	261.4	q7	I	4.4	12.6	9.0	11.4	
109.0	248.8		J	4.4	12.6	9.0	11.4	
8.2	16.4	T	I	-0.1	0.8	0.6	0.8	
7.6	15.6		J	-0.1	0.8	0.6	0.8	
1638.4	2237.5	M. tor~1	I	15.9	171.3	121.9	155.4	
1516.6	2066.2		J	15.9	171.3	121.9	155.4	
968.7	1322.9	M. tor~2	I	9.4	101.3	72.0	91.9	
896.6	1221.6		J	9.4	101.3	72.0	91.9	
5727.1	9347.6	INVSLU Max	I	-8966.2	504.4	358.7	457.4	
5389.0	8874.7		J	-8730.6	504.4	358.7	457.4	
5271.2	-11476.3	Min	I	-11847.1	-586.0	-416.8	-531.5	-
4874.8	-10922.3		J	-11611.5	-586.0	-416.8	-531.5	-
1004.4	15411.4	INVSLV Max	I	-6193.3	1631.9	904.5	911.2	1
0195.9	13929.1		J	-6018.8	1631.9	904.5	911.2	1
1404.7	-16610.2	Min	I	-7732.2	-1685.1	-942.3	-959.5	-1
0558.4	-15074.6		J	-7557.7	-1685.1	-942.3	-959.5	-1

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

4012.4	6522.2	INVSLE Max	I	-6644.2	349.6	248.6	317.0	
			J	-6469.7	349.6	248.6	317.0	
3779.0	6196.0	Min	I	-8773.0	-396.2	-281.8	-359.3	-
3541.5	-7876.9		J	-8598.5	-396.2	-281.8	-359.3	-
3274.8	-7504.5							
575	4	45 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1245.1	949.6		J	286.3	28.1	20.0	25.4	
1252.7	967.7	Min	I	-1786.5	-48.4	-34.4	-43.9	
-107.8	-2925.0		J	-1786.5	-48.4	-34.4	-43.9	
-101.8	-2921.3							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1190.9	1989.7		J	294.7	32.0	22.8	29.0	
1203.8	2001.2	Min	I	-1785.9	-50.2	-35.7	-45.5	
-73.9	-1953.7		J	-1785.9	-50.2	-35.7	-45.5	
-71.7	-1941.7							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
775.4	479.3		J	155.5	14.7	10.5	13.4	
778.6	488.1	Min	I	-1063.6	-26.2	-18.7	-23.8	
-59.2	-1638.2		J	-1063.6	-26.2	-18.7	-23.8	
-55.2	-1638.6							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
739.6	1090.2		J	160.6	17.1	12.2	15.5	
746.1	1097.8	Min	I	-1063.0	-27.2	-19.3	-24.6	
-39.6	-1055.0		J	-1063.0	-27.2	-19.3	-24.6	
-37.7	-1049.7							
		SLVx (RS)	I	-330.5	1292.5	-774.5	698.1	-
8655.3	11083.4		J	-330.5	1292.5	-774.5	698.1	-
7952.3	9876.4							
		SLVy (RS)	I	-146.1	-1024.7	-348.9	-680.2	-
3379.9	-10657.0		J	-146.1	-1024.7	-348.9	-680.2	-
3044.8	-9703.8							
		SLDx (RS)	I	-243.2	901.1	-539.8	490.4	-
6111.1	7730.3		J	-243.2	901.1	-539.8	490.4	-
5626.6	6893.4							
		SLDy (RS)	I	-106.0	-716.7	-246.0	-484.4	-
2384.1	-7538.9		J	-106.0	-716.7	-246.0	-484.4	-
2149.1	-6875.9							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2359.7	737.6	SLVz (RS)	I	626.5	-86.7	123.9	110.6	
			J	626.5	-86.7	123.9	110.6	
2258.9	793.6							
		G1	I	-4214.1	-27.8	-19.8	-25.2	
974.4	-530.3		J	-4039.6	-27.8	-19.8	-25.2	
994.2	-502.5							
		G2	I	-558.0	-10.1	-7.2	-9.2	
355.8	-194.0		J	-558.0	-10.1	-7.2	-9.2	
363.1	-183.9							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1106.6	110.9		J	-1476.1	8.3	5.9	7.5	-
1112.5	102.6							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-404.9	40.6		J	-540.0	3.0	2.2	2.8	
-407.0	37.5							
		q3	I	7.4	11.0	7.8	10.0	
92.3	191.2		J	7.4	11.0	7.8	10.0	
84.4	180.2							
		q4-1	I	7.2	141.8	100.9	128.6	
1260.2	2258.9		J	7.2	141.8	100.9	128.6	
1159.3	2117.1							
		q4-2	I	5.0	43.9	31.2	39.8	
387.6	691.1		J	5.0	43.9	31.2	39.8	
356.4	647.2							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-23.6	-17.2		J	0.4	-2.6	-1.9	-2.4	
-21.7	-14.6							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-20.2	-33.9		J	-0.2	-2.3	-1.6	-2.1	
-18.6	-31.6							
		q4-5	I	0.2	0.3	0.2	0.3	
2.7	3.7		J	0.2	0.3	0.2	0.3	
2.5	3.3							
		q4-6	I	0.3	0.5	0.3	0.4	
4.0	6.6		J	0.3	0.5	0.3	0.4	
3.7	6.1							
		q4-7	I	0.3	0.4	0.3	0.3	
3.1	5.1		J	0.3	0.4	0.3	0.3	
2.8	4.7							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
800.9	1698.8		J	39.5	93.3	66.3	84.6	
734.5	1605.5							
3200.1	-5683.8	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
2943.2	-5322.5		J	-30.5	-361.3	-256.9	-327.6	-
763.5	1598.5	q5 - p~3	I	31.7	88.4	62.9	80.2	
700.7	1510.1		J	31.7	88.4	62.9	80.2	
3029.8	-5284.3	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
2786.7	-4942.4		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
109.0	248.8	q7	I	4.4	12.6	9.0	11.4	
100.0	236.2		J	4.4	12.6	9.0	11.4	
7.6	15.6	T	I	-0.1	0.8	0.6	0.8	
7.0	14.7		J	-0.1	0.8	0.6	0.8	
1516.6	2066.2	M. tor~1	I	15.9	171.3	121.9	155.4	
1394.7	1894.8		J	15.9	171.3	121.9	155.4	
896.6	1221.6	M. tor~2	I	9.4	101.3	72.0	91.9	
824.6	1120.3		J	9.4	101.3	72.0	91.9	
5389.0	8874.7	INVSLU Max	I	-8730.6	504.4	358.7	457.4	
5051.1	8403.7		J	-8495.0	504.4	358.7	457.4	
4874.8	-10922.3	Min	I	-11611.5	-586.0	-416.8	-531.5	-
4478.8	-10373.6		J	-11375.9	-586.0	-416.8	-531.5	-
0195.9	13929.1	INVSLV Max	I	-6018.8	1599.3	897.4	911.2	1
9381.2	12479.5		J	-5844.3	1599.3	897.4	911.2	
0558.4	-15074.6	Min	I	-7557.7	-1652.5	-935.3	-959.5	-1
9705.8	-13571.8		J	-7383.2	-1652.5	-935.3	-959.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3779.0	6196.0	INVSLE	Max	I	-6469.7	349.6	248.6	317.0	
				J	-6295.2	349.6	248.6	317.0	
3545.8	5871.1		Min	I	-8598.5	-396.2	-281.8	-359.3	-
3274.8	-7504.5			J	-8424.0	-396.2	-281.8	-359.3	-
3008.5	-7136.0								
576	4	45	C1-C2;~1	Max	I	286.3	28.1	20.0	25.4
1252.7	967.7			J	286.3	28.1	20.0	25.4	
1261.8	989.2		Min	I	-1786.5	-48.4	-34.4	-43.9	
-101.8	-2921.3			J	-1786.5	-48.4	-34.4	-43.9	
-98.6	-2918.7								
			C3-C4;~1	Max	I	294.7	32.0	22.8	29.0
1203.8	2001.2			J	294.7	32.0	22.8	29.0	
1217.4	2015.1		Min	I	-1785.9	-50.2	-35.7	-45.5	
-71.7	-1941.7			J	-1785.9	-50.2	-35.7	-45.5	
-71.2	-1930.3								
			C1-C2;~2	Max	I	155.5	14.7	10.5	13.4
778.6	488.1			J	155.5	14.7	10.5	13.4	
782.5	498.7		Min	I	-1063.6	-26.2	-18.7	-23.8	
-55.2	-1638.6			J	-1063.6	-26.2	-18.7	-23.8	
-52.9	-1639.7								
			C3-C4;~2	Max	I	160.6	17.1	12.2	15.5
746.1	1097.8			J	160.6	17.1	12.2	15.5	
752.8	1106.4		Min	I	-1063.0	-27.2	-19.3	-24.6	
-37.7	-1049.7			J	-1063.0	-27.2	-19.3	-24.6	
-36.8	-1044.7								
			SLVx (RS)	I	-330.5	1267.2	-764.0	698.1	-
7952.3	9876.4			J	-330.5	1267.2	-764.0	698.1	-
7248.5	8708.6								
			SLVy (RS)	I	-146.1	-1014.3	-338.7	-680.2	-
3044.8	-9703.8			J	-146.1	-1014.3	-338.7	-680.2	-
2719.5	-8756.5								
			SLDx (RS)	I	-243.2	883.4	-533.3	490.4	-
5626.6	6893.4			J	-243.2	883.4	-533.3	490.4	-
5139.4	6084.3								
			SLDy (RS)	I	-106.0	-710.1	-238.9	-484.4	-
2149.1	-6875.9			J	-106.0	-710.1	-238.9	-484.4	-
1920.7	-6215.6								


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2258.9	793.6	SLVz (RS)	I	626.5	-68.9	150.0	110.6
			J	626.5	-68.9	150.0	110.6
2129.4	834.0						
		G1	I	-4039.6	-27.8	-19.8	-25.2
994.2	-502.5		J	-3865.1	-27.8	-19.8	-25.2
1014.0	-474.7						
		G2	I	-558.0	-10.1	-7.2	-9.2
363.1	-183.9		J	-558.0	-10.1	-7.2	-9.2
370.3	-173.7						
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5
1112.5	102.6		J	-1476.1	8.3	5.9	7.5
1118.4	94.3						
		G2- Imp~1	I	-540.0	3.0	2.2	2.8
-407.0	37.5		J	-540.0	3.0	2.2	2.8
-409.2	34.5						
		q3	I	7.4	11.0	7.8	10.0
84.4	180.2		J	7.4	11.0	7.8	10.0
76.6	169.2						
		q4-1	I	7.2	141.8	100.9	128.6
1159.3	2117.1		J	7.2	141.8	100.9	128.6
1058.5	1975.3						
		q4-2	I	5.0	43.9	31.2	39.8
356.4	647.2		J	5.0	43.9	31.2	39.8
325.2	603.3						
		q4-3	I	0.4	-2.6	-1.9	-2.4
-21.7	-14.6		J	0.4	-2.6	-1.9	-2.4
-19.9	-12.0						
		q4-4	I	-0.2	-2.3	-1.6	-2.1
-18.6	-31.6		J	-0.2	-2.3	-1.6	-2.1
-17.0	-29.3						
		q4-5	I	0.2	0.3	0.2	0.3
2.5	3.3		J	0.2	0.3	0.2	0.3
2.2	3.0						
		q4-6	I	0.3	0.5	0.3	0.4
3.7	6.1		J	0.3	0.5	0.3	0.4
3.3	5.7						
		q4-7	I	0.3	0.4	0.3	0.3
2.8	4.7		J	0.3	0.4	0.3	0.3
2.6	4.4						
		q5 - p~1	I	39.5	93.3	66.3	84.6

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
734.5	1605.5		J	39.5	93.3	66.3	84.6	
668.2	1512.3							
2943.2	-5322.5	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
2686.2	-4961.3		J	-30.5	-361.3	-256.9	-327.6	-
700.7	1510.1	q5 - p~3	I	31.7	88.4	62.9	80.2	
637.8	1421.7		J	31.7	88.4	62.9	80.2	
2786.7	-4942.4	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
2543.5	-4600.5		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
100.0	236.2	q7	I	4.4	12.6	9.0	11.4	
91.1	223.6		J	4.4	12.6	9.0	11.4	
7.0	14.7	T	I	-0.1	0.8	0.6	0.8	
6.4	13.9		J	-0.1	0.8	0.6	0.8	
1394.7	1894.8	M. tor~1	I	15.9	171.3	121.9	155.4	
1272.8	1723.5		J	15.9	171.3	121.9	155.4	
824.6	1120.3	M. tor~2	I	9.4	101.3	72.0	91.9	
752.5	1019.0		J	9.4	101.3	72.0	91.9	
5051.1	8403.7	INVSLU Max	I	-8495.0	504.4	358.7	457.4	
4713.9	7934.1		J	-8259.4	504.4	358.7	457.4	
4478.8	-10373.6	Min	I	-11375.9	-586.0	-416.8	-531.5	-
4085.0	-9825.6		J	-11140.3	-586.0	-416.8	-531.5	-
9381.2	12479.5	INVSLV Max	I	-5844.3	1565.5	891.7	911.2	
8559.8	11099.8		J	-5669.8	1565.5	891.7	911.2	
9705.8	-13571.8	Min	I	-7383.2	-1618.7	-929.6	-959.5	-
8846.5	-12138.8		J	-7208.7	-1618.7	-929.6	-959.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3545.8	5871.1	INVSLE	Max	I	-6295.2	349.6	248.6	317.0	
				J	-6120.7	349.6	248.6	317.0	
3313.2	5547.3		Min	I	-8424.0	-396.2	-281.8	-359.3	-
3008.5	-7136.0			J	-8249.5	-396.2	-281.8	-359.3	-
2743.7	-6768.0								
577	4	45	C1-C2;~1	Max	I	286.3	28.1	20.0	25.4
1261.8	989.2			J	286.3	28.1	20.0	25.4	
1272.5	1012.3		Min	I	-1786.5	-48.4	-34.4	-43.9	
-98.6	-2918.7			J	-1786.5	-48.4	-34.4	-43.9	
-100.6	-2917.0								
			C3-C4;~1	Max	I	294.7	32.0	22.8	29.0
1217.4	2015.1			J	294.7	32.0	22.8	29.0	
1232.2	2033.9		Min	I	-1785.9	-50.2	-35.7	-45.5	
-71.2	-1930.3			J	-1785.9	-50.2	-35.7	-45.5	
-75.6	-1920.7								
			C1-C2;~2	Max	I	155.5	14.7	10.5	13.4
782.5	498.7			J	155.5	14.7	10.5	13.4	
786.9	510.0		Min	I	-1063.6	-26.2	-18.7	-23.8	
-52.9	-1639.7			J	-1063.6	-26.2	-18.7	-23.8	
-53.9	-1641.1								
			C3-C4;~2	Max	I	160.6	17.1	12.2	15.5
752.8	1106.4			J	160.6	17.1	12.2	15.5	
760.0	1117.0		Min	I	-1063.0	-27.2	-19.3	-24.6	
-36.8	-1044.7			J	-1063.0	-27.2	-19.3	-24.6	
-39.1	-1040.4								
			SLVx (RS)	I	-330.5	1240.6	-755.4	698.1	-
7248.5	8708.6			J	-330.5	1240.6	-755.4	698.1	-
6542.9	7586.8								
			SLVy (RS)	I	-146.1	-1004.6	-328.0	-680.2	-
2719.5	-8756.5			J	-146.1	-1004.6	-328.0	-680.2	-
2404.3	-7816.0								
			SLDx (RS)	I	-243.2	864.8	-528.4	490.4	-
5139.4	6084.3			J	-243.2	864.8	-528.4	490.4	-
4648.8	5307.8								
			SLDy (RS)	I	-106.0	-704.2	-231.4	-484.4	-
1920.7	-6215.6			J	-106.0	-704.2	-231.4	-484.4	-
1699.3	-5558.4								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2129.4	834.0	SLVz (RS)	I	626.5	-52.6	173.6	110.6	
			J	626.5	-52.6	173.6	110.6	
1973.8	855.4							
		G1	I	-3865.1	-27.8	-19.8	-25.2	
1014.0	-474.7		J	-3690.6	-27.8	-19.8	-25.2	
1033.7	-446.9							
		G2	I	-558.0	-10.1	-7.2	-9.2	
370.3	-173.7		J	-558.0	-10.1	-7.2	-9.2	
377.5	-163.6							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1118.4	94.3		J	-1476.1	8.3	5.9	7.5	-
1124.3	86.0							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-409.2	34.5		J	-540.0	3.0	2.2	2.8	
-411.3	31.5							
		q3	I	7.4	11.0	7.8	10.0	
76.6	169.2		J	7.4	11.0	7.8	10.0	
68.8	158.2							
		q4-1	I	7.2	141.8	100.9	128.6	
1058.5	1975.3		J	7.2	141.8	100.9	128.6	
957.6	1833.4							
		q4-2	I	5.0	43.9	31.2	39.8	
325.2	603.3		J	5.0	43.9	31.2	39.8	
294.0	559.4							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-19.9	-12.0		J	0.4	-2.6	-1.9	-2.4	
-18.0	-9.4							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-17.0	-29.3		J	-0.2	-2.3	-1.6	-2.1	
-15.3	-27.0							
		q4-5	I	0.2	0.3	0.2	0.3	
2.2	3.0		J	0.2	0.3	0.2	0.3	
2.0	2.7							
		q4-6	I	0.3	0.5	0.3	0.4	
3.3	5.7		J	0.3	0.5	0.3	0.4	
3.0	5.2							
		q4-7	I	0.3	0.4	0.3	0.3	
2.6	4.4		J	0.3	0.4	0.3	0.3	
2.3	4.0							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
668.2	1512.3		J	39.5	93.3	66.3	84.6	
601.9	1419.0							
2686.2	-4961.3	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
2429.3	-4600.0		J	-30.5	-361.3	-256.9	-327.6	-
637.8	1421.7	q5 - p~3	I	31.7	88.4	62.9	80.2	
575.0	1333.3		J	31.7	88.4	62.9	80.2	
2543.5	-4600.5	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
2300.4	-4258.6		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
91.1	223.6	q7	I	4.4	12.6	9.0	11.4	
82.1	211.0		J	4.4	12.6	9.0	11.4	
6.4	13.9	T	I	-0.1	0.8	0.6	0.8	
5.8	13.0		J	-0.1	0.8	0.6	0.8	
1272.8	1723.5	M. tor~1	I	15.9	171.3	121.9	155.4	
1151.0	1552.2		J	15.9	171.3	121.9	155.4	
752.5	1019.0	M. tor~2	I	9.4	101.3	72.0	91.9	
680.5	917.7		J	9.4	101.3	72.0	91.9	
4713.9	7934.1	INVSLU Max	I	-8259.4	504.4	358.7	457.4	
4377.7	7467.0		J	-8023.9	504.4	358.7	457.4	
4085.0	-9825.6	Min	I	-11140.3	-586.0	-416.8	-531.5	-
3695.6	-9278.2		J	-10904.8	-586.0	-416.8	-531.5	-
8559.8	11099.8	INVSLV Max	I	-5669.8	1531.2	887.0	911.2	
7731.9	9855.7		J	-5495.3	1531.2	887.0	911.2	
8846.5	-12138.8	Min	I	-7208.7	-1584.4	-924.8	-959.5	-
7980.8	-10841.6		J	-7034.2	-1584.4	-924.8	-959.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3313.2	5547.3	INVSLE	Max	I	-6120.7	349.6	248.6	317.0	
				J	-5946.2	349.6	248.6	317.0	
3081.1	5225.3		Min	I	-8249.5	-396.2	-281.8	-359.3	-
2743.7	-6768.0			J	-8075.0	-396.2	-281.8	-359.3	-
2482.3	-6400.4								
578	4	45 C1-C2;~1	Max	I	286.3	28.1	20.0	25.4	
1272.5	1012.3			J	286.3	28.1	20.0	25.4	
1284.8	1036.1		Min	I	-1786.5	-48.4	-34.4	-43.9	
-100.6	-2917.0			J	-1786.5	-48.4	-34.4	-43.9	
-107.2	-2915.9								
		C3-C4;~1	Max	I	294.7	32.0	22.8	29.0	
1232.2	2033.9			J	294.7	32.0	22.8	29.0	
1248.5	2055.9		Min	I	-1785.9	-50.2	-35.7	-45.5	
-75.6	-1920.7			J	-1785.9	-50.2	-35.7	-45.5	
-85.8	-1916.1								
		C1-C2;~2	Max	I	155.5	14.7	10.5	13.4	
786.9	510.0			J	155.5	14.7	10.5	13.4	
792.0	521.5		Min	I	-1063.6	-26.2	-18.7	-23.8	
-53.9	-1641.1			J	-1063.6	-26.2	-18.7	-23.8	
-57.8	-1642.9								
		C3-C4;~2	Max	I	160.6	17.1	12.2	15.5	
760.0	1117.0			J	160.6	17.1	12.2	15.5	
767.8	1128.9		Min	I	-1063.0	-27.2	-19.3	-24.6	
-39.1	-1040.4			J	-1063.0	-27.2	-19.3	-24.6	
-45.3	-1039.5								
		SLVx (RS)		I	-330.5	1212.9	-748.3	698.1	-
6542.9	7586.8			J	-330.5	1212.9	-748.3	698.1	-
5835.4	6521.2								
		SLVy (RS)		I	-146.1	-995.4	-316.8	-680.2	-
2404.3	-7816.0			J	-146.1	-995.4	-316.8	-680.2	-
2099.9	-6883.9								
		SLDx (RS)		I	-243.2	845.5	-524.8	490.4	-
4648.8	5307.8			J	-243.2	845.5	-524.8	490.4	-
4154.7	4571.2								
		SLDy (RS)		I	-106.0	-698.8	-223.7	-484.4	-
1699.3	-5558.4			J	-106.0	-698.8	-223.7	-484.4	-
1485.1	-4905.4								

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1973.8	855.4	SLVz (RS)	I	626.5	42.9	194.5	110.6	
			J	626.5	42.9	194.5	110.6	
1794.7	856.1							
		G1	I	-3690.6	-27.8	-19.8	-25.2	
1033.7	-446.9		J	-3516.1	-27.8	-19.8	-25.2	
1053.5	-419.1							
		G2	I	-558.0	-10.1	-7.2	-9.2	
377.5	-163.6		J	-558.0	-10.1	-7.2	-9.2	
384.7	-153.4							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1124.3	86.0		J	-1476.1	8.3	5.9	7.5	-
1130.2	77.7							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-411.3	31.5		J	-540.0	3.0	2.2	2.8	
-413.5	28.4							
		q3	I	7.4	11.0	7.8	10.0	
68.8	158.2		J	7.4	11.0	7.8	10.0	
61.0	147.2							
		q4-1	I	7.2	141.8	100.9	128.6	
957.6	1833.4		J	7.2	141.8	100.9	128.6	
856.7	1691.6							
		q4-2	I	5.0	43.9	31.2	39.8	
294.0	559.4		J	5.0	43.9	31.2	39.8	
262.8	515.5							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-18.0	-9.4		J	0.4	-2.6	-1.9	-2.4	
-16.2	-6.8							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-15.3	-27.0		J	-0.2	-2.3	-1.6	-2.1	
-13.7	-24.7							
		q4-5	I	0.2	0.3	0.2	0.3	
2.0	2.7		J	0.2	0.3	0.2	0.3	
1.8	2.4							
		q4-6	I	0.3	0.5	0.3	0.4	
3.0	5.2		J	0.3	0.5	0.3	0.4	
2.6	4.7							
		q4-7	I	0.3	0.4	0.3	0.3	
2.3	4.0		J	0.3	0.4	0.3	0.3	
2.0	3.6							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
601.9	1419.0		J	39.5	93.3	66.3	84.6	
535.5	1325.7							
2429.3	-4600.0	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
2172.4	-4238.7		J	-30.5	-361.3	-256.9	-327.6	-
575.0	1333.3	q5 - p~3	I	31.7	88.4	62.9	80.2	
512.1	1244.9		J	31.7	88.4	62.9	80.2	
2300.4	-4258.6	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
2057.2	-3916.7		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
82.1	211.0	q7	I	4.4	12.6	9.0	11.4	
73.1	198.4		J	4.4	12.6	9.0	11.4	
5.8	13.0	T	I	-0.1	0.8	0.6	0.8	
5.2	12.2		J	-0.1	0.8	0.6	0.8	
1151.0	1552.2	M. tor~1	I	15.9	171.3	121.9	155.4	
1029.1	1380.8		J	15.9	171.3	121.9	155.4	
680.5	917.7	M. tor~2	I	9.4	101.3	72.0	91.9	
608.4	816.4		J	9.4	101.3	72.0	91.9	
4377.7	7467.0	INVSLU Max	I	-8023.9	504.4	358.7	457.4	
4042.2	7001.7		J	-7788.3	504.4	358.7	457.4	
3695.6	-9278.2	Min	I	-10904.8	-586.0	-416.8	-531.5	-
3310.2	-8731.2		J	-10669.2	-586.0	-416.8	-531.5	-
7731.9	9855.7	INVSLV Max	I	-5495.3	1497.8	882.7	911.2	
6898.2	8630.7		J	-5320.8	1497.8	882.7	911.2	
7980.8	-10841.6	Min	I	-7034.2	-1551.0	-920.6	-959.5	-
7109.3	-9563.4		J	-6859.7	-1551.0	-920.6	-959.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3081.1	5225.3	INVSLE	Max	I	-5946.2	349.6	248.6	317.0	
				J	-5771.7	349.6	248.6	317.0	
2849.8	4904.7		Min	I	-8075.0	-396.2	-281.8	-359.3	-
2482.3	-6400.4			J	-7900.5	-396.2	-281.8	-359.3	-
2223.8	-6033.2								
579	4	45	C1-C2;~1	Max	I	286.3	28.1	20.0	25.4
1284.8	1036.1			J	286.3	28.1	20.0	25.4	
1298.3	1060.9		Min	I	-1786.5	-48.4	-34.4	-43.9	
-107.2	-2915.9			J	-1786.5	-48.4	-34.4	-43.9	
-116.2	-2915.5								
			C3-C4;~1	Max	I	294.7	32.0	22.8	29.0
1248.5	2055.9			J	294.7	32.0	22.8	29.0	
1266.4	2080.0		Min	I	-1785.9	-50.2	-35.7	-45.5	
-85.8	-1916.1			J	-1785.9	-50.2	-35.7	-45.5	
-98.6	-1914.0								
			C1-C2;~2	Max	I	155.5	14.7	10.5	13.4
792.0	521.5			J	155.5	14.7	10.5	13.4	
797.6	533.5		Min	I	-1063.6	-26.2	-18.7	-23.8	
-57.8	-1642.9			J	-1063.6	-26.2	-18.7	-23.8	
-63.1	-1644.9								
			C3-C4;~2	Max	I	160.6	17.1	12.2	15.5
767.8	1128.9			J	160.6	17.1	12.2	15.5	
776.2	1141.6		Min	I	-1063.0	-27.2	-19.3	-24.6	
-45.3	-1039.5			J	-1063.0	-27.2	-19.3	-24.6	
-52.9	-1040.0								
			SLVx (RS)	I	-330.5	1183.9	-742.0	698.1	-
5835.4	6521.2			J	-330.5	1183.9	-742.0	698.1	-
5126.2	5527.2								
			SLVy (RS)	I	-146.1	-986.5	-305.2	-680.2	-
2099.9	-6883.9			J	-146.1	-986.5	-305.2	-680.2	-
1806.5	-5963.3								
			SLDx (RS)	I	-243.2	825.4	-521.9	490.4	-
4154.7	4571.2			J	-243.2	825.4	-521.9	490.4	-
3657.2	3885.2								
			SLDy (RS)	I	-106.0	-693.6	-215.6	-484.4	-
1485.1	-4905.4			J	-106.0	-693.6	-215.6	-484.4	-
1278.6	-4258.7								


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1794.7	856.1	SLVz (RS)	I	626.5	45.6	212.9	110.6	
			J	626.5	45.6	212.9	110.6	
1595.0	835.6							
		G1	I	-3516.1	-27.8	-19.8	-25.2	
1053.5	-419.1		J	-3341.6	-27.8	-19.8	-25.2	
1073.3	-391.3							
		G2	I	-558.0	-10.1	-7.2	-9.2	
384.7	-153.4		J	-558.0	-10.1	-7.2	-9.2	
391.9	-143.3							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1130.2	77.7		J	-1476.1	8.3	5.9	7.5	-
1136.1	69.4							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-413.5	28.4		J	-540.0	3.0	2.2	2.8	
-415.7	25.4							
		q3	I	7.4	11.0	7.8	10.0	
61.0	147.2		J	7.4	11.0	7.8	10.0	
53.2	136.2							
		q4-1	I	7.2	141.8	100.9	128.6	
856.7	1691.6		J	7.2	141.8	100.9	128.6	
755.8	1549.8							
		q4-2	I	5.0	43.9	31.2	39.8	
262.8	515.5		J	5.0	43.9	31.2	39.8	
231.6	471.7							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-16.2	-6.8		J	0.4	-2.6	-1.9	-2.4	
-14.3	-4.2							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-13.7	-24.7		J	-0.2	-2.3	-1.6	-2.1	
-12.1	-22.4							
		q4-5	I	0.2	0.3	0.2	0.3	
1.8	2.4		J	0.2	0.3	0.2	0.3	
1.5	2.0							
		q4-6	I	0.3	0.5	0.3	0.4	
2.6	4.7		J	0.3	0.5	0.3	0.4	
2.3	4.2							
		q4-7	I	0.3	0.4	0.3	0.3	
2.0	3.6		J	0.3	0.4	0.3	0.3	
1.8	3.2							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
535.5	1325.7		J	39.5	93.3	66.3	84.6	
469.2	1232.5							
2172.4	-4238.7	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
1915.4	-3877.5		J	-30.5	-361.3	-256.9	-327.6	-
512.1	1244.9	q5 - p~3	I	31.7	88.4	62.9	80.2	
449.2	1156.5		J	31.7	88.4	62.9	80.2	
2057.2	-3916.7	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
1814.1	-3574.8		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
73.1	198.4	q7	I	4.4	12.6	9.0	11.4	
64.2	185.8		J	4.4	12.6	9.0	11.4	
5.2	12.2	T	I	-0.1	0.8	0.6	0.8	
4.6	11.3		J	-0.1	0.8	0.6	0.8	
1029.1	1380.8	M. tor~1	I	15.9	171.3	121.9	155.4	
907.3	1209.5		J	15.9	171.3	121.9	155.4	
608.4	816.4	M. tor~2	I	9.4	101.3	72.0	91.9	
536.4	715.1		J	9.4	101.3	72.0	91.9	
4042.2	7001.7	INVSLU Max	I	-7788.3	504.4	358.7	457.4	
3707.5	6537.5		J	-7552.7	504.4	358.7	457.4	
3310.2	-8731.2	Min	I	-10669.2	-586.0	-416.8	-531.5	-
2926.6	-8184.5		J	-10433.6	-586.0	-416.8	-531.5	-
6898.2	8630.7	INVSLV Max	I	-5320.8	1466.9	878.5	911.2	
6060.1	7432.4		J	-5146.3	1466.9	878.5	911.2	
7109.3	-9563.4	Min	I	-6859.7	-1520.1	-916.3	-959.5	-
6233.3	-8311.8		J	-6685.2	-1520.1	-916.3	-959.5	-


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


2849.8	4904.7	INVSLE	Max	I	-5771.7	349.6	248.6	317.0	
				J	-5597.2	349.6	248.6	317.0	
2618.9	4584.9		Min	I	-7900.5	-396.2	-281.8	-359.3	-
2223.8	-6033.2			J	-7726.0	-396.2	-281.8	-359.3	-
1966.6	-5688.5								
580	4	45	C1-C2;~1	Max	I	356.8	95.8	73.1	175.5
1279.6	1605.8			J	356.8	95.8	73.1	175.5	
1206.5	1573.7		Min	I	-3244.7	-66.0	-50.4	-120.9	
-881.8	-4169.8			J	-3244.7	-66.0	-50.4	-120.9	
-831.4	-4176.6								
			C3-C4;~1	Max	I	366.2	96.8	73.9	177.3
1292.9	2912.2			J	366.2	96.8	73.9	177.3	
1219.0	2898.9		Min	I	-3253.0	-72.9	-55.6	-133.4	
-972.7	-2945.9			J	-3253.0	-72.9	-55.6	-133.4	
-917.1	-2948.6								
			C1-C2;~2	Max	I	194.0	51.5	39.3	94.2
687.1	749.3			J	194.0	51.5	39.3	94.2	
647.9	736.3		Min	I	-1647.1	-34.6	-26.4	-63.4	
-462.1	-2074.2			J	-1647.1	-34.6	-26.4	-63.4	
-435.7	-2077.2								
			C3-C4;~2	Max	I	199.7	51.3	39.1	93.9
684.5	1446.2			J	199.7	51.3	39.1	93.9	
645.4	1442.0		Min	I	-1651.3	-38.5	-29.4	-70.6	
-514.5	-1410.6			J	-1651.3	-38.5	-29.4	-70.6	
-485.1	-1410.2								
			SLVx (RS)	I	-441.2	891.9	-619.4	-973.4	-
8150.4	-9683.5			J	-441.2	891.9	-619.4	-973.4	-
7686.5	-8942.0								
			SLVy (RS)	I	-182.1	-1025.7	647.8	-941.2	-
6390.9	-12695.7			J	-182.1	-1025.7	647.8	-941.2	-
5823.1	-11783.9								
			SLDx (RS)	I	-326.0	627.6	-432.1	-695.8	-
5681.9	-6719.4			J	-326.0	627.6	-432.1	-695.8	-
5371.2	-6205.6								
			SLDy (RS)	I	-134.2	-717.4	456.5	-672.3	-
4534.3	-8906.7			J	-134.2	-717.4	456.5	-672.3	-
4139.4	-8277.1								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
126.0	301.7	SLVz (RS)	I	1081.2	-79.2	-32.4	-115.0
			J	1081.2	-79.2	-32.4	-115.0
141.5	320.9						
598.9	-1157.8	G1	I	-8293.5	44.9	34.2	82.1
			J	-8119.0	44.9	34.2	82.1
564.7	-1202.7						
218.8	-423.3	G2	I	-1827.0	16.4	12.5	30.0
			J	-1827.0	16.4	12.5	30.0
206.3	-439.7						
-162.3	-225.0	G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
			J	0.0	-12.2	-9.3	-22.3
-153.1	-212.8						
-59.4	-82.3	G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
			J	0.0	-4.4	-3.4	-8.1
-56.0	-77.9						
569.1	859.8	q3	I	-10.0	42.6	32.5	78.0
			J	-10.0	42.6	32.5	78.0
536.6	817.1						
406.1	662.8	q4-1	I	-16.2	30.4	23.2	55.7
			J	-16.2	30.4	23.2	55.7
382.9	632.4						
870.6	1409.2	q4-2	I	-6.8	65.2	49.7	119.4
			J	-6.8	65.2	49.7	119.4
820.9	1344.0						
302.2	469.2	q4-3	I	4.0	22.6	17.3	41.4
			J	4.0	22.6	17.3	41.4
284.9	446.6						
-25.6	-24.8	q4-4	I	1.0	-1.9	-1.5	-3.5
			J	1.0	-1.9	-1.5	-3.5
-24.1	-22.9						
-9.9	-15.2	q4-5	I	-1.2	-0.7	-0.6	-1.4
			J	-1.2	-0.7	-0.6	-1.4
-9.3	-14.4						
3.1	3.9	q4-6	I	-1.3	0.2	0.2	0.4
			J	-1.3	0.2	0.2	0.4
2.9	3.7						
2.0	2.6	q4-7	I	-1.3	0.1	0.1	0.3
			J	-1.3	0.1	0.1	0.3
1.8	2.4						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
5318.8	8149.8		J	36.7	398.4	303.9	729.4	
5014.8	7751.4							
5325.8	-8062.8	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
5021.4	-7663.9		J	22.5	-398.9	-304.3	-730.4	-
5038.6	7653.7	q5 - p~3	I	35.5	377.4	287.9	691.0	
4750.7	7276.3		J	35.5	377.4	287.9	691.0	
5053.4	-7462.7	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
4764.7	-7084.2		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1037.9	1543.7	q7	I	3.8	77.7	59.3	142.3	
978.5	1466.0		J	3.8	77.7	59.3	142.3	
-16.7	-22.2	T	I	1.1	-1.3	-1.0	-2.3	
-15.7	-21.0		J	1.1	-1.3	-1.0	-2.3	
1184.8	1451.8	M. tor~1	I	-31.8	88.7	67.7	162.5	
1117.1	1363.0		J	-31.8	88.7	67.7	162.5	
700.5	858.3	M. tor~2	I	-18.8	52.5	40.0	96.1	
660.5	805.8		J	-18.8	52.5	40.0	96.1	
9324.4	10899.5	INVSLU Max	I	-13134.3	698.4	532.8	1278.8	
8791.5	10266.6		J	-12898.7	698.4	532.8	1278.8	
7482.2	-16846.0	Min	I	-18087.9	-560.4	-427.6	-1026.1	-
7054.6	-16343.3		J	-17852.3	-560.4	-427.6	-1026.1	-
0701.4	13802.8	INVSLV Max	I	-8852.2	1361.6	877.4	1372.0	1
0037.8	12629.7		J	-8677.7	1361.6	877.4	1372.0	1
9509.5	-17579.7	Min	I	-11388.6	-1272.3	-809.3	-1208.6	-
8913.9	-16495.8		J	-11214.1	-1272.3	-809.3	-1208.6	-


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


6346.5	7224.8	INVSLE Max	I	-9731.5	475.4	362.7	870.4	
			J	-9557.0	475.4	362.7	870.4	
5983.9	6797.8	Min	I	-13396.1	-373.2	-284.7	-683.2	-
4982.0	-11629.6		J	-13221.6	-373.2	-284.7	-683.2	-
4697.3	-11299.1							
581	4	45 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
1206.5	1573.7		J	356.8	95.8	73.1	175.5	
1133.4	1549.0	Min	I	-3244.7	-66.0	-50.4	-120.9	
-831.4	-4176.6		J	-3244.7	-66.0	-50.4	-120.9	
-781.0	-4185.6							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
1219.0	2898.9		J	366.2	96.8	73.9	177.3	
1145.2	2885.6	Min	I	-3253.0	-72.9	-55.6	-133.4	
-917.1	-2948.6		J	-3253.0	-72.9	-55.6	-133.4	
-861.5	-2954.7							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
647.9	736.3		J	194.0	51.5	39.3	94.2	
608.6	726.3	Min	I	-1647.1	-34.6	-26.4	-63.4	
-435.7	-2077.2		J	-1647.1	-34.6	-26.4	-63.4	
-409.3	-2081.2							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
645.4	1442.0		J	199.7	51.3	39.1	93.9	
606.3	1437.8	Min	I	-1651.3	-38.5	-29.4	-70.6	
-485.1	-1410.2		J	-1651.3	-38.5	-29.4	-70.6	
-455.7	-1412.4							
		SLVx (RS)	I	-441.2	871.5	-597.2	-973.4	-
7686.5	-8942.0		J	-441.2	871.5	-597.2	-973.4	-
7230.9	-8235.3							
		SLVy (RS)	I	-182.1	-1003.0	624.1	-941.2	-
5823.1	-11783.9		J	-182.1	-1003.0	624.1	-941.2	-
5279.2	-10893.9							
		SLDx (RS)	I	-326.0	612.7	-415.6	-695.8	-
5371.2	-6205.6		J	-326.0	612.7	-415.6	-695.8	-
5065.7	-5717.6							
		SLDy (RS)	I	-134.2	-700.9	439.6	-672.3	-
4139.4	-8277.1		J	-134.2	-700.9	439.6	-672.3	-
3761.1	-7662.7							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
141.5	320.9	SLVz (RS)	I	1081.2	79.2	-28.7	-115.0
			J	1081.2	79.2	-28.7	-115.0
156.8	352.6						
564.7	-1202.7	G1	I	-8119.0	44.9	34.2	82.1
			J	-7944.5	44.9	34.2	82.1
530.5	-1247.6						
206.3	-439.7	G2	I	-1827.0	16.4	12.5	30.0
			J	-1827.0	16.4	12.5	30.0
193.8	-456.0						
-153.1	-212.8	G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
			J	0.0	-12.2	-9.3	-22.3
-143.8	-200.7						
-56.0	-77.9	G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
			J	0.0	-4.4	-3.4	-8.1
-52.6	-73.4						
536.6	817.1	q3	I	-10.0	42.6	32.5	78.0
			J	-10.0	42.6	32.5	78.0
504.0	774.5						
382.9	632.4	q4-1	I	-16.2	30.4	23.2	55.7
			J	-16.2	30.4	23.2	55.7
359.7	602.0						
820.9	1344.0	q4-2	I	-6.8	65.2	49.7	119.4
			J	-6.8	65.2	49.7	119.4
771.1	1278.7						
284.9	446.6	q4-3	I	4.0	22.6	17.3	41.4
			J	4.0	22.6	17.3	41.4
267.7	423.9						
-24.1	-22.9	q4-4	I	1.0	-1.9	-1.5	-3.5
			J	1.0	-1.9	-1.5	-3.5
-22.6	-21.0						
-9.3	-14.4	q4-5	I	-1.2	-0.7	-0.6	-1.4
			J	-1.2	-0.7	-0.6	-1.4
-8.7	-13.7						
2.9	3.7	q4-6	I	-1.3	0.2	0.2	0.4
			J	-1.3	0.2	0.2	0.4
2.8	3.4						
1.8	2.4	q4-7	I	-1.3	0.1	0.1	0.3
			J	-1.3	0.1	0.1	0.3
1.7	2.3						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
5014.8	7751.4		J	36.7	398.4	303.9	729.4	
4710.9	7353.0							
5021.4	-7663.9	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
4717.1	-7265.0		J	22.5	-398.9	-304.3	-730.4	-
4750.7	7276.3	q5 - p~3	I	35.5	377.4	287.9	691.0	
4462.8	6898.9		J	35.5	377.4	287.9	691.0	
4764.7	-7084.2	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
4475.9	-6705.6		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
978.5	1466.0	q7	I	3.8	77.7	59.3	142.3	
919.2	1388.2		J	3.8	77.7	59.3	142.3	
-15.7	-21.0	T	I	1.1	-1.3	-1.0	-2.3	
-14.8	-19.7		J	1.1	-1.3	-1.0	-2.3	
1117.1	1363.0	M. tor~1	I	-31.8	88.7	67.7	162.5	
1049.4	1274.3		J	-31.8	88.7	67.7	162.5	
660.5	805.8	M. tor~2	I	-18.8	52.5	40.0	96.1	
620.4	753.4		J	-18.8	52.5	40.0	96.1	
8791.5	10266.6	INVSLU Max	I	-12898.7	698.4	532.8	1278.8	
8258.7	9633.6		J	-12663.2	698.4	532.8	1278.8	
7054.6	-16343.3	Min	I	-17852.3	-560.4	-427.6	-1026.1	-
6627.1	-15842.1		J	-17616.8	-560.4	-427.6	-1026.1	-
0037.8	12629.7	INVSLV Max	I	-8677.7	1332.8	845.9	1372.0	1
9389.5	11492.6		J	-8503.2	1332.8	845.9	1372.0	
8913.9	-16495.8	Min	I	-11214.1	-1243.5	-777.8	-1208.6	-
8333.8	-15448.0		J	-11039.6	-1243.5	-777.8	-1208.6	-

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

5983.9	6797.8	INVSLE Max	I	-9557.0	475.4	362.7	870.4	
			J	-9382.5	475.4	362.7	870.4	
5621.2	6370.8	Min	I	-13221.6	-373.2	-284.7	-683.2	-
4697.3	-11299.1		J	-13047.1	-373.2	-284.7	-683.2	-
4412.6	-10969.6							
582	4	45 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
1133.4	1549.0		J	356.8	95.8	73.1	175.5	
1060.2	1528.6	Min	I	-3244.7	-66.0	-50.4	-120.9	
-781.0	-4185.6		J	-3244.7	-66.0	-50.4	-120.9	
-730.6	-4198.6							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
1145.2	2885.6		J	366.2	96.8	73.9	177.3	
1071.3	2872.2	Min	I	-3253.0	-72.9	-55.6	-133.4	
-861.5	-2954.7		J	-3253.0	-72.9	-55.6	-133.4	
-805.9	-2975.3							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
608.6	726.3		J	194.0	51.5	39.3	94.2	
569.3	718.0	Min	I	-1647.1	-34.6	-26.4	-63.4	
-409.3	-2081.2		J	-1647.1	-34.6	-26.4	-63.4	
-382.9	-2087.8							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
606.3	1437.8		J	199.7	51.3	39.1	93.9	
567.2	1433.6	Min	I	-1651.3	-38.5	-29.4	-70.6	
-455.7	-1412.4		J	-1651.3	-38.5	-29.4	-70.6	
-426.3	-1425.4							
		SLVx (RS)	I	-441.2	849.9	-576.7	-973.4	-
7230.9	-8235.3		J	-441.2	849.9	-576.7	-973.4	-
6780.3	-7567.0							
		SLVy (RS)	I	-182.1	-980.3	599.6	-941.2	-
5279.2	-10893.9		J	-182.1	-980.3	599.6	-941.2	-
4760.3	-10026.4							
		SLDx (RS)	I	-326.0	596.8	-400.5	-695.8	-
5065.7	-5717.6		J	-326.0	596.8	-400.5	-695.8	-
4762.5	-5257.7							
		SLDy (RS)	I	-134.2	-684.6	422.4	-672.3	-
3761.1	-7662.7		J	-134.2	-684.6	422.4	-672.3	-
3399.7	-7063.8							


MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
156.8	352.6	SLVz (RS)	I	1081.2	77.8	-24.0	-115.0
169.3	393.6		J	1081.2	77.8	-24.0	-115.0
530.5	-1247.6	G1	I	-7944.5	44.9	34.2	82.1
496.3	-1292.4		J	-7770.0	44.9	34.2	82.1
193.8	-456.0	G2	I	-1827.0	16.4	12.5	30.0
181.3	-472.4		J	-1827.0	16.4	12.5	30.0
-143.8	-200.7	G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-134.5	-188.5		J	0.0	-12.2	-9.3	-22.3
-52.6	-73.4	G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-49.2	-69.0		J	0.0	-4.4	-3.4	-8.1
504.0	774.5	q3	I	-10.0	42.6	32.5	78.0
471.5	731.9		J	-10.0	42.6	32.5	78.0
359.7	602.0	q4-1	I	-16.2	30.4	23.2	55.7
336.5	571.5		J	-16.2	30.4	23.2	55.7
771.1	1278.7	q4-2	I	-6.8	65.2	49.7	119.4
721.4	1213.5		J	-6.8	65.2	49.7	119.4
267.7	423.9	q4-3	I	4.0	22.6	17.3	41.4
250.4	401.3		J	4.0	22.6	17.3	41.4
-22.6	-21.0	q4-4	I	1.0	-1.9	-1.5	-3.5
-21.2	-19.1		J	1.0	-1.9	-1.5	-3.5
-8.7	-13.7	q4-5	I	-1.2	-0.7	-0.6	-1.4
-8.2	-12.9		J	-1.2	-0.7	-0.6	-1.4
2.8	3.4	q4-6	I	-1.3	0.2	0.2	0.4
2.6	3.2		J	-1.3	0.2	0.2	0.4
1.7	2.3	q4-7	I	-1.3	0.1	0.1	0.3
1.6	2.1		J	-1.3	0.1	0.1	0.3
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
4710.9	7353.0		J	36.7	398.4	303.9	729.4	
4407.0	6954.6							
4717.1	-7265.0	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
4412.8	-6866.1		J	22.5	-398.9	-304.3	-730.4	-
4462.8	6898.9	q5 - p~3	I	35.5	377.4	287.9	691.0	
4174.9	6521.5		J	35.5	377.4	287.9	691.0	
4475.9	-6705.6	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
4187.1	-6327.1		J	18.2	-378.5	-288.8	-693.0	-
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		q7	I	3.8	77.7	59.3	142.3	
919.2	1388.2		J	3.8	77.7	59.3	142.3	
859.9	1310.5							
		T	I	1.1	-1.3	-1.0	-2.3	
-14.8	-19.7		J	1.1	-1.3	-1.0	-2.3	
		M. tor~1	I	-31.8	88.7	67.7	162.5	
1049.4	1274.3		J	-31.8	88.7	67.7	162.5	
981.7	1185.5							
		M. tor~2	I	-18.8	52.5	40.0	96.1	
620.4	753.4		J	-18.8	52.5	40.0	96.1	
580.4	700.9							
		INVSLU Max	I	-12663.2	698.4	532.8	1278.8	
8258.7	9633.6		J	-12427.6	698.4	532.8	1278.8	
7725.9	9000.7	Min	I	-17616.8	-560.4	-427.6	-1026.1	-
6627.1	-15842.1		J	-17381.2	-560.4	-427.6	-1026.1	-
6199.5	-15344.2							
		INVSLV Max	I	-8503.2	1303.3	813.8	1372.0	
9389.5	11492.6		J	-8328.7	1303.3	813.8	1372.0	
8753.0	10392.3	Min	I	-11039.6	-1214.0	-745.7	-1208.6	-
8333.8	-15448.0		J	-10865.1	-1214.0	-745.7	-1208.6	-
7765.4	-14437.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5621.2	6370.8	INVSLE	Max	I	-9382.5	475.4	362.7	870.4	
				J	-9208.0	475.4	362.7	870.4	
5258.6	5943.8		Min	I	-13047.1	-373.2	-284.7	-683.2	-
4412.6	-10969.6			J	-12872.6	-373.2	-284.7	-683.2	-
4127.9	-10642.7								
583	4	45	C1-C2;~1	Max	I	356.8	95.8	73.1	175.5
1060.2	1528.6			J	356.8	95.8	73.1	175.5	
987.1	1512.0		Min	I	-3244.7	-66.0	-50.4	-120.9	
-730.6	-4198.6			J	-3244.7	-66.0	-50.4	-120.9	
-680.2	-4232.8								
			C3-C4;~1	Max	I	366.2	96.8	73.9	177.3
1071.3	2872.2			J	366.2	96.8	73.9	177.3	
997.4	2859.0		Min	I	-3253.0	-72.9	-55.6	-133.4	
-805.9	-2975.3			J	-3253.0	-72.9	-55.6	-133.4	
-750.3	-3000.9								
			C1-C2;~2	Max	I	194.0	51.5	39.3	94.2
569.3	718.0			J	194.0	51.5	39.3	94.2	
530.1	711.1		Min	I	-1647.1	-34.6	-26.4	-63.4	
-382.9	-2087.8			J	-1647.1	-34.6	-26.4	-63.4	
-356.5	-2109.9								
			C3-C4;~2	Max	I	199.7	51.3	39.1	93.9
567.2	1433.6			J	199.7	51.3	39.1	93.9	
528.0	1429.5		Min	I	-1651.3	-38.5	-29.4	-70.6	
-426.3	-1425.4			J	-1651.3	-38.5	-29.4	-70.6	
-396.9	-1442.2								
			SLVx (RS)	I	-441.2	827.0	-558.5	-973.4	-
6780.3	-7567.0			J	-441.2	827.0	-558.5	-973.4	-
6331.7	-6941.0								
			SLVy (RS)	I	-182.1	-957.8	574.2	-941.2	-
4760.3	-10026.4			J	-182.1	-957.8	574.2	-941.2	-
4267.7	-9182.4								
			SLDx (RS)	I	-326.0	580.1	-387.4	-695.8	-
4762.5	-5257.7			J	-326.0	580.1	-387.4	-695.8	-
4459.2	-4828.7								
			SLDy (RS)	I	-134.2	-668.7	404.8	-672.3	-
3399.7	-7063.8			J	-134.2	-668.7	404.8	-672.3	-
3056.1	-6480.8								

MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
169.3	393.6	SLVz (RS)	I	1081.2	74.9	-19.4	-115.0	
			J	1081.2	74.9	-19.4	-115.0	
177.0	439.9							
496.3	-1292.4	G1	I	-7770.0	44.9	34.2	82.1	
			J	-7595.5	44.9	34.2	82.1	
462.0	-1337.3							
181.3	-472.4	G2	I	-1827.0	16.4	12.5	30.0	
			J	-1827.0	16.4	12.5	30.0	
168.8	-488.8							
-134.5	-188.5	G1- Imp~1	I	0.0	-12.2	-9.3	-22.3	
			J	0.0	-12.2	-9.3	-22.3	
-125.2	-176.4							
-49.2	-69.0	G2- Imp~1	I	0.0	-4.4	-3.4	-8.1	
			J	0.0	-4.4	-3.4	-8.1	
-45.8	-64.5							
471.5	731.9	q3	I	-10.0	42.6	32.5	78.0	
			J	-10.0	42.6	32.5	78.0	
439.0	689.3							
336.5	571.5	q4-1	I	-16.2	30.4	23.2	55.7	
			J	-16.2	30.4	23.2	55.7	
313.3	541.1							
721.4	1213.5	q4-2	I	-6.8	65.2	49.7	119.4	
			J	-6.8	65.2	49.7	119.4	
671.6	1148.3							
250.4	401.3	q4-3	I	4.0	22.6	17.3	41.4	
			J	4.0	22.6	17.3	41.4	
233.1	378.7							
-21.2	-19.1	q4-4	I	1.0	-1.9	-1.5	-3.5	
			J	1.0	-1.9	-1.5	-3.5	
-19.7	-17.2							
-8.2	-12.9	q4-5	I	-1.2	-0.7	-0.6	-1.4	
			J	-1.2	-0.7	-0.6	-1.4	
-7.6	-12.2							
2.6	3.2	q4-6	I	-1.3	0.2	0.2	0.4	
			J	-1.3	0.2	0.2	0.4	
2.4	3.0							
1.6	2.1	q4-7	I	-1.3	0.1	0.1	0.3	
			J	-1.3	0.1	0.1	0.3	
1.5	2.0							
		q5 - p~1	I	36.7	398.4	303.9	729.4	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
4407.0	6954.6		J	36.7	398.4	303.9	729.4	
4103.0	6556.3							
4412.8	-6866.1	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
4108.4	-6467.2		J	22.5	-398.9	-304.3	-730.4	-
4174.9	6521.5	q5 - p~3	I	35.5	377.4	287.9	691.0	
3886.9	6144.1		J	35.5	377.4	287.9	691.0	
4187.1	-6327.1	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
3898.4	-5948.6		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
859.9	1310.5	q7	I	3.8	77.7	59.3	142.3	
800.6	1232.8		J	3.8	77.7	59.3	142.3	
-13.8	-18.5	T	I	1.1	-1.3	-1.0	-2.3	
-12.9	-17.2		J	1.1	-1.3	-1.0	-2.3	
981.7	1185.5	M. tor~1	I	-31.8	88.7	67.7	162.5	
914.0	1096.8		J	-31.8	88.7	67.7	162.5	
580.4	700.9	M. tor~2	I	-18.8	52.5	40.0	96.1	
540.4	648.4		J	-18.8	52.5	40.0	96.1	
7725.9	9000.7	INVSLU Max	I	-12427.6	698.4	532.8	1278.8	
7193.1	8367.8		J	-12192.0	698.4	532.8	1278.8	
6199.5	-15344.2	Min	I	-17381.2	-560.4	-427.6	-1026.1	-
5772.0	-14867.3		J	-17145.6	-560.4	-427.6	-1026.1	-
8753.0	10392.3	INVSLV Max	I	-8328.7	1273.1	781.7	1372.0	
8124.8	9329.6		J	-8154.2	1273.1	781.7	1372.0	
7765.4	-14437.0	Min	I	-10865.1	-1183.8	-713.6	-1208.6	-
7205.3	-13463.6		J	-10690.6	-1183.8	-713.6	-1208.6	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5258.6	5943.8	INVSLE	Max	I	-9208.0	475.4	362.7	870.4	
				J	-9033.5	475.4	362.7	870.4	
4895.9	5516.9		Min	I	-12872.6	-373.2	-284.7	-683.2	-
4127.9	-10642.7			J	-12698.1	-373.2	-284.7	-683.2	-
3843.2	-10331.3								
584	4	45	C1-C2;~1	Max	I	356.8	95.8	73.1	175.5
987.1	1512.0			J	356.8	95.8	73.1	175.5	
914.0	1498.7		Min	I	-3244.7	-66.0	-50.4	-120.9	
-680.2	-4232.8			J	-3244.7	-66.0	-50.4	-120.9	
-629.8	-4268.8								
			C3-C4;~1	Max	I	366.2	96.8	73.9	177.3
997.4	2859.0			J	366.2	96.8	73.9	177.3	
923.5	2845.7		Min	I	-3253.0	-72.9	-55.6	-133.4	
-750.3	-3000.9			J	-3253.0	-72.9	-55.6	-133.4	
-694.8	-3026.7								
			C1-C2;~2	Max	I	194.0	51.5	39.3	94.2
530.1	711.1			J	194.0	51.5	39.3	94.2	
490.8	705.7		Min	I	-1647.1	-34.6	-26.4	-63.4	
-356.5	-2109.9			J	-1647.1	-34.6	-26.4	-63.4	
-330.1	-2132.9								
			C3-C4;~2	Max	I	199.7	51.3	39.1	93.9
528.0	1429.5			J	199.7	51.3	39.1	93.9	
488.9	1425.3		Min	I	-1651.3	-38.5	-29.4	-70.6	
-396.9	-1442.2			J	-1651.3	-38.5	-29.4	-70.6	
-367.5	-1459.0								
			SLVx (RS)	I	-441.2	803.1	-543.2	-973.4	-
6331.7	-6941.0			J	-441.2	803.1	-543.2	-973.4	-
5881.8	-6361.4								
			SLVy (RS)	I	-182.1	-935.7	548.1	-941.2	-
4267.7	-9182.4			J	-182.1	-935.7	548.1	-941.2	-
3802.8	-8363.2								
			SLDx (RS)	I	-326.0	562.7	-376.7	-695.8	-
4459.2	-4828.7			J	-326.0	562.7	-376.7	-695.8	-
4153.2	-4433.3								
			SLDy (RS)	I	-134.2	-653.1	386.8	-672.3	-
3056.1	-6480.8			J	-134.2	-653.1	386.8	-672.3	-
2731.0	-5914.4								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
177.0	439.9	SLVz (RS)	I	1081.2	70.4	-17.3	-115.0
			J	1081.2	70.4	-17.3	-115.0
179.1	488.1						
462.0	-1337.3	G1	I	-7595.5	44.9	34.2	82.1
			J	-7421.0	44.9	34.2	82.1
427.8	-1382.2						
168.8	-488.8	G2	I	-1827.0	16.4	12.5	30.0
			J	-1827.0	16.4	12.5	30.0
156.3	-505.2						
-125.2	-176.4	G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
			J	0.0	-12.2	-9.3	-22.3
-116.0	-164.2						
-45.8	-64.5	G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
			J	0.0	-4.4	-3.4	-8.1
-42.4	-60.1						
439.0	689.3	q3	I	-10.0	42.6	32.5	78.0
			J	-10.0	42.6	32.5	78.0
406.5	646.6						
313.3	541.1	q4-1	I	-16.2	30.4	23.2	55.7
			J	-16.2	30.4	23.2	55.7
290.1	510.7						
671.6	1148.3	q4-2	I	-6.8	65.2	49.7	119.4
			J	-6.8	65.2	49.7	119.4
621.9	1083.1						
233.1	378.7	q4-3	I	4.0	22.6	17.3	41.4
			J	4.0	22.6	17.3	41.4
215.9	356.0						
-19.7	-17.2	q4-4	I	1.0	-1.9	-1.5	-3.5
			J	1.0	-1.9	-1.5	-3.5
-18.3	-15.3						
-7.6	-12.2	q4-5	I	-1.2	-0.7	-0.6	-1.4
			J	-1.2	-0.7	-0.6	-1.4
-7.1	-11.5						
2.4	3.0	q4-6	I	-1.3	0.2	0.2	0.4
			J	-1.3	0.2	0.2	0.4
2.2	2.7						
1.5	2.0	q4-7	I	-1.3	0.1	0.1	0.3
			J	-1.3	0.1	0.1	0.3
1.4	1.9						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
4103.0	6556.3		J	36.7	398.4	303.9	729.4	
3799.1	6157.9							
4108.4	-6467.2	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
3804.1	-6068.2		J	22.5	-398.9	-304.3	-730.4	-
3886.9	6144.1	q5 - p~3	I	35.5	377.4	287.9	691.0	
3599.0	5766.7		J	35.5	377.4	287.9	691.0	
3898.4	-5948.6	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
3609.6	-5570.1		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
800.6	1232.8	q7	I	3.8	77.7	59.3	142.3	
741.3	1155.0		J	3.8	77.7	59.3	142.3	
-12.9	-17.2	T	I	1.1	-1.3	-1.0	-2.3	
-11.9	-16.0		J	1.1	-1.3	-1.0	-2.3	
914.0	1096.8	M. tor~1	I	-31.8	88.7	67.7	162.5	
846.3	1008.0		J	-31.8	88.7	67.7	162.5	
540.4	648.4	M. tor~2	I	-18.8	52.5	40.0	96.1	
500.3	596.0		J	-18.8	52.5	40.0	96.1	
7193.1	8367.8	INVSLU Max	I	-12192.0	698.4	532.8	1278.8	
6660.3	7734.9		J	-11956.4	698.4	532.8	1278.8	
5772.0	-14867.3	Min	I	-17145.6	-560.4	-427.6	-1026.1	-
5344.4	-14391.7		J	-16910.0	-560.4	-427.6	-1026.1	-
8124.8	9329.6	INVSLV Max	I	-8154.2	1242.3	750.3	1372.0	
7502.1	8306.4		J	-7979.7	1242.3	750.3	1372.0	
7205.3	-13463.6	Min	I	-10690.6	-1153.1	-682.2	-1208.6	-
6650.7	-12529.7		J	-10516.1	-1153.1	-682.2	-1208.6	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4895.9	5516.9		INVSLE Max	I	-9033.5	475.4	362.7	870.4	
				J	-8859.0	475.4	362.7	870.4	
4533.2	5089.9		Min	I	-12698.1	-373.2	-284.7	-683.2	-
3843.2	-10331.3			J	-12523.6	-373.2	-284.7	-683.2	-
3558.5	-10084.7								
585	4	45	C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
914.0	1498.7			J	356.8	95.8	73.1	175.5	
840.9	1489.1		Min	I	-3244.7	-66.0	-50.4	-120.9	
-629.8	-4268.8			J	-3244.7	-66.0	-50.4	-120.9	
-579.5	-4306.3								
			C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
923.5	2845.7			J	366.2	96.8	73.9	177.3	
849.6	2832.8		Min	I	-3253.0	-72.9	-55.6	-133.4	
-694.8	-3026.7			J	-3253.0	-72.9	-55.6	-133.4	
-639.2	-3052.5								
			C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
490.8	705.7			J	194.0	51.5	39.3	94.2	
451.5	701.8		Min	I	-1647.1	-34.6	-26.4	-63.4	
-330.1	-2132.9			J	-1647.1	-34.6	-26.4	-63.4	
-303.7	-2156.8								
			C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
488.9	1425.3			J	199.7	51.3	39.1	93.9	
449.8	1421.4		Min	I	-1651.3	-38.5	-29.4	-70.6	
-367.5	-1459.0			J	-1651.3	-38.5	-29.4	-70.6	
-338.1	-1476.0								
			SLVx (RS)	I	-441.2	778.3	-531.2	-973.4	-
5881.8	-6361.4			J	-441.2	778.3	-531.2	-973.4	-
5428.2	-5832.7								
			SLVy (RS)	I	-182.1	-913.7	520.9	-941.2	-
3802.8	-8363.2			J	-182.1	-913.7	520.9	-941.2	-
3367.2	-7571.2								
			SLDx (RS)	I	-326.0	544.7	-368.7	-695.8	-
4153.2	-4433.3			J	-326.0	544.7	-368.7	-695.8	-
3842.6	-4074.4								
			SLDy (RS)	I	-134.2	-638.0	368.2	-672.3	-
2731.0	-5914.4			J	-134.2	-638.0	368.2	-672.3	-
2425.3	-5366.2								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
179.1	488.1	SLVz (RS)	I	1081.2	64.4	19.0	-115.0
			J	1081.2	64.4	19.0	-115.0
175.9	535.1						
427.8	-1382.2	G1	I	-7421.0	44.9	34.2	82.1
			J	-7246.5	44.9	34.2	82.1
393.6	-1427.0						
156.3	-505.2	G2	I	-1827.0	16.4	12.5	30.0
			J	-1827.0	16.4	12.5	30.0
143.8	-521.6						
-116.0	-164.2	G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
			J	0.0	-12.2	-9.3	-22.3
-106.7	-152.0						
-42.4	-60.1	G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
			J	0.0	-4.4	-3.4	-8.1
-39.0	-55.6						
406.5	646.6	q3	I	-10.0	42.6	32.5	78.0
			J	-10.0	42.6	32.5	78.0
374.0	604.0						
290.1	510.7	q4-1	I	-16.2	30.4	23.2	55.7
			J	-16.2	30.4	23.2	55.7
266.9	480.3						
621.9	1083.1	q4-2	I	-6.8	65.2	49.7	119.4
			J	-6.8	65.2	49.7	119.4
572.1	1017.9						
215.9	356.0	q4-3	I	4.0	22.6	17.3	41.4
			J	4.0	22.6	17.3	41.4
198.6	333.4						
-18.3	-15.3	q4-4	I	1.0	-1.9	-1.5	-3.5
			J	1.0	-1.9	-1.5	-3.5
-16.8	-13.4						
-7.1	-11.5	q4-5	I	-1.2	-0.7	-0.6	-1.4
			J	-1.2	-0.7	-0.6	-1.4
-6.5	-10.7						
2.2	2.7	q4-6	I	-1.3	0.2	0.2	0.4
			J	-1.3	0.2	0.2	0.4
2.0	2.5						
1.4	1.9	q4-7	I	-1.3	0.1	0.1	0.3
			J	-1.3	0.1	0.1	0.3
1.3	1.7						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3799.1	6157.9		J	36.7	398.4	303.9	729.4	
3495.2	5759.5							
3804.1	-6068.2	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
3499.8	-5669.3		J	22.5	-398.9	-304.3	-730.4	-
3599.0	5766.7	q5 - p~3	I	35.5	377.4	287.9	691.0	
3311.1	5389.3		J	35.5	377.4	287.9	691.0	
3609.6	-5570.1	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
3320.8	-5191.6		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
741.3	1155.0	q7	I	3.8	77.7	59.3	142.3	
682.0	1077.3		J	3.8	77.7	59.3	142.3	
-11.9	-16.0	T	I	1.1	-1.3	-1.0	-2.3	
-11.0	-14.7		J	1.1	-1.3	-1.0	-2.3	
846.3	1008.0	M. tor~1	I	-31.8	88.7	67.7	162.5	
778.6	919.3		J	-31.8	88.7	67.7	162.5	
500.3	596.0	M. tor~2	I	-18.8	52.5	40.0	96.1	
460.3	543.5		J	-18.8	52.5	40.0	96.1	
6660.3	7734.9	INVSLU Max	I	-11956.4	698.4	532.8	1278.8	
6127.4	7102.4		J	-11720.9	698.4	532.8	1278.8	
5344.4	-14391.7	Min	I	-16910.0	-560.4	-427.6	-1026.1	-
4916.8	-13918.6		J	-16674.5	-560.4	-427.6	-1026.1	-
7502.1	8306.4	INVSLV Max	I	-7979.7	1211.1	727.2	1372.0	
6882.7	7325.3		J	-7805.2	1211.1	727.2	1372.0	
6650.7	-12529.7	Min	I	-10516.1	-1121.9	-659.1	-1208.6	-
6099.5	-11637.8		J	-10341.6	-1121.9	-659.1	-1208.6	-

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

4533.2	5089.9	INVSLE Max	I	-8859.0	475.4	362.7	870.4	
			J	-8684.5	475.4	362.7	870.4	
4170.6	4663.2	Min	I	-12523.6	-373.2	-284.7	-683.2	-
3558.5	-10084.7		J	-12349.1	-373.2	-284.7	-683.2	-
3273.9	-9927.1							
586	4	45 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
840.9	1489.1		J	356.8	95.8	73.1	175.5	
767.8	1483.4	Min	I	-3244.7	-66.0	-50.4	-120.9	
-579.5	-4306.3		J	-3244.7	-66.0	-50.4	-120.9	
-529.1	-4345.0							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
849.6	2832.8		J	366.2	96.8	73.9	177.3	
775.8	2820.0	Min	I	-3253.0	-72.9	-55.6	-133.4	
-639.2	-3052.5		J	-3253.0	-72.9	-55.6	-133.4	
-583.6	-3078.6							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
451.5	701.8		J	194.0	51.5	39.3	94.2	
412.3	699.4	Min	I	-1647.1	-34.6	-26.4	-63.4	
-303.7	-2156.8		J	-1647.1	-34.6	-26.4	-63.4	
-277.3	-2181.2							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
449.8	1421.4		J	199.7	51.3	39.1	93.9	
410.7	1417.5	Min	I	-1651.3	-38.5	-29.4	-70.6	
-338.1	-1476.0		J	-1651.3	-38.5	-29.4	-70.6	
-308.7	-1493.1							
		SLVx (RS)	I	-441.2	752.7	-522.4	-973.4	-
5428.2	-5832.7		J	-441.2	752.7	-522.4	-973.4	-
4968.6	-5359.6							
		SLVy (RS)	I	-182.1	-891.8	492.6	-941.2	-
3367.2	-7571.2		J	-182.1	-891.8	492.6	-941.2	-
2962.4	-6809.7							
		SLDx (RS)	I	-326.0	526.3	-363.4	-695.8	-
3842.6	-4074.4		J	-326.0	526.3	-363.4	-695.8	-
3525.6	-3755.0							
		SLDy (RS)	I	-134.2	-623.1	348.9	-672.3	-
2425.3	-5366.2		J	-134.2	-623.1	348.9	-672.3	-
2140.0	-4838.1							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
175.9	535.1	SLVz (RS)	I	1081.2	-57.3	22.8	-115.0
			J	1081.2	-57.3	22.8	-115.0
168.3	578.5						
		G1	I	-7246.5	44.9	34.2	82.1
393.6	-1427.0		J	-7072.0	44.9	34.2	82.1
359.4	-1471.9						
		G2	I	-1827.0	16.4	12.5	30.0
143.8	-521.6		J	-1827.0	16.4	12.5	30.0
131.3	-538.0						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-106.7	-152.0		J	0.0	-12.2	-9.3	-22.3
-97.4	-139.9						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-39.0	-55.6		J	0.0	-4.4	-3.4	-8.1
-35.6	-51.2						
		q3	I	-10.0	42.6	32.5	78.0
374.0	604.0		J	-10.0	42.6	32.5	78.0
341.5	561.4						
		q4-1	I	-16.2	30.4	23.2	55.7
266.9	480.3		J	-16.2	30.4	23.2	55.7
243.7	449.9						
		q4-2	I	-6.8	65.2	49.7	119.4
572.1	1017.9		J	-6.8	65.2	49.7	119.4
522.4	952.7						
		q4-3	I	4.0	22.6	17.3	41.4
198.6	333.4		J	4.0	22.6	17.3	41.4
181.3	310.8						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-16.8	-13.4		J	1.0	-1.9	-1.5	-3.5
-15.3	-11.4						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-6.5	-10.7		J	-1.2	-0.7	-0.6	-1.4
-5.9	-10.0						
		q4-6	I	-1.3	0.2	0.2	0.4
2.0	2.5		J	-1.3	0.2	0.2	0.4
1.9	2.3						
		q4-7	I	-1.3	0.1	0.1	0.3
1.3	1.7		J	-1.3	0.1	0.1	0.3
1.2	1.6						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
3495.2	5759.5		J	36.7	398.4	303.9	729.4	
3191.3	5361.1							
		q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
3499.8	-5669.3		J	22.5	-398.9	-304.3	-730.4	-
3195.5	-5270.4							
		q5 - p~3	I	35.5	377.4	287.9	691.0	
3311.1	5389.3		J	35.5	377.4	287.9	691.0	
3023.2	5011.9							
		q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
3320.8	-5191.6		J	18.2	-378.5	-288.8	-693.0	-
3032.1	-4813.1							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	3.8	77.7	59.3	142.3	
682.0	1077.3		J	3.8	77.7	59.3	142.3	
622.7	999.6							
		T	I	1.1	-1.3	-1.0	-2.3	
-11.0	-14.7		J	1.1	-1.3	-1.0	-2.3	
-10.0	-13.5							
		M. tor~1	I	-31.8	88.7	67.7	162.5	
778.6	919.3		J	-31.8	88.7	67.7	162.5	
710.9	830.6							
		M. tor~2	I	-18.8	52.5	40.0	96.1	
460.3	543.5		J	-18.8	52.5	40.0	96.1	
420.3	491.0							
		INVSLU Max	I	-11720.9	698.4	532.8	1278.8	
6127.4	7102.4		J	-11485.3	698.4	532.8	1278.8	
5594.6	6469.9							
		Min	I	-16674.5	-560.4	-427.6	-1026.1	-
4916.8	-13918.6		J	-16438.9	-560.4	-427.6	-1026.1	-
4489.3	-13671.6							
		INVSLV Max	I	-7805.2	1179.5	711.0	1372.0	
6882.7	7325.3		J	-7630.7	1179.5	711.0	1372.0	
6265.4	6390.3							
		Min	I	-10341.6	-1090.2	-642.9	-1208.6	-
6099.5	-11637.8		J	-10167.1	-1090.2	-642.9	-1208.6	-
5550.3	-10792.1							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4170.6	4663.2	INVSLE	Max	I	-8684.5	475.4	362.7	870.4	
				J	-8510.0	475.4	362.7	870.4	
3807.9	4236.6		Min	I	-12349.1	-373.2	-284.7	-683.2	-
3273.9	-9927.1			J	-12174.6	-373.2	-284.7	-683.2	-
2989.2	-9770.6								
587	4	45	C1-C2;~1	Max	I	356.8	95.8	73.1	175.5
767.8	1483.4			J	356.8	95.8	73.1	175.5	
694.6	1484.0			Min	I	-3244.7	-66.0	-50.4	-120.9
-529.1	-4345.0			J	-3244.7	-66.0	-50.4	-120.9	
-478.7	-4385.2								
			C3-C4;~1	Max	I	366.2	96.8	73.9	177.3
775.8	2820.0			J	366.2	96.8	73.9	177.3	
701.9	2808.7			Min	I	-3253.0	-72.9	-55.6	-133.4
-583.6	-3078.6			J	-3253.0	-72.9	-55.6	-133.4	
-528.0	-3104.9								
			C1-C2;~2	Max	I	194.0	51.5	39.3	94.2
412.3	699.4			J	194.0	51.5	39.3	94.2	
373.0	700.1			Min	I	-1647.1	-34.6	-26.4	-63.4
-277.3	-2181.2			J	-1647.1	-34.6	-26.4	-63.4	
-250.9	-2206.2								
			C3-C4;~2	Max	I	199.7	51.3	39.1	93.9
410.7	1417.5			J	199.7	51.3	39.1	93.9	
371.6	1414.9			Min	I	-1651.3	-38.5	-29.4	-70.6
-308.7	-1493.1			J	-1651.3	-38.5	-29.4	-70.6	
-279.3	-1510.3								
			SLVx (RS)	I	-441.2	726.7	-516.4	-973.4	-
4968.6	-5359.6			J	-441.2	726.7	-516.4	-973.4	-
4501.7	-4946.8								
			SLVy (RS)	I	-182.1	-869.8	463.2	-941.2	-
2962.4	-6809.7			J	-182.1	-869.8	463.2	-941.2	-
2589.8	-6083.6								
			SLDx (RS)	I	-326.0	507.6	-360.5	-695.8	-
3525.6	-3755.0			J	-326.0	507.6	-360.5	-695.8	-
3201.2	-3477.8								
			SLDy (RS)	I	-134.2	-608.2	329.0	-672.3	-
2140.0	-4838.1			J	-134.2	-608.2	329.0	-672.3	-
1876.0	-4333.4								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
168.3	578.5	SLVz (RS)	I	1081.2	-49.6	26.5	-115.0
			J	1081.2	-49.6	26.5	-115.0
158.4	616.4						
		G1	I	-7072.0	44.9	34.2	82.1
359.4	-1471.9		J	-6897.5	44.9	34.2	82.1
325.1	-1516.7						
		G2	I	-1827.0	16.4	12.5	30.0
131.3	-538.0		J	-1827.0	16.4	12.5	30.0
118.8	-554.4						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-97.4	-139.9		J	0.0	-12.2	-9.3	-22.3
-88.1	-127.7						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-35.6	-51.2		J	0.0	-4.4	-3.4	-8.1
-32.2	-46.7						
		q3	I	-10.0	42.6	32.5	78.0
341.5	561.4		J	-10.0	42.6	32.5	78.0
308.9	518.8						
		q4-1	I	-16.2	30.4	23.2	55.7
243.7	449.9		J	-16.2	30.4	23.2	55.7
220.5	419.4						
		q4-2	I	-6.8	65.2	49.7	119.4
522.4	952.7		J	-6.8	65.2	49.7	119.4
472.6	887.5						
		q4-3	I	4.0	22.6	17.3	41.4
181.3	310.8		J	4.0	22.6	17.3	41.4
164.1	288.1						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-15.3	-11.4		J	1.0	-1.9	-1.5	-3.5
-13.9	-9.5						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-5.9	-10.0		J	-1.2	-0.7	-0.6	-1.4
-5.4	-9.2						
		q4-6	I	-1.3	0.2	0.2	0.4
1.9	2.3		J	-1.3	0.2	0.2	0.4
1.7	2.0						
		q4-7	I	-1.3	0.1	0.1	0.3
1.2	1.6		J	-1.3	0.1	0.1	0.3
1.1	1.4						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3191.3	5361.1		J	36.7	398.4	303.9	729.4	
2887.3	4962.7							
		q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
3195.5	-5270.4		J	22.5	-398.9	-304.3	-730.4	-
2891.1	-4871.5							
		q5 - p~3	I	35.5	377.4	287.9	691.0	
3023.2	5011.9		J	35.5	377.4	287.9	691.0	
2735.2	4634.4							
		q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
3032.1	-4813.1		J	18.2	-378.5	-288.8	-693.0	-
2743.3	-4434.6							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	3.8	77.7	59.3	142.3	
622.7	999.6		J	3.8	77.7	59.3	142.3	
563.4	921.8							
		T	I	1.1	-1.3	-1.0	-2.3	
-10.0	-13.5		J	1.1	-1.3	-1.0	-2.3	
-9.1	-12.2							
		M. tor~1	I	-31.8	88.7	67.7	162.5	
710.9	830.6		J	-31.8	88.7	67.7	162.5	
643.2	741.8							
		M. tor~2	I	-18.8	52.5	40.0	96.1	
420.3	491.0		J	-18.8	52.5	40.0	96.1	
380.3	438.6							
		INVSLU Max	I	-11485.3	698.4	532.8	1278.8	
5594.6	6469.9		J	-11249.7	698.4	532.8	1278.8	
5061.8	5839.1							
		Min	I	-16438.9	-560.4	-427.6	-1026.1	-
4489.3	-13671.6		J	-16203.3	-560.4	-427.6	-1026.1	-
4061.7	-13426.8							
		INVSLV Max	I	-7630.7	1147.3	697.4	1372.0	
6265.4	6390.3		J	-7456.2	1147.3	697.4	1372.0	
5649.7	5507.0							
		Min	I	-10167.1	-1058.1	-629.3	-1208.6	-
5550.3	-10792.1		J	-9992.6	-1058.1	-629.3	-1208.6	-
5002.6	-9998.1							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3807.9	4236.6	INVSLE Max	I	-8510.0	475.4	362.7	870.4	
			J	-8335.5	475.4	362.7	870.4	
3445.3	3811.1	Min	I	-12174.6	-373.2	-284.7	-683.2	-
2989.2	-9770.6		J	-12000.1	-373.2	-284.7	-683.2	-
2704.5	-9615.7							
588	4	45 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
694.6	1484.0		J	356.8	95.8	73.1	175.5	
621.5	1488.0	Min	I	-3244.7	-66.0	-50.4	-120.9	
-478.7	-4385.2		J	-3244.7	-66.0	-50.4	-120.9	
-428.3	-4426.4							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
701.9	2808.7		J	366.2	96.8	73.9	177.3	
628.0	2797.7	Min	I	-3253.0	-72.9	-55.6	-133.4	
-528.0	-3104.9		J	-3253.0	-72.9	-55.6	-133.4	
-472.4	-3131.2							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
373.0	700.1		J	194.0	51.5	39.3	94.2	
333.8	702.3	Min	I	-1647.1	-34.6	-26.4	-63.4	
-250.9	-2206.2		J	-1647.1	-34.6	-26.4	-63.4	
-224.5	-2231.6							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
371.6	1414.9		J	199.7	51.3	39.1	93.9	
332.5	1412.3	Min	I	-1651.3	-38.5	-29.4	-70.6	
-279.3	-1510.3		J	-1651.3	-38.5	-29.4	-70.6	
-249.9	-1527.5							
		SLVx (RS)	I	-441.2	700.5	-512.8	-973.4	-
4501.7	-4946.8		J	-441.2	700.5	-512.8	-973.4	-
4026.6	-4598.3							
		SLVy (RS)	I	-182.1	-847.3	432.6	-941.2	-
2589.8	-6083.6		J	-182.1	-847.3	432.6	-941.2	-
2250.4	-5399.7							
		SLDx (RS)	I	-326.0	488.9	-359.5	-695.8	-
3201.2	-3477.8		J	-326.0	488.9	-359.5	-695.8	-
2868.9	-3244.9							
		SLDy (RS)	I	-134.2	-593.2	308.2	-672.3	-
1876.0	-4333.4		J	-134.2	-593.2	308.2	-672.3	-
1633.9	-3856.5							


MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
158.4	616.4	SLVz (RS)	I	1081.2	-41.9	28.8	-115.0
147.8	647.6		J	1081.2	-41.9	28.8	-115.0
325.1	-1516.7	G1	I	-6897.5	44.9	34.2	82.1
290.9	-1561.6		J	-6723.0	44.9	34.2	82.1
118.8	-554.4	G2	I	-1827.0	16.4	12.5	30.0
106.3	-570.7		J	-1827.0	16.4	12.5	30.0
-88.1	-127.7	G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-78.9	-115.6		J	0.0	-12.2	-9.3	-22.3
-32.2	-46.7	G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-28.8	-42.3		J	0.0	-4.4	-3.4	-8.1
308.9	518.8	q3	I	-10.0	42.6	32.5	78.0
276.4	476.1		J	-10.0	42.6	32.5	78.0
220.5	419.4	q4-1	I	-16.2	30.4	23.2	55.7
197.3	389.0		J	-16.2	30.4	23.2	55.7
472.6	887.5	q4-2	I	-6.8	65.2	49.7	119.4
422.9	822.3		J	-6.8	65.2	49.7	119.4
164.1	288.1	q4-3	I	4.0	22.6	17.3	41.4
146.8	265.5		J	4.0	22.6	17.3	41.4
-13.9	-9.5	q4-4	I	1.0	-1.9	-1.5	-3.5
-12.4	-7.6		J	1.0	-1.9	-1.5	-3.5
-5.4	-9.2	q4-5	I	-1.2	-0.7	-0.6	-1.4
-4.8	-8.5		J	-1.2	-0.7	-0.6	-1.4
1.7	2.0	q4-6	I	-1.3	0.2	0.2	0.4
1.5	1.8		J	-1.3	0.2	0.2	0.4
1.1	1.4	q4-7	I	-1.3	0.1	0.1	0.3
0.9	1.3		J	-1.3	0.1	0.1	0.3
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2887.3	4962.7		J	36.7	398.4	303.9	729.4	
2583.4	4564.3							
2891.1	-4871.5	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
2586.8	-4472.6		J	22.5	-398.9	-304.3	-730.4	-
2735.2	4634.4	q5 - p~3	I	35.5	377.4	287.9	691.0	
2447.3	4257.0		J	35.5	377.4	287.9	691.0	
2743.3	-4434.6	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
2454.5	-4056.0		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
563.4	921.8	q7	I	3.8	77.7	59.3	142.3	
504.1	844.1		J	3.8	77.7	59.3	142.3	
-9.1	-12.2	T	I	1.1	-1.3	-1.0	-2.3	
-8.1	-11.0		J	1.1	-1.3	-1.0	-2.3	
643.2	741.8	M. tor~1	I	-31.8	88.7	67.7	162.5	
575.5	653.1		J	-31.8	88.7	67.7	162.5	
380.3	438.6	M. tor~2	I	-18.8	52.5	40.0	96.1	
340.2	386.1		J	-18.8	52.5	40.0	96.1	
5061.8	5839.1	INVSLU Max	I	-11249.7	698.4	532.8	1278.8	
4529.0	5208.4		J	-11014.1	698.4	532.8	1278.8	
4061.7	-13426.8	Min	I	-16203.3	-560.4	-427.6	-1026.1	-
3634.2	-13183.3		J	-15967.7	-560.4	-427.6	-1026.1	-
5649.7	5507.0	INVSLV Max	I	-7456.2	1114.7	685.3	1372.0	
5035.5	4683.3		J	-7281.7	1114.7	685.3	1372.0	
5002.6	-9998.1	Min	I	-9992.6	-1025.4	-617.2	-1208.6	-
4456.6	-9263.7		J	-9818.1	-1025.4	-617.2	-1208.6	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3445.3	3811.1	INVSLE	Max	I	-8335.5	475.4	362.7	870.4	
				J	-8161.0	475.4	362.7	870.4	
3082.6	3385.8		Min	I	-12000.1	-373.2	-284.7	-683.2	-
2704.5	-9615.7			J	-11825.6	-373.2	-284.7	-683.2	-
2419.8	-9461.8								
589	4	45	C1-C2;~1	Max	I	356.8	95.8	73.1	175.5
621.5	1488.0			J	356.8	95.8	73.1	175.5	
548.4	1493.3		Min	I	-3244.7	-66.0	-50.4	-120.9	
-428.3	-4426.4			J	-3244.7	-66.0	-50.4	-120.9	
-377.9	-4468.1								
			C3-C4;~1	Max	I	366.2	96.8	73.9	177.3
628.0	2797.7			J	366.2	96.8	73.9	177.3	
554.1	2786.8		Min	I	-3253.0	-72.9	-55.6	-133.4	
-472.4	-3131.2			J	-3253.0	-72.9	-55.6	-133.4	
-416.9	-3157.9								
			C1-C2;~2	Max	I	194.0	51.5	39.3	94.2
333.8	702.3			J	194.0	51.5	39.3	94.2	
294.5	705.2		Min	I	-1647.1	-34.6	-26.4	-63.4	
-224.5	-2231.6			J	-1647.1	-34.6	-26.4	-63.4	
-198.1	-2257.2								
			C3-C4;~2	Max	I	199.7	51.3	39.1	93.9
332.5	1412.3			J	199.7	51.3	39.1	93.9	
293.4	1409.9		Min	I	-1651.3	-38.5	-29.4	-70.6	
-249.9	-1527.5			J	-1651.3	-38.5	-29.4	-70.6	
-220.5	-1544.9								
			SLVx (RS)	I	-441.2	674.5	-511.0	-973.4	-
4026.6	-4598.3			J	-441.2	674.5	-511.0	-973.4	-
3543.4	-4317.2								
			SLVy (RS)	I	-182.1	-823.9	-400.9	-941.2	-
2250.4	-5399.7			J	-182.1	-823.9	-400.9	-941.2	-
1944.2	-4767.6								
			SLDx (RS)	I	-326.0	470.5	-359.9	-695.8	-
2868.9	-3244.9			J	-326.0	470.5	-359.9	-695.8	-
2528.9	-3057.8								
			SLDy (RS)	I	-134.2	-577.7	-286.7	-672.3	-
1633.9	-3856.5			J	-134.2	-577.7	-286.7	-672.3	-
1413.8	-3413.9								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
147.8	647.6	SLVz (RS)	I	1081.2	-35.4	29.3	-115.0
			J	1081.2	-35.4	29.3	-115.0
137.8	671.6						
290.9	-1561.6	G1	I	-6723.0	44.9	34.2	82.1
			J	-6548.5	44.9	34.2	82.1
256.7	-1606.5						
106.3	-570.7	G2	I	-1827.0	16.4	12.5	30.0
			J	-1827.0	16.4	12.5	30.0
93.8	-587.1						
-78.9	-115.6	G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
			J	0.0	-12.2	-9.3	-22.3
-69.6	-103.4						
-28.8	-42.3	G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
			J	0.0	-4.4	-3.4	-8.1
-25.5	-37.8						
276.4	476.1	q3	I	-10.0	42.6	32.5	78.0
			J	-10.0	42.6	32.5	78.0
243.9	433.5						
197.3	389.0	q4-1	I	-16.2	30.4	23.2	55.7
			J	-16.2	30.4	23.2	55.7
174.1	358.6						
422.9	822.3	q4-2	I	-6.8	65.2	49.7	119.4
			J	-6.8	65.2	49.7	119.4
373.1	757.1						
146.8	265.5	q4-3	I	4.0	22.6	17.3	41.4
			J	4.0	22.6	17.3	41.4
129.5	242.8						
-12.4	-7.6	q4-4	I	1.0	-1.9	-1.5	-3.5
			J	1.0	-1.9	-1.5	-3.5
-11.0	-5.7						
-4.8	-8.5	q4-5	I	-1.2	-0.7	-0.6	-1.4
			J	-1.2	-0.7	-0.6	-1.4
-4.2	-7.8						
1.5	1.8	q4-6	I	-1.3	0.2	0.2	0.4
			J	-1.3	0.2	0.2	0.4
1.3	1.6						
0.9	1.3	q4-7	I	-1.3	0.1	0.1	0.3
			J	-1.3	0.1	0.1	0.3
0.8	1.1						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2583.4	4564.3		J	36.7	398.4	303.9	729.4	
2279.5	4165.9							
		q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
2586.8	-4472.6		J	22.5	-398.9	-304.3	-730.4	-
2282.5	-4073.7							
		q5 - p~3	I	35.5	377.4	287.9	691.0	
2447.3	4257.0		J	35.5	377.4	287.9	691.0	
2159.4	3879.6							
		q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
2454.5	-4056.0		J	18.2	-378.5	-288.8	-693.0	-
2165.8	-3677.5							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	3.8	77.7	59.3	142.3	
504.1	844.1		J	3.8	77.7	59.3	142.3	
444.8	766.3							
		T	I	1.1	-1.3	-1.0	-2.3	
-8.1	-11.0		J	1.1	-1.3	-1.0	-2.3	
-7.2	-9.7							
		M. tor~1	I	-31.8	88.7	67.7	162.5	
575.5	653.1		J	-31.8	88.7	67.7	162.5	
507.8	564.3							
		M. tor~2	I	-18.8	52.5	40.0	96.1	
340.2	386.1		J	-18.8	52.5	40.0	96.1	
300.2	333.6							
		INVSLU Max	I	-11014.1	698.4	532.8	1278.8	
4529.0	5208.4		J	-10778.6	698.4	532.8	1278.8	
3996.2	4577.8							
		Min	I	-15967.7	-560.4	-427.6	-1026.1	-
3634.2	-13183.3		J	-15732.2	-560.4	-427.6	-1026.1	-
3206.6	-12940.3							
		INVSLV Max	I	-7281.7	1081.6	674.1	1372.0	
5035.5	4683.3		J	-7107.2	1081.6	674.1	1372.0	
4423.4	3929.4							
		Min	I	-9818.1	-992.3	-606.0	-1208.6	-
4456.6	-9263.7		J	-9643.6	-992.3	-606.0	-1208.6	-
3912.6	-8599.1							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3082.6	3385.8	INVSLE Max	I	-8161.0	475.4	362.7	870.4	
			J	-7986.5	475.4	362.7	870.4	
2719.9	2960.5	Min	I	-11825.6	-373.2	-284.7	-683.2	-
2419.8	-9461.8		J	-11651.1	-373.2	-284.7	-683.2	-
2135.1	-9308.3							
590	4	45 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
516.6	2458.3		J	471.1	88.8	29.5	70.8	
487.1	2412.1	Min	I	-3383.5	-92.8	-30.8	-74.0	
-539.6	-4673.1		J	-3383.5	-92.8	-30.8	-74.0	
-508.7	-4651.0							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
494.3	3580.5		J	482.4	85.0	28.2	67.8	
466.0	3561.3	Min	I	-3391.9	-89.3	-29.7	-71.2	
-519.3	-3335.4		J	-3391.9	-89.3	-29.7	-71.2	
-489.6	-3308.5							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
271.1	1138.6		J	239.0	46.6	15.5	37.2	
255.7	1114.9	Min	I	-1702.5	-46.7	-15.5	-37.3	
-271.8	-2293.3		J	-1702.5	-46.7	-15.5	-37.3	
-256.3	-2283.8							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
255.1	1701.8		J	245.6	43.9	14.6	35.0	
240.5	1692.4	Min	I	-1706.5	-45.6	-15.1	-36.3	
-265.0	-1623.3		J	-1706.5	-45.6	-15.1	-36.3	
-249.8	-1608.0							
		SLVx (RS)	I	478.1	-1598.3	915.8	-1067.8	-1
2485.2	-24808.1		J	478.1	-1598.3	915.8	-1067.8	-1
1629.2	-23245.9							
		SLVy (RS)	I	270.7	-1191.5	952.1	-710.4	1
0646.1	-17555.3		J	270.7	-1191.5	952.1	-710.4	
9752.9	-16430.2							
		SLDx (RS)	I	355.3	-1116.4	639.6	-742.4	-
8664.7	-17232.5		J	355.3	-1116.4	639.6	-742.4	-
8073.1	-16144.0							
		SLDy (RS)	I	196.9	-841.4	668.1	-503.2	
7467.3	-12352.5		J	196.9	-841.4	668.1	-503.2	
6843.9	-11563.3							


MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
224.2	533.8	SLVz (RS)	I	796.5	81.0	26.8	63.8
			J	796.5	81.0	26.8	63.8
206.5	489.2						
		G1	I	-8353.1	-15.4	-5.1	-12.3
-89.5	-836.5		J	-8178.6	-15.4	-5.1	-12.3
-84.4	-821.2						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-32.8	-304.3		J	-1848.5	-5.6	-1.9	-4.5
-30.9	-298.6						
		G1 - Imp~1	I	0.3	2.6	0.9	2.1
15.2	40.1		J	0.3	2.6	0.9	2.1
14.3	37.5						
		G2 - Imp~1	I	0.1	1.0	0.3	0.8
5.6	14.8		J	0.1	1.0	0.3	0.8
5.3	13.9						
		q3	I	17.5	144.9	48.2	115.6
842.8	2830.4		J	17.5	144.9	48.2	115.6
794.6	2685.5						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-457.2	-1494.2		J	7.7	-78.6	-26.1	-62.7
-431.1	-1415.6						
		q4-2	I	-2.0	10.4	3.5	8.3
60.6	260.7		J	-2.0	10.4	3.5	8.3
57.2	250.3						
		q4-3	I	-6.3	121.8	40.5	97.2
708.4	2476.2		J	-6.3	121.8	40.5	97.2
667.9	2354.3						
		q4-4	I	1.4	27.4	9.1	21.9
159.5	591.8		J	1.4	27.4	9.1	21.9
150.4	564.3						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-26.7	-83.8		J	3.9	-4.6	-1.5	-3.7
-25.1	-79.2						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-6.4	-34.7		J	3.5	-1.1	-0.4	-0.9
-6.0	-33.6						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-2.1	-17.6		J	3.8	-0.4	-0.1	-0.3
-2.0	-17.2						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
7903.6	27328.6		J	-65.3	1359.2	451.6	1083.9	
7452.0	25969.3							
1087.7	-4043.1	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	-
1025.6	-3856.0		J	95.6	-187.1	-62.2	-149.2	-
7488.5	25711.3	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	
7060.6	24423.4		J	-58.9	1287.9	427.9	1027.0	
1031.8	-3704.2	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	-
-972.8	-3526.7		J	87.5	-177.4	-59.0	-141.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1574.2	5157.3	q7	I	0.6	270.7	90.0	215.9	
1484.2	4886.6		J	0.6	270.7	90.0	215.9	
2.6	-22.0	T	I	-1.6	0.4	0.1	0.4	
2.5	-22.4		J	-1.6	0.4	0.1	0.4	
205.7	687.6	M. tor~1	I	32.7	35.4	11.8	28.2	
194.0	652.3		J	32.7	35.4	11.8	28.2	
121.6	406.5	M. tor~2	I	19.3	20.9	6.9	16.7	
114.7	385.6		J	19.3	20.9	6.9	16.7	
1463.6	39414.2	INVSLU Max	I	-13033.1	1971.5	655.1	1572.2	1
0808.6	37493.6		J	-12797.5	1971.5	655.1	1572.2	1
1738.5	-43144.6	Min	I	-18437.8	-2018.8	-670.8	-1609.9	-1
1067.8	-41176.7		J	-18202.2	-2018.8	-670.8	-1609.9	-1
5644.8	29149.0	INVSLV Max	I	-9180.0	1962.6	1229.1	1286.1	1
4521.3	27253.3		J	-9005.5	1962.6	1229.1	1286.1	1
5847.8	-31320.7	Min	I	-11222.2	-1997.5	-1240.7	-1314.0	-1
4712.6	-29390.1		J	-11047.7	-1997.5	-1240.7	-1314.0	-1


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


7659.7	26340.3	INVSLE Max	I	-9660.4	1317.3	437.7	1050.5	
			J	-9485.9	1317.3	437.7	1050.5	
7222.0	25060.8	Min	I	-13651.3	-1352.3	-449.3	-1078.4	-
7863.3	-29103.6		J	-13476.8	-1352.3	-449.3	-1078.4	-
7414.0	-27789.1							
591	4	45 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
487.1	2412.1		J	471.1	88.8	29.5	70.8	
457.6	2366.6	Min	I	-3383.5	-92.8	-30.8	-74.0	
-508.7	-4651.0		J	-3383.5	-92.8	-30.8	-74.0	
-477.9	-4630.7							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
466.0	3561.3		J	482.4	85.0	28.2	67.8	
437.8	3543.6	Min	I	-3391.9	-89.3	-29.7	-71.2	
-489.6	-3308.5		J	-3391.9	-89.3	-29.7	-71.2	
-459.9	-3282.2							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
255.7	1114.9		J	239.0	46.6	15.5	37.2	
240.2	1091.6	Min	I	-1702.5	-46.7	-15.5	-37.3	
-256.3	-2283.8		J	-1702.5	-46.7	-15.5	-37.3	
-240.7	-2275.7							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
240.5	1692.4		J	245.6	43.9	14.6	35.0	
225.9	1684.1	Min	I	-1706.5	-45.6	-15.1	-36.3	
-249.8	-1608.0		J	-1706.5	-45.6	-15.1	-36.3	
-234.7	-1593.1							
		SLVx (RS)	I	478.1	-1590.2	898.3	-1067.8	-1
1629.2	-23245.9		J	478.1	-1590.2	898.3	-1067.8	-1
0786.3	-21692.2							
		SLVy (RS)	I	270.7	-1178.5	927.3	-710.4	
9752.9	-16430.2		J	270.7	-1178.5	927.3	-710.4	
8882.4	-15318.2							
		SLDx (RS)	I	355.3	-1110.4	626.3	-742.4	-
8073.1	-16144.0		J	355.3	-1110.4	626.3	-742.4	-
7491.2	-15062.1							
		SLDy (RS)	I	196.9	-831.6	650.3	-503.2	
6843.9	-11563.3		J	196.9	-831.6	650.3	-503.2	
6236.8	-10784.0							

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
206.5	489.2	SLVz (RS)	I	796.5	78.1	42.6	63.8
172.6	439.7		J	796.5	78.1	42.6	63.8
-84.4	-821.2	G1	I	-8178.6	-15.4	-5.1	-12.3
-79.3	-805.8		J	-8004.1	-15.4	-5.1	-12.3
-30.9	-298.6	G2	I	-1848.5	-5.6	-1.9	-4.5
-29.0	-293.0		J	-1848.5	-5.6	-1.9	-4.5
14.3	37.5	G1- Imp~1	I	0.3	2.6	0.9	2.1
13.5	34.9		J	0.3	2.6	0.9	2.1
5.3	13.9	G2- Imp~1	I	0.1	1.0	0.3	0.8
5.0	12.9		J	0.1	1.0	0.3	0.8
794.6	2685.5	q3	I	17.5	144.9	48.2	115.6
746.5	2540.6		J	17.5	144.9	48.2	115.6
-431.1	-1415.6	q4-1	I	7.7	-78.6	-26.1	-62.7
-405.0	-1337.0		J	7.7	-78.6	-26.1	-62.7
57.2	250.3	q4-2	I	-2.0	10.4	3.5	8.3
53.7	239.9		J	-2.0	10.4	3.5	8.3
667.9	2354.3	q4-3	I	-6.3	121.8	40.5	97.2
627.4	2232.5		J	-6.3	121.8	40.5	97.2
150.4	564.3	q4-4	I	1.4	27.4	9.1	21.9
141.3	536.9		J	1.4	27.4	9.1	21.9
-25.1	-79.2	q4-5	I	3.9	-4.6	-1.5	-3.7
-23.6	-74.6		J	3.9	-4.6	-1.5	-3.7
-6.0	-33.6	q4-6	I	3.5	-1.1	-0.4	-0.9
-5.7	-32.5		J	3.5	-1.1	-0.4	-0.9
-2.0	-17.2	q4-7	I	3.8	-0.4	-0.1	-0.3
-1.9	-16.8		J	3.8	-0.4	-0.1	-0.3
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
7452.0	25969.3		J	-65.3	1359.2	451.6	1083.9	
7000.3	24610.1							
1025.6	-3856.0	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	-
-963.4	-3669.0		J	95.6	-187.1	-62.2	-149.2	
7060.6	24423.4	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	
6632.6	23135.6		J	-58.9	1287.9	427.9	1027.0	
-972.8	-3526.7	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	
-913.9	-3349.3		J	87.5	-177.4	-59.0	-141.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1484.2	4886.6	q7	I	0.6	270.7	90.0	215.9	
1394.3	4615.9		J	0.6	270.7	90.0	215.9	
2.5	-22.4	T	I	-1.6	0.4	0.1	0.4	
2.3	-22.9		J	-1.6	0.4	0.1	0.4	
194.0	652.3	M. tor~1	I	32.7	35.4	11.8	28.2	
182.2	616.9		J	32.7	35.4	11.8	28.2	
114.7	385.6	M. tor~2	I	19.3	20.9	6.9	16.7	
107.7	364.7		J	19.3	20.9	6.9	16.7	
0808.6	37493.6	INVSLU Max	I	-12797.5	1971.5	655.1	1572.2	1
0153.5	35574.5		J	-12561.9	1971.5	655.1	1572.2	1
1067.8	-41176.7	Min	I	-18202.2	-2018.8	-670.8	-1609.9	-1
0397.0	-39210.8		J	-17966.6	-2018.8	-670.8	-1609.9	-1
4521.3	27253.3	INVSLV Max	I	-9005.5	1949.7	1203.8	1286.1	1
3412.9	25368.6		J	-8831.0	1949.7	1203.8	1286.1	1
4712.6	-29390.1	Min	I	-11047.7	-1984.6	-1215.4	-1314.0	-1
3592.7	-27470.5		J	-10873.2	-1984.6	-1215.4	-1314.0	-1


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


7222.0	25060.8	INVSLE Max	I	-9485.9	1317.3	437.7	1050.5	
			J	-9311.4	1317.3	437.7	1050.5	
6784.3	23782.4	Min	I	-13476.8	-1352.3	-449.3	-1078.4	-
7414.0	-27789.1		J	-13302.3	-1352.3	-449.3	-1078.4	-
6964.7	-26476.0							
592	4	45 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
457.6	2366.6		J	471.1	88.8	29.5	70.8	
428.0	2321.7	Min	I	-3383.5	-92.8	-30.8	-74.0	
-477.9	-4630.7		J	-3383.5	-92.8	-30.8	-74.0	
-447.1	-4613.2							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
437.8	3543.6		J	482.4	85.0	28.2	67.8	
409.5	3527.4	Min	I	-3391.9	-89.3	-29.7	-71.2	
-459.9	-3282.2		J	-3391.9	-89.3	-29.7	-71.2	
-430.3	-3256.1							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
240.2	1091.6		J	239.0	46.6	15.5	37.2	
224.7	1068.6	Min	I	-1702.5	-46.7	-15.5	-37.3	
-240.7	-2275.7		J	-1702.5	-46.7	-15.5	-37.3	
-225.2	-2269.6							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
225.9	1684.1		J	245.6	43.9	14.6	35.0	
211.4	1677.0	Min	I	-1706.5	-45.6	-15.1	-36.3	
-234.7	-1593.1		J	-1706.5	-45.6	-15.1	-36.3	
-219.6	-1578.3							
		SLVx (RS)	I	478.1	-1581.3	880.0	-1067.8	-1
0786.3	-21692.2		J	478.1	-1581.3	880.0	-1067.8	-
9956.7	-20148.1							
		SLVy (RS)	I	270.7	-1164.6	900.1	-710.4	
8882.4	-15318.2		J	270.7	-1164.6	900.1	-710.4	
8036.6	-14219.9							
		SLDx (RS)	I	355.3	-1103.9	612.6	-742.4	-
7491.2	-15062.1		J	355.3	-1103.9	612.6	-742.4	-
6918.7	-13987.3							
		SLDy (RS)	I	196.9	-821.2	630.8	-503.2	
6236.8	-10784.0		J	196.9	-821.2	630.8	-503.2	
5647.0	-10014.8							

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
172.6	439.7	SLVz (RS)	I	796.5	80.1	56.3	63.8
			J	796.5	80.1	56.3	63.8
129.5	384.4						
		G1	I	-8004.1	-15.4	-5.1	-12.3
-79.3	-805.8		J	-7829.6	-15.4	-5.1	-12.3
-74.2	-790.4						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-29.0	-293.0		J	-1848.5	-5.6	-1.9	-4.5
-27.2	-287.4						
		G1- Imp~1	I	0.3	2.6	0.9	2.1
13.5	34.9		J	0.3	2.6	0.9	2.1
12.6	32.3						
		G2- Imp~1	I	0.1	1.0	0.3	0.8
5.0	12.9		J	0.1	1.0	0.3	0.8
4.6	12.0						
		q3	I	17.5	144.9	48.2	115.6
746.5	2540.6		J	17.5	144.9	48.2	115.6
698.3	2395.6						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-405.0	-1337.0		J	7.7	-78.6	-26.1	-62.7
-378.8	-1258.3						
		q4-2	I	-2.0	10.4	3.5	8.3
53.7	239.9		J	-2.0	10.4	3.5	8.3
50.2	229.4						
		q4-3	I	-6.3	121.8	40.5	97.2
627.4	2232.5		J	-6.3	121.8	40.5	97.2
587.0	2110.7						
		q4-4	I	1.4	27.4	9.1	21.9
141.3	536.9		J	1.4	27.4	9.1	21.9
132.2	509.5						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-23.6	-74.6		J	3.9	-4.6	-1.5	-3.7
-22.1	-70.0						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-5.7	-32.5		J	3.5	-1.1	-0.4	-0.9
-5.3	-31.4						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-1.9	-16.8		J	3.8	-0.4	-0.1	-0.3
-1.8	-16.4						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
7000.3	24610.1		J	-65.3	1359.2	451.6	1083.9	
6548.7	23250.8							
-963.4	-3669.0	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	
-901.3	-3481.9		J	95.6	-187.1	-62.2	-149.2	
6632.6	23135.6	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	
6204.7	21847.7		J	-58.9	1287.9	427.9	1027.0	
-913.9	-3349.3	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	
-854.9	-3171.8		J	87.5	-177.4	-59.0	-141.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1394.3	4615.9	q7	I	0.6	270.7	90.0	215.9	
1304.3	4345.2		J	0.6	270.7	90.0	215.9	
2.3	-22.9	T	I	-1.6	0.4	0.1	0.4	
2.2	-23.3		J	-1.6	0.4	0.1	0.4	
182.2	616.9	M. tor~1	I	32.7	35.4	11.8	28.2	
170.4	581.5		J	32.7	35.4	11.8	28.2	
107.7	364.7	M. tor~2	I	19.3	20.9	6.9	16.7	
100.8	343.8		J	19.3	20.9	6.9	16.7	
0153.5	35574.5	INVSLU Max	I	-12561.9	1971.5	655.1	1572.2	1
9498.4	33657.0		J	-12326.3	1971.5	655.1	1572.2	
0397.0	-39210.8	Min	I	-17966.6	-2018.8	-670.8	-1609.9	-1
9726.2	-37247.6		J	-17731.0	-2018.8	-670.8	-1609.9	-
3412.9	25368.6	INVSLV Max	I	-8831.0	1937.3	1175.2	1286.1	1
2322.4	23495.9		J	-8656.5	1937.3	1175.2	1286.1	1
3592.7	-27470.5	Min	I	-10873.2	-1972.2	-1186.8	-1314.0	-1
2490.6	-25562.9		J	-10698.7	-1972.2	-1186.8	-1314.0	-1


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


6784.3	23782.4	INVSLE Max	I	-9311.4	1317.3	437.7	1050.5	
			J	-9136.9	1317.3	437.7	1050.5	
6346.6	22505.1	Min	I	-13302.3	-1352.3	-449.3	-1078.4	-
6964.7	-26476.0		J	-13127.8	-1352.3	-449.3	-1078.4	-
6515.3	-25164.8							
593	4	45 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
428.0	2321.7		J	471.1	88.8	29.5	70.8	
398.5	2277.4	Min	I	-3383.5	-92.8	-30.8	-74.0	
-447.1	-4613.2		J	-3383.5	-92.8	-30.8	-74.0	
-416.2	-4598.2							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
409.5	3527.4		J	482.4	85.0	28.2	67.8	
381.3	3512.9	Min	I	-3391.9	-89.3	-29.7	-71.2	
-430.3	-3256.1		J	-3391.9	-89.3	-29.7	-71.2	
-400.6	-3230.7							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
224.7	1068.6		J	239.0	46.6	15.5	37.2	
209.2	1045.9	Min	I	-1702.5	-46.7	-15.5	-37.3	
-225.2	-2269.6		J	-1702.5	-46.7	-15.5	-37.3	
-209.7	-2265.4							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
211.4	1677.0		J	245.6	43.9	14.6	35.0	
196.8	1671.1	Min	I	-1706.5	-45.6	-15.1	-36.3	
-219.6	-1578.3		J	-1706.5	-45.6	-15.1	-36.3	
-204.4	-1564.1							
		SLVx (RS)	I	478.1	-1571.7	861.1	-1067.8	-
9956.7	-20148.1		J	478.1	-1571.7	861.1	-1067.8	-
9140.4	-18614.6							
		SLVy (RS)	I	270.7	-1150.0	870.7	-710.4	
8036.6	-14219.9		J	270.7	-1150.0	870.7	-710.4	-
7217.0	-13136.1							
		SLDx (RS)	I	355.3	-1096.7	598.7	-742.4	-
6918.7	-13987.3		J	355.3	-1096.7	598.7	-742.4	-
6355.4	-12920.4							
		SLDy (RS)	I	196.9	-810.2	609.8	-503.2	
5647.0	-10014.8		J	196.9	-810.2	609.8	-503.2	-
5075.6	-9256.4							

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
129.5	384.4	SLVz (RS)	I	796.5	85.2	65.6	63.8
-92.9	325.1		J	796.5	85.2	65.6	63.8
-74.2	-790.4	G1	I	-7829.6	-15.4	-5.1	-12.3
-69.0	-775.0		J	-7655.1	-15.4	-5.1	-12.3
-27.2	-287.4	G2	I	-1848.5	-5.6	-1.9	-4.5
-25.3	-281.7		J	-1848.5	-5.6	-1.9	-4.5
12.6	32.3	G1- Imp~1	I	0.3	2.6	0.9	2.1
11.7	29.7		J	0.3	2.6	0.9	2.1
4.6	12.0	G2- Imp~1	I	0.1	1.0	0.3	0.8
4.3	11.0		J	0.1	1.0	0.3	0.8
698.3	2395.6	q3	I	17.5	144.9	48.2	115.6
650.1	2250.7		J	17.5	144.9	48.2	115.6
-378.8	-1258.3	q4-1	I	7.7	-78.6	-26.1	-62.7
-352.7	-1179.7		J	7.7	-78.6	-26.1	-62.7
50.2	229.4	q4-2	I	-2.0	10.4	3.5	8.3
46.8	219.0		J	-2.0	10.4	3.5	8.3
587.0	2110.7	q4-3	I	-6.3	121.8	40.5	97.2
546.5	1988.9		J	-6.3	121.8	40.5	97.2
132.2	509.5	q4-4	I	1.4	27.4	9.1	21.9
123.1	482.0		J	1.4	27.4	9.1	21.9
-22.1	-70.0	q4-5	I	3.9	-4.6	-1.5	-3.7
-20.6	-65.4		J	3.9	-4.6	-1.5	-3.7
-5.3	-31.4	q4-6	I	3.5	-1.1	-0.4	-0.9
-4.9	-30.3		J	3.5	-1.1	-0.4	-0.9
-1.8	-16.4	q4-7	I	3.8	-0.4	-0.1	-0.3
-1.7	-16.1		J	3.8	-0.4	-0.1	-0.3
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
6548.7	23250.8		J	-65.3	1359.2	451.6	1083.9	
6097.1	21891.6							
-901.3	-3481.9	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	
-839.1	-3294.9		J	95.6	-187.1	-62.2	-149.2	
6204.7	21847.7	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	
5776.8	20559.9		J	-58.9	1287.9	427.9	1027.0	
-854.9	-3171.8	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	
-796.0	-2994.4		J	87.5	-177.4	-59.0	-141.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1304.3	4345.2	q7	I	0.6	270.7	90.0	215.9	
1214.4	4074.4		J	0.6	270.7	90.0	215.9	
2.2	-23.3	T	I	-1.6	0.4	0.1	0.4	
2.0	-23.7		J	-1.6	0.4	0.1	0.4	
170.4	581.5	M. tor~1	I	32.7	35.4	11.8	28.2	
158.7	546.1		J	32.7	35.4	11.8	28.2	
100.8	343.8	M. tor~2	I	19.3	20.9	6.9	16.7	
93.8	322.9		J	19.3	20.9	6.9	16.7	
9498.4	33657.0	INVSLU Max	I	-12326.3	1971.5	655.1	1572.2	
8843.4	31741.2		J	-12090.8	1971.5	655.1	1572.2	
9726.2	-37247.6	Min	I	-17731.0	-2018.8	-670.8	-1609.9	-
9055.4	-35286.9		J	-17495.5	-2018.8	-670.8	-1609.9	-
2322.4	23495.9	INVSLV Max	I	-8656.5	1924.8	1143.0	1286.1	1
1255.1	21636.9		J	-8482.0	1924.8	1143.0	1286.1	1
2490.6	-25562.9	Min	I	-10698.7	-1959.7	-1154.6	-1314.0	-1
1411.7	-23669.0		J	-10524.2	-1959.7	-1154.6	-1314.0	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

6346.6	22505.1	INVSLE Max	I	-9136.9	1317.3	437.7	1050.5	
			J	-8962.4	1317.3	437.7	1050.5	
5908.9	21229.2	Min	I	-13127.8	-1352.3	-449.3	-1078.4	-
6515.3	-25164.8		J	-12953.3	-1352.3	-449.3	-1078.4	-
6066.0	-23855.6							
594	4	45 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
398.5	2277.4		J	471.1	88.8	29.5	70.8	
369.0	2234.2	Min	I	-3383.5	-92.8	-30.8	-74.0	
-416.2	-4598.2		J	-3383.5	-92.8	-30.8	-74.0	
-385.4	-4583.9							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
381.3	3512.9		J	482.4	85.0	28.2	67.8	
353.1	3506.4	Min	I	-3391.9	-89.3	-29.7	-71.2	
-400.6	-3230.7		J	-3391.9	-89.3	-29.7	-71.2	
-370.9	-3205.9							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
209.2	1045.9		J	239.0	46.6	15.5	37.2	
193.7	1023.8	Min	I	-1702.5	-46.7	-15.5	-37.3	
-209.7	-2265.4		J	-1702.5	-46.7	-15.5	-37.3	
-194.1	-2261.6							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
196.8	1671.1		J	245.6	43.9	14.6	35.0	
182.2	1671.2	Min	I	-1706.5	-45.6	-15.1	-36.3	
-204.4	-1564.1		J	-1706.5	-45.6	-15.1	-36.3	
-189.3	-1550.3							
		SLVx (RS)	I	478.1	-1561.2	842.1	-1067.8	-
9140.4	-18614.6		J	478.1	-1561.2	842.1	-1067.8	-
8337.4	-17092.6							
		SLVy (RS)	I	270.7	-1134.7	839.5	-710.4	-
7217.0	-13136.1		J	270.7	-1134.7	839.5	-710.4	-
6425.4	-12067.4							
		SLDx (RS)	I	355.3	-1089.0	585.0	-742.4	-
6355.4	-12920.4		J	355.3	-1089.0	585.0	-742.4	-
5801.1	-11862.0							
		SLDy (RS)	I	196.9	-798.9	587.8	-503.2	-
5075.6	-9256.4		J	196.9	-798.9	587.8	-503.2	-
4523.5	-8509.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-92.9	325.1	SLVz (RS)	I	796.5	91.3	69.4	63.8
			J	796.5	91.3	69.4	63.8
-93.1	-267.4						
		G1	I	-7655.1	-15.4	-5.1	-12.3
-69.0	-775.0		J	-7480.6	-15.4	-5.1	-12.3
-63.9	-759.6						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-25.3	-281.7		J	-1848.5	-5.6	-1.9	-4.5
-23.4	-276.1						
		G1- Imp~1	I	0.3	2.6	0.9	2.1
11.7	29.7		J	0.3	2.6	0.9	2.1
10.9	27.0						
		G2- Imp~1	I	0.1	1.0	0.3	0.8
4.3	11.0		J	0.1	1.0	0.3	0.8
4.0	10.0						
		q3	I	17.5	144.9	48.2	115.6
650.1	2250.7		J	17.5	144.9	48.2	115.6
602.0	2105.8						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-352.7	-1179.7		J	7.7	-78.6	-26.1	-62.7
-326.6	-1101.1						
		q4-2	I	-2.0	10.4	3.5	8.3
46.8	219.0		J	-2.0	10.4	3.5	8.3
43.3	208.6						
		q4-3	I	-6.3	121.8	40.5	97.2
546.5	1988.9		J	-6.3	121.8	40.5	97.2
506.0	1867.0						
		q4-4	I	1.4	27.4	9.1	21.9
123.1	482.0		J	1.4	27.4	9.1	21.9
114.0	454.6						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-20.6	-65.4		J	3.9	-4.6	-1.5	-3.7
-19.0	-60.9						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-4.9	-30.3		J	3.5	-1.1	-0.4	-0.9
-4.6	-29.2						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-1.7	-16.1		J	3.8	-0.4	-0.1	-0.3
-1.5	-15.7						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
6097.1	21891.6		J	-65.3	1359.2	451.6	1083.9	
5645.4	20532.3							
-839.1	-3294.9	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	
-776.9	-3107.8		J	95.6	-187.1	-62.2	-149.2	
5776.8	20559.9	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	
5348.9	19272.0		J	-58.9	1287.9	427.9	1027.0	
-796.0	-2994.4	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	
-737.0	-2816.9		J	87.5	-177.4	-59.0	-141.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1214.4	4074.4	q7	I	0.6	270.7	90.0	215.9	
1124.4	3803.7		J	0.6	270.7	90.0	215.9	
2.0	-23.7	T	I	-1.6	0.4	0.1	0.4	
1.9	-24.2		J	-1.6	0.4	0.1	0.4	
158.7	546.1	M. tor~1	I	32.7	35.4	11.8	28.2	
146.9	510.8		J	32.7	35.4	11.8	28.2	
93.8	322.9	M. tor~2	I	19.3	20.9	6.9	16.7	
86.9	302.0		J	19.3	20.9	6.9	16.7	
8843.4	31741.2	INVSLU Max	I	-12090.8	1971.5	655.1	1572.2	
8188.3	29833.5		J	-11855.2	1971.5	655.1	1572.2	
9055.4	-35286.9	Min	I	-17495.5	-2018.8	-670.8	-1609.9	-
8384.7	-33326.7		J	-17259.9	-2018.8	-670.8	-1609.9	-
1255.1	21636.9	INVSLV Max	I	-8482.0	1911.5	1109.0	1286.1	1
0220.5	19794.4		J	-8307.5	1911.5	1109.0	1286.1	1
1411.7	-23669.0	Min	I	-10524.2	-1946.4	-1120.6	-1314.0	-1
0365.4	-21791.6		J	-10349.7	-1946.4	-1120.6	-1314.0	-1


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


5908.9	21229.2	INVSLE Max	I	-8962.4	1317.3	437.7	1050.5	
			J	-8787.9	1317.3	437.7	1050.5	
5471.2	19959.2	Min	I	-12953.3	-1352.3	-449.3	-1078.4	-
6066.0	-23855.6		J	-12778.8	-1352.3	-449.3	-1078.4	-
5616.7	-22546.8							
595	4	45 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
369.0	2234.2		J	471.1	88.8	29.5	70.8	
339.5	2191.9	Min	I	-3383.5	-92.8	-30.8	-74.0	
-385.4	-4583.9		J	-3383.5	-92.8	-30.8	-74.0	
-354.6	-4570.1							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
353.1	3506.4		J	482.4	85.0	28.2	67.8	
324.8	3501.7	Min	I	-3391.9	-89.3	-29.7	-71.2	
-370.9	-3205.9		J	-3391.9	-89.3	-29.7	-71.2	
-341.2	-3181.9							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
193.7	1023.8		J	239.0	46.6	15.5	37.2	
178.2	1002.3	Min	I	-1702.5	-46.7	-15.5	-37.3	
-194.1	-2261.6		J	-1702.5	-46.7	-15.5	-37.3	
-178.6	-2258.2							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
182.2	1671.2		J	245.6	43.9	14.6	35.0	
167.6	1672.7	Min	I	-1706.5	-45.6	-15.1	-36.3	
-189.3	-1550.3		J	-1706.5	-45.6	-15.1	-36.3	
-174.1	-1537.0							
		SLVx (RS)	I	478.1	-1549.9	823.2	-1067.8	-
8337.4	-17092.6		J	478.1	-1549.9	823.2	-1067.8	-
7547.9	-15583.4							
		SLVy (RS)	I	270.7	-1118.8	806.4	-710.4	-
6425.4	-12067.4		J	270.7	-1118.8	806.4	-710.4	-
5663.7	-11014.7							
		SLDx (RS)	I	355.3	-1080.7	571.6	-742.4	-
5801.1	-11862.0		J	355.3	-1080.7	571.6	-742.4	-
5255.7	-10813.2							
		SLDy (RS)	I	196.9	-787.2	564.6	-503.2	-
4523.5	-8509.0		J	196.9	-787.2	564.6	-503.2	-
3991.8	-7773.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-93.1	-267.4	SLVz (RS)	I	796.5	96.1	67.4	63.8
			J	796.5	96.1	67.4	63.8
-131.3	-223.2						
		G1	I	-7480.6	-15.4	-5.1	-12.3
-63.9	-759.6		J	-7306.1	-15.4	-5.1	-12.3
-58.8	-744.2						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-23.4	-276.1		J	-1848.5	-5.6	-1.9	-4.5
-21.5	-270.4						
		G1- Imp~1	I	0.3	2.6	0.9	2.1
10.9	27.0		J	0.3	2.6	0.9	2.1
10.0	24.4						
		G2- Imp~1	I	0.1	1.0	0.3	0.8
4.0	10.0		J	0.1	1.0	0.3	0.8
3.7	9.1						
		q3	I	17.5	144.9	48.2	115.6
602.0	2105.8		J	17.5	144.9	48.2	115.6
553.8	1960.8						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-326.6	-1101.1		J	7.7	-78.6	-26.1	-62.7
-300.5	-1022.4						
		q4-2	I	-2.0	10.4	3.5	8.3
43.3	208.6		J	-2.0	10.4	3.5	8.3
39.8	198.2						
		q4-3	I	-6.3	121.8	40.5	97.2
506.0	1867.0		J	-6.3	121.8	40.5	97.2
465.5	1745.2						
		q4-4	I	1.4	27.4	9.1	21.9
114.0	454.6		J	1.4	27.4	9.1	21.9
104.8	427.1						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-19.0	-60.9		J	3.9	-4.6	-1.5	-3.7
-17.5	-56.3						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-4.6	-29.2		J	3.5	-1.1	-0.4	-0.9
-4.2	-28.1						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-1.5	-15.7		J	3.8	-0.4	-0.1	-0.3
-1.4	-15.3						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
5645.4	20532.3		J	-65.3	1359.2	451.6	1083.9	
5193.8	19173.1							
-776.9	-3107.8	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	
-714.8	-2920.7		J	95.6	-187.1	-62.2	-149.2	
5348.9	19272.0	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	
4921.0	17984.1		J	-58.9	1287.9	427.9	1027.0	
-737.0	-2816.9	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	
-678.0	-2639.5		J	87.5	-177.4	-59.0	-141.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1124.4	3803.7	q7	I	0.6	270.7	90.0	215.9	
1034.5	3533.0		J	0.6	270.7	90.0	215.9	
1.9	-24.2	T	I	-1.6	0.4	0.1	0.4	
1.7	-24.6		J	-1.6	0.4	0.1	0.4	
146.9	510.8	M. tor~1	I	32.7	35.4	11.8	28.2	
135.2	475.4		J	32.7	35.4	11.8	28.2	
86.9	302.0	M. tor~2	I	19.3	20.9	6.9	16.7	
79.9	281.0		J	19.3	20.9	6.9	16.7	
8188.3	29833.5	INVSLU Max	I	-11855.2	1971.5	655.1	1572.2	
7533.2	27927.6		J	-11619.6	1971.5	655.1	1572.2	
8384.7	-33326.7	Min	I	-17259.9	-2018.8	-670.8	-1609.9	-
7713.9	-31367.1		J	-17024.3	-2018.8	-670.8	-1609.9	-
0220.5	19794.4	INVSLV Max	I	-8307.5	1896.9	1079.5	1286.1	1
9219.8	17973.6		J	-8133.0	1896.9	1079.5	1286.1	
0365.4	-21791.6	Min	I	-10349.7	-1931.8	-1091.1	-1314.0	-1
9353.1	-19935.9		J	-10175.2	-1931.8	-1091.1	-1314.0	-


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


5471.2	19959.2	INVSLE Max	I	-8787.9	1317.3	437.7	1050.5	
			J	-8613.4	1317.3	437.7	1050.5	
5033.5	18690.5	Min	I	-12778.8	-1352.3	-449.3	-1078.4	-
5616.7	-22546.8		J	-12604.3	-1352.3	-449.3	-1078.4	-
5167.3	-21238.3							
596	4	45 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
339.5	2191.9		J	471.1	88.8	29.5	70.8	
310.0	2150.8	Min	I	-3383.5	-92.8	-30.8	-74.0	
-354.6	-4570.1		J	-3383.5	-92.8	-30.8	-74.0	
-323.7	-4556.6							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
324.8	3501.7		J	482.4	85.0	28.2	67.8	
296.6	3497.1	Min	I	-3391.9	-89.3	-29.7	-71.2	
-341.2	-3181.9		J	-3391.9	-89.3	-29.7	-71.2	
-311.6	-3158.7							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
178.2	1002.3		J	239.0	46.6	15.5	37.2	
162.7	981.5	Min	I	-1702.5	-46.7	-15.5	-37.3	
-178.6	-2258.2		J	-1702.5	-46.7	-15.5	-37.3	
-163.1	-2254.9							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
167.6	1672.7		J	245.6	43.9	14.6	35.0	
153.1	1674.2	Min	I	-1706.5	-45.6	-15.1	-36.3	
-174.1	-1537.0		J	-1706.5	-45.6	-15.1	-36.3	
-159.0	-1524.4							
		SLVx (RS)	I	478.1	-1537.7	804.2	-1067.8	-
7547.9	-15583.4		J	478.1	-1537.7	804.2	-1067.8	-
6772.4	-14088.3							
		SLVy (RS)	I	270.7	-1102.4	771.6	-710.4	-
5663.7	-11014.7		J	270.7	-1102.4	771.6	-710.4	-
4934.2	-9978.8							
		SLDx (RS)	I	355.3	-1071.7	558.3	-742.4	-
5255.7	-10813.2		J	355.3	-1071.7	558.3	-742.4	-
4719.3	-9774.8							
		SLDy (RS)	I	196.9	-775.3	540.4	-503.2	-
3991.8	-7773.0		J	196.9	-775.3	540.4	-503.2	-
3482.1	-7049.1							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-131.3	-223.2	SLVz (RS)	I	796.5	98.4	59.9	63.8
			J	796.5	98.4	59.9	63.8
-178.2	-209.0						
		G1	I	-7306.1	-15.4	-5.1	-12.3
-58.8	-744.2		J	-7131.6	-15.4	-5.1	-12.3
-53.7	-728.8						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-21.5	-270.4		J	-1848.5	-5.6	-1.9	-4.5
-19.7	-264.8						
		G1- Imp~1	I	0.3	2.6	0.9	2.1
10.0	24.4		J	0.3	2.6	0.9	2.1
9.1	21.8						
		G2- Imp~1	I	0.1	1.0	0.3	0.8
3.7	9.1		J	0.1	1.0	0.3	0.8
3.4	8.1						
		q3	I	17.5	144.9	48.2	115.6
553.8	1960.8		J	17.5	144.9	48.2	115.6
505.7	1815.9						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-300.5	-1022.4		J	7.7	-78.6	-26.1	-62.7
-274.3	-943.8						
		q4-2	I	-2.0	10.4	3.5	8.3
39.8	198.2		J	-2.0	10.4	3.5	8.3
36.4	187.7						
		q4-3	I	-6.3	121.8	40.5	97.2
465.5	1745.2		J	-6.3	121.8	40.5	97.2
425.0	1623.4						
		q4-4	I	1.4	27.4	9.1	21.9
104.8	427.1		J	1.4	27.4	9.1	21.9
95.7	399.7						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-17.5	-56.3		J	3.9	-4.6	-1.5	-3.7
-16.0	-51.7						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-4.2	-28.1		J	3.5	-1.1	-0.4	-0.9
-3.8	-27.1						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-1.4	-15.3		J	3.8	-0.4	-0.1	-0.3
-1.3	-15.0						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
5193.8	19173.1		J	-65.3	1359.2	451.6	1083.9	
4742.2	17813.9							
		q5 - p~2	I	95.6	-187.1	-62.2	-149.2	
-714.8	-2920.7		J	95.6	-187.1	-62.2	-149.2	
-652.6	-2733.7							
		q5 - p~3	I	-58.9	1287.9	427.9	1027.0	
4921.0	17984.1		J	-58.9	1287.9	427.9	1027.0	
4493.1	16696.3							
		q5 - p~4	I	87.5	-177.4	-59.0	-141.5	
-678.0	-2639.5		J	87.5	-177.4	-59.0	-141.5	
-619.1	-2462.1							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	0.6	270.7	90.0	215.9	
1034.5	3533.0		J	0.6	270.7	90.0	215.9	
944.5	3262.3							
		T	I	-1.6	0.4	0.1	0.4	
1.7	-24.6		J	-1.6	0.4	0.1	0.4	
1.6	-25.1							
		M. tor~1	I	32.7	35.4	11.8	28.2	
135.2	475.4		J	32.7	35.4	11.8	28.2	
123.4	440.0							
		M. tor~2	I	19.3	20.9	6.9	16.7	
79.9	281.0		J	19.3	20.9	6.9	16.7	
73.0	260.1							
		INVSLU Max	I	-11619.6	1971.5	655.1	1572.2	
7533.2	27927.6		J	-11384.0	1971.5	655.1	1572.2	
6878.2	26021.7							
		Min	I	-17024.3	-2018.8	-670.8	-1609.9	-
7713.9	-31367.1		J	-16788.7	-2018.8	-670.8	-1609.9	-
7043.1	-29407.6							
		INVSLV Max	I	-8133.0	1880.5	1047.8	1286.1	
9219.8	17973.6		J	-7958.5	1880.5	1047.8	1286.1	
8245.3	16180.9							
		Min	I	-10175.2	-1915.4	-1059.4	-1314.0	-
9353.1	-19935.9		J	-10000.7	-1915.4	-1059.4	-1314.0	-
8367.0	-18108.3							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


5033.5	18690.5	INVSLE	Max	I	-8613.4	1317.3	437.7	1050.5	
				J	-8438.9	1317.3	437.7	1050.5	
4595.8	17421.9		Min	I	-12604.3	-1352.3	-449.3	-1078.4	-
5167.3	-21238.3			J	-12429.8	-1352.3	-449.3	-1078.4	-
4718.0	-19929.9								
597	4	45	C1-C2;~1	Max	I	471.1	88.8	29.5	70.8
310.0	2150.8			J	471.1	88.8	29.5	70.8	
280.4	2111.2		Min	I	-3383.5	-92.8	-30.8	-74.0	
-323.7	-4556.6			J	-3383.5	-92.8	-30.8	-74.0	
-292.9	-4543.2								
			C3-C4;~1	Max	I	482.4	85.0	28.2	67.8
296.6	3497.1			J	482.4	85.0	28.2	67.8	
268.3	3492.5		Min	I	-3391.9	-89.3	-29.7	-71.2	
-311.6	-3158.7			J	-3391.9	-89.3	-29.7	-71.2	
-281.9	-3136.7								
			C1-C2;~2	Max	I	239.0	46.6	15.5	37.2
162.7	981.5			J	239.0	46.6	15.5	37.2	
147.2	961.5		Min	I	-1702.5	-46.7	-15.5	-37.3	
-163.1	-2254.9			J	-1702.5	-46.7	-15.5	-37.3	
-147.6	-2251.6								
			C3-C4;~2	Max	I	245.6	43.9	14.6	35.0
153.1	1674.2			J	245.6	43.9	14.6	35.0	
138.5	1675.7		Min	I	-1706.5	-45.6	-15.1	-36.3	
-159.0	-1524.4			J	-1706.5	-45.6	-15.1	-36.3	
-143.9	-1512.7								
			SLVx (RS)	I	478.1	-1524.7	784.8	-1067.8	-
6772.4	-14088.3			J	478.1	-1524.7	784.8	-1067.8	-
6011.7	-12608.9								
			SLVy (RS)	I	270.7	-1085.7	734.7	-710.4	-
4934.2	-9978.8			J	270.7	-1085.7	734.7	-710.4	-
4239.4	-8960.7								
			SLDx (RS)	I	355.3	-1062.3	545.1	-742.4	-
4719.3	-9774.8			J	355.3	-1062.3	545.1	-742.4	-
4192.3	-8747.9								
			SLDy (RS)	I	196.9	-763.2	515.0	-503.2	-
3482.1	-7049.1			J	196.9	-763.2	515.0	-503.2	-
2995.9	-6337.7								

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-178.2	-209.0	SLVz (RS)	I	796.5	97.3	47.8	63.8
			J	796.5	97.3	47.8	63.8
-218.0	232.2						
		G1	I	-7131.6	-15.4	-5.1	-12.3
-53.7	-728.8		J	-6957.1	-15.4	-5.1	-12.3
-48.6	-713.4						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-19.7	-264.8		J	-1848.5	-5.6	-1.9	-4.5
-17.8	-259.2						
		G1- Imp~1	I	0.3	2.6	0.9	2.1
9.1	21.8		J	0.3	2.6	0.9	2.1
8.2	19.2						
		G2- Imp~1	I	0.1	1.0	0.3	0.8
3.4	8.1		J	0.1	1.0	0.3	0.8
3.0	7.1						
		q3	I	17.5	144.9	48.2	115.6
505.7	1815.9		J	17.5	144.9	48.2	115.6
457.5	1670.9						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-274.3	-943.8		J	7.7	-78.6	-26.1	-62.7
-248.2	-865.2						
		q4-2	I	-2.0	10.4	3.5	8.3
36.4	187.7		J	-2.0	10.4	3.5	8.3
32.9	177.3						
		q4-3	I	-6.3	121.8	40.5	97.2
425.0	1623.4		J	-6.3	121.8	40.5	97.2
384.6	1501.5						
		q4-4	I	1.4	27.4	9.1	21.9
95.7	399.7		J	1.4	27.4	9.1	21.9
86.6	372.3						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-16.0	-51.7		J	3.9	-4.6	-1.5	-3.7
-14.5	-47.1						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-3.8	-27.1		J	3.5	-1.1	-0.4	-0.9
-3.5	-26.0						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-1.3	-15.0		J	3.8	-0.4	-0.1	-0.3
-1.2	-14.6						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
4742.2	17813.9		J	-65.3	1359.2	451.6	1083.9
4290.5	16454.6						
-652.6	-2733.7	q5 - p~2	I	95.6	-187.1	-62.2	-149.2
-590.5	-2546.6		J	95.6	-187.1	-62.2	-149.2
4493.1	16696.3	q5 - p~3	I	-58.9	1287.9	427.9	1027.0
4065.2	15408.4		J	-58.9	1287.9	427.9	1027.0
-619.1	-2462.1	q5 - p~4	I	87.5	-177.4	-59.0	-141.5
-560.1	-2284.6		J	87.5	-177.4	-59.0	-141.5
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
944.5	3262.3	q7	I	0.6	270.7	90.0	215.9
854.6	2991.5		J	0.6	270.7	90.0	215.9
1.6	-25.1	T	I	-1.6	0.4	0.1	0.4
1.4	-25.5		J	-1.6	0.4	0.1	0.4
123.4	440.0	M. tor~1	I	32.7	35.4	11.8	28.2
111.7	404.6		J	32.7	35.4	11.8	28.2
73.0	260.1	M. tor~2	I	19.3	20.9	6.9	16.7
66.0	239.2		J	19.3	20.9	6.9	16.7
6878.2	26021.7	INVSLU Max	I	-11384.0	1971.5	655.1	1572.2
6223.1	24115.8		J	-11148.5	1971.5	655.1	1572.2
7043.1	-29407.6	Min	I	-16788.7	-2018.8	-670.8	-1609.9
6372.3	-27448.2		J	-16553.2	-2018.8	-670.8	-1609.9
8245.3	16180.9	INVSLV Max	I	-7958.5	1862.2	1013.8	1286.1
7293.9	14420.5		J	-7784.0	1862.2	1013.8	1286.1
8367.0	-18108.3	Min	I	-10000.7	-1897.1	-1025.4	-1314.0
7404.1	-16313.0		J	-9826.2	-1897.1	-1025.4	-1314.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4595.8	17421.9	INVSLE	Max	I	-8438.9	1317.3	437.7	1050.5	
				J	-8264.4	1317.3	437.7	1050.5	
4158.1	16153.2		Min	I	-12429.8	-1352.3	-449.3	-1078.4	-
4718.0	-19929.9			J	-12255.3	-1352.3	-449.3	-1078.4	-
4268.7	-18621.6								
598	4	45	C1-C2;~1	Max	I	471.1	88.8	29.5	70.8
280.4	2111.2			J	471.1	88.8	29.5	70.8	
250.9	2073.4		Min	I	-3383.5	-92.8	-30.8	-74.0	
-292.9	-4543.2			J	-3383.5	-92.8	-30.8	-74.0	
-262.1	-4530.2								
			C3-C4;~1	Max	I	482.4	85.0	28.2	67.8
268.3	3492.5			J	482.4	85.0	28.2	67.8	
240.1	3487.9		Min	I	-3391.9	-89.3	-29.7	-71.2	
-281.9	-3136.7			J	-3391.9	-89.3	-29.7	-71.2	
-252.2	-3116.4								
			C1-C2;~2	Max	I	239.0	46.6	15.5	37.2
147.2	961.5			J	239.0	46.6	15.5	37.2	
131.7	942.7		Min	I	-1702.5	-46.7	-15.5	-37.3	
-147.6	-2251.6			J	-1702.5	-46.7	-15.5	-37.3	
-132.0	-2248.5								
			C3-C4;~2	Max	I	245.6	43.9	14.6	35.0
138.5	1675.7			J	245.6	43.9	14.6	35.0	
123.9	1677.2		Min	I	-1706.5	-45.6	-15.1	-36.3	
-143.9	-1512.7			J	-1706.5	-45.6	-15.1	-36.3	
-128.7	-1502.2								
			SLVx (RS)	I	478.1	-1511.0	764.7	-1067.8	-
6011.7	-12608.9			J	478.1	-1511.0	764.7	-1067.8	-
5266.9	-11147.1								
			SLVy (RS)	I	270.7	-1068.8	695.4	-710.4	-
4239.4	-8960.7			J	270.7	-1068.8	695.4	-710.4	-
3582.6	-7961.8								
			SLDx (RS)	I	355.3	-1052.3	531.6	-742.4	-
4192.3	-8747.9			J	355.3	-1052.3	531.6	-742.4	-
3675.4	-7734.1								
			SLDy (RS)	I	196.9	-751.2	488.0	-503.2	-
2995.9	-6337.7			J	196.9	-751.2	488.0	-503.2	-
2535.5	-5639.8								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-218.0	232.2	SLVz (RS)	I	796.5	-92.7	32.9	63.8
			J	796.5	-92.7	32.9	63.8
-243.9	280.6						
		G1	I	-6957.1	-15.4	-5.1	-12.3
-48.6	-713.4		J	-6782.6	-15.4	-5.1	-12.3
-43.5	-698.0						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-17.8	-259.2		J	-1848.5	-5.6	-1.9	-4.5
-15.9	-253.5						
		G1 - Imp~1	I	0.3	2.6	0.9	2.1
8.2	19.2		J	0.3	2.6	0.9	2.1
7.4	16.6						
		G2 - Imp~1	I	0.1	1.0	0.3	0.8
3.0	7.1		J	0.1	1.0	0.3	0.8
2.7	6.2						
		q3	I	17.5	144.9	48.2	115.6
457.5	1670.9		J	17.5	144.9	48.2	115.6
409.3	1526.0						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-248.2	-865.2		J	7.7	-78.6	-26.1	-62.7
-222.1	-786.6						
		q4-2	I	-2.0	10.4	3.5	8.3
32.9	177.3		J	-2.0	10.4	3.5	8.3
29.4	166.9						
		q4-3	I	-6.3	121.8	40.5	97.2
384.6	1501.5		J	-6.3	121.8	40.5	97.2
344.1	1379.7						
		q4-4	I	1.4	27.4	9.1	21.9
86.6	372.3		J	1.4	27.4	9.1	21.9
77.5	344.8						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-14.5	-47.1		J	3.9	-4.6	-1.5	-3.7
-13.0	-42.5						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-3.5	-26.0		J	3.5	-1.1	-0.4	-0.9
-3.1	-24.9						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-1.2	-14.6		J	3.8	-0.4	-0.1	-0.3
-1.0	-14.2						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
4290.5	16454.6		J	-65.3	1359.2	451.6	1083.9
3838.9	15095.4						
		q5 - p~2	I	95.6	-187.1	-62.2	-149.2
-590.5	-2546.6		J	95.6	-187.1	-62.2	-149.2
-528.3	-2359.5						
		q5 - p~3	I	-58.9	1287.9	427.9	1027.0
4065.2	15408.4		J	-58.9	1287.9	427.9	1027.0
3637.3	14120.6						
		q5 - p~4	I	87.5	-177.4	-59.0	-141.5
-560.1	-2284.6		J	87.5	-177.4	-59.0	-141.5
-501.2	-2107.2						
		q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q7	I	0.6	270.7	90.0	215.9
854.6	2991.5		J	0.6	270.7	90.0	215.9
764.6	2720.8						
		T	I	-1.6	0.4	0.1	0.4
1.4	-25.5		J	-1.6	0.4	0.1	0.4
1.3	-26.0						
		M. tor~1	I	32.7	35.4	11.8	28.2
111.7	404.6		J	32.7	35.4	11.8	28.2
99.9	369.2						
		M. tor~2	I	19.3	20.9	6.9	16.7
66.0	239.2		J	19.3	20.9	6.9	16.7
59.1	218.3						
		INVSLU Max	I	-11148.5	1971.5	655.1	1572.2
6223.1	24115.8		J	-10912.9	1971.5	655.1	1572.2
5568.0	22210.0						
		Min	I	-16553.2	-2018.8	-670.8	-1609.9
6372.3	-27448.2		J	-16317.6	-2018.8	-670.8	-1609.9
5701.6	-25488.9						
		INVSLV Max	I	-7784.0	1842.0	977.4	1286.1
7293.9	14420.5		J	-7609.5	1842.0	977.4	1286.1
6365.5	12691.0						
		Min	I	-9826.2	-1876.9	-989.0	-1314.0
7404.1	-16313.0		J	-9651.7	-1876.9	-989.0	-1314.0
6464.1	-14548.6						

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

4158.1	16153.2	INVSLE Max	I	-8264.4	1317.3	437.7	1050.5	
			J	-8089.9	1317.3	437.7	1050.5	
3720.4	14884.6	Min	I	-12255.3	-1352.3	-449.3	-1078.4	-
4268.7	-18621.6		J	-12080.8	-1352.3	-449.3	-1078.4	-
3819.3	-17313.5							
599	4	45 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
250.9	2073.4		J	471.1	88.8	29.5	70.8	
221.4	2037.7	Min	I	-3383.5	-92.8	-30.8	-74.0	
-262.1	-4530.2		J	-3383.5	-92.8	-30.8	-74.0	
-231.2	-4517.4							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
240.1	3487.9		J	482.4	85.0	28.2	67.8	
211.8	3483.4	Min	I	-3391.9	-89.3	-29.7	-71.2	
-252.2	-3116.4		J	-3391.9	-89.3	-29.7	-71.2	
-222.5	-3098.4							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
131.7	942.7		J	239.0	46.6	15.5	37.2	
116.2	925.1	Min	I	-1702.5	-46.7	-15.5	-37.3	
-132.0	-2248.5		J	-1702.5	-46.7	-15.5	-37.3	
-116.5	-2245.5							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
123.9	1677.2		J	245.6	43.9	14.6	35.0	
109.3	1678.8	Min	I	-1706.5	-45.6	-15.1	-36.3	
-128.7	-1502.2		J	-1706.5	-45.6	-15.1	-36.3	
-113.6	-1493.3							
		SLVx (RS)	I	478.1	-1496.5	743.6	-1067.8	-
5266.9	-11147.1		J	478.1	-1496.5	743.6	-1067.8	-
4539.3	-9705.6							
		SLVy (RS)	I	270.7	-1051.8	653.4	-710.4	-
3582.6	-7961.8		J	270.7	-1051.8	653.4	-710.4	-
2967.5	-6984.2							
		SLDx (RS)	I	355.3	-1041.9	-517.5	-742.4	-
3675.4	-7734.1		J	355.3	-1041.9	-517.5	-742.4	-
3169.4	-6735.2							
		SLDy (RS)	I	196.9	-739.2	459.2	-503.2	-
2535.5	-5639.8		J	196.9	-739.2	459.2	-503.2	-
2103.4	-4956.5							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-243.9	280.6	SLVz (RS)	I	796.5	-84.8	19.1	63.8
			J	796.5	-84.8	19.1	63.8
-252.5	337.3						
		G1	I	-6782.6	-15.4	-5.1	-12.3
-43.5	-698.0		J	-6608.1	-15.4	-5.1	-12.3
-38.4	-682.6						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-15.9	-253.5		J	-1848.5	-5.6	-1.9	-4.5
-14.0	-247.9						
		G1 - Imp~1	I	0.3	2.6	0.9	2.1
7.4	16.6		J	0.3	2.6	0.9	2.1
6.5	14.0						
		G2 - Imp~1	I	0.1	1.0	0.3	0.8
2.7	6.2		J	0.1	1.0	0.3	0.8
2.4	5.2						
		q3	I	17.5	144.9	48.2	115.6
409.3	1526.0		J	17.5	144.9	48.2	115.6
361.2	1381.1						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-222.1	-786.6		J	7.7	-78.6	-26.1	-62.7
-195.9	-707.9						
		q4-2	I	-2.0	10.4	3.5	8.3
29.4	166.9		J	-2.0	10.4	3.5	8.3
26.0	156.5						
		q4-3	I	-6.3	121.8	40.5	97.2
344.1	1379.7		J	-6.3	121.8	40.5	97.2
303.6	1257.9						
		q4-4	I	1.4	27.4	9.1	21.9
77.5	344.8		J	1.4	27.4	9.1	21.9
68.4	317.4						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-13.0	-42.5		J	3.9	-4.6	-1.5	-3.7
-11.4	-37.9						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-3.1	-24.9		J	3.5	-1.1	-0.4	-0.9
-2.7	-23.8						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-1.0	-14.2		J	3.8	-0.4	-0.1	-0.3
-0.9	-13.9						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name				
			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
3838.9	15095.4		J	-65.3	1359.2	451.6	1083.9
3387.3	13736.1						
-528.3	-2359.5	q5 - p~2	I	95.6	-187.1	-62.2	-149.2
-466.2	-2172.5		J	95.6	-187.1	-62.2	-149.2
3637.3	14120.6	q5 - p~3	I	-58.9	1287.9	427.9	1027.0
3209.3	12832.7		J	-58.9	1287.9	427.9	1027.0
-501.2	-2107.2	q5 - p~4	I	87.5	-177.4	-59.0	-141.5
-442.2	-1929.7		J	87.5	-177.4	-59.0	-141.5
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
764.6	2720.8	q7	I	0.6	270.7	90.0	215.9
674.7	2450.1		J	0.6	270.7	90.0	215.9
1.3	-26.0	T	I	-1.6	0.4	0.1	0.4
1.1	-26.4		J	-1.6	0.4	0.1	0.4
99.9	369.2	M. tor~1	I	32.7	35.4	11.8	28.2
88.2	333.9		J	32.7	35.4	11.8	28.2
59.1	218.3	M. tor~2	I	19.3	20.9	6.9	16.7
52.1	197.4		J	19.3	20.9	6.9	16.7
5568.0	22210.0	INVSLU Max	I	-10912.9	1971.5	655.1	1572.2
4913.0	20304.2		J	-10677.3	1971.5	655.1	1572.2
5701.6	-25488.9	Min	I	-16317.6	-2018.8	-670.8	-1609.9
5030.8	-23529.8		J	-16082.0	-2018.8	-670.8	-1609.9
6365.5	12691.0	INVSLV Max	I	-7609.5	1820.1	939.5	1286.1
5461.8	10990.8		J	-7435.0	1820.1	939.5	1286.1
6464.1	-14548.6	Min	I	-9651.7	-1855.0	-951.1	-1314.0
5548.8	-12813.4		J	-9477.2	-1855.0	-951.1	-1314.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3720.4	14884.6	INVSLE	Max	I	-8089.9	1317.3	437.7	1050.5	
				J	-7915.4	1317.3	437.7	1050.5	
3282.7	13616.0		Min	I	-12080.8	-1352.3	-449.3	-1078.4	-
3819.3	-17313.5			J	-11906.3	-1352.3	-449.3	-1078.4	-
3370.0	-16005.4								
600	4	40	C1-C2;~1	Max	I	517.8	92.5	5.3	294.2
92.8	2478.1			J	517.8	92.5	5.3	294.2	
87.5	2447.9			Min	I	-3409.6	-96.4	-5.6	-343.4
-98.4	-4605.9			J	-3409.6	-96.4	-5.6	-343.4	
-92.8	-4589.5								
			C3-C4;~1	Max	I	530.7	78.4	4.9	285.5
86.2	3771.2			J	530.7	78.4	4.9	285.5	
81.3	3754.5			Min	I	-3418.0	-87.1	-5.3	-283.8
-93.7	-3217.3			J	-3418.0	-87.1	-5.3	-283.8	
-88.4	-3197.1								
			C1-C2;~2	Max	I	257.0	45.7	2.5	147.1
44.2	1120.4			J	257.0	45.7	2.5	147.1	
41.6	1108.2			Min	I	-1713.0	-46.7	-2.7	-169.0
-47.0	-2219.4			J	-1713.0	-46.7	-2.7	-169.0	
-44.4	-2216.9								
			C3-C4;~2	Max	I	264.1	37.8	2.4	145.5
42.1	1782.8			J	264.1	37.8	2.4	145.5	
39.7	1778.8			Min	I	-1717.0	-42.6	-2.5	-139.3
-44.7	-1510.0			J	-1717.0	-42.6	-2.5	-139.3	
-42.2	-1503.4								
			SLVx (RS)	I	762.7	-2354.3	-491.1	-7462.9	-
8141.3	-40133.1			J	762.7	-2354.3	-491.1	-7462.9	-
7657.8	-37814.9								
			SLVy (RS)	I	185.8	-823.0	2831.8	10740.0	4
8317.0	-14160.0			J	185.8	-823.0	2831.8	10740.0	4
5517.9	-13362.4								
			SLDx (RS)	I	568.4	-1645.1	-331.6	-5227.3	-
5446.8	-27958.0			J	568.4	-1645.1	-331.6	-5227.3	-
5122.2	-26340.6								
			SLDy (RS)	I	137.2	-582.9	1636.9	6313.4	2
7705.0	-10010.5			J	137.2	-582.9	1636.9	6313.4	2
6099.4	-9447.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-115.7	-969.7	SLVz (RS)	I	758.0	-119.4	41.3	-105.6	
			J	758.0	-119.4	41.3	-105.6	
-137.1	-885.3							
		G1	I	-8321.5	-10.5	-0.9	16.9	
-15.1	-506.1		J	-8147.0	-10.5	-0.9	16.9	
-14.2	-495.6							
		G2	I	-1829.2	-3.8	-0.3	6.5	
-5.6	-185.1		J	-1829.2	-3.8	-0.3	6.5	
-5.3	-181.2							
		G1- Imp~1	I	-0.5	2.9	0.0	7.7	
0.5	58.7		J	-0.5	2.9	0.0	7.7	
0.5	55.8							
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9	
-0.0	21.8		J	-0.2	1.1	-0.0	2.9	
-0.0	20.7							
		q3	I	17.7	-8.9	691.4	1160.7	1
2133.9	-134.2		J	17.7	-8.9	691.4	1160.7	1
1442.5	-125.3							
		q4-1	I	-0.8	-40.9	-69.6	-210.1	-
1220.8	-835.3		J	-0.8	-40.9	-69.6	-210.1	-
1151.2	-794.3							
		q4-2	I	0.8	-48.5	-98.3	-189.0	-
1724.5	-943.4		J	0.8	-48.5	-98.3	-189.0	-
1626.2	-894.9							
		q4-3	I	-0.9	31.2	-58.1	115.5	-
1019.3	666.0		J	-0.9	31.2	-58.1	115.5	
-961.2	634.9							
		q4-4	I	-4.4	148.0	4.2	38.0	
72.8	3041.2		J	-4.4	148.0	4.2	38.0	
68.7	2893.2							
		q4-5	I	1.3	8.5	61.8	-23.6	
1084.1	206.5		J	1.3	8.5	61.8	-23.6	
1022.4	198.0							
		q4-6	I	6.4	-39.1	95.5	166.4	
1676.6	-775.2		J	6.4	-39.1	95.5	166.4	
1581.1	-736.2							
		q4-7	I	2.9	-30.6	84.5	147.9	
1483.2	-617.1		J	2.9	-30.6	84.5	147.9	
1398.7	-586.4							
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
480.5	32919.0		J	-68.7	1622.1	27.4	1051.0	
453.2	31297.0							
1456.4	3540.3	q5 - p~2	I	33.1	183.5	2362.2	3071.2	4
9094.2	3356.9		J	33.1	183.5	2362.2	3071.2	3
443.1	30963.8	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
417.9	29426.8		J	-61.3	1537.0	25.2	988.9	
9272.2	3341.8	q5 - p~4	I	34.8	174.6	2237.7	2917.4	3
7034.5	3167.2		J	34.8	174.6	2237.7	2917.4	3
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
6501.8	913.7	q7	I	8.7	43.6	370.5	994.5	
6131.4	870.1		J	8.7	43.6	370.5	994.5	
0.8	-23.7	T	I	0.3	-0.4	0.0	2.8	
0.7	-23.3		J	0.3	-0.4	0.0	2.8	
8425.8	-764.9	M. tor~1	I	10.3	-58.7	480.1	1602.7	
7945.7	-706.2		J	10.3	-58.7	480.1	1602.7	
4981.4	-452.2	M. tor~2	I	6.1	-34.7	283.8	947.6	
4697.6	-417.5		J	6.1	-34.7	283.8	947.6	
8941.2	48044.9	INVSLU Max	I	-12925.9	2353.4	3358.5	4622.4	5
5582.7	45747.9		J	-12690.3	2353.4	3358.5	4622.4	5
8999.7	-50283.4	Min	I	-18380.7	-2382.9	-3361.8	-4560.4	-5
5637.9	-47960.2		J	-18145.1	-2382.9	-3361.8	-4560.4	-5
0773.9	44061.2	INVSLV Max	I	-9105.6	2626.6	2990.3	13044.4	5
7837.3	41488.9		J	-8931.1	2626.6	2990.3	13044.4	4
0814.4	-45282.7	Min	I	-11197.2	-2647.5	-2992.6	-12976.6	-5
7875.4	-42689.5		J	-11022.7	-2647.5	-2992.6	-12976.6	-4

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9296.6	32150.0	INVSLE	Max	I	-9579.3	1572.5	2239.1	3186.1	3
				J	-9404.8	1572.5	2239.1	3186.1	3
7057.5	30619.2		Min	I	-13610.7	-1594.3	-2241.6	-3054.1	-3
9340.0	-33808.1			J	-13436.2	-1594.3	-2241.6	-3054.1	-3
7098.4	-32258.0								
601	4	40 C1-C2;~1	Max	I	517.8	92.5	5.3	294.2	
87.5	2447.9			J	517.8	92.5	5.3	294.2	
82.2	2417.7		Min	I	-3409.6	-96.4	-5.6	-343.4	
-92.8	-4589.5			J	-3409.6	-96.4	-5.6	-343.4	
-87.2	-4573.2								
		C3-C4;~1	Max	I	530.7	78.4	4.9	285.5	
81.3	3754.5			J	530.7	78.4	4.9	285.5	
76.4	3737.9		Min	I	-3418.0	-87.1	-5.3	-283.8	
-88.4	-3197.1			J	-3418.0	-87.1	-5.3	-283.8	
-83.1	-3176.9								
		C1-C2;~2	Max	I	257.0	45.7	2.5	147.1	
41.6	1108.2			J	257.0	45.7	2.5	147.1	
39.1	1096.0		Min	I	-1713.0	-46.7	-2.7	-169.0	
-44.4	-2216.9			J	-1713.0	-46.7	-2.7	-169.0	
-41.7	-2214.4								
		C3-C4;~2	Max	I	264.1	37.8	2.4	145.5	
39.7	1778.8			J	264.1	37.8	2.4	145.5	
37.3	1774.8		Min	I	-1717.0	-42.6	-2.5	-139.3	
-42.2	-1503.4			J	-1717.0	-42.6	-2.5	-139.3	
-39.6	-1496.9								
		SLVx (RS)		I	762.7	-2346.5	-489.4	-7462.9	-
7657.8	-37814.9			J	762.7	-2346.5	-489.4	-7462.9	-
7176.0	-35504.5								
		SLVy (RS)		I	185.8	-819.3	2825.1	10740.0	4
5517.9	-13362.4			J	185.8	-819.3	2825.1	10740.0	4
2724.0	-12569.0								
		SLDx (RS)		I	568.4	-1639.3	-330.1	-5227.3	-
5122.2	-26340.6			J	568.4	-1639.3	-330.1	-5227.3	-
4798.9	-24729.0								
		SLDy (RS)		I	137.2	-580.1	1631.1	6313.4	2
6099.4	-9447.1			J	137.2	-580.1	1631.1	6313.4	2
4498.3	-8886.9								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-137.1	-885.3	SLVz (RS)	I	758.0	-112.3	31.4	-105.6	
			J	758.0	-112.3	31.4	-105.6	
-150.4	-807.2							
		G1	I	-8147.0	-10.5	-0.9	16.9	
-14.2	-495.6		J	-7972.5	-10.5	-0.9	16.9	
-13.4	-485.1							
		G2	I	-1829.2	-3.8	-0.3	6.5	
-5.3	-181.2		J	-1829.2	-3.8	-0.3	6.5	
-4.9	-177.4							
		G1- Imp~1	I	-0.5	2.9	0.0	7.7	
0.5	55.8		J	-0.5	2.9	0.0	7.7	
0.4	53.0							
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9	
-0.0	20.7		J	-0.2	1.1	-0.0	2.9	
-0.0	19.6							
		q3	I	17.7	-8.9	691.4	1160.7	1
1442.5	-125.3		J	17.7	-8.9	691.4	1160.7	1
0751.1	-116.5							
		q4-1	I	-0.8	-40.9	-69.6	-210.1	-
1151.2	-794.3		J	-0.8	-40.9	-69.6	-210.1	-
1081.7	-753.4							
		q4-2	I	0.8	-48.5	-98.3	-189.0	-
1626.2	-894.9		J	0.8	-48.5	-98.3	-189.0	-
1527.9	-846.4							
		q4-3	I	-0.9	31.2	-58.1	115.5	
-961.2	634.9		J	-0.9	31.2	-58.1	115.5	
-903.1	603.7							
		q4-4	I	-4.4	148.0	4.2	38.0	
68.7	2893.2		J	-4.4	148.0	4.2	38.0	
64.5	2745.2							
		q4-5	I	1.3	8.5	61.8	-23.6	
1022.4	198.0		J	1.3	8.5	61.8	-23.6	
960.6	189.4							
		q4-6	I	6.4	-39.1	95.5	166.4	
1581.1	-736.2		J	6.4	-39.1	95.5	166.4	
1485.5	-697.1							
		q4-7	I	2.9	-30.6	84.5	147.9	
1398.7	-586.4		J	2.9	-30.6	84.5	147.9	
1314.2	-555.8							
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
453.2	31297.0		J	-68.7	1622.1	27.4	1051.0	
425.8	29674.9							
9094.2	3356.9	q5 - p~2	I	33.1	183.5	2362.2	3071.2	3
6732.0	3173.4		J	33.1	183.5	2362.2	3071.2	3
417.9	29426.8	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
392.6	27889.8		J	-61.3	1537.0	25.2	988.9	
7034.5	3167.2	q5 - p~4	I	34.8	174.6	2237.7	2917.4	3
4796.8	2992.6		J	34.8	174.6	2237.7	2917.4	3
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
6131.4	870.1	q7	I	8.7	43.6	370.5	994.5	
5760.9	826.5		J	8.7	43.6	370.5	994.5	
0.7	-23.3	T	I	0.3	-0.4	0.0	2.8	
0.7	-23.0		J	0.3	-0.4	0.0	2.8	
7945.7	-706.2	M. tor~1	I	10.3	-58.7	480.1	1602.7	
7465.6	-647.5		J	10.3	-58.7	480.1	1602.7	
4697.6	-417.5	M. tor~2	I	6.1	-34.7	283.8	947.6	
4413.8	-382.8		J	6.1	-34.7	283.8	947.6	
5582.7	45747.9	INVSLU Max	I	-12690.3	2353.4	3358.5	4622.4	5
2224.2	43450.8		J	-12454.8	2353.4	3358.5	4622.4	5
5637.9	-47960.2	Min	I	-18145.1	-2382.9	-3361.8	-4560.4	-5
2276.1	-45637.0		J	-17909.5	-2382.9	-3361.8	-4560.4	-5
7837.3	41488.9	INVSLV Max	I	-8931.1	2615.5	2980.2	13044.4	4
4904.0	38927.5		J	-8756.6	2615.5	2980.2	13044.4	4
7875.4	-42689.5	Min	I	-11022.7	-2636.4	-2982.5	-12976.6	-4
4939.9	-40107.2		J	-10848.2	-2636.4	-2982.5	-12976.6	-4

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

7057.5	30619.2	INVSLE	Max	I	-9404.8	1572.5	2239.1	3186.1	3
				J	-9230.3	1572.5	2239.1	3186.1	3
4818.4	29088.5		Min	I	-13436.2	-1594.3	-2241.6	-3054.1	-3
7098.4	-32258.0			J	-13261.7	-1594.3	-2241.6	-3054.1	-3
4856.8	-30707.8								
602	4	40 C1-C2;~1	Max	I	517.8	92.5	5.3	294.2	
82.2	2417.7			J	517.8	92.5	5.3	294.2	
76.9	2387.5		Min	I	-3409.6	-96.4	-5.6	-343.4	
-87.2	-4573.2			J	-3409.6	-96.4	-5.6	-343.4	
-81.6	-4556.9								
		C3-C4;~1	Max	I	530.7	78.4	4.9	285.5	
76.4	3737.9			J	530.7	78.4	4.9	285.5	
71.4	3721.3		Min	I	-3418.0	-87.1	-5.3	-283.8	
-83.1	-3176.9			J	-3418.0	-87.1	-5.3	-283.8	
-77.7	-3156.8								
		C1-C2;~2	Max	I	257.0	45.7	2.5	147.1	
39.1	1096.0			J	257.0	45.7	2.5	147.1	
36.6	1083.9		Min	I	-1713.0	-46.7	-2.7	-169.0	
-41.7	-2214.4			J	-1713.0	-46.7	-2.7	-169.0	
-39.0	-2212.0								
		C3-C4;~2	Max	I	264.1	37.8	2.4	145.5	
37.3	1774.8			J	264.1	37.8	2.4	145.5	
34.9	1770.8		Min	I	-1717.0	-42.6	-2.5	-139.3	
-39.6	-1496.9			J	-1717.0	-42.6	-2.5	-139.3	
-37.1	-1490.3								
		SLVx (RS)		I	762.7	-2337.5	-487.3	-7462.9	-
7176.0	-35504.5			J	762.7	-2337.5	-487.3	-7462.9	-
6695.9	-33202.9								
		SLVy (RS)		I	185.8	-815.1	2817.7	10740.0	4
2724.0	-12569.0			J	185.8	-815.1	2817.7	10740.0	3
9935.7	-11780.2								
		SLDx (RS)		I	568.4	-1632.7	-328.4	-5227.3	-
4798.9	-24729.0			J	568.4	-1632.7	-328.4	-5227.3	-
4477.1	-23123.8								
		SLDy (RS)		I	137.2	-576.9	1624.8	6313.4	2
4498.3	-8886.9			J	137.2	-576.9	1624.8	6313.4	2
2901.6	-8330.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-150.4	-807.2	SLVz (RS)	I	758.0	-105.8	27.5	-105.6	
			J	758.0	-105.8	27.5	-105.6	
-152.8	-734.3							
		G1	I	-7972.5	-10.5	-0.9	16.9	
-13.4	-485.1		J	-7798.0	-10.5	-0.9	16.9	
-12.5	-474.5							
		G2	I	-1829.2	-3.8	-0.3	6.5	
-4.9	-177.4		J	-1829.2	-3.8	-0.3	6.5	
-4.6	-173.5							
		G1- Imp~1	I	-0.5	2.9	0.0	7.7	
0.4	53.0		J	-0.5	2.9	0.0	7.7	
0.4	50.1							
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9	
-0.0	19.6		J	-0.2	1.1	-0.0	2.9	
-0.0	18.6							
		q3	I	17.7	-8.9	691.4	1160.7	1
0751.1	-116.5		J	17.7	-8.9	691.4	1160.7	1
0059.7	-107.6							
		q4-1	I	-0.8	-40.9	-69.6	-210.1	-
1081.7	-753.4		J	-0.8	-40.9	-69.6	-210.1	-
1012.1	-712.4							
		q4-2	I	0.8	-48.5	-98.3	-189.0	-
1527.9	-846.4		J	0.8	-48.5	-98.3	-189.0	-
1429.7	-798.0							
		q4-3	I	-0.9	31.2	-58.1	115.5	
-903.1	603.7		J	-0.9	31.2	-58.1	115.5	
-845.1	572.6							
		q4-4	I	-4.4	148.0	4.2	38.0	
64.5	2745.2		J	-4.4	148.0	4.2	38.0	
60.4	2597.2							
		q4-5	I	1.3	8.5	61.8	-23.6	
960.6	189.4		J	1.3	8.5	61.8	-23.6	
898.8	180.9							
		q4-6	I	6.4	-39.1	95.5	166.4	
1485.5	-697.1		J	6.4	-39.1	95.5	166.4	
1390.0	-658.1							
		q4-7	I	2.9	-30.6	84.5	147.9	
1314.2	-555.8		J	2.9	-30.6	84.5	147.9	
1229.7	-525.1							
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
425.8	29674.9		J	-68.7	1622.1	27.4	1051.0	
398.4	28052.9							
6732.0	3173.4	q5 - p~2	I	33.1	183.5	2362.2	3071.2	3
4369.8	2989.9		J	33.1	183.5	2362.2	3071.2	3
392.6	27889.8	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
367.4	26352.8		J	-61.3	1537.0	25.2	988.9	
4796.8	2992.6	q5 - p~4	I	34.8	174.6	2237.7	2917.4	3
2559.0	2818.0		J	34.8	174.6	2237.7	2917.4	3
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
5760.9	826.5	q7	I	8.7	43.6	370.5	994.5	
5390.4	782.8		J	8.7	43.6	370.5	994.5	
0.7	-23.0	T	I	0.3	-0.4	0.0	2.8	
0.6	-22.6		J	0.3	-0.4	0.0	2.8	
7465.6	-647.5	M. tor~1	I	10.3	-58.7	480.1	1602.7	
6985.5	-588.8		J	10.3	-58.7	480.1	1602.7	
4413.8	-382.8	M. tor~2	I	6.1	-34.7	283.8	947.6	
4129.9	-348.1		J	6.1	-34.7	283.8	947.6	
2224.2	43450.8	INVSLU Max	I	-12454.8	2353.4	3358.5	4622.4	5
8865.8	41153.8		J	-12219.2	2353.4	3358.5	4622.4	4
2276.1	-45637.0	Min	I	-17909.5	-2382.9	-3361.8	-4560.4	-5
8914.3	-43313.8		J	-17673.9	-2382.9	-3361.8	-4560.4	-4
4904.0	38927.5	INVSLV Max	I	-8756.6	2603.3	2971.0	13044.4	4
1973.5	36377.9		J	-8582.1	2603.3	2971.0	13044.4	4
4939.9	-40107.2	Min	I	-10848.2	-2624.2	-2973.3	-12976.6	-4
2007.1	-37536.7		J	-10673.7	-2624.2	-2973.3	-12976.6	-4

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4818.4	29088.5	INVSLE	Max	I	-9230.3	1572.5	2239.1	3186.1	3
				J	-9055.8	1572.5	2239.1	3186.1	3
2579.2	27557.8		Min	I	-13261.7	-1594.3	-2241.6	-3054.1	-3
4856.8	-30707.8			J	-13087.2	-1594.3	-2241.6	-3054.1	-3
2615.2	-29157.7								
603	4	40	C1-C2;~1	Max	I	517.8	92.5	5.3	294.2
76.9	2387.5			J	517.8	92.5	5.3	294.2	
71.6	2357.4			Min	I	-3409.6	-96.4	-5.6	-343.4
-81.6	-4556.9			J	-3409.6	-96.4	-5.6	-343.4	
-76.0	-4540.6								
			C3-C4;~1	Max	I	530.7	78.4	4.9	285.5
71.4	3721.3			J	530.7	78.4	4.9	285.5	
66.5	3704.8			Min	I	-3418.0	-87.1	-5.3	-283.8
-77.7	-3156.8			J	-3418.0	-87.1	-5.3	-283.8	
-72.4	-3136.7								
			C1-C2;~2	Max	I	257.0	45.7	2.5	147.1
36.6	1083.9			J	257.0	45.7	2.5	147.1	
34.1	1071.7			Min	I	-1713.0	-46.7	-2.7	-169.0
-39.0	-2212.0			J	-1713.0	-46.7	-2.7	-169.0	
-36.3	-2209.5								
			C3-C4;~2	Max	I	264.1	37.8	2.4	145.5
34.9	1770.8			J	264.1	37.8	2.4	145.5	
32.5	1766.9			Min	I	-1717.0	-42.6	-2.5	-139.3
-37.1	-1490.3			J	-1717.0	-42.6	-2.5	-139.3	
-34.5	-1483.8								
			SLVx (RS)	I	762.7	-2327.4	-485.1	-7462.9	-
6695.9	-33202.9			J	762.7	-2327.4	-485.1	-7462.9	-
6217.7	-30911.2								
			SLVy (RS)	I	185.8	-810.3	2809.7	10740.0	3
9935.7	-11780.2			J	185.8	-810.3	2809.7	10740.0	3
7152.8	-10996.6								
			SLDx (RS)	I	568.4	-1625.2	-326.6	-5227.3	-
4477.1	-23123.8			J	568.4	-1625.2	-326.6	-5227.3	-
4156.8	-21525.9								
			SLDy (RS)	I	137.2	-573.2	1618.2	6313.4	2
2901.6	-8330.2			J	137.2	-573.2	1618.2	6313.4	2
1309.2	-7777.3								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-152.8	-734.3	SLVz (RS)	I	758.0	-100.4	31.2	-105.6	
			J	758.0	-100.4	31.2	-105.6	
-145.9	-665.5							
		G1	I	-7798.0	-10.5	-0.9	16.9	
-12.5	-474.5		J	-7623.5	-10.5	-0.9	16.9	
-11.7	-464.0							
		G2	I	-1829.2	-3.8	-0.3	6.5	
-4.6	-173.5		J	-1829.2	-3.8	-0.3	6.5	
-4.3	-169.7							
		G1- Imp~1	I	-0.5	2.9	0.0	7.7	
0.4	50.1		J	-0.5	2.9	0.0	7.7	
0.4	47.3							
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9	
-0.0	18.6		J	-0.2	1.1	-0.0	2.9	
-0.0	17.5							
		q3	I	17.7	-8.9	691.4	1160.7	1
0059.7	-107.6		J	17.7	-8.9	691.4	1160.7	
9368.3	-98.8							
		q4-1	I	-0.8	-40.9	-69.6	-210.1	-
1012.1	-712.4		J	-0.8	-40.9	-69.6	-210.1	
-942.6	-671.5							
		q4-2	I	0.8	-48.5	-98.3	-189.0	-
1429.7	-798.0		J	0.8	-48.5	-98.3	-189.0	-
1331.4	-749.5							
		q4-3	I	-0.9	31.2	-58.1	115.5	
-845.1	572.6		J	-0.9	31.2	-58.1	115.5	
-787.0	541.4							
		q4-4	I	-4.4	148.0	4.2	38.0	
60.4	2597.2		J	-4.4	148.0	4.2	38.0	
56.2	2449.2							
		q4-5	I	1.3	8.5	61.8	-23.6	
898.8	180.9		J	1.3	8.5	61.8	-23.6	
837.0	172.4							
		q4-6	I	6.4	-39.1	95.5	166.4	
1390.0	-658.1		J	6.4	-39.1	95.5	166.4	
1294.5	-619.0							
		q4-7	I	2.9	-30.6	84.5	147.9	
1229.7	-525.1		J	2.9	-30.6	84.5	147.9	
1145.1	-494.5							
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
398.4	28052.9		J	-68.7	1622.1	27.4	1051.0	
371.0	26430.8							
4369.8	2989.9	q5 - p~2	I	33.1	183.5	2362.2	3071.2	3
2007.7	2806.4		J	33.1	183.5	2362.2	3071.2	3
367.4	26352.8	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
342.1	24815.7		J	-61.3	1537.0	25.2	988.9	
2559.0	2818.0	q5 - p~4	I	34.8	174.6	2237.7	2917.4	3
0321.3	2643.3		J	34.8	174.6	2237.7	2917.4	3
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
5390.4	782.8	q7	I	8.7	43.6	370.5	994.5	
5019.9	739.2		J	8.7	43.6	370.5	994.5	
0.6	-22.6	T	I	0.3	-0.4	0.0	2.8	
0.6	-22.3		J	0.3	-0.4	0.0	2.8	
6985.5	-588.8	M. tor~1	I	10.3	-58.7	480.1	1602.7	
6505.4	-530.1		J	10.3	-58.7	480.1	1602.7	
4129.9	-348.1	M. tor~2	I	6.1	-34.7	283.8	947.6	
3846.1	-313.4		J	6.1	-34.7	283.8	947.6	
8865.8	41153.8	INVSLU Max	I	-12219.2	2353.4	3358.5	4622.4	4
5507.3	38856.9		J	-11983.6	2353.4	3358.5	4622.4	4
8914.3	-43313.8	Min	I	-17673.9	-2382.9	-3361.8	-4560.4	-4
5552.5	-40990.6		J	-17438.4	-2382.9	-3361.8	-4560.4	-4
1973.5	36377.9	INVSLV Max	I	-8582.1	2590.1	2963.5	13044.4	4
9046.2	33840.8		J	-8407.6	2590.1	2963.5	13044.4	3
2007.1	-37536.7	Min	I	-10673.7	-2611.0	-2965.8	-12976.6	-4
9077.5	-34978.7		J	-10499.2	-2611.0	-2965.8	-12976.6	-3

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

2579.2	27557.8	INVSLE Max	I	-9055.8	1572.5	2239.1	3186.1	3
0340.1	26027.1		J	-8881.3	1572.5	2239.1	3186.1	3
2615.2	-29157.7	Min	I	-13087.2	-1594.3	-2241.6	-3054.1	-3
0373.6	-27607.6		J	-12912.7	-1594.3	-2241.6	-3054.1	-3
604	4	40 C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
71.6	2357.4		J	517.8	92.5	5.3	294.2	
66.3	2327.3	Min	I	-3409.6	-96.4	-5.6	-343.4	
-76.0	-4540.6		J	-3409.6	-96.4	-5.6	-343.4	
-70.4	-4524.4							
66.5	3704.8	C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
61.6	3688.3		J	530.7	78.4	4.9	285.5	
-72.4	-3136.7	Min	I	-3418.0	-87.1	-5.3	-283.8	
-67.0	-3116.6		J	-3418.0	-87.1	-5.3	-283.8	
34.1	1071.7	C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
31.6	1059.6		J	257.0	45.7	2.5	147.1	
-36.3	-2209.5	Min	I	-1713.0	-46.7	-2.7	-169.0	
-33.6	-2207.1		J	-1713.0	-46.7	-2.7	-169.0	
32.5	1766.9	C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
30.1	1763.0		J	264.1	37.8	2.4	145.5	
-34.5	-1483.8	Min	I	-1717.0	-42.6	-2.5	-139.3	
-32.0	-1477.3		J	-1717.0	-42.6	-2.5	-139.3	
6217.7	-30911.2	SLVx (RS)	I	762.7	-2316.2	-482.6	-7462.9	-
5741.5	-28630.4		J	762.7	-2316.2	-482.6	-7462.9	-
7152.8	-10996.6	SLVy (RS)	I	185.8	-805.0	2801.5	10740.0	3
4375.3	-10218.3		J	185.8	-805.0	2801.5	10740.0	3
4156.8	-21525.9	SLDx (RS)	I	568.4	-1617.1	-324.5	-5227.3	-
3838.2	-19936.1		J	568.4	-1617.1	-324.5	-5227.3	-
1309.2	-7777.3	SLDy (RS)	I	137.2	-569.3	1611.5	6313.4	2
9720.8	-7228.4		J	137.2	-569.3	1611.5	6313.4	1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-145.9	-665.5	SLVz (RS)	I	758.0	-96.4	-38.2	-105.6
			J	758.0	-96.4	-38.2	-105.6
-134.4	-600.3						
		G1	I	-7623.5	-10.5	-0.9	16.9
-11.7	-464.0		J	-7449.0	-10.5	-0.9	16.9
-10.8	-453.5						
		G2	I	-1829.2	-3.8	-0.3	6.5
-4.3	-169.7		J	-1829.2	-3.8	-0.3	6.5
-4.0	-165.8						
		G1- Imp~1	I	-0.5	2.9	0.0	7.7
0.4	47.3		J	-0.5	2.9	0.0	7.7
0.4	44.4						
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9
-0.0	17.5		J	-0.2	1.1	-0.0	2.9
-0.0	16.4						
		q3	I	17.7	-8.9	691.4	1160.7
9368.3	-98.8		J	17.7	-8.9	691.4	1160.7
8676.9	-89.9						
		q4-1	I	-0.8	-40.9	-69.6	-210.1
-942.6	-671.5		J	-0.8	-40.9	-69.6	-210.1
-873.0	-630.5						
		q4-2	I	0.8	-48.5	-98.3	-189.0
1331.4	-749.5		J	0.8	-48.5	-98.3	-189.0
1233.2	-701.0						
		q4-3	I	-0.9	31.2	-58.1	115.5
-787.0	541.4		J	-0.9	31.2	-58.1	115.5
-728.9	510.2						
		q4-4	I	-4.4	148.0	4.2	38.0
56.2	2449.2		J	-4.4	148.0	4.2	38.0
52.1	2301.3						
		q4-5	I	1.3	8.5	61.8	-23.6
837.0	172.4		J	1.3	8.5	61.8	-23.6
775.3	163.8						
		q4-6	I	6.4	-39.1	95.5	166.4
1294.5	-619.0		J	6.4	-39.1	95.5	166.4
1198.9	-580.0						
		q4-7	I	2.9	-30.6	84.5	147.9
1145.1	-494.5		J	2.9	-30.6	84.5	147.9
1060.6	-463.8						
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
371.0	26430.8		J	-68.7	1622.1	27.4	1051.0	
343.6	24808.7							
2007.7	2806.4	q5 - p~2	I	33.1	183.5	2362.2	3071.2	3
9645.5	2622.9		J	33.1	183.5	2362.2	3071.2	2
342.1	24815.7	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
316.9	23278.7		J	-61.3	1537.0	25.2	988.9	
0321.3	2643.3	q5 - p~4	I	34.8	174.6	2237.7	2917.4	3
8083.6	2468.7		J	34.8	174.6	2237.7	2917.4	2
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
5019.9	739.2	q7	I	8.7	43.6	370.5	994.5	
4649.5	695.6		J	8.7	43.6	370.5	994.5	
0.6	-22.3	T	I	0.3	-0.4	0.0	2.8	
0.5	-21.9		J	0.3	-0.4	0.0	2.8	
6505.4	-530.1	M. tor~1	I	10.3	-58.7	480.1	1602.7	
6025.3	-471.3		J	10.3	-58.7	480.1	1602.7	
3846.1	-313.4	M. tor~2	I	6.1	-34.7	283.8	947.6	
3562.2	-278.7		J	6.1	-34.7	283.8	947.6	
5507.3	38856.9	INVSLU Max	I	-11983.6	2353.4	3358.5	4622.4	4
2148.8	36560.0		J	-11748.0	2353.4	3358.5	4622.4	4
5552.5	-40990.6	Min	I	-17438.4	-2382.9	-3361.8	-4560.4	-4
2190.7	-38667.5		J	-17202.8	-2382.9	-3361.8	-4560.4	-4
9046.2	33840.8	INVSLV Max	I	-8407.6	2576.2	2956.6	13044.4	3
6123.6	31317.5		J	-8233.1	2576.2	2956.6	13044.4	3
9077.5	-34978.7	Min	I	-10499.2	-2597.1	-2958.9	-12976.6	-3
6152.5	-32434.5		J	-10324.7	-2597.1	-2958.9	-12976.6	-3

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0340.1	26027.1		INVSLE Max	I	-8881.3	1572.5	2239.1	3186.1	3
				J	-8706.8	1572.5	2239.1	3186.1	2
8101.0	24496.4		Min	I	-12912.7	-1594.3	-2241.6	-3054.1	-3
0373.6	-27607.6			J	-12738.2	-1594.3	-2241.6	-3054.1	-2
8132.0	-26057.5								
605	4	40	C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
66.3	2327.3			J	517.8	92.5	5.3	294.2	
61.1	2297.2		Min	I	-3409.6	-96.4	-5.6	-343.4	
-70.4	-4524.4			J	-3409.6	-96.4	-5.6	-343.4	
-64.8	-4508.2								
			C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
61.6	3688.3			J	530.7	78.4	4.9	285.5	
56.7	3672.0		Min	I	-3418.0	-87.1	-5.3	-283.8	
-67.0	-3116.6			J	-3418.0	-87.1	-5.3	-283.8	
-61.7	-3096.6								
			C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
31.6	1059.6			J	257.0	45.7	2.5	147.1	
29.1	1047.5		Min	I	-1713.0	-46.7	-2.7	-169.0	
-33.6	-2207.1			J	-1713.0	-46.7	-2.7	-169.0	
-31.0	-2204.7								
			C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
30.1	1763.0			J	264.1	37.8	2.4	145.5	
27.7	1759.1		Min	I	-1717.0	-42.6	-2.5	-139.3	
-32.0	-1477.3			J	-1717.0	-42.6	-2.5	-139.3	
-29.4	-1470.8								
			SLVx (RS)	I	762.7	-2303.9	-479.9	-7462.9	-
5741.5	-28630.4			J	762.7	-2303.9	-479.9	-7462.9	-
5267.6	-26361.8								
			SLVy (RS)	I	185.8	-799.4	2793.2	10740.0	3
4375.3	-10218.3			J	185.8	-799.4	2793.2	10740.0	3
1603.0	-9445.9								
			SLDx (RS)	I	568.4	-1608.1	-322.4	-5227.3	-
3838.2	-19936.1			J	568.4	-1608.1	-322.4	-5227.3	-
3521.2	-18355.0								
			SLDy (RS)	I	137.2	-565.1	1605.1	6313.4	1
9720.8	-7228.4			J	137.2	-565.1	1605.1	6313.4	1
8135.9	-6683.8								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-134.4	-600.3	SLVz (RS)	I	758.0	-93.7	-44.2	-105.6	
			J	758.0	-93.7	-44.2	-105.6	
-125.4	-538.5							
		G1	I	-7449.0	-10.5	-0.9	16.9	
-10.8	-453.5		J	-7274.5	-10.5	-0.9	16.9	
-9.9	-443.0							
		G2	I	-1829.2	-3.8	-0.3	6.5	
-4.0	-165.8		J	-1829.2	-3.8	-0.3	6.5	
-3.7	-162.0							
		G1- Imp~1	I	-0.5	2.9	0.0	7.7	
0.4	44.4		J	-0.5	2.9	0.0	7.7	
0.3	41.5							
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9	
-0.0	16.4		J	-0.2	1.1	-0.0	2.9	
-0.0	15.4							
		q3	I	17.7	-8.9	691.4	1160.7	
8676.9	-89.9		J	17.7	-8.9	691.4	1160.7	
7985.6	-81.1							
		q4-1	I	-0.8	-40.9	-69.6	-210.1	
-873.0	-630.5		J	-0.8	-40.9	-69.6	-210.1	
-803.4	-589.6							
		q4-2	I	0.8	-48.5	-98.3	-189.0	-
1233.2	-701.0		J	0.8	-48.5	-98.3	-189.0	-
1134.9	-652.5							
		q4-3	I	-0.9	31.2	-58.1	115.5	
-728.9	510.2		J	-0.9	31.2	-58.1	115.5	
-670.8	479.1							
		q4-4	I	-4.4	148.0	4.2	38.0	
52.1	2301.3		J	-4.4	148.0	4.2	38.0	
47.9	2153.3							
		q4-5	I	1.3	8.5	61.8	-23.6	
775.3	163.8		J	1.3	8.5	61.8	-23.6	
713.5	155.3							
		q4-6	I	6.4	-39.1	95.5	166.4	
1198.9	-580.0		J	6.4	-39.1	95.5	166.4	
1103.4	-540.9							
		q4-7	I	2.9	-30.6	84.5	147.9	
1060.6	-463.8		J	2.9	-30.6	84.5	147.9	
976.1	-433.2							
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
343.6	24808.7		J	-68.7	1622.1	27.4	1051.0	
316.3	23186.7							
9645.5	2622.9	q5 - p~2	I	33.1	183.5	2362.2	3071.2	2
7283.3	2439.4		J	33.1	183.5	2362.2	3071.2	2
316.9	23278.7	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
291.6	21741.7		J	-61.3	1537.0	25.2	988.9	
8083.6	2468.7	q5 - p~4	I	34.8	174.6	2237.7	2917.4	2
5845.8	2294.1		J	34.8	174.6	2237.7	2917.4	2
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
4649.5	695.6	q7	I	8.7	43.6	370.5	994.5	
4279.0	652.0		J	8.7	43.6	370.5	994.5	
0.5	-21.9	T	I	0.3	-0.4	0.0	2.8	
0.5	-21.6		J	0.3	-0.4	0.0	2.8	
6025.3	-471.3	M. tor~1	I	10.3	-58.7	480.1	1602.7	
5545.2	-412.6		J	10.3	-58.7	480.1	1602.7	
3562.2	-278.7	M. tor~2	I	6.1	-34.7	283.8	947.6	
3278.4	-244.0		J	6.1	-34.7	283.8	947.6	
2148.8	36560.0	INVSLU Max	I	-11748.0	2353.4	3358.5	4622.4	4
8790.4	34263.1		J	-11512.5	2353.4	3358.5	4622.4	3
2190.7	-38667.5	Min	I	-17202.8	-2382.9	-3361.8	-4560.4	-4
8828.9	-36344.4		J	-16967.2	-2382.9	-3361.8	-4560.4	-3
6123.6	31317.5	INVSLV Max	I	-8233.1	2561.4	2949.3	13044.4	3
3207.6	28809.1		J	-8058.6	2561.4	2949.3	13044.4	3
6152.5	-32434.5	Min	I	-10324.7	-2582.3	-2951.6	-12976.6	-3
3234.2	-29905.2		J	-10150.2	-2582.3	-2951.6	-12976.6	-3

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8101.0	24496.4		INVSLE Max	I	-8706.8	1572.5	2239.1	3186.1	2
				J	-8532.3	1572.5	2239.1	3186.1	2
5861.9	22965.8		Min	I	-12738.2	-1594.3	-2241.6	-3054.1	-2
8132.0	-26057.5			J	-12563.7	-1594.3	-2241.6	-3054.1	-2
5890.4	-24507.4								
606	4	40	C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
61.1	2297.2			J	517.8	92.5	5.3	294.2	
55.8	2267.2		Min	I	-3409.6	-96.4	-5.6	-343.4	
-64.8	-4508.2			J	-3409.6	-96.4	-5.6	-343.4	
-59.1	-4492.1								
			C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
56.7	3672.0			J	530.7	78.4	4.9	285.5	
51.8	3655.8		Min	I	-3418.0	-87.1	-5.3	-283.8	
-61.7	-3096.6			J	-3418.0	-87.1	-5.3	-283.8	
-56.3	-3076.7								
			C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
29.1	1047.5			J	257.0	45.7	2.5	147.1	
26.5	1035.5		Min	I	-1713.0	-46.7	-2.7	-169.0	
-31.0	-2204.7			J	-1713.0	-46.7	-2.7	-169.0	
-28.3	-2202.3								
			C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
27.7	1759.1			J	264.1	37.8	2.4	145.5	
25.3	1755.3		Min	I	-1717.0	-42.6	-2.5	-139.3	
-29.4	-1470.8			J	-1717.0	-42.6	-2.5	-139.3	
-26.9	-1464.3								
			SLVx (RS)	I	762.7	-2290.4	-477.0	-7462.9	-
5267.6	-26361.8			J	762.7	-2290.4	-477.0	-7462.9	-
4796.0	-24106.9								
			SLVy (RS)	I	185.8	-793.4	2785.0	10740.0	3
1603.0	-9445.9			J	185.8	-793.4	2785.0	10740.0	2
8835.8	-8679.6								
			SLDx (RS)	I	568.4	-1598.3	-320.1	-5227.3	-
3521.2	-18355.0			J	568.4	-1598.3	-320.1	-5227.3	-
3206.0	-16783.8								
			SLDy (RS)	I	137.2	-560.6	1598.9	6313.4	1
8135.9	-6683.8			J	137.2	-560.6	1598.9	6313.4	1
6554.0	-6143.6								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-125.4	-538.5	SLVz (RS)	I	758.0	-91.6	-47.4	-105.6
			J	758.0	-91.6	-47.4	-105.6
-126.2	-480.7						
		G1	I	-7274.5	-10.5	-0.9	16.9
-9.9	-443.0		J	-7100.0	-10.5	-0.9	16.9
-9.1	-432.4						
		G2	I	-1829.2	-3.8	-0.3	6.5
-3.7	-162.0		J	-1829.2	-3.8	-0.3	6.5
-3.4	-158.2						
		G1- Imp~1	I	-0.5	2.9	0.0	7.7
0.3	41.5		J	-0.5	2.9	0.0	7.7
0.3	38.7						
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9
-0.0	15.4		J	-0.2	1.1	-0.0	2.9
-0.0	14.3						
		q3	I	17.7	-8.9	691.4	1160.7
7985.6	-81.1		J	17.7	-8.9	691.4	1160.7
7294.2	-72.2						
		q4-1	I	-0.8	-40.9	-69.6	-210.1
-803.4	-589.6		J	-0.8	-40.9	-69.6	-210.1
-733.9	-548.6						
		q4-2	I	0.8	-48.5	-98.3	-189.0
1134.9	-652.5		J	0.8	-48.5	-98.3	-189.0
1036.6	-604.0						
		q4-3	I	-0.9	31.2	-58.1	115.5
-670.8	479.1		J	-0.9	31.2	-58.1	115.5
-612.7	447.9						
		q4-4	I	-4.4	148.0	4.2	38.0
47.9	2153.3		J	-4.4	148.0	4.2	38.0
43.8	2005.3						
		q4-5	I	1.3	8.5	61.8	-23.6
713.5	155.3		J	1.3	8.5	61.8	-23.6
651.7	146.7						
		q4-6	I	6.4	-39.1	95.5	166.4
1103.4	-540.9		J	6.4	-39.1	95.5	166.4
1007.9	-501.9						
		q4-7	I	2.9	-30.6	84.5	147.9
976.1	-433.2		J	2.9	-30.6	84.5	147.9
891.6	-402.5						
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
316.3	23186.7		J	-68.7	1622.1	27.4	1051.0	
288.9	21564.6							
7283.3	2439.4	q5 - p~2	I	33.1	183.5	2362.2	3071.2	2
4921.1	2255.9		J	33.1	183.5	2362.2	3071.2	2
291.6	21741.7	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
266.4	20204.7		J	-61.3	1537.0	25.2	988.9	
5845.8	2294.1	q5 - p~4	I	34.8	174.6	2237.7	2917.4	2
3608.1	2119.4		J	34.8	174.6	2237.7	2917.4	2
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
4279.0	652.0	q7	I	8.7	43.6	370.5	994.5	
3908.5	608.3		J	8.7	43.6	370.5	994.5	
0.5	-21.6	T	I	0.3	-0.4	0.0	2.8	
0.5	-21.2		J	0.3	-0.4	0.0	2.8	
5545.2	-412.6	M. tor~1	I	10.3	-58.7	480.1	1602.7	
5065.1	-353.9		J	10.3	-58.7	480.1	1602.7	
3278.4	-244.0	M. tor~2	I	6.1	-34.7	283.8	947.6	
2994.5	-209.2		J	6.1	-34.7	283.8	947.6	
8790.4	34263.1	INVSLU Max	I	-11512.5	2353.4	3358.5	4622.4	3
5431.9	31966.3		J	-11276.9	2353.4	3358.5	4622.4	3
8828.9	-36344.4	Min	I	-16967.2	-2382.9	-3361.8	-4560.4	-3
5467.1	-34021.3		J	-16731.6	-2382.9	-3361.8	-4560.4	-3
3207.6	28809.1	INVSLV Max	I	-8058.6	2545.5	2941.2	13044.4	3
0300.3	26317.4		J	-7884.1	2545.5	2941.2	13044.4	3
3234.2	-29905.2	Min	I	-10150.2	-2566.4	-2943.5	-12976.6	-3
0324.6	-27392.6		J	-9975.7	-2566.4	-2943.5	-12976.6	-3

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

5861.9	22965.8	INVSLE	Max	I	-8532.3	1572.5	2239.1	3186.1	2
				J	-8357.8	1572.5	2239.1	3186.1	2
3622.7	21435.2		Min	I	-12563.7	-1594.3	-2241.6	-3054.1	-2
5890.4	-24507.4			J	-12389.2	-1594.3	-2241.6	-3054.1	-2
3648.8	-22957.4								
607	4	40	C1-C2;~1	Max	I	517.8	92.5	5.3	294.2
55.8	2267.2			J	517.8	92.5	5.3	294.2	
50.5	2237.4			Min	I	-3409.6	-96.4	-5.6	-343.4
-59.1	-4492.1			J	-3409.6	-96.4	-5.6	-343.4	
-53.5	-4476.0								
			C3-C4;~1	Max	I	530.7	78.4	4.9	285.5
51.8	3655.8			J	530.7	78.4	4.9	285.5	
46.9	3639.7			Min	I	-3418.0	-87.1	-5.3	-283.8
-56.3	-3076.7			J	-3418.0	-87.1	-5.3	-283.8	
-51.0	-3056.9								
			C1-C2;~2	Max	I	257.0	45.7	2.5	147.1
26.5	1035.5			J	257.0	45.7	2.5	147.1	
24.0	1023.4			Min	I	-1713.0	-46.7	-2.7	-169.0
-28.3	-2202.3			J	-1713.0	-46.7	-2.7	-169.0	
-25.6	-2200.0								
			C3-C4;~2	Max	I	264.1	37.8	2.4	145.5
25.3	1755.3			J	264.1	37.8	2.4	145.5	
22.9	1751.6			Min	I	-1717.0	-42.6	-2.5	-139.3
-26.9	-1464.3			J	-1717.0	-42.6	-2.5	-139.3	
-24.3	-1458.0								
			SLVx (RS)	I	762.7	-2275.7	-474.0	-7462.9	-
4796.0	-24106.9			J	762.7	-2275.7	-474.0	-7462.9	-
4326.9	-21866.9								
			SLVy (RS)	I	185.8	-787.2	2777.0	10740.0	2
8835.8	-8679.6			J	185.8	-787.2	2777.0	10740.0	2
6073.4	-7920.0								
			SLDx (RS)	I	568.4	-1587.7	-317.8	-5227.3	-
3206.0	-16783.8			J	568.4	-1587.7	-317.8	-5227.3	-
2892.6	-15223.4								
			SLDy (RS)	I	137.2	-556.0	1593.3	6313.4	1
6554.0	-6143.6			J	137.2	-556.0	1593.3	6313.4	1
4974.5	-5608.3								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-126.2	-480.7	SLVz (RS)	I	758.0	-89.6	-46.9	-105.6
			J	758.0	-89.6	-46.9	-105.6
-138.4	-428.0						
		G1	I	-7100.0	-10.5	-0.9	16.9
-9.1	-432.4		J	-6925.5	-10.5	-0.9	16.9
-8.2	-421.9						
		G2	I	-1829.2	-3.8	-0.3	6.5
-3.4	-158.2		J	-1829.2	-3.8	-0.3	6.5
-3.0	-154.3						
		G1- Imp~1	I	-0.5	2.9	0.0	7.7
0.3	38.7		J	-0.5	2.9	0.0	7.7
0.3	35.8						
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9
-0.0	14.3		J	-0.2	1.1	-0.0	2.9
-0.0	13.2						
		q3	I	17.7	-8.9	691.4	1160.7
7294.2	-72.2		J	17.7	-8.9	691.4	1160.7
6602.8	-63.3						
		q4-1	I	-0.8	-40.9	-69.6	-210.1
-733.9	-548.6		J	-0.8	-40.9	-69.6	-210.1
-664.3	-507.7						
		q4-2	I	0.8	-48.5	-98.3	-189.0
1036.6	-604.0		J	0.8	-48.5	-98.3	-189.0
-938.4	-555.6						
		q4-3	I	-0.9	31.2	-58.1	115.5
-612.7	447.9		J	-0.9	31.2	-58.1	115.5
-554.7	416.8						
		q4-4	I	-4.4	148.0	4.2	38.0
43.8	2005.3		J	-4.4	148.0	4.2	38.0
39.6	1857.3						
		q4-5	I	1.3	8.5	61.8	-23.6
651.7	146.7		J	1.3	8.5	61.8	-23.6
589.9	138.2						
		q4-6	I	6.4	-39.1	95.5	166.4
1007.9	-501.9		J	6.4	-39.1	95.5	166.4
912.3	-462.8						
		q4-7	I	2.9	-30.6	84.5	147.9
891.6	-402.5		J	2.9	-30.6	84.5	147.9
807.1	-371.9						
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
288.9	21564.6		J	-68.7	1622.1	27.4	1051.0	
261.5	19942.6							
4921.1	2255.9	q5 - p~2	I	33.1	183.5	2362.2	3071.2	2
2558.9	2072.4		J	33.1	183.5	2362.2	3071.2	2
266.4	20204.7	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
241.1	18667.7		J	-61.3	1537.0	25.2	988.9	
3608.1	2119.4	q5 - p~4	I	34.8	174.6	2237.7	2917.4	2
1370.4	1944.8		J	34.8	174.6	2237.7	2917.4	2
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
3908.5	608.3	q7	I	8.7	43.6	370.5	994.5	
3538.0	564.7		J	8.7	43.6	370.5	994.5	
0.5	-21.2	T	I	0.3	-0.4	0.0	2.8	
0.4	-20.9		J	0.3	-0.4	0.0	2.8	
5065.1	-353.9	M. tor~1	I	10.3	-58.7	480.1	1602.7	
4585.0	-295.2		J	10.3	-58.7	480.1	1602.7	
2994.5	-209.2	M. tor~2	I	6.1	-34.7	283.8	947.6	
2710.7	-174.5		J	6.1	-34.7	283.8	947.6	
5431.9	31966.3	INVSLU Max	I	-11276.9	2353.4	3358.5	4622.4	3
2073.4	29669.6		J	-11041.3	2353.4	3358.5	4622.4	3
5467.1	-34021.3	Min	I	-16731.6	-2382.9	-3361.8	-4560.4	-3
2105.3	-31698.2		J	-16496.1	-2382.9	-3361.8	-4560.4	-3
0300.3	26317.4	INVSLV Max	I	-7884.1	2528.3	2932.1	13044.4	3
7401.9	23844.2		J	-7709.6	2528.3	2932.1	13044.4	2
0324.6	-27392.6	Min	I	-9975.7	-2549.2	-2934.4	-12976.6	-3
7424.0	-24898.5		J	-9801.2	-2549.2	-2934.4	-12976.6	-2


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3622.7	21435.2	INVSLE Max	I	-8357.8	1572.5	2239.1	3186.1	2
			J	-8183.3	1572.5	2239.1	3186.1	2
1383.6	19904.7	Min	I	-12389.2	-1594.3	-2241.6	-3054.1	-2
3648.8	-22957.4		J	-12214.7	-1594.3	-2241.6	-3054.1	-2
1407.2	-21407.4							
608	4	40 C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
50.5	2237.4		J	517.8	92.5	5.3	294.2	
45.2	2207.6	Min	I	-3409.6	-96.4	-5.6	-343.4	
-53.5	-4476.0		J	-3409.6	-96.4	-5.6	-343.4	
-47.9	-4460.1							
		C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
46.9	3639.7		J	530.7	78.4	4.9	285.5	
42.0	3623.9	Min	I	-3418.0	-87.1	-5.3	-283.8	
-51.0	-3056.9		J	-3418.0	-87.1	-5.3	-283.8	
-45.7	-3037.2							
		C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
24.0	1023.4		J	257.0	45.7	2.5	147.1	
21.5	1011.4	Min	I	-1713.0	-46.7	-2.7	-169.0	
-25.6	-2200.0		J	-1713.0	-46.7	-2.7	-169.0	
-22.9	-2197.7							
		C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
22.9	1751.6		J	264.1	37.8	2.4	145.5	
20.5	1747.9	Min	I	-1717.0	-42.6	-2.5	-139.3	
-24.3	-1458.0		J	-1717.0	-42.6	-2.5	-139.3	
-21.8	-1451.6							
		SLVx (RS)	I	762.7	-2259.8	-470.8	-7462.9	-
4326.9	-21866.9		J	762.7	-2259.8	-470.8	-7462.9	-
3860.3	-19643.6							
		SLVy (RS)	I	185.8	-780.8	2769.3	10740.0	2
6073.4	-7920.0		J	185.8	-780.8	2769.3	10740.0	2
3315.5	-7167.5							
		SLDx (RS)	I	568.4	-1576.2	-315.4	-5227.3	-
2892.6	-15223.4		J	568.4	-1576.2	-315.4	-5227.3	-
2580.9	-13674.9							
		SLDy (RS)	I	137.2	-551.3	1588.4	6313.4	1
4974.5	-5608.3		J	137.2	-551.3	1588.4	6313.4	1
3397.1	-5078.1							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-138.4	-428.0	SLVz (RS)	I	758.0	-87.3	-42.9	-105.6
			J	758.0	-87.3	-42.9	-105.6
-156.8	-381.6						
		G1	I	-6925.5	-10.5	-0.9	16.9
-8.2	-421.9		J	-6751.0	-10.5	-0.9	16.9
-7.4	-411.4						
		G2	I	-1829.2	-3.8	-0.3	6.5
-3.0	-154.3		J	-1829.2	-3.8	-0.3	6.5
-2.7	-150.5						
		G1- Imp~1	I	-0.5	2.9	0.0	7.7
0.3	35.8		J	-0.5	2.9	0.0	7.7
0.2	33.0						
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9
-0.0	13.2		J	-0.2	1.1	-0.0	2.9
-0.0	12.2						
		q3	I	17.7	-8.9	691.4	1160.7
6602.8	-63.3		J	17.7	-8.9	691.4	1160.7
5911.4	-54.5						
		q4-1	I	-0.8	-40.9	-69.6	-210.1
-664.3	-507.7		J	-0.8	-40.9	-69.6	-210.1
-594.8	-466.7						
		q4-2	I	0.8	-48.5	-98.3	-189.0
-938.4	-555.6		J	0.8	-48.5	-98.3	-189.0
-840.1	-507.1						
		q4-3	I	-0.9	31.2	-58.1	115.5
-554.7	416.8		J	-0.9	31.2	-58.1	115.5
-496.6	385.6						
		q4-4	I	-4.4	148.0	4.2	38.0
39.6	1857.3		J	-4.4	148.0	4.2	38.0
35.5	1709.4						
		q4-5	I	1.3	8.5	61.8	-23.6
589.9	138.2		J	1.3	8.5	61.8	-23.6
528.2	129.6						
		q4-6	I	6.4	-39.1	95.5	166.4
912.3	-462.8		J	6.4	-39.1	95.5	166.4
816.8	-423.8						
		q4-7	I	2.9	-30.6	84.5	147.9
807.1	-371.9		J	2.9	-30.6	84.5	147.9
722.6	-341.2						
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
261.5	19942.6		J	-68.7	1622.1	27.4	1051.0	
234.1	18320.5							
2558.9	2072.4	q5 - p~2	I	33.1	183.5	2362.2	3071.2	2
0196.7	1888.9		J	33.1	183.5	2362.2	3071.2	2
241.1	18667.7	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
215.9	17130.7		J	-61.3	1537.0	25.2	988.9	
1370.4	1944.8	q5 - p~4	I	34.8	174.6	2237.7	2917.4	2
9132.6	1770.2		J	34.8	174.6	2237.7	2917.4	1
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
3538.0	564.7	q7	I	8.7	43.6	370.5	994.5	
3167.6	521.1		J	8.7	43.6	370.5	994.5	
0.4	-20.9	T	I	0.3	-0.4	0.0	2.8	
0.4	-20.5		J	0.3	-0.4	0.0	2.8	
4585.0	-295.2	M. tor~1	I	10.3	-58.7	480.1	1602.7	
4104.9	-236.5		J	10.3	-58.7	480.1	1602.7	
2710.7	-174.5	M. tor~2	I	6.1	-34.7	283.8	947.6	
2426.9	-139.8		J	6.1	-34.7	283.8	947.6	
2073.4	29669.6	INVSLU Max	I	-11041.3	2353.4	3358.5	4622.4	3
8714.9	27373.0		J	-10805.7	2353.4	3358.5	4622.4	2
2105.3	-31698.2	Min	I	-16496.1	-2382.9	-3361.8	-4560.4	-3
8743.5	-29375.3		J	-16260.5	-2382.9	-3361.8	-4560.4	-2
7401.9	23844.2	INVSLV Max	I	-7709.6	2509.8	2922.3	13044.4	2
4510.8	21391.7		J	-7535.1	2509.8	2922.3	13044.4	2
7424.0	-24898.5	Min	I	-9801.2	-2530.7	-2924.6	-12976.6	-2
4530.5	-22425.0		J	-9626.7	-2530.7	-2924.6	-12976.6	-2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1383.6	19904.7		INVSLE Max	I	-8183.3	1572.5	2239.1	3186.1	2
				J	-8008.8	1572.5	2239.1	3186.1	1
9144.5	18374.2		Min	I	-12214.7	-1594.3	-2241.6	-3054.1	-2
1407.2	-21407.4			J	-12040.2	-1594.3	-2241.6	-3054.1	-1
9165.6	-19857.4								
609	4	40	C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
45.2	2207.6			J	517.8	92.5	5.3	294.2	
39.9	2178.0		Min	I	-3409.6	-96.4	-5.6	-343.4	
-47.9	-4460.1			J	-3409.6	-96.4	-5.6	-343.4	
-42.3	-4444.3								
			C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
42.0	3623.9			J	530.7	78.4	4.9	285.5	
37.1	3608.3		Min	I	-3418.0	-87.1	-5.3	-283.8	
-45.7	-3037.2			J	-3418.0	-87.1	-5.3	-283.8	
-40.3	-3017.7								
			C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
21.5	1011.4			J	257.0	45.7	2.5	147.1	
19.0	999.5		Min	I	-1713.0	-46.7	-2.7	-169.0	
-22.9	-2197.7			J	-1713.0	-46.7	-2.7	-169.0	
-20.2	-2195.5								
			C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
20.5	1747.9			J	264.1	37.8	2.4	145.5	
18.1	1744.4		Min	I	-1717.0	-42.6	-2.5	-139.3	
-21.8	-1451.6			J	-1717.0	-42.6	-2.5	-139.3	
-19.2	-1445.4								
			SLVx (RS)	I	762.7	-2242.6	-467.5	-7462.9	-
3860.3	-19643.6			J	762.7	-2242.6	-467.5	-7462.9	-
3396.4	-17438.8								
			SLVy (RS)	I	185.8	-774.3	2762.0	10740.0	2
3315.5	-7167.5			J	185.8	-774.3	2762.0	10740.0	2
0562.2	-6422.7								
			SLDx (RS)	I	568.4	-1564.0	-313.0	-5227.3	-
2580.9	-13674.9			J	568.4	-1564.0	-313.0	-5227.3	-
2271.1	-12139.6								
			SLDy (RS)	I	137.2	-546.6	1584.1	6313.4	1
3397.1	-5078.1			J	137.2	-546.6	1584.1	6313.4	1
1821.2	-4553.4								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-156.8	-381.6	SLVz (RS)	I	758.0	-84.4	-36.1	-105.6
			J	758.0	-84.4	-36.1	-105.6
-174.4	342.8						
		G1	I	-6751.0	-10.5	-0.9	16.9
-7.4	-411.4		J	-6576.5	-10.5	-0.9	16.9
-6.5	-400.8						
		G2	I	-1829.2	-3.8	-0.3	6.5
-2.7	-150.5		J	-1829.2	-3.8	-0.3	6.5
-2.4	-146.6						
		G1- Imp~1	I	-0.5	2.9	0.0	7.7
0.2	33.0		J	-0.5	2.9	0.0	7.7
0.2	30.1						
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9
-0.0	12.2		J	-0.2	1.1	-0.0	2.9
-0.0	11.1						
		q3	I	17.7	-8.9	691.4	1160.7
5911.4	-54.5		J	17.7	-8.9	691.4	1160.7
5220.0	-45.6						
		q4-1	I	-0.8	-40.9	-69.6	-210.1
-594.8	-466.7		J	-0.8	-40.9	-69.6	-210.1
-525.2	-425.8						
		q4-2	I	0.8	-48.5	-98.3	-189.0
-840.1	-507.1		J	0.8	-48.5	-98.3	-189.0
-741.9	-458.6						
		q4-3	I	-0.9	31.2	-58.1	115.5
-496.6	385.6		J	-0.9	31.2	-58.1	115.5
-438.5	354.5						
		q4-4	I	-4.4	148.0	4.2	38.0
35.5	1709.4		J	-4.4	148.0	4.2	38.0
31.3	1561.4						
		q4-5	I	1.3	8.5	61.8	-23.6
528.2	129.6		J	1.3	8.5	61.8	-23.6
466.4	121.1						
		q4-6	I	6.4	-39.1	95.5	166.4
816.8	-423.8		J	6.4	-39.1	95.5	166.4
721.3	-384.7						
		q4-7	I	2.9	-30.6	84.5	147.9
722.6	-341.2		J	2.9	-30.6	84.5	147.9
638.1	-310.6						
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
234.1	18320.5		J	-68.7	1622.1	27.4	1051.0	
206.7	16698.4							
0196.7	1888.9	q5 - p~2	I	33.1	183.5	2362.2	3071.2	2
7834.5	1705.4		J	33.1	183.5	2362.2	3071.2	1
215.9	17130.7	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
190.6	15593.7		J	-61.3	1537.0	25.2	988.9	
9132.6	1770.2	q5 - p~4	I	34.8	174.6	2237.7	2917.4	1
6894.9	1595.6		J	34.8	174.6	2237.7	2917.4	1
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
3167.6	521.1	q7	I	8.7	43.6	370.5	994.5	
2797.1	477.4		J	8.7	43.6	370.5	994.5	
0.4	-20.5	T	I	0.3	-0.4	0.0	2.8	
0.3	-20.2		J	0.3	-0.4	0.0	2.8	
4104.9	-236.5	M. tor~1	I	10.3	-58.7	480.1	1602.7	
3624.8	-177.8		J	10.3	-58.7	480.1	1602.7	
2426.9	-139.8	M. tor~2	I	6.1	-34.7	283.8	947.6	
2143.0	-105.1		J	6.1	-34.7	283.8	947.6	
8714.9	27373.0	INVSLU Max	I	-10805.7	2353.4	3358.5	4622.4	2
5356.5	25076.5		J	-10570.2	2353.4	3358.5	4622.4	2
8743.5	-29375.3	Min	I	-16260.5	-2382.9	-3361.8	-4560.4	-2
5381.6	-27052.4		J	-16024.9	-2382.9	-3361.8	-4560.4	-2
4510.8	21391.7	INVSLV Max	I	-7535.1	2489.8	2911.9	13044.4	2
1624.8	18962.2		J	-7360.6	2489.8	2911.9	13044.4	2
4530.5	-22425.0	Min	I	-9626.7	-2510.7	-2914.2	-12976.6	-2
1642.2	-19974.7		J	-9452.2	-2510.7	-2914.2	-12976.6	-2

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9144.5	18374.2		INVSLE Max	I	-8008.8	1572.5	2239.1	3186.1	1
				J	-7834.3	1572.5	2239.1	3186.1	1
6905.4	16843.9		Min	I	-12040.2	-1594.3	-2241.6	-3054.1	-1
9165.6	-19857.4			J	-11865.7	-1594.3	-2241.6	-3054.1	-1
6924.0	-18307.5								
610	4	38	C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
1066.5	3946.5			J	473.6	183.9	60.9	146.3	
1005.6	3798.7		Min	I	-3384.9	-192.1	-58.3	-140.0	-
1020.7	-5684.3			J	-3384.9	-192.1	-58.3	-140.0	
-962.4	-5571.5								
			C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
1069.4	5098.1			J	484.3	177.5	61.1	146.7	
1008.3	4974.0		Min	I	-3393.3	-192.6	-56.3	-135.1	
-985.3	-4616.4			J	-3393.3	-192.6	-56.3	-135.1	
-929.0	-4487.2								
			C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
555.7	1959.6			J	239.7	98.1	31.8	76.2	
524.0	1878.0		Min	I	-1703.2	-100.1	-31.1	-74.7	
-544.4	-2852.4			J	-1703.2	-100.1	-31.1	-74.7	
-513.3	-2797.1								
			C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
557.7	2551.4			J	246.0	95.1	31.9	76.5	
525.9	2479.8		Min	I	-1707.2	-100.5	-30.2	-72.4	
-527.7	-2301.4			J	-1707.2	-100.5	-30.2	-72.4	
-497.5	-2236.0								
			SLVx (RS)	I	-581.5	-2591.5	1056.2	1806.1	1
6708.1	-49811.4			J	-581.5	-2591.5	1056.2	1806.1	1
5669.2	-47235.4								
			SLVy (RS)	I	-306.0	1083.2	913.3	-633.9	1
1321.1	18994.4			J	-306.0	1083.2	913.3	-633.9	1
0433.4	17937.2								
			SLDx (RS)	I	-434.2	-1862.8	767.7	1292.6	1
2107.2	-35668.1			J	-434.2	-1862.8	767.7	1292.6	1
1351.7	-33816.5								
			SLDy (RS)	I	-216.4	778.5	677.6	-447.1	
8374.7	13546.9			J	-216.4	778.5	677.6	-447.1	
7715.0	12786.9								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2118.6	3692.7	SLVz (RS)	I	772.8	242.4	-193.1	-137.9	-
			J	772.8	242.4	-193.1	-137.9	-
1956.3	3468.1							
		G1	I	-8344.5	-35.8	11.4	27.3	
198.9	-905.7		J	-8170.0	-35.8	11.4	27.3	
187.5	-869.9							
		G2	I	-1845.8	-13.1	4.2	10.0	
72.8	-331.7		J	-1845.8	-13.1	4.2	10.0	
68.6	-318.6							
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8	
-42.6	152.1		J	0.5	7.7	-2.4	-5.8	
-40.2	144.4							
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8	
-13.4	47.7		J	0.2	2.4	-0.8	-1.8	
-12.6	45.3							
		q3	I	-27.1	-136.1	43.2	103.6	
755.4	-2691.3		J	-27.1	-136.1	43.2	103.6	
712.2	-2555.2							
		q4-1	I	2.8	1.2	-0.4	-0.9	
-6.8	10.1		J	2.8	1.2	-0.4	-0.9	
-6.4	8.9							
		q4-2	I	4.1	-5.9	1.9	4.5	
32.7	-131.3		J	4.1	-5.9	1.9	4.5	
30.8	-125.4							
		q4-3	I	3.8	-9.9	3.1	7.5	
54.7	-182.6		J	3.8	-9.9	3.1	7.5	
51.6	-172.7							
		q4-4	I	1.6	38.0	-12.1	-28.9	
-210.9	798.5		J	1.6	38.0	-12.1	-28.9	
-198.8	760.5							
		q4-5	I	-8.6	129.8	-41.2	-98.8	
-720.7	2730.4		J	-8.6	129.8	-41.2	-98.8	
-679.5	2600.5							
		q4-6	I	-7.7	-50.9	16.1	38.7	
282.5	-1007.3		J	-7.7	-50.9	16.1	38.7	
266.3	-956.4							
		q4-7	I	2.8	-73.9	23.4	56.2	
410.0	-1469.3		J	2.8	-73.9	23.4	56.2	
386.5	-1395.5							
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
7074.0	25967.4		J	-17.1	1274.3	-404.2	-970.2	-
6669.8	24693.1							
		q5 - p~2	I	-121.6	-47.7	15.1	36.3	
265.0	-731.8		J	-121.6	-47.7	15.1	36.3	
249.9	-684.0							
		q5 - p~3	I	-13.1	1207.3	-383.0	-919.2	-
6702.2	24416.7		J	-13.1	1207.3	-383.0	-919.2	-
6319.2	23209.4							
		q5 - p~4	I	-115.3	-44.7	14.2	34.0	
248.0	-787.2		J	-115.3	-44.7	14.2	34.0	
233.9	-742.5							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-9.9	-239.5	76.0	182.3	
1329.5	-4594.0		J	-9.9	-239.5	76.0	182.3	
1253.5	-4354.5							
		T	I	-0.5	3.4	-1.1	-2.6	
-19.0	66.7		J	-0.5	3.4	-1.1	-2.6	
-17.9	63.3							
		M. tor~1	I	-38.3	-31.0	9.8	23.6	
171.9	-195.6		J	-38.3	-31.0	9.8	23.6	
162.1	-164.6							
		M. tor~2	I	-22.7	-18.3	5.8	13.9	
101.6	-115.6		J	-22.7	-18.3	5.8	13.9	
95.8	-97.3							
		INVSLU Max	I	-12992.3	1893.4	634.9	1523.8	1
1111.1	38716.7		J	-12756.8	1893.4	634.9	1523.8	1
0476.2	36859.1	Min	I	-18446.9	-2001.5	-600.6	-1441.5	-1
0510.8	-41924.7		J	-18211.4	-2001.5	-600.6	-1441.5	-
9910.1	-39984.2							
		INVSLV Max	I	-9150.6	2950.3	1400.5	2067.2	2
0955.7	55579.9		J	-8976.1	2950.3	1400.5	2067.2	1
9589.4	52658.2	Min	I	-11228.7	-3028.0	-1375.8	-2008.0	-2
0524.4	-57655.2		J	-11054.2	-3028.0	-1375.8	-2008.0	-1
9182.7	-54655.7							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

7487.0	25970.5	INVSLE	Max	I	-9632.0	1268.6	427.8	1026.8	
				J	-9457.5	1268.6	427.8	1026.8	
7059.2	24728.4		Min	I	-13656.3	-1348.7	-402.4	-965.8	-
7042.3	-28346.8			J	-13481.8	-1348.7	-402.4	-965.8	-
6639.9	-27043.3								
611	4	38	C1-C2;~1	Max	I	473.6	183.9	60.9	146.3
1005.6	3798.7			J	473.6	183.9	60.9	146.3	
944.7	3652.5		Min	I	-3384.9	-192.1	-58.3	-140.0	
-962.4	-5571.5			J	-3384.9	-192.1	-58.3	-140.0	
-904.1	-5462.4								
1008.3	4974.0		C3-C4;~1	Max	I	484.3	177.5	61.1	146.7
				J	484.3	177.5	61.1	146.7	
947.2	4851.4		Min	I	-3393.3	-192.6	-56.3	-135.1	
-929.0	-4487.2			J	-3393.3	-192.6	-56.3	-135.1	
-872.7	-4360.2								
524.0	1878.0		C1-C2;~2	Max	I	239.7	98.1	31.8	76.2
				J	239.7	98.1	31.8	76.2	
492.2	1797.2		Min	I	-1703.2	-100.1	-31.1	-74.7	
-513.3	-2797.1			J	-1703.2	-100.1	-31.1	-74.7	
-482.2	-2743.7								
525.9	2479.8		C3-C4;~2	Max	I	246.0	95.1	31.9	76.5
				J	246.0	95.1	31.9	76.5	
494.0	2409.0		Min	I	-1707.2	-100.5	-30.2	-72.4	
-497.5	-2236.0			J	-1707.2	-100.5	-30.2	-72.4	
-467.4	-2171.7								
5669.2	-47235.4		SLVx (RS)	I	-581.5	-2590.0	1054.0	1806.1	1
				J	-581.5	-2590.0	1054.0	1806.1	1
4633.5	-44661.8								
0433.4	17937.2		SLVy (RS)	I	-306.0	1080.9	908.6	-633.9	1
				J	-306.0	1080.9	908.6	-633.9	
9553.1	16884.3								
1351.7	-33816.5		SLDx (RS)	I	-434.2	-1861.8	766.2	1292.6	1
				J	-434.2	-1861.8	766.2	1292.6	1
0598.4	-31966.7								
7715.0	12786.9		SLDy (RS)	I	-216.4	776.8	674.2	-447.1	
				J	-216.4	776.8	674.2	-447.1	
7060.5	12029.9								

MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1956.3	3468.1	SLVz (RS)	I	772.8	240.9	-189.8	-137.9	-
			J	772.8	240.9	-189.8	-137.9	-
1800.5	3246.4							
		G1	I	-8170.0	-35.8	11.4	27.3	
187.5	-869.9		J	-7995.5	-35.8	11.4	27.3	
176.2	-834.1							
		G2	I	-1845.8	-13.1	4.2	10.0	
68.6	-318.6		J	-1845.8	-13.1	4.2	10.0	
64.5	-305.5							
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8	
-40.2	144.4		J	0.5	7.7	-2.4	-5.8	
-37.8	136.7							
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8	
-12.6	45.3		J	0.2	2.4	-0.8	-1.8	
-11.8	42.9							
		q3	I	-27.1	-136.1	43.2	103.6	
712.2	-2555.2		J	-27.1	-136.1	43.2	103.6	
669.1	-2419.2							
		q4-1	I	2.8	1.2	-0.4	-0.9	
-6.4	8.9		J	2.8	1.2	-0.4	-0.9	
-6.0	7.7							
		q4-2	I	4.1	-5.9	1.9	4.5	
30.8	-125.4		J	4.1	-5.9	1.9	4.5	
29.0	-119.5							
		q4-3	I	3.8	-9.9	3.1	7.5	
51.6	-172.7		J	3.8	-9.9	3.1	7.5	
48.5	-162.9							
		q4-4	I	1.6	38.0	-12.1	-28.9	
-198.8	760.5		J	1.6	38.0	-12.1	-28.9	
-186.8	722.5							
		q4-5	I	-8.6	129.8	-41.2	-98.8	
-679.5	2600.5		J	-8.6	129.8	-41.2	-98.8	
-638.4	2470.7							
		q4-6	I	-7.7	-50.9	16.1	38.7	
266.3	-956.4		J	-7.7	-50.9	16.1	38.7	
250.2	-905.5							
		q4-7	I	2.8	-73.9	23.4	56.2	
386.5	-1395.5		J	2.8	-73.9	23.4	56.2	
363.1	-1321.6							
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2	-

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
6669.8	24693.1		J	-17.1	1274.3	-404.2	-970.2	-
6265.6	23418.8							
249.9	-684.0	q5 - p~2	I	-121.6	-47.7	15.1	36.3	
234.7	-636.3		J	-121.6	-47.7	15.1	36.3	
6319.2	23209.4	q5 - p~3	I	-13.1	1207.3	-383.0	-919.2	-
5936.2	22002.1		J	-13.1	1207.3	-383.0	-919.2	-
233.9	-742.5	q5 - p~4	I	-115.3	-44.7	14.2	34.0	
219.7	-697.8		J	-115.3	-44.7	14.2	34.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1253.5	-4354.5	q7	I	-9.9	-239.5	76.0	182.3	
1177.6	-4115.0		J	-9.9	-239.5	76.0	182.3	
-17.9	63.3	T	I	-0.5	3.4	-1.1	-2.6	
-16.9	59.9		J	-0.5	3.4	-1.1	-2.6	
162.1	-164.6	M. tor~1	I	-38.3	-31.0	9.8	23.6	
152.3	-133.6		J	-38.3	-31.0	9.8	23.6	
95.8	-97.3	M. tor~2	I	-22.7	-18.3	5.8	13.9	
90.0	-79.0		J	-22.7	-18.3	5.8	13.9	
0476.2	36859.1	INVSLU Max	I	-12756.8	1893.4	634.9	1523.8	1
9841.3	35002.6		J	-12521.2	1893.4	634.9	1523.8	
9910.1	-39984.2	Min	I	-18211.4	-2001.5	-600.6	-1441.5	-
9309.5	-38046.2		J	-17975.8	-2001.5	-600.6	-1441.5	-
9589.4	52658.2	INVSLV Max	I	-8976.1	2947.7	1395.9	2067.2	1
8230.6	49741.1		J	-8801.6	2947.7	1395.9	2067.2	1
9182.7	-54655.7	Min	I	-11054.2	-3025.4	-1371.2	-2008.0	-1
7848.5	-51660.9		J	-10879.7	-3025.4	-1371.2	-2008.0	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

7059.2	24728.4	INVSLE Max	I	-9457.5	1268.6	427.8	1026.8	
			J	-9283.0	1268.6	427.8	1026.8	
6631.4	23487.2							
6639.9	-27043.3	Min	I	-13481.8	-1348.7	-402.4	-965.8	-
6237.5	-25741.7		J	-13307.3	-1348.7	-402.4	-965.8	-
612	4	38 C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
944.7	3652.5		J	473.6	183.9	60.9	146.3	
883.7	3508.4							
-904.1	-5462.4	Min	I	-3384.9	-192.1	-58.3	-140.0	
-845.7	-5357.7		J	-3384.9	-192.1	-58.3	-140.0	
947.2	4851.4	C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
			J	484.3	177.5	61.1	146.7	
886.1	4730.0							
-872.7	-4360.2	Min	I	-3393.3	-192.6	-56.3	-135.1	
-816.4	-4234.8		J	-3393.3	-192.6	-56.3	-135.1	
492.2	1797.2	C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
			J	239.7	98.1	31.8	76.2	
460.5	1717.5							
-482.2	-2743.7	Min	I	-1703.2	-100.1	-31.1	-74.7	
-451.1	-2692.7		J	-1703.2	-100.1	-31.1	-74.7	
494.0	2409.0	C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
			J	246.0	95.1	31.9	76.5	
462.1	2339.0							
-467.4	-2171.7	Min	I	-1707.2	-100.5	-30.2	-72.4	
-437.2	-2108.1		J	-1707.2	-100.5	-30.2	-72.4	
4633.5	-44661.8	SLVx (RS)	I	-581.5	-2587.6	1050.1	1806.1	1
			J	-581.5	-2587.6	1050.1	1806.1	1
3602.1	-42091.5							
9553.1	16884.3	SLVy (RS)	I	-306.0	1077.0	899.9	-633.9	
			J	-306.0	1077.0	899.9	-633.9	
8683.4	15836.6							
0598.4	-31966.7	SLDx (RS)	I	-434.2	-1859.9	763.3	1292.6	1
			J	-434.2	-1859.9	763.3	1292.6	
9848.4	-30119.4							
7060.5	12029.9	SLDy (RS)	I	-216.4	773.9	667.8	-447.1	
			J	-216.4	773.9	667.8	-447.1	
6413.8	11276.9							


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1800.5	3246.4	SLVz (RS)	I	772.8	238.7	-184.3	-137.9	-
			J	772.8	238.7	-184.3	-137.9	-
1652.3	3028.0							
		G1	I	-7995.5	-35.8	11.4	27.3	
176.2	-834.1		J	-7821.0	-35.8	11.4	27.3	
164.8	-798.2							
		G2	I	-1845.8	-13.1	4.2	10.0	
64.5	-305.5		J	-1845.8	-13.1	4.2	10.0	
60.3	-292.4							
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8	
-37.8	136.7		J	0.5	7.7	-2.4	-5.8	
-35.3	129.1							
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8	
-11.8	42.9		J	0.2	2.4	-0.8	-1.8	
-11.1	40.5							
		q3	I	-27.1	-136.1	43.2	103.6	
669.1	-2419.2		J	-27.1	-136.1	43.2	103.6	
625.9	-2283.1							
		q4-1	I	2.8	1.2	-0.4	-0.9	
-6.0	7.7		J	2.8	1.2	-0.4	-0.9	
-5.6	6.4							
		q4-2	I	4.1	-5.9	1.9	4.5	
29.0	-119.5		J	4.1	-5.9	1.9	4.5	
27.1	-113.6							
		q4-3	I	3.8	-9.9	3.1	7.5	
48.5	-162.9		J	3.8	-9.9	3.1	7.5	
45.3	-153.0							
		q4-4	I	1.6	38.0	-12.1	-28.9	
-186.8	722.5		J	1.6	38.0	-12.1	-28.9	
-174.7	684.6							
		q4-5	I	-8.6	129.8	-41.2	-98.8	
-638.4	2470.7		J	-8.6	129.8	-41.2	-98.8	
-597.2	2340.9							
		q4-6	I	-7.7	-50.9	16.1	38.7	
250.2	-905.5		J	-7.7	-50.9	16.1	38.7	
234.0	-854.6							
		q4-7	I	2.8	-73.9	23.4	56.2	
363.1	-1321.6		J	2.8	-73.9	23.4	56.2	
339.7	-1247.8							
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
6265.6	23418.8		J	-17.1	1274.3	-404.2	-970.2	-
5861.3	22144.5							
		q5 - p~2	I	-121.6	-47.7	15.1	36.3	
234.7	-636.3		J	-121.6	-47.7	15.1	36.3	
219.6	-588.6							
		q5 - p~3	I	-13.1	1207.3	-383.0	-919.2	-
5936.2	22002.1		J	-13.1	1207.3	-383.0	-919.2	-
5553.2	20794.8							
		q5 - p~4	I	-115.3	-44.7	14.2	34.0	
219.7	-697.8		J	-115.3	-44.7	14.2	34.0	
205.5	-653.1							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-9.9	-239.5	76.0	182.3	
1177.6	-4115.0		J	-9.9	-239.5	76.0	182.3	
1101.6	-3875.5							
		T	I	-0.5	3.4	-1.1	-2.6	
-16.9	59.9		J	-0.5	3.4	-1.1	-2.6	
-15.8	56.4							
		M. tor~1	I	-38.3	-31.0	9.8	23.6	
152.3	-133.6		J	-38.3	-31.0	9.8	23.6	
142.5	-102.7							
		M. tor~2	I	-22.7	-18.3	5.8	13.9	
90.0	-79.0		J	-22.7	-18.3	5.8	13.9	
84.2	-60.7							
		INVSLU Max	I	-12521.2	1893.4	634.9	1523.8	
9841.3	35002.6		J	-12285.6	1893.4	634.9	1523.8	
9206.3	33147.0							
		Min	I	-17975.8	-2001.5	-600.6	-1441.5	-
9309.5	-38046.2		J	-17740.2	-2001.5	-600.6	-1441.5	-
8708.9	-36111.4							
		INVSLV Max	I	-8801.6	2943.4	1387.7	2067.2	1
8230.6	49741.1		J	-8627.1	2943.4	1387.7	2067.2	1
6881.5	46829.9							
		Min	I	-10879.7	-3021.1	-1363.1	-2008.0	-1
7848.5	-51660.9		J	-10705.2	-3021.1	-1363.1	-2008.0	-1
6524.1	-48672.0							

MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

6631.4	23487.2	INVSLE Max	I	-9283.0	1268.6	427.8	1026.8	
			J	-9108.5	1268.6	427.8	1026.8	
6203.5	22246.6	Min	I	-13307.3	-1348.7	-402.4	-965.8	-
6237.5	-25741.7		J	-13132.8	-1348.7	-402.4	-965.8	-
5835.1	-24442.4							
613	4	38 C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
883.7	3508.4		J	473.6	183.9	60.9	146.3	
822.8	3366.1	Min	I	-3384.9	-192.1	-58.3	-140.0	
-845.7	-5357.7		J	-3384.9	-192.1	-58.3	-140.0	
-787.4	-5258.2							
		C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
886.1	4730.0		J	484.3	177.5	61.1	146.7	
825.0	4611.0	Min	I	-3393.3	-192.6	-56.3	-135.1	
-816.4	-4234.8		J	-3393.3	-192.6	-56.3	-135.1	
-760.1	-4112.1							
		C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
460.5	1717.5		J	239.7	98.1	31.8	76.2	
428.7	1638.7	Min	I	-1703.2	-100.1	-31.1	-74.7	
-451.1	-2692.7		J	-1703.2	-100.1	-31.1	-74.7	
-420.0	-2644.3							
		C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
462.1	2339.0		J	246.0	95.1	31.9	76.5	
430.3	2270.4	Min	I	-1707.2	-100.5	-30.2	-72.4	
-437.2	-2108.1		J	-1707.2	-100.5	-30.2	-72.4	
-407.1	-2045.8							
		SLVx (RS)	I	-581.5	-2583.9	1044.3	1806.1	1
3602.1	-42091.5		J	-581.5	-2583.9	1044.3	1806.1	1
2576.2	-39525.4							
		SLVy (RS)	I	-306.0	1071.3	886.7	-633.9	
8683.4	15836.6		J	-306.0	1071.3	886.7	-633.9	
7827.9	14795.4							
		SLDx (RS)	I	-434.2	-1857.2	759.1	1292.6	
9848.4	-30119.4		J	-434.2	-1857.2	759.1	1292.6	
9102.3	-28275.2							
		SLDy (RS)	I	-216.4	769.8	658.1	-447.1	
6413.8	11276.9		J	-216.4	769.8	658.1	-447.1	
5777.4	10528.6							


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1652.3	3028.0	SLVz (RS)	I	772.8	235.5	-176.6	-137.9	-
			J	772.8	235.5	-176.6	-137.9	-
1512.0	2813.5							
		G1	I	-7821.0	-35.8	11.4	27.3	
164.8	-798.2		J	-7646.5	-35.8	11.4	27.3	
153.4	-762.4							
		G2	I	-1845.8	-13.1	4.2	10.0	
60.3	-292.4		J	-1845.8	-13.1	4.2	10.0	
56.1	-279.3							
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8	
-35.3	129.1		J	0.5	7.7	-2.4	-5.8	
-32.9	121.4							
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8	
-11.1	40.5		J	0.2	2.4	-0.8	-1.8	
-10.3	38.1							
		q3	I	-27.1	-136.1	43.2	103.6	
625.9	-2283.1		J	-27.1	-136.1	43.2	103.6	
582.7	-2147.0							
		q4-1	I	2.8	1.2	-0.4	-0.9	
-5.6	6.4		J	2.8	1.2	-0.4	-0.9	
-5.2	5.2							
		q4-2	I	4.1	-5.9	1.9	4.5	
27.1	-113.6		J	4.1	-5.9	1.9	4.5	
25.2	-107.8							
		q4-3	I	3.8	-9.9	3.1	7.5	
45.3	-153.0		J	3.8	-9.9	3.1	7.5	
42.2	-143.1							
		q4-4	I	1.6	38.0	-12.1	-28.9	
-174.7	684.6		J	1.6	38.0	-12.1	-28.9	
-162.7	646.6							
		q4-5	I	-8.6	129.8	-41.2	-98.8	
-597.2	2340.9		J	-8.6	129.8	-41.2	-98.8	
-556.0	2211.0							
		q4-6	I	-7.7	-50.9	16.1	38.7	
234.0	-854.6		J	-7.7	-50.9	16.1	38.7	
217.9	-803.8							
		q4-7	I	2.8	-73.9	23.4	56.2	
339.7	-1247.8		J	2.8	-73.9	23.4	56.2	
316.3	-1173.9							
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
5861.3	22144.5		J	-17.1	1274.3	-404.2	-970.2	-
5457.1	20870.2							
219.6	-588.6	q5 - p~2	I	-121.6	-47.7	15.1	36.3	
204.4	-540.8		J	-121.6	-47.7	15.1	36.3	
5553.2	20794.8	q5 - p~3	I	-13.1	1207.3	-383.0	-919.2	-
5170.3	19587.5		J	-13.1	1207.3	-383.0	-919.2	-
205.5	-653.1	q5 - p~4	I	-115.3	-44.7	14.2	34.0	
191.3	-608.4		J	-115.3	-44.7	14.2	34.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1101.6	-3875.5	q7	I	-9.9	-239.5	76.0	182.3	
1025.6	-3636.0		J	-9.9	-239.5	76.0	182.3	
-15.8	56.4	T	I	-0.5	3.4	-1.1	-2.6	
-14.7	53.0		J	-0.5	3.4	-1.1	-2.6	
142.5	-102.7	M. tor~1	I	-38.3	-31.0	9.8	23.6	
132.6	-71.7		J	-38.3	-31.0	9.8	23.6	
84.2	-60.7	M. tor~2	I	-22.7	-18.3	5.8	13.9	
78.4	-42.4		J	-22.7	-18.3	5.8	13.9	
9206.3	33147.0	INVSLU Max	I	-12285.6	1893.4	634.9	1523.8	
8571.4	31293.5		J	-12050.0	1893.4	634.9	1523.8	
8708.9	-36111.4	Min	I	-17740.2	-2001.5	-600.6	-1441.5	-
8108.3	-34180.2		J	-17504.6	-2001.5	-600.6	-1441.5	-
6881.5	46829.9	INVSLV Max	I	-8627.1	2937.1	1375.6	2067.2	1
5544.5	43925.9		J	-8452.6	2937.1	1375.6	2067.2	1
6524.1	-48672.0	Min	I	-10705.2	-3014.8	-1350.9	-2008.0	-1
5211.8	-45690.3		J	-10530.7	-3014.8	-1350.9	-2008.0	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

6203.5	22246.6		INVSLE Max	I	-9108.5	1268.6	427.8	1026.8	
				J	-8934.0	1268.6	427.8	1026.8	
5775.7	21007.5		Min	I	-13132.8	-1348.7	-402.4	-965.8	-
5835.1	-24442.4			J	-12958.3	-1348.7	-402.4	-965.8	-
5432.7	-23145.8								
614	4	38	C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
822.8	3366.1			J	473.6	183.9	60.9	146.3	
761.8	3226.6		Min	I	-3384.9	-192.1	-58.3	-140.0	
-787.4	-5258.2			J	-3384.9	-192.1	-58.3	-140.0	
-729.1	-5164.6								
			C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
825.0	4611.0			J	484.3	177.5	61.1	146.7	
763.9	4494.3		Min	I	-3393.3	-192.6	-56.3	-135.1	
-760.1	-4112.1			J	-3393.3	-192.6	-56.3	-135.1	
-703.8	-3992.1								
			C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
428.7	1638.7			J	239.7	98.1	31.8	76.2	
397.0	1561.4		Min	I	-1703.2	-100.1	-31.1	-74.7	
-420.0	-2644.3			J	-1703.2	-100.1	-31.1	-74.7	
-388.9	-2599.3								
			C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
430.3	2270.4			J	246.0	95.1	31.9	76.5	
398.4	2203.3		Min	I	-1707.2	-100.5	-30.2	-72.4	
-407.1	-2045.8			J	-1707.2	-100.5	-30.2	-72.4	
-376.9	-1984.7								
			SLVx (RS)	I	-581.5	-2579.0	1036.6	1806.1	1
2576.2	-39525.4			J	-581.5	-2579.0	1036.6	1806.1	1
1556.7	-36964.5								
			SLVy (RS)	I	-306.0	1064.0	868.6	-633.9	
7827.9	14795.4			J	-306.0	1064.0	868.6	-633.9	
6990.4	13761.8								
			SLDx (RS)	I	-434.2	-1853.6	753.5	1292.6	
9102.3	-28275.2			J	-434.2	-1853.6	753.5	1292.6	
8361.0	-26434.8								
			SLDy (RS)	I	-216.4	764.5	644.8	-447.1	
5777.4	10528.6			J	-216.4	764.5	644.8	-447.1	
5154.3	9785.9								


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1512.0	2813.5	SLVz (RS)	I	772.8	231.6	-167.3	-137.9	-
			J	772.8	231.6	-167.3	-137.9	-
1379.2	2603.0							
		G1	I	-7646.5	-35.8	11.4	27.3	
153.4	-762.4		J	-7472.0	-35.8	11.4	27.3	
142.1	-726.6							
		G2	I	-1845.8	-13.1	4.2	10.0	
56.1	-279.3		J	-1845.8	-13.1	4.2	10.0	
52.0	-266.2							
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8	
-32.9	121.4		J	0.5	7.7	-2.4	-5.8	
-30.5	113.7							
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8	
-10.3	38.1		J	0.2	2.4	-0.8	-1.8	
-9.5	35.7							
		q3	I	-27.1	-136.1	43.2	103.6	
582.7	-2147.0		J	-27.1	-136.1	43.2	103.6	
539.6	-2010.9							
		q4-1	I	2.8	1.2	-0.4	-0.9	
-5.2	5.2		J	2.8	1.2	-0.4	-0.9	
-4.8	4.0							
		q4-2	I	4.1	-5.9	1.9	4.5	
25.2	-107.8		J	4.1	-5.9	1.9	4.5	
23.4	-101.9							
		q4-3	I	3.8	-9.9	3.1	7.5	
42.2	-143.1		J	3.8	-9.9	3.1	7.5	
39.1	-133.3							
		q4-4	I	1.6	38.0	-12.1	-28.9	
-162.7	646.6		J	1.6	38.0	-12.1	-28.9	
-150.6	608.6							
		q4-5	I	-8.6	129.8	-41.2	-98.8	
-556.0	2211.0		J	-8.6	129.8	-41.2	-98.8	
-514.8	2081.2							
		q4-6	I	-7.7	-50.9	16.1	38.7	
217.9	-803.8		J	-7.7	-50.9	16.1	38.7	
201.8	-752.9							
		q4-7	I	2.8	-73.9	23.4	56.2	
316.3	-1173.9		J	2.8	-73.9	23.4	56.2	
292.8	-1100.1							
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2	-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
5457.1	20870.2		J	-17.1	1274.3	-404.2	-970.2	-
5052.9	19595.9							
		q5 - p~2	I	-121.6	-47.7	15.1	36.3	
204.4	-540.8		J	-121.6	-47.7	15.1	36.3	
189.3	-493.1							
		q5 - p~3	I	-13.1	1207.3	-383.0	-919.2	-
5170.3	19587.5		J	-13.1	1207.3	-383.0	-919.2	-
4787.3	18380.2							
		q5 - p~4	I	-115.3	-44.7	14.2	34.0	
191.3	-608.4		J	-115.3	-44.7	14.2	34.0	
177.2	-563.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-9.9	-239.5	76.0	182.3	
1025.6	-3636.0		J	-9.9	-239.5	76.0	182.3	
949.7	-3396.5							
		T	I	-0.5	3.4	-1.1	-2.6	
-14.7	53.0		J	-0.5	3.4	-1.1	-2.6	
-13.6	49.6							
		M. tor~1	I	-38.3	-31.0	9.8	23.6	
132.6	-71.7		J	-38.3	-31.0	9.8	23.6	
122.8	-40.7							
		M. tor~2	I	-22.7	-18.3	5.8	13.9	
78.4	-42.4		J	-22.7	-18.3	5.8	13.9	
72.6	-24.1							
		INVSLU Max	I	-12050.0	1893.4	634.9	1523.8	
8571.4	31293.5		J	-11814.5	1893.4	634.9	1523.8	
7936.5	29441.8							
		Min	I	-17504.6	-2001.5	-600.6	-1441.5	-
8108.3	-34180.2		J	-17269.1	-2001.5	-600.6	-1441.5	-
7507.7	-32253.5							
		INVSLV Max	I	-8452.6	2928.9	1359.7	2067.2	1
5544.5	43925.9		J	-8278.1	2928.9	1359.7	2067.2	1
4221.6	41030.5							
		Min	I	-10530.7	-3006.6	-1335.0	-2008.0	-1
5211.8	-45690.3		J	-10356.2	-3006.6	-1335.0	-2008.0	-1
3913.5	-42717.3							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5775.7	21007.5		INVSLE Max	I	-8934.0	1268.6	427.8	1026.8	
				J	-8759.5	1268.6	427.8	1026.8	
5347.9	19769.8		Min	I	-12958.3	-1348.7	-402.4	-965.8	-
5432.7	-23145.8			J	-12783.8	-1348.7	-402.4	-965.8	-
5030.2	-21852.6								
615	4	38	C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
761.8	3226.6			J	473.6	183.9	60.9	146.3	
700.9	3089.9		Min	I	-3384.9	-192.1	-58.3	-140.0	
-729.1	-5164.6			J	-3384.9	-192.1	-58.3	-140.0	
-670.7	-5077.9								
			C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
763.9	4494.3			J	484.3	177.5	61.1	146.7	
702.8	4381.1		Min	I	-3393.3	-192.6	-56.3	-135.1	
-703.8	-3992.1			J	-3393.3	-192.6	-56.3	-135.1	
-647.5	-3875.5								
			C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
397.0	1561.4			J	239.7	98.1	31.8	76.2	
365.2	1485.6		Min	I	-1703.2	-100.1	-31.1	-74.7	
-388.9	-2599.3			J	-1703.2	-100.1	-31.1	-74.7	
-357.8	-2558.0								
			C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
398.4	2203.3			J	246.0	95.1	31.9	76.5	
366.5	2138.3		Min	I	-1707.2	-100.5	-30.2	-72.4	
-376.9	-1984.7			J	-1707.2	-100.5	-30.2	-72.4	
-346.8	-1925.3								
			SLVx (RS)	I	-581.5	-2572.9	1027.2	1806.1	1
1556.7	-36964.5			J	-581.5	-2572.9	1027.2	1806.1	1
0544.8	-34409.7								
			SLVy (RS)	I	-306.0	1055.1	845.7	-633.9	
6990.4	13761.8			J	-306.0	1055.1	845.7	-633.9	
6174.9	12736.7								
			SLDx (RS)	I	-434.2	-1849.0	746.5	1292.6	
8361.0	-26434.8			J	-434.2	-1849.0	746.5	1292.6	
7625.4	-24599.1								
			SLDy (RS)	I	-216.4	757.9	627.8	-447.1	
5154.3	9785.9			J	-216.4	757.9	627.8	-447.1	
4547.6	9049.7								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1379.2	2603.0	SLVz (RS)	I	772.8	227.0	-157.1	-137.9	-
			J	772.8	227.0	-157.1	-137.9	-
1252.5	2396.7							
		G1	I	-7472.0	-35.8	11.4	27.3	
142.1	-726.6		J	-7297.5	-35.8	11.4	27.3	
130.7	-690.8							
		G2	I	-1845.8	-13.1	4.2	10.0	
52.0	-266.2		J	-1845.8	-13.1	4.2	10.0	
47.8	-253.1							
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8	
-30.5	113.7		J	0.5	7.7	-2.4	-5.8	
-28.0	106.0							
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8	
-9.5	35.7		J	0.2	2.4	-0.8	-1.8	
-8.8	33.3							
		q3	I	-27.1	-136.1	43.2	103.6	
539.6	-2010.9		J	-27.1	-136.1	43.2	103.6	
496.4	-1874.9							
		q4-1	I	2.8	1.2	-0.4	-0.9	
-4.8	4.0		J	2.8	1.2	-0.4	-0.9	
-4.5	2.8							
		q4-2	I	4.1	-5.9	1.9	4.5	
23.4	-101.9		J	4.1	-5.9	1.9	4.5	
21.5	-96.0							
		q4-3	I	3.8	-9.9	3.1	7.5	
39.1	-133.3		J	3.8	-9.9	3.1	7.5	
36.0	-123.4							
		q4-4	I	1.6	38.0	-12.1	-28.9	
-150.6	608.6		J	1.6	38.0	-12.1	-28.9	
-138.6	570.6							
		q4-5	I	-8.6	129.8	-41.2	-98.8	
-514.8	2081.2		J	-8.6	129.8	-41.2	-98.8	
-473.6	1951.4							
		q4-6	I	-7.7	-50.9	16.1	38.7	
201.8	-752.9		J	-7.7	-50.9	16.1	38.7	
185.6	-702.0							
		q4-7	I	2.8	-73.9	23.4	56.2	
292.8	-1100.1		J	2.8	-73.9	23.4	56.2	
269.4	-1026.2							
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
5052.9	19595.9		J	-17.1	1274.3	-404.2	-970.2	-
4648.7	18321.6							
		q5 - p~2	I	-121.6	-47.7	15.1	36.3	
189.3	-493.1		J	-121.6	-47.7	15.1	36.3	
174.1	-445.4							
		q5 - p~3	I	-13.1	1207.3	-383.0	-919.2	-
4787.3	18380.2		J	-13.1	1207.3	-383.0	-919.2	-
4404.3	17172.9							
		q5 - p~4	I	-115.3	-44.7	14.2	34.0	
177.2	-563.8		J	-115.3	-44.7	14.2	34.0	
163.0	-519.1							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-9.9	-239.5	76.0	182.3	
949.7	-3396.5		J	-9.9	-239.5	76.0	182.3	
873.7	-3157.0							
		T	I	-0.5	3.4	-1.1	-2.6	
-13.6	49.6		J	-0.5	3.4	-1.1	-2.6	
-12.5	46.1							
		M. tor~1	I	-38.3	-31.0	9.8	23.6	
122.8	-40.7		J	-38.3	-31.0	9.8	23.6	
113.0	-9.7							
		M. tor~2	I	-22.7	-18.3	5.8	13.9	
72.6	-24.1		J	-22.7	-18.3	5.8	13.9	
66.8	-5.8							
		INVSLU Max	I	-11814.5	1893.4	634.9	1523.8	
7936.5	29441.8		J	-11578.9	1893.4	634.9	1523.8	
7301.6	27593.1							
		Min	I	-17269.1	-2001.5	-600.6	-1441.5	-
7507.7	-32253.5		J	-17033.5	-2001.5	-600.6	-1441.5	-
6907.1	-30331.9							
		INVSLV Max	I	-8278.1	2918.7	1340.4	2067.2	1
4221.6	41030.5		J	-8103.6	2918.7	1340.4	2067.2	1
2914.7	38145.2							
		Min	I	-10356.2	-2996.4	-1315.7	-2008.0	-1
3913.5	-42717.3		J	-10181.7	-2996.4	-1315.7	-2008.0	-1
2631.3	-39754.3							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5347.9	19769.8		INVSLE Max	I	-8759.5	1268.6	427.8	1026.8	
				J	-8585.0	1268.6	427.8	1026.8	
4920.0	18534.3		Min	I	-12783.8	-1348.7	-402.4	-965.8	-
5030.2	-21852.6			J	-12609.3	-1348.7	-402.4	-965.8	-
4627.8	-20563.0								
616	4	38	C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
700.9	3089.9			J	473.6	183.9	60.9	146.3	
639.9	2956.9		Min	I	-3384.9	-192.1	-58.3	-140.0	
-670.7	-5077.9			J	-3384.9	-192.1	-58.3	-140.0	
-612.4	-4999.2								
			C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
702.8	4381.1			J	484.3	177.5	61.1	146.7	
641.7	4271.1		Min	I	-3393.3	-192.6	-56.3	-135.1	
-647.5	-3875.5			J	-3393.3	-192.6	-56.3	-135.1	
-591.2	-3762.5								
			C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
365.2	1485.6			J	239.7	98.1	31.8	76.2	
333.4	1411.8		Min	I	-1703.2	-100.1	-31.1	-74.7	
-357.8	-2558.0			J	-1703.2	-100.1	-31.1	-74.7	
-326.6	-2521.2								
			C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
366.5	2138.3			J	246.0	95.1	31.9	76.5	
334.6	2075.5		Min	I	-1707.2	-100.5	-30.2	-72.4	
-346.8	-1925.3			J	-1707.2	-100.5	-30.2	-72.4	
-316.6	-1867.7								
			SLVx (RS)	I	-581.5	-2565.5	1016.4	1806.1	1
0544.8	-34409.7			J	-581.5	-2565.5	1016.4	1806.1	
9541.3	-31862.3								
			SLVy (RS)	I	-306.0	1044.7	818.3	-633.9	
6174.9	12736.7			J	-306.0	1044.7	818.3	-633.9	
5385.4	11721.4								
			SLDx (RS)	I	-434.2	-1843.5	738.5	1292.6	
7625.4	-24599.1			J	-434.2	-1843.5	738.5	1292.6	
6896.2	-22768.9								
			SLDy (RS)	I	-216.4	750.1	607.4	-447.1	
4547.6	9049.7			J	-216.4	750.1	607.4	-447.1	
3960.3	8320.8								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1252.5	2396.7	SLVz (RS)	I	772.8	222.0	-147.1	-137.9	-
			J	772.8	222.0	-147.1	-137.9	-
1130.0	2194.5							
		G1	I	-7297.5	-35.8	11.4	27.3	
130.7	-690.8		J	-7123.0	-35.8	11.4	27.3	
119.3	-654.9							
		G2	I	-1845.8	-13.1	4.2	10.0	
47.8	-253.1		J	-1845.8	-13.1	4.2	10.0	
43.7	-239.9							
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8	
-28.0	106.0		J	0.5	7.7	-2.4	-5.8	
-25.6	98.3							
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8	
-8.8	33.3		J	0.2	2.4	-0.8	-1.8	
-8.0	30.9							
		q3	I	-27.1	-136.1	43.2	103.6	
496.4	-1874.9		J	-27.1	-136.1	43.2	103.6	
453.2	-1738.8							
		q4-1	I	2.8	1.2	-0.4	-0.9	
-4.5	2.8		J	2.8	1.2	-0.4	-0.9	
-4.1	1.6							
		q4-2	I	4.1	-5.9	1.9	4.5	
21.5	-96.0		J	4.1	-5.9	1.9	4.5	
19.6	-90.1							
		q4-3	I	3.8	-9.9	3.1	7.5	
36.0	-123.4		J	3.8	-9.9	3.1	7.5	
32.8	-113.6							
		q4-4	I	1.6	38.0	-12.1	-28.9	
-138.6	570.6		J	1.6	38.0	-12.1	-28.9	
-126.5	532.6							
		q4-5	I	-8.6	129.8	-41.2	-98.8	
-473.6	1951.4		J	-8.6	129.8	-41.2	-98.8	
-432.4	1821.5							
		q4-6	I	-7.7	-50.9	16.1	38.7	
185.6	-702.0		J	-7.7	-50.9	16.1	38.7	
169.5	-651.1							
		q4-7	I	2.8	-73.9	23.4	56.2	
269.4	-1026.2		J	2.8	-73.9	23.4	56.2	
246.0	-952.4							
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4648.7	18321.6		J	-17.1	1274.3	-404.2	-970.2	-
4244.4	17047.3							
174.1	-445.4	q5 - p~2	I	-121.6	-47.7	15.1	36.3	
159.0	-397.6		J	-121.6	-47.7	15.1	36.3	
4404.3	17172.9	q5 - p~3	I	-13.1	1207.3	-383.0	-919.2	-
4021.3	15965.6		J	-13.1	1207.3	-383.0	-919.2	-
163.0	-519.1	q5 - p~4	I	-115.3	-44.7	14.2	34.0	
148.8	-474.4		J	-115.3	-44.7	14.2	34.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
873.7	-3157.0	q7	I	-9.9	-239.5	76.0	182.3	
797.7	-2917.5		J	-9.9	-239.5	76.0	182.3	
-12.5	46.1	T	I	-0.5	3.4	-1.1	-2.6	
-11.4	42.7		J	-0.5	3.4	-1.1	-2.6	
113.0	-9.7	M. tor~1	I	-38.3	-31.0	9.8	23.6	
103.2	21.2		J	-38.3	-31.0	9.8	23.6	
66.8	-5.8	M. tor~2	I	-22.7	-18.3	5.8	13.9	
61.0	12.5		J	-22.7	-18.3	5.8	13.9	
7301.6	27593.1	INVSLU Max	I	-11578.9	1893.4	634.9	1523.8	
6666.7	25747.3		J	-11343.3	1893.4	634.9	1523.8	
6907.1	-30331.9	Min	I	-17033.5	-2001.5	-600.6	-1441.5	-
6306.5	-28416.3		J	-16797.9	-2001.5	-600.6	-1441.5	-
2914.7	38145.2	INVSLV Max	I	-8103.6	2906.7	1318.3	2067.2	1
1625.4	35271.4		J	-7929.1	2906.7	1318.3	2067.2	1
2631.3	-39754.3	Min	I	-10181.7	-2984.4	-1293.7	-2008.0	-1
1366.6	-36802.7		J	-10007.2	-2984.4	-1293.7	-2008.0	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

4920.0	18534.3	INVSLE Max	I	-8585.0	1268.6	427.8	1026.8	
			J	-8410.5	1268.6	427.8	1026.8	
4492.2	17301.0	Min	I	-12609.3	-1348.7	-402.4	-965.8	-
4627.8	-20563.0		J	-12434.8	-1348.7	-402.4	-965.8	-
4225.4	-19278.0							
617	4	38 C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
639.9	2956.9		J	473.6	183.9	60.9	146.3	
579.0	2828.2	Min	I	-3384.9	-192.1	-58.3	-140.0	
-612.4	-4999.2		J	-3384.9	-192.1	-58.3	-140.0	
-554.1	-4926.7							
		C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
641.7	4271.1		J	484.3	177.5	61.1	146.7	
580.6	4166.3	Min	I	-3393.3	-192.6	-56.3	-135.1	
-591.2	-3762.5		J	-3393.3	-192.6	-56.3	-135.1	
-534.9	-3653.6							
		C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
333.4	1411.8		J	239.7	98.1	31.8	76.2	
301.7	1340.1	Min	I	-1703.2	-100.1	-31.1	-74.7	
-326.6	-2521.2		J	-1703.2	-100.1	-31.1	-74.7	
-295.5	-2487.1							
		C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
334.6	2075.5		J	246.0	95.1	31.9	76.5	
302.8	2016.2	Min	I	-1707.2	-100.5	-30.2	-72.4	
-316.6	-1867.7		J	-1707.2	-100.5	-30.2	-72.4	
-286.5	-1812.2							
		SLVx (RS)	I	-581.5	-2556.9	1004.4	1806.1	
9541.3	-31862.3		J	-581.5	-2556.9	1004.4	1806.1	
8547.4	-29323.3							
		SLVy (RS)	I	-306.0	1033.0	786.5	-633.9	
5385.4	11721.4		J	-306.0	1033.0	786.5	-633.9	
4626.4	10716.9							
		SLDx (RS)	I	-434.2	-1837.1	729.5	1292.6	
6896.2	-22768.9		J	-434.2	-1837.1	729.5	1292.6	
6174.2	-20945.0							
		SLDy (RS)	I	-216.4	741.4	583.6	-447.1	
3960.3	8320.8		J	-216.4	741.4	583.6	-447.1	
3395.8	7600.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1130.0	2194.5	SLVz (RS)	I	772.8	216.8	-138.6	-137.9	-
			J	772.8	216.8	-138.6	-137.9	-
1009.7	1996.1							
		G1	I	-7123.0	-35.8	11.4	27.3	
119.3	-654.9		J	-6948.5	-35.8	11.4	27.3	
108.0	-619.1							
		G2	I	-1845.8	-13.1	4.2	10.0	
43.7	-239.9		J	-1845.8	-13.1	4.2	10.0	
39.5	-226.8							
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8	
-25.6	98.3		J	0.5	7.7	-2.4	-5.8	
-23.1	90.7							
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8	
-8.0	30.9		J	0.2	2.4	-0.8	-1.8	
-7.3	28.5							
		q3	I	-27.1	-136.1	43.2	103.6	
453.2	-1738.8		J	-27.1	-136.1	43.2	103.6	
410.1	-1602.7							
		q4-1	I	2.8	1.2	-0.4	-0.9	
-4.1	1.6		J	2.8	1.2	-0.4	-0.9	
-3.7	0.3							
		q4-2	I	4.1	-5.9	1.9	4.5	
19.6	-90.1		J	4.1	-5.9	1.9	4.5	
17.8	-84.2							
		q4-3	I	3.8	-9.9	3.1	7.5	
32.8	-113.6		J	3.8	-9.9	3.1	7.5	
29.7	-103.7							
		q4-4	I	1.6	38.0	-12.1	-28.9	
-126.5	532.6		J	1.6	38.0	-12.1	-28.9	
-114.5	494.6							
		q4-5	I	-8.6	129.8	-41.2	-98.8	
-432.4	1821.5		J	-8.6	129.8	-41.2	-98.8	
-391.3	1691.7							
		q4-6	I	-7.7	-50.9	16.1	38.7	
169.5	-651.1		J	-7.7	-50.9	16.1	38.7	
153.3	-600.2							
		q4-7	I	2.8	-73.9	23.4	56.2	
246.0	-952.4		J	2.8	-73.9	23.4	56.2	
222.6	-878.5							
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2	-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
4244.4	17047.3		J	-17.1	1274.3	-404.2	-970.2	-
3840.2	15773.0							
		q5 - p~2	I	-121.6	-47.7	15.1	36.3	
159.0	-397.6		J	-121.6	-47.7	15.1	36.3	
143.9	-349.9							
		q5 - p~3	I	-13.1	1207.3	-383.0	-919.2	-
4021.3	15965.6		J	-13.1	1207.3	-383.0	-919.2	-
3638.3	14758.2							
		q5 - p~4	I	-115.3	-44.7	14.2	34.0	
148.8	-474.4		J	-115.3	-44.7	14.2	34.0	
134.6	-429.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-9.9	-239.5	76.0	182.3	
797.7	-2917.5		J	-9.9	-239.5	76.0	182.3	
721.7	-2678.0							
		T	I	-0.5	3.4	-1.1	-2.6	
-11.4	42.7		J	-0.5	3.4	-1.1	-2.6	
-10.3	39.3							
		M. tor~1	I	-38.3	-31.0	9.8	23.6	
103.2	21.2		J	-38.3	-31.0	9.8	23.6	
93.3	52.2							
		M. tor~2	I	-22.7	-18.3	5.8	13.9	
61.0	12.5		J	-22.7	-18.3	5.8	13.9	
55.2	30.9							
		INVSLU Max	I	-11343.3	1893.4	634.9	1523.8	
6666.7	25747.3		J	-11107.7	1893.4	634.9	1523.8	
6031.7	23906.4							
		Min	I	-16797.9	-2001.5	-600.6	-1441.5	-
6306.5	-28416.3		J	-16562.3	-2001.5	-600.6	-1441.5	-
5705.8	-26504.5							
		INVSLV Max	I	-7929.1	2893.0	1294.2	2067.2	1
1625.4	35271.4		J	-7754.6	2893.0	1294.2	2067.2	1
0355.3	32410.4							
		Min	I	-10007.2	-2970.7	-1269.6	-2008.0	-1
1366.6	-36802.7		J	-9832.7	-2970.7	-1269.6	-2008.0	-1
0121.1	-33864.0							


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


4492.2	17301.0	INVSLE Max	I	-8410.5	1268.6	427.8	1026.8	
			J	-8236.0	1268.6	427.8	1026.8	
4064.4	16071.2	Min	I	-12434.8	-1348.7	-402.4	-965.8	-
4225.4	-19278.0		J	-12260.3	-1348.7	-402.4	-965.8	-
3823.0	-17995.8							
618	4	38 C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
579.0	2828.2		J	473.6	183.9	60.9	146.3	
518.0	2705.1	Min	I	-3384.9	-192.1	-58.3	-140.0	
-554.1	-4926.7		J	-3384.9	-192.1	-58.3	-140.0	
-495.8	-4861.4							
		C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
580.6	4166.3		J	484.3	177.5	61.1	146.7	
519.4	4068.3	Min	I	-3393.3	-192.6	-56.3	-135.1	
-534.9	-3653.6		J	-3393.3	-192.6	-56.3	-135.1	
-478.6	-3549.8							
		C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
301.7	1340.1		J	239.7	98.1	31.8	76.2	
269.9	1271.5	Min	I	-1703.2	-100.1	-31.1	-74.7	
-295.5	-2487.1		J	-1703.2	-100.1	-31.1	-74.7	
-264.4	-2456.6							
		C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
302.8	2016.2		J	246.0	95.1	31.9	76.5	
270.9	1961.7	Min	I	-1707.2	-100.5	-30.2	-72.4	
-286.5	-1812.2		J	-1707.2	-100.5	-30.2	-72.4	
-256.3	-1759.4							
		SLVx (RS)	I	-581.5	-2547.1	991.4	1806.1	
8547.4	-29323.3		J	-581.5	-2547.1	991.4	1806.1	
7564.2	-26794.2							
		SLVy (RS)	I	-306.0	1020.2	750.4	-633.9	
4626.4	10716.9		J	-306.0	1020.2	750.4	-633.9	
3902.3	9724.2							
		SLDx (RS)	I	-434.2	-1829.8	719.7	1292.6	
6174.2	-20945.0		J	-434.2	-1829.8	719.7	1292.6	
5460.5	-19128.5							
		SLDy (RS)	I	-216.4	731.7	556.5	-447.1	
3395.8	7600.1		J	-216.4	731.7	556.5	-447.1	
2857.7	6888.5							

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1009.7	1996.1	SLVz (RS)	I	772.8	211.7	-132.2	-137.9	-
			J	772.8	211.7	-132.2	-137.9	
-889.6	1801.3							
		G1	I	-6948.5	-35.8	11.4	27.3	
108.0	-619.1		J	-6774.0	-35.8	11.4	27.3	
96.6	-583.3							
		G2	I	-1845.8	-13.1	4.2	10.0	
39.5	-226.8		J	-1845.8	-13.1	4.2	10.0	
35.3	-213.7							
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8	
-23.1	90.7		J	0.5	7.7	-2.4	-5.8	
-20.7	83.0							
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8	
-7.3	28.5		J	0.2	2.4	-0.8	-1.8	
-6.5	26.1							
		q3	I	-27.1	-136.1	43.2	103.6	
410.1	-1602.7		J	-27.1	-136.1	43.2	103.6	
366.9	-1466.7							
		q4-1	I	2.8	1.2	-0.4	-0.9	
-3.7	0.3		J	2.8	1.2	-0.4	-0.9	
-3.3	-0.9							
		q4-2	I	4.1	-5.9	1.9	4.5	
17.8	-84.2		J	4.1	-5.9	1.9	4.5	
15.9	-78.3							
		q4-3	I	3.8	-9.9	3.1	7.5	
29.7	-103.7		J	3.8	-9.9	3.1	7.5	
26.6	-93.8							
		q4-4	I	1.6	38.0	-12.1	-28.9	
-114.5	494.6		J	1.6	38.0	-12.1	-28.9	
-102.4	456.6							
		q4-5	I	-8.6	129.8	-41.2	-98.8	
-391.3	1691.7		J	-8.6	129.8	-41.2	-98.8	
-350.1	1561.9							
		q4-6	I	-7.7	-50.9	16.1	38.7	
153.3	-600.2		J	-7.7	-50.9	16.1	38.7	
137.2	-549.3							
		q4-7	I	2.8	-73.9	23.4	56.2	
222.6	-878.5		J	2.8	-73.9	23.4	56.2	
199.1	-804.7							
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2	-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
3840.2	15773.0		J	-17.1	1274.3	-404.2	-970.2	-
3436.0	14498.7							
		q5 - p~2	I	-121.6	-47.7	15.1	36.3	
143.9	-349.9		J	-121.6	-47.7	15.1	36.3	
128.7	-302.1							
		q5 - p~3	I	-13.1	1207.3	-383.0	-919.2	-
3638.3	14758.2		J	-13.1	1207.3	-383.0	-919.2	-
3255.3	13550.9							
		q5 - p~4	I	-115.3	-44.7	14.2	34.0	
134.6	-429.7		J	-115.3	-44.7	14.2	34.0	
120.5	-385.0							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-9.9	-239.5	76.0	182.3	
721.7	-2678.0		J	-9.9	-239.5	76.0	182.3	
645.8	-2438.5							
		T	I	-0.5	3.4	-1.1	-2.6	
-10.3	39.3		J	-0.5	3.4	-1.1	-2.6	
-9.2	35.9							
		M. tor~1	I	-38.3	-31.0	9.8	23.6	
93.3	52.2		J	-38.3	-31.0	9.8	23.6	
83.5	83.2							
		M. tor~2	I	-22.7	-18.3	5.8	13.9	
55.2	30.9		J	-22.7	-18.3	5.8	13.9	
49.4	49.2							
		INVSLU Max	I	-11107.7	1893.4	634.9	1523.8	
6031.7	23906.4		J	-10872.2	1893.4	634.9	1523.8	
5396.8	22071.8							
		Min	I	-16562.3	-2001.5	-600.6	-1441.5	-
5705.8	-26504.5		J	-16326.8	-2001.5	-600.6	-1441.5	-
5105.2	-24597.3							
		INVSLV Max	I	-7754.6	2877.9	1268.4	2067.2	1
0355.3	32410.4		J	-7580.1	2877.9	1268.4	2067.2	
9106.5	29563.9							
		Min	I	-9832.7	-2955.6	-1243.8	-2008.0	-1
0121.1	-33864.0		J	-9658.2	-2955.6	-1243.8	-2008.0	-
8897.0	-30939.8							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4064.4	16071.2		INVSLE Max	I	-8236.0	1268.6	427.8	1026.8	
				J	-8061.5	1268.6	427.8	1026.8	
3636.6	14846.2		Min	I	-12260.3	-1348.7	-402.4	-965.8	-
3823.0	-17995.8			J	-12085.8	-1348.7	-402.4	-965.8	-
3420.6	-16717.0								
619	4	38	C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
518.0	2705.1			J	473.6	183.9	60.9	146.3	
457.1	2601.2		Min	I	-3384.9	-192.1	-58.3	-140.0	
-495.8	-4861.4			J	-3384.9	-192.1	-58.3	-140.0	
-437.4	-4805.0								
			C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
519.4	4068.3			J	484.3	177.5	61.1	146.7	
458.3	3980.5		Min	I	-3393.3	-192.6	-56.3	-135.1	
-478.6	-3549.8			J	-3393.3	-192.6	-56.3	-135.1	
-422.3	-3452.6								
			C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
269.9	1271.5			J	239.7	98.1	31.8	76.2	
238.2	1215.5		Min	I	-1703.2	-100.1	-31.1	-74.7	
-264.4	-2456.6			J	-1703.2	-100.1	-31.1	-74.7	
-233.3	-2429.8								
			C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
270.9	1961.7			J	246.0	95.1	31.9	76.5	
239.0	1914.5		Min	I	-1707.2	-100.5	-30.2	-72.4	
-256.3	-1759.4			J	-1707.2	-100.5	-30.2	-72.4	
-226.2	-1710.0								
			SLVx (RS)	I	-581.5	-2536.2	977.2	1806.1	
7564.2	-26794.2			J	-581.5	-2536.2	977.2	1806.1	
6593.2	-24276.3								
			SLVy (RS)	I	-306.0	1006.4	709.7	-633.9	
3902.3	9724.2			J	-306.0	1006.4	709.7	-633.9	
3218.4	8744.5								
			SLDx (RS)	I	-434.2	-1821.5	709.0	1292.6	
5460.5	-19128.5			J	-434.2	-1821.5	709.0	1292.6	
4756.2	-17320.4								
			SLDy (RS)	I	-216.4	721.3	525.9	-447.1	
2857.7	6888.5			J	-216.4	721.3	525.9	-447.1	
2349.9	6186.9								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-889.6	1801.3	SLVz (RS)	I	772.8	206.8	-128.2	-137.9	
			J	772.8	206.8	-128.2	-137.9	
-768.7	1609.6							
		G1	I	-6774.0	-35.8	11.4	27.3	
96.6	-583.3		J	-6599.5	-35.8	11.4	27.3	
85.2	-547.4							
		G2	I	-1845.8	-13.1	4.2	10.0	
35.3	-213.7		J	-1845.8	-13.1	4.2	10.0	
31.2	-200.6							
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8	
-20.7	83.0		J	0.5	7.7	-2.4	-5.8	
-18.3	75.3							
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8	
-6.5	26.1		J	0.2	2.4	-0.8	-1.8	
-5.7	23.6							
		q3	I	-27.1	-136.1	43.2	103.6	
366.9	-1466.7		J	-27.1	-136.1	43.2	103.6	
323.7	-1330.6							
		q4-1	I	2.8	1.2	-0.4	-0.9	
-3.3	-0.9		J	2.8	1.2	-0.4	-0.9	
-2.9	-2.1							
		q4-2	I	4.1	-5.9	1.9	4.5	
15.9	-78.3		J	4.1	-5.9	1.9	4.5	
14.0	-72.4							
		q4-3	I	3.8	-9.9	3.1	7.5	
26.6	-93.8		J	3.8	-9.9	3.1	7.5	
23.5	-84.0							
		q4-4	I	1.6	38.0	-12.1	-28.9	
-102.4	456.6		J	1.6	38.0	-12.1	-28.9	
-90.4	418.6							
		q4-5	I	-8.6	129.8	-41.2	-98.8	
-350.1	1561.9		J	-8.6	129.8	-41.2	-98.8	
-308.9	1432.1							
		q4-6	I	-7.7	-50.9	16.1	38.7	
137.2	-549.3		J	-7.7	-50.9	16.1	38.7	
121.1	-498.5							
		q4-7	I	2.8	-73.9	23.4	56.2	
199.1	-804.7		J	2.8	-73.9	23.4	56.2	
175.7	-730.8							
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2	-

MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
3436.0	14498.7			J	-17.1	1274.3	-404.2	-970.2	-
3031.7	13224.4								
		q5 - p~2		I	-121.6	-47.7	15.1	36.3	
128.7	-302.1			J	-121.6	-47.7	15.1	36.3	
113.6	-254.4								
		q5 - p~3		I	-13.1	1207.3	-383.0	-919.2	-
3255.3	13550.9			J	-13.1	1207.3	-383.0	-919.2	-
2872.4	12343.6								
		q5 - p~4		I	-115.3	-44.7	14.2	34.0	
120.5	-385.0			J	-115.3	-44.7	14.2	34.0	
106.3	-340.4								
		q5 - p~5		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		q5 - p~6		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		q7		I	-9.9	-239.5	76.0	182.3	
645.8	-2438.5			J	-9.9	-239.5	76.0	182.3	
569.8	-2199.0								
		T		I	-0.5	3.4	-1.1	-2.6	
-9.2	35.9			J	-0.5	3.4	-1.1	-2.6	
-8.2	32.4								
		M. tor~1		I	-38.3	-31.0	9.8	23.6	
83.5	83.2			J	-38.3	-31.0	9.8	23.6	
73.7	114.1								
		M. tor~2		I	-22.7	-18.3	5.8	13.9	
49.4	49.2			J	-22.7	-18.3	5.8	13.9	
43.6	67.5								
		INVSLU Max		I	-10872.2	1893.4	634.9	1523.8	
5396.8	22071.8			J	-10636.6	1893.4	634.9	1523.8	
4761.9	20247.1								
		Min		I	-16326.8	-2001.5	-600.6	-1441.5	-
5105.2	-24597.3			J	-16091.2	-2001.5	-600.6	-1441.5	-
4504.6	-22695.3								
		INVSLV Max		I	-7580.1	2861.3	1240.9	2067.2	
9106.5	29563.9			J	-7405.6	2861.3	1240.9	2067.2	
7881.7	26733.4								
		Min		I	-9658.2	-2939.0	-1216.3	-2008.0	-
8897.0	-30939.8			J	-9483.7	-2939.0	-1216.3	-2008.0	-
7696.8	-28031.6								

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

3636.6	14846.2	INVSLE Max	I	-8061.5	1268.6	427.8	1026.8	
			J	-7887.0	1268.6	427.8	1026.8	
3208.7	13628.5	Min	I	-12085.8	-1348.7	-402.4	-965.8	-
3420.6	-16717.0		J	-11911.3	-1348.7	-402.4	-965.8	-
3018.1	-15442.0							
628	4	38 C1-C2;~1 Max	I	359.7	245.8	152.3	365.5	
1408.8	3202.8		J	359.7	245.8	152.3	365.5	
1302.2	3077.0	Min	I	-3257.1	-206.4	-181.3	-435.2	-
1677.5	-4585.7		J	-3257.1	-206.4	-181.3	-435.2	-
1550.5	-4523.0							
		C3-C4;~1 Max	I	369.3	250.2	154.4	370.5	
1428.1	4357.6		J	369.3	250.2	154.4	370.5	
1320.0	4261.2	Min	I	-3264.4	-209.3	-184.6	-443.1	-
1707.9	-3199.0		J	-3264.4	-209.3	-184.6	-443.1	-
1578.6	-3123.1							
		C1-C2;~2 Max	I	195.5	129.9	81.8	196.3	
756.8	1544.8		J	195.5	129.9	81.8	196.3	
699.5	1478.8	Min	I	-1652.6	-110.9	-95.8	-230.0	
-886.3	-2372.0		J	-1652.6	-110.9	-95.8	-230.0	
-819.2	-2338.2							
		C3-C4;~2 Max	I	201.4	131.9	83.0	199.2	
767.8	2158.7		J	201.4	131.9	83.0	199.2	
709.7	2103.0	Min	I	-1656.0	-112.5	-97.3	-233.6	
-900.2	-1609.1		J	-1656.0	-112.5	-97.3	-233.6	
-832.1	-1567.9							
		SLVx (RS)	I	-471.1	-2070.4	1627.8	3514.7	1
4643.1	-23129.0		J	-471.1	-2070.4	1627.8	3514.7	1
3504.2	-21681.0							
		SLVy (RS)	I	350.6	1448.3	-1183.5	-2322.8	-1
0269.2	15667.8		J	350.6	1448.3	-1183.5	-2322.8	-
9444.8	14657.3							
		SLDx (RS)	I	-352.3	-1559.9	1226.7	2647.6	1
1035.8	-17429.2		J	-352.3	-1559.9	1226.7	2647.6	1
0177.5	-16338.1							
		SLDy (RS)	I	257.3	1064.1	-870.0	-1707.6	-
7550.7	11520.0		J	257.3	1064.1	-870.0	-1707.6	-
6944.7	10777.5							

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1977.8	3180.1	SLVz (RS)	I	888.5	304.6	-239.3	-452.3	-
			J	888.5	304.6	-239.3	-452.3	-
1812.9	2970.5							
		G1	I	-6889.9	68.4	-50.5	-121.2	
-467.0	807.9		J	-6767.8	68.4	-50.5	-121.2	
-431.7	760.0							
		G2	I	-1834.7	25.1	-18.5	-44.4	
-171.1	299.3		J	-1834.7	25.1	-18.5	-44.4	
-158.1	281.8							
		G1- Imp~1	I	-0.5	-13.0	9.6	23.1	
88.9	-152.0		J	-0.5	-13.0	9.6	23.1	
82.2	-142.9							
		G2- Imp~1	I	-0.2	-4.1	3.0	7.3	
28.0	-48.3		J	-0.2	-4.1	3.0	7.3	
25.9	-45.5							
		q3	I	5.2	-69.2	51.1	122.6	
472.4	-858.3		J	5.2	-69.2	51.1	122.6	
436.6	-809.8							
		q4-1	I	-1.0	1.2	-0.9	-2.2	
-8.3	15.1		J	-1.0	1.2	-0.9	-2.2	
-7.7	14.2							
		q4-2	I	-1.6	1.6	-1.2	-2.9	
-11.0	18.6		J	-1.6	1.6	-1.2	-2.9	
-10.2	17.5							
		q4-3	I	-1.2	-1.8	1.3	3.1	
12.0	-21.6		J	-1.2	-1.8	1.3	3.1	
11.1	-20.4							
		q4-4	I	0.9	-10.0	7.4	17.8	
68.5	-109.8		J	0.9	-10.0	7.4	17.8	
63.3	-102.8							
		q4-5	I	4.9	35.4	-26.1	-62.7	
-241.6	443.9		J	4.9	35.4	-26.1	-62.7	
-223.3	419.1							
		q4-6	I	-6.2	135.8	-100.2	-240.5	
-926.8	1802.9		J	-6.2	135.8	-100.2	-240.5	
-856.7	1707.9							
		q4-7	I	-19.1	-39.7	29.3	70.3	
270.8	-505.1		J	-19.1	-39.7	29.3	70.3	
250.3	-477.3							
		q5 - p~1	I	53.5	665.9	-491.3	-1179.1	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
4544.6	8289.7		J	53.5	665.9	-491.3	-1179.1	-
4200.7	7823.6							
2469.2	4473.8	q5 - p~2	I	-16.9	361.8	-266.9	-640.7	-
2282.4	4220.5		J	-16.9	361.8	-266.9	-640.7	-
4301.5	7769.1	q5 - p~3	I	51.4	630.3	-465.0	-1116.1	-
3976.0	7327.9		J	51.4	630.3	-465.0	-1116.1	-
2336.4	4083.5	q5 - p~4	I	-15.6	342.3	-252.6	-606.2	-
2159.6	3843.9		J	-15.6	342.3	-252.6	-606.2	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1196.4	-2079.0	q7	I	-4.5	-175.3	129.3	310.4	
1105.8	-1956.3		J	-4.5	-175.3	129.3	310.4	
35.0	-41.1	T	I	1.6	-5.1	3.8	9.1	
32.3	-37.5		J	1.6	-5.1	3.8	9.1	
-185.2	633.9	M. tor~1	I	27.7	27.1	-20.0	-48.1	
-171.2	614.9		J	27.7	27.1	-20.0	-48.1	
-109.5	374.8	M. tor~2	I	16.4	16.0	-11.8	-28.4	
-101.2	363.6		J	16.4	16.0	-11.8	-28.4	
6810.3	15821.8	INVSLU Max	I	-11231.1	1230.3	736.3	1767.0	
6295.0	15010.1		J	-11066.2	1230.3	736.3	1767.0	
8396.3	-13661.1	Min	I	-16235.3	-997.9	-907.7	-2178.5	-
7760.9	-13023.2		J	-16070.4	-997.9	-907.7	-2178.5	-
7796.0	29690.3	INVSLV Max	I	-7590.2	2672.6	1998.3	4212.0	1
6399.8	27822.8		J	-7468.1	2672.6	1998.3	4212.0	1
8838.4	-27876.4	Min	I	-9860.2	-2519.9	-2111.0	-4482.5	-1
7363.3	-26115.9		J	-9738.1	-2519.9	-2111.0	-4482.5	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

4569.1	10859.4	INVSLE Max	I	-8322.8	841.6	494.0	1185.5	
			J	-8200.7	841.6	494.0	1185.5	
4223.3	10306.9	Min	I	-12022.7	-669.5	-621.0	-1490.3	-
5743.9	-9258.9		J	-11900.5	-669.5	-621.0	-1490.3	-
5309.2	-8835.1							
629	4	38 C1-C2;~1 Max	I	359.7	245.8	152.3	365.5	
1302.2	3077.0		J	359.7	245.8	152.3	365.5	
1149.9	2900.7	Min	I	-3257.1	-206.4	-181.3	-435.2	-
1550.5	-4523.0		J	-3257.1	-206.4	-181.3	-435.2	-
1369.2	-4441.2							
		C3-C4;~1 Max	I	369.3	250.2	154.4	370.5	
1320.0	4261.2		J	369.3	250.2	154.4	370.5	
1165.6	4132.7	Min	I	-3264.4	-209.3	-184.6	-443.1	-
1578.6	-3123.1		J	-3264.4	-209.3	-184.6	-443.1	-
1394.0	-3022.3							
		C1-C2;~2 Max	I	195.5	129.9	81.8	196.3	
699.5	1478.8		J	195.5	129.9	81.8	196.3	
617.7	1386.1	Min	I	-1652.6	-110.9	-95.8	-230.0	
-819.2	-2338.2		J	-1652.6	-110.9	-95.8	-230.0	
-723.4	-2294.0							
		C3-C4;~2 Max	I	201.4	131.9	83.0	199.2	
709.7	2103.0		J	201.4	131.9	83.0	199.2	
626.7	2029.2	Min	I	-1656.0	-112.5	-97.3	-233.6	
-832.1	-1567.9		J	-1656.0	-112.5	-97.3	-233.6	
-734.8	-1513.2							
		SLVx (RS)	I	-471.1	-2070.0	1627.2	3514.7	1
3504.2	-21681.0		J	-471.1	-2070.0	1627.2	3514.7	1
1878.0	-19613.1							
		SLVy (RS)	I	350.6	1447.4	-1182.4	-2322.8	-
9444.8	14657.3		J	350.6	1447.4	-1182.4	-2322.8	-
8269.4	13215.4							
		SLDx (RS)	I	-352.3	-1559.6	1226.3	2647.6	1
0177.5	-16338.1		J	-352.3	-1559.6	1226.3	2647.6	
8951.9	-14780.0							
		SLDy (RS)	I	257.3	1063.5	-869.2	-1707.6	-
6944.7	10777.5		J	257.3	1063.5	-869.2	-1707.6	-
6080.5	9717.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1812.9	2970.5	SLVz (RS)	I	888.5	304.1	-238.9	-452.3	-
			J	888.5	304.1	-238.9	-452.3	-
1578.7	2672.4							
		G1	I	-6767.8	68.4	-50.5	-121.2	
-431.7	760.0		J	-6593.3	68.4	-50.5	-121.2	
-381.2	691.6							
		G2	I	-1834.7	25.1	-18.5	-44.4	
-158.1	281.8		J	-1834.7	25.1	-18.5	-44.4	
-139.6	256.7							
		G1- Imp~1	I	-0.5	-13.0	9.6	23.1	
82.2	-142.9		J	-0.5	-13.0	9.6	23.1	
72.6	-129.8							
		G2- Imp~1	I	-0.2	-4.1	3.0	7.3	
25.9	-45.5		J	-0.2	-4.1	3.0	7.3	
22.8	-41.4							
		q3	I	5.2	-69.2	51.1	122.6	
436.6	-809.8		J	5.2	-69.2	51.1	122.6	
385.5	-740.6							
		q4-1	I	-1.0	1.2	-0.9	-2.2	
-7.7	14.2		J	-1.0	1.2	-0.9	-2.2	
-6.8	13.0							
		q4-2	I	-1.6	1.6	-1.2	-2.9	
-10.2	17.5		J	-1.6	1.6	-1.2	-2.9	
-9.0	15.9							
		q4-3	I	-1.2	-1.8	1.3	3.1	
11.1	-20.4		J	-1.2	-1.8	1.3	3.1	
9.8	-18.6							
		q4-4	I	0.9	-10.0	7.4	17.8	
63.3	-102.8		J	0.9	-10.0	7.4	17.8	
55.9	-92.8							
		q4-5	I	4.9	35.4	-26.1	-62.7	
-223.3	419.1		J	4.9	35.4	-26.1	-62.7	
-197.2	383.7							
		q4-6	I	-6.2	135.8	-100.2	-240.5	
-856.7	1707.9		J	-6.2	135.8	-100.2	-240.5	
-756.5	1572.1							
		q4-7	I	-19.1	-39.7	29.3	70.3	
250.3	-477.3		J	-19.1	-39.7	29.3	70.3	
221.1	-437.6							
		q5 - p~1	I	53.5	665.9	-491.3	-1179.1	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4200.7	7823.6		J	53.5	665.9	-491.3	-1179.1	-
3709.4	7157.7							
2282.4	4220.5	q5 - p~2	I	-16.9	361.8	-266.9	-640.7	-
2015.4	3858.7		J	-16.9	361.8	-266.9	-640.7	-
3976.0	7327.9	q5 - p~3	I	51.4	630.3	-465.0	-1116.1	-
3510.9	6697.6		J	51.4	630.3	-465.0	-1116.1	-
2159.6	3843.9	q5 - p~4	I	-15.6	342.3	-252.6	-606.2	-
1907.0	3501.6		J	-15.6	342.3	-252.6	-606.2	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1105.8	-1956.3	q7	I	-4.5	-175.3	129.3	310.4	
976.5	-1781.0		J	-4.5	-175.3	129.3	310.4	
32.3	-37.5	T	I	1.6	-5.1	3.8	9.1	
28.6	-32.4		J	1.6	-5.1	3.8	9.1	
-171.2	614.9	M. tor~1	I	27.7	27.1	-20.0	-48.1	
-151.2	587.8		J	27.7	27.1	-20.0	-48.1	
-101.2	363.6	M. tor~2	I	16.4	16.0	-11.8	-28.4	
-89.4	347.5		J	16.4	16.0	-11.8	-28.4	
6295.0	15010.1	INVSLU Max	I	-11066.2	1230.3	736.3	1767.0	
5558.7	13858.2		J	-10830.7	1230.3	736.3	1767.0	
7760.9	-13023.2	Min	I	-16070.4	-997.9	-907.7	-2178.5	-
6853.2	-12117.6		J	-15834.8	-997.9	-907.7	-2178.5	-
6399.8	27822.8	INVSLV Max	I	-7468.1	2671.8	1997.3	4212.0	1
4407.0	25156.6		J	-7293.6	2671.8	1997.3	4212.0	1
7363.3	-26115.9	Min	I	-9738.1	-2519.1	-2110.0	-4482.5	-1
5257.8	-23602.4		J	-9563.6	-2519.1	-2110.0	-4482.5	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4223.3	10306.9	INVSLE	Max	I	-8200.7	841.6	494.0	1185.5	
				J	-8026.2	841.6	494.0	1185.5	
3729.4	9523.3		Min	I	-11900.5	-669.5	-621.0	-1490.3	-
5309.2	-8835.1			J	-11726.0	-669.5	-621.0	-1490.3	-
4688.3	-8234.0								
640	4	60	C1-C2;~1	Max	I	286.3	28.1	20.0	25.4
1210.8	899.4			J	286.3	28.1	20.0	25.4	
1209.5	896.5		Min	I	-1786.5	-48.4	-34.4	-43.9	
-262.2	-3116.7			J	-1786.5	-48.4	-34.4	-43.9	
-241.9	-3091.8								
			C3-C4;~1	Max	I	294.7	32.0	22.8	29.0
1124.9	1895.3			J	294.7	32.0	22.8	29.0	
1126.3	1901.5		Min	I	-1785.9	-50.2	-35.7	-45.5	
-217.2	-2165.5			J	-1785.9	-50.2	-35.7	-45.5	
-198.1	-2141.3								
			C1-C2;~2	Max	I	155.5	14.7	10.5	13.4
759.5	441.2			J	155.5	14.7	10.5	13.4	
759.1	441.5		Min	I	-1063.6	-26.2	-18.7	-23.8	
-147.6	-1724.0			J	-1063.6	-26.2	-18.7	-23.8	
-136.2	-1711.3								
			C3-C4;~2	Max	I	160.6	17.1	12.2	15.5
697.9	1022.8			J	160.6	17.1	12.2	15.5	
699.7	1027.8		Min	I	-1063.0	-27.2	-19.3	-24.6	
-119.6	-1155.8			J	-1063.0	-27.2	-19.3	-24.6	
-109.0	-1144.0								
			SLVx (RS)	I	-330.5	1504.0	-1030.1	698.1	-1
7656.1	27510.9			J	-330.5	1504.0	-1030.1	698.1	-1
6823.8	26046.1								
			SLVy (RS)	I	-146.1	-1245.3	439.0	-680.2	-
7999.0	-22773.7			J	-146.1	-1245.3	439.0	-680.2	-
7580.2	-21690.8								
			SLDx (RS)	I	-243.2	1052.0	-729.7	490.4	-1
2261.6	19155.4			J	-243.2	1052.0	-729.7	490.4	-1
1688.9	18134.4								
			SLDy (RS)	I	-106.0	-879.7	312.0	-484.4	-
5623.7	-15920.8			J	-106.0	-879.7	312.0	-484.4	-
5329.2	-15169.4								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
841.2	-716.4	SLVz (RS)	I	626.5	-75.0	-319.8	110.6	
			J	626.5	-75.0	-319.8	110.6	
1142.6	-701.0							
		G1	I	-6355.7	-27.8	-19.8	-25.2	
737.2	-863.9		J	-6174.4	-27.8	-19.8	-25.2	
756.9	-836.1							
		G2	I	-558.0	-10.1	-7.2	-9.2	
269.2	-315.8		J	-558.0	-10.1	-7.2	-9.2	
276.4	-305.6							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1035.8	210.6		J	-1476.1	8.3	5.9	7.5	-
1041.7	202.3							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-378.9	77.0		J	-540.0	3.0	2.2	2.8	
-381.1	74.0							
		q3	I	7.4	11.0	7.8	10.0	
186.1	323.2		J	7.4	11.0	7.8	10.0	
178.3	312.2							
		q4-1	I	7.2	141.8	100.9	128.6	
2470.7	3961.0		J	7.2	141.8	100.9	128.6	
2369.8	3819.1							
		q4-2	I	5.0	43.9	31.2	39.8	
762.1	1217.6		J	5.0	43.9	31.2	39.8	
730.9	1173.8							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-45.8	-48.5		J	0.4	-2.6	-1.9	-2.4	
-44.0	-45.9							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-39.8	-61.3		J	-0.2	-2.3	-1.6	-2.1	
-38.1	-59.0							
		q4-5	I	0.2	0.3	0.2	0.3	
5.5	7.5		J	0.2	0.3	0.2	0.3	
5.2	7.2							
		q4-6	I	0.3	0.5	0.3	0.4	
8.0	12.3		J	0.3	0.5	0.3	0.4	
7.7	11.8							
		q4-7	I	0.3	0.4	0.3	0.3	
6.3	9.6		J	0.3	0.4	0.3	0.3	
6.0	9.2							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1596.8	2818.0		J	39.5	93.3	66.3	84.6	
1530.5	2724.7							
6283.3	-10019.0	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
6026.3	-9657.8		J	-30.5	-361.3	-256.9	-327.6	-
1517.9	2659.2	q5 - p~3	I	31.7	88.4	62.9	80.2	
1455.0	2570.8		J	31.7	88.4	62.9	80.2	
5947.7	-9387.0	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
5704.5	-9045.1		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
216.5	400.0	q7	I	4.4	12.6	9.0	11.4	
207.6	387.4		J	4.4	12.6	9.0	11.4	
14.9	25.7	T	I	-0.1	0.8	0.6	0.8	
14.3	24.9		J	-0.1	0.8	0.6	0.8	
2978.8	4122.3	M. tor~1	I	15.9	171.3	121.9	155.4	
2857.0	3951.0		J	15.9	171.3	121.9	155.4	
1761.1	2437.2	M. tor~2	I	9.4	101.3	72.0	91.9	
1689.1	2335.9		J	9.4	101.3	72.0	91.9	
9475.1	14559.4	INVSLU Max	I	-11621.8	504.4	358.7	457.4	
9132.3	14084.8		J	-11377.0	504.4	358.7	457.4	
9682.8	-17630.7	Min	I	-14502.6	-586.0	-416.8	-531.5	-
9276.6	-17064.2		J	-14257.9	-586.0	-416.8	-531.5	-
9899.9	33665.8	INVSLV Max	I	-8160.4	1873.5	1238.8	911.2	1
9051.2	31898.1		J	-7979.1	1873.5	1238.8	911.2	1
0716.5	-35450.0	Min	I	-9699.3	-1926.7	-1276.6	-959.5	-2
9830.1	-33629.1		J	-9518.0	-1926.7	-1276.6	-959.5	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

6600.7	10118.5	INVSLE Max	I	-8611.3	349.6	248.6	317.0	
			J	-8430.0	349.6	248.6	317.0	
6363.9	9791.0	Min	I	-10740.1	-396.2	-281.8	-359.3	-
6512.6	-12018.5		J	-10558.8	-396.2	-281.8	-359.3	-
6238.7	-11636.8							
641	4	60 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1209.5	896.5		J	286.3	28.1	20.0	25.4	
1208.6	894.5	Min	I	-1786.5	-48.4	-34.4	-43.9	
-241.9	-3091.8		J	-1786.5	-48.4	-34.4	-43.9	
-222.6	-3068.3							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1126.3	1901.5		J	294.7	32.0	22.8	29.0	
1128.2	1908.0	Min	I	-1785.9	-50.2	-35.7	-45.5	
-198.1	-2141.3		J	-1785.9	-50.2	-35.7	-45.5	
-181.2	-2118.2							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
759.1	441.5		J	155.5	14.7	10.5	13.4	
759.0	442.2	Min	I	-1063.6	-26.2	-18.7	-23.8	
-136.2	-1711.3		J	-1063.6	-26.2	-18.7	-23.8	
-125.3	-1699.4							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
699.7	1027.8		J	160.6	17.1	12.2	15.5	
701.8	1032.8	Min	I	-1063.0	-27.2	-19.3	-24.6	
-109.0	-1144.0		J	-1063.0	-27.2	-19.3	-24.6	
-99.9	-1132.8							
		SLVx (RS)	I	-330.5	1493.0	-1004.8	698.1	-1
6823.8	26046.1		J	-330.5	1493.0	-1004.8	698.1	-1
6012.0	24593.7							
		SLVy (RS)	I	-146.1	-1223.3	433.5	-680.2	-
7580.2	-21690.8		J	-146.1	-1223.3	433.5	-680.2	-
7166.5	-20625.1							
		SLDx (RS)	I	-243.2	1043.9	-710.3	490.4	-1
1688.9	18134.4		J	-243.2	1043.9	-710.3	490.4	-1
1132.0	17122.6							
		SLDy (RS)	I	-106.0	-862.9	307.8	-484.4	-
5329.2	-15169.4		J	-106.0	-862.9	307.8	-484.4	-
5038.4	-14431.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1142.6	-701.0	SLVz (RS)	I	626.5	-83.9	-292.9	110.6	
			J	626.5	-83.9	-292.9	110.6	
1422.9	-668.1							
		G1	I	-6174.4	-27.8	-19.8	-25.2	
756.9	-836.1		J	-5993.1	-27.8	-19.8	-25.2	
776.7	-808.3							
		G2	I	-558.0	-10.1	-7.2	-9.2	
276.4	-305.6		J	-558.0	-10.1	-7.2	-9.2	
283.7	-295.5							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1041.7	202.3		J	-1476.1	8.3	5.9	7.5	-
1047.6	194.0							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-381.1	74.0		J	-540.0	3.0	2.2	2.8	
-383.3	70.9							
		q3	I	7.4	11.0	7.8	10.0	
178.3	312.2		J	7.4	11.0	7.8	10.0	
170.5	301.2							
		q4-1	I	7.2	141.8	100.9	128.6	
2369.8	3819.1		J	7.2	141.8	100.9	128.6	
2268.9	3677.3							
		q4-2	I	5.0	43.9	31.2	39.8	
730.9	1173.8		J	5.0	43.9	31.2	39.8	
699.7	1129.9							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-44.0	-45.9		J	0.4	-2.6	-1.9	-2.4	
-42.1	-43.3							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-38.1	-59.0		J	-0.2	-2.3	-1.6	-2.1	
-36.5	-56.7							
		q4-5	I	0.2	0.3	0.2	0.3	
5.2	7.2		J	0.2	0.3	0.2	0.3	
5.0	6.9							
		q4-6	I	0.3	0.5	0.3	0.4	
7.7	11.8		J	0.3	0.5	0.3	0.4	
7.4	11.3							
		q4-7	I	0.3	0.4	0.3	0.3	
6.0	9.2		J	0.3	0.4	0.3	0.3	
5.8	8.9							
		q5 - p~1	I	39.5	93.3	66.3	84.6	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1530.5	2724.7		J	39.5	93.3	66.3	84.6	
1464.2	2631.5							
6026.3	-9657.8	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
5769.4	-9296.5		J	-30.5	-361.3	-256.9	-327.6	-
1455.0	2570.8	q5 - p~3	I	31.7	88.4	62.9	80.2	
1392.2	2482.4		J	31.7	88.4	62.9	80.2	
5704.5	-9045.1	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
5461.4	-8703.2		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
207.6	387.4	q7	I	4.4	12.6	9.0	11.4	
198.6	374.8		J	4.4	12.6	9.0	11.4	
14.3	24.9	T	I	-0.1	0.8	0.6	0.8	
13.7	24.0		J	-0.1	0.8	0.6	0.8	
2857.0	3951.0	M. tor~1	I	15.9	171.3	121.9	155.4	
2735.1	3779.6		J	15.9	171.3	121.9	155.4	
1689.1	2335.9	M. tor~2	I	9.4	101.3	72.0	91.9	
1617.0	2234.6		J	9.4	101.3	72.0	91.9	
9132.3	14084.8	INVSLU Max	I	-11377.0	504.4	358.7	457.4	
8789.8	13610.2		J	-11132.2	504.4	358.7	457.4	
9276.6	-17064.2	Min	I	-14257.9	-586.0	-416.8	-531.5	-
8871.2	-16498.8		J	-14013.1	-586.0	-416.8	-531.5	-
9051.2	31898.1	INVSLV Max	I	-7979.1	1858.5	1203.8	911.2	1
8218.3	30142.8		J	-7797.8	1858.5	1203.8	911.2	1
9830.1	-33629.1	Min	I	-9518.0	-1911.8	-1241.7	-959.5	-1
8959.3	-31820.6		J	-9336.7	-1911.8	-1241.7	-959.5	-1

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

6363.9	9791.0	INVSLE Max	I	-8430.0	349.6	248.6	317.0	
			J	-8248.7	349.6	248.6	317.0	
6127.2	9463.5	Min	I	-10558.8	-396.2	-281.8	-359.3	-
6238.7	-11636.8		J	-10377.5	-396.2	-281.8	-359.3	-
5965.3	-11255.9							
642	4	60 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1208.6	894.5		J	286.3	28.1	20.0	25.4	
1208.5	893.4	Min	I	-1786.5	-48.4	-34.4	-43.9	
-222.6	-3068.3		J	-1786.5	-48.4	-34.4	-43.9	
-204.3	-3046.0							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1128.2	1908.0		J	294.7	32.0	22.8	29.0	
1130.7	1914.7	Min	I	-1785.9	-50.2	-35.7	-45.5	
-181.2	-2118.2		J	-1785.9	-50.2	-35.7	-45.5	
-165.2	-2096.7							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
759.0	442.2		J	155.5	14.7	10.5	13.4	
759.1	443.2	Min	I	-1063.6	-26.2	-18.7	-23.8	
-125.3	-1699.4		J	-1063.6	-26.2	-18.7	-23.8	
-114.8	-1688.3							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
701.8	1032.8		J	160.6	17.1	12.2	15.5	
704.1	1037.9	Min	I	-1063.0	-27.2	-19.3	-24.6	
-99.9	-1132.8		J	-1063.0	-27.2	-19.3	-24.6	
-91.2	-1122.6							
		SLVx (RS)	I	-330.5	1480.7	-979.3	698.1	-1
6012.0	24593.7		J	-330.5	1480.7	-979.3	698.1	-1
5219.4	23155.3							
		SLVy (RS)	I	-146.1	-1200.8	427.7	-680.2	-
7166.5	-20625.1		J	-146.1	-1200.8	427.7	-680.2	-
6758.1	-19575.8							
		SLDx (RS)	I	-243.2	1035.0	-690.8	490.4	-1
1132.0	17122.6		J	-243.2	1035.0	-690.8	490.4	-1
0589.8	16120.7							
		SLDy (RS)	I	-106.0	-845.7	303.4	-484.4	-
5038.4	-14431.1		J	-106.0	-845.7	303.4	-484.4	-
4751.6	-13705.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1422.9	-668.1	SLVz (RS)	I	626.5	96.8	-262.9	110.6	
			J	626.5	96.8	-262.9	110.6	
1676.3	-621.7							
		G1	I	-5993.1	-27.8	-19.8	-25.2	
776.7	-808.3		J	-5811.8	-27.8	-19.8	-25.2	
796.5	-780.5							
		G2	I	-558.0	-10.1	-7.2	-9.2	
283.7	-295.5		J	-558.0	-10.1	-7.2	-9.2	
290.9	-285.4							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1047.6	194.0		J	-1476.1	8.3	5.9	7.5	-
1053.5	185.7							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-383.3	70.9		J	-540.0	3.0	2.2	2.8	
-385.4	67.9							
		q3	I	7.4	11.0	7.8	10.0	
170.5	301.2		J	7.4	11.0	7.8	10.0	
162.7	290.2							
		q4-1	I	7.2	141.8	100.9	128.6	
2268.9	3677.3		J	7.2	141.8	100.9	128.6	
2168.0	3535.5							
		q4-2	I	5.0	43.9	31.2	39.8	
699.7	1129.9		J	5.0	43.9	31.2	39.8	
668.5	1086.0							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-42.1	-43.3		J	0.4	-2.6	-1.9	-2.4	
-40.3	-40.7							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-36.5	-56.7		J	-0.2	-2.3	-1.6	-2.1	
-34.9	-54.5							
		q4-5	I	0.2	0.3	0.2	0.3	
5.0	6.9		J	0.2	0.3	0.2	0.3	
4.8	6.6							
		q4-6	I	0.3	0.5	0.3	0.4	
7.4	11.3		J	0.3	0.5	0.3	0.4	
7.0	10.9							
		q4-7	I	0.3	0.4	0.3	0.3	
5.8	8.9		J	0.3	0.4	0.3	0.3	
5.5	8.5							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1464.2	2631.5		J	39.5	93.3	66.3	84.6	
1397.9	2538.2							
5769.4	-9296.5	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
5512.5	-8935.2		J	-30.5	-361.3	-256.9	-327.6	-
1392.2	2482.4	q5 - p~3	I	31.7	88.4	62.9	80.2	
1329.3	2394.0		J	31.7	88.4	62.9	80.2	
5461.4	-8703.2	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
5218.2	-8361.3		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
198.6	374.8	q7	I	4.4	12.6	9.0	11.4	
189.6	362.2		J	4.4	12.6	9.0	11.4	
13.7	24.0	T	I	-0.1	0.8	0.6	0.8	
13.1	23.2		J	-0.1	0.8	0.6	0.8	
2735.1	3779.6	M. tor~1	I	15.9	171.3	121.9	155.4	
2613.3	3608.3		J	15.9	171.3	121.9	155.4	
1617.0	2234.6	M. tor~2	I	9.4	101.3	72.0	91.9	
1545.0	2133.3		J	9.4	101.3	72.0	91.9	
8789.8	13610.2	INVSLU Max	I	-11132.2	504.4	358.7	457.4	
8447.7	13135.8		J	-10887.5	504.4	358.7	457.4	
8871.2	-16498.8	Min	I	-14013.1	-586.0	-416.8	-531.5	-
8466.4	-15934.4		J	-13768.4	-586.0	-416.8	-531.5	-
8218.3	30142.8	INVSLV Max	I	-7797.8	1843.4	1167.6	911.2	1
7398.2	28402.2		J	-7616.5	1843.4	1167.6	911.2	1
8959.3	-31820.6	Min	I	-9336.7	-1896.6	-1205.4	-959.5	-1
8101.3	-30026.8		J	-9155.4	-1896.6	-1205.4	-959.5	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

6127.2	9463.5	INVSLE Max	I	-8248.7	349.6	248.6	317.0	
			J	-8067.4	349.6	248.6	317.0	
5890.9	9136.1	Min	I	-10377.5	-396.2	-281.8	-359.3	-
5965.3	-11255.9		J	-10196.2	-396.2	-281.8	-359.3	-
5692.4	-10875.8							
643	4	60 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1208.5	893.4		J	286.3	28.1	20.0	25.4	
1209.2	893.4	Min	I	-1786.5	-48.4	-34.4	-43.9	
-204.3	-3046.0		J	-1786.5	-48.4	-34.4	-43.9	
-187.1	-3024.4							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1130.7	1914.7		J	294.7	32.0	22.8	29.0	
1134.0	1921.8	Min	I	-1785.9	-50.2	-35.7	-45.5	
-165.2	-2096.7		J	-1785.9	-50.2	-35.7	-45.5	
-150.2	-2077.0							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
759.1	443.2		J	155.5	14.7	10.5	13.4	
759.6	444.7	Min	I	-1063.6	-26.2	-18.7	-23.8	
-114.8	-1688.3		J	-1063.6	-26.2	-18.7	-23.8	
-105.0	-1677.5							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
704.1	1037.9		J	160.6	17.1	12.2	15.5	
706.7	1043.2	Min	I	-1063.0	-27.2	-19.3	-24.6	
-91.2	-1122.6		J	-1063.0	-27.2	-19.3	-24.6	
-83.0	-1113.2							
		SLVx (RS)	I	-330.5	1467.2	-953.8	698.1	-1
5219.4	23155.3		J	-330.5	1467.2	-953.8	698.1	-1
4444.7	21732.0							
		SLVy (RS)	I	-146.1	-1178.3	421.5	-680.2	-
6758.1	-19575.8		J	-146.1	-1178.3	421.5	-680.2	-
6355.3	-18541.7							
		SLDx (RS)	I	-243.2	1025.2	-671.3	490.4	-1
0589.8	16120.7		J	-243.2	1025.2	-671.3	490.4	-1
0061.0	15129.9							
		SLDy (RS)	I	-106.0	-828.5	298.6	-484.4	-
4751.6	-13705.1		J	-106.0	-828.5	298.6	-484.4	-
4469.0	-12990.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1676.3	-621.7	SLVz (RS)	I	626.5	-110.3	-229.9	110.6	
			J	626.5	-110.3	-229.9	110.6	
1898.7	-568.1							
		G1	I	-5811.8	-27.8	-19.8	-25.2	
796.5	-780.5		J	-5630.5	-27.8	-19.8	-25.2	
816.2	-752.7							
		G2	I	-558.0	-10.1	-7.2	-9.2	
290.9	-285.4		J	-558.0	-10.1	-7.2	-9.2	
298.1	-275.2							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1053.5	185.7		J	-1476.1	8.3	5.9	7.5	-
1059.4	177.3							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-385.4	67.9		J	-540.0	3.0	2.2	2.8	
-387.6	64.9							
		q3	I	7.4	11.0	7.8	10.0	
162.7	290.2		J	7.4	11.0	7.8	10.0	
154.8	279.2							
		q4-1	I	7.2	141.8	100.9	128.6	
2168.0	3535.5		J	7.2	141.8	100.9	128.6	
2067.2	3393.6							
		q4-2	I	5.0	43.9	31.2	39.8	
668.5	1086.0		J	5.0	43.9	31.2	39.8	
637.3	1042.1							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-40.3	-40.7		J	0.4	-2.6	-1.9	-2.4	
-38.4	-38.1							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-34.9	-54.5		J	-0.2	-2.3	-1.6	-2.1	
-33.3	-52.2							
		q4-5	I	0.2	0.3	0.2	0.3	
4.8	6.6		J	0.2	0.3	0.2	0.3	
4.5	6.3							
		q4-6	I	0.3	0.5	0.3	0.4	
7.0	10.9		J	0.3	0.5	0.3	0.4	
6.7	10.4							
		q4-7	I	0.3	0.4	0.3	0.3	
5.5	8.5		J	0.3	0.4	0.3	0.3	
5.2	8.1							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1397.9	2538.2		J	39.5	93.3	66.3	84.6	
1331.5	2444.9							
5512.5	-8935.2	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
5255.5	-8574.0		J	-30.5	-361.3	-256.9	-327.6	-
1329.3	2394.0	q5 - p~3	I	31.7	88.4	62.9	80.2	
1266.5	2305.6		J	31.7	88.4	62.9	80.2	
5218.2	-8361.3	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
4975.1	-8019.4		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
189.6	362.2	q7	I	4.4	12.6	9.0	11.4	
180.7	349.6		J	4.4	12.6	9.0	11.4	
13.1	23.2	T	I	-0.1	0.8	0.6	0.8	
12.5	22.3		J	-0.1	0.8	0.6	0.8	
2613.3	3608.3	M. tor~1	I	15.9	171.3	121.9	155.4	
2491.4	3436.9		J	15.9	171.3	121.9	155.4	
1545.0	2133.3	M. tor~2	I	9.4	101.3	72.0	91.9	
1473.0	2032.0		J	9.4	101.3	72.0	91.9	
8447.7	13135.8	INVSLU Max	I	-10887.5	504.4	358.7	457.4	
8106.0	12661.7		J	-10642.7	504.4	358.7	457.4	
8466.4	-15934.4	Min	I	-13768.4	-586.0	-416.8	-531.5	-
8062.4	-15370.4		J	-13523.6	-586.0	-416.8	-531.5	-
7398.2	28402.2	INVSLV Max	I	-7616.5	1827.2	1130.3	911.2	1
6588.3	26679.3		J	-7435.2	1827.2	1130.3	911.2	1
8101.3	-30026.8	Min	I	-9155.4	-1880.4	-1168.1	-959.5	-1
7253.6	-28250.6		J	-8974.1	-1880.4	-1168.1	-959.5	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

5890.9	9136.1	INVSLE Max	I	-8067.4	349.6	248.6	317.0	
			J	-7886.1	349.6	248.6	317.0	
5654.9	8808.9	Min	I	-10196.2	-396.2	-281.8	-359.3	-
5692.4	-10875.8		J	-10014.9	-396.2	-281.8	-359.3	-
5420.2	-10495.9							
644	4	60 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1209.2	893.4		J	286.3	28.1	20.0	25.4	
1210.6	895.2	Min	I	-1786.5	-48.4	-34.4	-43.9	
-187.1	-3024.4		J	-1786.5	-48.4	-34.4	-43.9	
-172.4	-3009.2							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1134.0	1921.8		J	294.7	32.0	22.8	29.0	
1137.9	1929.4	Min	I	-1785.9	-50.2	-35.7	-45.5	
-150.2	-2077.0		J	-1785.9	-50.2	-35.7	-45.5	
-136.1	-2058.6							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
759.6	444.7		J	155.5	14.7	10.5	13.4	
760.3	446.9	Min	I	-1063.6	-26.2	-18.7	-23.8	
-105.0	-1677.5		J	-1063.6	-26.2	-18.7	-23.8	
-96.8	-1671.2							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
706.7	1043.2		J	160.6	17.1	12.2	15.5	
709.5	1048.6	Min	I	-1063.0	-27.2	-19.3	-24.6	
-83.0	-1113.2		J	-1063.0	-27.2	-19.3	-24.6	
-75.3	-1104.4							
		SLVx (RS)	I	-330.5	1452.4	-928.4	698.1	-1
4444.7	21732.0		J	-330.5	1452.4	-928.4	698.1	-1
3686.2	20325.3							
		SLVy (RS)	I	-146.1	-1156.0	414.8	-680.2	-
6355.3	-18541.7		J	-146.1	-1156.0	414.8	-680.2	-
5958.6	-17521.6							
		SLDx (RS)	I	-243.2	1014.6	-651.9	490.4	-1
0061.0	15129.9		J	-243.2	1014.6	-651.9	490.4	-
9544.2	14151.0							
		SLDy (RS)	I	-106.0	-811.6	293.6	-484.4	-
4469.0	-12990.5		J	-106.0	-811.6	293.6	-484.4	-
4190.8	-12286.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1898.7	-568.1	SLVz (RS)	I	626.5	-122.2	-194.2	110.6	
			J	626.5	-122.2	-194.2	110.6	
2087.0	516.3							
		G1	I	-5630.5	-27.8	-19.8	-25.2	
816.2	-752.7		J	-5449.2	-27.8	-19.8	-25.2	
836.0	-724.9							
		G2	I	-558.0	-10.1	-7.2	-9.2	
298.1	-275.2		J	-558.0	-10.1	-7.2	-9.2	
305.3	-265.1							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1059.4	177.3		J	-1476.1	8.3	5.9	7.5	-
1065.3	169.0							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-387.6	64.9		J	-540.0	3.0	2.2	2.8	
-389.7	61.8							
		q3	I	7.4	11.0	7.8	10.0	
154.8	279.2		J	7.4	11.0	7.8	10.0	
147.0	268.2							
		q4-1	I	7.2	141.8	100.9	128.6	
2067.2	3393.6		J	7.2	141.8	100.9	128.6	
1966.3	3251.8							
		q4-2	I	5.0	43.9	31.2	39.8	
637.3	1042.1		J	5.0	43.9	31.2	39.8	
606.1	998.2							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-38.4	-38.1		J	0.4	-2.6	-1.9	-2.4	
-36.6	-35.5							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-33.3	-52.2		J	-0.2	-2.3	-1.6	-2.1	
-31.6	-49.9							
		q4-5	I	0.2	0.3	0.2	0.3	
4.5	6.3		J	0.2	0.3	0.2	0.3	
4.3	5.9							
		q4-6	I	0.3	0.5	0.3	0.4	
6.7	10.4		J	0.3	0.5	0.3	0.4	
6.4	9.9							
		q4-7	I	0.3	0.4	0.3	0.3	
5.2	8.1		J	0.3	0.4	0.3	0.3	
5.0	7.7							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1331.5	2444.9		J	39.5	93.3	66.3	84.6	
1265.2	2351.7							
5255.5	-8574.0	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
4998.6	-8212.7		J	-30.5	-361.3	-256.9	-327.6	-
1266.5	2305.6	q5 - p~3	I	31.7	88.4	62.9	80.2	
1203.6	2217.2		J	31.7	88.4	62.9	80.2	
4975.1	-8019.4	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
4731.9	-7677.5		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
180.7	349.6	q7	I	4.4	12.6	9.0	11.4	
171.7	337.0		J	4.4	12.6	9.0	11.4	
12.5	22.3	T	I	-0.1	0.8	0.6	0.8	
11.9	21.5		J	-0.1	0.8	0.6	0.8	
2491.4	3436.9	M. tor~1	I	15.9	171.3	121.9	155.4	
2369.6	3265.6		J	15.9	171.3	121.9	155.4	
1473.0	2032.0	M. tor~2	I	9.4	101.3	72.0	91.9	
1400.9	1930.7		J	9.4	101.3	72.0	91.9	
8106.0	12661.7	INVSLU Max	I	-10642.7	504.4	358.7	457.4	
7764.7	12187.7		J	-10398.0	504.4	358.7	457.4	
8062.4	-15370.4	Min	I	-13523.6	-586.0	-416.8	-531.5	-
7660.5	-14812.5		J	-13278.9	-586.0	-416.8	-531.5	-
6588.3	26679.3	INVSLV Max	I	-7435.2	1809.3	1092.2	911.2	1
5786.2	24977.7		J	-7253.9	1809.3	1092.2	911.2	1
7253.6	-28250.6	Min	I	-8974.1	-1862.5	-1130.0	-959.5	-1
6413.6	-26495.8		J	-8792.8	-1862.5	-1130.0	-959.5	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5654.9	8808.9	INVSLE	Max	I	-7886.1	349.6	248.6	317.0	
				J	-7704.8	349.6	248.6	317.0	
5419.2	8481.9		Min	I	-10014.9	-396.2	-281.8	-359.3	-
5420.2	-10495.9			J	-9833.6	-396.2	-281.8	-359.3	-
5149.5	-10120.6								
645	4	60	C1-C2;~1	Max	I	286.3	28.1	20.0	25.4
1210.6	895.2			J	286.3	28.1	20.0	25.4	
1212.7	900.5		Min	I	-1786.5	-48.4	-34.4	-43.9	
-172.4	-3009.2			J	-1786.5	-48.4	-34.4	-43.9	
-160.2	-2995.8								
			C3-C4;~1	Max	I	294.7	32.0	22.8	29.0
1137.9	1929.4			J	294.7	32.0	22.8	29.0	
1142.5	1937.3		Min	I	-1785.9	-50.2	-35.7	-45.5	
-136.1	-2058.6			J	-1785.9	-50.2	-35.7	-45.5	
-123.0	-2040.9								
			C1-C2;~2	Max	I	155.5	14.7	10.5	13.4
760.3	446.9			J	155.5	14.7	10.5	13.4	
761.3	450.5		Min	I	-1063.6	-26.2	-18.7	-23.8	
-96.8	-1671.2			J	-1063.6	-26.2	-18.7	-23.8	
-90.2	-1665.7								
			C3-C4;~2	Max	I	160.6	17.1	12.2	15.5
709.5	1048.6			J	160.6	17.1	12.2	15.5	
712.6	1054.3		Min	I	-1063.0	-27.2	-19.3	-24.6	
-75.3	-1104.4			J	-1063.0	-27.2	-19.3	-24.6	
-68.1	-1095.8								
			SLVx (RS)	I	-330.5	1436.4	-903.5	698.1	-1
3686.2	20325.3			J	-330.5	1436.4	-903.5	698.1	-1
2941.9	18936.9								
			SLVy (RS)	I	-146.1	-1134.5	407.7	-680.2	-
5958.6	-17521.6			J	-146.1	-1134.5	407.7	-680.2	-
5568.3	-16514.0								
			SLDx (RS)	I	-243.2	1003.0	-633.1	490.4	-
9544.2	14151.0			J	-243.2	1003.0	-633.1	490.4	-
9037.6	13185.2								
			SLDy (RS)	I	-106.0	-795.4	288.3	-484.4	-
4190.8	-12286.0			J	-106.0	-795.4	288.3	-484.4	-
3917.2	-11590.4								

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2087.0	516.3	SLVz (RS)	I	626.5	-131.4	-156.5	110.6
			J	626.5	-131.4	-156.5	110.6
2238.9	478.5						
		G1	I	-5449.2	-27.8	-19.8	-25.2
836.0	-724.9		J	-5267.9	-27.8	-19.8	-25.2
855.8	-697.1						
		G2	I	-558.0	-10.1	-7.2	-9.2
305.3	-265.1		J	-558.0	-10.1	-7.2	-9.2
312.5	-254.9						
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5
1065.3	169.0		J	-1476.1	8.3	5.9	7.5
1071.2	160.7						
		G2- Imp~1	I	-540.0	3.0	2.2	2.8
-389.7	61.8		J	-540.0	3.0	2.2	2.8
-391.9	58.8						
		q3	I	7.4	11.0	7.8	10.0
147.0	268.2		J	7.4	11.0	7.8	10.0
139.2	257.2						
		q4-1	I	7.2	141.8	100.9	128.6
1966.3	3251.8		J	7.2	141.8	100.9	128.6
1865.4	3109.9						
		q4-2	I	5.0	43.9	31.2	39.8
606.1	998.2		J	5.0	43.9	31.2	39.8
574.9	954.4						
		q4-3	I	0.4	-2.6	-1.9	-2.4
-36.6	-35.5		J	0.4	-2.6	-1.9	-2.4
-34.7	-32.9						
		q4-4	I	-0.2	-2.3	-1.6	-2.1
-31.6	-49.9		J	-0.2	-2.3	-1.6	-2.1
-30.0	-47.6						
		q4-5	I	0.2	0.3	0.2	0.3
4.3	5.9		J	0.2	0.3	0.2	0.3
4.1	5.6						
		q4-6	I	0.3	0.5	0.3	0.4
6.4	9.9		J	0.3	0.5	0.3	0.4
6.0	9.4						
		q4-7	I	0.3	0.4	0.3	0.3
5.0	7.7		J	0.3	0.4	0.3	0.3
4.7	7.4						
		q5 - p~1	I	39.5	93.3	66.3	84.6

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1265.2	2351.7		J	39.5	93.3	66.3	84.6	
1198.9	2258.4							
4998.6	-8212.7	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
4741.7	-7851.4		J	-30.5	-361.3	-256.9	-327.6	-
1203.6	2217.2	q5 - p~3	I	31.7	88.4	62.9	80.2	
1140.7	2128.8		J	31.7	88.4	62.9	80.2	
4731.9	-7677.5	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
4488.7	-7335.6		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
171.7	337.0	q7	I	4.4	12.6	9.0	11.4	
162.8	324.4		J	4.4	12.6	9.0	11.4	
11.9	21.5	T	I	-0.1	0.8	0.6	0.8	
11.3	20.6		J	-0.1	0.8	0.6	0.8	
2369.6	3265.6	M. tor~1	I	15.9	171.3	121.9	155.4	
2247.7	3094.2		J	15.9	171.3	121.9	155.4	
1400.9	1930.7	M. tor~2	I	9.4	101.3	72.0	91.9	
1328.9	1829.4		J	9.4	101.3	72.0	91.9	
7764.7	12187.7	INVSLU Max	I	-10398.0	504.4	358.7	457.4	
7423.8	11714.0		J	-10153.2	504.4	358.7	457.4	
7660.5	-14812.5	Min	I	-13278.9	-586.0	-416.8	-531.5	-
7260.9	-14255.8		J	-13034.1	-586.0	-416.8	-531.5	-
5786.2	24977.7	INVSLV Max	I	-7253.9	1789.5	1053.8	911.2	1
4989.2	23302.2		J	-7072.6	1789.5	1053.8	911.2	1
6413.6	-26495.8	Min	I	-8792.8	-1842.7	-1091.7	-959.5	-1
5578.8	-24767.0		J	-8611.5	-1842.7	-1091.7	-959.5	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5419.2	8481.9		INVSLE Max	I	-7704.8	349.6	248.6	317.0	
				J	-7523.5	349.6	248.6	317.0	
5183.7	8155.0		Min	I	-9833.6	-396.2	-281.8	-359.3	-
5149.5	-10120.6			J	-9652.3	-396.2	-281.8	-359.3	-
4880.5	-9746.2								
646	4	60	C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1212.7	900.5			J	286.3	28.1	20.0	25.4	
1215.6	907.5		Min	I	-1786.5	-48.4	-34.4	-43.9	
-160.2	-2995.8			J	-1786.5	-48.4	-34.4	-43.9	
-148.9	-2983.0								
			C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1142.5	1937.3			J	294.7	32.0	22.8	29.0	
1147.8	1945.4		Min	I	-1785.9	-50.2	-35.7	-45.5	
-123.0	-2040.9			J	-1785.9	-50.2	-35.7	-45.5	
-111.0	-2023.6								
			C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
761.3	450.5			J	155.5	14.7	10.5	13.4	
762.7	454.9		Min	I	-1063.6	-26.2	-18.7	-23.8	
-90.2	-1665.7			J	-1063.6	-26.2	-18.7	-23.8	
-83.9	-1660.5								
			C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
712.6	1054.3			J	160.6	17.1	12.2	15.5	
716.0	1059.9		Min	I	-1063.0	-27.2	-19.3	-24.6	
-68.1	-1095.8			J	-1063.0	-27.2	-19.3	-24.6	
-61.5	-1087.5								
			SLVx (RS)	I	-330.5	1419.0	-879.5	698.1	-1
2941.9	18936.9			J	-330.5	1419.0	-879.5	698.1	-1
2209.6	17568.2								
			SLVy (RS)	I	-146.1	-1114.0	400.3	-680.2	-
5568.3	-16514.0			J	-146.1	-1114.0	400.3	-680.2	-
5184.6	-15517.3								
			SLDx (RS)	I	-243.2	990.6	-615.0	490.4	-
9037.6	13185.2			J	-243.2	990.6	-615.0	490.4	-
8539.4	12233.5								
			SLDy (RS)	I	-106.0	-780.0	-282.8	-484.4	-
3917.2	-11590.4			J	-106.0	-780.0	-282.8	-484.4	-
3648.5	-10902.5								


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2238.9	478.5	SLVz (RS)	I	626.5	-136.9	-118.0	110.6
			J	626.5	-136.9	-118.0	110.6
2352.5	466.5						
		G1	I	-5267.9	-27.8	-19.8	-25.2
855.8	-697.1		J	-5086.6	-27.8	-19.8	-25.2
875.6	-669.3						
		G2	I	-558.0	-10.1	-7.2	-9.2
312.5	-254.9		J	-558.0	-10.1	-7.2	-9.2
319.7	-244.8						
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5
1071.2	160.7		J	-1476.1	8.3	5.9	7.5
1077.1	152.4						
		G2- Imp~1	I	-540.0	3.0	2.2	2.8
-391.9	58.8		J	-540.0	3.0	2.2	2.8
-394.1	55.8						
		q3	I	7.4	11.0	7.8	10.0
139.2	257.2		J	7.4	11.0	7.8	10.0
131.4	246.2						
		q4-1	I	7.2	141.8	100.9	128.6
1865.4	3109.9		J	7.2	141.8	100.9	128.6
1764.6	2968.1						
		q4-2	I	5.0	43.9	31.2	39.8
574.9	954.4		J	5.0	43.9	31.2	39.8
543.7	910.5						
		q4-3	I	0.4	-2.6	-1.9	-2.4
-34.7	-32.9		J	0.4	-2.6	-1.9	-2.4
-32.9	-30.3						
		q4-4	I	-0.2	-2.3	-1.6	-2.1
-30.0	-47.6		J	-0.2	-2.3	-1.6	-2.1
-28.4	-45.3						
		q4-5	I	0.2	0.3	0.2	0.3
4.1	5.6		J	0.2	0.3	0.2	0.3
3.9	5.3						
		q4-6	I	0.3	0.5	0.3	0.4
6.0	9.4		J	0.3	0.5	0.3	0.4
5.7	9.0						
		q4-7	I	0.3	0.4	0.3	0.3
4.7	7.4		J	0.3	0.4	0.3	0.3
4.4	7.0						
		q5 - p~1	I	39.5	93.3	66.3	84.6

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1198.9	2258.4		J	39.5	93.3	66.3	84.6	
1132.5	2165.1							
4741.7	-7851.4	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
4484.8	-7490.2		J	-30.5	-361.3	-256.9	-327.6	-
1140.7	2128.8	q5 - p~3	I	31.7	88.4	62.9	80.2	
1077.9	2040.4		J	31.7	88.4	62.9	80.2	
4488.7	-7335.6	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
4245.6	-6993.7		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
162.8	324.4	q7	I	4.4	12.6	9.0	11.4	
153.8	311.8		J	4.4	12.6	9.0	11.4	
11.3	20.6	T	I	-0.1	0.8	0.6	0.8	
10.7	19.8		J	-0.1	0.8	0.6	0.8	
2247.7	3094.2	M. tor~1	I	15.9	171.3	121.9	155.4	
2125.8	2922.9		J	15.9	171.3	121.9	155.4	
1328.9	1829.4	M. tor~2	I	9.4	101.3	72.0	91.9	
1256.8	1728.1		J	9.4	101.3	72.0	91.9	
7423.8	11714.0	INVSLU Max	I	-10153.2	504.4	358.7	457.4	
7083.3	11240.4		J	-9908.5	504.4	358.7	457.4	
7260.9	-14255.8	Min	I	-13034.1	-586.0	-416.8	-531.5	-
6861.8	-13699.4		J	-12789.4	-586.0	-416.8	-531.5	-
4989.2	23302.2	INVSLV Max	I	-7072.6	1767.7	1016.0	911.2	1
4194.8	21657.5		J	-6891.3	1767.7	1016.0	911.2	1
5578.8	-24767.0	Min	I	-8611.5	-1820.9	-1053.9	-959.5	-1
4746.6	-23069.1		J	-8430.2	-1820.9	-1053.9	-959.5	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

5183.7	8155.0	INVSLE Max	I	-7523.5	349.6	248.6	317.0	
			J	-7342.2	349.6	248.6	317.0	
4948.6	7828.2	Min	I	-9652.3	-396.2	-281.8	-359.3	-
4880.5	-9746.2		J	-9471.0	-396.2	-281.8	-359.3	-
4611.8	-9372.0							
647	4	60 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
1791.4	1875.6		J	356.8	95.8	73.1	175.5	
1718.3	1834.7	Min	I	-3244.7	-66.0	-50.4	-120.9	-
1234.5	-4146.8		J	-3244.7	-66.0	-50.4	-120.9	-
1184.1	-4145.0							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
1810.1	3005.6		J	366.2	96.8	73.9	177.3	
1736.2	2992.3	Min	I	-3253.0	-72.9	-55.6	-133.4	-
1361.7	-2959.7		J	-3253.0	-72.9	-55.6	-133.4	-
1306.2	-2955.9							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
962.0	860.3		J	194.0	51.5	39.3	94.2	
922.7	843.2	Min	I	-1647.1	-34.6	-26.4	-63.4	
-647.0	-2067.0		J	-1647.1	-34.6	-26.4	-63.4	
-620.6	-2064.4							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
958.3	1475.6		J	199.7	51.3	39.1	93.9	
919.2	1471.4	Min	I	-1651.3	-38.5	-29.4	-70.6	
-720.3	-1437.8		J	-1651.3	-38.5	-29.4	-70.6	
-690.9	-1432.6							
		SLVx (RS)	I	-441.2	999.8	-799.0	-973.4	-1
1860.4	-15618.8		J	-441.2	999.8	-799.0	-973.4	-1
1265.0	-14708.0							
		SLVy (RS)	I	-182.1	-1173.6	794.4	-941.2	1
0971.2	-19661.6		J	-182.1	-1173.6	794.4	-941.2	1
0258.0	-18607.2							
		SLDx (RS)	I	-326.0	707.9	-569.0	-695.8	-
8196.8	-10870.0		J	-326.0	707.9	-569.0	-695.8	-
7787.4	-10229.8							
		SLDy (RS)	I	-134.2	-827.7	564.1	-672.3	
7729.5	-13737.0		J	-134.2	-827.7	564.1	-672.3	
7229.8	-13002.9							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-138.2	-421.6	SLVz (RS)	I	1081.2	-78.2	-31.5	-115.0
			J	1081.2	-78.2	-31.5	-115.0
-128.3	-390.9						
		G1	I	-9562.6	44.9	34.2	82.1
838.5	-843.8		J	-9381.3	44.9	34.2	82.1
804.3	-888.7						
		G2	I	-1827.0	16.4	12.5	30.0
306.3	-308.6		J	-1827.0	16.4	12.5	30.0
293.8	-325.0						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-227.3	-310.1		J	0.0	-12.2	-9.3	-22.3
-218.0	-298.0						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-83.1	-113.4		J	0.0	-4.4	-3.4	-8.1
-79.8	-109.0						
		q3	I	-10.0	42.6	32.5	78.0
796.7	1158.1		J	-10.0	42.6	32.5	78.0
764.2	1115.5						
		q4-1	I	-16.2	30.4	23.2	55.7
568.6	875.7		J	-16.2	30.4	23.2	55.7
545.4	845.3						
		q4-2	I	-6.8	65.2	49.7	119.4
1218.8	1865.6		J	-6.8	65.2	49.7	119.4
1169.1	1800.4						
		q4-3	I	4.0	22.6	17.3	41.4
423.1	627.7		J	4.0	22.6	17.3	41.4
405.8	605.0						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-35.8	-38.2		J	1.0	-1.9	-1.5	-3.5
-34.3	-36.3						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-13.8	-20.3		J	-1.2	-0.7	-0.6	-1.4
-13.3	-19.6						
		q4-6	I	-1.3	0.2	0.2	0.4
4.4	5.5		J	-1.3	0.2	0.2	0.4
4.2	5.3						
		q4-7	I	-1.3	0.1	0.1	0.3
2.7	3.6		J	-1.3	0.1	0.1	0.3
2.6	3.5						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
7446.3	10938.5		J	36.7	398.4	303.9	729.4	
7142.3	10540.1							
7456.1	-10855.2	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
7151.7	-10456.3		J	22.5	-398.9	-304.3	-730.4	-
7054.1	10295.5	q5 - p~3	I	35.5	377.4	287.9	691.0	
6766.1	9918.1		J	35.5	377.4	287.9	691.0	
7074.8	-10112.3	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
6786.0	-9733.7		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1453.0	2087.9	q7	I	3.8	77.7	59.3	142.3	
1393.7	2010.1		J	3.8	77.7	59.3	142.3	
-23.4	-31.0	T	I	1.1	-1.3	-1.0	-2.3	
-22.4	-29.7		J	1.1	-1.3	-1.0	-2.3	
1658.8	2073.0	M. tor~1	I	-31.8	88.7	67.7	162.5	
1591.0	1984.3		J	-31.8	88.7	67.7	162.5	
980.7	1225.6	M. tor~2	I	-18.8	52.5	40.0	96.1	
940.7	1173.1		J	-18.8	52.5	40.0	96.1	
3054.1	15330.1	INVSLU Max	I	-14847.6	698.4	532.8	1278.8	1
2521.3	14697.1		J	-14602.8	698.4	532.8	1278.8	1
0475.0	-20383.6	Min	I	-19801.2	-560.4	-427.6	-1026.1	-1
0047.5	-19873.3		J	-19556.5	-560.4	-427.6	-1026.1	-1
6027.5	22897.7	INVSLV Max	I	-10121.3	1541.6	1080.8	1372.0	1
5181.2	21516.2		J	-9940.0	1541.6	1080.8	1372.0	1
4358.8	-26049.7	Min	I	-12657.7	-1452.3	-1012.7	-1208.6	-1
3580.6	-24757.5		J	-12476.4	-1452.3	-1012.7	-1208.6	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

8885.2	10213.7	INVSLE Max	I	-11000.6	475.4	362.7	870.4	
			J	-10819.3	475.4	362.7	870.4	
8522.5	9786.7	Min	I	-14665.2	-373.2	-284.7	-683.2	-
6974.7	-13957.1		J	-14483.9	-373.2	-284.7	-683.2	-
6690.1	-13621.0							
648	4	60 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
1718.3	1834.7		J	356.8	95.8	73.1	175.5	
1645.2	1794.1	Min	I	-3244.7	-66.0	-50.4	-120.9	-
1184.1	-4145.0		J	-3244.7	-66.0	-50.4	-120.9	-
1133.7	-4146.3							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
1736.2	2992.3		J	366.2	96.8	73.9	177.3	
1662.3	2978.9	Min	I	-3253.0	-72.9	-55.6	-133.4	-
1306.2	-2955.9		J	-3253.0	-72.9	-55.6	-133.4	-
1250.6	-2952.5							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
922.7	843.2		J	194.0	51.5	39.3	94.2	
883.5	826.1	Min	I	-1647.1	-34.6	-26.4	-63.4	
-620.6	-2064.4		J	-1647.1	-34.6	-26.4	-63.4	
-594.2	-2064.0							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
919.2	1471.4		J	199.7	51.3	39.1	93.9	
880.1	1467.2	Min	I	-1651.3	-38.5	-29.4	-70.6	
-690.9	-1432.6		J	-1651.3	-38.5	-29.4	-70.6	
-661.5	-1427.6							
		SLVx (RS)	I	-441.2	988.6	-774.1	-973.4	-1
1265.0	-14708.0		J	-441.2	988.6	-774.1	-973.4	-1
0694.2	-13814.6							
		SLVy (RS)	I	-182.1	-1155.4	777.3	-941.2	1
0258.0	-18607.2		J	-182.1	-1155.4	777.3	-941.2	
9562.7	-17571.5							
		SLDx (RS)	I	-326.0	699.5	-550.0	-695.8	-
7787.4	-10229.8		J	-326.0	699.5	-550.0	-695.8	-
7397.1	-9602.8							
		SLDy (RS)	I	-134.2	-813.9	551.2	-672.3	
7229.8	-13002.9		J	-134.2	-813.9	551.2	-672.3	
6743.6	-12282.9							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-128.3	-390.9	SLVz (RS)	I	1081.2	-74.2	-32.2	-115.0
			J	1081.2	-74.2	-32.2	-115.0
-118.5	363.7						
		G1	I	-9381.3	44.9	34.2	82.1
804.3	-888.7		J	-9200.0	44.9	34.2	82.1
770.1	-933.5						
		G2	I	-1827.0	16.4	12.5	30.0
293.8	-325.0		J	-1827.0	16.4	12.5	30.0
281.3	-341.3						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-218.0	-298.0		J	0.0	-12.2	-9.3	-22.3
-208.7	-285.8						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-79.8	-109.0		J	0.0	-4.4	-3.4	-8.1
-76.4	-104.6						
		q3	I	-10.0	42.6	32.5	78.0
764.2	1115.5		J	-10.0	42.6	32.5	78.0
731.7	1072.9						
		q4-1	I	-16.2	30.4	23.2	55.7
545.4	845.3		J	-16.2	30.4	23.2	55.7
522.2	814.9						
		q4-2	I	-6.8	65.2	49.7	119.4
1169.1	1800.4		J	-6.8	65.2	49.7	119.4
1119.3	1735.2						
		q4-3	I	4.0	22.6	17.3	41.4
405.8	605.0		J	4.0	22.6	17.3	41.4
388.5	582.4						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-34.3	-36.3		J	1.0	-1.9	-1.5	-3.5
-32.9	-34.4						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-13.3	-19.6		J	-1.2	-0.7	-0.6	-1.4
-12.7	-18.9						
		q4-6	I	-1.3	0.2	0.2	0.4
4.2	5.3		J	-1.3	0.2	0.2	0.4
4.0	5.1						
		q4-7	I	-1.3	0.1	0.1	0.3
2.6	3.5		J	-1.3	0.1	0.1	0.3
2.5	3.3						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
7142.3	10540.1		J	36.7	398.4	303.9	729.4	
6838.4	10141.7							
		q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
7151.7	-10456.3		J	22.5	-398.9	-304.3	-730.4	-
6847.4	-10057.4							
		q5 - p~3	I	35.5	377.4	287.9	691.0	
6766.1	9918.1		J	35.5	377.4	287.9	691.0	
6478.2	9540.7							
		q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
6786.0	-9733.7		J	18.2	-378.5	-288.8	-693.0	-
6497.3	-9355.2							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	3.8	77.7	59.3	142.3	
1393.7	2010.1		J	3.8	77.7	59.3	142.3	
1334.4	1932.4							
		T	I	1.1	-1.3	-1.0	-2.3	
-22.4	-29.7		J	1.1	-1.3	-1.0	-2.3	
-21.5	-28.5							
		M. tor~1	I	-31.8	88.7	67.7	162.5	
1591.0	1984.3		J	-31.8	88.7	67.7	162.5	
1523.3	1895.5							
		M. tor~2	I	-18.8	52.5	40.0	96.1	
940.7	1173.1		J	-18.8	52.5	40.0	96.1	
900.6	1120.7							
		INVSLU Max	I	-14602.8	698.4	532.8	1278.8	1
2521.3	14697.1		J	-14358.1	698.4	532.8	1278.8	1
1988.5	14064.2							
		Min	I	-19556.5	-560.4	-427.6	-1026.1	-1
0047.5	-19873.3		J	-19311.7	-560.4	-427.6	-1026.1	-
9619.9	-19366.0							
		INVSLV Max	I	-9940.0	1518.9	1053.2	1372.0	1
5181.2	21516.2		J	-9758.7	1518.9	1053.2	1372.0	1
4364.8	20159.8							
		Min	I	-12476.4	-1429.6	-985.1	-1208.6	-1
3580.6	-24757.5		J	-12295.1	-1429.6	-985.1	-1208.6	-1
2832.3	-23490.2							

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

8522.5	9786.7	INVSLE Max	I	-10819.3	475.4	362.7	870.4	
			J	-10638.0	475.4	362.7	870.4	
8159.8	9359.7	Min	I	-14483.9	-373.2	-284.7	-683.2	-
6690.1	-13621.0		J	-14302.6	-373.2	-284.7	-683.2	-
6405.4	-13287.0							
649	4	60 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
1645.2	1794.1		J	356.8	95.8	73.1	175.5	
1572.1	1754.0	Min	I	-3244.7	-66.0	-50.4	-120.9	-
1133.7	-4146.3		J	-3244.7	-66.0	-50.4	-120.9	-
1083.3	-4150.3							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
1662.3	2978.9		J	366.2	96.8	73.9	177.3	
1588.4	2965.6	Min	I	-3253.0	-72.9	-55.6	-133.4	-
1250.6	-2952.5		J	-3253.0	-72.9	-55.6	-133.4	-
1195.0	-2949.6							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
883.5	826.1		J	194.0	51.5	39.3	94.2	
844.2	809.3	Min	I	-1647.1	-34.6	-26.4	-63.4	
-594.2	-2064.0		J	-1647.1	-34.6	-26.4	-63.4	
-567.7	-2065.6							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
880.1	1467.2		J	199.7	51.3	39.1	93.9	
841.0	1463.0	Min	I	-1651.3	-38.5	-29.4	-70.6	
-661.5	-1427.6		J	-1651.3	-38.5	-29.4	-70.6	
-632.1	-1423.0							
		SLVx (RS)	I	-441.2	976.0	-748.1	-973.4	-1
0694.2	-13814.6		J	-441.2	976.0	-748.1	-973.4	-1
0146.8	-12940.5							
		SLVy (RS)	I	-182.1	-1136.0	758.5	-941.2	
9562.7	-17571.5		J	-182.1	-1136.0	758.5	-941.2	
8886.6	-16555.3							
		SLDx (RS)	I	-326.0	690.0	-530.1	-695.8	-
7397.1	-9602.8		J	-326.0	690.0	-530.1	-695.8	-
7025.0	-8990.3							
		SLDy (RS)	I	-134.2	-799.3	537.2	-672.3	
6743.6	-12282.9		J	-134.2	-799.3	537.2	-672.3	
6271.5	-11577.5							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-118.5	363.7	SLVz (RS)	I	1081.2	-72.3	-33.2	-115.0
			J	1081.2	-72.3	-33.2	-115.0
-110.1	339.3						
		G1	I	-9200.0	44.9	34.2	82.1
770.1	-933.5		J	-9018.7	44.9	34.2	82.1
735.8	-978.4						
		G2	I	-1827.0	16.4	12.5	30.0
281.3	-341.3		J	-1827.0	16.4	12.5	30.0
268.8	-357.7						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-208.7	-285.8		J	0.0	-12.2	-9.3	-22.3
-199.4	-273.6						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-76.4	-104.6		J	0.0	-4.4	-3.4	-8.1
-73.0	-100.1						
		q3	I	-10.0	42.6	32.5	78.0
731.7	1072.9		J	-10.0	42.6	32.5	78.0
699.2	1030.3						
		q4-1	I	-16.2	30.4	23.2	55.7
522.2	814.9		J	-16.2	30.4	23.2	55.7
498.9	784.5						
		q4-2	I	-6.8	65.2	49.7	119.4
1119.3	1735.2		J	-6.8	65.2	49.7	119.4
1069.6	1670.0						
		q4-3	I	4.0	22.6	17.3	41.4
388.5	582.4		J	4.0	22.6	17.3	41.4
371.3	559.7						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-32.9	-34.4		J	1.0	-1.9	-1.5	-3.5
-31.4	-32.5						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-12.7	-18.9		J	-1.2	-0.7	-0.6	-1.4
-12.1	-18.1						
		q4-6	I	-1.3	0.2	0.2	0.4
4.0	5.1		J	-1.3	0.2	0.2	0.4
3.8	4.8						
		q4-7	I	-1.3	0.1	0.1	0.3
2.5	3.3		J	-1.3	0.1	0.1	0.3
2.4	3.2						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
6838.4	10141.7		J	36.7	398.4	303.9	729.4	
6534.5	9743.3							
6847.4	-10057.4	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
6543.1	-9658.4		J	22.5	-398.9	-304.3	-730.4	-
6478.2	9540.7	q5 - p~3	I	35.5	377.4	287.9	691.0	
6190.3	9163.3		J	35.5	377.4	287.9	691.0	
6497.3	-9355.2	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
6208.5	-8976.7		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1334.4	1932.4	q7	I	3.8	77.7	59.3	142.3	
1275.1	1854.7		J	3.8	77.7	59.3	142.3	
-21.5	-28.5	T	I	1.1	-1.3	-1.0	-2.3	
-20.5	-27.2		J	1.1	-1.3	-1.0	-2.3	
1523.3	1895.5	M. tor~1	I	-31.8	88.7	67.7	162.5	
1455.6	1806.8		J	-31.8	88.7	67.7	162.5	
900.6	1120.7	M. tor~2	I	-18.8	52.5	40.0	96.1	
860.6	1068.2		J	-18.8	52.5	40.0	96.1	
1988.5	14064.2	INVSLU Max	I	-14358.1	698.4	532.8	1278.8	1
1455.6	13431.2		J	-14113.3	698.4	532.8	1278.8	1
9619.9	-19366.0	Min	I	-19311.7	-560.4	-427.6	-1026.1	-
9192.4	-18861.5		J	-19066.9	-560.4	-427.6	-1026.1	-
4364.8	20159.8	INVSLV Max	I	-9758.7	1495.1	1026.9	1372.0	1
3578.0	18829.4		J	-9577.4	1495.1	1026.9	1372.0	1
2832.3	-23490.2	Min	I	-12295.1	-1405.9	-958.8	-1208.6	-1
2113.6	-22249.1		J	-12113.8	-1405.9	-958.8	-1208.6	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

8159.8	9359.7	INVSLE Max	I	-10638.0	475.4	362.7	870.4	
7797.2	8932.7		J	-10456.7	475.4	362.7	870.4	
6405.4	-13287.0	Min	I	-14302.6	-373.2	-284.7	-683.2	-
6120.7	-12955.1		J	-14121.3	-373.2	-284.7	-683.2	-
1572.1	1754.0	60 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
1499.0	1716.1		J	356.8	95.8	73.1	175.5	
1083.3	-4150.3	Min	I	-3244.7	-66.0	-50.4	-120.9	-
1032.9	-4154.7		J	-3244.7	-66.0	-50.4	-120.9	-
1588.4	2965.6	C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
1514.6	2952.2		J	366.2	96.8	73.9	177.3	
1195.0	-2949.6	Min	I	-3253.0	-72.9	-55.6	-133.4	-
1139.4	-2947.3		J	-3253.0	-72.9	-55.6	-133.4	-
844.2	809.3	C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
804.9	794.0		J	194.0	51.5	39.3	94.2	
-567.7	-2065.6	Min	I	-1647.1	-34.6	-26.4	-63.4	
-541.3	-2067.5		J	-1647.1	-34.6	-26.4	-63.4	
841.0	1463.0	C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
801.8	1458.8		J	199.7	51.3	39.1	93.9	
-632.1	-1423.0	Min	I	-1651.3	-38.5	-29.4	-70.6	
-602.7	-1418.9		J	-1651.3	-38.5	-29.4	-70.6	
0146.8	-12940.5	SLVx (RS)	I	-441.2	961.9	-721.4	-973.4	-1
9621.0	-12087.9		J	-441.2	961.9	-721.4	-973.4	-
8886.6	-16555.3	SLVy (RS)	I	-182.1	-1115.5	738.3	-941.2	
8230.5	-15559.2		J	-182.1	-1115.5	738.3	-941.2	
7025.0	-8990.3	SLDx (RS)	I	-326.0	679.5	-509.7	-695.8	-
6669.4	-8394.0		J	-326.0	679.5	-509.7	-695.8	-
6271.5	-11577.5	SLDy (RS)	I	-134.2	-783.9	522.2	-672.3	
5814.2	-10887.0		J	-134.2	-783.9	522.2	-672.3	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-110.1	339.3	SLVz (RS)	I	1081.2	-72.3	-34.3	-115.0
			J	1081.2	-72.3	-34.3	-115.0
-105.2	318.3						
		G1	I	-9018.7	44.9	34.2	82.1
735.8	-978.4		J	-8837.4	44.9	34.2	82.1
701.6	-1023.3						
		G2	I	-1827.0	16.4	12.5	30.0
268.8	-357.7		J	-1827.0	16.4	12.5	30.0
256.3	-374.1						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-199.4	-273.6		J	0.0	-12.2	-9.3	-22.3
-190.2	-261.5						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-73.0	-100.1		J	0.0	-4.4	-3.4	-8.1
-69.6	-95.7						
		q3	I	-10.0	42.6	32.5	78.0
699.2	1030.3		J	-10.0	42.6	32.5	78.0
666.6	987.6						
		q4-1	I	-16.2	30.4	23.2	55.7
498.9	784.5		J	-16.2	30.4	23.2	55.7
475.7	754.1						
		q4-2	I	-6.8	65.2	49.7	119.4
1069.6	1670.0		J	-6.8	65.2	49.7	119.4
1019.8	1604.8						
		q4-3	I	4.0	22.6	17.3	41.4
371.3	559.7		J	4.0	22.6	17.3	41.4
354.0	537.1						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-31.4	-32.5		J	1.0	-1.9	-1.5	-3.5
-29.9	-30.6						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-12.1	-18.1		J	-1.2	-0.7	-0.6	-1.4
-11.6	-17.4						
		q4-6	I	-1.3	0.2	0.2	0.4
3.8	4.8		J	-1.3	0.2	0.2	0.4
3.7	4.6						
		q4-7	I	-1.3	0.1	0.1	0.3
2.4	3.2		J	-1.3	0.1	0.1	0.3
2.3	3.0						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
6534.5	9743.3		J	36.7	398.4	303.9	729.4	
6230.5	9345.0							
6543.1	-9658.4	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
6238.7	-9259.5		J	22.5	-398.9	-304.3	-730.4	-
6190.3	9163.3	q5 - p~3	I	35.5	377.4	287.9	691.0	
5902.4	8785.9		J	35.5	377.4	287.9	691.0	
6208.5	-8976.7	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
5919.7	-8598.2		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1275.1	1854.7	q7	I	3.8	77.7	59.3	142.3	
1215.8	1776.9		J	3.8	77.7	59.3	142.3	
-20.5	-27.2	T	I	1.1	-1.3	-1.0	-2.3	
-19.6	-26.0		J	1.1	-1.3	-1.0	-2.3	
1455.6	1806.8	M. tor~1	I	-31.8	88.7	67.7	162.5	
1387.9	1718.0		J	-31.8	88.7	67.7	162.5	
860.6	1068.2	M. tor~2	I	-18.8	52.5	40.0	96.1	
820.6	1015.7		J	-18.8	52.5	40.0	96.1	
1455.6	13431.2	INVSLU Max	I	-14113.3	698.4	532.8	1278.8	1
0922.8	12798.3		J	-13868.6	698.4	532.8	1278.8	1
9192.4	-18861.5	Min	I	-19066.9	-560.4	-427.6	-1026.1	-
8764.8	-18357.2		J	-18822.2	-560.4	-427.6	-1026.1	-
3578.0	18829.4	INVSLV Max	I	-9577.4	1470.4	999.1	1372.0	1
2819.9	17526.5		J	-9396.1	1470.4	999.1	1372.0	1
2113.6	-22249.1	Min	I	-12113.8	-1381.1	-931.0	-1208.6	-1
1423.6	-21035.5		J	-11932.5	-1381.1	-931.0	-1208.6	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

7797.2	8932.7	INVSLE Max	I	-10456.7	475.4	362.7	870.4	
			J	-10275.4	475.4	362.7	870.4	
7434.5	8505.7							
6120.7	-12955.1	Min	I	-14121.3	-373.2	-284.7	-683.2	-
			J	-13940.0	-373.2	-284.7	-683.2	-
5836.0	-12623.5							
651	4	60 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
1499.0	1716.1		J	356.8	95.8	73.1	175.5	
1425.8	1678.7							
		Min	I	-3244.7	-66.0	-50.4	-120.9	-
1032.9	-4154.7		J	-3244.7	-66.0	-50.4	-120.9	-
-982.5	-4159.4							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
1514.6	2952.2		J	366.2	96.8	73.9	177.3	
1440.7	2938.9							
		Min	I	-3253.0	-72.9	-55.6	-133.4	-
1139.4	-2947.3		J	-3253.0	-72.9	-55.6	-133.4	-
1083.8	-2945.7							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
804.9	794.0		J	194.0	51.5	39.3	94.2	
765.7	778.8							
		Min	I	-1647.1	-34.6	-26.4	-63.4	-
-541.3	-2067.5		J	-1647.1	-34.6	-26.4	-63.4	-
-514.9	-2069.5							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
801.8	1458.8		J	199.7	51.3	39.1	93.9	
762.7	1454.6							
		Min	I	-1651.3	-38.5	-29.4	-70.6	-
-602.7	-1418.9		J	-1651.3	-38.5	-29.4	-70.6	-
-573.3	-1415.3							
		SLVx (RS)	I	-441.2	946.5	-694.8	-973.4	-
9621.0	-12087.9		J	-441.2	946.5	-694.8	-973.4	-
9114.8	-11259.2							
		SLVy (RS)	I	-182.1	-1094.0	717.0	-941.2	-
8230.5	-15559.2		J	-182.1	-1094.0	717.0	-941.2	-
7595.4	-14583.6							
		SLDx (RS)	I	-326.0	668.0	-489.4	-695.8	-
6669.4	-8394.0		J	-326.0	668.0	-489.4	-695.8	-
6328.6	-7815.5							
		SLDy (RS)	I	-134.2	-767.8	506.5	-672.3	-
5814.2	-10887.0		J	-134.2	-767.8	506.5	-672.3	-
5371.9	-10211.6							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-105.2	318.3	SLVz (RS)	I	1081.2	-73.8	-35.1	-115.0
			J	1081.2	-73.8	-35.1	-115.0
106.0	302.7						
		G1	I	-8837.4	44.9	34.2	82.1
701.6	-1023.3		J	-8656.1	44.9	34.2	82.1
667.4	-1068.1						
		G2	I	-1827.0	16.4	12.5	30.0
256.3	-374.1		J	-1827.0	16.4	12.5	30.0
243.8	-390.5						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-190.2	-261.5		J	0.0	-12.2	-9.3	-22.3
-180.9	-249.3						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-69.6	-95.7		J	0.0	-4.4	-3.4	-8.1
-66.2	-91.2						
		q3	I	-10.0	42.6	32.5	78.0
666.6	987.6		J	-10.0	42.6	32.5	78.0
634.1	945.0						
		q4-1	I	-16.2	30.4	23.2	55.7
475.7	754.1		J	-16.2	30.4	23.2	55.7
452.5	723.6						
		q4-2	I	-6.8	65.2	49.7	119.4
1019.8	1604.8		J	-6.8	65.2	49.7	119.4
970.1	1539.6						
		q4-3	I	4.0	22.6	17.3	41.4
354.0	537.1		J	4.0	22.6	17.3	41.4
336.7	514.5						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-29.9	-30.6		J	1.0	-1.9	-1.5	-3.5
-28.5	-28.7						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-11.6	-17.4		J	-1.2	-0.7	-0.6	-1.4
-11.0	-16.6						
		q4-6	I	-1.3	0.2	0.2	0.4
3.7	4.6		J	-1.3	0.2	0.2	0.4
3.5	4.4						
		q4-7	I	-1.3	0.1	0.1	0.3
2.3	3.0		J	-1.3	0.1	0.1	0.3
2.2	2.9						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
6230.5	9345.0		J	36.7	398.4	303.9	729.4	
5926.6	8946.6							
		q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
6238.7	-9259.5		J	22.5	-398.9	-304.3	-730.4	-
5934.4	-8860.6							
		q5 - p~3	I	35.5	377.4	287.9	691.0	
5902.4	8785.9		J	35.5	377.4	287.9	691.0	
5614.5	8408.5							
		q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
5919.7	-8598.2		J	18.2	-378.5	-288.8	-693.0	-
5631.0	-8219.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	3.8	77.7	59.3	142.3	
1215.8	1776.9		J	3.8	77.7	59.3	142.3	
1156.5	1699.2							
		T	I	1.1	-1.3	-1.0	-2.3	
-19.6	-26.0		J	1.1	-1.3	-1.0	-2.3	
-18.6	-24.7							
		M. tor~1	I	-31.8	88.7	67.7	162.5	
1387.9	1718.0		J	-31.8	88.7	67.7	162.5	
1320.2	1629.3							
		M. tor~2	I	-18.8	52.5	40.0	96.1	
820.6	1015.7		J	-18.8	52.5	40.0	96.1	
780.5	963.2							
		INVSLU Max	I	-13868.6	698.4	532.8	1278.8	1
0922.8	12798.3		J	-13623.8	698.4	532.8	1278.8	1
0390.0	12165.4							
		Min	I	-18822.2	-560.4	-427.6	-1026.1	-
8764.8	-18357.2		J	-18577.4	-560.4	-427.6	-1026.1	-
8337.3	-17853.3							
		INVSLV Max	I	-9396.1	1444.7	970.0	1372.0	1
2819.9	17526.5		J	-9214.8	1444.7	970.0	1372.0	1
2089.3	16253.0							
		Min	I	-11932.5	-1355.4	-901.9	-1208.6	-1
1423.6	-21035.5		J	-11751.2	-1355.4	-901.9	-1208.6	-1
0761.1	-19851.3							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


7434.5	8505.7	INVSLE	Max	I	-10275.4	475.4	362.7	870.4	
				J	-10094.1	475.4	362.7	870.4	
7071.9	8078.8		Min	I	-13940.0	-373.2	-284.7	-683.2	-
5836.0	-12623.5			J	-13758.7	-373.2	-284.7	-683.2	-
5551.3	-12292.0								
652	4	60	C1-C2;~1	Max	I	356.8	95.8	73.1	175.5
1425.8	1678.7			J	356.8	95.8	73.1	175.5	
1352.7	1641.9		Min	I	-3244.7	-66.0	-50.4	-120.9	
-982.5	-4159.4			J	-3244.7	-66.0	-50.4	-120.9	
-932.2	-4164.4								
			C3-C4;~1	Max	I	366.2	96.8	73.9	177.3
1440.7	2938.9			J	366.2	96.8	73.9	177.3	
1366.8	2925.5		Min	I	-3253.0	-72.9	-55.6	-133.4	-
1083.8	-2945.7			J	-3253.0	-72.9	-55.6	-133.4	-
1028.3	-2945.1								
			C1-C2;~2	Max	I	194.0	51.5	39.3	94.2
765.7	778.8			J	194.0	51.5	39.3	94.2	
726.4	763.9		Min	I	-1647.1	-34.6	-26.4	-63.4	
-514.9	-2069.5			J	-1647.1	-34.6	-26.4	-63.4	
-488.5	-2071.7								
			C3-C4;~2	Max	I	199.7	51.3	39.1	93.9
762.7	1454.6			J	199.7	51.3	39.1	93.9	
723.6	1450.4		Min	I	-1651.3	-38.5	-29.4	-70.6	
-573.3	-1415.3			J	-1651.3	-38.5	-29.4	-70.6	
-543.9	-1412.5								
			SLVx (RS)	I	-441.2	929.6	-668.6	-973.4	-
9114.8	-11259.2			J	-441.2	929.6	-668.6	-973.4	-
8625.5	-10456.8								
			SLVy (RS)	I	-182.1	-1071.6	694.6	-941.2	
7595.4	-14583.6			J	-182.1	-1071.6	694.6	-941.2	-
6981.9	-13629.0								
			SLDx (RS)	I	-326.0	655.5	-469.4	-695.8	-
6328.6	-7815.5			J	-326.0	655.5	-469.4	-695.8	-
6000.2	-7256.6								
			SLDy (RS)	I	-134.2	-751.1	490.1	-672.3	
5371.9	-10211.6			J	-134.2	-751.1	490.1	-672.3	-
4945.2	-9551.5								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
106.0	302.7	SLVz (RS)	I	1081.2	-75.9	-35.4	-115.0
			J	1081.2	-75.9	-35.4	-115.0
113.3	296.1						
		G1	I	-8656.1	44.9	34.2	82.1
667.4	-1068.1		J	-8474.8	44.9	34.2	82.1
633.2	-1113.0						
		G2	I	-1827.0	16.4	12.5	30.0
243.8	-390.5		J	-1827.0	16.4	12.5	30.0
231.3	-406.9						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-180.9	-249.3		J	0.0	-12.2	-9.3	-22.3
-171.6	-237.2						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-66.2	-91.2		J	0.0	-4.4	-3.4	-8.1
-62.8	-86.8						
		q3	I	-10.0	42.6	32.5	78.0
634.1	945.0		J	-10.0	42.6	32.5	78.0
601.6	902.4						
		q4-1	I	-16.2	30.4	23.2	55.7
452.5	723.6		J	-16.2	30.4	23.2	55.7
429.3	693.2						
		q4-2	I	-6.8	65.2	49.7	119.4
970.1	1539.6		J	-6.8	65.2	49.7	119.4
920.3	1474.4						
		q4-3	I	4.0	22.6	17.3	41.4
336.7	514.5		J	4.0	22.6	17.3	41.4
319.5	491.8						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-28.5	-28.7		J	1.0	-1.9	-1.5	-3.5
-27.0	-26.7						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-11.0	-16.6		J	-1.2	-0.7	-0.6	-1.4
-10.4	-15.9						
		q4-6	I	-1.3	0.2	0.2	0.4
3.5	4.4		J	-1.3	0.2	0.2	0.4
3.3	4.1						
		q4-7	I	-1.3	0.1	0.1	0.3
2.2	2.9		J	-1.3	0.1	0.1	0.3
2.1	2.7						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
5926.6	8946.6		J	36.7	398.4	303.9	729.4	
5622.7	8548.2							
5934.4	-8860.6	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
5630.1	-8461.7		J	22.5	-398.9	-304.3	-730.4	-
5614.5	8408.5	q5 - p~3	I	35.5	377.4	287.9	691.0	
5326.5	8031.1		J	35.5	377.4	287.9	691.0	
5631.0	-8219.7	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
5342.2	-7841.2		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1156.5	1699.2	q7	I	3.8	77.7	59.3	142.3	
1097.2	1621.5		J	3.8	77.7	59.3	142.3	
-18.6	-24.7	T	I	1.1	-1.3	-1.0	-2.3	
-17.6	-23.5		J	1.1	-1.3	-1.0	-2.3	
1320.2	1629.3	M. tor~1	I	-31.8	88.7	67.7	162.5	
1252.5	1540.5		J	-31.8	88.7	67.7	162.5	
780.5	963.2	M. tor~2	I	-18.8	52.5	40.0	96.1	
740.5	910.8		J	-18.8	52.5	40.0	96.1	
0390.0	12165.4	INVSLU Max	I	-13623.8	698.4	532.8	1278.8	1
9857.2	11532.4		J	-13379.1	698.4	532.8	1278.8	
8337.3	-17853.3	Min	I	-18577.4	-560.4	-427.6	-1026.1	-
7909.7	-17349.5		J	-18332.7	-560.4	-427.6	-1026.1	-
2089.3	16253.0	INVSLV Max	I	-9214.8	1417.9	939.8	1372.0	1
1384.1	15011.1		J	-9033.5	1417.9	939.8	1372.0	1
0761.1	-19851.3	Min	I	-11751.2	-1328.6	-871.7	-1208.6	-1
0124.1	-18698.7		J	-11569.9	-1328.6	-871.7	-1208.6	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

7071.9	8078.8	INVSLE Max	I	-10094.1	475.4	362.7	870.4	
			J	-9912.8	475.4	362.7	870.4	
6709.2	7651.8	Min	I	-13758.7	-373.2	-284.7	-683.2	-
5551.3	-12292.0		J	-13577.4	-373.2	-284.7	-683.2	-
5266.6	-11960.7							
653	4	60 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
1352.7	1641.9		J	356.8	95.8	73.1	175.5	
1279.6	1605.8	Min	I	-3244.7	-66.0	-50.4	-120.9	
-932.2	-4164.4		J	-3244.7	-66.0	-50.4	-120.9	
-881.8	-4169.8							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
1366.8	2925.5		J	366.2	96.8	73.9	177.3	
1292.9	2912.2	Min	I	-3253.0	-72.9	-55.6	-133.4	-
1028.3	-2945.1		J	-3253.0	-72.9	-55.6	-133.4	
-972.7	-2945.9							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
726.4	763.9		J	194.0	51.5	39.3	94.2	
687.1	749.3	Min	I	-1647.1	-34.6	-26.4	-63.4	
-488.5	-2071.7		J	-1647.1	-34.6	-26.4	-63.4	
-462.1	-2074.2							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
723.6	1450.4		J	199.7	51.3	39.1	93.9	
684.5	1446.2	Min	I	-1651.3	-38.5	-29.4	-70.6	
-543.9	-1412.5		J	-1651.3	-38.5	-29.4	-70.6	
-514.5	-1410.6							
		SLVx (RS)	I	-441.2	911.2	-643.3	-973.4	-
8625.5	-10456.8		J	-441.2	911.2	-643.3	-973.4	-
8150.4	-9683.5							
		SLVy (RS)	I	-182.1	-1048.6	671.3	-941.2	-
6981.9	-13629.0		J	-182.1	-1048.6	671.3	-941.2	-
6390.9	-12695.7							
		SLDx (RS)	I	-326.0	641.9	-450.1	-695.8	-
6000.2	-7256.6		J	-326.0	641.9	-450.1	-695.8	-
5681.9	-6719.4							
		SLDy (RS)	I	-134.2	-734.2	473.3	-672.3	-
4945.2	-9551.5		J	-134.2	-734.2	473.3	-672.3	-
4534.3	-8906.7							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
113.3	296.1	SLVz (RS)	I	1081.2	-77.9	-34.6	-115.0
126.0	301.7		J	1081.2	-77.9	-34.6	-115.0
633.2	-1113.0	G1	I	-8474.8	44.9	34.2	82.1
598.9	-1157.8		J	-8293.5	44.9	34.2	82.1
231.3	-406.9	G2	I	-1827.0	16.4	12.5	30.0
218.8	-423.3		J	-1827.0	16.4	12.5	30.0
-171.6	-237.2	G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-162.3	-225.0		J	0.0	-12.2	-9.3	-22.3
-62.8	-86.8	G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-59.4	-82.3		J	0.0	-4.4	-3.4	-8.1
601.6	902.4	q3	I	-10.0	42.6	32.5	78.0
569.1	859.8		J	-10.0	42.6	32.5	78.0
429.3	693.2	q4-1	I	-16.2	30.4	23.2	55.7
406.1	662.8		J	-16.2	30.4	23.2	55.7
920.3	1474.4	q4-2	I	-6.8	65.2	49.7	119.4
870.6	1409.2		J	-6.8	65.2	49.7	119.4
319.5	491.8	q4-3	I	4.0	22.6	17.3	41.4
302.2	469.2		J	4.0	22.6	17.3	41.4
-27.0	-26.7	q4-4	I	1.0	-1.9	-1.5	-3.5
-25.6	-24.8		J	1.0	-1.9	-1.5	-3.5
-10.4	-15.9	q4-5	I	-1.2	-0.7	-0.6	-1.4
-9.9	-15.2		J	-1.2	-0.7	-0.6	-1.4
3.3	4.1	q4-6	I	-1.3	0.2	0.2	0.4
3.1	3.9		J	-1.3	0.2	0.2	0.4
2.1	2.7	q4-7	I	-1.3	0.1	0.1	0.3
2.0	2.6		J	-1.3	0.1	0.1	0.3
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
5622.7	8548.2		J	36.7	398.4	303.9	729.4	
5318.8	8149.8							
5630.1	-8461.7	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
5325.8	-8062.8		J	22.5	-398.9	-304.3	-730.4	-
5326.5	8031.1	q5 - p~3	I	35.5	377.4	287.9	691.0	
5038.6	7653.7		J	35.5	377.4	287.9	691.0	
5342.2	-7841.2	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
5053.4	-7462.7		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1097.2	1621.5	q7	I	3.8	77.7	59.3	142.3	
1037.9	1543.7		J	3.8	77.7	59.3	142.3	
-17.6	-23.5	T	I	1.1	-1.3	-1.0	-2.3	
-16.7	-22.2		J	1.1	-1.3	-1.0	-2.3	
1252.5	1540.5	M. tor~1	I	-31.8	88.7	67.7	162.5	
1184.8	1451.8		J	-31.8	88.7	67.7	162.5	
740.5	910.8	M. tor~2	I	-18.8	52.5	40.0	96.1	
700.5	858.3		J	-18.8	52.5	40.0	96.1	
9857.2	11532.4	INVSLU Max	I	-13379.1	698.4	532.8	1278.8	
9324.4	10899.5		J	-13134.3	698.4	532.8	1278.8	
7909.7	-17349.5	Min	I	-18332.7	-560.4	-427.6	-1026.1	-
7482.2	-16846.0		J	-18087.9	-560.4	-427.6	-1026.1	-
1384.1	15011.1	INVSLV Max	I	-9033.5	1390.0	908.8	1372.0	1
0701.4	13802.8		J	-8852.2	1390.0	908.8	1372.0	1
0124.1	-18698.7	Min	I	-11569.9	-1300.7	-840.7	-1208.6	-1
9509.5	-17579.7		J	-11388.6	-1300.7	-840.7	-1208.6	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

6709.2	7651.8	INVSLE Max	I	-9912.8	475.4	362.7	870.4	
			J	-9731.5	475.4	362.7	870.4	
6346.5	7224.8	Min	I	-13577.4	-373.2	-284.7	-683.2	-
5266.6	-11960.7		J	-13396.1	-373.2	-284.7	-683.2	-
4982.0	-11629.6							
654	4	60 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
723.2	2792.6		J	471.1	88.8	29.5	70.8	
693.7	2743.9	Min	I	-3383.5	-92.8	-30.8	-74.0	
-755.4	-4862.3		J	-3383.5	-92.8	-30.8	-74.0	
-724.6	-4832.7							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
692.0	3803.6		J	482.4	85.0	28.2	67.8	
663.8	3761.0	Min	I	-3391.9	-89.3	-29.7	-71.2	
-727.0	-3591.6		J	-3391.9	-89.3	-29.7	-71.2	
-697.3	-3547.6							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
379.6	1310.7		J	239.0	46.6	15.5	37.2	
364.1	1285.6	Min	I	-1702.5	-46.7	-15.5	-37.3	
-380.5	-2384.3		J	-1702.5	-46.7	-15.5	-37.3	
-365.0	-2369.5							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
357.1	1826.6		J	245.6	43.9	14.6	35.0	
342.6	1802.4	Min	I	-1706.5	-45.6	-15.1	-36.3	
-371.0	-1760.1		J	-1706.5	-45.6	-15.1	-36.3	
-355.8	-1737.4							
		SLVx (RS)	I	478.1	-1630.5	998.3	-1067.8	1
8811.6	-35922.2		J	478.1	-1630.5	998.3	-1067.8	1
7877.5	-34320.6							
		SLVy (RS)	I	270.7	-1245.6	1047.3	-710.4	1
7378.6	-25727.6		J	270.7	-1245.6	1047.3	-710.4	1
6380.7	-24535.4							
		SLDx (RS)	I	355.3	-1140.4	703.0	-742.4	1
3061.8	-24986.1		J	355.3	-1140.4	703.0	-742.4	1
2409.8	-23867.9							
		SLDy (RS)	I	196.9	-882.4	737.7	-503.2	1
2180.3	-18103.2		J	196.9	-882.4	737.7	-503.2	1
1480.2	-17262.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-210.0	1034.8	SLVz (RS)	I	796.5	-150.7	-102.1	63.8	
			J	796.5	-150.7	-102.1	63.8	
-117.5	924.0							
		G1	I	-9622.2	-15.4	-5.1	-12.3	
-125.3	-944.3		J	-9440.9	-15.4	-5.1	-12.3	
-120.2	-928.9							
		G2	I	-1848.5	-5.6	-1.9	-4.5	
-45.9	-343.7		J	-1848.5	-5.6	-1.9	-4.5	
-44.0	-338.1							
		G1- Imp~1	I	0.3	2.6	0.9	2.1	
21.3	58.4		J	0.3	2.6	0.9	2.1	
20.4	55.8							
		G2- Imp~1	I	0.1	1.0	0.3	0.8	
7.9	21.6		J	0.1	1.0	0.3	0.8	
7.5	20.6							
		q3	I	17.5	144.9	48.2	115.6	
1179.9	3845.0		J	17.5	144.9	48.2	115.6	
1131.7	3700.1							
		q4-1	I	7.7	-78.6	-26.1	-62.7	
-640.1	-2044.7		J	7.7	-78.6	-26.1	-62.7	
-614.0	-1966.0							
		q4-2	I	-2.0	10.4	3.5	8.3	
84.9	333.7		J	-2.0	10.4	3.5	8.3	
81.4	323.3							
		q4-3	I	-6.3	121.8	40.5	97.2	
991.8	3329.0		J	-6.3	121.8	40.5	97.2	
951.3	3207.1							
		q4-4	I	1.4	27.4	9.1	21.9	
223.4	783.8		J	1.4	27.4	9.1	21.9	
214.2	756.4							
		q4-5	I	3.9	-4.6	-1.5	-3.7	
-37.3	-115.9		J	3.9	-4.6	-1.5	-3.7	
-35.8	-111.3							
		q4-6	I	3.5	-1.1	-0.4	-0.9	
-8.9	-42.4		J	3.5	-1.1	-0.4	-0.9	
-8.6	-41.3							
		q4-7	I	3.8	-0.4	-0.1	-0.3	
-3.0	-20.1		J	3.8	-0.4	-0.1	-0.3	
-2.9	-19.8							
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9	1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1065.0	36843.3		J	-65.3	1359.2	451.6	1083.9	1
0613.4	35484.0							
1522.8	-5352.6	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	-
1460.7	-5165.5		J	95.6	-187.1	-62.2	-149.2	-
0483.9	34726.3	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	1
0056.0	33438.4		J	-58.9	1287.9	427.9	1027.0	1
1444.5	-4946.3	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	-
1385.6	-4768.9		J	87.5	-177.4	-59.0	-141.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
2203.9	7052.4	q7	I	0.6	270.7	90.0	215.9	
2113.9	6781.7		J	0.6	270.7	90.0	215.9	
3.6	-18.8	T	I	-1.6	0.4	0.1	0.4	
3.5	-19.3		J	-1.6	0.4	0.1	0.4	
288.0	935.3	M. tor~1	I	32.7	35.4	11.8	28.2	
276.2	899.9		J	32.7	35.4	11.8	28.2	
170.3	552.9	M. tor~2	I	19.3	20.9	6.9	16.7	
163.3	532.0		J	19.3	20.9	6.9	16.7	
6049.1	52938.1	INVSLU Max	I	-14746.4	1971.5	655.1	1572.2	1
5394.0	50997.5		J	-14501.6	1971.5	655.1	1572.2	1
6433.9	-56952.6	Min	I	-20151.1	-2018.8	-670.8	-1609.9	-1
5763.2	-54977.6		J	-19906.3	-2018.8	-670.8	-1609.9	-1
3946.1	42742.9	INVSLV Max	I	-10449.1	2032.0	1371.7	1286.1	2
2690.7	40767.8		J	-10267.8	2032.0	1371.7	1286.1	2
4230.3	-45159.0	Min	I	-12491.3	-2066.9	-1383.3	-1314.0	-2
2963.3	-43149.0		J	-12310.0	-2066.9	-1383.3	-1314.0	-2

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

0723.6	35356.2	INVSLE Max	I	-10929.5	1317.3	437.7	1050.5	1
			J	-10748.2	1317.3	437.7	1050.5	1
0285.9	34061.8	Min	I	-14920.4	-1352.3	-449.3	-1078.4	-1
1008.7	-38329.9		J	-14739.1	-1352.3	-449.3	-1078.4	-1
0559.3	-37010.0							
655	4	60 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
693.7	2743.9		J	471.1	88.8	29.5	70.8	
664.2	2695.5	Min	I	-3383.5	-92.8	-30.8	-74.0	
-724.6	-4832.7		J	-3383.5	-92.8	-30.8	-74.0	
-693.7	-4803.7							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
663.8	3761.0		J	482.4	85.0	28.2	67.8	
635.5	3723.0	Min	I	-3391.9	-89.3	-29.7	-71.2	
-697.3	-3547.6		J	-3391.9	-89.3	-29.7	-71.2	
-667.6	-3506.2							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
364.1	1285.6		J	239.0	46.6	15.5	37.2	
348.6	1260.7	Min	I	-1702.5	-46.7	-15.5	-37.3	
-365.0	-2369.5		J	-1702.5	-46.7	-15.5	-37.3	
-349.5	-2355.0							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
342.6	1802.4		J	245.6	43.9	14.6	35.0	
328.0	1780.3	Min	I	-1706.5	-45.6	-15.1	-36.3	
-355.8	-1737.4		J	-1706.5	-45.6	-15.1	-36.3	
-340.7	-1715.8							
		SLVx (RS)	I	478.1	-1628.9	993.2	-1067.8	1
7877.5	-34320.6		J	478.1	-1628.9	993.2	-1067.8	1
6951.8	-32722.4							
		SLVy (RS)	I	270.7	-1242.9	1042.9	-710.4	1
6380.7	-24535.4		J	270.7	-1242.9	1042.9	-710.4	1
5391.1	-23349.6							
		SLDx (RS)	I	355.3	-1139.2	699.1	-742.4	1
2409.8	-23867.9		J	355.3	-1139.2	699.1	-742.4	1
1764.5	-22752.3							
		SLDy (RS)	I	196.9	-880.3	734.5	-503.2	1
1480.2	-17262.6		J	196.9	-880.3	734.5	-503.2	1
0786.4	-16426.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-117.5	924.0	SLVz (RS)	I	796.5	-145.1	-94.5	63.8	
64.5	826.4		J	796.5	-145.1	-94.5	63.8	
-120.2	-928.9	G1	I	-9440.9	-15.4	-5.1	-12.3	
-115.1	-913.5		J	-9259.6	-15.4	-5.1	-12.3	
-44.0	-338.1	G2	I	-1848.5	-5.6	-1.9	-4.5	
-42.1	-332.5		J	-1848.5	-5.6	-1.9	-4.5	
20.4	55.8	G1 - Imp~1	I	0.3	2.6	0.9	2.1	
19.5	53.2		J	0.3	2.6	0.9	2.1	
7.5	20.6	G2 - Imp~1	I	0.1	1.0	0.3	0.8	
7.2	19.7		J	0.1	1.0	0.3	0.8	
1131.7	3700.1	q3	I	17.5	144.9	48.2	115.6	
1083.6	3555.1		J	17.5	144.9	48.2	115.6	
-614.0	-1966.0	q4-1	I	7.7	-78.6	-26.1	-62.7	
-587.8	-1887.4		J	7.7	-78.6	-26.1	-62.7	
81.4	323.3	q4-2	I	-2.0	10.4	3.5	8.3	
78.0	312.9		J	-2.0	10.4	3.5	8.3	
951.3	3207.1	q4-3	I	-6.3	121.8	40.5	97.2	
910.8	3085.3		J	-6.3	121.8	40.5	97.2	
214.2	756.4	q4-4	I	1.4	27.4	9.1	21.9	
205.1	729.0		J	1.4	27.4	9.1	21.9	
-35.8	-111.3	q4-5	I	3.9	-4.6	-1.5	-3.7	
-34.3	-106.7		J	3.9	-4.6	-1.5	-3.7	
-8.6	-41.3	q4-6	I	3.5	-1.1	-0.4	-0.9	
-8.2	-40.2		J	3.5	-1.1	-0.4	-0.9	
-2.9	-19.8	q4-7	I	3.8	-0.4	-0.1	-0.3	
-2.8	-19.4		J	3.8	-0.4	-0.1	-0.3	
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9	1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0613.4	35484.0		J	-65.3	1359.2	451.6	1083.9	1
0161.8	34124.8							
1460.7	-5165.5	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	-
1398.5	-4978.4		J	95.6	-187.1	-62.2	-149.2	-
0056.0	33438.4	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	1
9628.0	32150.5		J	-58.9	1287.9	427.9	1027.0	
1385.6	-4768.9	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	-
1326.6	-4591.4		J	87.5	-177.4	-59.0	-141.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
2113.9	6781.7	q7	I	0.6	270.7	90.0	215.9	
2024.0	6511.0		J	0.6	270.7	90.0	215.9	
3.5	-19.3	T	I	-1.6	0.4	0.1	0.4	
3.3	-19.7		J	-1.6	0.4	0.1	0.4	
276.2	899.9	M. tor~1	I	32.7	35.4	11.8	28.2	
264.5	864.5		J	32.7	35.4	11.8	28.2	
163.3	532.0	M. tor~2	I	19.3	20.9	6.9	16.7	
156.4	511.1		J	19.3	20.9	6.9	16.7	
5394.0	50997.5	INVSLU Max	I	-14501.6	1971.5	655.1	1572.2	1
4738.9	49059.7		J	-14256.8	1971.5	655.1	1572.2	1
5763.2	-54977.6	Min	I	-19906.3	-2018.8	-670.8	-1609.9	-1
5092.4	-53003.0		J	-19661.5	-2018.8	-670.8	-1609.9	-1
2690.7	40767.8	INVSLV Max	I	-10267.8	2027.9	1363.4	1286.1	2
1458.0	38802.1		J	-10086.5	2027.9	1363.4	1286.1	2
2963.3	-43149.0	Min	I	-12310.0	-2062.8	-1375.0	-1314.0	-2
1719.0	-41148.3		J	-12128.7	-2062.8	-1375.0	-1314.0	-2

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

0285.9	34061.8	INVSLE Max	I	-10748.2	1317.3	437.7	1050.5	1
			J	-10566.9	1317.3	437.7	1050.5	
9848.2	32769.5	Min	I	-14739.1	-1352.3	-449.3	-1078.4	-1
0559.3	-37010.0		J	-14557.8	-1352.3	-449.3	-1078.4	-1
0110.0	-35690.5							
656	4	60 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
664.2	2695.5		J	471.1	88.8	29.5	70.8	
634.7	2647.2	Min	I	-3383.5	-92.8	-30.8	-74.0	
-693.7	-4803.7		J	-3383.5	-92.8	-30.8	-74.0	
-662.9	-4775.7							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
635.5	3723.0		J	482.4	85.0	28.2	67.8	
607.3	3686.3	Min	I	-3391.9	-89.3	-29.7	-71.2	
-667.6	-3506.2		J	-3391.9	-89.3	-29.7	-71.2	
-638.0	-3466.6							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
348.6	1260.7		J	239.0	46.6	15.5	37.2	
333.1	1235.8	Min	I	-1702.5	-46.7	-15.5	-37.3	
-349.5	-2355.0		J	-1702.5	-46.7	-15.5	-37.3	
-333.9	-2341.3							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
328.0	1780.3		J	245.6	43.9	14.6	35.0	
313.4	1758.9	Min	I	-1706.5	-45.6	-15.1	-36.3	
-340.7	-1715.8		J	-1706.5	-45.6	-15.1	-36.3	
-325.6	-1695.0							
		SLVx (RS)	I	478.1	-1626.4	985.2	-1067.8	1
6951.8	-32722.4		J	478.1	-1626.4	985.2	-1067.8	1
6035.7	-31128.4							
		SLVy (RS)	I	270.7	-1238.5	1035.6	-710.4	1
5391.1	-23349.6		J	270.7	-1238.5	1035.6	-710.4	1
4412.0	-22171.3							
		SLDx (RS)	I	355.3	-1137.3	693.0	-742.4	1
1764.5	-22752.3		J	355.3	-1137.3	693.0	-742.4	1
1126.8	-21639.8							
		SLDy (RS)	I	196.9	-877.0	729.1	-503.2	1
0786.4	-16426.9		J	196.9	-877.0	729.1	-503.2	1
0100.4	-15597.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
64.5	826.4	SLVz (RS)	I	796.5	-136.7	-82.6	63.8	
			J	796.5	-136.7	-82.6	63.8	
100.3	744.0							
		G1	I	-9259.6	-15.4	-5.1	-12.3	
-115.1	-913.5		J	-9078.3	-15.4	-5.1	-12.3	
-110.0	-898.1							
		G2	I	-1848.5	-5.6	-1.9	-4.5	
-42.1	-332.5		J	-1848.5	-5.6	-1.9	-4.5	
-40.3	-326.8							
		G1- Imp~1	I	0.3	2.6	0.9	2.1	
19.5	53.2		J	0.3	2.6	0.9	2.1	
18.7	50.6							
		G2- Imp~1	I	0.1	1.0	0.3	0.8	
7.2	19.7		J	0.1	1.0	0.3	0.8	
6.9	18.7							
		q3	I	17.5	144.9	48.2	115.6	
1083.6	3555.1		J	17.5	144.9	48.2	115.6	
1035.4	3410.2							
		q4-1	I	7.7	-78.6	-26.1	-62.7	
-587.8	-1887.4		J	7.7	-78.6	-26.1	-62.7	
-561.7	-1808.8							
		q4-2	I	-2.0	10.4	3.5	8.3	
78.0	312.9		J	-2.0	10.4	3.5	8.3	
74.5	302.4							
		q4-3	I	-6.3	121.8	40.5	97.2	
910.8	3085.3		J	-6.3	121.8	40.5	97.2	
870.3	2963.5							
		q4-4	I	1.4	27.4	9.1	21.9	
205.1	729.0		J	1.4	27.4	9.1	21.9	
196.0	701.5							
		q4-5	I	3.9	-4.6	-1.5	-3.7	
-34.3	-106.7		J	3.9	-4.6	-1.5	-3.7	
-32.8	-102.1							
		q4-6	I	3.5	-1.1	-0.4	-0.9	
-8.2	-40.2		J	3.5	-1.1	-0.4	-0.9	
-7.8	-39.1							
		q4-7	I	3.8	-0.4	-0.1	-0.3	
-2.8	-19.4		J	3.8	-0.4	-0.1	-0.3	
-2.6	-19.0							
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9	1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0161.8	34124.8		J	-65.3	1359.2	451.6	1083.9	
9710.1	32765.5							
1398.5	-4978.4	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	-
1336.3	-4791.4		J	95.6	-187.1	-62.2	-149.2	-
9628.0	32150.5	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	
9200.1	30862.7		J	-58.9	1287.9	427.9	1027.0	
1326.6	-4591.4	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	-
1267.6	-4414.0		J	87.5	-177.4	-59.0	-141.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
2024.0	6511.0	q7	I	0.6	270.7	90.0	215.9	
1934.0	6240.3		J	0.6	270.7	90.0	215.9	
3.3	-19.7	T	I	-1.6	0.4	0.1	0.4	
3.2	-20.2		J	-1.6	0.4	0.1	0.4	
264.5	864.5	M. tor~1	I	32.7	35.4	11.8	28.2	
252.7	829.1		J	32.7	35.4	11.8	28.2	
156.4	511.1	M. tor~2	I	19.3	20.9	6.9	16.7	
149.4	490.2		J	19.3	20.9	6.9	16.7	
4738.9	49059.7	INVSLU Max	I	-14256.8	1971.5	655.1	1572.2	1
4083.9	47122.9		J	-14012.1	1971.5	655.1	1572.2	1
5092.4	-53003.0	Min	I	-19661.5	-2018.8	-670.8	-1609.9	-1
4421.6	-51029.4		J	-19416.8	-2018.8	-670.8	-1609.9	-1
1458.0	38802.1	INVSLV Max	I	-10086.5	2021.5	1350.2	1286.1	2
0264.7	36847.3		J	-9905.2	2021.5	1350.2	1286.1	2
1719.0	-41148.3	Min	I	-12128.7	-2056.4	-1361.8	-1314.0	-2
0514.0	-39158.6		J	-11947.4	-2056.4	-1361.8	-1314.0	-2

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

9848.2	32769.5	INVSLE Max	I	-10566.9	1317.3	437.7	1050.5	
			J	-10385.6	1317.3	437.7	1050.5	
9410.5	31478.0	Min	I	-14557.8	-1352.3	-449.3	-1078.4	-1
0110.0	-35690.5		J	-14376.5	-1352.3	-449.3	-1078.4	-
9660.7	-34371.7							
657	4	60 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
634.7	2647.2		J	471.1	88.8	29.5	70.8	
605.2	2599.4	Min	I	-3383.5	-92.8	-30.8	-74.0	
-662.9	-4775.7		J	-3383.5	-92.8	-30.8	-74.0	
-632.1	-4748.4							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
607.3	3686.3		J	482.4	85.0	28.2	67.8	
579.0	3651.2	Min	I	-3391.9	-89.3	-29.7	-71.2	
-638.0	-3466.6		J	-3391.9	-89.3	-29.7	-71.2	
-608.3	-3428.8							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
333.1	1235.8		J	239.0	46.6	15.5	37.2	
317.6	1211.2	Min	I	-1702.5	-46.7	-15.5	-37.3	
-333.9	-2341.3		J	-1702.5	-46.7	-15.5	-37.3	
-318.4	-2328.1							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
313.4	1758.9		J	245.6	43.9	14.6	35.0	
298.8	1738.6	Min	I	-1706.5	-45.6	-15.1	-36.3	
-325.6	-1695.0		J	-1706.5	-45.6	-15.1	-36.3	
-310.4	-1674.9							
		SLVx (RS)	I	478.1	-1622.7	974.8	-1067.8	1
6035.7	-31128.4		J	478.1	-1622.7	974.8	-1067.8	1
5130.1	-29539.1							
		SLVy (RS)	I	270.7	-1232.4	1025.1	-710.4	1
4412.0	-22171.3		J	270.7	-1232.4	1025.1	-710.4	1
3445.7	-21001.7							
		SLDx (RS)	I	355.3	-1134.6	684.9	-742.4	1
1126.8	-21639.8		J	355.3	-1134.6	684.9	-742.4	1
0497.5	-20531.1							
		SLDy (RS)	I	196.9	-872.3	721.4	-503.2	1
0100.4	-15597.1		J	196.9	-872.3	721.4	-503.2	
9423.9	-14774.0							


MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
100.3	744.0	SLVz (RS)	I	796.5	125.9	-67.0	63.8
156.2	676.9		J	796.5	125.9	-67.0	63.8
-110.0	-898.1	G1	I	-9078.3	-15.4	-5.1	-12.3
-104.9	-882.7		J	-8897.0	-15.4	-5.1	-12.3
-40.3	-326.8	G2	I	-1848.5	-5.6	-1.9	-4.5
-38.4	-321.2		J	-1848.5	-5.6	-1.9	-4.5
18.7	50.6	G1- Imp~1	I	0.3	2.6	0.9	2.1
17.8	47.9		J	0.3	2.6	0.9	2.1
6.9	18.7	G2- Imp~1	I	0.1	1.0	0.3	0.8
6.6	17.7		J	0.1	1.0	0.3	0.8
1035.4	3410.2	q3	I	17.5	144.9	48.2	115.6
987.2	3265.3		J	17.5	144.9	48.2	115.6
-561.7	-1808.8	q4-1	I	7.7	-78.6	-26.1	-62.7
-535.6	-1730.1		J	7.7	-78.6	-26.1	-62.7
74.5	302.4	q4-2	I	-2.0	10.4	3.5	8.3
71.0	292.0		J	-2.0	10.4	3.5	8.3
870.3	2963.5	q4-3	I	-6.3	121.8	40.5	97.2
829.8	2841.7		J	-6.3	121.8	40.5	97.2
196.0	701.5	q4-4	I	1.4	27.4	9.1	21.9
186.9	674.1		J	1.4	27.4	9.1	21.9
-32.8	-102.1	q4-5	I	3.9	-4.6	-1.5	-3.7
-31.2	-97.6		J	3.9	-4.6	-1.5	-3.7
-7.8	-39.1	q4-6	I	3.5	-1.1	-0.4	-0.9
-7.5	-38.0		J	3.5	-1.1	-0.4	-0.9
-2.6	-19.0	q4-7	I	3.8	-0.4	-0.1	-0.3
-2.5	-18.7		J	3.8	-0.4	-0.1	-0.3
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
9710.1	32765.5		J	-65.3	1359.2	451.6	1083.9	
9258.5	31406.3							
1336.3	-4791.4	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	-
1274.2	-4604.3		J	95.6	-187.1	-62.2	-149.2	-
9200.1	30862.7	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	
8772.2	29574.8		J	-58.9	1287.9	427.9	1027.0	
1267.6	-4414.0	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	-
1208.7	-4236.5		J	87.5	-177.4	-59.0	-141.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1934.0	6240.3	q7	I	0.6	270.7	90.0	215.9	
1844.1	5969.5		J	0.6	270.7	90.0	215.9	
3.2	-20.2	T	I	-1.6	0.4	0.1	0.4	
3.0	-20.6		J	-1.6	0.4	0.1	0.4	
252.7	829.1	M. tor~1	I	32.7	35.4	11.8	28.2	
241.0	793.8		J	32.7	35.4	11.8	28.2	
149.4	490.2	M. tor~2	I	19.3	20.9	6.9	16.7	
142.5	469.3		J	19.3	20.9	6.9	16.7	
4083.9	47122.9	INVSLU Max	I	-14012.1	1971.5	655.1	1572.2	1
3428.8	45187.6		J	-13767.3	1971.5	655.1	1572.2	1
4421.6	-51029.4	Min	I	-19416.8	-2018.8	-670.8	-1609.9	-1
3750.8	-49056.6		J	-19172.0	-2018.8	-670.8	-1609.9	-1
0264.7	36847.3	INVSLV Max	I	-9905.2	2012.8	1331.9	1286.1	2
9091.8	34904.5		J	-9723.9	2012.8	1331.9	1286.1	1
0514.0	-39158.6	Min	I	-11947.4	-2047.7	-1343.5	-1314.0	-2
9329.6	-37180.9		J	-11766.1	-2047.7	-1343.5	-1314.0	-1


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


9410.5	31478.0	INVSLE Max	I	-10385.6	1317.3	437.7	1050.5	
			J	-10204.3	1317.3	437.7	1050.5	
8972.8	30187.6	Min	I	-14376.5	-1352.3	-449.3	-1078.4	-
9660.7	-34371.7		J	-14195.2	-1352.3	-449.3	-1078.4	-
9211.3	-33053.5							
658	4	60 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
605.2	2599.4		J	471.1	88.8	29.5	70.8	
575.6	2551.8	Min	I	-3383.5	-92.8	-30.8	-74.0	
-632.1	-4748.4		J	-3383.5	-92.8	-30.8	-74.0	
-601.2	-4722.1							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
579.0	3651.2		J	482.4	85.0	28.2	67.8	
550.8	3623.6	Min	I	-3391.9	-89.3	-29.7	-71.2	
-608.3	-3428.8		J	-3391.9	-89.3	-29.7	-71.2	
-578.6	-3393.8							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
317.6	1211.2		J	239.0	46.6	15.5	37.2	
302.1	1186.7	Min	I	-1702.5	-46.7	-15.5	-37.3	
-318.4	-2328.1		J	-1702.5	-46.7	-15.5	-37.3	
-302.9	-2315.6							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
298.8	1738.6		J	245.6	43.9	14.6	35.0	
284.2	1723.6	Min	I	-1706.5	-45.6	-15.1	-36.3	
-310.4	-1674.9		J	-1706.5	-45.6	-15.1	-36.3	
-295.3	-1656.1							
		SLVx (RS)	I	478.1	-1618.0	962.3	-1067.8	1
5130.1	-29539.1		J	478.1	-1618.0	962.3	-1067.8	1
4236.1	-27955.5							
		SLVy (RS)	I	270.7	-1224.4	1011.4	-710.4	1
3445.7	-21001.7		J	270.7	-1224.4	1011.4	-710.4	1
2494.5	-19841.9							
		SLDx (RS)	I	355.3	-1131.1	675.3	-742.4	1
0497.5	-20531.1		J	355.3	-1131.1	675.3	-742.4	-
9877.1	-19426.5							
		SLDy (RS)	I	196.9	-866.3	711.4	-503.2	
9423.9	-14774.0		J	196.9	-866.3	711.4	-503.2	
8758.6	-13958.4							

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
156.2	676.9	SLVz (RS)	I	796.5	113.5	-48.4	63.8
			J	796.5	113.5	-48.4	63.8
198.9	622.6						
-104.9	-882.7	G1	I	-8897.0	-15.4	-5.1	-12.3
			J	-8715.7	-15.4	-5.1	-12.3
-99.7	-867.3						
-38.4	-321.2	G2	I	-1848.5	-5.6	-1.9	-4.5
			J	-1848.5	-5.6	-1.9	-4.5
-36.5	-315.5						
17.8	47.9	G1- Imp~1	I	0.3	2.6	0.9	2.1
			J	0.3	2.6	0.9	2.1
16.9	45.3						
6.6	17.7	G2- Imp~1	I	0.1	1.0	0.3	0.8
			J	0.1	1.0	0.3	0.8
6.3	16.8						
987.2	3265.3	q3	I	17.5	144.9	48.2	115.6
			J	17.5	144.9	48.2	115.6
939.1	3120.3						
-535.6	-1730.1	q4-1	I	7.7	-78.6	-26.1	-62.7
			J	7.7	-78.6	-26.1	-62.7
-509.5	-1651.5						
71.0	292.0	q4-2	I	-2.0	10.4	3.5	8.3
			J	-2.0	10.4	3.5	8.3
67.6	281.6						
829.8	2841.7	q4-3	I	-6.3	121.8	40.5	97.2
			J	-6.3	121.8	40.5	97.2
789.4	2719.8						
186.9	674.1	q4-4	I	1.4	27.4	9.1	21.9
			J	1.4	27.4	9.1	21.9
177.8	646.6						
-31.2	-97.6	q4-5	I	3.9	-4.6	-1.5	-3.7
			J	3.9	-4.6	-1.5	-3.7
-29.7	-93.0						
-7.5	-38.0	q4-6	I	3.5	-1.1	-0.4	-0.9
			J	3.5	-1.1	-0.4	-0.9
-7.1	-36.9						
-2.5	-18.7	q4-7	I	3.8	-0.4	-0.1	-0.3
			J	3.8	-0.4	-0.1	-0.3
-2.4	-18.3						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
9258.5	31406.3		J	-65.3	1359.2	451.6	1083.9	
8806.9	30047.1							
1274.2	-4604.3	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	-
1212.0	-4417.2		J	95.6	-187.1	-62.2	-149.2	-
8772.2	29574.8	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	
8344.3	28287.0		J	-58.9	1287.9	427.9	1027.0	
1208.7	-4236.5	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	-
1149.7	-4059.1		J	87.5	-177.4	-59.0	-141.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1844.1	5969.5	q7	I	0.6	270.7	90.0	215.9	
1754.1	5698.8		J	0.6	270.7	90.0	215.9	
3.0	-20.6	T	I	-1.6	0.4	0.1	0.4	
2.9	-21.1		J	-1.6	0.4	0.1	0.4	
241.0	793.8	M. tor~1	I	32.7	35.4	11.8	28.2	
229.2	758.4		J	32.7	35.4	11.8	28.2	
142.5	469.3	M. tor~2	I	19.3	20.9	6.9	16.7	
135.5	448.4		J	19.3	20.9	6.9	16.7	
3428.8	45187.6	INVSLU Max	I	-13767.3	1971.5	655.1	1572.2	1
2773.8	43259.5		J	-13522.6	1971.5	655.1	1572.2	1
3750.8	-49056.6	Min	I	-19172.0	-2018.8	-670.8	-1609.9	-1
3080.1	-47084.7		J	-18927.3	-2018.8	-670.8	-1609.9	-1
9091.8	34904.5	INVSLV Max	I	-9723.9	2002.0	1308.8	1286.1	1
7931.1	32974.1		J	-9542.6	2002.0	1308.8	1286.1	1
9329.6	-37180.9	Min	I	-11766.1	-2036.9	-1320.4	-1314.0	-1
8157.2	-35215.6		J	-11584.8	-2036.9	-1320.4	-1314.0	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

8972.8	30187.6	INVSLE Max	I	-10204.3	1317.3	437.7	1050.5	
			J	-10023.0	1317.3	437.7	1050.5	
8535.1	28902.5	Min	I	-14195.2	-1352.3	-449.3	-1078.4	-
9211.3	-33053.5		J	-14013.9	-1352.3	-449.3	-1078.4	-
8762.0	-31736.0							
659	4	60 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
575.6	2551.8		J	471.1	88.8	29.5	70.8	
546.1	2504.7	Min	I	-3383.5	-92.8	-30.8	-74.0	
-601.2	-4722.1		J	-3383.5	-92.8	-30.8	-74.0	
-570.4	-4696.9							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
550.8	3623.6		J	482.4	85.0	28.2	67.8	
522.5	3601.0	Min	I	-3391.9	-89.3	-29.7	-71.2	
-578.6	-3393.8		J	-3391.9	-89.3	-29.7	-71.2	
-548.9	-3362.4							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
302.1	1186.7		J	239.0	46.6	15.5	37.2	
286.6	1162.4	Min	I	-1702.5	-46.7	-15.5	-37.3	
-302.9	-2315.6		J	-1702.5	-46.7	-15.5	-37.3	
-287.3	-2303.9							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
284.2	1723.6		J	245.6	43.9	14.6	35.0	
269.7	1712.1	Min	I	-1706.5	-45.6	-15.1	-36.3	
-295.3	-1656.1		J	-1706.5	-45.6	-15.1	-36.3	
-280.1	-1638.8							
		SLVx (RS)	I	478.1	-1612.3	948.1	-1067.8	1
4236.1	-27955.5		J	478.1	-1612.3	948.1	-1067.8	-1
3354.3	-26378.3							
		SLVy (RS)	I	270.7	-1214.8	994.5	-710.4	1
2494.5	-19841.9		J	270.7	-1214.8	994.5	-710.4	1
1560.6	-18692.8							
		SLDx (RS)	I	355.3	-1126.9	664.3	-742.4	-
9877.1	-19426.5		J	355.3	-1126.9	664.3	-742.4	-
9266.1	-18326.8							
		SLDy (RS)	I	196.9	-859.0	699.0	-503.2	
8758.6	-13958.4		J	196.9	-859.0	699.0	-503.2	
8105.9	-13151.0							


MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
198.9	622.6	SLVz (RS)	I	796.5	100.5	-29.3	63.8
			J	796.5	100.5	-29.3	63.8
222.2	576.7						
		G1	I	-8715.7	-15.4	-5.1	-12.3
-99.7	-867.3		J	-8534.4	-15.4	-5.1	-12.3
-94.6	-851.9						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-36.5	-315.5		J	-1848.5	-5.6	-1.9	-4.5
-34.6	-309.9						
		G1 - Imp~1	I	0.3	2.6	0.9	2.1
16.9	45.3		J	0.3	2.6	0.9	2.1
16.1	42.7						
		G2 - Imp~1	I	0.1	1.0	0.3	0.8
6.3	16.8		J	0.1	1.0	0.3	0.8
5.9	15.8						
		q3	I	17.5	144.9	48.2	115.6
939.1	3120.3		J	17.5	144.9	48.2	115.6
890.9	2975.4						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-509.5	-1651.5		J	7.7	-78.6	-26.1	-62.7
-483.3	-1572.9						
		q4-2	I	-2.0	10.4	3.5	8.3
67.6	281.6		J	-2.0	10.4	3.5	8.3
64.1	271.1						
		q4-3	I	-6.3	121.8	40.5	97.2
789.4	2719.8		J	-6.3	121.8	40.5	97.2
748.9	2598.0						
		q4-4	I	1.4	27.4	9.1	21.9
177.8	646.6		J	1.4	27.4	9.1	21.9
168.7	619.2						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-29.7	-93.0		J	3.9	-4.6	-1.5	-3.7
-28.2	-88.4						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-7.1	-36.9		J	3.5	-1.1	-0.4	-0.9
-6.7	-35.8						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-2.4	-18.3		J	3.8	-0.4	-0.1	-0.3
-2.3	-17.9						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
8806.9	30047.1		J	-65.3	1359.2	451.6	1083.9	
8355.2	28687.8							
1212.0	-4417.2	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	-
1149.9	-4230.2		J	95.6	-187.1	-62.2	-149.2	-
8344.3	28287.0	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	
7916.4	26999.1		J	-58.9	1287.9	427.9	1027.0	
1149.7	-4059.1	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	-
1090.8	-3881.6		J	87.5	-177.4	-59.0	-141.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1754.1	5698.8	q7	I	0.6	270.7	90.0	215.9	
1664.1	5428.1		J	0.6	270.7	90.0	215.9	
2.9	-21.1	T	I	-1.6	0.4	0.1	0.4	
2.7	-21.5		J	-1.6	0.4	0.1	0.4	
229.2	758.4	M. tor~1	I	32.7	35.4	11.8	28.2	
217.5	723.0		J	32.7	35.4	11.8	28.2	
135.5	448.4	M. tor~2	I	19.3	20.9	6.9	16.7	
128.6	427.5		J	19.3	20.9	6.9	16.7	
2773.8	43259.5	INVSLU Max	I	-13522.6	1971.5	655.1	1572.2	1
2118.7	41336.0		J	-13277.8	1971.5	655.1	1572.2	1
3080.1	-47084.7	Min	I	-18927.3	-2018.8	-670.8	-1609.9	-1
2409.3	-45114.0		J	-18682.5	-2018.8	-670.8	-1609.9	-1
7931.1	32974.1	INVSLV Max	I	-9542.6	1989.5	1282.0	1286.1	1
6781.8	31055.8		J	-9361.3	1989.5	1282.0	1286.1	1
8157.2	-35215.6	Min	I	-11584.8	-2024.4	-1293.6	-1314.0	-1
6996.4	-33262.4		J	-11403.5	-2024.4	-1293.6	-1314.0	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

8535.1	28902.5	INVSLE Max	I	-10023.0	1317.3	437.7	1050.5	
			J	-9841.7	1317.3	437.7	1050.5	
8097.4	27620.8	Min	I	-14013.9	-1352.3	-449.3	-1078.4	-
8762.0	-31736.0		J	-13832.6	-1352.3	-449.3	-1078.4	-
8312.7	-30419.3							
660	4	60 C1-C2;~1 Max	I	471.1	88.8	29.5	70.8	
546.1	2504.7		J	471.1	88.8	29.5	70.8	
516.6	2458.3	Min	I	-3383.5	-92.8	-30.8	-74.0	
-570.4	-4696.9		J	-3383.5	-92.8	-30.8	-74.0	
-539.6	-4673.1							
		C3-C4;~1 Max	I	482.4	85.0	28.2	67.8	
522.5	3601.0		J	482.4	85.0	28.2	67.8	
494.3	3580.5	Min	I	-3391.9	-89.3	-29.7	-71.2	
-548.9	-3362.4		J	-3391.9	-89.3	-29.7	-71.2	
-519.3	-3335.4							
		C1-C2;~2 Max	I	239.0	46.6	15.5	37.2	
286.6	1162.4		J	239.0	46.6	15.5	37.2	
271.1	1138.6	Min	I	-1702.5	-46.7	-15.5	-37.3	
-287.3	-2303.9		J	-1702.5	-46.7	-15.5	-37.3	
-271.8	-2293.3							
		C3-C4;~2 Max	I	245.6	43.9	14.6	35.0	
269.7	1712.1		J	245.6	43.9	14.6	35.0	
255.1	1701.8	Min	I	-1706.5	-45.6	-15.1	-36.3	
-280.1	-1638.8		J	-1706.5	-45.6	-15.1	-36.3	
-265.0	-1623.3							
		SLVx (RS)	I	478.1	-1605.7	932.4	-1067.8	-1
3354.3	-26378.3		J	478.1	-1605.7	932.4	-1067.8	-1
2485.2	-24808.1							
		SLVy (RS)	I	270.7	-1203.7	974.6	-710.4	1
1560.6	-18692.8		J	270.7	-1203.7	974.6	-710.4	1
0646.1	-17555.3							
		SLDx (RS)	I	355.3	-1121.9	652.3	-742.4	-
9266.1	-18326.8		J	355.3	-1121.9	652.3	-742.4	-
8664.7	-17232.5							
		SLDy (RS)	I	196.9	-850.6	684.5	-503.2	
8105.9	-13151.0		J	196.9	-850.6	684.5	-503.2	
7467.3	-12352.5							


MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
222.2	576.7	SLVz (RS)	I	796.5	88.9	17.6	63.8
			J	796.5	88.9	17.6	63.8
224.2	533.8						
		G1	I	-8534.4	-15.4	-5.1	-12.3
-94.6	-851.9		J	-8353.1	-15.4	-5.1	-12.3
-89.5	-836.5						
		G2	I	-1848.5	-5.6	-1.9	-4.5
-34.6	-309.9		J	-1848.5	-5.6	-1.9	-4.5
-32.8	-304.3						
		G1- Imp~1	I	0.3	2.6	0.9	2.1
16.1	42.7		J	0.3	2.6	0.9	2.1
15.2	40.1						
		G2- Imp~1	I	0.1	1.0	0.3	0.8
5.9	15.8		J	0.1	1.0	0.3	0.8
5.6	14.8						
		q3	I	17.5	144.9	48.2	115.6
890.9	2975.4		J	17.5	144.9	48.2	115.6
842.8	2830.4						
		q4-1	I	7.7	-78.6	-26.1	-62.7
-483.3	-1572.9		J	7.7	-78.6	-26.1	-62.7
-457.2	-1494.2						
		q4-2	I	-2.0	10.4	3.5	8.3
64.1	271.1		J	-2.0	10.4	3.5	8.3
60.6	260.7						
		q4-3	I	-6.3	121.8	40.5	97.2
748.9	2598.0		J	-6.3	121.8	40.5	97.2
708.4	2476.2						
		q4-4	I	1.4	27.4	9.1	21.9
168.7	619.2		J	1.4	27.4	9.1	21.9
159.5	591.8						
		q4-5	I	3.9	-4.6	-1.5	-3.7
-28.2	-88.4		J	3.9	-4.6	-1.5	-3.7
-26.7	-83.8						
		q4-6	I	3.5	-1.1	-0.4	-0.9
-6.7	-35.8		J	3.5	-1.1	-0.4	-0.9
-6.4	-34.7						
		q4-7	I	3.8	-0.4	-0.1	-0.3
-2.3	-17.9		J	3.8	-0.4	-0.1	-0.3
-2.1	-17.6						
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
8355.2	28687.8		J	-65.3	1359.2	451.6	1083.9	
7903.6	27328.6							
1149.9	-4230.2	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	-
1087.7	-4043.1		J	95.6	-187.1	-62.2	-149.2	-
7916.4	26999.1	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	
7488.5	25711.3		J	-58.9	1287.9	427.9	1027.0	
1090.8	-3881.6	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	-
1031.8	-3704.2		J	87.5	-177.4	-59.0	-141.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1664.1	5428.1	q7	I	0.6	270.7	90.0	215.9	
1574.2	5157.3		J	0.6	270.7	90.0	215.9	
2.7	-21.5	T	I	-1.6	0.4	0.1	0.4	
2.6	-22.0		J	-1.6	0.4	0.1	0.4	
217.5	723.0	M. tor~1	I	32.7	35.4	11.8	28.2	
205.7	687.6		J	32.7	35.4	11.8	28.2	
128.6	427.5	M. tor~2	I	19.3	20.9	6.9	16.7	
121.6	406.5		J	19.3	20.9	6.9	16.7	
2118.7	41336.0	INVSLU Max	I	-13277.8	1971.5	655.1	1572.2	1
1463.6	39414.2		J	-13033.1	1971.5	655.1	1572.2	1
2409.3	-45114.0	Min	I	-18682.5	-2018.8	-670.8	-1609.9	-1
1738.5	-43144.6		J	-18437.8	-2018.8	-670.8	-1609.9	-1
6781.8	31055.8	INVSLV Max	I	-9361.3	1976.0	1253.8	1286.1	1
5644.8	29149.0		J	-9180.0	1976.0	1253.8	1286.1	1
6996.4	-33262.4	Min	I	-11403.5	-2010.9	-1265.4	-1314.0	-1
5847.8	-31320.7		J	-11222.2	-2010.9	-1265.4	-1314.0	-1

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

8097.4	27620.8	INVSLE Max	I	-9841.7	1317.3	437.7	1050.5	
			J	-9660.4	1317.3	437.7	1050.5	
7659.7	26340.3	Min	I	-13832.6	-1352.3	-449.3	-1078.4	-
8312.7	-30419.3		J	-13651.3	-1352.3	-449.3	-1078.4	-
7863.3	-29103.6							
662	4	46 C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
121.8	2711.9		J	517.8	92.5	5.3	294.2	
119.2	2690.2	Min	I	-3409.6	-96.4	-5.6	-343.4	
-129.2	-4696.2		J	-3409.6	-96.4	-5.6	-343.4	
-126.4	-4688.0							
		C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
113.2	3863.5		J	530.7	78.4	4.9	285.5	
110.7	3855.1	Min	I	-3418.0	-87.1	-5.3	-283.8	
-123.1	-3329.1		J	-3418.0	-87.1	-5.3	-283.8	
-120.4	-3318.8							
		C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
58.0	1237.8		J	257.0	45.7	2.5	147.1	
56.7	1226.8	Min	I	-1713.0	-46.7	-2.7	-169.0	
-61.8	-2233.2		J	-1713.0	-46.7	-2.7	-169.0	
-60.4	-2232.0							
		C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
55.3	1805.0		J	264.1	37.8	2.4	145.5	
54.1	1803.0	Min	I	-1717.0	-42.6	-2.5	-139.3	
-58.7	-1546.6		J	-1717.0	-42.6	-2.5	-139.3	
-57.5	-1543.2							
		SLVx (RS)	I	762.7	-2374.2	-495.5	-7462.9	-1
0821.6	-52982.7		J	762.7	-2374.2	-495.5	-7462.9	-1
0576.9	-51809.7							
		SLVy (RS)	I	185.8	-831.8	2848.8	10740.0	6
3791.6	-18603.9		J	185.8	-831.8	2848.8	10740.0	6
2380.6	-18197.0							
		SLDx (RS)	I	568.4	-1659.7	-335.4	-5227.3	-
7250.6	-36928.4		J	568.4	-1659.7	-335.4	-5227.3	-
7085.7	-36109.3							
		SLDy (RS)	I	137.2	-589.6	1651.8	6313.4	3
6607.3	-13152.4		J	137.2	-589.6	1651.8	6313.4	3
5794.1	-12864.6							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
322.9	-1559.9	SLVz (RS)	I	758.0	-144.0	81.4	-105.6	
			J	758.0	-144.0	81.4	-105.6	
284.6	-1498.9							
		G1	I	-9318.7	-10.5	-0.9	16.9	
-19.8	-564.0		J	-9228.0	-10.5	-0.9	16.9	
-19.4	-558.8							
		G2	I	-1829.2	-3.8	-0.3	6.5	
-7.3	-206.3		J	-1829.2	-3.8	-0.3	6.5	
-7.2	-204.3							
		G1- Imp~1	I	-0.5	2.9	0.0	7.7	
0.6	74.4		J	-0.5	2.9	0.0	7.7	
0.6	73.0							
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9	
-0.0	27.6		J	-0.2	1.1	-0.0	2.9	
-0.0	27.1							
		q3	I	17.7	-8.9	691.4	1160.7	1
5936.5	-182.9		J	17.7	-8.9	691.4	1160.7	1
5590.8	-178.4							
		q4-1	I	-0.8	-40.9	-69.6	-210.1	-
1603.4	-1060.5		J	-0.8	-40.9	-69.6	-210.1	-
1568.6	-1040.0							
		q4-2	I	0.8	-48.5	-98.3	-189.0	-
2264.9	-1210.0		J	0.8	-48.5	-98.3	-189.0	-
2215.8	-1185.8							
		q4-3	I	-0.9	31.2	-58.1	115.5	-
1338.7	837.4		J	-0.9	31.2	-58.1	115.5	-
1309.7	821.8							
		q4-4	I	-4.4	148.0	4.2	38.0	
95.7	3855.0		J	-4.4	148.0	4.2	38.0	
93.6	3781.0							
		q4-5	I	1.3	8.5	61.8	-23.6	
1423.9	253.5		J	1.3	8.5	61.8	-23.6	
1393.0	249.2							
		q4-6	I	6.4	-39.1	95.5	166.4	
2202.0	-990.0		J	6.4	-39.1	95.5	166.4	
2154.3	-970.5							
		q4-7	I	2.9	-30.6	84.5	147.9	
1948.0	-785.6		J	2.9	-30.6	84.5	147.9	
1905.8	-770.3							
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
631.1	41840.4		J	-68.7	1622.1	27.4	1051.0	
617.5	41029.3							
4448.4	4549.6	q5 - p~2	I	33.1	183.5	2362.2	3071.2	5
3267.3	4457.8		J	33.1	183.5	2362.2	3071.2	5
582.0	39417.3	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
569.4	38648.8		J	-61.3	1537.0	25.2	988.9	
1579.8	4302.3	q5 - p~4	I	34.8	174.6	2237.7	2917.4	5
0460.9	4215.0		J	34.8	174.6	2237.7	2917.4	5
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
8539.4	1153.7	q7	I	8.7	43.6	370.5	994.5	
8354.2	1131.9		J	8.7	43.6	370.5	994.5	
1.0	-25.6	T	I	0.3	-0.4	0.0	2.8	
1.0	-25.4		J	0.3	-0.4	0.0	2.8	
1066.3	-1087.8	M. tor~1	I	10.3	-58.7	480.1	1602.7	1
0826.3	-1058.5		J	10.3	-58.7	480.1	1602.7	1
6542.6	-643.1	M. tor~2	I	6.1	-34.7	283.8	947.6	
6400.7	-625.8		J	6.1	-34.7	283.8	947.6	
7412.8	60679.0	INVSLU Max	I	-14272.1	2353.4	3358.5	4622.4	7
5733.6	59530.4		J	-14149.7	2353.4	3358.5	4622.4	7
7489.7	-63061.4	Min	I	-19726.8	-2382.9	-3361.8	-4560.4	-7
5808.8	-61899.7		J	-19604.4	-2382.9	-3361.8	-4560.4	-7
7108.4	58363.6	INVSLV Max	I	-10102.7	2656.5	3020.7	13044.4	6
5613.1	57055.5		J	-10012.1	2656.5	3020.7	13044.4	6
7161.5	-59700.1	Min	I	-12194.3	-2677.4	-3023.0	-12976.6	-6
5665.1	-58381.5		J	-12103.7	-2677.4	-3023.0	-12976.6	-6

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1611.8	40569.4	INVSLE Max	I	-10576.4	1572.5	2239.1	3186.1	5
0492.2	39804.0		J	-10485.8	1572.5	2239.1	3186.1	5
1668.7	-42334.1	Min	I	-14607.9	-1594.3	-2241.6	-3054.1	-5
0547.9	-41559.0		J	-14517.2	-1594.3	-2241.6	-3054.1	-5
663	4	46 C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
119.2	2690.2		J	517.8	92.5	5.3	294.2	
113.9	2646.9	Min	I	-3409.6	-96.4	-5.6	-343.4	
-126.4	-4688.0		J	-3409.6	-96.4	-5.6	-343.4	
-120.8	-4671.5							
110.7	3855.1	C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
105.8	3838.3		J	530.7	78.4	4.9	285.5	
-120.4	-3318.8	Min	I	-3418.0	-87.1	-5.3	-283.8	
-115.1	-3298.4		J	-3418.0	-87.1	-5.3	-283.8	
56.7	1226.8	C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
54.2	1204.8		J	257.0	45.7	2.5	147.1	
-60.4	-2232.0	Min	I	-1713.0	-46.7	-2.7	-169.0	
-57.8	-2229.4		J	-1713.0	-46.7	-2.7	-169.0	
54.1	1803.0	C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
51.7	1798.9		J	264.1	37.8	2.4	145.5	
-57.5	-1543.2	Min	I	-1717.0	-42.6	-2.5	-139.3	
-54.9	-1536.5		J	-1717.0	-42.6	-2.5	-139.3	
0576.9	-51809.7	SLVx (RS)	I	762.7	-2373.9	-495.5	-7462.9	-1
0088.0	-49465.9		J	762.7	-2373.9	-495.5	-7462.9	-1
2380.6	-18197.0	SLVy (RS)	I	185.8	-831.7	2848.6	10740.0	6
9560.6	-17384.6		J	185.8	-831.7	2848.6	10740.0	5
7085.7	-36109.3	SLDx (RS)	I	568.4	-1659.6	-335.4	-5227.3	-
6756.2	-34472.6		J	568.4	-1659.6	-335.4	-5227.3	-
5794.1	-12864.6	SLDy (RS)	I	137.2	-589.5	1651.7	6313.4	3
4169.5	-12289.9		J	137.2	-589.5	1651.7	6313.4	3


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
284.6	-1498.9	SLVz (RS)	I	758.0	-143.6	81.0	-105.6	
			J	758.0	-143.6	81.0	-105.6	
211.3	-1380.1							
		G1	I	-9228.0	-10.5	-0.9	16.9	
-19.4	-558.8		J	-9046.7	-10.5	-0.9	16.9	
-18.6	-548.2							
		G2	I	-1829.2	-3.8	-0.3	6.5	
-7.2	-204.3		J	-1829.2	-3.8	-0.3	6.5	
-6.9	-200.5							
		G1- Imp~1	I	-0.5	2.9	0.0	7.7	
0.6	73.0		J	-0.5	2.9	0.0	7.7	
0.6	70.1							
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9	
-0.0	27.1		J	-0.2	1.1	-0.0	2.9	
-0.0	26.0							
		q3	I	17.7	-8.9	691.4	1160.7	1
5590.8	-178.4		J	17.7	-8.9	691.4	1160.7	1
4899.5	-169.6							
		q4-1	I	-0.8	-40.9	-69.6	-210.1	-
1568.6	-1040.0		J	-0.8	-40.9	-69.6	-210.1	-
1499.0	-999.1							
		q4-2	I	0.8	-48.5	-98.3	-189.0	-
2215.8	-1185.8		J	0.8	-48.5	-98.3	-189.0	-
2117.5	-1137.3							
		q4-3	I	-0.9	31.2	-58.1	115.5	-
1309.7	821.8		J	-0.9	31.2	-58.1	115.5	-
1251.6	790.7							
		q4-4	I	-4.4	148.0	4.2	38.0	
93.6	3781.0		J	-4.4	148.0	4.2	38.0	
89.4	3633.1							
		q4-5	I	1.3	8.5	61.8	-23.6	
1393.0	249.2		J	1.3	8.5	61.8	-23.6	
1331.2	240.7							
		q4-6	I	6.4	-39.1	95.5	166.4	
2154.3	-970.5		J	6.4	-39.1	95.5	166.4	
2058.7	-931.4							
		q4-7	I	2.9	-30.6	84.5	147.9	
1905.8	-770.3		J	2.9	-30.6	84.5	147.9	
1821.2	-739.7							
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
617.5	41029.3		J	-68.7	1622.1	27.4	1051.0	
590.1	39407.3							
3267.3	4457.8	q5 - p~2	I	33.1	183.5	2362.2	3071.2	5
0905.2	4274.3		J	33.1	183.5	2362.2	3071.2	5
569.4	38648.8	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
544.1	37111.8		J	-61.3	1537.0	25.2	988.9	
0460.9	4215.0	q5 - p~4	I	34.8	174.6	2237.7	2917.4	5
8223.2	4040.4		J	34.8	174.6	2237.7	2917.4	4
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
8354.2	1131.9	q7	I	8.7	43.6	370.5	994.5	
7983.7	1088.3		J	8.7	43.6	370.5	994.5	
1.0	-25.4	T	I	0.3	-0.4	0.0	2.8	
0.9	-25.1		J	0.3	-0.4	0.0	2.8	
0826.3	-1058.5	M. tor~1	I	10.3	-58.7	480.1	1602.7	1
0346.2	-999.8		J	10.3	-58.7	480.1	1602.7	1
6400.7	-625.8	M. tor~2	I	6.1	-34.7	283.8	947.6	
6116.8	-591.1		J	6.1	-34.7	283.8	947.6	
5733.6	59530.4	INVSLU Max	I	-14149.7	2353.4	3358.5	4622.4	7
2375.1	57233.3		J	-13904.9	2353.4	3358.5	4622.4	7
5808.8	-61899.7	Min	I	-19604.4	-2382.9	-3361.8	-4560.4	-7
2446.9	-59576.4		J	-19359.7	-2382.9	-3361.8	-4560.4	-7
5613.1	57055.5	INVSLV Max	I	-10012.1	2656.1	3020.4	13044.4	6
2625.5	54442.8		J	-9830.8	2656.1	3020.4	13044.4	6
5665.1	-58381.5	Min	I	-12103.7	-2677.0	-3022.7	-12976.6	-6
2675.2	-55747.9		J	-11922.4	-2677.0	-3022.7	-12976.6	-6

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

0492.2	39804.0	INVSLE Max	I	-10485.8	1572.5	2239.1	3186.1	5
			J	-10304.5	1572.5	2239.1	3186.1	4
8253.1	38273.2	Min	I	-14517.2	-1594.3	-2241.6	-3054.1	-5
0547.9	-41559.0		J	-14335.9	-1594.3	-2241.6	-3054.1	-4
8306.3	-40008.8							
664	4	46 C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
113.9	2646.9		J	517.8	92.5	5.3	294.2	
108.6	2603.8	Min	I	-3409.6	-96.4	-5.6	-343.4	
-120.8	-4671.5		J	-3409.6	-96.4	-5.6	-343.4	
-115.2	-4655.1							
		C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
105.8	3838.3		J	530.7	78.4	4.9	285.5	
100.9	3821.5	Min	I	-3418.0	-87.1	-5.3	-283.8	
-115.1	-3298.4		J	-3418.0	-87.1	-5.3	-283.8	
-109.8	-3278.1							
		C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
54.2	1204.8		J	257.0	45.7	2.5	147.1	
51.7	1183.1	Min	I	-1713.0	-46.7	-2.7	-169.0	
-57.8	-2229.4		J	-1713.0	-46.7	-2.7	-169.0	
-55.1	-2226.9							
		C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
51.7	1798.9		J	264.1	37.8	2.4	145.5	
49.3	1794.9	Min	I	-1717.0	-42.6	-2.5	-139.3	
-54.9	-1536.5		J	-1717.0	-42.6	-2.5	-139.3	
-52.4	-1529.9							
		SLVx (RS)	I	762.7	-2372.8	-495.3	-7462.9	-1
0088.0	-49465.9		J	762.7	-2372.8	-495.3	-7462.9	-
9599.7	-47125.5							
		SLVy (RS)	I	185.8	-831.2	2847.7	10740.0	5
9560.6	-17384.6		J	185.8	-831.2	2847.7	10740.0	5
6743.6	-16574.3							
		SLDx (RS)	I	568.4	-1658.7	-335.2	-5227.3	-
6756.2	-34472.6		J	568.4	-1658.7	-335.2	-5227.3	-
6427.5	-32838.5							
		SLDy (RS)	I	137.2	-589.1	1650.9	6313.4	3
4169.5	-12289.9		J	137.2	-589.1	1650.9	6313.4	3
2547.8	-11716.9							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
211.3	-1380.1	SLVz (RS)	I	758.0	-141.8	78.2	-105.6	
			J	758.0	-141.8	78.2	-105.6	
147.3	-1266.9							
		G1	I	-9046.7	-10.5	-0.9	16.9	
-18.6	-548.2		J	-8865.4	-10.5	-0.9	16.9	
-17.7	-537.7							
		G2	I	-1829.2	-3.8	-0.3	6.5	
-6.9	-200.5		J	-1829.2	-3.8	-0.3	6.5	
-6.5	-196.6							
		G1- Imp~1	I	-0.5	2.9	0.0	7.7	
0.6	70.1		J	-0.5	2.9	0.0	7.7	
0.6	67.3							
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9	
-0.0	26.0		J	-0.2	1.1	-0.0	2.9	
-0.0	25.0							
		q3	I	17.7	-8.9	691.4	1160.7	1
4899.5	-169.6		J	17.7	-8.9	691.4	1160.7	1
4208.1	-160.7							
		q4-1	I	-0.8	-40.9	-69.6	-210.1	-
1499.0	-999.1		J	-0.8	-40.9	-69.6	-210.1	-
1429.5	-958.1							
		q4-2	I	0.8	-48.5	-98.3	-189.0	-
2117.5	-1137.3		J	0.8	-48.5	-98.3	-189.0	-
2019.2	-1088.8							
		q4-3	I	-0.9	31.2	-58.1	115.5	-
1251.6	790.7		J	-0.9	31.2	-58.1	115.5	-
1193.5	759.5							
		q4-4	I	-4.4	148.0	4.2	38.0	
89.4	3633.1		J	-4.4	148.0	4.2	38.0	
85.3	3485.1							
		q4-5	I	1.3	8.5	61.8	-23.6	
1331.2	240.7		J	1.3	8.5	61.8	-23.6	
1269.5	232.2							
		q4-6	I	6.4	-39.1	95.5	166.4	
2058.7	-931.4		J	6.4	-39.1	95.5	166.4	
1963.2	-892.4							
		q4-7	I	2.9	-30.6	84.5	147.9	
1821.2	-739.7		J	2.9	-30.6	84.5	147.9	
1736.7	-709.0							
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
590.1	39407.3		J	-68.7	1622.1	27.4	1051.0	
562.7	37785.2							
0905.2	4274.3	q5 - p~2	I	33.1	183.5	2362.2	3071.2	5
8543.0	4090.8		J	33.1	183.5	2362.2	3071.2	4
544.1	37111.8	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
518.9	35574.8		J	-61.3	1537.0	25.2	988.9	
8223.2	4040.4	q5 - p~4	I	34.8	174.6	2237.7	2917.4	4
5985.4	3865.7		J	34.8	174.6	2237.7	2917.4	4
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
7983.7	1088.3	q7	I	8.7	43.6	370.5	994.5	
7613.2	1044.6		J	8.7	43.6	370.5	994.5	
0.9	-25.1	T	I	0.3	-0.4	0.0	2.8	
0.9	-24.7		J	0.3	-0.4	0.0	2.8	
0346.2	-999.8	M. tor~1	I	10.3	-58.7	480.1	1602.7	1
9866.1	-941.0		J	10.3	-58.7	480.1	1602.7	
6116.8	-591.1	M. tor~2	I	6.1	-34.7	283.8	947.6	
5833.0	-556.4		J	6.1	-34.7	283.8	947.6	
2375.1	57233.3	INVSLU Max	I	-13904.9	2353.4	3358.5	4622.4	7
9016.6	54936.2		J	-13660.2	2353.4	3358.5	4622.4	6
2446.9	-59576.4	Min	I	-19359.7	-2382.9	-3361.8	-4560.4	-7
9085.1	-57253.2		J	-19114.9	-2382.9	-3361.8	-4560.4	-6
2625.5	54442.8	INVSLV Max	I	-9830.8	2654.2	3018.6	13044.4	6
9644.0	51835.7		J	-9649.5	2654.2	3018.6	13044.4	5
2675.2	-55747.9	Min	I	-11922.4	-2675.1	-3020.9	-12976.6	-6
9691.4	-53119.9		J	-11741.1	-2675.1	-3020.9	-12976.6	-5

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

8253.1	38273.2	INVSLE Max	I	-10304.5	1572.5	2239.1	3186.1	4
			J	-10123.2	1572.5	2239.1	3186.1	4
6014.0	36742.4	Min	I	-14335.9	-1594.3	-2241.6	-3054.1	-4
8306.3	-40008.8		J	-14154.6	-1594.3	-2241.6	-3054.1	-4
6064.7	-38458.7							
665	4	46 C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
108.6	2603.8		J	517.8	92.5	5.3	294.2	
103.3	2561.1	Min	I	-3409.6	-96.4	-5.6	-343.4	
-115.2	-4655.1		J	-3409.6	-96.4	-5.6	-343.4	
-109.6	-4638.7							
		C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
100.9	3821.5		J	530.7	78.4	4.9	285.5	
96.0	3804.7	Min	I	-3418.0	-87.1	-5.3	-283.8	
-109.8	-3278.1		J	-3418.0	-87.1	-5.3	-283.8	
-104.4	-3257.8							
		C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
51.7	1183.1		J	257.0	45.7	2.5	147.1	
49.2	1161.5	Min	I	-1713.0	-46.7	-2.7	-169.0	
-55.1	-2226.9		J	-1713.0	-46.7	-2.7	-169.0	
-52.4	-2224.4							
		C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
49.3	1794.9		J	264.1	37.8	2.4	145.5	
46.9	1790.8	Min	I	-1717.0	-42.6	-2.5	-139.3	
-52.4	-1529.9		J	-1717.0	-42.6	-2.5	-139.3	
-49.8	-1523.2							
		SLVx (RS)	I	762.7	-2370.3	-494.8	-7462.9	-
9599.7	-47125.5		J	762.7	-2370.3	-494.8	-7462.9	-
9112.4	-44789.3							
		SLVy (RS)	I	185.8	-830.2	2845.7	10740.0	5
6743.6	-16574.3		J	185.8	-830.2	2845.7	10740.0	5
3930.3	-15766.4							
		SLDx (RS)	I	568.4	-1656.9	-334.7	-5227.3	-
6427.5	-32838.5		J	568.4	-1656.9	-334.7	-5227.3	-
6099.6	-31207.6							
		SLDy (RS)	I	137.2	-588.3	1649.1	6313.4	3
2547.8	-11716.9		J	137.2	-588.3	1649.1	6313.4	3
0929.6	-11145.7							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
147.3	-1266.9	SLVz (RS)	I	758.0	-138.2	72.7	-105.6	
			J	758.0	-138.2	72.7	-105.6	
104.4	-1160.3							
		G1	I	-8865.4	-10.5	-0.9	16.9	
-17.7	-537.7		J	-8684.1	-10.5	-0.9	16.9	
-16.8	-527.2							
		G2	I	-1829.2	-3.8	-0.3	6.5	
-6.5	-196.6		J	-1829.2	-3.8	-0.3	6.5	
-6.2	-192.8							
		G1- Imp~1	I	-0.5	2.9	0.0	7.7	
0.6	67.3		J	-0.5	2.9	0.0	7.7	
0.5	64.4							
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9	
-0.0	25.0		J	-0.2	1.1	-0.0	2.9	
-0.0	23.9							
		q3	I	17.7	-8.9	691.4	1160.7	1
4208.1	-160.7		J	17.7	-8.9	691.4	1160.7	1
3516.7	-151.9							
		q4-1	I	-0.8	-40.9	-69.6	-210.1	-
1429.5	-958.1		J	-0.8	-40.9	-69.6	-210.1	-
1359.9	-917.2							
		q4-2	I	0.8	-48.5	-98.3	-189.0	-
2019.2	-1088.8		J	0.8	-48.5	-98.3	-189.0	-
1921.0	-1040.3							
		q4-3	I	-0.9	31.2	-58.1	115.5	-
1193.5	759.5		J	-0.9	31.2	-58.1	115.5	-
1135.5	728.4							
		q4-4	I	-4.4	148.0	4.2	38.0	
85.3	3485.1		J	-4.4	148.0	4.2	38.0	
81.1	3337.1							
		q4-5	I	1.3	8.5	61.8	-23.6	
1269.5	232.2		J	1.3	8.5	61.8	-23.6	
1207.7	223.6							
		q4-6	I	6.4	-39.1	95.5	166.4	
1963.2	-892.4		J	6.4	-39.1	95.5	166.4	
1867.7	-853.3							
		q4-7	I	2.9	-30.6	84.5	147.9	
1736.7	-709.0		J	2.9	-30.6	84.5	147.9	
1652.2	-678.4							
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
562.7	37785.2		J	-68.7	1622.1	27.4	1051.0	
535.3	36163.2							
8543.0	4090.8	q5 - p~2	I	33.1	183.5	2362.2	3071.2	4
6180.8	3907.3		J	33.1	183.5	2362.2	3071.2	4
518.9	35574.8	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
493.6	34037.8		J	-61.3	1537.0	25.2	988.9	
5985.4	3865.7	q5 - p~4	I	34.8	174.6	2237.7	2917.4	4
3747.7	3691.1		J	34.8	174.6	2237.7	2917.4	4
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
7613.2	1044.6	q7	I	8.7	43.6	370.5	994.5	
7242.8	1001.0		J	8.7	43.6	370.5	994.5	
0.9	-24.7	T	I	0.3	-0.4	0.0	2.8	
0.8	-24.4		J	0.3	-0.4	0.0	2.8	
9866.1	-941.0	M. tor~1	I	10.3	-58.7	480.1	1602.7	
9386.0	-882.3		J	10.3	-58.7	480.1	1602.7	
5833.0	-556.4	M. tor~2	I	6.1	-34.7	283.8	947.6	
5549.1	-521.6		J	6.1	-34.7	283.8	947.6	
9016.6	54936.2	INVSLU Max	I	-13660.2	2353.4	3358.5	4622.4	6
5658.1	52639.1		J	-13415.4	2353.4	3358.5	4622.4	6
9085.1	-57253.2	Min	I	-19114.9	-2382.9	-3361.8	-4560.4	-6
5723.3	-54929.9		J	-18870.2	-2382.9	-3361.8	-4560.4	-6
9644.0	51835.7	INVSLV Max	I	-9649.5	2650.4	3014.7	13044.4	5
6672.8	49235.6		J	-9468.2	2650.4	3014.7	13044.4	5
9691.4	-53119.9	Min	I	-11741.1	-2671.3	-3017.1	-12976.6	-5
6717.9	-50499.0		J	-11559.8	-2671.3	-3017.1	-12976.6	-5

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

6014.0	36742.4	INVSLE Max	I	-10123.2	1572.5	2239.1	3186.1	4
			J	-9941.9	1572.5	2239.1	3186.1	4
3774.9	35211.6	Min	I	-14154.6	-1594.3	-2241.6	-3054.1	-4
6064.7	-38458.7		J	-13973.3	-1594.3	-2241.6	-3054.1	-4
3823.2	-36908.5							
666	4	46 C1-C2;~1 Max	I	517.8	92.5	5.3	294.2	
103.3	2561.1		J	517.8	92.5	5.3	294.2	
98.1	2518.8	Min	I	-3409.6	-96.4	-5.6	-343.4	
-109.6	-4638.7		J	-3409.6	-96.4	-5.6	-343.4	
-104.0	-4622.3							
		C3-C4;~1 Max	I	530.7	78.4	4.9	285.5	
96.0	3804.7		J	530.7	78.4	4.9	285.5	
91.1	3788.0	Min	I	-3418.0	-87.1	-5.3	-283.8	
-104.4	-3257.8		J	-3418.0	-87.1	-5.3	-283.8	
-99.1	-3237.6							
		C1-C2;~2 Max	I	257.0	45.7	2.5	147.1	
49.2	1161.5		J	257.0	45.7	2.5	147.1	
46.7	1140.4	Min	I	-1713.0	-46.7	-2.7	-169.0	
-52.4	-2224.4		J	-1713.0	-46.7	-2.7	-169.0	
-49.7	-2221.9							
		C3-C4;~2 Max	I	264.1	37.8	2.4	145.5	
46.9	1790.8		J	264.1	37.8	2.4	145.5	
44.5	1786.8	Min	I	-1717.0	-42.6	-2.5	-139.3	
-49.8	-1523.2		J	-1717.0	-42.6	-2.5	-139.3	
-47.3	-1516.6							
		SLVx (RS)	I	762.7	-2366.4	-493.9	-7462.9	-
9112.4	-44789.3		J	762.7	-2366.4	-493.9	-7462.9	-
8626.2	-42458.2							
		SLVy (RS)	I	185.8	-828.5	2842.3	10740.0	5
3930.3	-15766.4		J	185.8	-828.5	2842.3	10740.0	5
1121.3	-14961.5							
		SLDx (RS)	I	568.4	-1654.0	-334.0	-5227.3	-
6099.6	-31207.6		J	568.4	-1654.0	-334.0	-5227.3	-
5772.6	-29580.6							
		SLDy (RS)	I	137.2	-587.0	1646.1	6313.4	3
0929.6	-11145.7		J	137.2	-587.0	1646.1	6313.4	2
9315.2	-10576.8							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
104.4	-1160.3	SLVz (RS)	I	758.0	-133.0	64.1	-105.6	
-97.1	-1061.2		J	758.0	-133.0	64.1	-105.6	
-16.8	-527.2	G1	I	-8684.1	-10.5	-0.9	16.9	
-16.0	-516.7		J	-8502.8	-10.5	-0.9	16.9	
-6.2	-192.8	G2	I	-1829.2	-3.8	-0.3	6.5	
-5.9	-188.9		J	-1829.2	-3.8	-0.3	6.5	
0.5	64.4	G1- Imp~1	I	-0.5	2.9	0.0	7.7	
0.5	61.6		J	-0.5	2.9	0.0	7.7	
-0.0	23.9	G2- Imp~1	I	-0.2	1.1	-0.0	2.9	
-0.0	22.8		J	-0.2	1.1	-0.0	2.9	
3516.7	-151.9	q3	I	17.7	-8.9	691.4	1160.7	1
2825.3	-143.0		J	17.7	-8.9	691.4	1160.7	1
1359.9	-917.2	q4-1	I	-0.8	-40.9	-69.6	-210.1	-
1290.4	-876.2		J	-0.8	-40.9	-69.6	-210.1	-
1921.0	-1040.3	q4-2	I	0.8	-48.5	-98.3	-189.0	-
1822.7	-991.9		J	0.8	-48.5	-98.3	-189.0	-
1135.5	728.4	q4-3	I	-0.9	31.2	-58.1	115.5	-
1077.4	697.2		J	-0.9	31.2	-58.1	115.5	-
81.1	3337.1	q4-4	I	-4.4	148.0	4.2	38.0	
77.0	3189.1		J	-4.4	148.0	4.2	38.0	
1207.7	223.6	q4-5	I	1.3	8.5	61.8	-23.6	
1145.9	215.1		J	1.3	8.5	61.8	-23.6	
1867.7	-853.3	q4-6	I	6.4	-39.1	95.5	166.4	
1772.1	-814.3		J	6.4	-39.1	95.5	166.4	
1652.2	-678.4	q4-7	I	2.9	-30.6	84.5	147.9	
1567.7	-647.7		J	2.9	-30.6	84.5	147.9	
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
535.3	36163.2		J	-68.7	1622.1	27.4	1051.0	
507.9	34541.1							
6180.8	3907.3	q5 - p~2	I	33.1	183.5	2362.2	3071.2	4
3818.6	3723.8		J	33.1	183.5	2362.2	3071.2	4
493.6	34037.8	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
468.4	32500.8		J	-61.3	1537.0	25.2	988.9	
3747.7	3691.1	q5 - p~4	I	34.8	174.6	2237.7	2917.4	4
1510.0	3516.5		J	34.8	174.6	2237.7	2917.4	4
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
7242.8	1001.0	q7	I	8.7	43.6	370.5	994.5	
6872.3	957.4		J	8.7	43.6	370.5	994.5	
0.8	-24.4	T	I	0.3	-0.4	0.0	2.8	
0.8	-24.0		J	0.3	-0.4	0.0	2.8	
9386.0	-882.3	M. tor~1	I	10.3	-58.7	480.1	1602.7	
8905.9	-823.6		J	10.3	-58.7	480.1	1602.7	
5549.1	-521.6	M. tor~2	I	6.1	-34.7	283.8	947.6	
5265.3	-486.9		J	6.1	-34.7	283.8	947.6	
5658.1	52639.1	INVSLU Max	I	-13415.4	2353.4	3358.5	4622.4	6
2299.7	50342.0		J	-13170.7	2353.4	3358.5	4622.4	6
5723.3	-54929.9	Min	I	-18870.2	-2382.9	-3361.8	-4560.4	-6
2361.5	-52606.7		J	-18625.4	-2382.9	-3361.8	-4560.4	-6
6672.8	49235.6	INVSLV Max	I	-9468.2	2644.4	3008.5	13044.4	5
3716.9	46643.8		J	-9286.9	2644.4	3008.5	13044.4	5
6717.9	-50499.0	Min	I	-11559.8	-2665.3	-3010.8	-12976.6	-5
3759.7	-47886.2		J	-11378.5	-2665.3	-3010.8	-12976.6	-5


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


3774.9	35211.6	INVSLE	Max	I	-9941.9	1572.5	2239.1	3186.1	4
				J	-9760.6	1572.5	2239.1	3186.1	4
1535.7	33680.8		Min	I	-13973.3	-1594.3	-2241.6	-3054.1	-4
3823.2	-36908.5			J	-13792.0	-1594.3	-2241.6	-3054.1	-4
1581.6	-35358.3								
667	4	46 C1-C2;~1	Max	I	517.8	92.5	5.3	294.2	
98.1	2518.8			J	517.8	92.5	5.3	294.2	
92.8	2478.1		Min	I	-3409.6	-96.4	-5.6	-343.4	
-104.0	-4622.3			J	-3409.6	-96.4	-5.6	-343.4	
-98.4	-4605.9								
		C3-C4;~1	Max	I	530.7	78.4	4.9	285.5	
91.1	3788.0			J	530.7	78.4	4.9	285.5	
86.2	3771.2		Min	I	-3418.0	-87.1	-5.3	-283.8	
-99.1	-3237.6			J	-3418.0	-87.1	-5.3	-283.8	
-93.7	-3217.3								
		C1-C2;~2	Max	I	257.0	45.7	2.5	147.1	
46.7	1140.4			J	257.0	45.7	2.5	147.1	
44.2	1120.4		Min	I	-1713.0	-46.7	-2.7	-169.0	
-49.7	-2221.9			J	-1713.0	-46.7	-2.7	-169.0	
-47.0	-2219.4								
		C3-C4;~2	Max	I	264.1	37.8	2.4	145.5	
44.5	1786.8			J	264.1	37.8	2.4	145.5	
42.1	1782.8		Min	I	-1717.0	-42.6	-2.5	-139.3	
-47.3	-1516.6			J	-1717.0	-42.6	-2.5	-139.3	
-44.7	-1510.0								
		SLVx (RS)		I	762.7	-2361.0	-492.7	-7462.9	-
8626.2	-42458.2			J	762.7	-2361.0	-492.7	-7462.9	-
8141.3	-40133.1								
		SLVy (RS)		I	185.8	-826.1	2837.6	10740.0	5
1121.3	-14961.5			J	185.8	-826.1	2837.6	10740.0	4
8317.0	-14160.0								
		SLDx (RS)		I	568.4	-1650.0	-332.9	-5227.3	-
5772.6	-29580.6			J	568.4	-1650.0	-332.9	-5227.3	-
5446.8	-27958.0								
		SLDy (RS)		I	137.2	-585.2	1642.0	6313.4	2
9315.2	-10576.8			J	137.2	-585.2	1642.0	6313.4	2
7705.0	-10010.5								

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-97.1	-1061.2	SLVz (RS)	I	758.0	-126.5	53.1	-105.6	
			J	758.0	-126.5	53.1	-105.6	
-115.7	-969.7							
		G1	I	-8502.8	-10.5	-0.9	16.9	
-16.0	-516.7		J	-8321.5	-10.5	-0.9	16.9	
-15.1	-506.1							
		G2	I	-1829.2	-3.8	-0.3	6.5	
-5.9	-188.9		J	-1829.2	-3.8	-0.3	6.5	
-5.6	-185.1							
		G1- Imp~1	I	-0.5	2.9	0.0	7.7	
0.5	61.6		J	-0.5	2.9	0.0	7.7	
0.5	58.7							
		G2- Imp~1	I	-0.2	1.1	-0.0	2.9	
-0.0	22.8		J	-0.2	1.1	-0.0	2.9	
-0.0	21.8							
		q3	I	17.7	-8.9	691.4	1160.7	1
2825.3	-143.0		J	17.7	-8.9	691.4	1160.7	1
2133.9	-134.2							
		q4-1	I	-0.8	-40.9	-69.6	-210.1	-
1290.4	-876.2		J	-0.8	-40.9	-69.6	-210.1	-
1220.8	-835.3							
		q4-2	I	0.8	-48.5	-98.3	-189.0	-
1822.7	-991.9		J	0.8	-48.5	-98.3	-189.0	-
1724.5	-943.4							
		q4-3	I	-0.9	31.2	-58.1	115.5	-
1077.4	697.2		J	-0.9	31.2	-58.1	115.5	-
1019.3	666.0							
		q4-4	I	-4.4	148.0	4.2	38.0	
77.0	3189.1		J	-4.4	148.0	4.2	38.0	
72.8	3041.2							
		q4-5	I	1.3	8.5	61.8	-23.6	
1145.9	215.1		J	1.3	8.5	61.8	-23.6	
1084.1	206.5							
		q4-6	I	6.4	-39.1	95.5	166.4	
1772.1	-814.3		J	6.4	-39.1	95.5	166.4	
1676.6	-775.2							
		q4-7	I	2.9	-30.6	84.5	147.9	
1567.7	-647.7		J	2.9	-30.6	84.5	147.9	
1483.2	-617.1							
		q5 - p~1	I	-68.7	1622.1	27.4	1051.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
507.9	34541.1		J	-68.7	1622.1	27.4	1051.0	
480.5	32919.0							
3818.6	3723.8	q5 - p~2	I	33.1	183.5	2362.2	3071.2	4
1456.4	3540.3		J	33.1	183.5	2362.2	3071.2	4
468.4	32500.8	q5 - p~3	I	-61.3	1537.0	25.2	988.9	
443.1	30963.8		J	-61.3	1537.0	25.2	988.9	
1510.0	3516.5	q5 - p~4	I	34.8	174.6	2237.7	2917.4	4
9272.2	3341.8		J	34.8	174.6	2237.7	2917.4	3
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
6872.3	957.4	q7	I	8.7	43.6	370.5	994.5	
6501.8	913.7		J	8.7	43.6	370.5	994.5	
0.8	-24.0	T	I	0.3	-0.4	0.0	2.8	
0.8	-23.7		J	0.3	-0.4	0.0	2.8	
8905.9	-823.6	M. tor~1	I	10.3	-58.7	480.1	1602.7	
8425.8	-764.9		J	10.3	-58.7	480.1	1602.7	
5265.3	-486.9	M. tor~2	I	6.1	-34.7	283.8	947.6	
4981.4	-452.2		J	6.1	-34.7	283.8	947.6	
2299.7	50342.0	INVSLU Max	I	-13170.7	2353.4	3358.5	4622.4	6
8941.2	48044.9		J	-12925.9	2353.4	3358.5	4622.4	5
2361.5	-52606.7	Min	I	-18625.4	-2382.9	-3361.8	-4560.4	-6
8999.7	-50283.4		J	-18380.7	-2382.9	-3361.8	-4560.4	-5
3716.9	46643.8	INVSLV Max	I	-9286.9	2636.4	3000.2	13044.4	5
0773.9	44061.2		J	-9105.6	2636.4	3000.2	13044.4	5
3759.7	-47886.2	Min	I	-11378.5	-2657.3	-3002.5	-12976.6	-5
0814.4	-45282.7		J	-11197.2	-2657.3	-3002.5	-12976.6	-5

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1535.7	33680.8		INVSLE Max	I	-9760.6	1572.5	2239.1	3186.1	4
				J	-9579.3	1572.5	2239.1	3186.1	3
9296.6	32150.0		Min	I	-13792.0	-1594.3	-2241.6	-3054.1	-4
1581.6	-35358.3			J	-13610.7	-1594.3	-2241.6	-3054.1	-3
9340.0	-33808.1								
674	4	41	C1-C2;~1 Max	I	473.6	183.9	60.9	146.3	
1127.5	4095.7			J	473.6	183.9	60.9	146.3	
1066.5	3946.5		Min	I	-3384.9	-192.1	-58.3	-140.0	-
1079.0	-5800.3			J	-3384.9	-192.1	-58.3	-140.0	-
1020.7	-5684.3								
			C3-C4;~1 Max	I	484.3	177.5	61.1	146.7	
1130.5	5223.5			J	484.3	177.5	61.1	146.7	
1069.4	5098.1		Min	I	-3393.3	-192.6	-56.3	-135.1	-
1041.6	-4755.0			J	-3393.3	-192.6	-56.3	-135.1	
-985.3	-4616.4								
			C1-C2;~2 Max	I	239.7	98.1	31.8	76.2	
587.5	2042.0			J	239.7	98.1	31.8	76.2	
555.7	1959.6		Min	I	-1703.2	-100.1	-31.1	-74.7	
-575.5	-2909.3			J	-1703.2	-100.1	-31.1	-74.7	
-544.4	-2852.4								
			C3-C4;~2 Max	I	246.0	95.1	31.9	76.5	
589.6	2623.8			J	246.0	95.1	31.9	76.5	
557.7	2551.4		Min	I	-1707.2	-100.5	-30.2	-72.4	
-557.9	-2373.5			J	-1707.2	-100.5	-30.2	-72.4	
-527.7	-2301.4								
			SLVx (RS)	I	-581.5	-2592.1	1057.0	1806.1	1
7749.5	-52389.3			J	-581.5	-2592.1	1057.0	1806.1	1
6708.1	-49811.4								
			SLVy (RS)	I	-306.0	1084.3	915.1	-633.9	1
2213.6	20054.8			J	-306.0	1084.3	915.1	-633.9	1
1321.1	18994.4								
			SLDx (RS)	I	-434.2	-1863.3	768.3	1292.6	1
2864.5	-37521.0			J	-434.2	-1863.3	768.3	1292.6	1
2107.2	-35668.1								
			SLDy (RS)	I	-216.4	779.2	678.9	-447.1	
9037.9	14309.2			J	-216.4	779.2	678.9	-447.1	
8374.7	13546.9								


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2286.2	3919.6	SLVz (RS)	I	772.8	243.0	-194.5	-137.9	-
			J	772.8	243.0	-194.5	-137.9	-
2118.6	3692.7							
		G1	I	-8525.8	-35.8	11.4	27.3	
210.3	-941.6		J	-8344.5	-35.8	11.4	27.3	
198.9	-905.7							
		G2	I	-1845.8	-13.1	4.2	10.0	
76.9	-344.8		J	-1845.8	-13.1	4.2	10.0	
72.8	-331.7							
		G1- Imp~1	I	0.5	7.7	-2.4	-5.8	
-45.1	159.8		J	0.5	7.7	-2.4	-5.8	
-42.6	152.1							
		G2- Imp~1	I	0.2	2.4	-0.8	-1.8	
-14.1	50.1		J	0.2	2.4	-0.8	-1.8	
-13.4	47.7							
		q3	I	-27.1	-136.1	43.2	103.6	
798.5	-2827.4		J	-27.1	-136.1	43.2	103.6	
755.4	-2691.3							
		q4-1	I	2.8	1.2	-0.4	-0.9	
-7.2	11.3		J	2.8	1.2	-0.4	-0.9	
-6.8	10.1							
		q4-2	I	4.1	-5.9	1.9	4.5	
34.6	-137.2		J	4.1	-5.9	1.9	4.5	
32.7	-131.3							
		q4-3	I	3.8	-9.9	3.1	7.5	
57.9	-192.4		J	3.8	-9.9	3.1	7.5	
54.7	-182.6							
		q4-4	I	1.6	38.0	-12.1	-28.9	
-223.0	836.5		J	1.6	38.0	-12.1	-28.9	
-210.9	798.5							
		q4-5	I	-8.6	129.8	-41.2	-98.8	
-761.9	2860.2		J	-8.6	129.8	-41.2	-98.8	
-720.7	2730.4							
		q4-6	I	-7.7	-50.9	16.1	38.7	
298.6	-1058.2		J	-7.7	-50.9	16.1	38.7	
282.5	-1007.3							
		q4-7	I	2.8	-73.9	23.4	56.2	
433.4	-1543.2		J	2.8	-73.9	23.4	56.2	
410.0	-1469.3							
		q5 - p~1	I	-17.1	1274.3	-404.2	-970.2	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
7478.3	27241.7		J	-17.1	1274.3	-404.2	-970.2	-
7074.0	25967.4							
		q5 - p~2	I	-121.6	-47.7	15.1	36.3	
280.1	-779.5		J	-121.6	-47.7	15.1	36.3	
265.0	-731.8							
		q5 - p~3	I	-13.1	1207.3	-383.0	-919.2	-
7085.2	25624.1		J	-13.1	1207.3	-383.0	-919.2	-
6702.2	24416.7							
		q5 - p~4	I	-115.3	-44.7	14.2	34.0	
262.2	-831.8		J	-115.3	-44.7	14.2	34.0	
248.0	-787.2							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-9.9	-239.5	76.0	182.3	
1405.5	-4833.4		J	-9.9	-239.5	76.0	182.3	
1329.5	-4594.0							
		T	I	-0.5	3.4	-1.1	-2.6	
-20.1	70.1		J	-0.5	3.4	-1.1	-2.6	
-19.0	66.7							
		M. tor~1	I	-38.3	-31.0	9.8	23.6	
181.8	-226.5		J	-38.3	-31.0	9.8	23.6	
171.9	-195.6							
		M. tor~2	I	-22.7	-18.3	5.8	13.9	
107.5	-133.9		J	-22.7	-18.3	5.8	13.9	
101.6	-115.6							
		INVSLU Max	I	-13237.1	1893.4	634.9	1523.8	1
1746.0	40575.4		J	-12992.3	1893.4	634.9	1523.8	1
1111.1	38716.7							
		Min	I	-18691.7	-2001.5	-600.6	-1441.5	-1
1111.4	-43867.4		J	-18446.9	-2001.5	-600.6	-1441.5	-1
0510.8	-41924.7							
		INVSLV Max	I	-9331.9	2951.4	1402.2	2067.2	2
2327.5	58505.2		J	-9150.6	2951.4	1402.2	2067.2	2
0955.7	55579.9							
		Min	I	-11410.0	-3029.1	-1377.6	-2008.0	-2
1871.5	-60658.1		J	-11228.7	-3029.1	-1377.6	-2008.0	-2
0524.4	-57655.2							

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

7914.9	27213.4	INVSLE Max	I	-9813.3	1268.6	427.8	1026.8	
			J	-9632.0	1268.6	427.8	1026.8	
7487.0	25970.5	Min	I	-13837.6	-1348.7	-402.4	-965.8	-
7444.8	-29651.9		J	-13656.3	-1348.7	-402.4	-965.8	-
7042.3	-28346.8							
689	4	42 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1221.0	917.5		J	286.3	28.1	20.0	25.4	
1217.9	912.1	Min	I	-1786.5	-48.4	-34.4	-43.9	
-350.3	-3221.0		J	-1786.5	-48.4	-34.4	-43.9	
-327.2	-3194.2							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1124.0	1879.8		J	294.7	32.0	22.8	29.0	
1123.6	1883.2	Min	I	-1785.9	-50.2	-35.7	-45.5	
-306.8	-2270.5		J	-1785.9	-50.2	-35.7	-45.5	
-283.4	-2243.3							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
762.8	442.6		J	155.5	14.7	10.5	13.4	
761.7	441.9	Min	I	-1063.6	-26.2	-18.7	-23.8	
-197.1	-1776.9		J	-1063.6	-26.2	-18.7	-23.8	
-184.2	-1763.4							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
692.4	1009.8		J	160.6	17.1	12.2	15.5	
693.6	1012.7	Min	I	-1063.0	-27.2	-19.3	-24.6	
-170.3	-1208.0		J	-1063.0	-27.2	-19.3	-24.6	
-157.0	-1194.4							
		SLVx (RS)	I	-330.5	1537.4	-1125.5	698.1	-2
1205.4	33473.3		J	-330.5	1537.4	-1125.5	698.1	-2
0284.3	31969.5							
		SLVy (RS)	I	-146.1	-1326.9	457.6	-680.2	-
9718.1	-27286.5		J	-146.1	-1326.9	457.6	-680.2	-
9282.2	-26130.7							
		SLDx (RS)	I	-243.2	1076.5	-803.1	490.4	-1
4724.2	23315.1		J	-243.2	1076.5	-803.1	490.4	-1
4082.0	22265.4							
		SLDy (RS)	I	-106.0	-942.6	326.7	-484.4	-
6836.4	-19066.4		J	-106.0	-942.6	326.7	-484.4	-
6528.5	-18258.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-728.7	-593.7	SLVz (RS)	I	626.5	118.0	-404.0	110.6	
388.8	-646.0		J	626.5	118.0	-404.0	110.6	
658.1	-975.1	G1	I	-7104.9	-27.8	-19.8	-25.2	
677.8	-947.3		J	-6917.6	-27.8	-19.8	-25.2	
240.3	-356.4	G2	I	-558.0	-10.1	-7.2	-9.2	
247.6	-346.2		J	-558.0	-10.1	-7.2	-9.2	
1012.2	243.8	G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1018.1	235.5		J	-1476.1	8.3	5.9	7.5	-
-370.3	89.2	G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-372.5	86.1		J	-540.0	3.0	2.2	2.8	
217.4	367.2	q3	I	7.4	11.0	7.8	10.0	
209.6	356.2		J	7.4	11.0	7.8	10.0	
2874.1	4528.3	q4-1	I	7.2	141.8	100.9	128.6	
2773.3	4386.5		J	7.2	141.8	100.9	128.6	
887.0	1393.2	q4-2	I	5.0	43.9	31.2	39.8	
855.8	1349.3		J	5.0	43.9	31.2	39.8	
-53.3	-59.0	q4-3	I	0.4	-2.6	-1.9	-2.4	
-51.4	-56.4		J	0.4	-2.6	-1.9	-2.4	
-46.3	-70.5	q4-4	I	-0.2	-2.3	-1.6	-2.1	
-44.6	-68.2		J	-0.2	-2.3	-1.6	-2.1	
6.4	8.8	q4-5	I	0.2	0.3	0.2	0.3	
6.2	8.5		J	0.2	0.3	0.2	0.3	
9.4	14.2	q4-6	I	0.3	0.5	0.3	0.4	
9.1	13.7		J	0.3	0.5	0.3	0.4	
7.4	11.1	q4-7	I	0.3	0.4	0.3	0.3	
7.1	10.7		J	0.3	0.4	0.3	0.3	
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1862.2	3191.1		J	39.5	93.3	66.3	84.6	
1795.8	3097.8							
7311.0	-11464.1	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
7054.1	-11102.8		J	-30.5	-361.3	-256.9	-327.6	-
1769.4	3012.7	q5 - p~3	I	31.7	88.4	62.9	80.2	
1706.5	2924.3		J	31.7	88.4	62.9	80.2	
6920.3	-10754.6	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
6677.1	-10412.7		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
252.4	450.4	q7	I	4.4	12.6	9.0	11.4	
243.4	437.8		J	4.4	12.6	9.0	11.4	
17.3	29.1	T	I	-0.1	0.8	0.6	0.8	
16.7	28.2		J	-0.1	0.8	0.6	0.8	
3466.3	4807.7	M. tor~1	I	15.9	171.3	121.9	155.4	
3344.4	4636.3		J	15.9	171.3	121.9	155.4	
2049.3	2842.4	M. tor~2	I	9.4	101.3	72.0	91.9	
1977.3	2741.1		J	9.4	101.3	72.0	91.9	
0848.8	16467.0	INVSLU Max	I	-12633.2	504.4	358.7	457.4	1
0505.0	15989.7		J	-12380.3	504.4	358.7	457.4	1
1312.3	-19899.7	Min	I	-15514.1	-586.0	-416.8	-531.5	-1
0904.2	-19332.0		J	-15261.2	-586.0	-416.8	-531.5	-1
3855.4	40838.8	INVSLV Max	I	-8909.6	1944.3	1365.0	911.2	2
2720.5	39030.6		J	-8722.3	1944.3	1365.0	911.2	2
4823.5	-42835.9	Min	I	-10448.5	-1997.5	-1402.9	-959.5	-2
3650.8	-40974.5		J	-10261.2	-1997.5	-1402.9	-959.5	-2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

7549.9	11435.4	INVSLE	Max	I	-9360.5	349.6	248.6	317.0	
				J	-9173.2	349.6	248.6	317.0	
7312.3	11105.9		Min	I	-11489.3	-396.2	-281.8	-359.3	-
7611.8	-13547.5			J	-11302.0	-396.2	-281.8	-359.3	-
7336.4	-13164.9								
690	4	42 C1-C2;~1	Max	I	286.3	28.1	20.0	25.4	
1217.9	912.1			J	286.3	28.1	20.0	25.4	
1215.1	907.3		Min	I	-1786.5	-48.4	-34.4	-43.9	
-327.2	-3194.2			J	-1786.5	-48.4	-34.4	-43.9	
-304.9	-3167.8								
		C3-C4;~1	Max	I	294.7	32.0	22.8	29.0	
1123.6	1883.2			J	294.7	32.0	22.8	29.0	
1123.6	1886.7		Min	I	-1785.9	-50.2	-35.7	-45.5	
-283.4	-2243.3			J	-1785.9	-50.2	-35.7	-45.5	
-260.6	-2216.6								
		C1-C2;~2	Max	I	155.5	14.7	10.5	13.4	
761.7	441.9			J	155.5	14.7	10.5	13.4	
760.8	441.4		Min	I	-1063.6	-26.2	-18.7	-23.8	
-184.2	-1763.4			J	-1063.6	-26.2	-18.7	-23.8	
-171.7	-1750.0								
		C3-C4;~2	Max	I	160.6	17.1	12.2	15.5	
693.6	1012.7			J	160.6	17.1	12.2	15.5	
694.9	1015.7		Min	I	-1063.0	-27.2	-19.3	-24.6	
-157.0	-1194.4			J	-1063.0	-27.2	-19.3	-24.6	
-144.2	-1181.1								
		SLVx (RS)		I	-330.5	1530.7	-1103.5	698.1	-2
0284.3	31969.5			J	-330.5	1530.7	-1103.5	698.1	-1
9385.8	30473.8								
		SLVy (RS)		I	-146.1	-1308.1	453.5	-680.2	-
9282.2	-26130.7			J	-146.1	-1308.1	453.5	-680.2	-
8850.2	-24993.3								
		SLDx (RS)		I	-243.2	1071.6	-786.1	490.4	-1
4082.0	22265.4			J	-243.2	1071.6	-786.1	490.4	-1
3457.6	21221.7								
		SLDy (RS)		I	-106.0	-928.1	323.5	-484.4	-
6528.5	-18258.6			J	-106.0	-928.1	323.5	-484.4	-
6223.6	-17465.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
388.8	-646.0	SLVz (RS)	I	626.5	-98.2	-386.2	110.6	
287.5	-687.6		J	626.5	-98.2	-386.2	110.6	
677.8	-947.3	G1	I	-6917.6	-27.8	-19.8	-25.2	
697.6	-919.5		J	-6730.3	-27.8	-19.8	-25.2	
247.6	-346.2	G2	I	-558.0	-10.1	-7.2	-9.2	
254.8	-336.1		J	-558.0	-10.1	-7.2	-9.2	
1018.1	235.5	G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1024.0	227.2		J	-1476.1	8.3	5.9	7.5	-
-372.5	86.1	G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-374.6	83.1		J	-540.0	3.0	2.2	2.8	
209.6	356.2	q3	I	7.4	11.0	7.8	10.0	
201.8	345.2		J	7.4	11.0	7.8	10.0	
2773.3	4386.5	q4-1	I	7.2	141.8	100.9	128.6	
2672.4	4244.6		J	7.2	141.8	100.9	128.6	
855.8	1349.3	q4-2	I	5.0	43.9	31.2	39.8	
824.6	1305.4		J	5.0	43.9	31.2	39.8	
-51.4	-56.4	q4-3	I	0.4	-2.6	-1.9	-2.4	
-49.6	-53.8		J	0.4	-2.6	-1.9	-2.4	
-44.6	-68.2	q4-4	I	-0.2	-2.3	-1.6	-2.1	
-43.0	-65.9		J	-0.2	-2.3	-1.6	-2.1	
6.2	8.5	q4-5	I	0.2	0.3	0.2	0.3	
5.9	8.2		J	0.2	0.3	0.2	0.3	
9.1	13.7	q4-6	I	0.3	0.5	0.3	0.4	
8.7	13.2		J	0.3	0.5	0.3	0.4	
7.1	10.7	q4-7	I	0.3	0.4	0.3	0.3	
6.8	10.4		J	0.3	0.4	0.3	0.3	
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1795.8	3097.8		J	39.5	93.3	66.3	84.6	
1729.5	3004.6							
7054.1	-11102.8	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
6797.1	-10741.6		J	-30.5	-361.3	-256.9	-327.6	-
1706.5	2924.3	q5 - p~3	I	31.7	88.4	62.9	80.2	
1643.6	2836.0		J	31.7	88.4	62.9	80.2	
6677.1	-10412.7	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
6434.0	-10070.8		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
243.4	437.8	q7	I	4.4	12.6	9.0	11.4	
234.4	425.2		J	4.4	12.6	9.0	11.4	
16.7	28.2	T	I	-0.1	0.8	0.6	0.8	
16.1	27.4		J	-0.1	0.8	0.6	0.8	
3344.4	4636.3	M. tor~1	I	15.9	171.3	121.9	155.4	
3222.5	4465.0		J	15.9	171.3	121.9	155.4	
1977.3	2741.1	M. tor~2	I	9.4	101.3	72.0	91.9	
1905.2	2639.8		J	9.4	101.3	72.0	91.9	
0505.0	15989.7	INVSLU Max	I	-12380.3	504.4	358.7	457.4	1
0161.5	15512.4		J	-12127.5	504.4	358.7	457.4	1
0904.2	-19332.0	Min	I	-15261.2	-586.0	-416.8	-531.5	-1
0496.6	-18764.6		J	-15008.4	-586.0	-416.8	-531.5	-1
2720.5	39030.6	INVSLV Max	I	-8722.3	1926.0	1336.5	911.2	2
1681.0	37232.7		J	-8535.0	1926.0	1336.5	911.2	2
3650.8	-40974.5	Min	I	-10261.2	-1979.2	-1374.3	-959.5	-2
2573.4	-39123.4		J	-10073.9	-1979.2	-1374.3	-959.5	-2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

7312.3	11105.9	INVSLE	Max	I	-9173.2	349.6	248.6	317.0	
				J	-8985.9	349.6	248.6	317.0	
7075.0	10776.4		Min	I	-11302.0	-396.2	-281.8	-359.3	-
7336.4	-13164.9			J	-11114.7	-396.2	-281.8	-359.3	-
7061.5	-12782.6								
691	4	42	C1-C2;~1	Max	I	286.3	28.1	20.0	25.4
1215.1	907.3			J	286.3	28.1	20.0	25.4	
1212.7	903.0		Min	I	-1786.5	-48.4	-34.4	-43.9	
-304.9	-3167.8			J	-1786.5	-48.4	-34.4	-43.9	
-283.2	-3142.0								
			C3-C4;~1	Max	I	294.7	32.0	22.8	29.0
1123.6	1886.7			J	294.7	32.0	22.8	29.0	
1124.1	1890.3		Min	I	-1785.9	-50.2	-35.7	-45.5	
-260.6	-2216.6			J	-1785.9	-50.2	-35.7	-45.5	
-238.5	-2190.7								
			C1-C2;~2	Max	I	155.5	14.7	10.5	13.4
760.8	441.4			J	155.5	14.7	10.5	13.4	
760.1	441.2		Min	I	-1063.6	-26.2	-18.7	-23.8	
-171.7	-1750.0			J	-1063.6	-26.2	-18.7	-23.8	
-159.4	-1736.9								
			C3-C4;~2	Max	I	160.6	17.1	12.2	15.5
694.9	1015.7			J	160.6	17.1	12.2	15.5	
696.3	1018.8		Min	I	-1063.0	-27.2	-19.3	-24.6	
-144.2	-1181.1			J	-1063.0	-27.2	-19.3	-24.6	
-131.7	-1168.2								
			SLVx (RS)	I	-330.5	1523.0	-1079.9	698.1	-1
9385.8	30473.8			J	-330.5	1523.0	-1079.9	698.1	-1
8509.9	28987.2								
			SLVy (RS)	I	-146.1	-1288.0	449.0	-680.2	-
8850.2	-24993.3			J	-146.1	-1288.0	449.0	-680.2	-
8422.4	-23874.4								
			SLDx (RS)	I	-243.2	1065.8	-768.0	490.4	-1
3457.6	21221.7			J	-243.2	1065.8	-768.0	490.4	-1
2850.9	20184.8								
			SLDy (RS)	I	-106.0	-912.6	319.9	-484.4	-
6223.6	-17465.1			J	-106.0	-912.6	319.9	-484.4	-
5921.9	-16685.9								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
287.5	-687.6	SLVz (RS)	I	626.5	-82.3	-366.4	110.6	
532.5	-712.0		J	626.5	-82.3	-366.4	110.6	
697.6	-919.5	G1	I	-6730.3	-27.8	-19.8	-25.2	
717.4	-891.7		J	-6543.0	-27.8	-19.8	-25.2	
254.8	-336.1	G2	I	-558.0	-10.1	-7.2	-9.2	
262.0	-325.9		J	-558.0	-10.1	-7.2	-9.2	
1024.0	227.2	G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1029.9	218.9		J	-1476.1	8.3	5.9	7.5	-
-374.6	83.1	G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-376.8	80.1		J	-540.0	3.0	2.2	2.8	
201.8	345.2	q3	I	7.4	11.0	7.8	10.0	
194.0	334.2		J	7.4	11.0	7.8	10.0	
2672.4	4244.6	q4-1	I	7.2	141.8	100.9	128.6	
2571.5	4102.8		J	7.2	141.8	100.9	128.6	
824.6	1305.4	q4-2	I	5.0	43.9	31.2	39.8	
793.4	1261.5		J	5.0	43.9	31.2	39.8	
-49.6	-53.8	q4-3	I	0.4	-2.6	-1.9	-2.4	
-47.7	-51.2		J	0.4	-2.6	-1.9	-2.4	
-43.0	-65.9	q4-4	I	-0.2	-2.3	-1.6	-2.1	
-41.4	-63.6		J	-0.2	-2.3	-1.6	-2.1	
5.9	8.2	q4-5	I	0.2	0.3	0.2	0.3	
5.7	7.9		J	0.2	0.3	0.2	0.3	
8.7	13.2	q4-6	I	0.3	0.5	0.3	0.4	
8.4	12.8		J	0.3	0.5	0.3	0.4	
6.8	10.4	q4-7	I	0.3	0.4	0.3	0.3	
6.6	10.0		J	0.3	0.4	0.3	0.3	
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1729.5	3004.6		J	39.5	93.3	66.3	84.6	
1663.2	2911.3							
6797.1	-10741.6	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
6540.2	-10380.3		J	-30.5	-361.3	-256.9	-327.6	-
1643.6	2836.0	q5 - p~3	I	31.7	88.4	62.9	80.2	
1580.8	2747.6		J	31.7	88.4	62.9	80.2	
6434.0	-10070.8	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
6190.8	-9728.9		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
234.4	425.2	q7	I	4.4	12.6	9.0	11.4	
225.5	412.6		J	4.4	12.6	9.0	11.4	
16.1	27.4	T	I	-0.1	0.8	0.6	0.8	
15.5	26.6		J	-0.1	0.8	0.6	0.8	
3222.5	4465.0	M. tor~1	I	15.9	171.3	121.9	155.4	
3100.7	4293.6		J	15.9	171.3	121.9	155.4	
1905.2	2639.8	M. tor~2	I	9.4	101.3	72.0	91.9	
1833.2	2538.5		J	9.4	101.3	72.0	91.9	
0161.5	15512.4	INVSLU Max	I	-12127.5	504.4	358.7	457.4	1
9818.2	15035.3		J	-11874.6	504.4	358.7	457.4	
0496.6	-18764.6	Min	I	-15008.4	-586.0	-416.8	-531.5	-1
0089.4	-18197.5		J	-14755.5	-586.0	-416.8	-531.5	-1
1681.0	37232.7	INVSLV Max	I	-8535.0	1907.5	1305.6	911.2	2
0769.1	35444.4		J	-8347.7	1907.5	1305.6	911.2	2
2573.4	-39123.4	Min	I	-10073.9	-1960.7	-1343.5	-959.5	-2
1623.7	-37281.8		J	-9886.6	-1960.7	-1343.5	-959.5	-2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

7075.0	10776.4	INVSLE	Max	I	-8985.9	349.6	248.6	317.0	
				J	-8798.6	349.6	248.6	317.0	
6837.7	10447.0		Min	I	-11114.7	-396.2	-281.8	-359.3	-
7061.5	-12782.6			J	-10927.4	-396.2	-281.8	-359.3	-
6786.8	-12400.4								
692	4	42	C1-C2;~1	Max	I	286.3	28.1	20.0	25.4
1212.7	903.0			J	286.3	28.1	20.0	25.4	
1210.8	899.4			Min	I	-1786.5	-48.4	-34.4	-43.9
-283.2	-3142.0			J	-1786.5	-48.4	-34.4	-43.9	
-262.2	-3116.7								
			C3-C4;~1	Max	I	294.7	32.0	22.8	29.0
1124.1	1890.3			J	294.7	32.0	22.8	29.0	
1124.9	1895.3			Min	I	-1785.9	-50.2	-35.7	-45.5
-238.5	-2190.7			J	-1785.9	-50.2	-35.7	-45.5	
-217.2	-2165.5								
			C1-C2;~2	Max	I	155.5	14.7	10.5	13.4
760.1	441.2			J	155.5	14.7	10.5	13.4	
759.5	441.2			Min	I	-1063.6	-26.2	-18.7	-23.8
-159.4	-1736.9			J	-1063.6	-26.2	-18.7	-23.8	
-147.6	-1724.0								
			C3-C4;~2	Max	I	160.6	17.1	12.2	15.5
696.3	1018.8			J	160.6	17.1	12.2	15.5	
697.9	1022.8			Min	I	-1063.0	-27.2	-19.3	-24.6
-131.7	-1168.2			J	-1063.0	-27.2	-19.3	-24.6	
-119.6	-1155.8								
			SLVx (RS)	I	-330.5	1514.0	-1055.2	698.1	-1
8509.9	28987.2			J	-330.5	1514.0	-1055.2	698.1	-1
7656.1	27510.9								
			SLVy (RS)	I	-146.1	-1266.9	444.1	-680.2	-
8422.4	-23874.4			J	-146.1	-1266.9	444.1	-680.2	-
7999.0	-22773.7								
			SLDx (RS)	I	-243.2	1059.3	-749.0	490.4	-1
2850.9	20184.8			J	-243.2	1059.3	-749.0	490.4	-1
2261.6	19155.4								
			SLDy (RS)	I	-106.0	-896.4	316.1	-484.4	-
5921.9	-16685.9			J	-106.0	-896.4	316.1	-484.4	-
5623.7	-15920.8								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
532.5	-712.0	SLVz (RS)	I	626.5	-73.9	-344.3	110.6	
841.2	-716.4		J	626.5	-73.9	-344.3	110.6	
717.4	-891.7	G1	I	-6543.0	-27.8	-19.8	-25.2	
737.2	-863.9		J	-6355.7	-27.8	-19.8	-25.2	
262.0	-325.9	G2	I	-558.0	-10.1	-7.2	-9.2	
269.2	-315.8		J	-558.0	-10.1	-7.2	-9.2	
1029.9	218.9	G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1035.8	210.6		J	-1476.1	8.3	5.9	7.5	-
-376.8	80.1	G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-378.9	77.0		J	-540.0	3.0	2.2	2.8	
194.0	334.2	q3	I	7.4	11.0	7.8	10.0	
186.1	323.2		J	7.4	11.0	7.8	10.0	
2571.5	4102.8	q4-1	I	7.2	141.8	100.9	128.6	
2470.7	3961.0		J	7.2	141.8	100.9	128.6	
793.4	1261.5	q4-2	I	5.0	43.9	31.2	39.8	
762.1	1217.6		J	5.0	43.9	31.2	39.8	
-47.7	-51.2	q4-3	I	0.4	-2.6	-1.9	-2.4	
-45.8	-48.5		J	0.4	-2.6	-1.9	-2.4	
-41.4	-63.6	q4-4	I	-0.2	-2.3	-1.6	-2.1	
-39.8	-61.3		J	-0.2	-2.3	-1.6	-2.1	
5.7	7.9	q4-5	I	0.2	0.3	0.2	0.3	
5.5	7.5		J	0.2	0.3	0.2	0.3	
8.4	12.8	q4-6	I	0.3	0.5	0.3	0.4	
8.0	12.3		J	0.3	0.5	0.3	0.4	
6.6	10.0	q4-7	I	0.3	0.4	0.3	0.3	
6.3	9.6		J	0.3	0.4	0.3	0.3	
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1663.2	2911.3		J	39.5	93.3	66.3	84.6	
1596.8	2818.0							
6540.2	-10380.3	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
6283.3	-10019.0		J	-30.5	-361.3	-256.9	-327.6	-
1580.8	2747.6	q5 - p~3	I	31.7	88.4	62.9	80.2	
1517.9	2659.2		J	31.7	88.4	62.9	80.2	
6190.8	-9728.9	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
5947.7	-9387.0		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
225.5	412.6	q7	I	4.4	12.6	9.0	11.4	
216.5	400.0		J	4.4	12.6	9.0	11.4	
15.5	26.6	T	I	-0.1	0.8	0.6	0.8	
14.9	25.7		J	-0.1	0.8	0.6	0.8	
3100.7	4293.6	M. tor~1	I	15.9	171.3	121.9	155.4	
2978.8	4122.3		J	15.9	171.3	121.9	155.4	
1833.2	2538.5	M. tor~2	I	9.4	101.3	72.0	91.9	
1761.1	2437.2		J	9.4	101.3	72.0	91.9	
9818.2	15035.3	INVSLU Max	I	-11874.6	504.4	358.7	457.4	
9475.1	14559.4		J	-11621.8	504.4	358.7	457.4	
0089.4	-18197.5	Min	I	-14755.5	-586.0	-416.8	-531.5	-1
9682.8	-17630.7		J	-14502.6	-586.0	-416.8	-531.5	-
0769.1	35444.4	INVSLV Max	I	-8347.7	1889.6	1272.8	911.2	2
9899.9	33665.8		J	-8160.4	1889.6	1272.8	911.2	1
1623.7	-37281.8	Min	I	-9886.6	-1942.9	-1310.7	-959.5	-2
0716.5	-35450.0		J	-9699.3	-1942.9	-1310.7	-959.5	-2

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

6837.7	10447.0	INVSLE Max	I	-8798.6	349.6	248.6	317.0	
			J	-8611.3	349.6	248.6	317.0	
6600.7	10118.5	Min	I	-10927.4	-396.2	-281.8	-359.3	-
6786.8	-12400.4		J	-10740.1	-396.2	-281.8	-359.3	-
6512.6	-12018.5							
693	4	42 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
2083.9	2057.6		J	356.8	95.8	73.1	175.5	
2010.8	2009.2	Min	I	-3244.7	-66.0	-50.4	-120.9	-
1436.0	-4171.0		J	-3244.7	-66.0	-50.4	-120.9	-
1385.6	-4162.9							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
2105.6	3087.7		J	366.2	96.8	73.9	177.3	
2031.7	3062.5	Min	I	-3253.0	-72.9	-55.6	-133.4	-
1584.1	-2984.5		J	-3253.0	-72.9	-55.6	-133.4	-
1528.5	-2977.0							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
1119.1	941.7		J	194.0	51.5	39.3	94.2	
1079.8	919.3	Min	I	-1647.1	-34.6	-26.4	-63.4	
-752.6	-2090.2		J	-1647.1	-34.6	-26.4	-63.4	
-726.2	-2082.9							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
1114.8	1505.2		J	199.7	51.3	39.1	93.9	
1075.6	1495.6	Min	I	-1651.3	-38.5	-29.4	-70.6	
-837.9	-1463.6		J	-1651.3	-38.5	-29.4	-70.6	
-808.5	-1456.6							
		SLVx (RS)	I	-441.2	1033.0	-883.4	-973.4	-1
4492.8	19401.0		J	-441.2	1033.0	-883.4	-973.4	-1
3797.8	18437.8							
		SLVy (RS)	I	-182.1	-1232.3	846.6	-941.2	1
3981.3	-24049.5		J	-182.1	-1232.3	846.6	-941.2	1
3207.9	-22929.0							
		SLDx (RS)	I	-326.0	732.8	-633.3	-695.8	-1
0032.1	13535.8		J	-326.0	732.8	-633.3	-695.8	-
9544.1	12855.9							
		SLDy (RS)	I	-134.2	-872.1	603.7	-672.3	
9847.7	-16804.1		J	-134.2	-872.1	603.7	-672.3	
9302.1	-16019.2							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-176.5	-619.3	SLVz (RS)	I	1081.2	-106.5	-41.6	-115.0
			J	1081.2	-106.5	-41.6	-115.0
-164.2	-554.8						
		G1	I	-10311.8	44.9	34.2	82.1
975.4	-664.4		J	-10124.5	44.9	34.2	82.1
941.2	-709.2						
		G2	I	-1827.0	16.4	12.5	30.0
356.3	-243.0		J	-1827.0	16.4	12.5	30.0
343.8	-259.4						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-264.4	-358.8		J	0.0	-12.2	-9.3	-22.3
-255.1	-346.6						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-96.7	-131.2		J	0.0	-4.4	-3.4	-8.1
-93.3	-126.8						
		q3	I	-10.0	42.6	32.5	78.0
926.8	1328.6		J	-10.0	42.6	32.5	78.0
894.3	1286.0						
		q4-1	I	-16.2	30.4	23.2	55.7
661.4	997.4		J	-16.2	30.4	23.2	55.7
638.2	967.0						
		q4-2	I	-6.8	65.2	49.7	119.4
1417.8	2126.5		J	-6.8	65.2	49.7	119.4
1368.1	2061.3						
		q4-3	I	4.0	22.6	17.3	41.4
492.2	718.2		J	4.0	22.6	17.3	41.4
474.9	695.6						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-41.6	-45.9		J	1.0	-1.9	-1.5	-3.5
-40.2	-44.0						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-16.1	-23.3		J	-1.2	-0.7	-0.6	-1.4
-15.5	-22.5						
		q4-6	I	-1.3	0.2	0.2	0.4
5.1	6.5		J	-1.3	0.2	0.2	0.4
4.9	6.2						
		q4-7	I	-1.3	0.1	0.1	0.3
3.2	4.2		J	-1.3	0.1	0.1	0.3
3.1	4.0						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
8662.0	12532.0		J	36.7	398.4	303.9	729.4	
8358.0	12133.7							
8673.4	-12450.8	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
8369.1	-12051.9		J	22.5	-398.9	-304.3	-730.4	-
8205.7	11805.1	q5 - p~3	I	35.5	377.4	287.9	691.0	
7917.8	11427.7		J	35.5	377.4	287.9	691.0	
8229.9	-11626.3	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
7941.1	-11247.8		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1690.2	2398.8	q7	I	3.8	77.7	59.3	142.3	
1630.9	2321.1		J	3.8	77.7	59.3	142.3	
-27.2	-36.0	T	I	1.1	-1.3	-1.0	-2.3	
-26.2	-34.7		J	1.1	-1.3	-1.0	-2.3	
1929.6	2428.0	M. tor~1	I	-31.8	88.7	67.7	162.5	
1861.9	2339.2		J	-31.8	88.7	67.7	162.5	
1140.8	1435.5	M. tor~2	I	-18.8	52.5	40.0	96.1	
1100.8	1383.0		J	-18.8	52.5	40.0	96.1	
5185.4	17879.2	INVSLU Max	I	-15859.0	698.4	532.8	1278.8	1
4652.6	17238.8		J	-15606.2	698.4	532.8	1278.8	1
2185.2	-22441.8	Min	I	-20812.6	-560.4	-427.6	-1026.1	-1
1757.7	-21925.3		J	-20559.8	-560.4	-427.6	-1026.1	-1
9710.8	28658.2	INVSLV Max	I	-10870.5	1618.7	1183.9	1372.0	1
8745.9	27184.8		J	-10683.2	1618.7	1183.9	1372.0	1
7769.6	-31453.0	Min	I	-13406.9	-1529.5	-1115.8	-1208.6	-1
6872.9	-30068.8		J	-13219.6	-1529.5	-1115.8	-1208.6	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

0335.8	11934.5	INVSLE Max	I	-11749.8	475.4	362.7	870.4	1
			J	-11562.5	475.4	362.7	870.4	
9973.1	11502.1	Min	I	-15414.4	-373.2	-284.7	-683.2	-
8113.5	-15314.3		J	-15227.1	-373.2	-284.7	-683.2	-
7828.8	-14973.5							
694	4	42 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
2010.8	2009.2		J	356.8	95.8	73.1	175.5	
1937.7	1962.6	Min	I	-3244.7	-66.0	-50.4	-120.9	-
1385.6	-4162.9		J	-3244.7	-66.0	-50.4	-120.9	-
1335.3	-4156.0							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
2031.7	3062.5		J	366.2	96.8	73.9	177.3	
1957.8	3039.2	Min	I	-3253.0	-72.9	-55.6	-133.4	-
1528.5	-2977.0		J	-3253.0	-72.9	-55.6	-133.4	-
1472.9	-2970.1							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
1079.8	919.3		J	194.0	51.5	39.3	94.2	
1040.5	898.2	Min	I	-1647.1	-34.6	-26.4	-63.4	
-726.2	-2082.9		J	-1647.1	-34.6	-26.4	-63.4	
-699.8	-2076.5							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
1075.6	1495.6		J	199.7	51.3	39.1	93.9	
1036.5	1486.8	Min	I	-1651.3	-38.5	-29.4	-70.6	
-808.5	-1456.6		J	-1651.3	-38.5	-29.4	-70.6	
-779.1	-1449.7							
		SLVx (RS)	I	-441.2	1026.6	-865.3	-973.4	-1
3797.8	18437.8		J	-441.2	1026.6	-865.3	-973.4	-1
3126.8	17485.4							
		SLVy (RS)	I	-182.1	-1220.3	836.4	-941.2	1
3207.9	-22929.0		J	-182.1	-1220.3	836.4	-941.2	1
2447.5	-21823.4							
		SLDx (RS)	I	-326.0	728.0	-619.6	-695.8	-
9544.1	12855.9		J	-326.0	728.0	-619.6	-695.8	-
9075.2	12184.2							
		SLDy (RS)	I	-134.2	-863.0	595.9	-672.3	
9302.1	-16019.2		J	-134.2	-863.0	595.9	-672.3	
8766.5	-15245.9							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-164.2	-554.8	SLVz (RS)	I	1081.2	-99.0	-36.5	-115.0
			J	1081.2	-99.0	-36.5	-115.0
-155.3	-501.3						
		G1	I	-10124.5	44.9	34.2	82.1
941.2	-709.2		J	-9937.2	44.9	34.2	82.1
907.0	-754.1						
		G2	I	-1827.0	16.4	12.5	30.0
343.8	-259.4		J	-1827.0	16.4	12.5	30.0
331.3	-275.8						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-255.1	-346.6		J	0.0	-12.2	-9.3	-22.3
-245.8	-334.4						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-93.3	-126.8		J	0.0	-4.4	-3.4	-8.1
-89.9	-122.3						
		q3	I	-10.0	42.6	32.5	78.0
894.3	1286.0		J	-10.0	42.6	32.5	78.0
861.8	1243.4						
		q4-1	I	-16.2	30.4	23.2	55.7
638.2	967.0		J	-16.2	30.4	23.2	55.7
615.0	936.6						
		q4-2	I	-6.8	65.2	49.7	119.4
1368.1	2061.3		J	-6.8	65.2	49.7	119.4
1318.3	1996.1						
		q4-3	I	4.0	22.6	17.3	41.4
474.9	695.6		J	4.0	22.6	17.3	41.4
457.6	672.9						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-40.2	-44.0		J	1.0	-1.9	-1.5	-3.5
-38.7	-42.1						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-15.5	-22.5		J	-1.2	-0.7	-0.6	-1.4
-14.9	-21.8						
		q4-6	I	-1.3	0.2	0.2	0.4
4.9	6.2		J	-1.3	0.2	0.2	0.4
4.7	6.0						
		q4-7	I	-1.3	0.1	0.1	0.3
3.1	4.0		J	-1.3	0.1	0.1	0.3
3.0	3.9						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
8358.0	12133.7		J	36.7	398.4	303.9	729.4	
8054.1	11735.3							
8369.1	-12051.9	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
8064.7	-11653.0		J	22.5	-398.9	-304.3	-730.4	-
7917.8	11427.7	q5 - p~3	I	35.5	377.4	287.9	691.0	
7629.9	11050.3		J	35.5	377.4	287.9	691.0	
7941.1	-11247.8	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
7652.3	-10869.3		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1630.9	2321.1	q7	I	3.8	77.7	59.3	142.3	
1571.6	2243.4		J	3.8	77.7	59.3	142.3	
-26.2	-34.7	T	I	1.1	-1.3	-1.0	-2.3	
-25.3	-33.5		J	1.1	-1.3	-1.0	-2.3	
1861.9	2339.2	M. tor~1	I	-31.8	88.7	67.7	162.5	
1794.2	2250.5		J	-31.8	88.7	67.7	162.5	
1100.8	1383.0	M. tor~2	I	-18.8	52.5	40.0	96.1	
1060.7	1330.5		J	-18.8	52.5	40.0	96.1	
4652.6	17238.8	INVSLU Max	I	-15606.2	698.4	532.8	1278.8	1
4119.7	16599.7		J	-15353.3	698.4	532.8	1278.8	1
1757.7	-21925.3	Min	I	-20559.8	-560.4	-427.6	-1026.1	-1
1330.1	-21409.9		J	-20306.9	-560.4	-427.6	-1026.1	-1
8745.9	27184.8	INVSLV Max	I	-10683.2	1602.6	1161.3	1372.0	1
7810.1	25732.8		J	-10495.9	1602.6	1161.3	1372.0	1
6872.9	-30068.8	Min	I	-13219.6	-1513.3	-1093.1	-1208.6	-1
6005.2	-28706.1		J	-13032.3	-1513.3	-1093.1	-1208.6	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

9973.1	11502.1	INVSLE Max	I	-11562.5	475.4	362.7	870.4	
			J	-11375.2	475.4	362.7	870.4	
9610.5	11070.5	Min	I	-15227.1	-373.2	-284.7	-683.2	-
7828.8	-14973.5		J	-15039.8	-373.2	-284.7	-683.2	-
7544.1	-14633.6							
695	4	42 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
1937.7	1962.6		J	356.8	95.8	73.1	175.5	
1864.6	1918.1	Min	I	-3244.7	-66.0	-50.4	-120.9	-
1335.3	-4156.0		J	-3244.7	-66.0	-50.4	-120.9	-
1284.9	-4150.6							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
1957.8	3039.2		J	366.2	96.8	73.9	177.3	
1884.0	3020.2	Min	I	-3253.0	-72.9	-55.6	-133.4	-
1472.9	-2970.1		J	-3253.0	-72.9	-55.6	-133.4	-
1417.3	-2964.2							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
1040.5	898.2		J	194.0	51.5	39.3	94.2	
1001.3	878.6	Min	I	-1647.1	-34.6	-26.4	-63.4	
-699.8	-2076.5		J	-1647.1	-34.6	-26.4	-63.4	
-673.4	-2071.2							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
1036.5	1486.8		J	199.7	51.3	39.1	93.9	
997.4	1480.3	Min	I	-1651.3	-38.5	-29.4	-70.6	
-779.1	-1449.7		J	-1651.3	-38.5	-29.4	-70.6	
-749.7	-1443.5							
		SLVx (RS)	I	-441.2	1018.9	-845.0	-973.4	-1
3126.8	17485.4		J	-441.2	1018.9	-845.0	-973.4	-1
2480.9	16545.2							
		SLVy (RS)	I	-182.1	-1206.3	824.2	-941.2	1
2447.5	-21823.4		J	-182.1	-1206.3	824.2	-941.2	1
1701.5	-20734.0							
		SLDx (RS)	I	-326.0	722.2	-604.2	-695.8	-
9075.2	12184.2		J	-326.0	722.2	-604.2	-695.8	-
8626.0	11521.9							
		SLDy (RS)	I	-134.2	-852.5	586.6	-672.3	
8766.5	-15245.9		J	-134.2	-852.5	586.6	-672.3	
8242.0	-14484.9							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-155.3	-501.3	SLVz (RS)	I	1081.2	-91.3	-33.1	-115.0
			J	1081.2	-91.3	-33.1	-115.0
-147.1	-457.6						
		G1	I	-9937.2	44.9	34.2	82.1
907.0	-754.1		J	-9749.9	44.9	34.2	82.1
872.7	-798.9						
		G2	I	-1827.0	16.4	12.5	30.0
331.3	-275.8		J	-1827.0	16.4	12.5	30.0
318.8	-292.2						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-245.8	-334.4		J	0.0	-12.2	-9.3	-22.3
-236.6	-322.3						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-89.9	-122.3		J	0.0	-4.4	-3.4	-8.1
-86.5	-117.9						
		q3	I	-10.0	42.6	32.5	78.0
861.8	1243.4		J	-10.0	42.6	32.5	78.0
829.2	1200.8						
		q4-1	I	-16.2	30.4	23.2	55.7
615.0	936.6		J	-16.2	30.4	23.2	55.7
591.8	906.2						
		q4-2	I	-6.8	65.2	49.7	119.4
1318.3	1996.1		J	-6.8	65.2	49.7	119.4
1268.6	1930.8						
		q4-3	I	4.0	22.6	17.3	41.4
457.6	672.9		J	4.0	22.6	17.3	41.4
440.4	650.3						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-38.7	-42.1		J	1.0	-1.9	-1.5	-3.5
-37.2	-40.1						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-14.9	-21.8		J	-1.2	-0.7	-0.6	-1.4
-14.4	-21.1						
		q4-6	I	-1.3	0.2	0.2	0.4
4.7	6.0		J	-1.3	0.2	0.2	0.4
4.5	5.8						
		q4-7	I	-1.3	0.1	0.1	0.3
3.0	3.9		J	-1.3	0.1	0.1	0.3
2.8	3.8						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
8054.1	11735.3		J	36.7	398.4	303.9	729.4	
7750.2	11336.9							
8064.7	-11653.0	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
7760.4	-11254.1		J	22.5	-398.9	-304.3	-730.4	-
7629.9	11050.3	q5 - p~3	I	35.5	377.4	287.9	691.0	
7342.0	10672.9		J	35.5	377.4	287.9	691.0	
7652.3	-10869.3	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
7363.6	-10490.8		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1571.6	2243.4	q7	I	3.8	77.7	59.3	142.3	
1512.3	2165.6		J	3.8	77.7	59.3	142.3	
-25.3	-33.5	T	I	1.1	-1.3	-1.0	-2.3	
-24.3	-32.2		J	1.1	-1.3	-1.0	-2.3	
1794.2	2250.5	M. tor~1	I	-31.8	88.7	67.7	162.5	
1726.5	2161.7		J	-31.8	88.7	67.7	162.5	
1060.7	1330.5	M. tor~2	I	-18.8	52.5	40.0	96.1	
1020.7	1278.1		J	-18.8	52.5	40.0	96.1	
4119.7	16599.7	INVSLU Max	I	-15353.3	698.4	532.8	1278.8	1
3586.9	15963.7		J	-15100.4	698.4	532.8	1278.8	1
1330.1	-21409.9	Min	I	-20306.9	-560.4	-427.6	-1026.1	-1
0902.6	-20895.9		J	-20054.1	-560.4	-427.6	-1026.1	-1
7810.1	25732.8	INVSLV Max	I	-10495.9	1584.1	1136.3	1372.0	1
6903.9	24303.5		J	-10308.6	1584.1	1136.3	1372.0	1
6005.2	-28706.1	Min	I	-13032.3	-1494.8	-1068.2	-1208.6	-1
5167.1	-27366.1		J	-12845.0	-1494.8	-1068.2	-1208.6	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

9610.5	11070.5	INVSLE	Max	I	-11375.2	475.4	362.7	870.4	
				J	-11187.9	475.4	362.7	870.4	
9247.8	10641.2		Min	I	-15039.8	-373.2	-284.7	-683.2	-
7544.1	-14633.6			J	-14852.5	-373.2	-284.7	-683.2	-
7259.4	-14294.8								
696	4	42 C1-C2;~1	Max	I	356.8	95.8	73.1	175.5	
1864.6	1918.1			J	356.8	95.8	73.1	175.5	
1791.4	1875.6		Min	I	-3244.7	-66.0	-50.4	-120.9	-
1284.9	-4150.6			J	-3244.7	-66.0	-50.4	-120.9	-
1234.5	-4146.8								
		C3-C4;~1	Max	I	366.2	96.8	73.9	177.3	
1884.0	3020.2			J	366.2	96.8	73.9	177.3	
1810.1	3005.6		Min	I	-3253.0	-72.9	-55.6	-133.4	-
1417.3	-2964.2			J	-3253.0	-72.9	-55.6	-133.4	-
1361.7	-2959.7								
		C1-C2;~2	Max	I	194.0	51.5	39.3	94.2	
1001.3	878.6			J	194.0	51.5	39.3	94.2	
962.0	860.3		Min	I	-1647.1	-34.6	-26.4	-63.4	
-673.4	-2071.2			J	-1647.1	-34.6	-26.4	-63.4	
-647.0	-2067.0								
		C3-C4;~2	Max	I	199.7	51.3	39.1	93.9	
997.4	1480.3			J	199.7	51.3	39.1	93.9	
958.3	1475.6		Min	I	-1651.3	-38.5	-29.4	-70.6	
-749.7	-1443.5			J	-1651.3	-38.5	-29.4	-70.6	
-720.3	-1437.8								
		SLVx (RS)		I	-441.2	1010.0	-822.7	-973.4	-1
2480.9	16545.2			J	-441.2	1010.0	-822.7	-973.4	-1
1860.4	-15618.8								
		SLVy (RS)		I	-182.1	-1190.6	810.1	-941.2	1
1701.5	-20734.0			J	-182.1	-1190.6	810.1	-941.2	1
0971.2	-19661.6								
		SLDx (RS)		I	-326.0	715.5	-587.2	-695.8	-
8626.0	11521.9			J	-326.0	715.5	-587.2	-695.8	-
8196.8	-10870.0								
		SLDy (RS)		I	-134.2	-840.6	575.9	-672.3	
8242.0	-14484.9			J	-134.2	-840.6	575.9	-672.3	
7729.5	-13737.0								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-147.1	-457.6	SLVz (RS)	I	1081.2	-84.1	-31.5	-115.0
			J	1081.2	-84.1	-31.5	-115.0
-138.2	-421.6						
		G1	I	-9749.9	44.9	34.2	82.1
872.7	-798.9		J	-9562.6	44.9	34.2	82.1
838.5	-843.8						
		G2	I	-1827.0	16.4	12.5	30.0
318.8	-292.2		J	-1827.0	16.4	12.5	30.0
306.3	-308.6						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-236.6	-322.3		J	0.0	-12.2	-9.3	-22.3
-227.3	-310.1						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-86.5	-117.9		J	0.0	-4.4	-3.4	-8.1
-83.1	-113.4						
		q3	I	-10.0	42.6	32.5	78.0
829.2	1200.8		J	-10.0	42.6	32.5	78.0
796.7	1158.1						
		q4-1	I	-16.2	30.4	23.2	55.7
591.8	906.2		J	-16.2	30.4	23.2	55.7
568.6	875.7						
		q4-2	I	-6.8	65.2	49.7	119.4
1268.6	1930.8		J	-6.8	65.2	49.7	119.4
1218.8	1865.6						
		q4-3	I	4.0	22.6	17.3	41.4
440.4	650.3		J	4.0	22.6	17.3	41.4
423.1	627.7						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-37.2	-40.1		J	1.0	-1.9	-1.5	-3.5
-35.8	-38.2						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-14.4	-21.1		J	-1.2	-0.7	-0.6	-1.4
-13.8	-20.3						
		q4-6	I	-1.3	0.2	0.2	0.4
4.5	5.8		J	-1.3	0.2	0.2	0.4
4.4	5.5						
		q4-7	I	-1.3	0.1	0.1	0.3
2.8	3.8		J	-1.3	0.1	0.1	0.3
2.7	3.6						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
7750.2	11336.9		J	36.7	398.4	303.9	729.4	
7446.3	10938.5							
		q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
7760.4	-11254.1		J	22.5	-398.9	-304.3	-730.4	-
7456.1	-10855.2							
		q5 - p~3	I	35.5	377.4	287.9	691.0	
7342.0	10672.9		J	35.5	377.4	287.9	691.0	
7054.1	10295.5							
		q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
7363.6	-10490.8		J	18.2	-378.5	-288.8	-693.0	-
7074.8	-10112.3							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	3.8	77.7	59.3	142.3	
1512.3	2165.6		J	3.8	77.7	59.3	142.3	
1453.0	2087.9							
		T	I	1.1	-1.3	-1.0	-2.3	
-24.3	-32.2		J	1.1	-1.3	-1.0	-2.3	
-23.4	-31.0							
		M. tor~1	I	-31.8	88.7	67.7	162.5	
1726.5	2161.7		J	-31.8	88.7	67.7	162.5	
1658.8	2073.0							
		M. tor~2	I	-18.8	52.5	40.0	96.1	
1020.7	1278.1		J	-18.8	52.5	40.0	96.1	
980.7	1225.6							
		INVSLU Max	I	-15100.4	698.4	532.8	1278.8	1
3586.9	15963.7		J	-14847.6	698.4	532.8	1278.8	1
3054.1	15330.1							
		Min	I	-20054.1	-560.4	-427.6	-1026.1	-1
0902.6	-20895.9		J	-19801.2	-560.4	-427.6	-1026.1	-1
0475.0	-20383.6							
		INVSLV Max	I	-10308.6	1563.5	1109.3	1372.0	1
6903.9	24303.5		J	-10121.3	1563.5	1109.3	1372.0	1
6027.5	22897.7							
		Min	I	-12845.0	-1474.2	-1041.2	-1208.6	-1
5167.1	-27366.1		J	-12657.7	-1474.2	-1041.2	-1208.6	-1
4358.8	-26049.7							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

9247.8	10641.2	INVSLE	Max	I	-11187.9	475.4	362.7	870.4	
				J	-11000.6	475.4	362.7	870.4	
8885.2	10213.7		Min	I	-14852.5	-373.2	-284.7	-683.2	-
7259.4	-14294.8			J	-14665.2	-373.2	-284.7	-683.2	-
6974.7	-13957.1								
700	4	42	C1-C2;~1	Max	I	471.1	88.8	29.5	70.8
774.9	2878.2			J	471.1	88.8	29.5	70.8	
752.8	2841.4			Min	I	-3383.5	-92.8	-30.8	-74.0
-809.4	-4915.5			J	-3383.5	-92.8	-30.8	-74.0	
-786.2	-4892.4								
			C3-C4;~1	Max	I	482.4	85.0	28.2	67.8
741.4	3885.9			J	482.4	85.0	28.2	67.8	
720.2	3849.8			Min	I	-3391.9	-89.3	-29.7	-71.2
-778.9	-3672.8			J	-3391.9	-89.3	-29.7	-71.2	
-756.7	-3637.4								
			C1-C2;~2	Max	I	239.0	46.6	15.5	37.2
406.7	1354.8			J	239.0	46.6	15.5	37.2	
395.1	1335.8			Min	I	-1702.5	-46.7	-15.5	-37.3
-407.7	-2411.4			J	-1702.5	-46.7	-15.5	-37.3	
-396.1	-2399.6								
			C3-C4;~2	Max	I	245.6	43.9	14.6	35.0
382.6	1872.7			J	245.6	43.9	14.6	35.0	
371.7	1852.6			Min	I	-1706.5	-45.6	-15.1	-36.3
-397.5	-1801.7			J	-1706.5	-45.6	-15.1	-36.3	
-386.1	-1783.6								
			SLVx (RS)	I	478.1	-1631.6	1001.6	-1067.8	2
0462.5	-38731.5			J	478.1	-1631.6	1001.6	-1067.8	1
9752.7	-37526.6								
			SLVy (RS)	I	270.7	-1247.4	1049.9	-710.4	1
9139.7	-27826.4			J	270.7	-1247.4	1049.9	-710.4	1
8383.0	-26925.2								
			SLDx (RS)	I	355.3	-1141.2	705.6	-742.4	1
4215.6	-26948.0			J	355.3	-1141.2	705.6	-742.4	1
3719.3	-26106.5								
			SLDy (RS)	I	196.9	-883.7	739.6	-503.2	1
3416.7	-19584.0			J	196.9	-883.7	739.6	-503.2	1
2885.4	-18948.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-391.2	1252.3	SLVz (RS)	I	796.5	-154.7	-107.1	63.8	
			J	796.5	-154.7	-107.1	63.8	
-312.4	1156.2							
		G1	I	-9950.0	-15.4	-5.1	-12.3	
-134.3	-971.2		J	-9809.5	-15.4	-5.1	-12.3	
-130.4	-959.7							
		G2	I	-1848.5	-5.6	-1.9	-4.5	
-49.2	-353.6		J	-1848.5	-5.6	-1.9	-4.5	
-47.8	-349.4							
		G1- Imp~1	I	0.3	2.6	0.9	2.1	
22.8	63.0		J	0.3	2.6	0.9	2.1	
22.1	61.0							
		G2- Imp~1	I	0.1	1.0	0.3	0.8	
8.4	23.3		J	0.1	1.0	0.3	0.8	
8.2	22.6							
		q3	I	17.5	144.9	48.2	115.6	
1264.2	4098.7		J	17.5	144.9	48.2	115.6	
1228.0	3990.0							
		q4-1	I	7.7	-78.6	-26.1	-62.7	
-685.8	-2182.3		J	7.7	-78.6	-26.1	-62.7	
-666.2	-2123.3							
		q4-2	I	-2.0	10.4	3.5	8.3	
90.9	352.0		J	-2.0	10.4	3.5	8.3	
88.3	344.1							
		q4-3	I	-6.3	121.8	40.5	97.2	
1062.6	3542.2		J	-6.3	121.8	40.5	97.2	
1032.2	3450.8							
		q4-4	I	1.4	27.4	9.1	21.9	
239.3	831.8		J	1.4	27.4	9.1	21.9	
232.5	811.3							
		q4-5	I	3.9	-4.6	-1.5	-3.7	
-40.0	-123.9		J	3.9	-4.6	-1.5	-3.7	
-38.9	-120.5							
		q4-6	I	3.5	-1.1	-0.4	-0.9	
-9.6	-44.3		J	3.5	-1.1	-0.4	-0.9	
-9.3	-43.5							
		q4-7	I	3.8	-0.4	-0.1	-0.3	
-3.2	-20.8		J	3.8	-0.4	-0.1	-0.3	
-3.1	-20.5							
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9	1

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1855.4	39222.0		J	-65.3	1359.2	451.6	1083.9	1
1516.7	38202.5							
1631.6	-5679.9	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	-
1585.0	-5539.6		J	95.6	-187.1	-62.2	-149.2	-
1232.7	36980.0	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	1
0911.8	36014.1		J	-58.9	1287.9	427.9	1027.0	1
1547.7	-5256.9	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	-
1503.5	-5123.8		J	87.5	-177.4	-59.0	-141.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
2361.3	7526.2	q7	I	0.6	270.7	90.0	215.9	
2293.8	7323.2		J	0.6	270.7	90.0	215.9	
3.9	-18.0	T	I	-1.6	0.4	0.1	0.4	
3.8	-18.4		J	-1.6	0.4	0.1	0.4	
308.6	997.2	M. tor~1	I	32.7	35.4	11.8	28.2	
299.7	970.6		J	32.7	35.4	11.8	28.2	
182.4	589.5	M. tor~2	I	19.3	20.9	6.9	16.7	
177.2	573.9		J	19.3	20.9	6.9	16.7	
7195.4	56339.0	INVSLU Max	I	-15188.9	1971.5	655.1	1572.2	1
6704.1	54880.9		J	-14999.2	1971.5	655.1	1572.2	1
7607.8	-60410.4	Min	I	-20593.5	-2018.8	-670.8	-1609.9	-1
7104.7	-58928.3		J	-20403.9	-2018.8	-670.8	-1609.9	-1
6169.5	46216.5	INVSLV Max	I	-10776.9	2034.8	1376.8	1286.1	2
5213.5	44725.6		J	-10636.4	2034.8	1376.8	1286.1	2
6474.0	-48693.6	Min	I	-12819.1	-2069.7	-1388.4	-1314.0	-2
5509.3	-47176.5		J	-12678.6	-2069.7	-1388.4	-1314.0	-2

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1489.5	37624.9	INVSLE Max	I	-11257.3	1317.3	437.7	1050.5	1
			J	-11116.8	1317.3	437.7	1050.5	1
1161.3	36652.2	Min	I	-15248.2	-1352.3	-449.3	-1078.4	-1
1795.0	-40640.8		J	-15107.7	-1352.3	-449.3	-1078.4	-1
1458.0	-39650.2							
701	4	43 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1236.9	943.0		J	286.3	28.1	20.0	25.4	
1232.5	936.1	Min	I	-1786.5	-48.4	-34.4	-43.9	
-447.4	-3332.8		J	-1786.5	-48.4	-34.4	-43.9	
-422.4	-3304.4							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1128.7	1867.2		J	294.7	32.0	22.8	29.0	
1127.1	1870.2	Min	I	-1785.9	-50.2	-35.7	-45.5	
-405.7	-2383.9		J	-1785.9	-50.2	-35.7	-45.5	
-380.3	-2355.0							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
768.4	446.9		J	155.5	14.7	10.5	13.4	
766.8	445.6	Min	I	-1063.6	-26.2	-18.7	-23.8	
-251.3	-1832.9		J	-1063.6	-26.2	-18.7	-23.8	
-237.4	-1818.7							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
689.2	998.5		J	160.6	17.1	12.2	15.5	
689.8	1001.2	Min	I	-1063.0	-27.2	-19.3	-24.6	
-225.9	-1265.5		J	-1063.0	-27.2	-19.3	-24.6	
-211.6	-1250.8							
		SLVx (RS)	I	-330.5	1554.7	-1197.0	698.1	-2
5107.7	39550.5		J	-330.5	1554.7	-1197.0	698.1	-2
4101.0	38023.7							
		SLVy (RS)	I	-146.1	-1388.8	469.6	-680.2	-1
1494.0	-32086.1		J	-146.1	-1388.8	469.6	-680.2	-1
1045.8	-30860.9							
		SLDx (RS)	I	-243.2	1089.4	-857.9	490.4	-1
7465.3	27560.4		J	-243.2	1089.4	-857.9	490.4	-1
6755.4	26493.4							
		SLDy (RS)	I	-106.0	-989.8	336.4	-484.4	-
8094.6	-22436.1		J	-106.0	-989.8	336.4	-484.4	-
7776.6	-21573.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2421.5	596.6	SLVz (RS)	I	626.5	195.8	-458.9	110.6	-
			J	626.5	195.8	-458.9	110.6	-
1974.7	524.6							
		G1	I	-7874.9	-27.8	-19.8	-25.2	
579.0	-1086.3		J	-7682.4	-27.8	-19.8	-25.2	
598.8	-1058.5							
		G2	I	-558.0	-10.1	-7.2	-9.2	
211.5	-397.0		J	-558.0	-10.1	-7.2	-9.2	
218.7	-386.8							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	
-988.5	277.0		J	-1476.1	8.3	5.9	7.5	
-994.4	268.7							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-361.7	101.3		J	-540.0	3.0	2.2	2.8	
-363.8	98.3							
		q3	I	7.4	11.0	7.8	10.0	
248.7	411.2		J	7.4	11.0	7.8	10.0	
240.9	400.2							
		q4-1	I	7.2	141.8	100.9	128.6	
3277.6	5095.6		J	7.2	141.8	100.9	128.6	
3176.7	4953.8							
		q4-2	I	5.0	43.9	31.2	39.8	
1011.8	1568.7		J	5.0	43.9	31.2	39.8	
980.6	1524.8							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-60.7	-69.4		J	0.4	-2.6	-1.9	-2.4	
-58.8	-66.8							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-52.8	-79.6		J	-0.2	-2.3	-1.6	-2.1	
-51.2	-77.3							
		q4-5	I	0.2	0.3	0.2	0.3	
7.3	10.1		J	0.2	0.3	0.2	0.3	
7.1	9.8							
		q4-6	I	0.3	0.5	0.3	0.4	
10.7	16.1		J	0.3	0.5	0.3	0.4	
10.4	15.6							
		q4-7	I	0.3	0.4	0.3	0.3	
8.5	12.6		J	0.3	0.4	0.3	0.3	
8.2	12.2							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2127.5	3564.2		J	39.5	93.3	66.3	84.6	
2061.2	3470.9							
8338.7	-12909.2	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
8081.8	-12547.9		J	-30.5	-361.3	-256.9	-327.6	-
2020.8	3366.3	q5 - p~3	I	31.7	88.4	62.9	80.2	
1958.0	3277.9		J	31.7	88.4	62.9	80.2	
7892.9	-12122.2	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
7649.7	-11780.3		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
288.2	500.8	q7	I	4.4	12.6	9.0	11.4	
279.3	488.2		J	4.4	12.6	9.0	11.4	
19.7	32.5	T	I	-0.1	0.8	0.6	0.8	
19.1	31.6		J	-0.1	0.8	0.6	0.8	
3953.7	5493.0	M. tor~1	I	15.9	171.3	121.9	155.4	
3831.8	5321.7		J	15.9	171.3	121.9	155.4	
2337.5	3247.6	M. tor~2	I	9.4	101.3	72.0	91.9	
2265.4	3146.3		J	9.4	101.3	72.0	91.9	
2225.5	18377.0	INVSLU Max	I	-13672.7	504.4	358.7	457.4	1
1881.1	17899.4		J	-13412.8	504.4	358.7	457.4	1
2948.3	-22172.8	Min	I	-16553.6	-586.0	-416.8	-531.5	-1
2538.9	-21604.2		J	-16293.7	-586.0	-416.8	-531.5	-1
8722.6	48250.3	INVSLV Max	I	-9679.6	2003.5	1456.7	911.2	2
7466.3	46361.0		J	-9487.1	2003.5	1456.7	911.2	2
9842.1	-50460.3	Min	I	-11218.5	-2056.7	-1494.5	-959.5	-2
8547.9	-48517.7		J	-11026.0	-2056.7	-1494.5	-959.5	-2

MIDAS


PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

8501.3	12754.1	INVSLE Max	I	-10130.5	349.6	248.6	317.0	
			J	-9938.0	349.6	248.6	317.0	
8263.3	12424.4	Min	I	-12259.3	-396.2	-281.8	-359.3	-
8715.7	-15079.5		J	-12066.8	-396.2	-281.8	-359.3	-
8439.4	-14696.3							
702	4	43 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1232.5	936.1		J	286.3	28.1	20.0	25.4	
1228.3	929.6	Min	I	-1786.5	-48.4	-34.4	-43.9	
-422.4	-3304.4		J	-1786.5	-48.4	-34.4	-43.9	
-397.9	-3276.2							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1127.1	1870.2		J	294.7	32.0	22.8	29.0	
1125.7	1873.3	Min	I	-1785.9	-50.2	-35.7	-45.5	
-380.3	-2355.0		J	-1785.9	-50.2	-35.7	-45.5	
-355.3	-2326.4							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
766.8	445.6		J	155.5	14.7	10.5	13.4	
765.4	444.5	Min	I	-1063.6	-26.2	-18.7	-23.8	
-237.4	-1818.7		J	-1063.6	-26.2	-18.7	-23.8	
-223.7	-1804.6							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
689.8	1001.2		J	160.6	17.1	12.2	15.5	
690.6	1004.0	Min	I	-1063.0	-27.2	-19.3	-24.6	
-211.6	-1250.8		J	-1063.0	-27.2	-19.3	-24.6	
-197.5	-1236.3							
		SLVx (RS)	I	-330.5	1551.8	-1182.1	698.1	-2
4101.0	38023.7		J	-330.5	1551.8	-1182.1	698.1	-2
3114.4	36501.3							
		SLVy (RS)	I	-146.1	-1376.0	467.3	-680.2	-1
1045.8	-30860.9		J	-146.1	-1376.0	467.3	-680.2	-1
0600.1	-29652.1							
		SLDx (RS)	I	-243.2	1087.1	-846.5	490.4	-1
6755.4	26493.4		J	-243.2	1087.1	-846.5	490.4	-1
6061.4	25429.8							
		SLDy (RS)	I	-106.0	-980.1	334.5	-484.4	-
7776.6	-21573.9		J	-106.0	-980.1	334.5	-484.4	-
7460.7	-20724.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1974.7	524.6	SLVz (RS)	I	626.5	179.2	-447.9	110.6	-
			J	626.5	179.2	-447.9	110.6	-
1540.5	511.2							
		G1	I	-7682.4	-27.8	-19.8	-25.2	
598.8	-1058.5		J	-7489.9	-27.8	-19.8	-25.2	
618.5	-1030.7							
		G2	I	-558.0	-10.1	-7.2	-9.2	
218.7	-386.8		J	-558.0	-10.1	-7.2	-9.2	
225.9	-376.7							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	
-994.4	268.7		J	-1476.1	8.3	5.9	7.5	-
1000.3	260.4							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-363.8	98.3		J	-540.0	3.0	2.2	2.8	
-366.0	95.2							
		q3	I	7.4	11.0	7.8	10.0	
240.9	400.2		J	7.4	11.0	7.8	10.0	
233.1	389.2							
		q4-1	I	7.2	141.8	100.9	128.6	
3176.7	4953.8		J	7.2	141.8	100.9	128.6	
3075.9	4812.0							
		q4-2	I	5.0	43.9	31.2	39.8	
980.6	1524.8		J	5.0	43.9	31.2	39.8	
949.4	1480.9							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-58.8	-66.8		J	0.4	-2.6	-1.9	-2.4	
-57.0	-64.2							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-51.2	-77.3		J	-0.2	-2.3	-1.6	-2.1	
-49.5	-75.0							
		q4-5	I	0.2	0.3	0.2	0.3	
7.1	9.8		J	0.2	0.3	0.2	0.3	
6.8	9.5							
		q4-6	I	0.3	0.5	0.3	0.4	
10.4	15.6		J	0.3	0.5	0.3	0.4	
10.1	15.1							
		q4-7	I	0.3	0.4	0.3	0.3	
8.2	12.2		J	0.3	0.4	0.3	0.3	
7.9	11.9							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2061.2	3470.9		J	39.5	93.3	66.3	84.6	
1994.8	3377.6							
8081.8	-12547.9	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
7824.9	-12186.7		J	-30.5	-361.3	-256.9	-327.6	-
1958.0	3277.9	q5 - p~3	I	31.7	88.4	62.9	80.2	
1895.1	3189.5		J	31.7	88.4	62.9	80.2	
7649.7	-11780.3	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
7406.6	-11438.4		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
279.3	488.2	q7	I	4.4	12.6	9.0	11.4	
270.3	475.6		J	4.4	12.6	9.0	11.4	
19.1	31.6	T	I	-0.1	0.8	0.6	0.8	
18.5	30.8		J	-0.1	0.8	0.6	0.8	
3831.8	5321.7	M. tor~1	I	15.9	171.3	121.9	155.4	
3710.0	5150.4		J	15.9	171.3	121.9	155.4	
2265.4	3146.3	M. tor~2	I	9.4	101.3	72.0	91.9	
2193.4	3045.0		J	9.4	101.3	72.0	91.9	
1881.1	17899.4	INVSLU Max	I	-13412.8	504.4	358.7	457.4	1
1536.8	17421.9		J	-13152.9	504.4	358.7	457.4	1
2538.9	-21604.2	Min	I	-16293.7	-586.0	-416.8	-531.5	-1
2129.7	-21035.8		J	-16033.8	-586.0	-416.8	-531.5	-1
7466.3	46361.0	INVSLV Max	I	-9487.1	1991.7	1437.7	911.2	2
6234.7	44498.6		J	-9294.6	1991.7	1437.7	911.2	2
8547.9	-48517.7	Min	I	-11026.0	-2044.9	-1475.6	-959.5	-2
7278.5	-46602.1		J	-10833.5	-2044.9	-1475.6	-959.5	-2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

8263.3	12424.4		INVSLE Max	I	-9938.0	349.6	248.6	317.0	
				J	-9745.5	349.6	248.6	317.0	
8025.4	12094.7		Min	I	-12066.8	-396.2	-281.8	-359.3	-
8439.4	-14696.3			J	-11874.3	-396.2	-281.8	-359.3	-
8163.2	-14313.2								
703	4	43	C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1228.3	929.6			J	286.3	28.1	20.0	25.4	
1224.5	923.3		Min	I	-1786.5	-48.4	-34.4	-43.9	
-397.9	-3276.2			J	-1786.5	-48.4	-34.4	-43.9	
-373.8	-3248.4								
			C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1125.7	1873.3			J	294.7	32.0	22.8	29.0	
1124.7	1876.5		Min	I	-1785.9	-50.2	-35.7	-45.5	
-355.3	-2326.4			J	-1785.9	-50.2	-35.7	-45.5	
-330.8	-2298.2								
			C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
765.4	444.5			J	155.5	14.7	10.5	13.4	
764.0	443.4		Min	I	-1063.6	-26.2	-18.7	-23.8	
-223.7	-1804.6			J	-1063.6	-26.2	-18.7	-23.8	
-210.2	-1790.7								
			C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
690.6	1004.0			J	160.6	17.1	12.2	15.5	
691.4	1006.9		Min	I	-1063.0	-27.2	-19.3	-24.6	
-197.5	-1236.3			J	-1063.0	-27.2	-19.3	-24.6	
-183.8	-1222.0								
			SLVx (RS)	I	-330.5	1547.9	-1165.1	698.1	-2
3114.4	36501.3			J	-330.5	1547.9	-1165.1	698.1	-2
2149.0	34984.2								
			SLVy (RS)	I	-146.1	-1361.2	464.5	-680.2	-1
0600.1	-29652.1			J	-146.1	-1361.2	464.5	-680.2	-1
0157.5	-28460.4								
			SLDx (RS)	I	-243.2	1084.3	-833.5	490.4	-1
6061.4	25429.8			J	-243.2	1084.3	-833.5	490.4	-1
5384.1	24370.1								
			SLDy (RS)	I	-106.0	-968.9	332.3	-484.4	-
7460.7	-20724.5			J	-106.0	-968.9	332.3	-484.4	-
7147.2	-19888.5								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1540.5	511.2	SLVz (RS)	I	626.5	160.0	-434.9	110.6	-
			J	626.5	160.0	-434.9	110.6	-
1122.6	-542.2							
		G1	I	-7489.9	-27.8	-19.8	-25.2	
618.5	-1030.7		J	-7297.4	-27.8	-19.8	-25.2	
638.3	-1002.9							
		G2	I	-558.0	-10.1	-7.2	-9.2	
225.9	-376.7		J	-558.0	-10.1	-7.2	-9.2	
233.1	-366.5							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1000.3	260.4		J	-1476.1	8.3	5.9	7.5	-
1006.2	252.1							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-366.0	95.2		J	-540.0	3.0	2.2	2.8	
-368.2	92.2							
		q3	I	7.4	11.0	7.8	10.0	
233.1	389.2		J	7.4	11.0	7.8	10.0	
225.2	378.2							
		q4-1	I	7.2	141.8	100.9	128.6	
3075.9	4812.0		J	7.2	141.8	100.9	128.6	
2975.0	4670.1							
		q4-2	I	5.0	43.9	31.2	39.8	
949.4	1480.9		J	5.0	43.9	31.2	39.8	
918.2	1437.0							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-57.0	-64.2		J	0.4	-2.6	-1.9	-2.4	
-55.1	-61.6							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-49.5	-75.0		J	-0.2	-2.3	-1.6	-2.1	
-47.9	-72.8							
		q4-5	I	0.2	0.3	0.2	0.3	
6.8	9.5		J	0.2	0.3	0.2	0.3	
6.6	9.2							
		q4-6	I	0.3	0.5	0.3	0.4	
10.1	15.1		J	0.3	0.5	0.3	0.4	
9.7	14.7							
		q4-7	I	0.3	0.4	0.3	0.3	
7.9	11.9		J	0.3	0.4	0.3	0.3	
7.6	11.5							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1994.8	3377.6		J	39.5	93.3	66.3	84.6	
1928.5	3284.4							
7824.9	-12186.7	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
7567.9	-11825.4		J	-30.5	-361.3	-256.9	-327.6	-
1895.1	3189.5	q5 - p~3	I	31.7	88.4	62.9	80.2	
1832.2	3101.1		J	31.7	88.4	62.9	80.2	
7406.6	-11438.4	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
7163.4	-11096.5		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
270.3	475.6	q7	I	4.4	12.6	9.0	11.4	
261.3	463.0		J	4.4	12.6	9.0	11.4	
18.5	30.8	T	I	-0.1	0.8	0.6	0.8	
17.9	29.9		J	-0.1	0.8	0.6	0.8	
3710.0	5150.4	M. tor~1	I	15.9	171.3	121.9	155.4	
3588.1	4979.0		J	15.9	171.3	121.9	155.4	
2193.4	3045.0	M. tor~2	I	9.4	101.3	72.0	91.9	
2121.3	2943.7		J	9.4	101.3	72.0	91.9	
1536.8	17421.9	INVSLU Max	I	-13152.9	504.4	358.7	457.4	1
1192.7	16944.4		J	-12893.1	504.4	358.7	457.4	1
2129.7	-21035.8	Min	I	-16033.8	-586.0	-416.8	-531.5	-1
1720.8	-20467.6		J	-15773.9	-586.0	-416.8	-531.5	-1
6234.7	44498.6	INVSLV Max	I	-9294.6	1977.7	1416.0	911.2	2
5030.0	42659.9		J	-9102.1	1977.7	1416.0	911.2	2
7278.5	-46602.1	Min	I	-10833.5	-2030.9	-1453.8	-959.5	-2
6036.0	-44710.2		J	-10641.0	-2030.9	-1453.8	-959.5	-2

MIDAS


PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

8025.4	12094.7	INVSLE Max	I	-9745.5	349.6	248.6	317.0	
			J	-9553.0	349.6	248.6	317.0	
7787.6	11765.1	Min	I	-11874.3	-396.2	-281.8	-359.3	-
8163.2	-14313.2		J	-11681.8	-396.2	-281.8	-359.3	-
7887.3	-13930.3							
704	4	43 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1224.5	923.3		J	286.3	28.1	20.0	25.4	
1221.0	917.5	Min	I	-1786.5	-48.4	-34.4	-43.9	
-373.8	-3248.4		J	-1786.5	-48.4	-34.4	-43.9	
-350.3	-3221.0							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1124.7	1876.5		J	294.7	32.0	22.8	29.0	
1124.0	1879.8	Min	I	-1785.9	-50.2	-35.7	-45.5	
-330.8	-2298.2		J	-1785.9	-50.2	-35.7	-45.5	
-306.8	-2270.5							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
764.0	443.4		J	155.5	14.7	10.5	13.4	
762.8	442.6	Min	I	-1063.6	-26.2	-18.7	-23.8	
-210.2	-1790.7		J	-1063.6	-26.2	-18.7	-23.8	
-197.1	-1776.9							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
691.4	1006.9		J	160.6	17.1	12.2	15.5	
692.4	1009.8	Min	I	-1063.0	-27.2	-19.3	-24.6	
-183.8	-1222.0		J	-1063.0	-27.2	-19.3	-24.6	
-170.3	-1208.0							
		SLVx (RS)	I	-330.5	1543.1	-1146.1	698.1	-2
2149.0	34984.2		J	-330.5	1543.1	-1146.1	698.1	-2
1205.4	33473.3							
		SLVy (RS)	I	-146.1	-1344.7	461.3	-680.2	-1
0157.5	-28460.4		J	-146.1	-1344.7	461.3	-680.2	-
9718.1	-27286.5							
		SLDx (RS)	I	-243.2	1080.7	-818.9	490.4	-1
5384.1	24370.1		J	-243.2	1080.7	-818.9	490.4	-1
4724.2	23315.1							
		SLDy (RS)	I	-106.0	-956.2	329.7	-484.4	-
7147.2	-19888.5		J	-106.0	-956.2	329.7	-484.4	-
6836.4	-19066.4							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1122.6	-542.2	SLVz (RS)	I	626.5	139.1	-420.2	110.6	-
			J	626.5	139.1	-420.2	110.6	
-728.7	-593.7							
		G1	I	-7297.4	-27.8	-19.8	-25.2	
638.3	-1002.9		J	-7104.9	-27.8	-19.8	-25.2	
658.1	-975.1							
		G2	I	-558.0	-10.1	-7.2	-9.2	
233.1	-366.5		J	-558.0	-10.1	-7.2	-9.2	
240.3	-356.4							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	-
1006.2	252.1		J	-1476.1	8.3	5.9	7.5	-
1012.2	243.8							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-368.2	92.2		J	-540.0	3.0	2.2	2.8	
-370.3	89.2							
		q3	I	7.4	11.0	7.8	10.0	
225.2	378.2		J	7.4	11.0	7.8	10.0	
217.4	367.2							
		q4-1	I	7.2	141.8	100.9	128.6	
2975.0	4670.1		J	7.2	141.8	100.9	128.6	
2874.1	4528.3							
		q4-2	I	5.0	43.9	31.2	39.8	
918.2	1437.0		J	5.0	43.9	31.2	39.8	
887.0	1393.2							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-55.1	-61.6		J	0.4	-2.6	-1.9	-2.4	
-53.3	-59.0							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-47.9	-72.8		J	-0.2	-2.3	-1.6	-2.1	
-46.3	-70.5							
		q4-5	I	0.2	0.3	0.2	0.3	
6.6	9.2		J	0.2	0.3	0.2	0.3	
6.4	8.8							
		q4-6	I	0.3	0.5	0.3	0.4	
9.7	14.7		J	0.3	0.5	0.3	0.4	
9.4	14.2							
		q4-7	I	0.3	0.4	0.3	0.3	
7.6	11.5		J	0.3	0.4	0.3	0.3	
7.4	11.1							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1928.5	3284.4		J	39.5	93.3	66.3	84.6	
1862.2	3191.1							
7567.9	-11825.4	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
7311.0	-11464.1		J	-30.5	-361.3	-256.9	-327.6	-
1832.2	3101.1	q5 - p~3	I	31.7	88.4	62.9	80.2	
1769.4	3012.7		J	31.7	88.4	62.9	80.2	
7163.4	-11096.5	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
6920.3	-10754.6		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
261.3	463.0	q7	I	4.4	12.6	9.0	11.4	
252.4	450.4		J	4.4	12.6	9.0	11.4	
17.9	29.9	T	I	-0.1	0.8	0.6	0.8	
17.3	29.1		J	-0.1	0.8	0.6	0.8	
3588.1	4979.0	M. tor~1	I	15.9	171.3	121.9	155.4	
3466.3	4807.7		J	15.9	171.3	121.9	155.4	
2121.3	2943.7	M. tor~2	I	9.4	101.3	72.0	91.9	
2049.3	2842.4		J	9.4	101.3	72.0	91.9	
1192.7	16944.4	INVSLU Max	I	-12893.1	504.4	358.7	457.4	1
0848.8	16467.0		J	-12633.2	504.4	358.7	457.4	1
1720.8	-20467.6	Min	I	-15773.9	-586.0	-416.8	-531.5	-1
1312.3	-19899.7		J	-15514.1	-586.0	-416.8	-531.5	-1
5030.0	42659.9	INVSLV Max	I	-9102.1	1961.7	1391.6	911.2	2
3855.4	40838.8		J	-8909.6	1961.7	1391.6	911.2	2
6036.0	-44710.2	Min	I	-10641.0	-2014.9	-1429.4	-959.5	-2
4823.5	-42835.9		J	-10448.5	-2014.9	-1429.4	-959.5	-2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

7787.6	11765.1	INVSLE	Max	I	-9553.0	349.6	248.6	317.0	
				J	-9360.5	349.6	248.6	317.0	
7549.9	11435.4		Min	I	-11681.8	-396.2	-281.8	-359.3	-
7887.3	-13930.3			J	-11489.3	-396.2	-281.8	-359.3	-
7611.8	-13547.5								
705	4	43	C1-C2;~1	Max	I	356.8	95.8	73.1	175.5
2376.4	2278.0			J	356.8	95.8	73.1	175.5	
2303.3	2216.0		Min	I	-3244.7	-66.0	-50.4	-120.9	-
1637.6	-4211.4			J	-3244.7	-66.0	-50.4	-120.9	-
1587.2	-4200.2								
			C3-C4;~1	Max	I	366.2	96.8	73.9	177.3
2401.1	3214.8			J	366.2	96.8	73.9	177.3	
2327.3	3178.1		Min	I	-3253.0	-72.9	-55.6	-133.4	-
1806.4	-3037.2			J	-3253.0	-72.9	-55.6	-133.4	-
1750.8	-3017.7								
			C1-C2;~2	Max	I	194.0	51.5	39.3	94.2
1276.1	1050.9			J	194.0	51.5	39.3	94.2	
1236.8	1018.5		Min	I	-1647.1	-34.6	-26.4	-63.4	-
-858.2	-2125.1			J	-1647.1	-34.6	-26.4	-63.4	-
-831.8	-2115.6								
			C3-C4;~2	Max	I	199.7	51.3	39.1	93.9
1271.2	1558.8			J	199.7	51.3	39.1	93.9	
1232.1	1542.4		Min	I	-1651.3	-38.5	-29.4	-70.6	-
-955.5	-1506.9			J	-1651.3	-38.5	-29.4	-70.6	-
-926.1	-1491.8								
			SLVx (RS)	I	-441.2	1046.7	-927.3	-973.4	-1
7485.6	23335.0			J	-441.2	1046.7	-927.3	-973.4	-1
6709.4	22341.7								
			SLVy (RS)	I	-182.1	-1259.0	868.5	-941.2	1
7175.3	-28654.6			J	-182.1	-1259.0	868.5	-941.2	1
6364.7	-27487.7								
			SLDx (RS)	I	-326.0	743.0	-666.2	-695.8	-1
2150.9	16317.1			J	-326.0	743.0	-666.2	-695.8	-1
1599.3	15614.3								
			SLDy (RS)	I	-134.2	-892.2	620.4	-672.3	1
2108.7	-20038.9			J	-134.2	-892.2	620.4	-672.3	1
1533.9	-19218.0								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-306.1	-980.0	SLVz (RS)	I	1081.2	-125.7	62.0	-115.0
			J	1081.2	-125.7	62.0	-115.0
-260.6	-877.1						
		G1	I	-11081.8	44.9	34.2	82.1
1112.3	-484.9		J	-10889.3	44.9	34.2	82.1
1078.1	-529.8						
		G2	I	-1827.0	16.4	12.5	30.0
406.3	-177.5		J	-1827.0	16.4	12.5	30.0
393.8	-193.9						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-301.5	-407.4		J	0.0	-12.2	-9.3	-22.3
-292.2	-395.2						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-110.3	-149.0		J	0.0	-4.4	-3.4	-8.1
-106.9	-144.6						
		q3	I	-10.0	42.6	32.5	78.0
1056.9	1499.2		J	-10.0	42.6	32.5	78.0
1024.4	1456.5						
		q4-1	I	-16.2	30.4	23.2	55.7
754.2	1119.1		J	-16.2	30.4	23.2	55.7
731.0	1088.7						
		q4-2	I	-6.8	65.2	49.7	119.4
1616.8	2387.3		J	-6.8	65.2	49.7	119.4
1567.1	2322.1						
		q4-3	I	4.0	22.6	17.3	41.4
561.2	808.7		J	4.0	22.6	17.3	41.4
544.0	786.1						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-47.5	-53.5		J	1.0	-1.9	-1.5	-3.5
-46.0	-51.6						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-18.3	-26.2		J	-1.2	-0.7	-0.6	-1.4
-17.8	-25.5						
		q4-6	I	-1.3	0.2	0.2	0.4
5.8	7.4		J	-1.3	0.2	0.2	0.4
5.6	7.2						
		q4-7	I	-1.3	0.1	0.1	0.3
3.6	4.8		J	-1.3	0.1	0.1	0.3
3.5	4.6						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
9877.7	14125.6		J	36.7	398.4	303.9	729.4	
9573.8	13727.2							
9890.7	-14046.5	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
9586.4	-13647.6		J	22.5	-398.9	-304.3	-730.4	-
9357.4	13314.7	q5 - p~3	I	35.5	377.4	287.9	691.0	
9069.5	12937.3		J	35.5	377.4	287.9	691.0	
9384.9	-13140.4	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
9096.2	-12761.8		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1927.4	2709.8	q7	I	3.8	77.7	59.3	142.3	
1868.1	2632.0		J	3.8	77.7	59.3	142.3	
-31.0	-41.0	T	I	1.1	-1.3	-1.0	-2.3	
-30.0	-39.7		J	1.1	-1.3	-1.0	-2.3	
2200.4	2783.0	M. tor~1	I	-31.8	88.7	67.7	162.5	
2132.7	2694.2		J	-31.8	88.7	67.7	162.5	
1300.9	1645.3	M. tor~2	I	-18.8	52.5	40.0	96.1	
1260.9	1592.9		J	-18.8	52.5	40.0	96.1	
7316.7	20460.6	INVSLU Max	I	-16898.5	698.4	532.8	1278.8	1
6783.8	19811.2		J	-16638.6	698.4	532.8	1278.8	1
3895.4	-24515.9	Min	I	-21852.1	-560.4	-427.6	-1026.1	-1
3467.9	-23996.3		J	-21592.3	-560.4	-427.6	-1026.1	-1
3836.8	34730.2	INVSLV Max	I	-11640.5	1655.4	1240.5	1372.0	2
2769.7	33189.8		J	-11448.0	1655.4	1240.5	1372.0	2
1623.3	-37167.9	Min	I	-14176.9	-1566.1	-1172.4	-1208.6	-2
0624.2	-35716.8		J	-13984.4	-1566.1	-1172.4	-1208.6	-2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1786.4	13679.3		INVSLE Max	I	-12519.8	475.4	362.7	870.4	1
				J	-12327.3	475.4	362.7	870.4	1
1423.8	13240.1		Min	I	-16184.4	-373.2	-284.7	-683.2	-
9252.2	-16683.3			J	-15991.9	-373.2	-284.7	-683.2	-
8967.5	-16340.2								
706	4	43	C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
2303.3	2216.0			J	356.8	95.8	73.1	175.5	
2230.2	2158.9		Min	I	-3244.7	-66.0	-50.4	-120.9	-
1587.2	-4200.2			J	-3244.7	-66.0	-50.4	-120.9	-
1536.8	-4189.6								
			C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
2327.3	3178.1			J	366.2	96.8	73.9	177.3	
2253.4	3144.6		Min	I	-3253.0	-72.9	-55.6	-133.4	-
1750.8	-3017.7			J	-3253.0	-72.9	-55.6	-133.4	-
1695.2	-3001.5								
			C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
1236.8	1018.5			J	194.0	51.5	39.3	94.2	
1197.6	989.8		Min	I	-1647.1	-34.6	-26.4	-63.4	-
-831.8	-2115.6			J	-1647.1	-34.6	-26.4	-63.4	-
-805.4	-2106.5								
			C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
1232.1	1542.4			J	199.7	51.3	39.1	93.9	
1193.0	1528.0		Min	I	-1651.3	-38.5	-29.4	-70.6	-
-926.1	-1491.8			J	-1651.3	-38.5	-29.4	-70.6	-
-896.7	-1478.8								
			SLVx (RS)	I	-441.2	1045.0	-921.4	-973.4	-1
6709.4	22341.7			J	-441.2	1045.0	-921.4	-973.4	-1
5950.4	21354.2								
			SLVy (RS)	I	-182.1	-1255.6	865.8	-941.2	1
6364.7	-27487.7			J	-182.1	-1255.6	865.8	-941.2	1
5561.1	-26330.2								
			SLDx (RS)	I	-326.0	741.8	-661.8	-695.8	-1
1599.3	15614.3			J	-326.0	741.8	-661.8	-695.8	-1
1061.1	14915.9								
			SLDy (RS)	I	-134.2	-889.7	618.3	-672.3	1
1533.9	-19218.0			J	-134.2	-889.7	618.3	-672.3	1
0964.7	-18404.5								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-260.6	-877.1	SLVz (RS)	I	1081.2	-123.0	58.6	-115.0
			J	1081.2	-123.0	58.6	-115.0
-223.3	-781.6						
		G1	I	-10889.3	44.9	34.2	82.1
1078.1	-529.8		J	-10696.8	44.9	34.2	82.1
1043.9	-574.6						
		G2	I	-1827.0	16.4	12.5	30.0
393.8	-193.9		J	-1827.0	16.4	12.5	30.0
381.3	-210.3						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-292.2	-395.2		J	0.0	-12.2	-9.3	-22.3
-282.9	-383.1						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-106.9	-144.6		J	0.0	-4.4	-3.4	-8.1
-103.5	-140.1						
		q3	I	-10.0	42.6	32.5	78.0
1024.4	1456.5		J	-10.0	42.6	32.5	78.0
991.8	1413.9						
		q4-1	I	-16.2	30.4	23.2	55.7
731.0	1088.7		J	-16.2	30.4	23.2	55.7
707.8	1058.3						
		q4-2	I	-6.8	65.2	49.7	119.4
1567.1	2322.1		J	-6.8	65.2	49.7	119.4
1517.3	2256.9						
		q4-3	I	4.0	22.6	17.3	41.4
544.0	786.1		J	4.0	22.6	17.3	41.4
526.7	763.5						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-46.0	-51.6		J	1.0	-1.9	-1.5	-3.5
-44.5	-49.7						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-17.8	-25.5		J	-1.2	-0.7	-0.6	-1.4
-17.2	-24.8						
		q4-6	I	-1.3	0.2	0.2	0.4
5.6	7.2		J	-1.3	0.2	0.2	0.4
5.4	6.9						
		q4-7	I	-1.3	0.1	0.1	0.3
3.5	4.6		J	-1.3	0.1	0.1	0.3
3.4	4.5						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
9573.8	13727.2		J	36.7	398.4	303.9	729.4	
9269.8	13328.8							
		q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
9586.4	-13647.6		J	22.5	-398.9	-304.3	-730.4	-
9282.0	-13248.6							
		q5 - p~3	I	35.5	377.4	287.9	691.0	
9069.5	12937.3		J	35.5	377.4	287.9	691.0	
8781.6	12559.9							
		q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
9096.2	-12761.8		J	18.2	-378.5	-288.8	-693.0	-
8807.4	-12383.3							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	3.8	77.7	59.3	142.3	
1868.1	2632.0		J	3.8	77.7	59.3	142.3	
1808.8	2554.3							
		T	I	1.1	-1.3	-1.0	-2.3	
-30.0	-39.7		J	1.1	-1.3	-1.0	-2.3	
-29.1	-38.5							
		M. tor~1	I	-31.8	88.7	67.7	162.5	
2132.7	2694.2		J	-31.8	88.7	67.7	162.5	
2065.0	2605.5							
		M. tor~2	I	-18.8	52.5	40.0	96.1	
1260.9	1592.9		J	-18.8	52.5	40.0	96.1	
1220.8	1540.4							
		INVSLU Max	I	-16638.6	698.4	532.8	1278.8	1
6783.8	19811.2		J	-16378.8	698.4	532.8	1278.8	1
6251.0	19164.4							
		Min	I	-21592.3	-560.4	-427.6	-1026.1	-1
3467.9	-23996.3		J	-21332.4	-560.4	-427.6	-1026.1	-1
3040.3	-23477.3							
		INVSLV Max	I	-11448.0	1650.6	1232.8	1372.0	2
2769.7	33189.8		J	-11255.5	1650.6	1232.8	1372.0	2
1724.4	31662.9							
		Min	I	-13984.4	-1561.3	-1164.7	-1208.6	-2
0624.2	-35716.8		J	-13791.9	-1561.3	-1164.7	-1208.6	-1
9647.1	-34279.1							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1423.8	13240.1		INVSLE Max	I	-12327.3	475.4	362.7	870.4	1
				J	-12134.8	475.4	362.7	870.4	1
1061.1	12802.8		Min	I	-15991.9	-373.2	-284.7	-683.2	-
8967.5	-16340.2			J	-15799.4	-373.2	-284.7	-683.2	-
8682.8	-15997.6								
707	4	43	C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
2230.2	2158.9			J	356.8	95.8	73.1	175.5	
2157.0	2107.6		Min	I	-3244.7	-66.0	-50.4	-120.9	-
1536.8	-4189.6			J	-3244.7	-66.0	-50.4	-120.9	-
1486.4	-4180.0								
			C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
2253.4	3144.6			J	366.2	96.8	73.9	177.3	
2179.5	3114.5		Min	I	-3253.0	-72.9	-55.6	-133.4	-
1695.2	-3001.5			J	-3253.0	-72.9	-55.6	-133.4	-
1639.7	-2992.7								
			C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
1197.6	989.8			J	194.0	51.5	39.3	94.2	
1158.3	965.3		Min	I	-1647.1	-34.6	-26.4	-63.4	-
-805.4	-2106.5			J	-1647.1	-34.6	-26.4	-63.4	-
-779.0	-2098.1								
			C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
1193.0	1528.0			J	199.7	51.3	39.1	93.9	
1153.9	1515.6		Min	I	-1651.3	-38.5	-29.4	-70.6	-
-896.7	-1478.8			J	-1651.3	-38.5	-29.4	-70.6	-
-867.3	-1471.1								
			SLVx (RS)	I	-441.2	1042.2	-912.0	-973.4	-1
5950.4	21354.2			J	-441.2	1042.2	-912.0	-973.4	-1
5210.9	20373.6								
			SLVy (RS)	I	-182.1	-1250.0	861.4	-941.2	1
5561.1	-26330.2			J	-182.1	-1250.0	861.4	-941.2	1
4766.2	-25183.7								
			SLDx (RS)	I	-326.0	739.7	-654.8	-695.8	-1
1061.1	14915.9			J	-326.0	739.7	-654.8	-695.8	-1
0538.2	14222.8								
			SLDy (RS)	I	-134.2	-885.5	615.0	-672.3	1
0964.7	-18404.5			J	-134.2	-885.5	615.0	-672.3	1
0402.3	-17599.5								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-223.3	-781.6	SLVz (RS)	I	1081.2	-118.8	53.6	-115.0
			J	1081.2	-118.8	53.6	-115.0
-195.4	-695.2						
		G1	I	-10696.8	44.9	34.2	82.1
1043.9	-574.6		J	-10504.3	44.9	34.2	82.1
1009.6	-619.5						
		G2	I	-1827.0	16.4	12.5	30.0
381.3	-210.3		J	-1827.0	16.4	12.5	30.0
368.8	-226.7						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-282.9	-383.1		J	0.0	-12.2	-9.3	-22.3
-273.7	-370.9						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-103.5	-140.1		J	0.0	-4.4	-3.4	-8.1
-100.1	-135.7						
		q3	I	-10.0	42.6	32.5	78.0
991.8	1413.9		J	-10.0	42.6	32.5	78.0
959.3	1371.3						
		q4-1	I	-16.2	30.4	23.2	55.7
707.8	1058.3		J	-16.2	30.4	23.2	55.7
684.6	1027.8						
		q4-2	I	-6.8	65.2	49.7	119.4
1517.3	2256.9		J	-6.8	65.2	49.7	119.4
1467.6	2191.7						
		q4-3	I	4.0	22.6	17.3	41.4
526.7	763.5		J	4.0	22.6	17.3	41.4
509.4	740.8						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-44.5	-49.7		J	1.0	-1.9	-1.5	-3.5
-43.1	-47.8						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-17.2	-24.8		J	-1.2	-0.7	-0.6	-1.4
-16.6	-24.0						
		q4-6	I	-1.3	0.2	0.2	0.4
5.4	6.9		J	-1.3	0.2	0.2	0.4
5.3	6.7						
		q4-7	I	-1.3	0.1	0.1	0.3
3.4	4.5		J	-1.3	0.1	0.1	0.3
3.3	4.3						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
9269.8	13328.8		J	36.7	398.4	303.9	729.4	
8965.9	12930.4							
9282.0	-13248.6	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
8977.7	-12849.7		J	22.5	-398.9	-304.3	-730.4	-
8781.6	12559.9	q5 - p~3	I	35.5	377.4	287.9	691.0	
8493.7	12182.5		J	35.5	377.4	287.9	691.0	
8807.4	-12383.3	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
8518.6	-12004.8		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1808.8	2554.3	q7	I	3.8	77.7	59.3	142.3	
1749.5	2476.6		J	3.8	77.7	59.3	142.3	
-29.1	-38.5	T	I	1.1	-1.3	-1.0	-2.3	
-28.1	-37.2		J	1.1	-1.3	-1.0	-2.3	
2065.0	2605.5	M. tor~1	I	-31.8	88.7	67.7	162.5	
1997.3	2516.7		J	-31.8	88.7	67.7	162.5	
1220.8	1540.4	M. tor~2	I	-18.8	52.5	40.0	96.1	
1180.8	1487.9		J	-18.8	52.5	40.0	96.1	
6251.0	19164.4	INVSLU Max	I	-16378.8	698.4	532.8	1278.8	1
5718.2	18520.4		J	-16118.9	698.4	532.8	1278.8	1
3040.3	-23477.3	Min	I	-21332.4	-560.4	-427.6	-1026.1	-1
2612.8	-22959.2		J	-21072.5	-560.4	-427.6	-1026.1	-1
1724.4	31662.9	INVSLV Max	I	-11255.5	1643.0	1220.5	1372.0	2
0704.0	30151.6		J	-11063.0	1643.0	1220.5	1372.0	2
9647.1	-34279.1	Min	I	-13791.9	-1553.7	-1152.4	-1208.6	-1
8694.8	-32857.1		J	-13599.4	-1553.7	-1152.4	-1208.6	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1061.1	12802.8	INVSLE Max	I	-12134.8	475.4	362.7	870.4	1
0698.5	12367.7		J	-11942.3	475.4	362.7	870.4	1
8682.8	-15997.6	Min	I	-15799.4	-373.2	-284.7	-683.2	-
8398.2	-15655.7		J	-15606.9	-373.2	-284.7	-683.2	-
708	4	43 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
2157.0	2107.6		J	356.8	95.8	73.1	175.5	
2083.9	2057.6	Min	I	-3244.7	-66.0	-50.4	-120.9	-
1486.4	-4180.0		J	-3244.7	-66.0	-50.4	-120.9	-
1436.0	-4171.0							
2179.5	3114.5	C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
2105.6	3087.7		J	366.2	96.8	73.9	177.3	
1639.7	-2992.7	Min	I	-3253.0	-72.9	-55.6	-133.4	-
1584.1	-2984.5		J	-3253.0	-72.9	-55.6	-133.4	-
1158.3	965.3	C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
1119.1	941.7		J	194.0	51.5	39.3	94.2	
-779.0	-2098.1	Min	I	-1647.1	-34.6	-26.4	-63.4	
-752.6	-2090.2		J	-1647.1	-34.6	-26.4	-63.4	
1153.9	1515.6	C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
1114.8	1505.2		J	199.7	51.3	39.1	93.9	
-867.3	-1471.1	Min	I	-1651.3	-38.5	-29.4	-70.6	
-837.9	-1463.6		J	-1651.3	-38.5	-29.4	-70.6	
5210.9	20373.6	SLVx (RS)	I	-441.2	1038.2	-899.1	-973.4	-1
4492.8	19401.0		J	-441.2	1038.2	-899.1	-973.4	-1
4766.2	-25183.7	SLVy (RS)	I	-182.1	-1242.2	855.0	-941.2	1
3981.3	-24049.5		J	-182.1	-1242.2	855.0	-941.2	1
0538.2	14222.8	SLDx (RS)	I	-326.0	736.7	-645.1	-695.8	-1
0032.1	13535.8		J	-326.0	736.7	-645.1	-695.8	-1
0402.3	-17599.5	SLDy (RS)	I	-134.2	-879.6	610.1	-672.3	1
9847.7	-16804.1		J	-134.2	-879.6	610.1	-672.3	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-195.4	-695.2	SLVz (RS)	I	1081.2	-113.2	-47.7	-115.0
			J	1081.2	-113.2	-47.7	-115.0
-176.5	-619.3						
		G1	I	-10504.3	44.9	34.2	82.1
1009.6	-619.5		J	-10311.8	44.9	34.2	82.1
975.4	-664.4						
		G2	I	-1827.0	16.4	12.5	30.0
368.8	-226.7		J	-1827.0	16.4	12.5	30.0
356.3	-243.0						
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3
-273.7	-370.9		J	0.0	-12.2	-9.3	-22.3
-264.4	-358.8						
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1
-100.1	-135.7		J	0.0	-4.4	-3.4	-8.1
-96.7	-131.2						
		q3	I	-10.0	42.6	32.5	78.0
959.3	1371.3		J	-10.0	42.6	32.5	78.0
926.8	1328.6						
		q4-1	I	-16.2	30.4	23.2	55.7
684.6	1027.8		J	-16.2	30.4	23.2	55.7
661.4	997.4						
		q4-2	I	-6.8	65.2	49.7	119.4
1467.6	2191.7		J	-6.8	65.2	49.7	119.4
1417.8	2126.5						
		q4-3	I	4.0	22.6	17.3	41.4
509.4	740.8		J	4.0	22.6	17.3	41.4
492.2	718.2						
		q4-4	I	1.0	-1.9	-1.5	-3.5
-43.1	-47.8		J	1.0	-1.9	-1.5	-3.5
-41.6	-45.9						
		q4-5	I	-1.2	-0.7	-0.6	-1.4
-16.6	-24.0		J	-1.2	-0.7	-0.6	-1.4
-16.1	-23.3						
		q4-6	I	-1.3	0.2	0.2	0.4
5.3	6.7		J	-1.3	0.2	0.2	0.4
5.1	6.5						
		q4-7	I	-1.3	0.1	0.1	0.3
3.3	4.3		J	-1.3	0.1	0.1	0.3
3.2	4.2						
		q5 - p~1	I	36.7	398.4	303.9	729.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
8965.9	12930.4		J	36.7	398.4	303.9	729.4	
8662.0	12532.0							
8977.7	-12849.7	q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-
8673.4	-12450.8		J	22.5	-398.9	-304.3	-730.4	-
8493.7	12182.5	q5 - p~3	I	35.5	377.4	287.9	691.0	
8205.7	11805.1		J	35.5	377.4	287.9	691.0	
8518.6	-12004.8	q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
8229.9	-11626.3		J	18.2	-378.5	-288.8	-693.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1749.5	2476.6	q7	I	3.8	77.7	59.3	142.3	
1690.2	2398.8		J	3.8	77.7	59.3	142.3	
-28.1	-37.2	T	I	1.1	-1.3	-1.0	-2.3	
-27.2	-36.0		J	1.1	-1.3	-1.0	-2.3	
1997.3	2516.7	M. tor~1	I	-31.8	88.7	67.7	162.5	
1929.6	2428.0		J	-31.8	88.7	67.7	162.5	
1180.8	1487.9	M. tor~2	I	-18.8	52.5	40.0	96.1	
1140.8	1435.5		J	-18.8	52.5	40.0	96.1	
5718.2	18520.4	INVSLU Max	I	-16118.9	698.4	532.8	1278.8	1
5185.4	17879.2		J	-15859.0	698.4	532.8	1278.8	1
2612.8	-22959.2	Min	I	-21072.5	-560.4	-427.6	-1026.1	-1
2185.2	-22441.8		J	-20812.6	-560.4	-427.6	-1026.1	-1
0704.0	30151.6	INVSLV Max	I	-11063.0	1632.3	1204.0	1372.0	2
9710.8	28658.2		J	-10870.5	1632.3	1204.0	1372.0	1
8694.8	-32857.1	Min	I	-13599.4	-1543.0	-1135.8	-1208.6	-1
7769.6	-31453.0		J	-13406.9	-1543.0	-1135.8	-1208.6	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

0698.5	12367.7	INVSLE Max	I	-11942.3	475.4	362.7	870.4	1
			J	-11749.8	475.4	362.7	870.4	1
0335.8	11934.5	Min	I	-15606.9	-373.2	-284.7	-683.2	-
8398.2	-15655.7		J	-15414.4	-373.2	-284.7	-683.2	-
8113.5	-15314.3							
709	4	39 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1257.0	997.9		J	286.3	28.1	20.0	25.4	
1251.6	977.8	Min	I	-1786.5	-48.4	-34.4	-43.9	
-551.4	-3454.4		J	-1786.5	-48.4	-34.4	-43.9	
-524.8	-3422.9							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1137.8	1855.4		J	294.7	32.0	22.8	29.0	
1135.2	1858.3	Min	I	-1785.9	-50.2	-35.7	-45.5	
-510.9	-2502.4		J	-1785.9	-50.2	-35.7	-45.5	
-484.1	-2472.4							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
775.8	471.9		J	155.5	14.7	10.5	13.4	
773.8	460.9	Min	I	-1063.6	-26.2	-18.7	-23.8	
-309.1	-1894.7		J	-1063.6	-26.2	-18.7	-23.8	
-294.3	-1878.5							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
687.7	987.6		J	160.6	17.1	12.2	15.5	
688.0	990.3	Min	I	-1063.0	-27.2	-19.3	-24.6	
-284.7	-1326.5		J	-1063.0	-27.2	-19.3	-24.6	
-269.7	-1311.0							
		SLVx (RS)	I	-330.5	1560.2	-1232.4	698.1	-2
9309.2	45688.6		J	-330.5	1560.2	-1232.4	698.1	-2
8235.7	44150.6							
		SLVy (RS)	I	-146.1	-1417.6	474.7	-680.2	-1
3308.2	-37128.1		J	-146.1	-1417.6	474.7	-680.2	-1
2852.0	-35848.9							
		SLDx (RS)	I	-243.2	1093.5	-884.5	490.4	-2
0443.0	31852.3		J	-243.2	1093.5	-884.5	490.4	-1
9680.4	30776.6							
		SLDy (RS)	I	-106.0	-1011.5	340.5	-484.4	-
9384.6	-25996.0		J	-106.0	-1011.5	340.5	-484.4	-
9059.9	-25091.4							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4289.1	1282.3	SLVz (RS)	I	626.5	233.1	-483.2	110.6	-
			J	626.5	233.1	-483.2	110.6	-
3814.2	-1076.2							
		G1	I	-8673.3	-27.8	-19.8	-25.2	
499.9	-1197.5		J	-8473.7	-27.8	-19.8	-25.2	
519.7	-1169.7							
		G2	I	-558.0	-10.1	-7.2	-9.2	
182.6	-437.6		J	-558.0	-10.1	-7.2	-9.2	
189.8	-427.4							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	
-964.9	310.2		J	-1476.1	8.3	5.9	7.5	
-970.8	301.9							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-353.0	113.5		J	-540.0	3.0	2.2	2.8	
-355.2	110.4							
		q3	I	7.4	11.0	7.8	10.0	
280.0	455.2		J	7.4	11.0	7.8	10.0	
272.2	444.2							
		q4-1	I	7.2	141.8	100.9	128.6	
3681.1	5663.0		J	7.2	141.8	100.9	128.6	
3580.2	5521.1							
		q4-2	I	5.0	43.9	31.2	39.8	
1136.6	1744.2		J	5.0	43.9	31.2	39.8	
1105.4	1700.3							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-68.1	-79.9		J	0.4	-2.6	-1.9	-2.4	
-66.2	-77.2							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-59.3	-88.8		J	-0.2	-2.3	-1.6	-2.1	
-57.7	-86.5							
		q4-5	I	0.2	0.3	0.2	0.3	
8.2	11.4		J	0.2	0.3	0.2	0.3	
8.0	11.1							
		q4-6	I	0.3	0.5	0.3	0.4	
12.1	18.0		J	0.3	0.5	0.3	0.4	
11.8	17.5							
		q4-7	I	0.3	0.4	0.3	0.3	
9.5	14.1		J	0.3	0.4	0.3	0.3	
9.3	13.7							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2392.8	3937.2		J	39.5	93.3	66.3	84.6	
2326.5	3844.0							
9366.4	-14354.3	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
9109.5	-13993.0		J	-30.5	-361.3	-256.9	-327.6	-
2272.3	3719.9	q5 - p~3	I	31.7	88.4	62.9	80.2	
2209.4	3631.5		J	31.7	88.4	62.9	80.2	
8865.5	-13489.7	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
8622.3	-13147.8		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
324.1	551.2	q7	I	4.4	12.6	9.0	11.4	
315.1	538.6		J	4.4	12.6	9.0	11.4	
22.1	35.9	T	I	-0.1	0.8	0.6	0.8	
21.5	35.0		J	-0.1	0.8	0.6	0.8	
4441.1	6178.4	M. tor~1	I	15.9	171.3	121.9	155.4	
4319.3	6007.1		J	15.9	171.3	121.9	155.4	
2625.7	3652.8	M. tor~2	I	9.4	101.3	72.0	91.9	
2553.6	3551.5		J	9.4	101.3	72.0	91.9	
3604.6	20287.6	INVSLU Max	I	-14750.5	504.4	358.7	457.4	1
3259.7	19809.9		J	-14481.1	504.4	358.7	457.4	1
4589.3	-24453.7	Min	I	-17631.4	-586.0	-416.8	-531.5	-1
4178.6	-23882.5		J	-17361.9	-586.0	-416.8	-531.5	-1
3952.9	56000.3	INVSLV Max	I	-10478.0	2028.8	1500.9	911.2	3
2619.0	54043.3		J	-10278.4	2028.8	1500.9	911.2	3
5223.8	-58423.2	Min	I	-12016.9	-2082.0	-1538.7	-959.5	-3
3852.1	-56412.9		J	-11817.3	-2082.0	-1538.7	-959.5	-3

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

9454.5	14073.3	INVSLE Max	I	-10928.9	349.6	248.6	317.0	
			J	-10729.3	349.6	248.6	317.0	
9216.1	13743.5	Min	I	-13057.7	-396.2	-281.8	-359.3	-
9823.3	-16617.4		J	-12858.1	-396.2	-281.8	-359.3	-
9546.1	-16232.2							
710	4	39 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1251.6	977.8		J	286.3	28.1	20.0	25.4	
1246.5	957.8	Min	I	-1786.5	-48.4	-34.4	-43.9	
-524.8	-3422.9		J	-1786.5	-48.4	-34.4	-43.9	
-498.7	-3392.1							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1135.2	1858.3		J	294.7	32.0	22.8	29.0	
1132.8	1861.2	Min	I	-1785.9	-50.2	-35.7	-45.5	
-484.1	-2472.4		J	-1785.9	-50.2	-35.7	-45.5	
-457.6	-2442.6							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
773.8	460.9		J	155.5	14.7	10.5	13.4	
771.9	450.0	Min	I	-1063.6	-26.2	-18.7	-23.8	
-294.3	-1878.5		J	-1063.6	-26.2	-18.7	-23.8	
-279.8	-1862.8							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
688.0	990.3		J	160.6	17.1	12.2	15.5	
688.3	993.0	Min	I	-1063.0	-27.2	-19.3	-24.6	
-269.7	-1311.0		J	-1063.0	-27.2	-19.3	-24.6	
-254.9	-1295.7							
		SLVx (RS)	I	-330.5	1559.6	-1227.8	698.1	-2
8235.7	44150.6		J	-330.5	1559.6	-1227.8	698.1	-2
7176.5	42614.6							
		SLVy (RS)	I	-146.1	-1414.0	474.0	-680.2	-1
2852.0	-35848.9		J	-146.1	-1414.0	474.0	-680.2	-1
2397.4	-34581.3							
		SLDx (RS)	I	-243.2	1093.0	-881.1	490.4	-1
9680.4	30776.6		J	-243.2	1093.0	-881.1	490.4	-1
8929.0	29702.4							
		SLDy (RS)	I	-106.0	-1008.8	340.0	-484.4	-
9059.9	-25091.4		J	-106.0	-1008.8	340.0	-484.4	-
8736.5	-24195.8							


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3814.2	-1076.2	SLVz (RS)	I	626.5	228.4	-480.3	110.6	-
			J	626.5	228.4	-480.3	110.6	-
3343.3	886.3							
		G1	I	-8473.7	-27.8	-19.8	-25.2	
519.7	-1169.7		J	-8274.1	-27.8	-19.8	-25.2	
539.5	-1141.9							
		G2	I	-558.0	-10.1	-7.2	-9.2	
189.8	-427.4		J	-558.0	-10.1	-7.2	-9.2	
197.0	-417.3							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	
-970.8	301.9		J	-1476.1	8.3	5.9	7.5	
-976.7	293.6							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-355.2	110.4		J	-540.0	3.0	2.2	2.8	
-357.4	107.4							
		q3	I	7.4	11.0	7.8	10.0	
272.2	444.2		J	7.4	11.0	7.8	10.0	
264.4	433.2							
		q4-1	I	7.2	141.8	100.9	128.6	
3580.2	5521.1		J	7.2	141.8	100.9	128.6	
3479.4	5379.3							
		q4-2	I	5.0	43.9	31.2	39.8	
1105.4	1700.3		J	5.0	43.9	31.2	39.8	
1074.2	1656.5							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-66.2	-77.2		J	0.4	-2.6	-1.9	-2.4	
-64.4	-74.6							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-57.7	-86.5		J	-0.2	-2.3	-1.6	-2.1	
-56.0	-84.2							
		q4-5	I	0.2	0.3	0.2	0.3	
8.0	11.1		J	0.2	0.3	0.2	0.3	
7.8	10.8							
		q4-6	I	0.3	0.5	0.3	0.4	
11.8	17.5		J	0.3	0.5	0.3	0.4	
11.4	17.0							
		q4-7	I	0.3	0.4	0.3	0.3	
9.3	13.7		J	0.3	0.4	0.3	0.3	
9.0	13.4							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2326.5	3844.0		J	39.5	93.3	66.3	84.6	
2260.2	3750.7							
9109.5	-13993.0	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
8852.6	-13631.7		J	-30.5	-361.3	-256.9	-327.6	-
2209.4	3631.5	q5 - p~3	I	31.7	88.4	62.9	80.2	
2146.5	3543.1		J	31.7	88.4	62.9	80.2	
8622.3	-13147.8	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
8379.2	-12805.9		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
315.1	538.6	q7	I	4.4	12.6	9.0	11.4	
306.1	526.0		J	4.4	12.6	9.0	11.4	
21.5	35.0	T	I	-0.1	0.8	0.6	0.8	
20.9	34.2		J	-0.1	0.8	0.6	0.8	
4319.3	6007.1	M. tor~1	I	15.9	171.3	121.9	155.4	
4197.4	5835.7		J	15.9	171.3	121.9	155.4	
2553.6	3551.5	M. tor~2	I	9.4	101.3	72.0	91.9	
2481.6	3450.2		J	9.4	101.3	72.0	91.9	
3259.7	19809.9	INVSLU Max	I	-14481.1	504.4	358.7	457.4	1
2914.8	19332.2		J	-14211.6	504.4	358.7	457.4	1
4178.6	-23882.5	Min	I	-17361.9	-586.0	-416.8	-531.5	-1
3768.3	-23311.9		J	-17092.5	-586.0	-416.8	-531.5	-1
2619.0	54043.3	INVSLV Max	I	-10278.4	2025.7	1495.2	911.2	3
1301.1	52096.6		J	-10078.8	2025.7	1495.2	911.2	3
3852.1	-56412.9	Min	I	-11817.3	-2078.9	-1533.0	-959.5	-3
2496.3	-54413.0		J	-11617.7	-2078.9	-1533.0	-959.5	-3

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

9216.1	13743.5	INVSLE Max	I	-10729.3	349.6	248.6	317.0	
			J	-10529.7	349.6	248.6	317.0	
8977.8	13413.7	Min	I	-12858.1	-396.2	-281.8	-359.3	-
9546.1	-16232.2		J	-12658.5	-396.2	-281.8	-359.3	-
9269.1	-15847.5							
711	4	39 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1246.5	957.8		J	286.3	28.1	20.0	25.4	
1241.5	950.1	Min	I	-1786.5	-48.4	-34.4	-43.9	
-498.7	-3392.1		J	-1786.5	-48.4	-34.4	-43.9	
-472.9	-3362.1							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1132.8	1861.2		J	294.7	32.0	22.8	29.0	
1130.6	1864.1	Min	I	-1785.9	-50.2	-35.7	-45.5	
-457.6	-2442.6		J	-1785.9	-50.2	-35.7	-45.5	
-431.4	-2413.1							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
771.9	450.0		J	155.5	14.7	10.5	13.4	
770.1	448.3	Min	I	-1063.6	-26.2	-18.7	-23.8	
-279.8	-1862.8		J	-1063.6	-26.2	-18.7	-23.8	
-265.5	-1847.6							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
688.3	993.0		J	160.6	17.1	12.2	15.5	
688.7	995.7	Min	I	-1063.0	-27.2	-19.3	-24.6	
-254.9	-1295.7		J	-1063.0	-27.2	-19.3	-24.6	
-240.3	-1280.5							
		SLVx (RS)	I	-330.5	1558.6	-1220.3	698.1	-2
7176.5	42614.6		J	-330.5	1558.6	-1220.3	698.1	-2
6133.3	41081.0							
		SLVy (RS)	I	-146.1	-1408.0	473.0	-680.2	-1
2397.4	-34581.3		J	-146.1	-1408.0	473.0	-680.2	-1
1944.7	-33326.5							
		SLDx (RS)	I	-243.2	1092.3	-875.4	490.4	-1
8929.0	29702.4		J	-243.2	1092.3	-875.4	490.4	-1
8190.2	28630.2							
		SLDy (RS)	I	-106.0	-1004.3	339.1	-484.4	-
8736.5	-24195.8		J	-106.0	-1004.3	339.1	-484.4	-
8414.7	-23310.4							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3343.3	886.3	SLVz (RS)	I	626.5	220.7	-475.3	110.6	-
			J	626.5	220.7	-475.3	110.6	-
2878.4	722.0							
		G1	I	-8274.1	-27.8	-19.8	-25.2	
539.5	-1141.9		J	-8074.5	-27.8	-19.8	-25.2	
559.2	-1114.1							
		G2	I	-558.0	-10.1	-7.2	-9.2	
197.0	-417.3		J	-558.0	-10.1	-7.2	-9.2	
204.3	-407.1							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	
-976.7	293.6		J	-1476.1	8.3	5.9	7.5	
-982.6	285.3							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-357.4	107.4		J	-540.0	3.0	2.2	2.8	
-359.5	104.3							
		q3	I	7.4	11.0	7.8	10.0	
264.4	433.2		J	7.4	11.0	7.8	10.0	
256.5	422.2							
		q4-1	I	7.2	141.8	100.9	128.6	
3479.4	5379.3		J	7.2	141.8	100.9	128.6	
3378.5	5237.5							
		q4-2	I	5.0	43.9	31.2	39.8	
1074.2	1656.5		J	5.0	43.9	31.2	39.8	
1043.0	1612.6							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-64.4	-74.6		J	0.4	-2.6	-1.9	-2.4	
-62.5	-72.0							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-56.0	-84.2		J	-0.2	-2.3	-1.6	-2.1	
-54.4	-81.9							
		q4-5	I	0.2	0.3	0.2	0.3	
7.8	10.8		J	0.2	0.3	0.2	0.3	
7.5	10.5							
		q4-6	I	0.3	0.5	0.3	0.4	
11.4	17.0		J	0.3	0.5	0.3	0.4	
11.1	16.6							
		q4-7	I	0.3	0.4	0.3	0.3	
9.0	13.4		J	0.3	0.4	0.3	0.3	
8.7	13.0							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2260.2	3750.7		J	39.5	93.3	66.3	84.6	
2193.8	3657.4							
8852.6	-13631.7	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
8595.6	-13270.5		J	-30.5	-361.3	-256.9	-327.6	-
2146.5	3543.1	q5 - p~3	I	31.7	88.4	62.9	80.2	
2083.7	3454.7		J	31.7	88.4	62.9	80.2	
8379.2	-12805.9	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
8136.0	-12464.1		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
306.1	526.0	q7	I	4.4	12.6	9.0	11.4	
297.2	513.4		J	4.4	12.6	9.0	11.4	
20.9	34.2	T	I	-0.1	0.8	0.6	0.8	
20.3	33.3		J	-0.1	0.8	0.6	0.8	
4197.4	5835.7	M. tor~1	I	15.9	171.3	121.9	155.4	
4075.5	5664.4		J	15.9	171.3	121.9	155.4	
2481.6	3450.2	M. tor~2	I	9.4	101.3	72.0	91.9	
2409.5	3348.9		J	9.4	101.3	72.0	91.9	
2914.8	19332.2	INVSLU Max	I	-14211.6	504.4	358.7	457.4	1
2570.1	18854.6		J	-13942.1	504.4	358.7	457.4	1
3768.3	-23311.9	Min	I	-17092.5	-586.0	-416.8	-531.5	-1
3358.2	-22742.0		J	-16823.0	-586.0	-416.8	-531.5	-1
1301.1	52096.6	INVSLV Max	I	-10078.8	2020.6	1485.9	911.2	3
0001.6	50164.0		J	-9879.2	2020.6	1485.9	911.2	3
2496.3	-54413.0	Min	I	-11617.7	-2073.8	-1523.7	-959.5	-3
1158.9	-52427.1		J	-11418.1	-2073.8	-1523.7	-959.5	-3

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

8977.8	13413.7	INVSLE Max	I	-10529.7	349.6	248.6	317.0	
			J	-10330.1	349.6	248.6	317.0	
8739.5	13083.9	Min	I	-12658.5	-396.2	-281.8	-359.3	-
9269.1	-15847.5		J	-12458.9	-396.2	-281.8	-359.3	-
8992.3	-15463.2							
712	4	39 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1241.5	950.1		J	286.3	28.1	20.0	25.4	
1236.9	943.0	Min	I	-1786.5	-48.4	-34.4	-43.9	
-472.9	-3362.1		J	-1786.5	-48.4	-34.4	-43.9	
-447.4	-3332.8							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1130.6	1864.1		J	294.7	32.0	22.8	29.0	
1128.7	1867.2	Min	I	-1785.9	-50.2	-35.7	-45.5	
-431.4	-2413.1		J	-1785.9	-50.2	-35.7	-45.5	
-405.7	-2383.9							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
770.1	448.3		J	155.5	14.7	10.5	13.4	
768.4	446.9	Min	I	-1063.6	-26.2	-18.7	-23.8	
-265.5	-1847.6		J	-1063.6	-26.2	-18.7	-23.8	
-251.3	-1832.9							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
688.7	995.7		J	160.6	17.1	12.2	15.5	
689.2	998.5	Min	I	-1063.0	-27.2	-19.3	-24.6	
-240.3	-1280.5		J	-1063.0	-27.2	-19.3	-24.6	
-225.9	-1265.5							
		SLVx (RS)	I	-330.5	1557.0	-1209.9	698.1	-2
6133.3	41081.0		J	-330.5	1557.0	-1209.9	698.1	-2
5107.7	39550.5							
		SLVy (RS)	I	-146.1	-1399.5	471.5	-680.2	-1
1944.7	-33326.5		J	-146.1	-1399.5	471.5	-680.2	-1
1494.0	-32086.1							
		SLDx (RS)	I	-243.2	1091.1	-867.6	490.4	-1
8190.2	28630.2		J	-243.2	1091.1	-867.6	490.4	-1
7465.3	27560.4							
		SLDy (RS)	I	-106.0	-997.9	337.9	-484.4	-
8414.7	-23310.4		J	-106.0	-997.9	337.9	-484.4	-
8094.6	-22436.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2878.4	722.0	SLVz (RS)	I	626.5	209.7	-468.1	110.6	-
			J	626.5	209.7	-468.1	110.6	-
2421.5	596.6							
		G1	I	-8074.5	-27.8	-19.8	-25.2	
559.2	-1114.1		J	-7874.9	-27.8	-19.8	-25.2	
579.0	-1086.3							
		G2	I	-558.0	-10.1	-7.2	-9.2	
204.3	-407.1		J	-558.0	-10.1	-7.2	-9.2	
211.5	-397.0							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	
-982.6	285.3		J	-1476.1	8.3	5.9	7.5	
-988.5	277.0							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-359.5	104.3		J	-540.0	3.0	2.2	2.8	
-361.7	101.3							
		q3	I	7.4	11.0	7.8	10.0	
256.5	422.2		J	7.4	11.0	7.8	10.0	
248.7	411.2							
		q4-1	I	7.2	141.8	100.9	128.6	
3378.5	5237.5		J	7.2	141.8	100.9	128.6	
3277.6	5095.6							
		q4-2	I	5.0	43.9	31.2	39.8	
1043.0	1612.6		J	5.0	43.9	31.2	39.8	
1011.8	1568.7							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-62.5	-72.0		J	0.4	-2.6	-1.9	-2.4	
-60.7	-69.4							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-54.4	-81.9		J	-0.2	-2.3	-1.6	-2.1	
-52.8	-79.6							
		q4-5	I	0.2	0.3	0.2	0.3	
7.5	10.5		J	0.2	0.3	0.2	0.3	
7.3	10.1							
		q4-6	I	0.3	0.5	0.3	0.4	
11.1	16.6		J	0.3	0.5	0.3	0.4	
10.7	16.1							
		q4-7	I	0.3	0.4	0.3	0.3	
8.7	13.0		J	0.3	0.4	0.3	0.3	
8.5	12.6							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2193.8	3657.4		J	39.5	93.3	66.3	84.6	
2127.5	3564.2							
8595.6	-13270.5	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
8338.7	-12909.2		J	-30.5	-361.3	-256.9	-327.6	-
2083.7	3454.7	q5 - p~3	I	31.7	88.4	62.9	80.2	
2020.8	3366.3		J	31.7	88.4	62.9	80.2	
8136.0	-12464.1	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
7892.9	-12122.2		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
297.2	513.4	q7	I	4.4	12.6	9.0	11.4	
288.2	500.8		J	4.4	12.6	9.0	11.4	
20.3	33.3	T	I	-0.1	0.8	0.6	0.8	
19.7	32.5		J	-0.1	0.8	0.6	0.8	
4075.5	5664.4	M. tor~1	I	15.9	171.3	121.9	155.4	
3953.7	5493.0		J	15.9	171.3	121.9	155.4	
2409.5	3348.9	M. tor~2	I	9.4	101.3	72.0	91.9	
2337.5	3247.6		J	9.4	101.3	72.0	91.9	
2570.1	18854.6	INVSLU Max	I	-13942.1	504.4	358.7	457.4	1
2225.5	18377.0		J	-13672.7	504.4	358.7	457.4	1
3358.2	-22742.0	Min	I	-16823.0	-586.0	-416.8	-531.5	-1
2948.3	-22172.8		J	-16553.6	-586.0	-416.8	-531.5	-1
0001.6	50164.0	INVSLV Max	I	-9879.2	2013.1	1472.9	911.2	3
8722.6	48250.3		J	-9679.6	2013.1	1472.9	911.2	2
1158.9	-52427.1	Min	I	-11418.1	-2066.4	-1510.7	-959.5	-3
9842.1	-50460.3		J	-11218.5	-2066.4	-1510.7	-959.5	-2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

8739.5	13083.9		INVSLE Max	I	-10330.1	349.6	248.6	317.0	
				J	-10130.5	349.6	248.6	317.0	
8501.3	12754.1		Min	I	-12458.9	-396.2	-281.8	-359.3	-
8992.3	-15463.2			J	-12259.3	-396.2	-281.8	-359.3	-
8715.7	-15079.5								
715	4	39	C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
2497.0	2381.2			J	356.8	95.8	73.1	175.5	
2449.5	2340.4		Min	I	-3244.7	-66.0	-50.4	-120.9	-
1720.7	-4230.9			J	-3244.7	-66.0	-50.4	-120.9	-
1688.0	-4223.0								
			C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
2523.0	3281.7			J	366.2	96.8	73.9	177.3	
2475.0	3254.4		Min	I	-3253.0	-72.9	-55.6	-133.4	-
1898.1	-3072.8			J	-3253.0	-72.9	-55.6	-133.4	-
1862.0	-3058.3								
			C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
1340.9	1105.0			J	194.0	51.5	39.3	94.2	
1315.4	1083.6		Min	I	-1647.1	-34.6	-26.4	-63.4	
-901.8	-2141.6			J	-1647.1	-34.6	-26.4	-63.4	
-884.6	-2135.0								
			C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
1335.8	1589.8			J	199.7	51.3	39.1	93.9	
1310.3	1577.0		Min	I	-1651.3	-38.5	-29.4	-70.6	-
1004.0	-1533.2			J	-1651.3	-38.5	-29.4	-70.6	
-984.9	-1522.6								
			SLVx (RS)	I	-441.2	1047.7	-930.9	-973.4	-1
8798.0	24984.2			J	-441.2	1047.7	-930.9	-973.4	-1
8276.8	24333.2								
			SLVy (RS)	I	-182.1	-1261.1	869.9	-941.2	1
8525.4	-30597.0			J	-182.1	-1261.1	869.9	-941.2	1
7991.9	-29829.5								
			SLDx (RS)	I	-326.0	743.8	-668.8	-695.8	-1
3085.8	17484.5			J	-326.0	743.8	-668.8	-695.8	-1
2714.2	17023.6								
			SLDy (RS)	I	-134.2	-893.8	621.5	-672.3	1
3067.0	-21406.7			J	-134.2	-893.8	621.5	-672.3	1
2688.2	-20866.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-393.1	-1161.1	SLVz (RS)	I	1081.2	-127.6	64.3	-115.0	
			J	1081.2	-127.6	64.3	-115.0	
-357.5	-1088.4							
		G1	I	-11411.1	44.9	34.2	82.1	
1168.8	-410.9		J	-11281.4	44.9	34.2	82.1	
1146.6	-440.0							
		G2	I	-1827.0	16.4	12.5	30.0	
426.9	-150.5		J	-1827.0	16.4	12.5	30.0	
418.8	-161.1							
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3	
-316.8	-427.5		J	0.0	-12.2	-9.3	-22.3	
-310.8	-419.6							
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1	
-115.9	-156.4		J	0.0	-4.4	-3.4	-8.1	
-113.7	-153.5							
		q3	I	-10.0	42.6	32.5	78.0	
1110.5	1569.5		J	-10.0	42.6	32.5	78.0	
1089.4	1541.8							
		q4-1	I	-16.2	30.4	23.2	55.7	
792.5	1169.3		J	-16.2	30.4	23.2	55.7	
777.4	1149.5							
		q4-2	I	-6.8	65.2	49.7	119.4	
1698.9	2494.9		J	-6.8	65.2	49.7	119.4	
1666.6	2452.5							
		q4-3	I	4.0	22.6	17.3	41.4	
589.7	846.1		J	4.0	22.6	17.3	41.4	
578.5	831.4							
		q4-4	I	1.0	-1.9	-1.5	-3.5	
-49.9	-56.7		J	1.0	-1.9	-1.5	-3.5	
-48.9	-55.5							
		q4-5	I	-1.2	-0.7	-0.6	-1.4	
-19.3	-27.5		J	-1.2	-0.7	-0.6	-1.4	
-18.9	-27.0							
		q4-6	I	-1.3	0.2	0.2	0.4	
6.1	7.8		J	-1.3	0.2	0.2	0.4	
6.0	7.6							
		q4-7	I	-1.3	0.1	0.1	0.3	
3.8	5.0		J	-1.3	0.1	0.1	0.3	
3.7	4.9							
		q5 - p~1	I	36.7	398.4	303.9	729.4	1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0379.2	14782.9		J	36.7	398.4	303.9	729.4	1
0181.6	14524.0							
		q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-1
0392.8	-14704.7		J	22.5	-398.9	-304.3	-730.4	-1
0195.0	-14445.4							
		q5 - p~3	I	35.5	377.4	287.9	691.0	
9832.5	13937.4		J	35.5	377.4	287.9	691.0	
9645.3	13692.1							
		q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
9861.4	-13764.9		J	18.2	-378.5	-288.8	-693.0	-
9673.7	-13518.9							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	3.8	77.7	59.3	142.3	
2025.3	2838.0		J	3.8	77.7	59.3	142.3	
1986.7	2787.5							
		T	I	1.1	-1.3	-1.0	-2.3	
-32.6	-43.1		J	1.1	-1.3	-1.0	-2.3	
-32.0	-42.2							
		M. tor~1	I	-31.8	88.7	67.7	162.5	
2312.1	2929.4		J	-31.8	88.7	67.7	162.5	
2268.1	2871.7							
		M. tor~2	I	-18.8	52.5	40.0	96.1	
1366.9	1731.9		J	-18.8	52.5	40.0	96.1	
1340.9	1697.8							
		INVSLU Max	I	-17343.1	698.4	532.8	1278.8	1
8195.8	21537.3		J	-17168.0	698.4	532.8	1278.8	1
7849.5	21112.4							
		Min	I	-22296.7	-560.4	-427.6	-1026.1	-1
4600.9	-25374.3		J	-22121.6	-560.4	-427.6	-1026.1	-1
4323.0	-25036.0							
		INVSLV Max	I	-11969.9	1658.3	1245.3	1372.0	2
5636.5	37295.4		J	-11840.1	1658.3	1245.3	1372.0	2
4922.5	36281.8							
		Min	I	-14506.2	-1569.1	-1177.1	-1208.6	-2
3310.5	-39585.8		J	-14376.5	-1569.1	-1177.1	-1208.6	-2
2640.8	-38630.2							


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

2384.8	14407.9	INVSLE Max	I	-12849.1	475.4	362.7	870.4	1
			J	-12719.4	475.4	362.7	870.4	1
2149.1	14120.3	Min	I	-16513.7	-373.2	-284.7	-683.2	-
9721.9	-17250.1		J	-16384.0	-373.2	-284.7	-683.2	-
9536.9	-17026.7							
716	4	39 C1-C2;~1 Max	I	356.8	95.8	73.1	175.5	
2449.5	2340.4		J	356.8	95.8	73.1	175.5	
2376.4	2278.0	Min	I	-3244.7	-66.0	-50.4	-120.9	-
1688.0	-4223.0		J	-3244.7	-66.0	-50.4	-120.9	-
1637.6	-4211.4							
		C3-C4;~1 Max	I	366.2	96.8	73.9	177.3	
2475.0	3254.4		J	366.2	96.8	73.9	177.3	
2401.1	3214.8	Min	I	-3253.0	-72.9	-55.6	-133.4	-
1862.0	-3058.3		J	-3253.0	-72.9	-55.6	-133.4	-
1806.4	-3037.2							
		C1-C2;~2 Max	I	194.0	51.5	39.3	94.2	
1315.4	1083.6		J	194.0	51.5	39.3	94.2	
1276.1	1050.9	Min	I	-1647.1	-34.6	-26.4	-63.4	-
-884.6	-2135.0		J	-1647.1	-34.6	-26.4	-63.4	-
-858.2	-2125.1							
		C3-C4;~2 Max	I	199.7	51.3	39.1	93.9	
1310.3	1577.0		J	199.7	51.3	39.1	93.9	
1271.2	1558.8	Min	I	-1651.3	-38.5	-29.4	-70.6	-
-984.9	-1522.6		J	-1651.3	-38.5	-29.4	-70.6	-
-955.5	-1506.9							
		SLVx (RS)	I	-441.2	1047.5	-930.3	-973.4	-1
8276.8	24333.2		J	-441.2	1047.5	-930.3	-973.4	-1
7485.6	23335.0							
		SLVy (RS)	I	-182.1	-1260.7	869.7	-941.2	1
7991.9	-29829.5		J	-182.1	-1260.7	869.7	-941.2	1
7175.3	-28654.6							
		SLDx (RS)	I	-326.0	743.6	-668.4	-695.8	-1
2714.2	17023.6		J	-326.0	743.6	-668.4	-695.8	-1
2150.9	16317.1							
		SLDy (RS)	I	-134.2	-893.5	621.3	-672.3	1
2688.2	-20866.1		J	-134.2	-893.5	621.3	-672.3	1
2108.7	-20038.9							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-357.5	-1088.4	SLVz (RS)	I	1081.2	-127.2	63.9	-115.0	
			J	1081.2	-127.2	63.9	-115.0	
-306.1	-980.0							
		G1	I	-11281.4	44.9	34.2	82.1	
1146.6	-440.0		J	-11081.8	44.9	34.2	82.1	
1112.3	-484.9							
		G2	I	-1827.0	16.4	12.5	30.0	
418.8	-161.1		J	-1827.0	16.4	12.5	30.0	
406.3	-177.5							
		G1- Imp~1	I	0.0	-12.2	-9.3	-22.3	
-310.8	-419.6		J	0.0	-12.2	-9.3	-22.3	
-301.5	-407.4							
		G2- Imp~1	I	0.0	-4.4	-3.4	-8.1	
-113.7	-153.5		J	0.0	-4.4	-3.4	-8.1	
-110.3	-149.0							
		q3	I	-10.0	42.6	32.5	78.0	
1089.4	1541.8		J	-10.0	42.6	32.5	78.0	
1056.9	1499.2							
		q4-1	I	-16.2	30.4	23.2	55.7	
777.4	1149.5		J	-16.2	30.4	23.2	55.7	
754.2	1119.1							
		q4-2	I	-6.8	65.2	49.7	119.4	
1666.6	2452.5		J	-6.8	65.2	49.7	119.4	
1616.8	2387.3							
		q4-3	I	4.0	22.6	17.3	41.4	
578.5	831.4		J	4.0	22.6	17.3	41.4	
561.2	808.7							
		q4-4	I	1.0	-1.9	-1.5	-3.5	
-48.9	-55.5		J	1.0	-1.9	-1.5	-3.5	
-47.5	-53.5							
		q4-5	I	-1.2	-0.7	-0.6	-1.4	
-18.9	-27.0		J	-1.2	-0.7	-0.6	-1.4	
-18.3	-26.2							
		q4-6	I	-1.3	0.2	0.2	0.4	
6.0	7.6		J	-1.3	0.2	0.2	0.4	
5.8	7.4							
		q4-7	I	-1.3	0.1	0.1	0.3	
3.7	4.9		J	-1.3	0.1	0.1	0.3	
3.6	4.8							
		q5 - p~1	I	36.7	398.4	303.9	729.4	1

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0181.6	14524.0		J	36.7	398.4	303.9	729.4	
9877.7	14125.6							
		q5 - p~2	I	22.5	-398.9	-304.3	-730.4	-1
0195.0	-14445.4		J	22.5	-398.9	-304.3	-730.4	-
9890.7	-14046.5							
		q5 - p~3	I	35.5	377.4	287.9	691.0	
9645.3	13692.1		J	35.5	377.4	287.9	691.0	
9357.4	13314.7							
		q5 - p~4	I	18.2	-378.5	-288.8	-693.0	-
9673.7	-13518.9		J	18.2	-378.5	-288.8	-693.0	-
9384.9	-13140.4							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	3.8	77.7	59.3	142.3	
1986.7	2787.5		J	3.8	77.7	59.3	142.3	
1927.4	2709.8							
		T	I	1.1	-1.3	-1.0	-2.3	
-32.0	-42.2		J	1.1	-1.3	-1.0	-2.3	
-31.0	-41.0							
		M. tor~1	I	-31.8	88.7	67.7	162.5	
2268.1	2871.7		J	-31.8	88.7	67.7	162.5	
2200.4	2783.0							
		M. tor~2	I	-18.8	52.5	40.0	96.1	
1340.9	1697.8		J	-18.8	52.5	40.0	96.1	
1300.9	1645.3							
		INVSLU Max	I	-17168.0	698.4	532.8	1278.8	1
7849.5	21112.4		J	-16898.5	698.4	532.8	1278.8	1
7316.7	20460.6							
		Min	I	-22121.6	-560.4	-427.6	-1026.1	-1
4323.0	-25036.0		J	-21852.1	-560.4	-427.6	-1026.1	-1
3895.4	-24515.9							
		INVSLV Max	I	-11840.1	1657.8	1244.4	1372.0	2
4922.5	36281.8		J	-11640.5	1657.8	1244.4	1372.0	2
3836.8	34730.2							
		Min	I	-14376.5	-1568.5	-1176.3	-1208.6	-2
2640.8	-38630.2		J	-14176.9	-1568.5	-1176.3	-1208.6	-2
1623.3	-37167.9							

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

2149.1	14120.3	INVSLE Max	I	-12719.4	475.4	362.7	870.4	1
			J	-12519.8	475.4	362.7	870.4	1
1786.4	13679.3	Min	I	-16384.0	-373.2	-284.7	-683.2	-
9536.9	-17026.7		J	-16184.4	-373.2	-284.7	-683.2	-
9252.2	-16683.3							
719	4	44 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1265.5	1028.5		J	286.3	28.1	20.0	25.4	
1262.6	1018.2	Min	I	-1786.5	-48.4	-34.4	-43.9	
-591.9	-3502.7		J	-1786.5	-48.4	-34.4	-43.9	
-578.3	-3486.4							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1142.1	1851.1		J	294.7	32.0	22.8	29.0	
1140.6	1852.5	Min	I	-1785.9	-50.2	-35.7	-45.5	
-551.7	-2547.9		J	-1785.9	-50.2	-35.7	-45.5	
-538.1	-2532.7							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
778.9	488.4		J	155.5	14.7	10.5	13.4	
777.8	482.9	Min	I	-1063.6	-26.2	-18.7	-23.8	
-331.6	-1919.7		J	-1063.6	-26.2	-18.7	-23.8	
-324.1	-1911.3							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
687.6	983.6		J	160.6	17.1	12.2	15.5	
687.6	985.0	Min	I	-1063.0	-27.2	-19.3	-24.6	
-307.5	-1350.1		J	-1063.0	-27.2	-19.3	-24.6	
-299.9	-1342.2							
		SLVx (RS)	I	-330.5	1560.4	-1234.9	698.1	-3
0942.6	47998.6		J	-330.5	1560.4	-1234.9	698.1	-3
0395.3	47228.3							
		SLVy (RS)	I	-146.1	-1419.8	475.0	-680.2	-1
3994.8	-39065.6		J	-146.1	-1419.8	475.0	-680.2	-1
3765.6	-38417.5							
		SLDx (RS)	I	-243.2	1093.7	-886.3	490.4	-2
1605.0	33468.2		J	-243.2	1093.7	-886.3	490.4	-2
1215.5	32929.3							
		SLDy (RS)	I	-106.0	-1013.1	340.8	-484.4	-
9873.8	-27367.6		J	-106.0	-1013.1	340.8	-484.4	-
9710.5	-26908.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
5005.8	1608.4	SLVz (RS)	I	626.5	235.9	-484.7	110.6	-
			J	626.5	235.9	-484.7	110.6	-
4766.5	1498.2							
		G1	I	-8984.9	-27.8	-19.8	-25.2	
470.3	-1239.2		J	-8881.0	-27.8	-19.8	-25.2	
480.1	-1225.3							
		G2	I	-558.0	-10.1	-7.2	-9.2	
171.8	-452.8		J	-558.0	-10.1	-7.2	-9.2	
175.4	-447.7							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	
-956.1	322.6		J	-1476.1	8.3	5.9	7.5	
-959.0	318.5							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-349.8	118.0		J	-540.0	3.0	2.2	2.8	
-350.9	116.5							
		q3	I	7.4	11.0	7.8	10.0	
291.7	471.7		J	7.4	11.0	7.8	10.0	
287.8	466.2							
		q4-1	I	7.2	141.8	100.9	128.6	
3832.4	5875.7		J	7.2	141.8	100.9	128.6	
3782.0	5804.8							
		q4-2	I	5.0	43.9	31.2	39.8	
1183.5	1810.0		J	5.0	43.9	31.2	39.8	
1167.8	1788.1							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-70.9	-83.8		J	0.4	-2.6	-1.9	-2.4	
-70.0	-82.5							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-61.7	-92.2		J	-0.2	-2.3	-1.6	-2.1	
-60.9	-91.1							
		q4-5	I	0.2	0.3	0.2	0.3	
8.6	11.9		J	0.2	0.3	0.2	0.3	
8.5	11.8							
		q4-6	I	0.3	0.5	0.3	0.4	
12.6	18.7		J	0.3	0.5	0.3	0.4	
12.4	18.5							
		q4-7	I	0.3	0.4	0.3	0.3	
9.9	14.7		J	0.3	0.4	0.3	0.3	
9.8	14.5							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2492.3	4077.1		J	39.5	93.3	66.3	84.6	
2459.2	4030.5							
9751.8	-14896.2	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
9623.4	-14715.5		J	-30.5	-361.3	-256.9	-327.6	-
2366.6	3852.5	q5 - p~3	I	31.7	88.4	62.9	80.2	
2335.1	3808.3		J	31.7	88.4	62.9	80.2	
9230.2	-14002.6	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
9108.6	-13831.6		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
337.5	570.1	q7	I	4.4	12.6	9.0	11.4	
333.0	563.8		J	4.4	12.6	9.0	11.4	
23.0	37.1	T	I	-0.1	0.8	0.6	0.8	
22.7	36.7		J	-0.1	0.8	0.6	0.8	
4623.9	6435.4	M. tor~1	I	15.9	171.3	121.9	155.4	
4563.0	6349.8		J	15.9	171.3	121.9	155.4	
2733.7	3804.7	M. tor~2	I	9.4	101.3	72.0	91.9	
2697.7	3754.1		J	9.4	101.3	72.0	91.9	
4122.3	21004.1	INVSLU Max	I	-15171.2	504.4	358.7	457.4	1
3949.7	20765.3		J	-15031.0	504.4	358.7	457.4	1
5205.7	-25311.5	Min	I	-18052.1	-586.0	-416.8	-531.5	-1
5000.2	-25025.4		J	-17911.9	-586.0	-416.8	-531.5	-1
5979.0	58949.5	INVSLV Max	I	-10789.6	2030.5	1503.9	911.2	3
5300.6	57965.0		J	-10685.7	2030.5	1503.9	911.2	3
7306.6	-61452.2	Min	I	-12328.5	-2083.8	-1541.8	-959.5	-3
6609.3	-60441.0		J	-12224.7	-2083.8	-1541.8	-959.5	-3

MIDAS


PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

9812.3	14568.0	INVSLE Max	I	-11240.6	349.6	248.6	317.0	
			J	-11136.7	349.6	248.6	317.0	
9693.1	14403.1	Min	I	-13369.3	-396.2	-281.8	-359.3	-1
0239.5	-17195.9		J	-13265.4	-396.2	-281.8	-359.3	-1
0100.7	-17003.0							
720	4	44 C1-C2;~1 Max	I	286.3	28.1	20.0	25.4	
1262.6	1018.2		J	286.3	28.1	20.0	25.4	
1257.0	997.9	Min	I	-1786.5	-48.4	-34.4	-43.9	
-578.3	-3486.4		J	-1786.5	-48.4	-34.4	-43.9	
-551.4	-3454.4							
		C3-C4;~1 Max	I	294.7	32.0	22.8	29.0	
1140.6	1852.5		J	294.7	32.0	22.8	29.0	
1137.8	1855.4	Min	I	-1785.9	-50.2	-35.7	-45.5	
-538.1	-2532.7		J	-1785.9	-50.2	-35.7	-45.5	
-510.9	-2502.4							
		C1-C2;~2 Max	I	155.5	14.7	10.5	13.4	
777.8	482.9		J	155.5	14.7	10.5	13.4	
775.8	471.9	Min	I	-1063.6	-26.2	-18.7	-23.8	
-324.1	-1911.3		J	-1063.6	-26.2	-18.7	-23.8	
-309.1	-1894.7							
		C3-C4;~2 Max	I	160.6	17.1	12.2	15.5	
687.6	985.0		J	160.6	17.1	12.2	15.5	
687.7	987.6	Min	I	-1063.0	-27.2	-19.3	-24.6	
-299.9	-1342.2		J	-1063.0	-27.2	-19.3	-24.6	
-284.7	-1326.5							
		SLVx (RS)	I	-330.5	1560.4	-1234.6	698.1	-3
0395.3	47228.3		J	-330.5	1560.4	-1234.6	698.1	-2
9309.2	45688.6							
		SLVy (RS)	I	-146.1	-1419.4	475.0	-680.2	-1
3765.6	-38417.5		J	-146.1	-1419.4	475.0	-680.2	-1
3308.2	-37128.1							
		SLDx (RS)	I	-243.2	1093.6	-886.1	490.4	-2
1215.5	32929.3		J	-243.2	1093.6	-886.1	490.4	-2
0443.0	31852.3							
		SLDy (RS)	I	-106.0	-1012.9	340.7	-484.4	-
9710.5	-26908.6		J	-106.0	-1012.9	340.7	-484.4	-
9384.6	-25996.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4766.5	1498.2	SLVz (RS)	I	626.5	235.5	-484.5	110.6	-
			J	626.5	235.5	-484.5	110.6	-
4289.1	1282.3							
		G1	I	-8881.0	-27.8	-19.8	-25.2	
480.1	-1225.3		J	-8673.3	-27.8	-19.8	-25.2	
499.9	-1197.5							
		G2	I	-558.0	-10.1	-7.2	-9.2	
175.4	-447.7		J	-558.0	-10.1	-7.2	-9.2	
182.6	-437.6							
		G1- Imp~1	I	-1476.1	8.3	5.9	7.5	
-959.0	318.5		J	-1476.1	8.3	5.9	7.5	
-964.9	310.2							
		G2- Imp~1	I	-540.0	3.0	2.2	2.8	
-350.9	116.5		J	-540.0	3.0	2.2	2.8	
-353.0	113.5							
		q3	I	7.4	11.0	7.8	10.0	
287.8	466.2		J	7.4	11.0	7.8	10.0	
280.0	455.2							
		q4-1	I	7.2	141.8	100.9	128.6	
3782.0	5804.8		J	7.2	141.8	100.9	128.6	
3681.1	5663.0							
		q4-2	I	5.0	43.9	31.2	39.8	
1167.8	1788.1		J	5.0	43.9	31.2	39.8	
1136.6	1744.2							
		q4-3	I	0.4	-2.6	-1.9	-2.4	
-70.0	-82.5		J	0.4	-2.6	-1.9	-2.4	
-68.1	-79.9							
		q4-4	I	-0.2	-2.3	-1.6	-2.1	
-60.9	-91.1		J	-0.2	-2.3	-1.6	-2.1	
-59.3	-88.8							
		q4-5	I	0.2	0.3	0.2	0.3	
8.5	11.8		J	0.2	0.3	0.2	0.3	
8.2	11.4							
		q4-6	I	0.3	0.5	0.3	0.4	
12.4	18.5		J	0.3	0.5	0.3	0.4	
12.1	18.0							
		q4-7	I	0.3	0.4	0.3	0.3	
9.8	14.5		J	0.3	0.4	0.3	0.3	
9.5	14.1							
		q5 - p~1	I	39.5	93.3	66.3	84.6	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2459.2	4030.5		J	39.5	93.3	66.3	84.6	
2392.8	3937.2							
9623.4	-14715.5	q5 - p~2	I	-30.5	-361.3	-256.9	-327.6	-
9366.4	-14354.3		J	-30.5	-361.3	-256.9	-327.6	-
2335.1	3808.3	q5 - p~3	I	31.7	88.4	62.9	80.2	
2272.3	3719.9		J	31.7	88.4	62.9	80.2	
9108.6	-13831.6	q5 - p~4	I	-27.2	-341.9	-243.2	-310.0	-
8865.5	-13489.7		J	-27.2	-341.9	-243.2	-310.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
333.0	563.8	q7	I	4.4	12.6	9.0	11.4	
324.1	551.2		J	4.4	12.6	9.0	11.4	
22.7	36.7	T	I	-0.1	0.8	0.6	0.8	
22.1	35.9		J	-0.1	0.8	0.6	0.8	
4563.0	6349.8	M. tor~1	I	15.9	171.3	121.9	155.4	
4441.1	6178.4		J	15.9	171.3	121.9	155.4	
2697.7	3754.1	M. tor~2	I	9.4	101.3	72.0	91.9	
2625.7	3652.8		J	9.4	101.3	72.0	91.9	
3949.7	20765.3	INVSLU Max	I	-15031.0	504.4	358.7	457.4	1
3604.6	20287.6		J	-14750.5	504.4	358.7	457.4	1
5000.2	-25025.4	Min	I	-17911.9	-586.0	-416.8	-531.5	-1
4589.3	-24453.7		J	-17631.4	-586.0	-416.8	-531.5	-1
5300.6	57965.0	INVSLV Max	I	-10685.7	2030.3	1503.5	911.2	3
3952.9	56000.3		J	-10478.0	2030.3	1503.5	911.2	3
6609.3	-60441.0	Min	I	-12224.7	-2083.5	-1541.3	-959.5	-3
5223.8	-58423.2		J	-12016.9	-2083.5	-1541.3	-959.5	-3


MIDAS

PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

9693.1	14403.1	INVSLE Max	I	-11136.7	349.6	248.6	317.0	
			J	-10928.9	349.6	248.6	317.0	
9454.5	14073.3	Min	I	-13265.4	-396.2	-281.8	-359.3	-1
0100.7	-17003.0		J	-13057.7	-396.2	-281.8	-359.3	-
9823.3	-16617.4							
721	3	2 C1-C2;~1 Max	I	286.3	29.6	17.7	47.9	
233.0	1266.2		J	286.3	29.6	17.7	47.9	
235.7	1332.7	Min	I	-1786.5	-51.0	-30.5	-82.6	
-100.5	-2934.3		J	-1786.5	-51.0	-30.5	-82.6	
-72.1	-2948.6							
		C3-C4;~1 Max	I	294.7	33.7	20.2	54.6	
152.4	2290.5		J	294.7	33.7	20.2	54.6	
159.6	2361.5	Min	I	-1785.9	-52.8	-31.6	-85.6	
-181.9	-1919.5		J	-1785.9	-52.8	-31.6	-85.6	
-154.3	-1929.2							
		C1-C2;~2 Max	I	155.5	15.5	9.3	25.1	
132.5	630.6		J	155.5	15.5	9.3	25.1	
131.3	661.8	Min	I	-1063.7	-27.6	-16.5	-44.8	
-50.1	-1669.0		J	-1063.7	-27.6	-16.5	-44.8	
-36.2	-1680.7							
		C3-C4;~2 Max	I	160.6	18.0	10.8	29.2	
83.7	1247.8		J	160.6	18.0	10.8	29.2	
85.8	1283.1	Min	I	-1063.0	-28.6	-17.1	-46.4	
-99.1	-1053.5		J	-1063.0	-28.6	-17.1	-46.4	
-84.1	-1061.9							
		SLVx (RS)	I	-254.4	627.1	375.0	1016.3	
314.7	-3963.4		J	-254.4	627.1	375.0	1016.3	
-900.9	-4025.9							
		SLVy (RS)	I	-133.2	517.1	309.2	838.0	
156.6	-1971.7		J	-133.2	517.1	309.2	838.0	
-618.3	2626.0							
		SLDx (RS)	I	-188.3	454.7	271.9	736.9	
221.8	-2792.9		J	-188.3	454.7	271.9	736.9	
-656.1	-2814.8							
		SLDy (RS)	I	-96.4	369.9	221.2	599.5	
108.1	-1361.1		J	-96.4	369.9	221.2	599.5	
-445.2	1822.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
20.7	-261.2	SLVz (RS)	I	449.6	-118.6	-70.9	-192.2
			J	449.6	-118.6	-70.9	-192.2
172.8	-57.4						
		G1	I	-1528.2	-29.3	-17.5	-47.5
14.4	-180.8		J	-1528.2	-29.3	-17.5	-47.5
52.0	-117.9						
		G2	I	-558.0	-10.7	-6.4	-17.3
5.3	-66.4		J	-558.0	-10.7	-6.4	-17.3
19.0	-43.4						
		G1- Imp~1	I	-0.1	8.7	5.2	14.2
-0.5	6.7		J	-0.1	8.7	5.2	14.2
-11.8	-12.1						
		G2- Imp~1	I	-0.0	3.2	1.9	5.2
-0.2	2.5		J	-0.0	3.2	1.9	5.2
-4.3	-4.4						
		q3	I	7.4	11.6	6.9	18.8
-4.2	53.0		J	7.4	11.6	6.9	18.8
-19.1	28.1						
		q4-1	I	7.2	149.4	89.3	242.1
-37.9	477.4		J	7.2	149.4	89.3	242.1
-229.9	156.3						
		q4-2	I	5.0	46.2	27.6	74.9
-11.1	139.9		J	5.0	46.2	27.6	74.9
-70.5	40.6						
		q4-3	I	0.4	-2.7	-1.6	-4.5
-1.2	15.4		J	0.4	-2.7	-1.6	-4.5
2.3	21.3						
		q4-4	I	-0.2	-2.4	-1.4	-3.9
0.4	-5.1		J	-0.2	-2.4	-1.4	-3.9
3.5	0.1						
		q4-5	I	0.2	0.3	0.2	0.6
0.0	-0.4		J	0.2	0.3	0.2	0.6
-0.4	-1.1						
		q4-6	I	0.3	0.5	0.3	0.8
-0.1	0.6		J	0.3	0.5	0.3	0.8
-0.7	-0.4						
		q4-7	I	0.3	0.4	0.2	0.6
-0.0	0.4		J	0.3	0.4	0.2	0.6
-0.5	-0.5						
		q5 - p~1	I	39.5	98.2	58.7	159.2

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-41.8	526.6		J	39.5	98.2	58.7	159.2
-168.1	315.5						
91.0	-1146.3	q5 - p~2	I	-30.5	-380.4	-227.5	-616.6
580.1	-328.4		J	-30.5	-380.4	-227.5	-616.6
-38.7	487.6	q5 - p~3	I	31.7	93.1	55.7	150.9
-158.4	287.5		J	31.7	93.1	55.7	150.9
78.6	-990.4	q5 - p~4	I	-27.2	-360.0	-215.3	-583.5
541.5	-216.3		J	-27.2	-360.0	-215.3	-583.5
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-7.2	90.3	q7	I	4.4	13.3	7.9	21.5
-24.2	61.8		J	4.4	13.3	7.9	21.5
-0.4	4.9	T	I	-0.1	0.9	0.5	1.4
-1.5	3.0		J	-0.1	0.9	0.5	1.4
6.7	-83.9	M. tor~1	I	15.9	180.4	107.9	292.3
-225.2	-471.7		J	15.9	180.4	107.9	292.3
3.9	-49.6	M. tor~2	I	9.4	106.6	63.8	172.8
-133.2	-278.9		J	9.4	106.6	63.8	172.8
422.3	3806.0	INVSLU Max	I	-2383.0	531.2	317.6	860.8
1064.8	3245.7		J	-2383.0	531.2	317.6	860.8
-302.2	-5317.9	Min	I	-5263.9	-617.1	-369.1	-1000.2
-873.0	-4518.3		J	-5263.9	-617.1	-369.1	-1000.2
386.8	4395.2	INVSLV Max	I	-1520.5	789.7	472.3	1279.9
1193.2	4653.1		J	-1520.5	789.7	472.3	1279.9
-349.0	-4871.3	Min	I	-2652.2	-845.8	-505.8	-1370.8
1083.3	-5008.8		J	-2652.2	-845.8	-505.8	-1370.8

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

306.7	2743.2	INVSLE Max	I	-1767.8	368.1	220.2	596.7
			J	-1767.8	368.1	220.2	596.7
728.6	2382.5						
		Min	I	-3896.6	-417.2	-249.5	-676.1
-217.8	-3863.1		J	-3896.6	-417.2	-249.5	-676.1
-608.1	-3325.2						
722	3	2 C1-C2;~1 Max	I	356.8	85.8	84.7	175.5
198.0	1552.0		J	356.8	85.8	84.7	175.5
284.3	1611.5						
		Min	I	-3244.7	-59.1	-58.3	-120.9
-612.9	-4804.4		J	-3244.7	-59.1	-58.3	-120.9
-751.2	-4930.7						
		C3-C4;~1 Max	I	366.2	86.7	85.5	177.3
353.7	2772.6		J	366.2	86.7	85.5	177.3
431.1	2824.9						
		Min	I	-3253.0	-65.2	-64.3	-133.4
-440.4	-3452.5		J	-3253.0	-65.2	-64.3	-133.4
-571.1	-3571.9						
		C1-C2;~2 Max	I	194.0	46.1	45.5	94.2
93.9	736.0		J	194.0	46.1	45.5	94.2
137.4	763.9						
		Min	I	-1647.1	-31.0	-30.6	-63.4
-314.7	-2466.9		J	-1647.1	-31.0	-30.6	-63.4
-394.3	-2542.0						
		C3-C4;~2 Max	I	199.7	45.9	45.3	93.9
181.1	1419.6		J	199.7	45.9	45.3	93.9
219.0	1447.1						
		Min	I	-1651.3	-34.5	-34.0	-70.6
-221.7	-1738.1		J	-1651.3	-34.5	-34.0	-70.6
-297.7	-1809.7						
		SLVx (RS)	I	-441.2	-475.9	-469.5	-973.2
-501.8	-3933.5		J	-441.2	-475.9	-469.5	-973.2
1176.5	-4173.8						
		SLVy (RS)	I	-182.1	-460.3	-454.0	-941.2
394.7	3094.2		J	-182.1	-460.3	-454.0	-941.2
1154.1	3510.9						
		SLDx (RS)	I	-326.0	-340.2	-335.6	-695.6
-353.4	-2770.2		J	-326.0	-340.2	-335.6	-695.6
829.3	-2923.1						
		SLDy (RS)	I	-134.2	-328.7	-324.3	-672.2
277.1	2172.1		J	-134.2	-328.7	-324.3	-672.2
815.2	2454.6						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
84.6	663.2	SLVz (RS)	I	1081.2	-56.2	-55.5	-115.0
			J	1081.2	-56.2	-55.5	-115.0
135.4	655.9						
		G1	I	-5002.7	40.2	39.6	82.1
-245.9	-1927.3		J	-5002.7	40.2	39.6	82.1
-331.1	-2013.7						
		G2	I	-1827.0	14.7	14.5	30.0
-89.8	-704.3		J	-1827.0	14.7	14.5	30.0
-121.0	-735.8						
		G1- Imp~1	I	0.0	-10.9	-10.7	-22.3
-1.5	-12.1		J	0.0	-10.9	-10.7	-22.3
21.5	11.3						
		G2- Imp~1	I	0.0	-4.0	-3.9	-8.1
-0.6	-4.4		J	0.0	-4.0	-3.9	-8.1
7.9	4.1						
		q3	I	-10.0	38.2	37.6	78.0
14.4	112.9		J	-10.0	38.2	37.6	78.0
-66.5	30.8						
		q4-1	I	-16.2	27.2	26.9	55.7
16.5	129.4		J	-16.2	27.2	26.9	55.7
-41.3	70.9						
		q4-2	I	-6.8	58.4	57.6	119.4
33.9	265.8		J	-6.8	58.4	57.6	119.4
-89.9	140.3						
		q4-3	I	4.0	20.3	20.0	41.4
9.2	72.5		J	4.0	20.3	20.0	41.4
-33.7	28.9						
		q4-4	I	1.0	-1.7	-1.7	-3.5
1.1	8.6		J	1.0	-1.7	-1.7	-3.5
4.7	12.3						
		q4-5	I	-1.2	-0.7	-0.7	-1.4
-0.3	-2.2		J	-1.2	-0.7	-0.7	-1.4
1.1	-0.8						
		q4-6	I	-1.3	0.2	0.2	0.4
-0.0	-0.2		J	-1.3	0.2	0.2	0.4
-0.5	-0.6						
		q4-7	I	-1.3	0.1	0.1	0.3
0.0	0.0		J	-1.3	0.1	0.1	0.3
-0.3	-0.3						
		q5 - p~1	I	36.7	356.7	351.9	729.4

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
149.1	1168.6		J	36.7	356.7	351.9	729.4	
-607.4	401.7							
-136.9	-1073.2	q5 - p~2	I	22.5	-357.2	-352.3	-730.3	
620.6	-305.3		J	22.5	-357.2	-352.3	-730.3	
132.8	1040.7	q5 - p~3	I	35.5	337.9	333.3	690.9	
-583.9	314.2		J	35.5	337.9	333.3	690.9	
-106.1	-831.9	q5 - p~4	I	18.2	-338.9	-334.3	-693.0	
612.6	-103.3		J	18.2	-338.9	-334.3	-693.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
23.2	181.8	q7	I	3.8	69.6	68.7	142.3	
-124.4	32.2		J	3.8	69.6	68.7	142.3	
-0.0	-0.4	T	I	1.1	-1.1	-1.1	-2.3	
2.3	2.0		J	1.1	-1.1	-1.1	-2.3	
-12.8	-100.5	M. tor~1	I	-31.8	79.4	78.4	162.4	
-181.3	-271.2		J	-31.8	79.4	78.4	162.4	
-7.6	-59.4	M. tor~2	I	-18.8	47.0	46.3	96.0	
-107.2	-160.4		J	-18.8	47.0	46.3	96.0	
155.6	1220.0	INVSLU Max	I	-8691.7	625.3	616.9	1278.7	
645.8	485.6		J	-8691.7	625.3	616.9	1278.7	
1417.7	-11112.9	Min	I	-13645.3	-501.8	-495.0	-1026.0	-
2144.9	-10710.5		J	-13645.3	-501.8	-495.0	-1026.0	-
307.8	2412.6	INVSLV Max	I	-5561.4	670.9	661.8	1371.8	
1140.7	2689.8		J	-5561.4	670.9	661.8	1371.8	
-983.4	-7708.9	Min	I	-8097.8	-590.9	-582.9	-1208.3	
1985.9	-8158.0		J	-8097.8	-590.9	-582.9	-1208.3	-

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

105.4	825.8	INVSLE Max	I	-6440.7	425.6	419.9	870.3	
410.4	333.0		J	-6440.7	425.6	419.9	870.3	
1040.2	-8153.9	Min	I	-10105.3	-334.1	-329.6	-683.2	-
1547.6	-7907.1		J	-10105.3	-334.1	-329.6	-683.2	-
723	3	2 C1-C2;~1 Max	I	471.1	42.3	83.5	70.8	
1343.2	1355.5		J	471.1	42.3	83.5	70.8	
1349.7	1353.7	Min	I	-3383.5	-44.2	-87.2	-74.0	-
3136.8	-3165.4		J	-3383.5	-44.2	-87.2	-74.0	-
3150.7	-3169.6							
2441.0	2463.3	C3-C4;~1 Max	I	482.4	40.5	79.9	67.8	
2464.3	2473.8		J	482.4	40.5	79.9	67.8	
2126.0	-2145.4	Min	I	-3391.9	-42.5	-83.9	-71.2	-
2132.5	-2145.8		J	-3391.9	-42.5	-83.9	-71.2	-
617.5	623.1	C1-C2;~2 Max	I	239.0	22.2	43.8	37.2	
624.1	624.4		J	239.0	22.2	43.8	37.2	
1576.8	-1591.2	Min	I	-1702.5	-22.3	-43.9	-37.3	-
1593.0	-1598.0		J	-1702.5	-22.3	-43.9	-37.3	-
1197.1	1208.0	C3-C4;~2 Max	I	245.6	20.9	41.2	35.0	
1214.4	1216.2		J	245.6	20.9	41.2	35.0	
1033.2	-1042.6	Min	I	-1706.5	-21.7	-42.8	-36.3	-
1042.0	-1045.9		J	-1706.5	-21.7	-42.8	-36.3	-
1568.8	1583.1	SLVx (RS)	I	478.1	-637.9	-1258.4	-1067.6	
3646.8	2487.3		J	478.1	-637.9	-1258.4	-1067.6	
1311.1	-1323.1	SLVy (RS)	I	270.7	-424.4	-837.2	-710.3	-
2370.9	1709.3		J	270.7	-424.4	-837.2	-710.3	
1140.3	1150.7	SLDx (RS)	I	355.3	-443.5	-874.9	-742.3	
2560.1	1763.7		J	355.3	-443.5	-874.9	-742.3	
-934.2	-942.7	SLDy (RS)	I	196.9	-300.6	-593.0	-503.2	
1655.5	1196.0		J	196.9	-300.6	-593.0	-503.2	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
293.0	295.7	SLVz (RS)	I	796.5	38.1	75.2	63.8
			J	796.5	38.1	75.2	63.8
248.0	261.4						
		G1	I	-5062.3	-7.3	-14.5	-12.3
-399.2	-402.9		J	-5062.3	-7.3	-14.5	-12.3
-368.1	-387.1						
		G2	I	-1848.5	-2.7	-5.3	-4.5
-144.7	-146.1		J	-1848.5	-2.7	-5.3	-4.5
-133.3	-140.3						
		G1- Imp~1	I	0.3	1.2	2.5	2.1
-4.0	-4.0		J	0.3	1.2	2.5	2.1
-9.2	-6.7						
		G2- Imp~1	I	0.1	0.5	0.9	0.8
-1.4	-1.4		J	0.1	0.5	0.9	0.8
-3.4	-2.4						
		q3	I	17.5	69.1	136.2	115.6
207.0	208.9		J	17.5	69.1	136.2	115.6
-85.9	60.4						
		q4-1	I	7.7	-37.5	-73.9	-62.7
-83.2	-84.0		J	7.7	-37.5	-73.9	-62.7
75.7	-3.4						
		q4-2	I	-2.0	5.0	9.8	8.3
55.1	55.6		J	-2.0	5.0	9.8	8.3
34.0	44.9						
		q4-3	I	-6.3	58.0	114.5	97.1
242.3	244.5		J	-6.3	58.0	114.5	97.1
-3.9	119.7						
		q4-4	I	1.4	13.1	25.8	21.9
78.6	79.3		J	1.4	13.1	25.8	21.9
23.1	51.2						
		q4-5	I	3.9	-2.2	-4.3	-3.7
-2.5	-2.5		J	3.9	-2.2	-4.3	-3.7
6.8	2.2						
		q4-6	I	3.5	-0.5	-1.0	-0.9
-10.9	-11.0		J	3.5	-0.5	-1.0	-0.9
-8.7	-9.9						
		q4-7	I	3.8	-0.2	-0.3	-0.3
-7.8	-7.9		J	3.8	-0.2	-0.3	-0.3
-7.1	-7.5						
		q5 - p~1	I	-65.3	647.6	1277.5	1083.9

MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2493.0	2515.8		J	-65.3	647.6	1277.5	1083.9	
-253.6	1123.5							
		q5 - p~2	I	95.6	-89.1	-175.8	-149.2	
-541.6	-546.6		J	95.6	-89.1	-175.8	-149.2	
-163.6	-355.0							
		q5 - p~3	I	-58.9	613.5	1210.4	1027.0	
2234.0	2254.4		J	-58.9	613.5	1210.4	1027.0	
-368.4	935.3							
		q5 - p~4	I	87.5	-84.5	-166.8	-141.5	
-421.5	-425.4		J	87.5	-84.5	-166.8	-141.5	
-63.0	-243.6							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	0.6	129.0	254.4	215.9	
295.4	298.1		J	0.6	129.0	254.4	215.9	
-251.7	20.8							
		T	I	-1.6	0.2	0.4	0.4	
-21.0	-21.2		J	-1.6	0.2	0.4	0.4	
-21.9	-21.6							
		M. tor~1	I	32.7	16.9	33.2	28.2	
48.2	48.7		J	32.7	16.9	33.2	28.2	
-23.2	12.5							
		M. tor~2	I	19.3	10.0	19.7	16.7	
28.5	28.8		J	19.3	10.0	19.7	16.7	
-13.7	7.4							
		INVSLU Max	I	-8590.5	939.2	1852.9	1572.1	
4812.6	4856.5		J	-8590.5	939.2	1852.9	1572.1	
2876.8	3642.1	Min	I	-13995.2	-961.8	-1897.4	-1609.8	-
7235.1	-7301.1		J	-13995.2	-961.8	-1897.4	-1609.8	-
5191.4	-6030.0							
		INVSLV Max	I	-5889.2	768.3	1515.7	1285.9	
1500.6	1514.3		J	-5889.2	768.3	1515.7	1285.9	
3918.4	2542.0	Min	I	-7931.5	-784.9	-1548.5	-1313.8	-
2599.3	-2623.0		J	-7931.5	-784.9	-1548.5	-1313.8	-
4946.6	-3615.0							

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

3400.1	3431.1	INVSLE Max	I	-6369.6	627.6	1238.1	1050.4	
			J	-6369.6	627.6	1238.1	1050.4	
2115.5	2624.4	Min	I	-10360.5	-644.3	-1271.0	-1078.4	-
5194.5	-5241.9		J	-10360.5	-644.3	-1271.0	-1078.4	-
3830.0	-4393.2							
724	3	2 C1-C2;~1 Max	I	517.8	16.1	91.4	294.2	
1976.6	332.5		J	517.8	16.1	91.4	294.2	
2033.8	342.8	Min	I	-3409.6	-17.1	-95.0	-343.4	-
4303.8	-724.1		J	-3409.6	-17.1	-95.0	-343.4	-
4372.4	-737.3							
		C3-C4;~1 Max	I	530.7	14.0	77.4	285.5	
3501.6	589.1		J	530.7	14.0	77.4	285.5	
3580.4	603.1	Min	I	-3418.0	-15.2	-85.9	-283.8	-
2871.8	-483.1		J	-3418.0	-15.2	-85.9	-283.8	-
2940.7	-496.8							
		C1-C2;~2 Max	I	257.0	7.9	45.2	147.1	
916.8	154.2		J	257.0	7.9	45.2	147.1	
947.7	159.6	Min	I	-1713.0	-8.4	-46.0	-169.0	-
2168.4	-364.8		J	-1713.0	-8.4	-46.0	-169.0	-
2211.7	-373.0							
		C3-C4;~2 Max	I	264.1	6.7	37.3	145.5	
1717.5	289.0		J	264.1	6.7	37.3	145.5	
1764.5	297.0	Min	I	-1717.0	-7.4	-42.0	-139.3	-
1400.7	-235.7		J	-1717.0	-7.4	-42.0	-139.3	-
1437.8	-243.0							
		SLVx (RS)	I	762.7	-621.9	-1976.3	-7462.8	-
2344.0	-394.4		J	762.7	-621.9	-1976.3	-7462.8	-
3575.2	-1214.1							
		SLVy (RS)	I	185.8	-2634.5	-850.3	10739.9	-
1411.2	-237.4		J	185.8	-2634.5	-850.3	10739.9	-
1705.9	5666.1							
		SLDx (RS)	I	568.4	-425.7	-1377.4	-5227.2	-
1667.3	-280.5		J	568.4	-425.7	-1377.4	-5227.2	-
2527.5	-830.7							
		SLDy (RS)	I	137.2	-1521.7	-567.4	6313.4	-
1006.2	-169.3		J	137.2	-1521.7	-567.4	6313.4	-
1114.6	3271.6							

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
269.5	45.3	SLVz (RS)	I	758.0	59.2	-58.5	-105.6
300.4	-137.5		J	758.0	59.2	-58.5	-105.6
-316.9	-53.3	G1	I	-5009.1	-0.9	-10.5	16.9
-294.3	-51.4		J	-5009.1	-0.9	-10.5	16.9
-115.9	-19.5	G2	I	-1829.2	-0.3	-3.8	6.5
-107.7	-18.8		J	-1829.2	-0.3	-3.8	6.5
8.4	1.4	G1- Imp~1	I	-0.5	0.4	2.8	7.7
2.3	0.5		J	-0.5	0.4	2.8	7.7
3.0	0.5	G2- Imp~1	I	-0.2	0.2	1.1	2.9
0.8	0.1		J	-0.2	0.2	1.1	2.9
20.9	3.5	q3	I	17.7	-683.2	106.0	1160.7
-206.9	1472.4		J	17.7	-683.2	106.0	1160.7
-115.0	-19.4	q4-1	I	-0.8	61.8	-51.9	-210.1
-3.4	-152.2		J	-0.8	61.8	-51.9	-210.1
-91.3	-15.4	q4-2	I	0.8	88.8	-64.1	-189.0
46.5	-206.4		J	0.8	88.8	-64.1	-189.0
117.6	19.8	q4-3	I	-0.9	62.4	21.1	115.5
72.2	-114.5		J	-0.9	62.4	21.1	115.5
438.0	73.7	q4-4	I	-4.4	20.5	146.6	38.0
122.8	29.7		J	-4.4	20.5	146.6	38.0
55.8	9.4	q4-5	I	1.3	-59.5	18.7	-23.6
15.7	137.3		J	1.3	-59.5	18.7	-23.6
-88.6	-14.9	q4-6	I	6.4	-100.7	-22.7	166.4
-39.9	201.5		J	6.4	-100.7	-22.7	166.4
-78.1	-13.1	q4-7	I	2.9	-88.4	-16.2	147.9
-43.3	177.0		J	2.9	-88.4	-16.2	147.9
		q5 - p~1	I	-68.7	242.1	1604.1	1051.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
4390.2	738.6		J	-68.7	242.1	1604.1	1051.0	
941.4	218.1							
		q5 - p~2	I	33.1	-2298.7	572.8	3071.2	
315.6	53.1		J	33.1	-2298.7	572.8	3071.2	
-915.9	4995.3							
		q5 - p~3	I	-61.3	230.1	1519.9	988.9	
3934.1	661.9		J	-61.3	230.1	1519.9	988.9	
666.4	167.1							
		q5 - p~4	I	34.8	-2177.4	543.4	2917.4	
273.3	46.0		J	34.8	-2177.4	543.4	2917.4	
-895.1	4727.5							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	8.7	-358.0	104.5	994.5	
146.0	24.6		J	8.7	-358.0	104.5	994.5	
-78.7	794.4							
		T	I	0.3	-0.1	-0.3	2.8	
-17.3	-2.9		J	0.3	-0.1	-0.3	2.8	
-16.5	-2.7							
		M. tor~1	I	10.3	-483.0	21.7	1602.7	
261.8	44.0		J	10.3	-483.0	21.7	1602.7	
215.1	1082.5							
		M. tor~2	I	6.1	-285.5	12.8	947.6	
154.8	26.0		J	6.1	-285.5	12.8	947.6	
127.2	640.0							
		INVSLU Max	I	-8454.2	3276.1	2326.8	4622.3	
8121.8	1366.4		J	-8454.2	3276.1	2326.8	4622.3	
5154.3	7400.2							
		Min	I	-13908.9	-3278.4	-2356.3	-4560.4	-1
0342.6	-1740.0		J	-13908.9	-3278.4	-2356.3	-4560.4	-
7300.3	-7690.6							
		INVSLV Max	I	-5793.2	2838.2	2238.4	13044.4	
2426.8	408.3		J	-5793.2	2838.2	2238.4	13044.4	
3778.3	6001.9							
		Min	I	-7884.8	-2839.4	-2259.4	-12976.6	-
3269.6	-550.1		J	-7884.8	-2839.4	-2259.4	-12976.6	-
4576.0	-6141.2							

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

5724.6	963.1	INVSLE Max	I	-6266.9	2184.8	1554.7	3186.1	
			J	-6266.9	2184.8	1554.7	3186.1	
3756.3	4956.5	Min	I	-10298.4	-2186.5	-1576.5	-3054.1	-
7369.7	-1239.9		J	-10298.4	-2186.5	-1576.5	-3054.1	-
5346.0	-5171.7							
725	3	2 C1-C2;~1 Max	I	473.6	35.9	189.8	146.3	
1830.8	2078.1		J	473.6	35.9	189.8	146.3	
1804.8	2060.6	Min	I	-3384.9	-34.4	-198.3	-140.0	-
3931.5	-967.7		J	-3384.9	-34.4	-198.3	-140.0	-
3905.4	-950.1							
		C3-C4;~1 Max	I	484.3	36.0	183.2	146.7	
3203.4	1391.1		J	484.3	36.0	183.2	146.7	
3208.5	1371.8	Min	I	-3393.3	-33.2	-198.9	-135.1	-
2631.7	-1693.3		J	-3393.3	-33.2	-198.9	-135.1	-
2599.0	-1680.4							
		C1-C2;~2 Max	I	239.7	18.7	101.2	76.2	
836.3	1053.9		J	239.7	18.7	101.2	76.2	
832.8	1045.2	Min	I	-1703.2	-18.3	-103.3	-74.7	-
1993.7	-442.0		J	-1703.2	-18.3	-103.3	-74.7	-
1982.1	-435.2							
		C3-C4;~2 Max	I	246.0	18.8	98.1	76.5	
1563.1	684.7		J	246.0	18.8	98.1	76.5	
1578.3	674.4	Min	I	-1707.2	-17.8	-103.7	-72.4	-
1295.4	-826.2		J	-1707.2	-17.8	-103.7	-72.4	-
1275.8	-822.4							
		SLVx (RS)	I	-581.5	443.3	-2448.9	1806.0	-
5377.3	2842.3		J	-581.5	443.3	-2448.9	1806.0	-
1716.3	1962.2							
		SLVy (RS)	I	-306.0	-155.6	859.5	-633.9	-
1815.9	959.9		J	-306.0	-155.6	859.5	-633.9	-
-779.7	670.2							
		SLDx (RS)	I	-434.2	317.3	-1752.7	1292.6	-
3783.6	1999.9		J	-434.2	317.3	-1752.7	1292.6	-
1244.2	1372.8							
		SLDy (RS)	I	-216.4	-109.7	606.2	-447.1	-
1266.6	669.5		J	-216.4	-109.7	606.2	-447.1	-
-566.9	467.6							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
222.8	-117.8	SLVz (RS)	I	772.8	-33.9	187.0	-137.9
			J	772.8	-33.9	187.0	-137.9
-219.4	-59.6						
		G1	I	-5053.7	6.7	-37.0	27.3
-246.4	130.2		J	-5053.7	6.7	-37.0	27.3
-166.9	115.9						
		G2	I	-1845.8	2.4	-13.5	10.0
-90.5	47.8		J	-1845.8	2.4	-13.5	10.0
-61.4	42.5						
		G1- Imp~1	I	0.5	-1.4	7.9	-5.8
15.6	-8.3		J	0.5	-1.4	7.9	-5.8
-1.4	-5.2						
		G2- Imp~1	I	0.2	-0.4	2.5	-1.8
4.9	-2.6		J	0.2	-0.4	2.5	-1.8
-0.4	-1.6						
		q3	I	-27.1	25.4	-140.5	103.6
-274.1	144.9		J	-27.1	25.4	-140.5	103.6
27.9	90.2						
		q4-1	I	2.8	-0.2	1.3	-0.9
-10.0	5.3		J	2.8	-0.2	1.3	-0.9
-12.7	5.8						
		q4-2	I	4.1	1.1	-6.1	4.5
-25.0	13.2		J	4.1	1.1	-6.1	4.5
-11.9	10.8						
		q4-3	I	3.8	1.8	-10.2	7.5
-8.9	4.7		J	3.8	1.8	-10.2	7.5
13.0	0.7						
		q4-4	I	1.6	-7.1	39.2	-28.9
118.2	-62.5		J	1.6	-7.1	39.2	-28.9
33.9	-47.2						
		q4-5	I	-8.6	-24.3	134.0	-98.8
405.2	-214.2		J	-8.6	-24.3	134.0	-98.8
117.1	-162.0						
		q4-6	I	-7.7	9.5	-52.5	38.7
-103.3	54.6		J	-7.7	9.5	-52.5	38.7
9.6	34.2						
		q4-7	I	2.8	13.8	-76.2	56.2
-156.4	82.7		J	2.8	13.8	-76.2	56.2
7.5	53.0						
		q5 - p~1	I	-17.1	-238.1	1315.5	-970.1

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
3242.1	-1713.7		J	-17.1	-238.1	1315.5	-970.1
413.8	-1201.8						
		q5 - p~2	I	-121.6	8.9	-49.3	36.3
91.6	-48.4		J	-121.6	8.9	-49.3	36.3
197.5	-67.6						
		q5 - p~3	I	-13.1	-225.6	1246.3	-919.1
2907.6	-1536.9		J	-13.1	-225.6	1246.3	-919.1
228.0	-1051.9						
		q5 - p~4	I	-115.3	8.3	-46.1	34.0
-4.7	2.5		J	-115.3	8.3	-46.1	34.0
94.5	-15.5						
		q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q7	I	-9.9	44.8	-247.2	182.3
-356.1	188.2		J	-9.9	44.8	-247.2	182.3
175.5	92.0						
		T	I	-0.5	-0.6	3.5	-2.6
5.9	-3.1		J	-0.5	-0.6	3.5	-2.6
-1.7	-1.8						
		M. tor~1	I	-38.3	5.8	-32.0	23.6
306.3	-161.9		J	-38.3	5.8	-32.0	23.6
375.0	-174.3						
		M. tor~2	I	-22.7	3.4	-18.9	13.9
181.1	-95.7		J	-22.7	3.4	-18.9	13.9
221.7	-103.1						
		INVSLU Max	I	-8549.8	374.0	1954.6	1523.8
6819.8	4575.7		J	-8549.8	374.0	1954.6	1523.8
4394.5	4069.3	Min	I	-14004.4	-353.8	-2066.2	-1441.5
8656.6	-3604.8		J	-14004.4	-353.8	-2066.2	-1441.5
5956.4	-3146.8						
		INVSLV Max	I	-5859.8	507.4	2722.8	2067.1
5672.7	3332.8		J	-5859.8	507.4	2722.8	2067.1
1786.0	2332.7	Min	I	-7937.9	-492.8	-2803.0	-2008.0
6305.2	-2998.5		J	-7937.9	-492.8	-2803.0	-2008.0
2246.1	-2029.5						


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


4836.0	3275.4	INVSLE Max	I	-6341.2	252.0	1309.6	1026.8	
			J	-6341.2	252.0	1309.6	1026.8	
3227.7	2934.3	Min	I	-10365.5	-237.0	-1392.3	-965.8	-
6196.6	-2556.2		J	-10365.5	-237.0	-1392.3	-965.8	-
4384.7	-2251.0							
726	3	2 C1-C2;~1 Max	I	359.7	123.3	267.9	365.5	
865.7	3765.7		J	359.7	123.3	267.9	365.5	
1046.5	3806.4	Min	I	-3257.1	-146.8	-225.0	-435.2	-
1744.8	-1868.5		J	-3257.1	-146.8	-225.0	-435.2	-
1896.9	-1883.4							
		C3-C4;~1 Max	I	369.3	125.0	272.7	370.5	
1508.2	2448.2		J	369.3	125.0	272.7	370.5	
1574.9	2486.9	Min	I	-3264.4	-149.4	-228.1	-443.1	-
1134.4	-3255.1		J	-3264.4	-149.4	-228.1	-443.1	-
1276.4	-3239.5							
		C1-C2;~2 Max	I	195.5	66.2	141.5	196.3	
397.9	1944.0		J	195.5	66.2	141.5	196.3	
500.9	1967.1	Min	I	-1652.6	-77.6	-120.8	-230.0	
-900.7	-858.7		J	-1652.6	-77.6	-120.8	-230.0	
-982.7	-874.1							
		C3-C4;~2 Max	I	201.4	67.2	143.8	199.2	
743.3	1226.3		J	201.4	67.2	143.8	199.2	
783.2	1246.3	Min	I	-1656.0	-78.8	-122.6	-233.6	
-568.2	-1604.3		J	-1656.0	-78.8	-122.6	-233.6	
-645.5	-1601.4							
		SLVx (RS)	I	-471.1	1185.3	-2163.2	3514.7	-
1789.5	3862.2		J	-471.1	1185.3	-2163.2	3514.7	
2909.1	1432.2							
		SLVy (RS)	I	350.6	-783.3	1429.6	-2322.8	
1137.7	-2455.4		J	350.6	-783.3	1429.6	-2322.8	-
1954.1	-823.3							
		SLDx (RS)	I	-352.3	892.9	-1629.5	2647.6	-
1348.2	2909.7		J	-352.3	892.9	-1629.5	2647.6	
2188.3	1072.3							
		SLDy (RS)	I	257.3	-575.9	1051.0	-1707.6	
837.3	-1807.0		J	257.3	-575.9	1051.0	-1707.6	-
1433.6	-601.4							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
241.1	-520.5	SLVz (RS)	I	888.5	-152.5	278.4	-452.3
			J	888.5	-152.5	278.4	-452.3
-358.3	-194.7						
		G1	I	-5025.9	-40.9	74.6	-121.2
73.6	-158.7		J	-5025.9	-40.9	74.6	-121.2
-86.8	-70.9						
		G2	I	-1834.7	-15.0	27.3	-44.4
28.4	-61.2		J	-1834.7	-15.0	27.3	-44.4
-30.4	-29.0						
		G1- Imp~1	I	-0.5	7.8	-14.2	23.1
-13.2	28.6		J	-0.5	7.8	-14.2	23.1
17.3	11.9						
		G2- Imp~1	I	-0.2	2.4	-4.5	7.3
-4.4	9.5		J	-0.2	2.4	-4.5	7.3
5.2	4.2						
		q3	I	5.2	41.3	-75.4	122.6
-91.7	197.9		J	5.2	41.3	-75.4	122.6
70.5	109.0						
		q4-1	I	-1.0	-0.7	1.3	-2.2
1.6	-3.5		J	-1.0	-0.7	1.3	-2.2
-1.2	-1.9						
		q4-2	I	-1.6	-1.0	1.8	-2.9
1.6	-3.4		J	-1.6	-1.0	1.8	-2.9
-2.2	-1.3						
		q4-3	I	-1.2	1.0	-1.9	3.1
-2.3	4.9		J	-1.2	1.0	-1.9	3.1
1.8	2.7						
		q4-4	I	0.9	6.0	-10.9	17.8
-7.1	15.4		J	0.9	6.0	-10.9	17.8
16.4	2.5						
		q4-5	I	4.9	-21.1	38.6	-62.7
49.0	-105.7		J	4.9	-21.1	38.6	-62.7
-34.0	-60.2						
		q4-6	I	-6.2	-81.1	148.0	-240.5
229.9	-496.1		J	-6.2	-81.1	148.0	-240.5
-88.3	-321.7						
		q4-7	I	-19.1	23.7	-43.3	70.3
-58.0	125.2		J	-19.1	23.7	-43.3	70.3
35.0	74.3						
		q5 - p~1	I	53.5	-397.7	725.7	-1179.1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
895.5	-1932.7		J	53.5	-397.7	725.7	-1179.1	
-664.8	-1077.7							
		q5 - p~2	I	-16.9	-216.1	394.3	-640.7	
473.8	-1022.6		J	-16.9	-216.1	394.3	-640.7	
-374.0	-558.1							
		q5 - p~3	I	51.4	-376.4	686.9	-1116.1	
815.1	-1759.3		J	51.4	-376.4	686.9	-1116.1	
-661.7	-950.1							
		q5 - p~4	I	-15.6	-204.4	373.1	-606.2	
385.5	-831.9		J	-15.6	-204.4	373.1	-606.2	
-416.7	-392.4							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-4.5	104.7	-191.0	310.4	
-192.3	415.1		J	-4.5	104.7	-191.0	310.4	
218.4	190.1							
		T	I	1.6	3.1	-5.6	9.1	
2.7	-5.7		J	1.6	3.1	-5.6	9.1	
14.7	-12.3							
		M. tor~1	I	27.7	-16.2	29.6	-48.1	
161.0	-347.4		J	27.7	-16.2	29.6	-48.1	
97.4	-312.6							
		M. tor~2	I	16.4	-9.6	17.5	-28.4	
95.2	-205.4		J	16.4	-9.6	17.5	-28.4	
57.6	-184.8							
		INVSLU Max	I	-8714.7	595.9	1340.8	1767.0	
2957.7	6581.7		J	-8714.7	595.9	1340.8	1767.0	
2607.2	6004.2	Min	I	-13718.8	-734.7	-1087.5	-2178.5	-
3049.5	-6383.4		J	-13718.8	-734.7	-1087.5	-2178.5	-
3297.5	-5465.4							
		INVSLV Max	I	-5726.2	1420.5	2758.9	4212.0	
2287.4	4573.0		J	-5726.2	1420.5	2758.9	4212.0	
3508.2	1653.7	Min	I	-7996.2	-1511.7	-2592.4	-4482.5	-
2118.8	-4936.8		J	-7996.2	-1511.7	-2592.4	-4482.5	-
3697.5	-1821.4							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

2131.4	4746.9	INVSLE	Max	I	-6458.8	399.8	917.2	1185.5	
				J	-6458.8	399.8	917.2	1185.5	
1887.9	4376.5		Min	I	-10158.6	-502.6	-729.6	-1490.3	-
2199.4	-4600.0			J	-10158.6	-502.6	-729.6	-1490.3	-
2399.3	-3977.4								
728	1	52	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	522.4	758.9	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-47.2	-0.0	-0.0	-202.6	
-306.1	-0.0								
			C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	522.4	432.2	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-47.2	-0.0	-0.0	-530.5	
-306.1	-0.0								
			C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	383.2	555.6	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-34.6	-0.0	-0.0	-144.1	
-227.0	-0.0								
			C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	383.2	314.6	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-34.6	-0.0	-0.0	-385.5	
-227.0	-0.0								
			SLVx (RS)	I	7.6	14.6	4.4	10.9	
5.7	0.0			J	7.6	14.6	4.4	10.9	
6.4	-8.7								
			SLVy (RS)	I	7.0	9.8	1.8	7.4	
5.2	-0.0			J	7.0	9.8	1.8	7.4	
5.0	-5.9								
			SLDx (RS)	I	5.4	10.4	3.2	7.7	
4.0	0.0			J	5.4	10.4	3.2	7.7	
4.6	-6.2								
			SLDy (RS)	I	5.0	7.0	1.3	5.2	
3.7	-0.0			J	5.0	7.0	1.3	5.2	
3.6	-4.2								

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
2.1	0.0	SLVz (RS)	I	2.8	4.7	-6.0	3.5
4.6	-2.8		J	2.8	4.7	-6.0	3.5
-0.0	0.0	G1	I	-0.0	-0.0	-0.0	-0.0
-18.0	0.0		J	-5.4	-0.0	60.1	-0.0
-0.0	0.0	G2	I	-0.0	-0.0	0.0	-0.0
-6.6	0.0		J	-2.0	-0.0	21.9	-0.0
0.0	-0.0	G1 - Imp~1	I	0.0	-0.0	-0.0	0.0
0.0	0.0		J	0.0	-0.0	-0.0	0.0
0.0	-0.0	G2 - Imp~1	I	0.0	-0.0	-0.0	0.0
0.0	0.0		J	0.0	-0.0	-0.0	0.0
0.0	-0.0	q3	I	0.0	-0.0	-0.0	0.0
1.8	-0.0		J	-1.9	-0.0	-0.0	0.0
-0.0	0.0	q4-1	I	-0.0	200.0	-0.0	-168.0
-0.0	-120.0		J	-0.0	200.0	-0.0	-168.0
-0.0	0.0	q4-2	I	-0.0	-0.0	-0.0	-0.0
0.0	0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	-0.0	q4-3	I	0.0	-0.0	0.0	0.0
0.0	-0.0		J	0.0	-0.0	0.0	0.0
0.0	-0.0	q4-4	I	0.0	-0.0	0.0	0.0
0.0	-0.0		J	0.0	-0.0	0.0	0.0
0.0	-0.0	q4-5	I	0.0	-0.0	0.0	0.0
0.0	-0.0		J	0.0	-0.0	0.0	0.0
0.0	-0.0	q4-6	I	0.0	-0.0	-0.0	0.0
0.0	-0.0		J	0.0	-0.0	-0.0	0.0
0.0	-0.0	q4-7	I	0.0	-0.0	-0.0	0.0
0.0	-0.0		J	0.0	-0.0	-0.0	0.0
		q5 - p~1	I	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	-0.0		J	-11.3	1.2	-1.0	-0.4
4.4	-0.4						
0.0	-0.0	q5 - p~2	I	0.0	-0.0	-0.0	0.0
-0.6	3.0		J	1.6	-10.0	0.1	3.6
0.0	0.0	q5 - p~3	I	0.0	0.0	0.0	0.0
1.0	-0.3		J	-10.7	1.2	-1.0	-0.1
0.0	-0.0	q5 - p~4	I	0.0	0.0	0.0	0.0
-0.1	2.8		J	1.5	-9.5	0.1	0.7
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q7	I	0.0	-0.0	0.0	0.0
0.0	-0.0		J	0.0	-0.0	0.0	0.0
-0.0	0.0	T	I	-0.0	0.0	0.0	-0.0
-0.0	0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0	M. tor~1	I	0.0	-0.0	-0.0	0.0
0.0	-168.7		J	0.0	-0.0	-0.0	15.2
0.0	0.0	M. tor~2	I	0.0	0.0	0.0	0.0
0.0	-99.7		J	0.0	0.0	0.0	9.0
0.0	0.0	INVSLU Max	I	0.0	270.0	0.0	0.0
-26.8	4.3		J	6.0	279.0	816.8	1027.7
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-226.8
-450.4	-164.7		J	-83.9	-14.2	109.2	-750.4
7.9	0.0	INVSLV Max	I	10.5	18.9	7.9	14.2
-15.3	11.4		J	3.1	18.9	89.9	14.2
-7.9	-0.0	Min	I	-10.5	-18.9	-7.9	-14.2
-33.9	-11.4		J	-17.9	-18.9	74.1	-14.2

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	0.0	INVSLE Max	I	0.0	200.0	0.0	0.0	
			J	3.3	206.0	605.0	761.0	
-20.1	2.8	Min	I	-0.0	-0.0	-0.0	-168.0	
-0.0	-0.0		J	-61.4	-9.5	81.0	-555.6	
-333.3	-121.8							
729	1	52 C1-C2;~1 Max	I	101.0	49.5	286.9	1332.4	
81.2	64.3		J	93.6	49.5	288.0	1315.2	
2087.1	75.1	Min	I	-9.5	-28.7	-1741.1	-2912.1	
-355.8	-222.5		J	-11.6	-28.7	-1654.3	-2795.4	
-474.2	-255.3							
		C3-C4;~1 Max	I	97.2	51.3	295.5	2344.2	
114.7	139.1		J	90.3	51.3	296.6	2261.2	
2123.6	134.9	Min	I	-7.6	-32.7	-1741.0	-1906.1	
-317.7	-151.1		J	-11.3	-32.7	-1654.6	-1830.5	
-457.6	-179.1							
		C1-C2;~2 Max	I	62.8	26.8	155.8	662.3	
45.8	32.7		J	58.4	26.8	156.2	664.4	
1246.2	36.1	Min	I	-5.4	-15.1	-1038.7	-1666.2	
-245.8	-126.2		J	-6.8	-15.1	-990.7	-1604.4	
-287.4	-141.9							
		C3-C4;~2 Max	I	60.3	27.8	161.0	1275.3	
65.8	77.5		J	56.2	27.8	161.4	1236.7	
1269.1	73.7	Min	I	-4.3	-17.5	-1038.3	-1053.7	
-222.2	-82.4		J	-7.2	-17.5	-990.7	-1014.7	
-274.8	-94.7							
		SLVx (RS)	I	393.8	-618.8	-259.4	-4125.1	
1183.4	997.8		J	393.8	-618.8	-259.4	-4125.1	-
1122.3	1751.7							
		SLVy (RS)	I	325.5	494.1	-137.7	2922.4	
934.2	719.7		J	325.5	494.1	-137.7	2922.4	
886.2	1323.3							
		SLDx (RS)	I	285.9	-449.3	-191.9	-2882.1	
860.4	726.6		J	285.9	-449.3	-191.9	-2882.1	
-818.9	1274.4							
		SLDy (RS)	I	232.7	-353.3	-99.8	2034.1	
669.6	517.4		J	232.7	-353.3	-99.8	2034.1	
633.7	949.2							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-225.4	-191.7	SLVz (RS)	I	-76.6	111.7	447.1	-102.5
			J	-76.6	111.7	447.1	-102.5
-545.5	-328.7						
		G1	I	79.1	28.4	-1465.9	-95.6
-1.3	-55.4		J	70.8	28.4	-1342.3	-95.6
1729.4	-90.4						
		G2	I	28.9	10.4	-535.3	-35.3
-0.5	-20.2		J	25.9	10.4	-490.1	-35.3
631.5	-33.0						
		G1- Imp~1	I	5.6	-8.5	0.3	-18.8
16.5	13.4		J	5.6	-8.5	0.3	-18.8
16.2	23.8						
		G2- Imp~1	I	2.1	-3.1	0.1	-6.9
6.0	4.9		J	2.1	-3.1	0.1	-6.9
5.9	8.7						
		q3	I	5.0	-11.3	7.9	19.2
24.8	20.7		J	1.1	-11.3	7.9	19.2
18.8	34.6						
		q4-1	I	93.1	54.9	13.4	-129.0
295.9	140.1		J	93.1	54.9	13.4	-129.0
279.4	72.4						
		q4-2	I	29.3	-44.9	7.0	5.1
90.5	77.6		J	29.3	-44.9	7.0	5.1
81.9	133.0						
		q4-3	I	-1.8	2.7	0.3	23.5
-4.6	-3.0		J	-1.8	2.7	0.3	23.5
-4.9	-6.3						
		q4-4	I	-1.5	2.3	-0.3	1.9
-4.6	-3.9		J	-1.5	2.3	-0.3	1.9
-4.2	-6.8						
		q4-5	I	0.2	-0.3	0.3	-1.4
0.6	0.5		J	0.2	-0.3	0.3	-1.4
0.3	0.9						
		q4-6	I	0.3	-0.5	0.3	-0.8
0.9	0.8		J	0.3	-0.5	0.3	-0.8
0.5	1.4						
		q4-7	I	0.2	-0.4	0.3	-0.8
0.7	0.6		J	0.2	-0.4	0.3	-0.8
0.3	1.1						
		q5 - p~1	I	49.1	-94.3	42.9	239.8

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
202.9	180.0		J	25.9	-92.1	41.3	239.0
159.4	294.9						
-746.3	-636.1	q5 - p~2	I	-240.6	359.5	-46.6	-32.8
-690.2	-1066.7		J	-237.1	339.1	-46.4	-25.5
189.1	169.8	q5 - p~3	I	46.9	-89.4	34.9	216.1
148.5	278.7		J	24.9	-87.2	33.5	215.9
-702.8	-595.6	q5 - p~4	I	-227.8	340.2	-42.4	60.7
-650.8	-1003.0		J	-224.5	320.9	-42.2	62.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-19.4	25.7	q7	I	-54.5	-15.8	0.7	49.5
-20.3	45.1		J	-54.5	-15.8	0.7	49.5
1.8	1.6	T	I	0.6	-0.9	-0.1	2.3
1.9	2.7		J	0.6	-0.9	-0.1	2.3
332.7	91.9	M. tor~1	I	114.8	-175.2	23.6	-599.0
303.6	-39.3		J	114.8	-175.2	23.6	-575.8
196.7	54.4	M. tor~2	I	67.9	-103.6	14.0	-354.1
179.5	-23.2		J	67.9	-103.6	14.0	-340.4
1189.5	921.8	INVSLU Max	I	583.6	585.2	-2260.1	3170.8
6706.6	1483.4		J	559.2	556.2	-2031.0	3057.9
1359.2	-1142.3	Min	I	-193.2	-497.8	-5093.6	-4360.2
1851.5	-1820.7		J	-205.9	-468.8	-4748.8	-4201.9
1552.2	1213.9	INVSLV Max	I	630.1	827.8	-1434.6	4876.0
3934.8	2156.4		J	618.8	827.8	-1265.8	4876.0
1510.5	-1328.6	Min	I	-398.8	-773.3	-2567.0	-5189.2
831.2	-2338.2		J	-410.1	-773.3	-2398.2	-5189.2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

831.5	616.7	INVSLE Max	I	416.3	395.7	-1677.2	2332.9	
			J	398.5	376.4	-1507.5	2249.4	
4921.9	987.5	Min	I	-117.8	-331.0	-3769.9	-3213.9	
-928.8	-780.1		J	-127.6	-311.7	-3514.5	-3096.7	
1443.6	-1237.4							
730	1	52 C1-C2;~1 Max	I	53.7	49.1	288.0	1334.2	
2060.8	74.7		J	49.9	49.1	290.3	1321.8	
3638.4	99.8	Min	I	-11.1	-28.5	-1656.0	-2787.0	
-467.6	-235.4		J	-12.0	-28.5	-1585.4	-2690.3	
-627.1	-265.9							
		C3-C4;~1 Max	I	50.8	50.9	296.5	2281.8	
2084.5	122.1		J	47.1	50.9	298.8	2224.5	
3658.0	133.1	Min	I	-11.9	-32.5	-1656.3	-1820.0	
-450.9	-168.7		J	-13.6	-32.5	-1585.8	-1756.7	
-634.5	-202.7							
		C1-C2;~2 Max	I	33.8	26.6	156.2	675.7	
1234.2	37.5		J	31.4	26.6	157.1	678.4	
2171.2	51.2	Min	I	-6.5	-14.9	-991.9	-1598.8	
-284.9	-136.2		J	-7.6	-14.9	-952.6	-1546.6	
-347.9	-150.6							
		C3-C4;~2 Max	I	31.7	27.5	161.4	1249.2	
1249.1	69.8		J	29.5	27.5	162.3	1225.2	
2182.8	72.6	Min	I	-7.4	-17.4	-991.8	-1008.0	
-272.2	-92.5		J	-8.5	-17.4	-952.6	-974.4	
-347.6	-109.3							
		SLVx (RS)	I	400.2	-624.1	-253.4	-4085.1	-
1131.1	1758.1		J	400.2	-624.1	-253.4	-4085.1	
1153.5	2390.7							
		SLVy (RS)	I	329.9	483.2	-133.1	2881.9	
912.0	1370.3		J	329.9	483.2	-133.1	2881.9	
904.2	1858.4							
		SLDx (RS)	I	290.7	-453.4	-187.5	-2854.0	
-824.7	1278.0		J	290.7	-453.4	-187.5	-2854.0	
844.7	1737.5							
		SLDy (RS)	I	235.9	345.3	-96.4	2005.3	
651.5	981.8		J	235.9	345.3	-96.4	2005.3	
644.9	1330.6							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-540.8	-328.6	SLVz (RS)	I	-81.4	107.8	437.7	-89.7
			J	-81.4	107.8	437.7	-89.7
-962.8	-436.1						
		G1	I	35.2	28.2	-1343.7	-76.4
1704.2	-86.4		J	31.1	28.2	-1241.7	-76.4
3017.0	-115.1						
		G2	I	12.9	10.3	-490.7	-28.3
622.3	-31.6		J	11.3	10.3	-453.4	-28.3
1101.7	-42.0						
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0
16.4	24.2		J	5.7	-8.4	0.1	-18.0
16.3	32.7						
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6
6.0	8.8		J	2.1	-3.1	0.0	-6.6
6.0	12.0						
		q3	I	1.4	-11.2	7.9	20.4
18.7	33.8		J	-1.8	-11.2	7.9	20.4
13.7	45.3						
		q4-1	I	92.7	56.1	10.9	-123.4
281.2	76.9		J	92.7	56.1	10.9	-123.4
270.1	19.9						
		q4-2	I	30.1	-44.5	6.2	9.7
81.9	131.9		J	30.1	-44.5	6.2	9.7
75.5	177.1						
		q4-3	I	-1.8	2.6	0.3	23.2
-5.2	-6.9		J	-1.8	2.6	0.3	23.2
-5.5	-9.6						
		q4-4	I	-1.6	2.3	-0.3	1.7
-4.3	-6.8		J	-1.6	2.3	-0.3	1.7
-3.9	-9.1						
		q4-5	I	0.2	-0.3	0.3	-1.4
0.3	0.9		J	0.2	-0.3	0.3	-1.4
0.1	1.2						
		q4-6	I	0.3	-0.5	0.3	-0.8
0.6	1.4		J	0.3	-0.5	0.3	-0.8
0.2	1.9						
		q4-7	I	0.2	-0.4	0.3	-0.7
0.4	1.1		J	0.2	-0.4	0.3	-0.7
0.0	1.5						
		q5 - p~1	I	28.1	-91.7	40.7	248.7

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
156.8	286.8		J	8.9	-90.1	39.9	248.1
122.9	379.1						
-689.8	-1059.2	q5 - p~2	I	-242.6	336.0	-40.3	-62.4
-650.0	-1391.9		J	-239.6	319.2	-40.2	-56.3
146.1	271.3	q5 - p~3	I	26.9	-86.9	32.8	225.1
114.4	358.7		J	8.7	-85.4	32.1	225.0
-651.5	-998.3	q5 - p~4	I	-229.6	317.9	-36.5	27.3
-614.7	-1313.1		J	-226.8	302.0	-36.4	28.4
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-21.0	43.5	q7	I	-54.2	-16.5	2.2	50.4
-23.2	60.3		J	-54.2	-16.5	2.2	50.4
1.9	2.6	T	I	0.6	-0.9	-0.1	2.4
2.0	3.5		J	0.6	-0.9	-0.1	2.4
311.5	-27.5	M. tor~1	I	117.6	-173.7	20.7	-572.7
290.5	-137.6		J	117.6	-173.7	20.7	-561.1
184.2	-16.3	M. tor~2	I	69.5	-102.7	12.2	-338.6
171.7	-81.4		J	69.5	-102.7	12.2	-331.7
6607.2	1478.8	INVSLU Max	I	465.9	551.1	-2039.2	3131.6
1115.0	1918.5		J	451.5	527.3	-1848.5	3053.7
1807.8	-1797.9	Min	I	-279.5	-464.5	-4748.8	-4162.4
4147.4	-2327.2		J	-284.3	-440.7	-4465.2	-4031.4
3915.9	2182.8	INVSLV Max	I	579.5	828.4	-1280.6	4847.4
5854.7	2966.6		J	573.8	828.4	-1141.3	4847.4
781.9	-2352.8	Min	I	-467.7	-774.4	-2387.7	-5105.8
2427.4	-3191.4		J	-473.4	-774.4	-2248.5	-5105.8

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

4848.4	984.6	INVSLE Max	I	328.3	372.9	-1513.2	2303.3
			J	318.5	357.1	-1371.9	2245.6
8190.2	1275.4	Min	I	-181.5	-308.8	-3514.9	-3066.8
1411.3	-1221.0		J	-185.4	-292.9	-3304.9	-2969.8
3115.3	-1578.2						
731	1	52 C1-C2;~1 Max	I	49.9	49.1	290.3	1321.8
3638.4	99.8		J	46.2	49.1	293.9	1310.3
5118.3	126.5	Min	I	-12.0	-28.5	-1585.4	-2690.3
-627.1	-265.9		J	-13.7	-28.5	-1516.2	-2595.9
-903.9	-298.0						
		C3-C4;~1 Max	I	47.1	50.9	298.8	2224.5
3658.0	133.1		J	43.6	50.9	302.4	2168.8
5138.2	149.9	Min	I	-13.6	-32.5	-1585.8	-1756.7
-634.5	-202.7		J	-16.2	-32.5	-1516.6	-1695.2
-923.4	-245.4						
		C1-C2;~2 Max	I	31.4	26.6	157.1	678.4
2171.2	51.2		J	29.2	26.6	158.5	681.5
3049.6	65.5	Min	I	-7.6	-14.9	-952.6	-1546.6
-347.9	-150.6		J	-8.7	-14.9	-914.0	-1495.4
-490.9	-165.6						
		C3-C4;~2 Max	I	29.5	27.5	162.3	1225.2
2182.8	72.6		J	27.3	27.5	163.7	1201.8
3061.3	79.1	Min	I	-8.5	-17.4	-952.6	-974.4
-347.6	-109.3		J	-10.3	-17.4	-914.0	-941.5
-502.8	-132.1						
		SLVx (RS)	I	398.7	-634.5	-248.9	-4060.1
1151.0	2390.7		J	398.7	-634.5	-248.9	-4060.1
1224.4	3031.8						
		SLVy (RS)	I	328.9	477.8	-130.5	2877.0
902.0	1858.4		J	328.9	477.8	-130.5	2877.0
913.7	-2339.7						
		SLDx (RS)	I	289.7	-461.0	-184.2	-2836.4
843.0	1737.5		J	289.7	-461.0	-184.2	-2836.4
900.8	2203.4						
		SLDy (RS)	I	235.1	341.3	-94.5	2002.1
643.3	1330.6		J	235.1	341.3	-94.5	2002.1
650.9	1674.3						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-965.2	-436.1	SLVz (RS)	I	-85.2	105.5	425.3	-85.8	
			J	-85.2	105.5	425.3	-85.8	-
1387.1	-539.7							
		G1	I	31.1	28.2	-1241.7	-76.4	
3017.0	-115.1		J	26.9	28.2	-1139.7	-76.4	
4226.3	-143.7							
		G2	I	11.3	10.3	-453.4	-28.3	
1101.7	-42.0		J	9.8	10.3	-416.2	-28.3	
1543.3	-52.5							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
16.3	32.7		J	5.7	-8.4	0.1	-18.0	
16.2	41.3							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
6.0	12.0		J	2.1	-3.1	0.0	-6.6	
5.9	15.1							
		q3	I	-1.8	-11.2	7.9	20.4	
13.7	45.3		J	-5.1	-11.2	7.9	20.4	
8.8	56.7							
		q4-1	I	92.7	56.1	10.9	-123.4	
270.1	19.9		J	92.7	56.1	10.9	-123.4	
259.0	-37.1							
		q4-2	I	30.1	-44.5	6.2	9.7	
75.5	177.1		J	30.1	-44.5	6.2	9.7	
69.2	222.3							
		q4-3	I	-1.8	2.6	0.3	23.2	
-5.5	-9.6		J	-1.8	2.6	0.3	23.2	
-5.8	-12.3							
		q4-4	I	-1.6	2.3	-0.3	1.7	
-3.9	-9.1		J	-1.6	2.3	-0.3	1.7	
-3.6	-11.5							
		q4-5	I	0.2	-0.3	0.3	-1.4	
0.1	1.2		J	0.2	-0.3	0.3	-1.4	
-0.2	1.6							
		q4-6	I	0.3	-0.5	0.3	-0.8	
0.2	1.9		J	0.3	-0.5	0.3	-0.8	
-0.1	2.4							
		q4-7	I	0.2	-0.4	0.3	-0.7	
0.0	1.5		J	0.2	-0.4	0.3	-0.7	
-0.3	1.9							
		q5 - p~1	I	8.9	-90.1	39.9	248.1	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
122.9	379.1		J	-10.3	-88.5	39.1	247.5
89.7	469.7						
-650.0	-1391.9	q5 - p~2	I	-239.6	319.2	-40.2	-56.3
-610.3	-1707.6		J	-236.5	302.5	-40.1	-50.3
114.4	358.7	q5 - p~3	I	8.7	-85.4	32.1	225.0
83.4	444.6		J	-9.5	-83.8	31.4	224.9
-614.7	-1313.1	q5 - p~4	I	-226.8	302.0	-36.4	28.4
-578.0	-1611.8		J	-223.9	286.2	-36.2	29.5
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-23.2	60.3	q7	I	-54.2	-16.5	2.2	50.4
-25.3	77.0		J	-54.2	-16.5	2.2	50.4
2.0	3.5	T	I	0.6	-0.9	-0.1	2.4
2.1	4.4		J	0.6	-0.9	-0.1	2.4
290.5	-137.6	M. tor~1	I	117.6	-173.7	20.7	-561.1
269.4	-247.7		J	117.6	-173.7	20.7	-549.5
171.7	-81.4	M. tor~2	I	69.5	-102.7	12.2	-331.7
159.3	-146.5		J	69.5	-102.7	12.2	-324.9
1115.0	1918.5	INVSLU Max	I	451.5	527.3	-1848.5	3053.7
5306.2	2338.9		J	438.1	503.5	-1655.8	2978.0
4147.4	-2327.2	Min	I	-284.3	-440.7	-4465.2	-4031.4
6021.4	-2833.1		J	-290.0	-416.9	-4183.8	-3903.5
5852.2	2966.6	INVSLV Max	I	573.2	836.5	-1155.8	4819.7
7820.2	3755.8		J	567.5	836.5	-1016.6	4819.7
2429.9	-3191.4	Min	I	-472.7	-782.5	-2234.0	-5078.1
3763.2	-4035.4		J	-478.3	-782.5	-2094.8	-5078.1

MIDAS

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

8190.2	1275.4	INVSLE Max	I	318.5	357.1	-1371.9	2245.6	
			J	308.8	341.2	-1229.2	2189.6	1
1297.4	1553.7	Min	I	-185.4	-292.9	-3304.9	-2969.8	
3115.3	-1578.2		J	-190.0	-277.1	-3096.4	-2875.1	
4500.9	-1919.8							
732	1	52 C1-C2;~1 Max	I	46.2	49.1	293.9	1310.3	
5118.3	126.5		J	42.8	49.1	301.1	1299.8	
6493.0	154.4	Min	I	-13.7	-28.5	-1516.2	-2595.9	
-903.9	-298.0		J	-16.1	-28.5	-1448.4	-2503.9	-
1195.1	-331.0							
		C3-C4;~1 Max	I	43.6	50.9	302.4	2168.8	
5138.2	149.9		J	40.3	50.9	307.8	2114.7	
6513.4	181.5	Min	I	-16.2	-32.5	-1516.6	-1695.2	
-923.4	-245.4		J	-18.9	-32.5	-1448.9	-1635.7	-
1223.2	-292.8							
		C1-C2;~2 Max	I	29.2	26.6	158.5	681.5	
3049.6	65.5		J	27.0	26.6	162.3	684.9	
3863.9	80.2	Min	I	-8.7	-14.9	-914.0	-1495.4	
-490.9	-165.6		J	-10.3	-14.9	-875.9	-1445.0	
-649.0	-181.0							
		C3-C4;~2 Max	I	27.3	27.5	163.7	1201.8	
3061.3	79.1		J	25.3	27.5	166.1	1179.0	
3875.6	96.1	Min	I	-10.3	-17.4	-914.0	-941.5	
-502.8	-132.1		J	-12.1	-17.4	-876.0	-909.5	
-666.2	-158.0							
		SLVx (RS)	I	398.6	-645.3	-242.9	-4035.8	
1222.9	3031.8		J	398.6	-645.3	-242.9	-4035.8	
1335.1	3680.9							
		SLVy (RS)	I	329.3	472.9	-127.5	2872.1	
912.3	-2339.7		J	329.3	472.9	-127.5	2872.1	
941.0	-2813.9							
		SLDx (RS)	I	289.7	-468.8	-179.7	-2819.3	
899.8	2203.4		J	289.7	-468.8	-179.7	-2819.3	
985.8	2675.2							
		SLDy (RS)	I	235.4	337.5	-92.3	1998.9	
649.7	1674.3		J	235.4	337.5	-92.3	1998.9	
669.8	2012.8							


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1389.2	-539.7	SLVz (RS)	I	88.8	103.2	409.6	-82.0	-
			J	88.8	103.2	409.6	-82.0	-
1797.5	-639.2							
		G1	I	26.9	28.2	-1139.7	-76.4	
4226.3	-143.7		J	22.8	28.2	-1037.7	-76.4	
5332.0	-172.3							
		G2	I	9.8	10.3	-416.2	-28.3	
1543.3	-52.5		J	8.3	10.3	-378.9	-28.3	
1947.0	-62.9							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
16.2	41.3		J	5.7	-8.4	0.1	-18.0	
16.1	49.8							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.9	15.1		J	2.1	-3.1	0.0	-6.6	
5.9	18.2							
		q3	I	-5.1	-11.2	7.9	20.4	
8.8	56.7		J	-8.3	-11.2	7.9	20.4	
3.9	68.1							
		q4-1	I	92.7	56.1	10.9	-123.4	
259.0	-37.1		J	92.7	56.1	10.9	-123.4	
247.9	-94.1							
		q4-2	I	30.1	-44.5	6.2	9.7	
69.2	222.3		J	30.1	-44.5	6.2	9.7	
62.9	267.5							
		q4-3	I	-1.8	2.6	0.3	23.2	
-5.8	-12.3		J	-1.8	2.6	0.3	23.2	
-6.1	-14.9							
		q4-4	I	-1.6	2.3	-0.3	1.7	
-3.6	-11.5		J	-1.6	2.3	-0.3	1.7	
-3.3	-13.9							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-0.2	1.6		J	0.2	-0.3	0.3	-1.4	
-0.4	1.9							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-0.1	2.4		J	0.3	-0.5	0.3	-0.8	
-0.4	2.9							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-0.3	1.9		J	0.2	-0.4	0.3	-0.7	
-0.6	2.3							
		q5 - p~1	I	-10.3	-88.5	39.1	247.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
89.7	469.7		J	-29.5	-86.9	38.3	247.0	
57.3	558.8							
-610.3	-1707.6	q5 - p~2	I	-236.5	302.5	-40.1	-50.3	
-570.8	-2006.3		J	-233.5	285.7	-40.0	-44.3	
83.4	444.6	q5 - p~3	I	-9.5	-83.8	31.4	224.9	
53.2	529.0		J	-27.7	-82.3	30.6	224.8	
-578.0	-1611.8	q5 - p~4	I	-223.9	286.2	-36.2	29.5	
-541.5	-1894.4		J	-221.0	270.3	-36.1	30.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-25.3	77.0	q7	I	-54.2	-16.5	2.2	50.4	
-27.5	93.8		J	-54.2	-16.5	2.2	50.4	
2.1	4.4	T	I	0.6	-0.9	-0.1	2.4	
2.2	5.2		J	0.6	-0.9	-0.1	2.4	
269.4	-247.7	M. tor~1	I	117.6	-173.7	20.7	-549.5	
248.4	-357.8		J	117.6	-173.7	20.7	-537.9	
159.3	-146.5	M. tor~2	I	69.5	-102.7	12.2	-324.9	
146.8	-211.6		J	69.5	-102.7	12.2	-318.0	
5306.2	2338.9	INVSLU Max	I	438.1	503.5	-1655.8	2978.0	1
9164.7	2749.4		J	424.8	479.7	-1460.6	2904.4	1
6021.4	-2833.1	Min	I	-290.0	-416.9	-4183.8	-3903.5	
7689.8	-3315.4		J	-295.8	-393.1	-3904.2	-3778.7	
7821.4	3755.8	INVSLV Max	I	568.7	845.1	-1034.9	4792.8	
9781.4	4549.7		J	563.1	845.1	-895.7	4792.8	
3762.0	-4035.4	Min	I	-479.5	-791.2	-2076.4	-5051.2	
4820.7	-4884.1		J	-485.1	-791.2	-1937.2	-5051.2	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1297.4	1553.7	INVSLE	Max	I	308.8	341.2	-1229.2	2189.6	1
				J	299.1	325.4	-1084.6	2135.1	1
4158.1	1826.5		Min	I	-190.0	-277.1	-3096.4	-2875.1	
4500.9	-1919.8			J	-194.6	-261.2	-2889.4	-2782.7	
5734.0	-2245.7								
733	1	52 C1-C2;~1	Max	I	42.8	49.1	301.1	1299.8	
6493.0	154.4			J	39.4	49.1	334.1	1290.3	
7762.9	182.7		Min	I	-16.1	-28.5	-1448.4	-2503.9	-
1195.1	-331.0			J	-18.9	-28.5	-1382.0	-2414.1	-
1486.2	-375.3								
		C3-C4;~1	Max	I	40.3	50.9	307.8	2114.7	
6513.4	181.5			J	37.1	50.9	338.0	2062.2	
7783.8	213.3		Min	I	-18.9	-32.5	-1448.9	-1635.7	-
1223.2	-292.8			J	-21.6	-32.5	-1382.5	-1584.2	-
1523.0	-340.6								
		C1-C2;~2	Max	I	27.0	26.6	162.3	684.9	
3863.9	80.2			J	24.9	26.6	184.8	688.6	
4614.3	95.2		Min	I	-10.3	-14.9	-875.9	-1445.0	
-649.0	-181.0			J	-12.1	-14.9	-838.5	-1395.7	
-807.2	-204.6								
		C3-C4;~2	Max	I	25.3	27.5	166.1	1179.0	
3875.6	96.1			J	23.3	27.5	186.5	1156.9	
4626.1	113.3		Min	I	-12.1	-17.4	-876.0	-909.5	
-666.2	-158.0			J	-14.0	-17.4	-838.5	-882.7	
-829.6	-184.2								
		SLVx (RS)		I	400.0	-656.3	-235.5	-4012.3	
1334.5	3680.9			J	400.0	-656.3	-235.5	-4012.3	
1472.0	4337.8								
		SLVy (RS)		I	331.3	468.2	-124.3	2867.1	
940.3	-2813.9			J	331.3	468.2	-124.3	2867.1	
982.8	-3281.3								
		SLDx (RS)		I	290.7	-476.5	-174.2	-2802.7	
985.4	2675.2			J	290.7	-476.5	-174.2	-2802.7	
1089.5	3152.5								
		SLDy (RS)		I	236.7	333.9	-89.9	1995.5	
669.2	2012.8			J	236.7	333.9	-89.9	1995.5	
699.4	-2346.0								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1799.3	-639.2	SLVz (RS)	I	92.3	101.1	391.3	-78.3	-
			J	92.3	101.1	391.3	-78.3	-
2188.7	-734.5							
		G1	I	22.8	28.2	-1037.7	-76.4	
5332.0	-172.3		J	18.7	28.2	-935.7	-76.4	
6334.2	-201.0							
		G2	I	8.3	10.3	-378.9	-28.3	
1947.0	-62.9		J	6.8	10.3	-341.7	-28.3	
2313.0	-73.4							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
16.1	49.8		J	5.7	-8.4	0.1	-18.0	
15.9	58.4							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.9	18.2		J	2.1	-3.1	0.0	-6.6	
5.8	21.4							
		q3	I	-8.3	-11.2	7.9	20.4	
3.9	68.1		J	-11.6	-11.2	7.9	20.4	
-1.0	79.5							
		q4-1	I	92.7	56.1	10.9	-123.4	
247.9	-94.1		J	92.7	56.1	10.9	-123.4	
236.9	-151.1							
		q4-2	I	30.1	-44.5	6.2	9.7	
62.9	267.5		J	30.1	-44.5	6.2	9.7	
56.5	312.7							
		q4-3	I	-1.8	2.6	0.3	23.2	
-6.1	-14.9		J	-1.8	2.6	0.3	23.2	
-6.4	-17.6							
		q4-4	I	-1.6	2.3	-0.3	1.7	
-3.3	-13.9		J	-1.6	2.3	-0.3	1.7	
-3.0	-16.2							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-0.4	1.9		J	0.2	-0.3	0.3	-1.4	
-0.7	2.2							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-0.4	2.9		J	0.3	-0.5	0.3	-0.8	
-0.7	3.3							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-0.6	2.3		J	0.2	-0.4	0.3	-0.7	
-0.9	2.6							
		q5 - p~1	I	-29.5	-86.9	38.3	247.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
57.3	558.8		J	-48.7	-85.3	37.5	246.4	
25.7	646.2							
-570.8	-2006.3	q5 - p~2	I	-233.5	285.7	-40.0	-44.3	
-531.3	-2288.0		J	-230.5	269.0	-39.8	-38.2	
53.2	529.0	q5 - p~3	I	-27.7	-82.3	30.6	224.8	
23.7	611.9		J	-45.9	-80.8	29.9	224.7	
-541.5	-1894.4	q5 - p~4	I	-221.0	270.3	-36.1	30.6	
-505.1	-2160.9		J	-218.2	254.5	-36.0	31.7	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-27.5	93.8	q7	I	-54.2	-16.5	2.2	50.4	
-29.7	110.6		J	-54.2	-16.5	2.2	50.4	
2.2	5.2	T	I	0.6	-0.9	-0.1	2.4	
2.3	6.1		J	0.6	-0.9	-0.1	2.4	
248.4	-357.8	M. tor~1	I	117.6	-173.7	20.7	-537.9	
227.3	-467.9		J	117.6	-173.7	20.7	-526.3	
146.8	-211.6	M. tor~2	I	69.5	-102.7	12.2	-318.0	
134.4	-276.7		J	69.5	-102.7	12.2	-311.1	
9164.7	2749.4	INVSLU Max	I	424.8	479.7	-1460.6	2904.4	1
2691.0	3136.0		J	411.6	455.9	-1232.1	2833.1	2
7689.8	-3315.4	Min	I	-295.8	-393.1	-3904.2	-3778.7	
9167.1	-3784.7		J	-301.6	-369.3	-3626.6	-3657.0	
9782.8	4549.7	INVSLV Max	I	566.1	854.1	-917.2	4766.7	
1594.1	5348.0		J	560.4	854.1	-778.0	4766.7	1
4819.2	-4884.1	Min	I	-488.1	-800.1	-1915.7	-5025.1	
5743.7	-5737.2		J	-493.8	-800.1	-1776.5	-5025.1	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4158.1	1826.5	INVSLE	Max	I	299.1	325.4	-1084.6	2135.1	1
6772.9	2083.3			J	289.6	309.5	-915.3	2082.3	1
5734.0	-2245.7		Min	I	-194.6	-261.2	-2889.4	-2782.7	
6825.7	-2563.8			J	-199.2	-245.4	-2683.7	-2692.6	
734	1	52 C1-C2;~1	Max	I	39.4	49.1	334.1	1290.3	
7762.9	182.7			J	36.2	49.1	372.8	1281.9	
8928.5	211.3		Min	I	-18.9	-28.5	-1382.0	-2414.1	-
1486.2	-375.3			J	-21.8	-28.5	-1317.0	-2326.7	-
1777.4	-422.4								
7783.8	213.3	C3-C4;~1	Max	I	37.1	50.9	338.0	2062.2	
8950.0	245.4			J	34.1	50.9	376.6	2011.5	
1523.0	-340.6		Min	I	-21.6	-32.5	-1382.5	-1584.2	-
1822.9	-388.6			J	-24.4	-32.5	-1317.6	-1541.2	-
4614.3	95.2	C1-C2;~2	Max	I	24.9	26.6	184.8	688.6	
5301.2	110.2			J	22.9	26.6	211.2	692.8	
-807.2	-204.6		Min	I	-12.1	-14.9	-838.5	-1395.7	
-965.3	-230.3			J	-14.0	-14.9	-801.6	-1347.2	
4626.1	113.3	C3-C4;~2	Max	I	23.3	27.5	186.5	1156.9	
5313.2	130.6			J	21.4	27.5	212.8	1135.4	
-829.6	-184.2		Min	I	-14.0	-17.4	-838.5	-882.7	
-992.9	-210.5			J	-15.8	-17.4	-801.7	-861.7	
1472.2	4337.8	SLVx (RS)		I	402.8	-667.1	-226.8	-3989.5	
1623.7	5002.0			J	402.8	-667.1	-226.8	-3989.5	
982.7	-3281.3	SLVy (RS)		I	334.7	463.9	-121.1	2862.0	
1035.6	-3741.6			J	334.7	463.9	-121.1	2862.0	
1089.6	3152.5	SLDx (RS)		I	292.7	-483.9	-167.6	-2786.6	
1203.5	3634.8			J	292.7	-483.9	-167.6	-2786.6	
699.2	-2346.0	SLDy (RS)		I	239.1	330.5	-87.4	1992.1	
736.9	-2674.0			J	239.1	330.5	-87.4	1992.1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2190.3	-734.5	SLVz (RS)	I	95.6	99.1	370.9	-74.9	-
			J	95.6	99.1	370.9	-74.9	-
2557.2	-825.3							
		G1	I	18.7	28.2	-935.7	-76.4	
6334.2	-201.0		J	14.5	28.2	-833.7	-76.4	
7232.7	-229.6							
		G2	I	6.8	10.3	-341.7	-28.3	
2313.0	-73.4		J	5.3	10.3	-304.4	-28.3	
2641.1	-83.8							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
15.9	58.4		J	5.7	-8.4	0.1	-18.0	
15.8	66.9							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.8	21.4		J	2.1	-3.1	0.0	-6.6	
5.8	24.5							
		q3	I	-11.6	-11.2	7.9	20.4	
-1.0	79.5		J	-14.8	-11.2	7.9	20.4	
-5.9	91.0							
		q4-1	I	92.7	56.1	10.9	-123.4	
236.9	-151.1		J	92.7	56.1	10.9	-123.4	
225.8	-208.1							
		q4-2	I	30.1	-44.5	6.2	9.7	
56.5	312.7		J	30.1	-44.5	6.2	9.7	
50.2	357.9							
		q4-3	I	-1.8	2.6	0.3	23.2	
-6.4	-17.6		J	-1.8	2.6	0.3	23.2	
-6.7	-20.3							
		q4-4	I	-1.6	2.3	-0.3	1.7	
-3.0	-16.2		J	-1.6	2.3	-0.3	1.7	
-2.7	-18.6							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-0.7	2.2		J	0.2	-0.3	0.3	-1.4	
-1.0	2.6							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-0.7	3.3		J	0.3	-0.5	0.3	-0.8	
-1.1	3.8							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-0.9	2.6		J	0.2	-0.4	0.3	-0.7	
-1.3	3.0							
		q5 - p~1	I	-48.7	-85.3	37.5	246.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
25.7	646.2		J	-67.9	-83.7	36.8	245.8	
-5.1	732.0							
-531.3	-2288.0	q5 - p~2	I	-230.5	269.0	-39.8	-38.2	
-492.0	-2552.7		J	-227.5	252.3	-39.7	-32.2	
23.7	611.9	q5 - p~3	I	-45.9	-80.8	29.9	224.7	
-5.0	693.2		J	-64.1	-79.3	29.2	224.6	
-505.1	-2160.9	q5 - p~4	I	-218.2	254.5	-36.0	31.7	
-468.7	-2411.3		J	-215.3	238.6	-35.9	32.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-29.7	110.6	q7	I	-54.2	-16.5	2.2	50.4	
-31.9	127.3		J	-54.2	-16.5	2.2	50.4	
2.3	6.1	T	I	0.6	-0.9	-0.1	2.4	
2.4	7.0		J	0.6	-0.9	-0.1	2.4	
227.3	-467.9	M. tor~1	I	117.6	-173.7	20.7	-526.3	
206.3	-578.1		J	117.6	-173.7	20.7	-514.7	
134.4	-276.7	M. tor~2	I	69.5	-102.7	12.2	-311.1	
122.0	-341.8		J	69.5	-102.7	12.2	-304.3	
2691.0	3136.0	INVSLU Max	I	411.6	455.9	-1232.1	2833.1	2
5885.8	3498.6		J	398.6	432.2	-992.1	2764.0	2
9167.1	-3784.7	Min	I	-301.6	-369.3	-3626.6	-3657.0	
0453.4	-4232.6		J	-307.3	-345.5	-3350.8	-3538.4	1
1595.7	5348.0	INVSLV Max	I	565.2	863.0	-802.0	4741.3	1
3250.3	6150.1		J	559.5	863.0	-662.8	4741.3	1
5742.1	-5737.2	Min	I	-498.5	-809.0	-1752.5	-4999.8	
6540.5	-6594.1		J	-504.2	-809.0	-1613.2	-4999.8	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


6772.9	2083.3	INVSLE	Max	I	289.6	309.5	-915.3	2082.3	1
				J	280.1	293.7	-737.5	2031.2	1
9142.0	2324.1		Min	I	-199.2	-245.4	-2683.7	-2692.6	
6825.7	-2563.8			J	-203.7	-229.5	-2479.5	-2604.8	
7775.9	-2867.8								
735	1	52 C1-C2;~1	Max	I	36.2	49.1	372.8	1281.9	
8928.5	211.3			J	33.2	49.1	412.6	1274.6	
9990.3	239.8		Min	I	-21.8	-28.5	-1317.0	-2326.7	-
1777.4	-422.4			J	-24.6	-28.5	-1253.5	-2241.6	-
2068.6	-469.5								
		C3-C4;~1	Max	I	34.1	50.9	376.6	2011.5	
8950.0	245.4			J	31.3	50.9	416.4	1962.3	1
0012.5	277.9		Min	I	-24.4	-32.5	-1317.6	-1541.2	-
1822.9	-388.6			J	-27.2	-32.5	-1254.1	-1500.2	-
2122.7	-436.8								
		C1-C2;~2	Max	I	22.9	26.6	211.2	692.8	
5301.2	110.2			J	20.9	26.6	238.0	697.4	
5925.1	125.2		Min	I	-14.0	-14.9	-801.6	-1347.2	
-965.3	-230.3			J	-15.9	-14.9	-765.4	-1299.7	-
1123.4	-256.1								
		C3-C4;~2	Max	I	21.4	27.5	212.8	1135.4	
5313.2	130.6			J	19.6	27.5	239.6	1114.5	
5937.4	148.0		Min	I	-15.8	-17.4	-801.7	-861.7	
-992.9	-210.5			J	-17.5	-17.4	-765.6	-841.5	-
1156.3	-236.9								
		SLVx (RS)		I	406.9	-677.5	-216.7	-3967.4	
1624.4	5002.0			J	406.9	-677.5	-216.7	-3967.4	
1781.3	5673.0								
		SLVy (RS)		I	339.5	459.9	-117.9	2856.8	
1036.1	-3741.6			J	339.5	459.9	-117.9	2856.8	
1096.4	-4194.9								
		SLDx (RS)		I	295.6	-491.0	-160.0	-2771.0	
1204.0	3634.8			J	295.6	-491.0	-160.0	-2771.0	
1321.3	4121.7								
		SLDy (RS)		I	242.5	327.3	-85.0	1988.7	
737.1	-2674.0			J	242.5	327.3	-85.0	1988.7	
780.2	-2996.5								

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2558.5	-825.3	SLVz (RS)	I	98.6	97.5	348.7	-71.8	-
			J	98.6	97.5	348.7	-71.8	-
2900.1	-911.6							
		G1	I	14.5	28.2	-833.7	-76.4	
7232.7	-229.6		J	10.4	28.2	-731.7	-76.4	
8027.7	-258.2							
		G2	I	5.3	10.3	-304.4	-28.3	
2641.1	-83.8		J	3.8	10.3	-267.2	-28.3	
2931.4	-94.3							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
15.8	66.9		J	5.7	-8.4	0.1	-18.0	
15.7	75.5							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.8	24.5		J	2.1	-3.1	0.0	-6.6	
5.7	27.6							
		q3	I	-14.8	-11.2	7.9	20.4	
-5.9	91.0		J	-18.1	-11.2	7.9	20.4	
-10.9	102.4							
		q4-1	I	92.7	56.1	10.9	-123.4	
225.8	-208.1		J	92.7	56.1	10.9	-123.4	
214.7	-265.2							
		q4-2	I	30.1	-44.5	6.2	9.7	
50.2	357.9		J	30.1	-44.5	6.2	9.7	
43.9	403.0							
		q4-3	I	-1.8	2.6	0.3	23.2	
-6.7	-20.3		J	-1.8	2.6	0.3	23.2	
-7.0	-23.0							
		q4-4	I	-1.6	2.3	-0.3	1.7	
-2.7	-18.6		J	-1.6	2.3	-0.3	1.7	
-2.4	-20.9							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-1.0	2.6		J	0.2	-0.3	0.3	-1.4	
-1.2	2.9							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-1.1	3.8		J	0.3	-0.5	0.3	-0.8	
-1.4	4.3							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-1.3	3.0		J	0.2	-0.4	0.3	-0.7	
-1.6	3.4							
		q5 - p~1	I	-67.9	-83.7	36.8	245.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-5.1	732.0		J	-87.2	-82.1	36.0	245.2	
-35.2	816.2							
-492.0	-2552.7	q5 - p~2	I	-227.5	252.3	-39.7	-32.2	
-452.8	-2800.4		J	-224.4	235.5	-39.6	-26.2	
-5.0	693.2	q5 - p~3	I	-64.1	-79.3	29.2	224.6	
-33.0	772.9		J	-82.3	-77.8	28.4	224.4	
-468.7	-2411.3	q5 - p~4	I	-215.3	238.6	-35.9	32.9	
-432.5	-2645.6		J	-212.5	222.8	-35.8	34.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-31.9	127.3	q7	I	-54.2	-16.5	2.2	50.4	
-34.1	144.1		J	-54.2	-16.5	2.2	50.4	
2.4	7.0	T	I	0.6	-0.9	-0.1	2.4	
2.5	7.9		J	0.6	-0.9	-0.1	2.4	
206.3	-578.1	M. tor~1	I	117.6	-173.7	20.7	-514.7	
185.3	-688.2		J	117.6	-173.7	20.7	-503.1	
122.0	-341.8	M. tor~2	I	69.5	-102.7	12.2	-304.3	
109.5	-406.9		J	69.5	-102.7	12.2	-297.4	
5885.8	3498.6	INVSLU Max	I	398.6	432.2	-992.1	2764.0	2
8749.9	3837.2		J	385.6	408.4	-750.6	2697.2	2
0453.4	-4232.6	Min	I	-307.3	-345.5	-3350.8	-3538.4	1
1548.7	-4656.5		J	-313.0	-321.8	-3077.0	-3423.1	1
3252.1	6150.1	INVSLV Max	I	566.0	871.7	-688.9	4716.8	1
4743.9	6955.5		J	560.3	871.7	-549.6	4716.8	1
6538.7	-6594.1	Min	I	-510.6	-817.8	-1587.1	-4975.2	
7217.0	-7454.3		J	-516.2	-817.8	-1447.9	-4975.2	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9142.0	2324.1	INVSLE	Max	I	280.1	293.7	-737.5	2031.2	1
				J	270.7	277.8	-558.6	1981.7	2
1266.2	2548.9		Min	I	-203.7	-229.5	-2479.5	-2604.8	
7775.9	-2867.8			J	-208.3	-213.6	-2276.7	-2519.4	
8584.6	-3155.8								
736	1	52 C1-C2;~1	Max	I	33.2	49.1	412.6	1274.6	
9990.3	239.8			J	30.3	49.1	453.5	1268.3	1
0949.1	268.4		Min	I	-24.6	-28.5	-1253.5	-2241.6	-
2068.6	-469.5			J	-27.5	-28.5	-1191.4	-2158.9	-
2359.8	-516.8								
		C3-C4;~1	Max	I	31.3	50.9	416.4	1962.3	1
0012.5	277.9			J	28.6	50.9	457.2	1914.8	1
0972.1	310.4		Min	I	-27.2	-32.5	-1254.1	-1500.2	-
2122.7	-436.8			J	-29.9	-32.5	-1192.1	-1461.2	-
2422.5	-485.0								
		C1-C2;~2	Max	I	20.9	26.6	238.0	697.4	
5925.1	125.2			J	19.1	26.6	265.2	702.3	
6486.3	140.3		Min	I	-15.9	-14.9	-765.4	-1299.7	-
1123.4	-256.1			J	-17.7	-14.9	-729.8	-1253.2	-
1281.5	-281.9								
		C3-C4;~2	Max	I	19.6	27.5	239.6	1114.5	
5937.4	148.0			J	17.8	27.5	266.7	1094.2	
6499.0	165.4		Min	I	-17.5	-17.4	-765.6	-841.5	-
1156.3	-236.9			J	-19.3	-17.4	-730.0	-822.2	-
1319.6	-263.3								
		SLVx (RS)		I	412.2	-687.5	-205.5	-3946.1	
1782.5	5673.0			J	412.2	-687.5	-205.5	-3946.1	
1938.4	6350.0								
		SLVy (RS)		I	345.6	456.2	-114.8	2851.6	
1097.4	-4194.9			J	345.6	456.2	-114.8	2851.6	
1162.7	-4641.2								
		SLDx (RS)		I	299.3	-497.7	-151.6	-2755.9	
1322.0	4121.7			J	299.3	-497.7	-151.6	-2755.9	
1438.2	4612.5								
		SLDy (RS)		I	246.9	324.3	-82.7	1985.2	
780.7	-2996.5			J	246.9	324.3	-82.7	1985.2	
827.3	-3313.7								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2901.3	-911.6	SLVz (RS)	I	101.5	96.3	325.0	-69.2	-
			J	101.5	96.3	325.0	-69.2	-
3215.4	-993.4							
		G1	I	10.4	28.2	-731.7	-76.4	
8027.7	-258.2		J	6.3	28.2	-629.8	-76.4	
8719.1	-286.9							
		G2	I	3.8	10.3	-267.2	-28.3	
2931.4	-94.3		J	2.3	10.3	-230.0	-28.3	
3183.8	-104.7							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
15.7	75.5		J	5.7	-8.4	0.1	-18.0	
15.5	84.1							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.7	27.6		J	2.1	-3.1	0.0	-6.6	
5.7	30.7							
		q3	I	-18.1	-11.2	7.9	20.4	
-10.9	102.4		J	-21.3	-11.2	7.9	20.4	
-15.8	113.8							
		q4-1	I	92.7	56.1	10.9	-123.4	
214.7	-265.2		J	92.7	56.1	10.9	-123.4	
203.6	-322.2							
		q4-2	I	30.1	-44.5	6.2	9.7	
43.9	403.0		J	30.1	-44.5	6.2	9.7	
37.5	448.2							
		q4-3	I	-1.8	2.6	0.3	23.2	
-7.0	-23.0		J	-1.8	2.6	0.3	23.2	
-7.3	-25.7							
		q4-4	I	-1.6	2.3	-0.3	1.7	
-2.4	-20.9		J	-1.6	2.3	-0.3	1.7	
-2.1	-23.3							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-1.2	2.9		J	0.2	-0.3	0.3	-1.4	
-1.5	3.3							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-1.4	4.3		J	0.3	-0.5	0.3	-0.8	
-1.7	4.8							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-1.6	3.4		J	0.2	-0.4	0.3	-0.7	
-1.9	3.8							
		q5 - p~1	I	-87.2	-82.1	36.0	245.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-35.2	816.2		J	-106.4	-80.5	35.2	244.7	
-64.4	898.7							
-452.8	-2800.4	q5 - p~2	I	-224.4	235.5	-39.6	-26.2	
-413.8	-3031.1		J	-221.4	218.8	-39.5	-20.2	
-33.0	772.9	q5 - p~3	I	-82.3	-77.8	28.4	224.4	
-60.2	851.1		J	-100.5	-76.3	27.7	224.3	
-432.5	-2645.6	q5 - p~4	I	-212.5	222.8	-35.8	34.0	
-396.5	-2863.8		J	-209.6	206.9	-35.7	35.1	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-34.1	144.1	q7	I	-54.2	-16.5	2.2	50.4	
-36.3	160.8		J	-54.2	-16.5	2.2	50.4	
2.5	7.9	T	I	0.6	-0.9	-0.1	2.4	
2.5	8.7		J	0.6	-0.9	-0.1	2.4	
185.3	-688.2	M. tor~1	I	117.6	-173.7	20.7	-503.1	
164.2	-798.3		J	117.6	-173.7	20.7	-491.5	
109.5	-406.9	M. tor~2	I	69.5	-102.7	12.2	-297.4	
97.1	-471.9		J	69.5	-102.7	12.2	-290.6	
8749.9	3837.2	INVSLU Max	I	385.6	408.4	-750.6	2697.2	2
1284.2	4151.6		J	372.8	384.6	-507.5	2632.5	3
1548.7	-4656.5	Min	I	-313.0	-321.8	-3077.0	-3423.1	1
2452.9	-5056.3		J	-318.7	-298.0	-2805.2	-3310.9	1
4745.8	6955.5	INVSLV Max	I	568.4	880.2	-577.7	4693.1	1
6069.9	7763.6		J	562.8	880.2	-438.4	4693.1	1
7215.2	-7454.3	Min	I	-524.3	-826.3	-1419.9	-4951.5	
7778.4	-8317.2		J	-530.0	-826.3	-1280.6	-4951.5	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1266.2	2548.9	INVSLE	Max	I	270.7	277.8	-558.6	1981.7	2
				J	261.5	261.9	-378.6	1933.8	2
3146.1	2757.7		Min	I	-208.3	-213.6	-2276.7	-2519.4	
8584.6	-3155.8			J	-212.8	-197.8	-2075.3	-2436.4	
9251.8	-3427.8								
737	1	52 C1-C2;~1	Max	I	30.3	49.1	453.5	1268.3	1
0949.1	268.4			J	27.6	49.1	495.5	1263.1	1
1805.5	297.0		Min	I	-27.5	-28.5	-1191.4	-2158.9	-
2359.8	-516.8			J	-30.4	-28.5	-1130.8	-2078.6	-
2651.0	-564.2								
		C3-C4;~1	Max	I	28.6	50.9	457.2	1914.8	1
0972.1	310.4			J	27.2	50.9	499.2	1868.9	1
1829.5	342.9		Min	I	-29.9	-32.5	-1192.1	-1461.2	-
2422.5	-485.0			J	-32.7	-32.5	-1131.5	-1424.2	-
2722.4	-533.3								
		C1-C2;~2	Max	I	19.1	26.6	265.2	702.3	
6486.3	140.3			J	17.4	26.6	292.7	707.6	
6985.6	155.4		Min	I	-17.7	-14.9	-729.8	-1253.2	-
1281.5	-281.9			J	-19.5	-14.9	-694.9	-1207.7	-
1439.6	-307.8								
		C3-C4;~2	Max	I	17.8	27.5	266.7	1094.2	
6499.0	165.4			J	16.2	27.5	294.2	1074.6	
6998.7	182.9		Min	I	-19.3	-17.4	-730.0	-822.2	-
1319.6	-263.3			J	-21.0	-17.4	-695.2	-803.8	-
1483.0	-289.8								
		SLVx (RS)		I	418.8	-696.9	-193.3	-3925.4	
1940.0	6350.0			J	418.8	-696.9	-193.3	-3925.4	
2090.4	7032.3								
		SLVy (RS)		I	353.0	452.9	-111.8	2846.4	
1164.1	-4641.2			J	353.0	452.9	-111.8	2846.4	
1232.3	-5080.4								
		SLDx (RS)		I	303.9	-503.8	-142.3	-2741.4	
1439.2	4612.5			J	303.9	-503.8	-142.3	-2741.4	
1550.9	5106.7								
		SLDy (RS)		I	252.1	321.6	-80.4	1981.7	
828.1	-3313.7			J	252.1	321.6	-80.4	1981.7	
876.7	-3625.5								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3216.5	-993.4	SLVz (RS)	I	104.3	95.6	299.5	-67.2	-
			J	104.3	95.6	299.5	-67.2	-
3500.9	-1071.0							
		G1	I	6.3	28.2	-629.8	-76.4	
8719.1	-286.9		J	2.1	28.2	-527.8	-76.4	
9306.9	-315.5							
		G2	I	2.3	10.3	-230.0	-28.3	
3183.8	-104.7		J	0.8	10.3	-192.7	-28.3	
3398.4	-115.2							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
15.5	84.1		J	5.7	-8.4	0.1	-18.0	
15.4	92.6							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.7	30.7		J	2.1	-3.1	0.0	-6.6	
5.6	33.9							
		q3	I	-21.3	-11.2	7.9	20.4	
-15.8	113.8		J	-24.6	-11.2	7.9	20.4	
-20.7	125.2							
		q4-1	I	92.7	56.1	10.9	-123.4	
203.6	-322.2		J	92.7	56.1	10.9	-123.4	
192.5	-379.2							
		q4-2	I	30.1	-44.5	6.2	9.7	
37.5	448.2		J	30.1	-44.5	6.2	9.7	
31.2	493.4							
		q4-3	I	-1.8	2.6	0.3	23.2	
-7.3	-25.7		J	-1.8	2.6	0.3	23.2	
-7.6	-28.4							
		q4-4	I	-1.6	2.3	-0.3	1.7	
-2.1	-23.3		J	-1.6	2.3	-0.3	1.7	
-1.8	-25.6							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-1.5	3.3		J	0.2	-0.3	0.3	-1.4	
-1.7	3.6							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-1.7	4.8		J	0.3	-0.5	0.3	-0.8	
-2.0	5.3							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-1.9	3.8		J	0.2	-0.4	0.3	-0.7	
-2.2	4.2							
		q5 - p~1	I	-106.4	-80.5	35.2	244.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-64.4	898.7		J	-125.6	-78.9	34.4	244.1	
-92.8	979.7							
-413.8	-3031.1	q5 - p~2	I	-221.4	218.8	-39.5	-20.2	
-374.9	-3244.8		J	-218.4	202.0	-39.3	-14.1	
-60.2	851.1	q5 - p~3	I	-100.5	-76.3	27.7	224.3	
-86.7	927.8		J	-118.7	-74.7	26.9	224.2	
-396.5	-2863.8	q5 - p~4	I	-209.6	206.9	-35.7	35.1	
-360.5	-3065.9		J	-206.7	191.0	-35.5	36.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-36.3	160.8	q7	I	-54.2	-16.5	2.2	50.4	
-38.5	177.6		J	-54.2	-16.5	2.2	50.4	
2.5	8.7	T	I	0.6	-0.9	-0.1	2.4	
2.6	9.6		J	0.6	-0.9	-0.1	2.4	
164.2	-798.3	M. tor~1	I	117.6	-173.7	20.7	-491.5	
143.2	-908.4		J	117.6	-173.7	20.7	-479.9	
97.1	-471.9	M. tor~2	I	69.5	-102.7	12.2	-290.6	
84.7	-537.0		J	69.5	-102.7	12.2	-283.7	
1284.2	4151.6	INVSLU Max	I	372.8	384.6	-507.5	2632.5	3
3489.7	4441.9		J	360.1	360.8	-263.0	2570.0	3
2452.9	-5056.3	Min	I	-318.7	-298.0	-2805.2	-3310.9	1
3166.2	-5432.0		J	-324.4	-274.2	-2535.4	-3201.9	1
6071.8	7763.6	INVSLV Max	I	572.4	888.4	-468.5	4670.3	1
7224.1	8573.6		J	566.8	888.4	-329.3	4670.3	1
7776.5	-8317.2	Min	I	-539.6	-834.5	-1250.6	-4928.7	
8228.7	-9182.0		J	-545.3	-834.5	-1111.3	-4928.7	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


3146.1	2757.7		INVSLE Max	I	261.5	261.9	-378.6	1933.8	2
				J	252.2	246.1	-197.4	1887.6	2
4782.4	2950.3		Min	I	-212.8	-197.8	-2075.3	-2436.4	
9251.8	-3427.8			J	-217.3	-181.9	-1875.5	-2355.7	
9777.6	-3683.7								
738	1	52	C1-C2;~1 Max	I	27.6	49.1	495.5	1263.1	1
1805.5	297.0			J	25.1	49.1	538.6	1258.8	1
2560.5	325.8		Min	I	-30.4	-28.5	-1130.8	-2078.6	-
2651.0	-564.2			J	-33.2	-28.5	-1071.7	-2000.6	-
2942.2	-611.6								
			C3-C4;~1 Max	I	27.2	50.9	499.2	1868.9	1
1829.5	342.9			J	24.9	50.9	542.3	1824.6	1
2585.5	375.7		Min	I	-32.7	-32.5	-1131.5	-1424.2	-
2722.4	-533.3			J	-35.4	-32.5	-1072.4	-1389.3	-
3022.2	-581.7								
			C1-C2;~2 Max	I	17.4	26.6	292.7	707.6	
6985.6	155.4			J	15.7	26.6	320.6	697.6	
7423.6	170.5		Min	I	-19.5	-14.9	-694.9	-1207.7	-
1439.6	-307.8			J	-21.3	-14.9	-660.7	-1163.1	-
1597.7	-333.7								
			C3-C4;~2 Max	I	16.2	27.5	294.2	1074.6	
6998.7	182.9			J	14.6	27.5	322.1	1055.5	
7437.1	200.4		Min	I	-21.0	-17.4	-695.2	-803.8	-
1483.0	-289.8			J	-22.7	-17.4	-661.0	-786.2	-
1646.4	-316.3								
			SLVx (RS)	I	426.5	-705.5	-180.2	-3905.5	
2092.2	7032.3			J	426.5	-705.5	-180.2	-3905.5	
2233.7	7719.2								
			SLVy (RS)	I	361.6	450.1	-108.9	2841.1	
1234.1	-5080.4			J	361.6	450.1	-108.9	2841.1	
1303.7	-5512.8								
			SLDx (RS)	I	309.3	-509.4	-132.4	-2727.3	
1552.1	5106.7			J	309.3	-509.4	-132.4	-2727.3	
1656.8	5603.5								
			SLDy (RS)	I	258.2	319.3	-78.2	1978.1	
877.7	-3625.5			J	258.2	319.3	-78.2	1978.1	
927.2	-3931.9								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3501.9	-1071.0	SLVz (RS)	I	107.3	95.6	271.9	-66.0	-
			J	107.3	95.6	271.9	-66.0	-
3754.6	-1144.5							
		G1	I	2.1	28.2	-527.8	-76.4	
9306.9	-315.5		J	-2.0	28.2	-425.8	-76.4	
9791.1	-344.1							
		G2	I	0.8	10.3	-192.7	-28.3	
3398.4	-115.2		J	-0.7	10.3	-155.5	-28.3	
3575.3	-125.7							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
15.4	92.6		J	5.7	-8.4	0.1	-18.0	
15.3	101.2							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.6	33.9		J	2.1	-3.1	0.0	-6.6	
5.6	37.0							
		q3	I	-24.6	-11.2	7.9	20.4	
-20.7	125.2		J	-27.8	-11.2	7.9	20.4	
-25.6	136.7							
		q4-1	I	92.7	56.1	10.9	-123.4	
192.5	-379.2		J	92.7	56.1	10.9	-123.4	
181.4	-436.2							
		q4-2	I	30.1	-44.5	6.2	9.7	
31.2	493.4		J	30.1	-44.5	6.2	9.7	
24.9	538.6							
		q4-3	I	-1.8	2.6	0.3	23.2	
-7.6	-28.4		J	-1.8	2.6	0.3	23.2	
-8.0	-31.1							
		q4-4	I	-1.6	2.3	-0.3	1.7	
-1.8	-25.6		J	-1.6	2.3	-0.3	1.7	
-1.5	-28.0							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-1.7	3.6		J	0.2	-0.3	0.3	-1.4	
-2.0	3.9							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-2.0	5.3		J	0.3	-0.5	0.3	-0.8	
-2.3	5.8							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-2.2	4.2		J	0.2	-0.4	0.3	-0.7	
-2.6	4.6							
		q5 - p~1	I	-125.6	-78.9	34.4	244.1	

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-92.8	979.7		J	-144.8	-77.3	33.6	243.5	
-120.5	1059.0							
-374.9	-3244.8	q5 - p~2	I	-218.4	202.0	-39.3	-14.1	
-336.1	-3441.5		J	-215.4	185.3	-39.2	-8.1	
-86.7	927.8	q5 - p~3	I	-118.7	-74.7	26.9	224.2	
-112.4	1002.9		J	-136.9	-73.2	26.2	224.1	
-360.5	-3065.9	q5 - p~4	I	-206.7	191.0	-35.5	36.2	
-324.7	-3251.9		J	-203.9	175.2	-35.4	37.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-38.5	177.6	q7	I	-54.2	-16.5	2.2	50.4	
-40.7	194.4		J	-54.2	-16.5	2.2	50.4	
2.6	9.6	T	I	0.6	-0.9	-0.1	2.4	
2.7	10.5		J	0.6	-0.9	-0.1	2.4	
143.2	-908.4	M. tor~1	I	117.6	-173.7	20.7	-479.9	
122.2	-1018.5		J	117.6	-173.7	20.7	-468.3	
84.7	-537.0	M. tor~2	I	69.5	-102.7	12.2	-283.7	
72.2	-602.1		J	69.5	-102.7	12.2	-276.8	
3489.7	4441.9	INVSLU Max	I	360.1	360.8	-263.0	2570.0	3
5367.7	4708.2		J	347.6	337.0	-17.0	2509.6	3
3166.2	-5432.0	Min	I	-324.4	-274.2	-2535.4	-3201.9	1
3688.4	-5783.6		J	-330.0	-250.4	-2267.6	-3096.2	1
7226.2	8573.6	INVSLV Max	I	578.0	896.2	-361.7	4648.4	1
8203.0	9384.8		J	572.3	896.2	-222.4	4648.4	1
8226.6	-9182.0	Min	I	-556.4	-842.3	-1079.0	-4906.8	
8571.5	-10048.0		J	-562.1	-842.3	-939.7	-4906.8	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4782.4	2950.3	INVSLE Max	I	252.2	246.1	-197.4	1887.6	2
			J	243.1	230.2	-15.2	1842.9	2
6176.0	3126.9	Min	I	-217.3	-181.9	-1875.5	-2355.7	
9777.6	-3683.7		J	-221.8	-166.1	-1677.1	-2277.4	1
0161.8	-3923.5							
739	1	52 C1-C2;~1 Max	I	25.1	49.1	538.6	1258.8	1
2560.5	325.8		J	22.6	49.1	582.7	1219.4	1
3215.1	354.5	Min	I	-33.2	-28.5	-1071.7	-2000.6	-
2942.2	-611.6		J	-36.1	-28.5	-1014.1	-1925.0	-
3233.4	-659.2							
		C3-C4;~1 Max	I	24.9	50.9	542.3	1824.6	1
2585.5	375.7		J	22.8	50.9	586.4	1781.8	1
3241.1	408.5	Min	I	-35.4	-32.5	-1072.4	-1389.3	-
3022.2	-581.7		J	-38.2	-32.5	-1014.9	-1356.4	-
3322.0	-630.1							
		C1-C2;~2 Max	I	15.7	26.6	320.6	697.6	
7423.6	170.5		J	14.1	26.6	348.9	724.7	
7801.0	185.6	Min	I	-21.3	-14.9	-660.7	-1163.1	-
1597.7	-333.7		J	-23.1	-14.9	-627.2	-1119.6	-
1755.8	-359.7							
		C3-C4;~2 Max	I	14.6	27.5	322.1	1055.5	
7437.1	200.4		J	13.2	27.5	350.3	1036.9	
7815.1	218.0	Min	I	-22.7	-17.4	-661.0	-786.2	-
1646.4	-316.3		J	-24.4	-17.4	-627.5	-769.5	-
1809.7	-342.8							
		SLVx (RS)	I	435.3	-713.5	-166.5	-3886.3	
2235.7	7719.2		J	435.3	-713.5	-166.5	-3886.3	
2365.6	8409.7							
		SLVy (RS)	I	371.3	447.9	-106.1	2835.8	
1305.7	-5512.8		J	371.3	447.9	-106.1	2835.8	
1375.7	-5938.3							
		SLDx (RS)	I	315.4	-514.3	-122.1	-2713.7	
1658.1	5603.5		J	315.4	-514.3	-122.1	-2713.7	
1753.9	6102.2							
		SLDy (RS)	I	265.1	317.3	-76.1	1974.5	
928.5	-3931.9		J	265.1	317.3	-76.1	1974.5	
978.0	-4233.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3755.5	-1144.5	SLVz (RS)	I	110.5	96.1	241.8	-65.4	-
			J	110.5	96.1	241.8	-65.4	-
3974.1	-1214.5							
		G1	I	-2.0	28.2	-425.8	-76.4	
9791.1	-344.1		J	-6.1	28.2	-323.8	-76.4	1
0171.8	-372.7							
		G2	I	-0.7	10.3	-155.5	-28.3	
3575.3	-125.7		J	-2.2	10.3	-118.2	-28.3	
3714.2	-136.1							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
15.3	101.2		J	5.7	-8.4	0.1	-18.0	
15.2	109.7							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.6	37.0		J	2.1	-3.1	0.0	-6.6	
5.6	40.1							
		q3	I	-27.8	-11.2	7.9	20.4	
-25.6	136.7		J	-31.1	-11.2	7.9	20.4	
-30.6	148.1							
		q4-1	I	92.7	56.1	10.9	-123.4	
181.4	-436.2		J	92.7	56.1	10.9	-123.4	
170.3	-493.2							
		q4-2	I	30.1	-44.5	6.2	9.7	
24.9	538.6		J	30.1	-44.5	6.2	9.7	
18.5	583.8							
		q4-3	I	-1.8	2.6	0.3	23.2	
-8.0	-31.1		J	-1.8	2.6	0.3	23.2	
-8.3	-33.7							
		q4-4	I	-1.6	2.3	-0.3	1.7	
-1.5	-28.0		J	-1.6	2.3	-0.3	1.7	
-1.2	-30.4							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-2.0	3.9		J	0.2	-0.3	0.3	-1.4	
-2.2	4.3							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-2.3	5.8		J	0.3	-0.5	0.3	-0.8	
-2.7	6.3							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-2.6	4.6		J	0.2	-0.4	0.3	-0.7	
-2.9	5.0							
		q5 - p~1	I	-144.8	-77.3	33.6	243.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-120.5	1059.0		J	-164.0	-75.7	32.9	242.9	
-147.3	1136.6							
		q5 - p~2	I	-215.4	185.3	-39.2	-8.1	
-336.1	-3441.5		J	-212.3	168.6	-39.1	-2.1	
-297.4	-3621.2							
		q5 - p~3	I	-136.9	-73.2	26.2	224.1	
-112.4	1002.9		J	-155.1	-71.7	25.5	224.0	
-137.4	1076.5							
		q5 - p~4	I	-203.9	175.2	-35.4	37.3	
-324.7	-3251.9		J	-201.0	159.3	-35.3	38.4	
-288.9	-3421.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-54.2	-16.5	2.2	50.4	
-40.7	194.4		J	-54.2	-16.5	2.2	50.4	
-42.9	211.1							
		T	I	0.6	-0.9	-0.1	2.4	
2.7	10.5		J	0.6	-0.9	-0.1	2.4	
2.8	11.3							
		M. tor~1	I	117.6	-173.7	20.7	-468.3	
122.2	-1018.5		J	117.6	-173.7	20.7	-456.7	
101.1	-1128.6							
		M. tor~2	I	69.5	-102.7	12.2	-276.8	
72.2	-602.1		J	69.5	-102.7	12.2	-270.0	
59.8	-667.2							
		INVSLU Max	I	347.6	337.0	-17.0	2509.6	3
5367.7	4708.2		J	335.1	313.2	230.3	2451.3	3
6919.3	4950.4	Min	I	-330.0	-250.4	-2267.6	-3096.2	1
3688.4	-5783.6		J	-335.6	-226.6	-2001.8	-2993.6	1
4019.7	-6111.1							
		INVSLV Max	I	584.9	903.7	-257.5	4627.4	1
8205.2	9384.8		J	579.3	903.7	-118.2	4627.4	1
9003.2	10196.5	Min	I	-574.7	-849.7	-904.7	-4885.9	
8569.3	-10048.0		J	-580.3	-849.7	-765.5	-4885.9	
8810.2	-10914.5							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6176.0	3126.9	INVSLE	Max	I	243.1	230.2	-15.2	1842.9	2
				J	234.1	214.4	168.0	1799.8	2
7328.0	3287.5		Min	I	-221.8	-166.1	-1677.1	-2277.4	1
0161.8	-3923.5			J	-226.3	-150.2	-1480.2	-2201.5	1
0404.6	-4147.3								
740	1	52 C1-C2;~1	Max	I	22.6	49.1	582.7	1219.4	1
3215.1	354.5			J	20.4	49.1	627.9	1258.5	1
3770.2	383.3		Min	I	-36.1	-28.5	-1014.1	-1925.0	-
3233.4	-659.2			J	-38.9	-28.5	-958.0	-1851.9	-
3524.6	-706.7								
		C3-C4;~1	Max	I	22.8	50.9	586.4	1781.8	1
3241.1	408.5			J	20.8	50.9	631.4	1740.5	1
3797.4	441.4		Min	I	-38.2	-32.5	-1014.9	-1356.4	-
3322.0	-630.1			J	-40.9	-32.5	-958.8	-1325.6	-
3621.9	-678.6								
		C1-C2;~2	Max	I	14.1	26.6	348.9	724.7	
7801.0	185.6			J	12.6	26.6	377.4	752.5	
8118.5	200.7		Min	I	-23.1	-14.9	-627.2	-1119.6	-
1755.8	-359.7			J	-24.8	-14.9	-594.3	-1077.1	-
1913.9	-385.7								
		C3-C4;~2	Max	I	13.2	27.5	350.3	1036.9	
7815.1	218.0			J	11.8	27.5	378.9	1018.9	
8133.2	235.5		Min	I	-24.4	-17.4	-627.5	-769.5	-
1809.7	-342.8			J	-26.0	-17.4	-594.7	-753.7	-
1973.1	-369.3								
		SLVx (RS)		I	445.0	-720.7	-152.5	-3867.9	
2367.8	8409.7			J	445.0	-720.7	-152.5	-3867.9	
2484.0	9102.9								
		SLVy (RS)		I	381.9	446.3	-103.3	2830.5	
1378.0	-5938.3			J	381.9	446.3	-103.3	2830.5	
1447.3	-6357.3								
		SLDx (RS)		I	322.1	-518.7	-111.4	-2700.7	
1755.3	6102.2			J	322.1	-518.7	-111.4	-2700.7	
1840.7	6602.1								
		SLDy (RS)		I	272.6	315.9	-74.1	1970.9	
979.5	-4233.1			J	272.6	315.9	-74.1	1970.9	
1028.5	-4529.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3975.1	-1214.5	SLVz (RS)	I	113.9	97.1	208.9	-65.4	-
			J	113.9	97.1	208.9	-65.4	-
4157.2	-1281.2							
		G1	I	-6.1	28.2	-323.8	-76.4	1
0171.8	-372.7		J	-10.2	28.2	-221.8	-76.4	1
0448.8	-401.4							
		G2	I	-2.2	10.3	-118.2	-28.3	
3714.2	-136.1		J	-3.7	10.3	-81.0	-28.3	
3815.4	-146.6							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
15.2	109.7		J	5.7	-8.4	0.1	-18.0	
15.0	118.3							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.6	40.1		J	2.1	-3.1	0.0	-6.6	
5.5	43.3							
		q3	I	-31.1	-11.2	7.9	20.4	
-30.6	148.1		J	-34.3	-11.2	7.9	20.4	
-35.5	159.5							
		q4-1	I	92.7	56.1	10.9	-123.4	
170.3	-493.2		J	92.7	56.1	10.9	-123.4	
159.2	-550.3							
		q4-2	I	30.1	-44.5	6.2	9.7	
18.5	583.8		J	30.1	-44.5	6.2	9.7	
12.2	629.0							
		q4-3	I	-1.8	2.6	0.3	23.2	
-8.3	-33.7		J	-1.8	2.6	0.3	23.2	
-8.6	-36.4							
		q4-4	I	-1.6	2.3	-0.3	1.7	
-1.2	-30.4		J	-1.6	2.3	-0.3	1.7	
-0.9	-32.7							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-2.2	4.3		J	0.2	-0.3	0.3	-1.4	
-2.5	4.6							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-2.7	6.3		J	0.3	-0.5	0.3	-0.8	
-3.0	6.8							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-2.9	5.0		J	0.2	-0.4	0.3	-0.7	
-3.2	5.4							
		q5 - p~1	I	-164.0	-75.7	32.9	242.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-147.3	1136.6		J	-183.2	-74.1	32.1	242.4	
-173.4	1212.7							
-297.4	-3621.2	q5 - p~2	I	-212.3	168.6	-39.1	-2.1	
-258.8	-3783.9		J	-209.3	151.8	-39.0	3.9	
-137.4	1076.5	q5 - p~3	I	-155.1	-71.7	25.5	224.0	
-161.6	1148.6		J	-173.3	-70.2	24.7	223.9	
-288.9	-3421.8	q5 - p~4	I	-201.0	159.3	-35.3	38.4	
-253.3	-3575.5		J	-198.1	143.5	-35.2	39.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-42.9	211.1	q7	I	-54.2	-16.5	2.2	50.4	
-45.1	227.9		J	-54.2	-16.5	2.2	50.4	
2.8	11.3	T	I	0.6	-0.9	-0.1	2.4	
2.9	12.2		J	0.6	-0.9	-0.1	2.4	
101.1	-1128.6	M. tor~1	I	117.6	-173.7	20.7	-456.7	
80.1	-1238.7		J	117.6	-173.7	20.7	-445.0	
59.8	-667.2	M. tor~2	I	69.5	-102.7	12.2	-270.0	
47.3	-732.3		J	69.5	-102.7	12.2	-263.1	
6919.3	4950.4	INVSLU Max	I	335.1	313.2	230.3	2451.3	3
8146.0	5168.4		J	322.7	289.4	479.0	2395.1	3
4019.7	-6111.1	Min	I	-335.6	-226.6	-2001.8	-2993.6	1
4159.9	-6414.4		J	-341.1	-202.8	-1738.1	-2894.4	1
9005.5	10196.5	INVSLV Max	I	593.2	910.7	-156.2	4607.4	1
9621.4	11008.0		J	587.6	910.7	-16.9	4607.4	1
8808.0	-10914.5	Min	I	-594.2	-856.8	-727.5	-4865.8	
8948.2	-11780.8		J	-599.9	-856.8	-588.3	-4865.8	

MIDAS

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

7328.0	3287.5	INVSLE Max	I	234.1	214.4	168.0	1799.8	2
			J	225.1	202.3	352.2	1758.2	2
8239.3	3432.0	Min	I	-226.3	-150.2	-1480.2	-2201.5	1
0404.6	-4147.3		J	-230.7	-134.4	-1284.9	-2128.0	1
0505.9	-4354.9							
741	1	52 C1-C2;~1 Max	I	20.4	49.1	627.9	1258.5	1
3770.2	383.3		J	18.2	49.1	673.9	1299.5	1
4227.0	412.1	Min	I	-38.9	-28.5	-958.0	-1851.9	-
3524.6	-706.7		J	-41.8	-28.5	-903.4	-1781.2	-
3815.8	-754.3							
		C3-C4;~1 Max	I	20.8	50.9	631.4	1740.5	1
3797.4	441.4		J	19.0	50.9	677.5	1700.8	1
4255.6	474.2	Min	I	-40.9	-32.5	-958.8	-1325.6	-
3621.9	-678.6		J	-43.7	-32.5	-904.3	-1296.9	-
3921.7	-727.1							
		C1-C2;~2 Max	I	12.6	26.6	377.4	752.5	
8118.5	200.7		J	11.2	26.6	406.3	781.1	
8377.0	215.8	Min	I	-24.8	-14.9	-594.3	-1077.1	-
1913.9	-385.7		J	-26.5	-14.9	-562.2	-1035.5	-
2072.0	-411.7							
		C3-C4;~2 Max	I	11.8	27.5	378.9	1018.9	
8133.2	235.5		J	11.0	27.5	407.7	1001.4	
8392.5	253.1	Min	I	-26.0	-17.4	-594.7	-753.7	-
1973.1	-369.3		J	-27.7	-17.4	-562.6	-738.8	-
2136.5	-395.9							
		SLVx (RS)	I	455.6	-727.2	-138.6	-3850.1	
2486.3	9102.9		J	455.6	-727.2	-138.6	-3850.1	
2587.3	9797.9							
		SLVy (RS)	I	393.4	445.5	-100.6	2825.2	
1449.8	-6357.3		J	393.4	445.5	-100.6	2825.2	
1518.0	-6770.0							
		SLDx (RS)	I	329.5	-522.5	-100.9	-2688.1	
1842.2	6602.1		J	329.5	-522.5	-100.9	-2688.1	
1916.0	7102.4							
		SLDy (RS)	I	280.8	315.0	-72.1	1967.3	
1030.0	-4529.2		J	280.8	315.0	-72.1	1967.3	
1078.1	-4820.4							


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4158.1	-1281.2	SLVz (RS)	I	117.5	98.4	173.2	-66.0	-
			J	117.5	98.4	173.2	-66.0	-
4301.2	-1345.2							
		G1	I	-10.2	28.2	-221.8	-76.4	1
0448.8	-401.4		J	-14.4	28.2	-119.8	-76.4	1
0622.3	-430.0							
		G2	I	-3.7	10.3	-81.0	-28.3	
3815.4	-146.6		J	-5.2	10.3	-43.7	-28.3	
3878.7	-157.0							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
15.0	118.3		J	5.7	-8.4	0.1	-18.0	
14.9	126.8							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.5	43.3		J	2.1	-3.1	0.0	-6.6	
5.5	46.4							
		q3	I	-34.3	-11.2	7.9	20.4	
-35.5	159.5		J	-37.6	-11.2	7.9	20.4	
-40.4	170.9							
		q4-1	I	92.7	56.1	10.9	-123.4	
159.2	-550.3		J	92.7	56.1	10.9	-123.4	
148.1	-607.3							
		q4-2	I	30.1	-44.5	6.2	9.7	
12.2	629.0		J	30.1	-44.5	6.2	9.7	
5.9	674.1							
		q4-3	I	-1.8	2.6	0.3	23.2	
-8.6	-36.4		J	-1.8	2.6	0.3	23.2	
-8.9	-39.1							
		q4-4	I	-1.6	2.3	-0.3	1.7	
-0.9	-32.7		J	-1.6	2.3	-0.3	1.7	
-0.6	-35.1							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-2.5	4.6		J	0.2	-0.3	0.3	-1.4	
-2.7	4.9							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-3.0	6.8		J	0.3	-0.5	0.3	-0.8	
-3.3	7.3							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-3.2	5.4		J	0.2	-0.4	0.3	-0.7	
-3.5	5.7							
		q5 - p~1	I	-183.2	-74.1	32.1	242.4	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-173.4	1212.7		J	-202.4	-72.5	31.3	241.8	
-198.7	1287.1							
		q5 - p~2	I	-209.3	151.8	-39.0	3.9	
-258.8	-3783.9		J	-206.3	135.1	-38.9	10.0	
-220.4	-3929.6							
		q5 - p~3	I	-173.3	-70.2	24.7	223.9	
-161.6	1148.6		J	-191.5	-68.7	24.0	223.8	
-185.1	1219.1							
		q5 - p~4	I	-198.1	143.5	-35.2	39.5	
-253.3	-3575.5		J	-195.3	127.6	-35.1	40.6	
-217.9	-3713.2							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-54.2	-16.5	2.2	50.4	
-45.1	227.9		J	-54.2	-16.5	2.2	50.4	
-47.3	244.7							
		T	I	0.6	-0.9	-0.1	2.4	
2.9	12.2		J	0.6	-0.9	-0.1	2.4	
3.0	13.1							
		M. tor~1	I	117.6	-173.7	20.7	-445.0	
80.1	-1238.7		J	117.6	-173.7	20.7	-433.4	
59.0	-1348.8							
		M. tor~2	I	69.5	-102.7	12.2	-263.1	
47.3	-732.3		J	69.5	-102.7	12.2	-256.3	
34.9	-797.4							
		INVSLU Max	I	322.7	289.4	479.0	2395.1	3
8146.0	5168.4		J	310.5	271.6	729.0	2341.0	3
9049.5	5362.3	Min	I	-341.1	-202.8	-1738.1	-2894.4	1
4159.9	-6414.4		J	-346.6	-179.0	-1476.4	-2798.4	1
4109.1	-6693.6							
		INVSLV Max	I	602.7	917.3	-57.6	4588.2	1
9623.7	11008.0		J	597.1	917.3	81.6	4588.2	2
0054.2	11818.6	Min	I	-615.0	-863.3	-547.6	-4846.7	
8945.9	-11780.8		J	-620.7	-863.3	-408.4	-4846.7	
8988.7	-12646.3							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8239.3	3432.0	INVSLE Max	I	225.1	202.3	352.2	1758.2	2
			J	216.3	192.2	537.4	1718.1	2
8911.0	3560.4	Min	I	-230.7	-134.4	-1284.9	-2128.0	1
0505.9	-4354.9		J	-235.1	-118.5	-1091.1	-2056.9	1
0465.7	-4546.5							
742	1	52 C1-C2;~1 Max	I	18.2	49.1	673.9	1299.5	1
4227.0	412.1		J	16.9	49.1	721.0	1342.6	1
4586.8	440.9	Min	I	-41.8	-28.5	-903.4	-1781.2	-
3815.8	-754.3		J	-44.6	-28.5	-850.4	-1712.9	-
4107.0	-802.0							
		C3-C4;~1 Max	I	19.0	50.9	677.5	1700.8	1
4255.6	474.2		J	17.3	50.9	724.4	1662.5	1
4616.7	507.1	Min	I	-43.7	-32.5	-904.3	-1296.9	-
3921.7	-727.1		J	-46.4	-32.5	-851.3	-1270.3	-
4221.6	-775.6							
		C1-C2;~2 Max	I	11.2	26.6	406.3	781.1	
8377.0	215.8		J	9.9	26.6	435.4	810.3	
8577.6	231.0	Min	I	-26.5	-14.9	-562.2	-1035.5	-
2072.0	-411.7		J	-28.2	-14.9	-530.8	-995.1	-
2230.1	-437.7							
		C3-C4;~2 Max	I	11.0	27.5	407.7	1001.4	
8392.5	253.1		J	9.8	27.5	436.7	984.4	
8593.8	270.7	Min	I	-27.7	-17.4	-562.6	-738.8	-
2136.5	-395.9		J	-29.2	-17.4	-531.3	-724.8	-
2299.8	-422.4							
		SLVx (RS)	I	467.1	-732.9	-125.4	-3833.1	
2589.8	9797.9		J	467.1	-732.9	-125.4	-3833.1	
2674.3	10493.8							
		SLVy (RS)	I	405.6	445.4	-98.1	2819.9	
1520.6	-6770.0		J	405.6	445.4	-98.1	2819.9	
1587.0	-7176.7							
		SLDx (RS)	I	337.4	-525.7	-90.9	-2676.1	
1917.6	7102.4		J	337.4	-525.7	-90.9	-2676.1	
1978.8	7602.5							
		SLDy (RS)	I	289.5	314.6	-70.3	1963.7	
1079.7	-4820.4		J	289.5	314.6	-70.3	1963.7	
1126.4	-5107.0							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4302.0	-1345.2	SLVz (RS)	I	121.2	99.7	135.2	-66.8	-
			J	121.2	99.7	135.2	-66.8	-
4403.5	-1406.9							
		G1	I	-14.4	28.2	-119.8	-76.4	1
0622.3	-430.0		J	-18.5	28.2	-17.8	-76.4	1
0692.2	-458.6							
		G2	I	-5.2	10.3	-43.7	-28.3	
3878.7	-157.0		J	-6.8	10.3	-6.5	-28.3	
3904.2	-167.5							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
14.9	126.8		J	5.7	-8.4	0.1	-18.0	
14.8	135.4							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.5	46.4		J	2.1	-3.1	0.0	-6.6	
5.4	49.5							
		q3	I	-37.6	-11.2	7.9	20.4	
-40.4	170.9		J	-40.8	-11.2	7.9	20.4	
-45.3	182.4							
		q4-1	I	92.7	56.1	10.9	-123.4	
148.1	-607.3		J	92.7	56.1	10.9	-123.4	
137.0	-664.3							
		q4-2	I	30.1	-44.5	6.2	9.7	
5.9	674.1		J	30.1	-44.5	6.2	9.7	
-0.5	719.3							
		q4-3	I	-1.8	2.6	0.3	23.2	
-8.9	-39.1		J	-1.8	2.6	0.3	23.2	
-9.2	-41.8							
		q4-4	I	-1.6	2.3	-0.3	1.7	
-0.6	-35.1		J	-1.6	2.3	-0.3	1.7	
-0.2	-37.4							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-2.7	4.9		J	0.2	-0.3	0.3	-1.4	
-3.0	5.3							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-3.3	7.3		J	0.3	-0.5	0.3	-0.8	
-3.6	7.7							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-3.5	5.7		J	0.2	-0.4	0.3	-0.7	
-3.9	6.1							
		q5 - p~1	I	-202.4	-72.5	31.3	241.8	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-198.7	1287.1		J	-221.7	-70.9	30.5	241.2	
-223.2	1359.9							
		q5 - p~2	I	-206.3	135.1	-38.9	10.0	
-220.4	-3929.6		J	-203.3	118.4	-38.7	16.0	
-182.1	-4058.3							
		q5 - p~3	I	-191.5	-68.7	24.0	223.8	
-185.1	1219.1		J	-209.8	-67.1	23.3	223.7	
-207.8	1288.0							
		q5 - p~4	I	-195.3	127.6	-35.1	40.6	
-217.9	-3713.2		J	-192.4	111.8	-35.0	41.7	
-182.5	-3834.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-54.2	-16.5	2.2	50.4	
-47.3	244.7		J	-54.2	-16.5	2.2	50.4	
-49.5	261.4							
		T	I	0.6	-0.9	-0.1	2.4	
3.0	13.1		J	0.6	-0.9	-0.1	2.4	
3.1	14.0							
		M. tor~1	I	117.6	-173.7	20.7	-433.4	
59.0	-1348.8		J	117.6	-173.7	20.7	-421.8	
38.0	-1458.9							
		M. tor~2	I	69.5	-102.7	12.2	-256.3	
34.9	-797.4		J	69.5	-102.7	12.2	-249.4	
22.5	-862.5							
		INVSLU Max	I	310.5	271.6	729.0	2341.0	3
9049.5	5362.3		J	314.9	256.5	980.3	2288.8	3
9668.2	5532.0	Min	I	-346.6	-179.0	-1476.4	-2798.4	1
4109.1	-6693.6		J	-378.0	-155.3	-1216.8	-2705.7	1
3830.3	-6948.7							
		INVSLV Max	I	613.3	923.4	38.9	4569.9	2
0056.5	11818.6		J	607.7	923.4	178.1	4569.9	2
0298.6	12627.7	Min	I	-636.9	-869.4	-365.6	-4828.3	
8986.3	-12646.3		J	-642.5	-869.4	-226.4	-4828.3	
8934.7	-13510.1							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8911.0	3560.4		INVSLE Max	I	216.3	192.2	537.4	1718.1	2
				J	218.5	182.2	723.5	1679.5	2
9369.2	3672.6		Min	I	-235.1	-118.5	-1091.1	-2056.9	1
0465.7	-4546.5			J	-256.8	-106.4	-898.8	-1988.3	1
0259.3	-4722.0								
743	1	52	C1-C2;~1 Max	I	16.9	49.1	721.0	1342.6	1
4586.8	440.9			J	15.2	49.1	768.8	1387.7	1
4850.9	469.7		Min	I	-44.6	-28.5	-850.4	-1712.9	-
4107.0	-802.0			J	-47.4	-28.5	-798.9	-1647.0	-
4398.2	-849.6								
			C3-C4;~1 Max	I	17.3	50.9	724.4	1662.5	1
4616.7	507.1			J	15.7	50.9	772.3	1625.8	1
4882.3	540.0		Min	I	-46.4	-32.5	-851.3	-1270.3	-
4221.6	-775.6			J	-49.1	-32.5	-799.9	-1245.8	-
4521.4	-824.2								
			C1-C2;~2 Max	I	9.9	26.6	435.4	810.3	
8577.6	231.0			J	8.6	26.6	464.7	840.3	
8721.1	246.1		Min	I	-28.2	-14.9	-530.8	-995.1	-
2230.1	-437.7			J	-29.8	-14.9	-500.2	-955.6	-
2388.2	-463.7								
			C3-C4;~2 Max	I	9.8	27.5	436.7	984.4	
8593.8	270.7			J	8.8	27.5	466.1	968.0	
8738.1	288.3		Min	I	-29.2	-17.4	-531.3	-724.8	-
2299.8	-422.4			J	-30.8	-17.4	-500.6	-711.9	-
2463.2	-449.0								
			SLVx (RS)	I	479.3	-737.9	-113.8	-3816.8	
2676.9	10493.8			J	479.3	-737.9	-113.8	-3816.8	
2744.0	11189.6								
			SLVy (RS)	I	418.5	446.1	-95.7	2814.7	
1589.8	-7176.7			J	418.5	446.1	-95.7	2814.7	
1654.2	-7578.0								
			SLDx (RS)	I	345.9	-528.4	-82.1	-2664.6	
1980.5	7602.5			J	345.9	-528.4	-82.1	-2664.6	
2028.6	8101.6								
			SLDy (RS)	I	298.7	314.9	-68.6	1960.2	
1128.2	-5107.0			J	298.7	314.9	-68.6	1960.2	
1173.2	-5389.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4404.2	-1406.9	SLVz (RS)	I	124.8	100.9	-97.0	-67.9	-
			J	124.8	100.9	-97.0	-67.9	-
4461.8	-1466.7							
		G1	I	-18.5	28.2	-17.8	-76.4	1
0692.2	-458.6		J	-22.6	28.2	84.2	-76.4	1
0658.6	-487.3							
		G2	I	-6.8	10.3	-6.5	-28.3	
3904.2	-167.5		J	-8.3	10.3	30.8	-28.3	
3891.9	-177.9							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
14.8	135.4		J	5.7	-8.4	0.1	-18.0	
14.7	143.9							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.4	49.5		J	2.1	-3.1	0.0	-6.6	
5.4	52.6							
		q3	I	-40.8	-11.2	7.9	20.4	
-45.3	182.4		J	-44.1	-11.2	7.9	20.4	
-50.2	193.8							
		q4-1	I	92.7	56.1	10.9	-123.4	
137.0	-664.3		J	92.7	56.1	10.9	-123.4	
125.9	-721.3							
		q4-2	I	30.1	-44.5	6.2	9.7	
-0.5	719.3		J	30.1	-44.5	6.2	9.7	
-6.8	764.5							
		q4-3	I	-1.8	2.6	0.3	23.2	
-9.2	-41.8		J	-1.8	2.6	0.3	23.2	
-9.5	-44.5							
		q4-4	I	-1.6	2.3	-0.3	1.7	
-0.2	-37.4		J	-1.6	2.3	-0.3	1.7	
0.1	-39.8							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-3.0	5.3		J	0.2	-0.3	0.3	-1.4	
-3.2	5.6							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-3.6	7.7		J	0.3	-0.5	0.3	-0.8	
-4.0	8.2							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-3.9	6.1		J	0.2	-0.4	0.3	-0.7	
-4.2	6.5							
		q5 - p~1	I	-221.7	-70.9	30.5	241.2	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-223.2	1359.9		J	-240.9	-69.3	29.8	240.6	
-246.9	1431.1							
		q5 - p~2	I	-203.3	118.4	-38.7	16.0	
-182.1	-4058.3		J	-200.3	101.6	-38.6	22.0	
-143.9	-4170.0							
		q5 - p~3	I	-209.8	-67.1	23.3	223.7	
-207.8	1288.0		J	-228.0	-65.6	22.5	223.6	
-229.8	1355.5							
		q5 - p~4	I	-192.4	111.8	-35.0	41.7	
-182.5	-3834.8		J	-189.6	95.9	-34.8	42.8	
-147.2	-3940.2							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-54.2	-16.5	2.2	50.4	
-49.5	261.4		J	-54.2	-16.5	2.2	50.4	
-51.7	278.2							
		T	I	0.6	-0.9	-0.1	2.4	
3.1	14.0		J	0.6	-0.9	-0.1	2.4	
3.2	14.8							
		M. tor~1	I	117.6	-173.7	20.7	-421.8	
38.0	-1458.9		J	117.6	-173.7	20.7	-410.2	
17.0	-1569.0							
		M. tor~2	I	69.5	-102.7	12.2	-249.4	
22.5	-862.5		J	69.5	-102.7	12.2	-242.5	
10.0	-927.6							
		INVSLU Max	I	314.9	256.5	980.3	2288.8	3
9668.2	5532.0		J	323.1	241.5	1232.7	2238.7	3
9985.8	5677.6	Min	I	-378.0	-155.3	-1216.8	-2705.7	1
3830.3	-6948.7		J	-415.0	-139.1	-959.4	-2616.2	1
3341.8	-7179.7							
		INVSLV Max	I	624.9	929.0	147.5	4552.3	2
0300.9	12627.7		J	619.3	929.0	286.7	4552.3	2
0351.7	13434.4	Min	I	-659.7	-875.0	-195.8	-4810.8	
8932.5	-13510.1		J	-665.4	-875.0	-56.6	-4810.8	
8789.3	-14371.7							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


9369.2	3672.6	INVSLE Max	I	218.5	182.2	723.5	1679.5	2
			J	223.3	172.1	910.6	1642.4	2
9602.9	3768.8	Min	I	-256.8	-106.4	-898.8	-1988.3	1
0259.3	-4722.0		J	-282.2	-96.3	-708.1	-1922.1	
9899.0	-4881.5							
744	1	52 C1-C2;~1 Max	I	15.2	49.1	768.8	1387.7	1
4850.9	469.7		J	13.6	49.1	817.6	1434.8	1
5020.7	498.6	Min	I	-47.4	-28.5	-798.9	-1647.0	-
4398.2	-849.6		J	-50.1	-28.5	-749.0	-1583.6	-
4689.4	-897.3							
		C3-C4;~1 Max	I	15.7	50.9	772.3	1625.8	1
4882.3	540.0		J	14.3	50.9	821.0	1590.5	1
5053.7	572.9	Min	I	-49.1	-32.5	-799.9	-1245.8	-
4521.4	-824.2		J	-51.7	-32.5	-750.1	-1223.5	-
4821.3	-872.7							
		C1-C2;~2 Max	I	8.6	26.6	464.7	840.3	
8721.1	246.1		J	7.5	26.6	494.3	871.0	
8808.6	261.2	Min	I	-29.8	-14.9	-500.2	-955.6	-
2388.2	-463.7		J	-31.4	-14.9	-470.3	-917.2	-
2546.3	-489.8							
		C3-C4;~2 Max	I	8.8	27.5	466.1	968.0	
8738.1	288.3		J	7.8	27.5	495.6	951.9	
8826.6	305.9	Min	I	-30.8	-17.4	-500.6	-711.9	-
2463.2	-449.0		J	-32.3	-17.4	-470.8	-699.8	-
2626.6	-475.6							
		SLVx (RS)	I	492.3	-742.3	104.8	-3801.3	
2746.7	11189.6		J	492.3	-742.3	104.8	-3801.3	
2796.0	11884.5							
		SLVy (RS)	I	432.1	447.5	-93.4	2809.4	
1657.1	-7578.0		J	432.1	447.5	-93.4	2809.4	
1719.2	-7974.3							
		SLDx (RS)	I	354.9	-530.5	75.2	-2653.6	
2030.3	8101.6		J	354.9	-530.5	75.2	-2653.6	
2064.8	8598.9							
		SLDy (RS)	I	308.3	315.6	-67.0	1956.6	
1175.1	-5389.2		J	308.3	315.6	-67.0	1956.6	
1218.5	-5667.6							

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4462.3	-1466.7	SLVz (RS)	I	128.2	101.8	-65.8	-68.9	-
			J	128.2	101.8	-65.8	-68.9	-
4473.7	-1524.8							
		G1	I	-22.6	28.2	84.2	-76.4	1
0658.6	-487.3		J	-26.8	28.2	186.1	-76.4	1
0521.3	-515.9							
		G2	I	-8.3	10.3	30.8	-28.3	
3891.9	-177.9		J	-9.8	10.3	68.0	-28.3	
3841.8	-188.4							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
14.7	143.9		J	5.7	-8.4	0.1	-18.0	
14.5	152.5							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.4	52.6		J	2.1	-3.1	0.0	-6.6	
5.3	55.8							
		q3	I	-44.1	-11.2	7.9	20.4	
-50.2	193.8		J	-47.3	-11.2	7.9	20.4	
-55.2	205.2							
		q4-1	I	92.7	56.1	10.9	-123.4	
125.9	-721.3		J	92.7	56.1	10.9	-123.4	
114.8	-778.3							
		q4-2	I	30.1	-44.5	6.2	9.7	
-6.8	764.5		J	30.1	-44.5	6.2	9.7	
-13.1	809.7							
		q4-3	I	-1.8	2.6	0.3	23.2	
-9.5	-44.5		J	-1.8	2.6	0.3	23.2	
-9.8	-47.2							
		q4-4	I	-1.6	2.3	-0.3	1.7	
0.1	-39.8		J	-1.6	2.3	-0.3	1.7	
0.4	-42.1							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-3.2	5.6		J	0.2	-0.3	0.3	-1.4	
-3.5	5.9							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-4.0	8.2		J	0.3	-0.5	0.3	-0.8	
-4.3	8.7							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-4.2	6.5		J	0.2	-0.4	0.3	-0.7	
-4.5	6.9							
		q5 - p~1	I	-240.9	-69.3	29.8	240.6	

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-246.9	1431.1		J	-260.1	-67.7	29.0	240.1	
-269.8	1500.7							
		q5 - p~2	I	-200.3	101.6	-38.6	22.0	
-143.9	-4170.0		J	-197.2	84.9	-38.5	28.0	
-105.8	-4264.7							
		q5 - p~3	I	-228.0	-65.6	22.5	223.6	
-229.8	1355.5		J	-246.2	-64.1	21.8	223.5	
-251.0	1421.3							
		q5 - p~4	I	-189.6	95.9	-34.8	42.8	
-147.2	-3940.2		J	-186.7	80.0	-34.7	44.0	
-112.1	-4029.6							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-54.2	-16.5	2.2	50.4	
-51.7	278.2		J	-54.2	-16.5	2.2	50.4	
-53.9	294.9							
		T	I	0.6	-0.9	-0.1	2.4	
3.2	14.8		J	0.6	-0.9	-0.1	2.4	
3.3	15.7							
		M. tor~1	I	117.6	-173.7	20.7	-410.2	
17.0	-1569.0		J	117.6	-173.7	20.7	-398.6	
-4.1	-1679.1							
		M. tor~2	I	69.5	-102.7	12.2	-242.5	
10.0	-927.6		J	69.5	-102.7	12.2	-235.7	
-2.4	-992.7							
		INVSLU Max	I	323.1	241.5	1232.7	2238.7	3
9985.8	5677.6		J	341.5	226.4	1486.3	2190.5	3
9984.7	5799.0	Min	I	-415.0	-139.1	-959.4	-2616.2	1
3341.8	-7179.7		J	-452.0	-124.1	-704.0	-2530.1	1
2663.0	-7386.5							
		INVSLV Max	I	637.3	934.0	267.7	4535.5	2
0353.9	13434.4		J	631.6	934.0	406.9	4535.5	2
0211.2	14238.2	Min	I	-683.4	-880.1	-37.5	-4794.0	
8787.1	-14371.7		J	-689.1	-880.1	101.7	-4794.0	
8554.6	-15230.2							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9602.9	3768.8	INVSLE Max	I	223.3	172.1	910.6	1642.4	2
			J	228.2	162.1	1098.4	1606.7	2
9600.5	3848.9	Min	I	-282.2	-96.3	-708.1	-1922.1	
9899.0	-4881.5		J	-307.5	-86.3	-518.9	-1858.3	
9397.8	-5024.8							
745	1	52 C1-C2;~1 Max	I	13.6	49.1	817.6	1434.8	1
5020.7	498.6		J	12.1	49.1	867.2	1483.7	1
5097.8	527.4	Min	I	-50.1	-28.5	-749.0	-1583.6	-
4689.4	-897.3		J	-52.9	-28.5	-700.7	-1522.7	-
4980.6	-945.0							
		C3-C4;~1 Max	I	14.3	50.9	821.0	1590.5	1
5053.7	572.9		J	13.5	50.9	870.5	1556.6	1
5132.5	605.8	Min	I	-51.7	-32.5	-750.1	-1223.5	-
4821.3	-872.7		J	-54.3	-32.5	-701.8	-1203.3	-
5121.1	-921.3							
		C1-C2;~2 Max	I	7.5	26.6	494.3	871.0	
8808.6	261.2		J	6.7	26.6	524.1	902.3	
8841.4	276.4	Min	I	-31.4	-14.9	-470.3	-917.2	-
2546.3	-489.8		J	-33.0	-14.9	-441.2	-879.9	-
2704.5	-515.8							
		C3-C4;~2 Max	I	7.8	27.5	495.6	951.9	
8826.6	305.9		J	7.3	27.5	525.4	936.4	
8860.3	323.5	Min	I	-32.3	-17.4	-470.8	-699.8	-
2626.6	-475.6		J	-33.7	-17.4	-441.7	-688.8	-
2790.0	-502.1							
		SLVx (RS)	I	505.9	-746.0	99.6	-3786.5	
2798.8	11884.5		J	505.9	-746.0	99.6	-3786.5	
2829.8	12577.5							
		SLVy (RS)	I	446.1	449.5	-91.3	2804.3	
1722.3	-7974.3		J	446.1	449.5	-91.3	2804.3	
1781.9	-8366.0							
		SLDx (RS)	I	364.4	-532.3	71.3	-2643.2	
2066.6	8598.9		J	364.4	-532.3	71.3	-2643.2	
2087.3	9093.9							
		SLDy (RS)	I	318.3	316.9	-65.4	1953.1	
1220.4	-5667.6		J	318.3	316.9	-65.4	1953.1	
1261.9	-5942.3							


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
4474.0	-1524.8	SLVz (RS)	I	131.2	102.3	-62.2	-69.7	-
			J	131.2	102.3	-62.2	-69.7	-
4437.8	-1581.4							
		G1	I	-26.8	28.2	186.1	-76.4	1
0521.3	-515.9		J	-30.9	28.2	288.1	-76.4	1
0280.5	-544.5							
		G2	I	-9.8	10.3	68.0	-28.3	
3841.8	-188.4		J	-11.3	10.3	105.2	-28.3	
3753.8	-198.8							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
14.5	152.5		J	5.7	-8.4	0.1	-18.0	
14.4	161.0							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.3	55.8		J	2.1	-3.1	0.0	-6.6	
5.3	58.9							
		q3	I	-47.3	-11.2	7.9	20.4	
-55.2	205.2		J	-50.6	-11.2	7.9	20.4	
-60.1	216.6							
		q4-1	I	92.7	56.1	10.9	-123.4	
114.8	-778.3		J	92.7	56.1	10.9	-123.4	
103.7	-835.4							
		q4-2	I	30.1	-44.5	6.2	9.7	
-13.1	809.7		J	30.1	-44.5	6.2	9.7	
-19.5	854.9							
		q4-3	I	-1.8	2.6	0.3	23.2	
-9.8	-47.2		J	-1.8	2.6	0.3	23.2	
-10.1	-49.9							
		q4-4	I	-1.6	2.3	-0.3	1.7	
0.4	-42.1		J	-1.6	2.3	-0.3	1.7	
0.7	-44.5							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-3.5	5.9		J	0.2	-0.3	0.3	-1.4	
-3.7	6.3							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-4.3	8.7		J	0.3	-0.5	0.3	-0.8	
-4.6	9.2							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-4.5	6.9		J	0.2	-0.4	0.3	-0.7	
-4.8	7.3							
		q5 - p~1	I	-260.1	-67.7	29.0	240.1	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-269.8	1500.7		J	-279.3	-66.1	28.2	239.5	
-291.9	1568.6							
		q5 - p~2	I	-197.2	84.9	-38.5	28.0	
-105.8	-4264.7		J	-194.2	68.1	-38.4	34.1	
-67.9	-4342.5							
		q5 - p~3	I	-246.2	-64.1	21.8	223.5	
-251.0	1421.3		J	-264.4	-62.6	21.1	223.4	
-271.5	1485.7							
		q5 - p~4	I	-186.7	80.0	-34.7	44.0	
-112.1	-4029.6		J	-183.8	64.2	-34.6	45.1	
-77.1	-4102.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-54.2	-16.5	2.2	50.4	
-53.9	294.9		J	-54.2	-16.5	2.2	50.4	
-56.1	311.7							
		T	I	0.6	-0.9	-0.1	2.4	
3.3	15.7		J	0.6	-0.9	-0.1	2.4	
3.4	16.6							
		M. tor~1	I	117.6	-173.7	20.7	-398.6	
-4.1	-1679.1		J	117.6	-173.7	20.7	-387.0	
-25.1	-1789.2							
		M. tor~2	I	69.5	-102.7	12.2	-235.7	
-2.4	-992.7		J	69.5	-102.7	12.2	-228.8	
-14.8	-1057.8							
		INVSLU Max	I	341.5	226.4	1486.3	2190.5	3
9984.7	5799.0		J	360.5	211.3	1741.0	2144.3	3
9666.8	5896.3	Min	I	-452.0	-124.1	-704.0	-2530.1	1
2663.0	-7386.5		J	-488.9	-109.0	-450.7	-2447.4	1
1794.2	-7569.1							
		INVSLV Max	I	650.4	938.5	399.9	4519.4	2
0213.3	14238.2		J	644.7	938.5	539.1	4519.4	1
9875.3	15038.4	Min	I	-707.8	-884.5	108.7	-4777.9	
8552.6	-15230.2		J	-713.4	-884.5	248.0	-4777.9	
8232.6	-16085.2							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9600.5	3848.9	INVSLE	Max	I	228.2	162.1	1098.4	1606.7	2
				J	237.7	152.1	1287.1	1572.5	2
9363.6	3912.8		Min	I	-307.5	-86.3	-518.9	-1858.3	
9397.8	-5024.8			J	-332.8	-76.3	-331.3	-1797.1	
8755.6	-5152.0								
746	1	52 C1-C2;~1	Max	I	12.1	49.1	867.2	1483.7	1
5097.8	527.4			J	10.8	49.1	917.5	1534.6	1
5088.2	556.2		Min	I	-52.9	-28.5	-700.7	-1522.7	-
4980.6	-945.0			J	-55.6	-28.5	-653.9	-1464.2	-
5271.8	-992.6								
		C3-C4;~1	Max	I	13.5	50.9	870.5	1556.6	1
5132.5	605.8			J	12.8	50.9	920.8	1524.2	1
5123.8	638.8		Min	I	-54.3	-32.5	-701.8	-1203.3	-
5121.1	-921.3			J	-56.9	-32.5	-655.0	-1183.8	-
5420.9	-969.8								
		C1-C2;~2	Max	I	6.7	26.6	524.1	902.3	
8841.4	276.4			J	5.8	26.6	554.1	934.2	
8823.8	291.5		Min	I	-33.0	-14.9	-441.2	-879.9	-
2704.5	-515.8			J	-34.5	-14.9	-412.8	-843.6	-
2862.6	-541.9								
		C3-C4;~2	Max	I	7.3	27.5	525.4	936.4	
8860.3	323.5			J	6.9	27.5	555.3	921.3	
8843.2	341.1		Min	I	-33.7	-17.4	-441.7	-688.8	-
2790.0	-502.1			J	-35.2	-17.4	-413.4	-682.8	-
2953.3	-528.7								
		SLVx (RS)		I	520.1	-749.2	99.0	-3772.4	
2832.8	12577.5			J	520.1	-749.2	99.0	-3772.4	
2845.7	13267.9								
		SLVy (RS)		I	460.6	-452.0	-89.1	2799.1	
1785.1	-8366.0			J	460.6	-452.0	-89.1	2799.1	
1842.2	-8753.8								
		SLDx (RS)		I	374.3	-533.6	71.0	-2633.3	
2089.2	9093.9			J	374.3	-533.6	71.0	-2633.3	
2096.1	9585.9								
		SLDy (RS)		I	328.6	-318.5	-64.0	1949.6	
1264.0	-5942.3			J	328.6	-318.5	-64.0	1949.6	
1303.6	-6213.8								


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4437.8	-1581.4	SLVz (RS)	I	133.7	102.1	-92.4	-70.2	-
			J	133.7	102.1	-92.4	-70.2	-
4353.0	-1636.5							
		G1	I	-30.9	28.2	288.1	-76.4	1
0280.5	-544.5		J	-35.0	28.2	390.1	-76.4	
9936.0	-573.2							
		G2	I	-11.3	10.3	105.2	-28.3	
3753.8	-198.8		J	-12.8	10.3	142.5	-28.3	
3628.0	-209.3							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
14.4	161.0		J	5.7	-8.4	0.1	-18.0	
14.3	169.6							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.3	58.9		J	2.1	-3.1	0.0	-6.6	
5.2	62.0							
		q3	I	-50.6	-11.2	7.9	20.4	
-60.1	216.6		J	-53.8	-11.2	7.9	20.4	
-65.0	228.1							
		q4-1	I	92.7	56.1	10.9	-123.4	
103.7	-835.4		J	92.7	56.1	10.9	-123.4	
92.6	-892.4							
		q4-2	I	30.1	-44.5	6.2	9.7	
-19.5	854.9		J	30.1	-44.5	6.2	9.7	
-25.8	900.1							
		q4-3	I	-1.8	2.6	0.3	23.2	
-10.1	-49.9		J	-1.8	2.6	0.3	23.2	
-10.4	-52.5							
		q4-4	I	-1.6	2.3	-0.3	1.7	
0.7	-44.5		J	-1.6	2.3	-0.3	1.7	
1.0	-46.8							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-3.7	6.3		J	0.2	-0.3	0.3	-1.4	
-4.0	6.6							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-4.6	9.2		J	0.3	-0.5	0.3	-0.8	
-4.9	9.7							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-4.8	7.3		J	0.2	-0.4	0.3	-0.7	
-5.1	7.7							
		q5 - p~1	I	-279.3	-66.1	28.2	239.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-291.9	1568.6		J	-298.5	-64.5	27.4	238.9	
-313.3	1634.9							
		q5 - p~2	I	-194.2	68.1	-38.4	34.1	
-67.9	-4342.5		J	-191.2	51.4	-38.2	40.1	
-30.1	-4403.2							
		q5 - p~3	I	-264.4	-62.6	21.1	223.4	
-271.5	1485.7		J	-282.6	-61.1	20.3	223.3	
-291.2	1548.5							
		q5 - p~4	I	-183.8	64.2	-34.6	45.1	
-77.1	-4102.8		J	-181.0	48.3	-34.5	46.2	
-42.2	-4159.9							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-54.2	-16.5	2.2	50.4	
-56.1	311.7		J	-54.2	-16.5	2.2	50.4	
-58.3	328.5							
		T	I	0.6	-0.9	-0.1	2.4	
3.4	16.6		J	0.6	-0.9	-0.1	2.4	
3.5	17.4							
		M. tor~1	I	117.6	-173.7	20.7	-387.0	
-25.1	-1789.2		J	117.6	-173.7	20.7	-375.4	
-46.1	-1899.3							
		M. tor~2	I	69.5	-102.7	12.2	-228.8	
-14.8	-1057.8		J	69.5	-102.7	12.2	-222.0	
-27.3	-1122.9							
		INVSLU Max	I	360.5	211.3	1741.0	2144.3	3
9666.8	5896.3		J	379.6	208.1	1996.7	2114.1	3
9039.3	5969.4	Min	I	-488.9	-109.0	-450.7	-2447.4	1
1794.2	-7569.1		J	-525.7	-105.7	-199.5	-2367.9	1
0735.1	-7727.6							
		INVSLV Max	I	664.0	942.4	547.0	4504.0	1
9877.1	15038.4		J	658.4	942.4	686.2	4504.0	1
9342.9	15834.2	Min	I	-732.7	-888.4	240.1	-4762.4	
8230.7	-16085.2		J	-738.4	-888.4	379.3	-4762.4	
7824.2	-16935.8							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9363.6	3912.8	INVSLE	Max	I	237.7	152.1	1287.1	1572.5	2
				J	249.8	149.9	1476.5	1550.2	2
8897.4	3960.7		Min	I	-332.8	-76.3	-331.3	-1797.1	
8755.6	-5152.0			J	-358.1	-74.1	-145.3	-1738.3	
7972.6	-5263.1								
747	1	52 C1-C2;~1	Max	I	10.8	49.1	917.5	1534.6	1
5088.2	556.2			J	10.1	49.1	968.6	1587.4	1
5007.6	585.1		Min	I	-55.6	-28.5	-653.9	-1464.2	-
5271.8	-992.6			J	-58.2	-28.5	-608.7	-1408.3	-
5563.0	-1040.3								
		C3-C4;~1	Max	I	12.8	50.9	920.8	1524.2	1
5123.8	638.8			J	12.2	50.9	971.8	1493.1	1
5045.0	671.7		Min	I	-56.9	-32.5	-655.0	-1183.8	-
5420.9	-969.8			J	-59.5	-32.5	-609.9	-1206.4	-
5720.8	-1018.4								
		C1-C2;~2	Max	I	5.8	26.6	554.1	934.2	
8823.8	291.5			J	5.3	26.6	584.2	966.8	
8767.8	306.7		Min	I	-34.5	-14.9	-412.8	-843.6	-
2862.6	-541.9			J	-35.9	-14.9	-385.2	-808.4	-
3020.7	-567.9								
		C3-C4;~2	Max	I	6.9	27.5	555.3	921.3	
8843.2	341.1			J	6.5	27.5	585.3	906.6	
8788.2	358.7		Min	I	-35.2	-17.4	-413.4	-682.8	-
2953.3	-528.7			J	-36.5	-17.4	-385.8	-694.0	-
3116.7	-555.3								
		SLVx (RS)		I	534.9	751.9	103.2	-3759.2	
2848.9	13267.9			J	534.9	751.9	103.2	-3759.2	
2844.0	13954.7								
		SLVy (RS)		I	475.6	-454.8	-87.1	2794.0	
1845.5	-8753.8			J	475.6	-454.8	-87.1	2794.0	
1900.0	-9138.1								
		SLDx (RS)		I	384.5	534.6	74.5	-2623.9	
2098.1	9585.9			J	384.5	534.6	74.5	-2623.9	
2091.4	10074.2								
		SLDy (RS)		I	339.2	-320.4	-62.5	1946.1	
1305.8	-6213.8			J	339.2	-320.4	-62.5	1946.1	
1343.4	-6482.5								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4352.7	-1636.5	SLVz (RS)	I	135.5	101.3	-136.2	70.4	-
			J	135.5	101.3	-136.2	70.4	-
4219.1	-1690.0							
		G1	I	-35.0	28.2	390.1	-76.4	
9936.0	-573.2		J	-39.2	28.2	492.1	-76.4	
9488.0	-601.8							
		G2	I	-12.8	10.3	142.5	-28.3	
3628.0	-209.3		J	-14.3	10.3	179.7	-28.3	
3464.4	-219.7							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
14.3	169.6		J	5.7	-8.4	0.1	-18.0	
14.2	178.1							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.2	62.0		J	2.1	-3.1	0.0	-6.6	
5.2	65.2							
		q3	I	-53.8	-11.2	7.9	20.4	
-65.0	228.1		J	-57.1	-11.2	7.9	20.4	
-69.9	239.5							
		q4-1	I	92.7	56.1	10.9	-123.4	
92.6	-892.4		J	92.7	56.1	10.9	-123.4	
81.5	-949.4							
		q4-2	I	30.1	-44.5	6.2	9.7	
-25.8	900.1		J	30.1	-44.5	6.2	9.7	
-32.1	945.2							
		q4-3	I	-1.8	2.6	0.3	23.2	
-10.4	-52.5		J	-1.8	2.6	0.3	23.2	
-10.7	-55.2							
		q4-4	I	-1.6	2.3	-0.3	1.7	
1.0	-46.8		J	-1.6	2.3	-0.3	1.7	
1.3	-49.2							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-4.0	6.6		J	0.2	-0.3	0.3	-1.4	
-4.3	6.9							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-4.9	9.7		J	0.3	-0.5	0.3	-0.8	
-5.2	10.2							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-5.1	7.7		J	0.2	-0.4	0.3	-0.7	
-5.5	8.1							
		q5 - p~1	I	-298.5	-64.5	27.4	238.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-313.3	1634.9		J	-317.7	-62.9	26.6	238.3	
-333.8	1699.6							
-30.1	-4403.2	q5 - p~2	I	-191.2	51.4	-38.2	40.1	
7.6	-4446.9		J	-188.2	34.7	-38.1	46.1	
-291.2	1548.5	q5 - p~3	I	-282.6	-61.1	20.3	223.3	
-310.2	1609.7		J	-300.8	-59.6	19.6	223.2	
-42.2	-4159.9	q5 - p~4	I	-181.0	48.3	-34.5	46.2	
-7.4	-4201.0		J	-178.1	32.5	-34.4	47.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-58.3	328.5	q7	I	-54.2	-16.5	2.2	50.4	
-60.5	345.2		J	-54.2	-16.5	2.2	50.4	
3.5	17.4	T	I	0.6	-0.9	-0.1	2.4	
3.6	18.3		J	0.6	-0.9	-0.1	2.4	
-46.1	-1899.3	M. tor~1	I	117.6	-173.7	20.7	-375.4	
-67.2	-2009.4		J	117.6	-173.7	20.7	-363.8	
-27.3	-1122.9	M. tor~2	I	69.5	-102.7	12.2	-222.0	
-39.7	-1188.0		J	69.5	-102.7	12.2	-215.1	
9039.3	5969.4	INVSLU Max	I	379.6	208.1	1996.7	2114.1	3
8125.6	6018.3		J	398.7	206.6	2253.5	2184.7	3
0735.1	-7727.6	Min	I	-525.7	-105.7	-199.5	-2367.9	1
9485.8	-7862.0		J	-562.5	-104.3	49.5	-2291.8	
9344.6	15834.2	INVSLV Max	I	678.2	945.7	726.1	4489.3	1
8614.0	16624.9		J	672.6	945.7	865.3	4489.3	1
7822.5	-16935.8	Min	I	-758.2	-891.7	339.4	-4747.7	
7329.5	-17781.3		J	-763.8	-891.7	478.7	-4747.7	

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8897.4	3960.7	INVSLE	Max	I	249.8	149.9	1476.5	1550.2	2
				J	262.0	148.9	1666.7	1602.6	2
8219.2	3992.5		Min	I	-358.1	-74.1	-145.3	-1738.3	
7972.6	-5263.1			J	-383.3	-73.1	39.2	-1681.9	
7048.5	-5358.1								
748	1	52 C1-C2;~1	Max	I	10.1	49.1	968.6	1587.4	1
5007.6	585.1			J	9.8	49.1	1020.3	1642.0	1
4837.9	613.9		Min	I	-58.2	-28.5	-608.7	-1408.3	-
5563.0	-1040.3			J	-60.9	-28.5	-565.1	-1354.8	-
5854.2	-1088.0								
		C3-C4;~1	Max	I	12.2	50.9	971.8	1493.1	1
5045.0	671.7			J	11.7	50.9	1023.5	1463.5	1
4877.1	704.6		Min	I	-59.5	-32.5	-609.9	-1206.4	-
5720.8	-1018.4			J	-61.9	-32.5	-566.3	-1231.2	-
6020.6	-1067.0								
		C1-C2;~2	Max	I	5.3	26.6	584.2	966.8	
8767.8	306.7			J	5.1	26.6	614.4	1000.0	
8659.6	321.8		Min	I	-35.9	-14.9	-385.2	-808.4	-
3020.7	-567.9			J	-37.3	-14.9	-358.5	-774.3	-
3178.8	-594.0								
		C3-C4;~2	Max	I	6.5	27.5	585.3	906.6	
8788.2	358.7			J	6.1	27.5	615.5	892.3	
8681.2	376.3		Min	I	-36.5	-17.4	-385.8	-694.0	-
3116.7	-555.3			J	-37.8	-17.4	-359.1	-706.3	-
3280.1	-581.9								
		SLVx (RS)		I	550.1	754.2	111.8	-3746.7	
2847.3	13954.7			J	550.1	754.2	111.8	-3746.7	
2825.5	14637.3								
		SLVy (RS)		I	490.9	-457.8	85.0	2788.8	
1903.5	-9138.1			J	490.9	-457.8	85.0	2788.8	
1955.2	-9519.2								
		SLDx (RS)		I	395.2	535.3	81.2	-2615.1	
2093.5	10074.2			J	395.2	535.3	81.2	-2615.1	
2073.8	10558.3								
		SLDy (RS)		I	350.1	-322.4	61.2	1942.7	
1345.7	-6482.5			J	350.1	-322.4	61.2	1942.7	
1381.3	-6748.8								


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
4218.5	-1690.0	SLVz (RS)	I	136.7	99.7	-183.7	70.3	-
			J	136.7	99.7	-183.7	70.3	-
4036.6	-1741.4							
		G1	I	-39.2	28.2	492.1	-76.4	
9488.0	-601.8		J	-43.3	28.2	594.1	-76.4	
8936.4	-630.4							
		G2	I	-14.3	10.3	179.7	-28.3	
3464.4	-219.7		J	-15.8	10.3	217.0	-28.3	
3262.9	-230.2							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
14.2	178.1		J	5.7	-8.4	0.1	-18.0	
14.0	186.7							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.2	65.2		J	2.1	-3.1	0.0	-6.6	
5.1	68.3							
		q3	I	-57.1	-11.2	7.9	20.4	
-69.9	239.5		J	-60.3	-11.2	7.9	20.4	
-74.9	250.9							
		q4-1	I	92.7	56.1	10.9	-123.4	
81.5	-949.4		J	92.7	56.1	10.9	-123.4	
70.4	-1006.4							
		q4-2	I	30.1	-44.5	6.2	9.7	
-32.1	945.2		J	30.1	-44.5	6.2	9.7	
-38.5	990.4							
		q4-3	I	-1.8	2.6	0.3	23.2	
-10.7	-55.2		J	-1.8	2.6	0.3	23.2	
-11.0	-57.9							
		q4-4	I	-1.6	2.3	-0.3	1.7	
1.3	-49.2		J	-1.6	2.3	-0.3	1.7	
1.6	-51.6							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-4.3	6.9		J	0.2	-0.3	0.3	-1.4	
-4.5	7.3							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-5.2	10.2		J	0.3	-0.5	0.3	-0.8	
-5.6	10.7							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-5.5	8.1		J	0.2	-0.4	0.3	-0.7	
-5.8	8.4							
		q5 - p~1	I	-317.7	-62.9	26.6	238.3	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-333.8	1699.6		J	-337.0	-61.3	25.9	237.8	
-353.5	1762.7							
7.6	-4446.9	q5 - p~2	I	-188.2	34.7	-38.1	46.1	
45.2	-4473.6		J	-185.1	17.9	-38.0	52.1	
-310.2	1609.7	q5 - p~3	I	-300.8	-59.6	19.6	223.2	
-328.4	1669.4		J	-319.0	-58.0	18.8	223.1	
-7.4	-4201.0	q5 - p~4	I	-178.1	32.5	-34.4	47.3	
27.3	-4225.9		J	-175.2	16.6	-34.3	48.4	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-60.5	345.2	q7	I	-54.2	-16.5	2.2	50.4	
-62.7	362.0		J	-54.2	-16.5	2.2	50.4	
3.6	18.3	T	I	0.6	-0.9	-0.1	2.4	
3.7	19.2		J	0.6	-0.9	-0.1	2.4	
-67.2	-2009.4	M. tor~1	I	117.6	-173.7	20.7	-363.8	
-88.2	-2119.6		J	117.6	-173.7	20.7	-352.2	
-39.7	-1188.0	M. tor~2	I	69.5	-102.7	12.2	-215.1	
-52.2	-1253.1		J	69.5	-102.7	12.2	-208.2	
8125.6	6018.3	INVSLU Max	I	398.7	206.6	2253.5	2184.7	3
6900.0	6043.1		J	417.9	205.2	2511.1	2257.9	3
9485.8	-7862.0	Min	I	-562.5	-104.3	49.5	-2291.8	
8046.3	-7972.2		J	-599.2	-102.8	296.4	-2219.1	
8615.5	16624.9	INVSLV Max	I	692.8	948.4	914.7	4475.2	1
7689.4	17409.8		J	687.2	948.4	1053.9	4475.2	1
7328.0	-17781.3	Min	I	-784.0	-894.5	429.3	-4733.6	
6747.7	-18621.1		J	-789.7	-894.5	568.5	-4733.6	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8219.2	3992.5	INVSLE	Max	I	262.0	148.9	1666.7	1602.6	2	
7310.0	4008.1			J	274.2	148.0	1857.6	1656.8	2	
7048.5	-5358.1		Min	I	-383.3	-73.1	39.2	-1681.9		
5983.6	-5437.0			J	-408.4	-72.2	222.1	-1628.1		
749	1	52	C1-C2;~1	Max	I	9.8	49.1	1020.3	1642.0	1
4837.9	613.9			J	9.7	49.1	1072.8	1698.4	1	
4580.7	642.8			Min	I	-60.9	-28.5	-565.1	-1354.8	-
5854.2	-1088.0			J	-63.4	-28.5	-523.1	-1303.8	-	
6145.4	-1135.7									
4877.1	704.6		C3-C4;~1	Max	I	11.7	50.9	1023.5	1463.5	1
4621.9	737.5			J	11.2	50.9	1075.9	1435.3	1	
6020.6	-1067.0			Min	I	-61.9	-32.5	-566.3	-1231.2	-
6320.5	-1115.5			J	-64.4	-32.5	-524.3	-1258.3	-	
8659.6	321.8		C1-C2;~2	Max	I	5.1	26.6	614.4	1000.0	
8500.6	337.0			J	5.1	26.6	644.7	1033.7		
3178.8	-594.0			Min	I	-37.3	-14.9	-358.5	-774.3	-
3336.9	-620.1			J	-38.7	-14.9	-332.5	-741.3	-	
8681.2	376.3		C3-C4;~2	Max	I	6.1	27.5	615.5	892.3	
8523.4	393.9			J	5.8	27.5	645.8	878.5		
3280.1	-581.9			Min	I	-37.8	-17.4	-359.1	-706.3	-
3443.4	-608.5			J	-39.1	-17.4	-333.1	-719.7	-	
2829.0	14637.3		SLVx (RS)	I	565.9	756.2	123.7	-3735.0		
2791.3	15314.9			J	565.9	756.2	123.7	-3735.0		
1958.9	-9519.2		SLVy (RS)	I	506.5	-460.8	83.0	2783.7		
2007.9	-9897.6			J	506.5	-460.8	83.0	2783.7		
2076.1	10558.3		SLDx (RS)	I	406.1	535.8	90.4	-2606.9		
2044.1	11037.6			J	406.1	535.8	90.4	-2606.9		
1383.7	-6748.8		SLDy (RS)	I	361.2	-324.4	59.9	1939.2		
1417.4	-7012.8			J	361.2	-324.4	59.9	1939.2		


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4035.8	-1741.4	SLVz (RS)	I	137.2	97.6	-231.3	69.9	-
			J	137.2	97.6	-231.3	69.9	-
3807.0	-1790.6							
		G1	I	-43.3	28.2	594.1	-76.4	
8936.4	-630.4		J	-47.4	28.2	696.1	-76.4	
8281.3	-659.1							
		G2	I	-15.8	10.3	217.0	-28.3	
3262.9	-230.2		J	-17.3	10.3	254.2	-28.3	
3023.7	-240.6							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
14.0	186.7		J	5.7	-8.4	0.1	-18.0	
13.9	195.2							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.1	68.3		J	2.1	-3.1	0.0	-6.6	
5.1	71.4							
		q3	I	-60.3	-11.2	7.9	20.4	
-74.9	250.9		J	-63.6	-11.2	7.9	20.4	
-79.8	262.3							
		q4-1	I	92.7	56.1	10.9	-123.4	
70.4	-1006.4		J	92.7	56.1	10.9	-123.4	
59.3	-1063.4							
		q4-2	I	30.1	-44.5	6.2	9.7	
-38.5	990.4		J	30.1	-44.5	6.2	9.7	
-44.8	1035.6							
		q4-3	I	-1.8	2.6	0.3	23.2	
-11.0	-57.9		J	-1.8	2.6	0.3	23.2	
-11.3	-60.6							
		q4-4	I	-1.6	2.3	-0.3	1.7	
1.6	-51.6		J	-1.6	2.3	-0.3	1.7	
1.9	-53.9							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-4.5	7.3		J	0.2	-0.3	0.3	-1.4	
-4.8	7.6							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-5.6	10.7		J	0.3	-0.5	0.3	-0.8	
-5.9	11.2							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-5.8	8.4		J	0.2	-0.4	0.3	-0.7	
-6.1	8.8							
		q5 - p~1	I	-337.0	-61.3	25.9	237.8	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-353.5	1762.7		J	-356.2	-59.7	25.1	237.2	
-372.5	1824.1							
45.2	-4473.6	q5 - p~2	I	-185.1	17.9	-38.0	52.1	
82.6	-4483.3		J	-182.1	1.2	-37.9	58.2	
-328.4	1669.4	q5 - p~3	I	-319.0	-58.0	18.8	223.1	
-345.9	1727.6		J	-337.2	-56.5	18.1	223.0	
27.3	-4225.9	q5 - p~4	I	-175.2	16.6	-34.3	48.4	
61.8	-4234.7		J	-172.4	0.8	-34.2	49.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-62.7	362.0	q7	I	-54.2	-16.5	2.2	50.4	
-64.9	378.7		J	-54.2	-16.5	2.2	50.4	
3.7	19.2	T	I	0.6	-0.9	-0.1	2.4	
3.8	20.1		J	0.6	-0.9	-0.1	2.4	
-88.2	-2119.6	M. tor~1	I	117.6	-173.7	20.7	-352.2	
-109.2	-2229.7		J	117.6	-173.7	20.7	-340.6	
-52.2	-1253.1	M. tor~2	I	69.5	-102.7	12.2	-208.2	
-64.6	-1318.2		J	69.5	-102.7	12.2	-201.4	
6900.0	6043.1	INVSLU Max	I	417.9	205.2	2511.1	2257.9	3
5364.9	6043.7		J	437.2	203.7	2769.7	2333.5	3
8046.3	-7972.2	Min	I	-599.2	-102.8	296.4	-2219.1	
6416.7	-8058.2		J	-635.8	-101.4	541.1	-2149.8	
7690.7	17409.8	INVSLV Max	I	707.7	950.7	1104.5	4461.8	1
6570.7	18188.3		J	702.1	950.7	1243.7	4461.8	1
6746.4	-18621.1	Min	I	-810.2	-896.7	518.0	-4720.3	
6077.2	-19454.4		J	-815.9	-896.7	657.2	-4720.3	

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

7310.0	4008.1	INVSLE Max	I	274.2	148.0	1857.6	1656.8	2
			J	286.5	147.0	2049.1	1712.9	2
6171.6	4007.7	Min	I	-408.4	-72.2	222.1	-1628.1	
5983.6	-5437.0		J	-433.5	-71.2	403.3	-1576.8	
4777.7	-5499.9							
750	1	52 C1-C2;~1 Max	I	9.7	49.1	1072.8	1698.4	1
4580.7	642.8		J	9.6	49.1	1125.8	1756.5	1
4238.0	671.6	Min	I	-63.4	-28.5	-523.1	-1303.8	-
6145.4	-1135.7		J	-65.9	-28.5	-482.7	-1255.3	-
6436.6	-1183.4							
		C3-C4;~1 Max	I	11.2	50.9	1075.9	1435.3	1
4621.9	737.5		J	11.2	50.9	1128.8	1458.5	1
4281.3	770.4	Min	I	-64.4	-32.5	-524.3	-1258.3	-
6320.5	-1115.5		J	-66.8	-32.5	-484.0	-1287.6	-
6620.3	-1170.7							
		C1-C2;~2 Max	I	5.1	26.6	644.7	1033.7	
8500.6	337.0		J	5.0	26.6	675.1	1068.0	
8292.2	352.1	Min	I	-38.7	-14.9	-332.5	-741.3	-
3336.9	-620.1		J	-40.0	-14.9	-307.3	-709.4	-
3495.0	-646.1							
		C3-C4;~2 Max	I	5.8	27.5	645.8	878.5	
8523.4	393.9		J	5.8	27.5	676.2	888.6	
8316.3	411.5	Min	I	-39.1	-17.4	-333.1	-719.7	-
3443.4	-608.5		J	-40.3	-17.4	-308.0	-734.1	-
3606.8	-635.0							
		SLVx (RS)	I	582.1	757.9	137.8	-3724.1	
2795.0	15314.9		J	582.1	757.9	137.8	-3724.1	
2742.9	15986.9							
		SLVy (RS)	I	522.4	-463.6	81.2	2778.6	
2011.7	-9897.6		J	522.4	-463.6	81.2	2778.6	
2057.9	-10273.6							
		SLDx (RS)	I	417.4	536.2	101.3	-2599.2	
2046.5	11037.6		J	417.4	536.2	101.3	-2599.2	
2003.5	11511.9							
		SLDy (RS)	I	372.5	-326.2	58.8	1935.7	
1419.9	-7012.8		J	372.5	-326.2	58.8	1935.7	
1451.6	-7274.8							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3805.9	-1790.6	SLVz (RS)	I	137.0	94.8	-277.4	69.2	-
			J	137.0	94.8	-277.4	69.2	-
3532.3	-1837.0							
		G1	I	-47.4	28.2	696.1	-76.4	
8281.3	-659.1		J	-51.6	28.2	798.1	-76.4	
7522.5	-687.7							
		G2	I	-17.3	10.3	254.2	-28.3	
3023.7	-240.6		J	-18.8	10.3	291.5	-28.3	
2746.6	-251.1							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
13.9	195.2		J	5.7	-8.4	0.1	-18.0	
13.8	203.8							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.1	71.4		J	2.1	-3.1	0.0	-6.6	
5.0	74.5							
		q3	I	-63.6	-11.2	7.9	20.4	
-79.8	262.3		J	-66.8	-11.2	7.9	20.4	
-84.7	273.8							
		q4-1	I	92.7	56.1	10.9	-123.4	
59.3	-1063.4		J	92.7	56.1	10.9	-123.4	
48.2	-1120.4							
		q4-2	I	30.1	-44.5	6.2	9.7	
-44.8	1035.6		J	30.1	-44.5	6.2	9.7	
-51.1	1080.8							
		q4-3	I	-1.8	2.6	0.3	23.2	
-11.3	-60.6		J	-1.8	2.6	0.3	23.2	
-11.6	-63.3							
		q4-4	I	-1.6	2.3	-0.3	1.7	
1.9	-53.9		J	-1.6	2.3	-0.3	1.7	
2.2	-56.3							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-4.8	7.6		J	0.2	-0.3	0.3	-1.4	
-5.0	7.9							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-5.9	11.2		J	0.3	-0.5	0.3	-0.8	
-6.2	11.7							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-6.1	8.8		J	0.2	-0.4	0.3	-0.7	
-6.4	9.2							
		q5 - p~1	I	-356.2	-59.7	25.1	237.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-372.5	1824.1		J	-375.4	-58.1	24.3	236.6	
-390.7	1883.9							
82.6	-4483.3	q5 - p~2	I	-182.1	1.2	-37.9	58.2	
119.9	-4476.0		J	-179.1	-15.6	-37.7	64.2	
-345.9	1727.6	q5 - p~3	I	-337.2	-56.5	18.1	223.0	
-362.6	1784.2		J	-355.4	-55.0	17.4	222.9	
61.8	-4234.7	q5 - p~4	I	-172.4	0.8	-34.2	49.5	
96.2	-4227.4		J	-169.5	-15.1	-34.0	50.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-64.9	378.7	q7	I	-54.2	-16.5	2.2	50.4	
-67.1	395.5		J	-54.2	-16.5	2.2	50.4	
3.8	20.1	T	I	0.6	-0.9	-0.1	2.4	
3.9	20.9		J	0.6	-0.9	-0.1	2.4	
-109.2	-2229.7	M. tor~1	I	117.6	-173.7	20.7	-340.6	
-130.3	-2339.8		J	117.6	-173.7	20.7	-329.0	
-64.6	-1318.2	M. tor~2	I	69.5	-102.7	12.2	-201.4	
-77.0	-1383.3		J	69.5	-102.7	12.2	-194.5	
5364.9	6043.7	INVSLU Max	I	437.2	203.7	2769.7	2333.5	3
3522.9	6020.2		J	456.9	202.3	3029.1	2411.6	3
6416.7	-8058.2	Min	I	-635.8	-101.4	541.1	-2149.8	
4596.9	-8120.1		J	-672.4	-100.0	783.7	-2127.4	
6571.9	18188.3	INVSLV Max	I	723.0	952.4	1293.6	4449.2	1
5260.5	18959.6		J	717.3	952.4	1432.8	4449.2	1
6076.0	-19454.4	Min	I	-836.7	-898.5	607.3	-4707.6	
5315.4	-20280.5		J	-842.4	-898.5	746.6	-4707.6	


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6171.6	4007.7	INVSLE	Max	I	286.5	147.0	2049.1	1712.9	2
				J	299.0	146.0	2241.2	1770.7	2
4806.0	3991.1		Min	I	-433.5	-71.2	403.3	-1576.8	
4777.7	-5499.9			J	-458.6	-70.2	583.0	-1560.3	
3430.9	-5546.6								
751	1	52 C1-C2;~1	Max	I	9.6	49.1	1125.8	1756.5	1
4238.0	671.6			J	9.6	49.1	1179.4	1816.5	1
3811.8	700.4		Min	I	-65.9	-28.5	-482.7	-1255.3	-
6436.6	-1183.4			J	-68.4	-28.5	-443.9	-1210.1	-
6727.8	-1231.2								
		C3-C4;~1	Max	I	11.2	50.9	1128.8	1458.5	1
4281.3	770.4			J	11.1	50.9	1182.4	1482.5	1
3857.3	803.3		Min	I	-66.8	-32.5	-484.0	-1287.6	-
6620.3	-1170.7			J	-69.1	-32.5	-445.2	-1319.3	-
6920.2	-1222.3								
		C1-C2;~2	Max	I	5.0	26.6	675.1	1068.0	
8292.2	352.1			J	5.0	26.6	705.6	1102.8	
8036.0	367.3		Min	I	-40.0	-14.9	-307.3	-709.4	-
3495.0	-646.1			J	-41.2	-14.9	-283.0	-679.1	-
3653.1	-672.2								
		C3-C4;~2	Max	I	5.8	27.5	676.2	888.6	
8316.3	411.5			J	5.8	27.5	706.6	900.3	
8061.5	429.1		Min	I	-40.3	-17.4	-308.0	-734.1	-
3606.8	-635.0			J	-41.5	-17.4	-283.7	-749.6	-
3770.2	-664.5								
		SLVx (RS)		I	598.6	759.6	153.2	-3714.0	
2746.9	15986.9			J	598.6	759.6	153.2	-3714.0	
2682.4	16652.7								
		SLVy (RS)		I	538.5	-466.2	79.6	2773.5	
2061.9	-10273.6			J	538.5	-466.2	79.6	2773.5	
2105.4	-10647.4								
		SLDx (RS)		I	428.9	536.5	113.0	-2592.2	
2006.0	11511.9			J	428.9	536.5	113.0	-2592.2	
1953.3	11980.5								
		SLDy (RS)		I	383.9	-328.0	57.8	1932.2	
1454.3	-7274.8			J	383.9	-328.0	57.8	1932.2	
1483.9	-7534.9								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3531.0	-1837.0	SLVz (RS)	I	136.2	91.6	-321.2	68.4	-
			J	136.2	91.6	-321.2	68.4	-
3215.2	-1880.0							
		G1	I	-51.6	28.2	798.1	-76.4	
7522.5	-687.7		J	-55.7	28.2	900.1	-76.4	
6660.2	-716.3							
		G2	I	-18.8	10.3	291.5	-28.3	
2746.6	-251.1		J	-20.3	10.3	328.7	-28.3	
2431.7	-261.5							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
13.8	203.8		J	5.7	-8.4	0.1	-18.0	
13.7	212.4							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.0	74.5		J	2.1	-3.1	0.0	-6.6	
5.0	77.7							
		q3	I	-66.8	-11.2	7.9	20.4	
-84.7	273.8		J	-70.1	-11.2	7.9	20.4	
-89.6	285.2							
		q4-1	I	92.7	56.1	10.9	-123.4	
48.2	-1120.4		J	92.7	56.1	10.9	-123.4	
37.1	-1177.5							
		q4-2	I	30.1	-44.5	6.2	9.7	
-51.1	1080.8		J	30.1	-44.5	6.2	9.7	
-57.4	1126.0							
		q4-3	I	-1.8	2.6	0.3	23.2	
-11.6	-63.3		J	-1.8	2.6	0.3	23.2	
-11.9	-66.0							
		q4-4	I	-1.6	2.3	-0.3	1.7	
2.2	-56.3		J	-1.6	2.3	-0.3	1.7	
2.5	-58.6							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-5.0	7.9		J	0.2	-0.3	0.3	-1.4	
-5.3	8.3							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-6.2	11.7		J	0.3	-0.5	0.3	-0.8	
-6.5	12.1							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-6.4	9.2		J	0.2	-0.4	0.3	-0.7	
-6.8	9.6							
		q5 - p~1	I	-375.4	-58.1	24.3	236.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-390.7	1883.9		J	-394.6	-56.5	23.5	236.0	
-408.1	1942.1							
		q5 - p~2	I	-179.1	-15.6	-37.7	64.2	
119.9	-4476.0		J	-176.1	-32.3	-37.6	70.2	
157.1	-4451.7							
		q5 - p~3	I	-355.4	-55.0	17.4	222.9	
-362.6	1784.2		J	-373.6	-53.5	16.6	222.7	
-378.6	1839.3							
		q5 - p~4	I	-169.5	-15.1	-34.0	50.6	
96.2	-4227.4		J	-166.7	-31.0	-33.9	51.7	
130.6	-4204.1							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-54.2	-16.5	2.2	50.4	
-67.1	395.5		J	-54.2	-16.5	2.2	50.4	
-69.3	412.3							
		T	I	0.6	-0.9	-0.1	2.4	
3.9	20.9		J	0.6	-0.9	-0.1	2.4	
4.0	21.8							
		M. tor~1	I	117.6	-173.7	20.7	-329.0	
-130.3	-2339.8		J	117.6	-173.7	20.7	-317.4	
-151.3	-2449.9							
		M. tor~2	I	69.5	-102.7	12.2	-194.5	
-77.0	-1383.3		J	69.5	-102.7	12.2	-187.7	
-89.5	-1448.4							
		INVSLU Max	I	456.9	202.3	3029.1	2411.6	3
3522.9	6020.2		J	476.6	200.9	3289.2	2492.0	3
1376.7	5972.5	Min	I	-672.4	-100.0	783.7	-2127.4	
4596.9	-8120.1		J	-708.9	-98.5	1024.1	-2169.6	
2586.8	-8157.8							
		INVSLV Max	I	738.5	953.9	1480.7	4437.3	1
5261.6	18959.6		J	732.8	953.9	1619.9	4437.3	1
3762.1	19723.1	Min	I	-863.5	-899.9	698.7	-4695.8	
5314.3	-20280.5		J	-869.2	-899.9	837.9	-4695.8	
4459.0	-21098.8							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4806.0	3991.1	INVSLE	Max	I	299.0	146.0	2241.2	1770.7	2
				J	311.5	145.1	2433.9	1830.3	2
3215.1	3958.4		Min	I	-458.6	-70.2	583.0	-1560.3	
3430.9	-5546.6			J	-483.6	-69.3	761.1	-1591.6	
1943.1	-5577.2								
752	1	52 C1-C2;~1	Max	I	9.6	49.1	1179.4	1816.5	1
3811.8	700.4			J	9.6	49.1	1233.5	1878.1	1
3304.3	729.3		Min	I	-68.4	-28.5	-443.9	-1210.1	-
6727.8	-1231.2			J	-70.7	-28.5	-406.6	-1171.4	-
7019.0	-1278.9								
		C3-C4;~1	Max	I	11.1	50.9	1182.4	1482.5	1
3857.3	803.3			J	11.1	50.9	1236.4	1507.7	1
3352.1	836.2		Min	I	-69.1	-32.5	-445.2	-1319.3	-
6920.2	-1222.3			J	-71.3	-32.5	-408.0	-1353.2	-
7220.1	-1273.9								
		C1-C2;~2	Max	I	5.0	26.6	705.6	1102.8	
8036.0	367.3			J	5.0	26.6	736.1	1138.2	
7733.5	382.4		Min	I	-41.2	-14.9	-283.0	-679.1	-
3653.1	-672.2			J	-42.5	-14.9	-259.5	-653.0	-
3811.3	-698.3								
		C3-C4;~2	Max	I	5.8	27.5	706.6	900.3	
8061.5	429.1			J	5.8	27.5	737.1	912.4	
7760.4	446.7		Min	I	-41.5	-17.4	-283.7	-749.6	-
3770.2	-664.5			J	-42.6	-17.4	-260.2	-766.2	-
3933.6	-692.5								
		SLVx (RS)		I	615.5	761.1	169.4	-3704.7	
2686.7	16652.7			J	615.5	761.1	169.4	-3704.7	
2612.5	17311.9								
		SLVy (RS)		I	554.8	-468.5	78.2	2768.4	
2109.6	-10647.4			J	554.8	-468.5	78.2	2768.4	
2150.4	-11019.1								
		SLDx (RS)		I	440.6	536.9	125.3	-2585.7	
1956.1	11980.5			J	440.6	536.9	125.3	-2585.7	
1895.6	12443.1								
		SLDy (RS)		I	395.5	-329.5	57.0	1928.7	
1486.8	-7534.9			J	395.5	-329.5	57.0	1928.7	
1514.5	-7793.4								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3213.7	-1880.0	SLVz (RS)	I	134.8	88.2	-362.0	67.7	-
			J	134.8	88.2	-362.0	67.7	-
2859.1	-1919.1							
		G1	I	-55.7	28.2	900.1	-76.4	
6660.2	-716.3		J	-59.8	28.2	1002.0	-76.4	
5694.3	-744.9							
		G2	I	-20.3	10.3	328.7	-28.3	
2431.7	-261.5		J	-21.8	10.3	365.9	-28.3	
2078.9	-272.0							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
13.7	212.4		J	5.7	-8.4	0.1	-18.0	
13.5	220.9							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.0	77.7		J	2.1	-3.1	0.0	-6.6	
5.0	80.8							
		q3	I	-70.1	-11.2	7.9	20.4	
-89.6	285.2		J	-73.3	-11.2	7.9	20.4	
-94.6	296.6							
		q4-1	I	92.7	56.1	10.9	-123.4	
37.1	-1177.5		J	92.7	56.1	10.9	-123.4	
26.0	-1234.5							
		q4-2	I	30.1	-44.5	6.2	9.7	
-57.4	1126.0		J	30.1	-44.5	6.2	9.7	
-63.8	1171.2							
		q4-3	I	-1.8	2.6	0.3	23.2	
-11.9	-66.0		J	-1.8	2.6	0.3	23.2	
-12.2	-68.7							
		q4-4	I	-1.6	2.3	-0.3	1.7	
2.5	-58.6		J	-1.6	2.3	-0.3	1.7	
2.8	-61.0							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-5.3	8.3		J	0.2	-0.3	0.3	-1.4	
-5.5	8.6							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-6.5	12.1		J	0.3	-0.5	0.3	-0.8	
-6.8	12.6							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-6.8	9.6		J	0.2	-0.4	0.3	-0.7	
-7.1	10.0							
		q5 - p~1	I	-394.6	-56.5	23.5	236.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-408.1	1942.1		J	-413.8	-54.9	22.8	235.5	
-424.6	1998.7							
157.1	-4451.7	q5 - p~2	I	-176.1	-32.3	-37.6	70.2	
194.2	-4410.4		J	-173.0	-49.0	-37.5	76.2	
-378.6	1839.3	q5 - p~3	I	-373.6	-53.5	16.6	222.7	
-393.9	1892.9		J	-391.8	-52.0	15.9	222.6	
130.6	-4204.1	q5 - p~4	I	-166.7	-31.0	-33.9	51.7	
164.7	-4164.6		J	-163.8	-46.8	-33.8	52.8	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-69.3	412.3	q7	I	-54.2	-16.5	2.2	50.4	
-71.5	429.0		J	-54.2	-16.5	2.2	50.4	
4.0	21.8	T	I	0.6	-0.9	-0.1	2.4	
4.1	22.7		J	0.6	-0.9	-0.1	2.4	
-151.3	-2449.9	M. tor~1	I	117.6	-173.7	20.7	-317.4	
-172.4	-2560.0		J	117.6	-173.7	20.7	-305.8	
-89.5	-1448.4	M. tor~2	I	69.5	-102.7	12.2	-187.7	
-101.9	-1513.5		J	69.5	-102.7	12.2	-180.8	
1376.7	5972.5	INVSLU Max	I	476.6	200.9	3289.2	2492.0	3
8929.2	5900.7		J	496.3	199.4	3550.0	2574.7	2
2586.8	-8157.8	Min	I	-708.9	-98.5	1024.1	-2169.6	
386.6	-8171.4		J	-745.3	-97.1	1262.4	-2215.0	
3763.1	19723.1	INVSLV Max	I	754.2	955.1	1665.1	4426.3	1
2079.6	20478.2		J	748.6	955.1	1804.4	4426.3	1
4457.9	-21098.8	Min	I	-890.5	-901.2	792.7	-4684.7	
3503.7	-21908.6		J	-896.2	-901.2	931.9	-4684.7	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

3215.1	3958.4	INVSLE Max	I	311.5	145.1	2433.9	1830.3	2
1401.0	3909.7		J	324.1	144.1	2627.1	1891.6	2
1943.1	-5577.2	Min	I	-483.6	-69.3	761.1	-1591.6	
314.4	-5591.7		J	-508.6	-68.3	937.6	-1625.2	
753	1	52 C1-C2;~1 Max	I	9.6	49.1	1233.5	1878.1	1
3304.3	729.3		J	9.6	49.1	1288.1	1941.5	1
2717.5	758.1	Min	I	-70.7	-28.5	-406.6	-1171.4	-
7019.0	-1278.9		J	-72.9	-28.5	-371.0	-1135.5	-
7310.2	-1326.6							
3352.1	836.2	C3-C4;~1 Max	I	11.1	50.9	1236.4	1507.7	1
2767.7	869.2		J	11.1	50.9	1291.0	1534.2	1
7220.1	-1273.9	Min	I	-71.3	-32.5	-408.0	-1353.2	-
7519.9	-1325.5		J	-73.5	-32.5	-372.4	-1389.6	-
7733.5	382.4	C1-C2;~2 Max	I	5.0	26.6	736.1	1138.2	
7386.3	397.6		J	5.0	26.6	766.6	1174.0	
3811.3	-698.3	Min	I	-42.5	-14.9	-259.5	-653.0	-
3969.4	-724.4		J	-43.6	-14.9	-236.8	-628.2	-
7760.4	446.7	C3-C4;~2 Max	I	5.8	27.5	737.1	912.4	
7414.7	464.3		J	5.8	27.5	767.5	924.8	
3933.6	-692.5	Min	I	-42.6	-17.4	-260.2	-766.2	-
4096.9	-720.4		J	-43.6	-17.4	-237.6	-783.9	-
2617.1	17311.9	SLVx (RS)	I	632.7	762.7	185.7	-3696.2	
2536.3	17964.0		J	632.7	762.7	185.7	-3696.2	
2154.7	-11019.1	SLVy (RS)	I	571.2	-470.6	77.2	2763.2	
2192.9	-11388.7		J	571.2	-470.6	77.2	2763.2	
1898.6	12443.1	SLDx (RS)	I	452.6	537.3	137.6	-2579.8	
1832.7	12899.6		J	452.6	537.3	137.6	-2579.8	
1517.5	-7793.4	SLDy (RS)	I	407.1	-330.8	56.5	1925.3	
1543.4	-8050.1		J	407.1	-330.8	56.5	1925.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2857.5	-1919.1	SLVz (RS)	I	133.1	84.7	-399.4	67.2	-
			J	133.1	84.7	-399.4	67.2	-
2467.8	-1953.9							
		G1	I	-59.8	28.2	1002.0	-76.4	
5694.3	-744.9		J	-63.9	28.2	1104.0	-76.4	
4624.8	-773.6							
		G2	I	-21.8	10.3	365.9	-28.3	
2078.9	-272.0		J	-23.3	10.3	403.2	-28.3	
1688.3	-282.4							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
13.5	220.9		J	5.7	-8.4	0.1	-18.0	
13.4	229.5							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
5.0	80.8		J	2.1	-3.1	0.0	-6.6	
4.9	83.9							
		q3	I	-73.3	-11.2	7.9	20.4	
-94.6	296.6		J	-76.6	-11.2	7.9	20.4	
-99.5	308.0							
		q4-1	I	92.7	56.1	10.9	-123.4	
26.0	-1234.5		J	92.7	56.1	10.9	-123.4	
14.9	-1291.5							
		q4-2	I	30.1	-44.5	6.2	9.7	
-63.8	1171.2		J	30.1	-44.5	6.2	9.7	
-70.1	1216.4							
		q4-3	I	-1.8	2.6	0.3	23.2	
-12.2	-68.7		J	-1.8	2.6	0.3	23.2	
-12.5	-71.3							
		q4-4	I	-1.6	2.3	-0.3	1.7	
2.8	-61.0		J	-1.6	2.3	-0.3	1.7	
3.1	-63.3							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-5.5	8.6		J	0.2	-0.3	0.3	-1.4	
-5.8	8.9							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-6.8	12.6		J	0.3	-0.5	0.3	-0.8	
-7.2	13.1							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-7.1	10.0		J	0.2	-0.4	0.3	-0.7	
-7.4	10.4							
		q5 - p~1	I	-413.8	-54.9	22.8	235.5	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-424.6	1998.7		J	-433.0	-53.3	22.0	234.9	
-440.4	2053.6							
194.2	-4410.4	q5 - p~2	I	-173.0	-49.0	-37.5	76.2	
231.1	-4352.1		J	-170.0	-65.8	-37.4	82.3	
-393.9	1892.9	q5 - p~3	I	-391.8	-52.0	15.9	222.6	
-408.4	1944.9		J	-410.0	-50.4	15.2	222.5	
164.7	-4164.6	q5 - p~4	I	-163.8	-46.8	-33.8	52.8	
198.8	-4109.0		J	-160.9	-62.7	-33.7	53.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-71.5	429.0	q7	I	-54.2	-16.5	2.2	50.4	
-73.7	445.8		J	-54.2	-16.5	2.2	50.4	
4.1	22.7	T	I	0.6	-0.9	-0.1	2.4	
4.1	23.5		J	0.6	-0.9	-0.1	2.4	
-172.4	-2560.0	M. tor~1	I	117.6	-173.7	20.7	-305.8	
-193.4	-2670.1		J	117.6	-173.7	20.7	-294.2	
-101.9	-1513.5	M. tor~2	I	69.5	-102.7	12.2	-180.8	
-114.3	-1578.6		J	69.5	-102.7	12.2	-173.9	
8929.2	5900.7	INVSLU Max	I	496.3	199.4	3550.0	2574.7	2
6183.2	5804.7		J	515.9	209.2	3811.5	2659.7	2
386.6	-8171.4	Min	I	-745.3	-97.1	1262.4	-2215.0	
2003.8	-8160.8		J	-781.6	-106.9	1498.5	-2263.5	-
2080.8	20478.2	INVSLV Max	I	770.1	956.3	1846.4	4416.1	1
0266.0	21224.2		J	764.5	956.3	1985.7	4416.1	1
3502.6	-21908.6	Min	I	-917.8	-902.3	889.9	-4674.6	
2396.9	-22709.4		J	-923.4	-902.3	1029.1	-4674.6	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1401.0	3909.7	INVSLE	Max	I	324.1	144.1	2627.1	1891.6	2
				J	336.7	150.6	2820.8	1954.6	1
9365.9	3844.8		Min	I	-508.6	-68.3	937.6	-1625.2	
314.4	-5591.7			J	-533.5	-74.8	1112.5	-1661.2	-
1455.2	-5590.1								
754	1	52 C1-C2;~1	Max	I	9.6	49.1	1288.1	1941.5	1
2717.5	758.1			J	9.6	49.1	1343.1	2006.6	1
2053.9	787.0		Min	I	-72.9	-28.5	-371.0	-1135.5	-
7310.2	-1326.6			J	-75.2	-28.5	-336.9	-1102.2	-
7601.4	-1374.3								
		C3-C4;~1	Max	I	11.1	50.9	1291.0	1534.2	1
2767.7	869.2			J	11.1	50.9	1345.9	1562.0	1
2106.5	902.1		Min	I	-73.5	-32.5	-372.4	-1389.6	-
7519.9	-1325.5			J	-75.5	-32.5	-338.4	-1428.2	-
7819.8	-1377.1								
		C1-C2;~2	Max	I	5.0	26.6	766.6	1174.0	
7386.3	397.6			J	5.0	26.6	797.0	1210.4	
6996.2	412.7		Min	I	-43.6	-14.9	-236.8	-628.2	-
3969.4	-724.4			J	-44.8	-14.9	-215.0	-604.5	-
4127.5	-750.4								
		C3-C4;~2	Max	I	5.8	27.5	767.5	924.8	
7414.7	464.3			J	5.8	27.5	797.9	937.5	
7026.1	481.9		Min	I	-43.6	-17.4	-237.6	-783.9	-
4096.9	-720.4			J	-44.6	-17.4	-215.8	-802.7	-
4260.3	-748.3								
		SLVx (RS)		I	650.1	764.4	201.8	-3688.6	
2541.3	17964.0			J	650.1	764.4	201.8	-3688.6	
2457.9	18608.7								
		SLVy (RS)		I	587.7	-472.3	76.6	2758.1	
2197.4	-11388.7			J	587.7	-472.3	76.6	2758.1	
2233.1	-11756.2								
		SLDx (RS)		I	464.8	537.8	149.8	-2574.5	
1836.0	12899.6			J	464.8	537.8	149.8	-2574.5	
1767.7	13349.5								
		SLDy (RS)		I	418.9	-331.9	56.4	1921.8	
1546.5	-8050.1			J	418.9	-331.9	56.4	1921.8	
1570.7	-8305.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2466.2	-1953.9	SLVz (RS)	I	131.1	81.5	-433.5	67.1	-
			J	131.1	81.5	-433.5	67.1	-
2046.3	-1983.9							
		G1	I	-63.9	28.2	1104.0	-76.4	
4624.8	-773.6		J	-68.1	28.2	1206.0	-76.4	
3451.7	-802.2							
		G2	I	-23.3	10.3	403.2	-28.3	
1688.3	-282.4		J	-24.9	10.3	440.4	-28.3	
1259.9	-292.9							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
13.4	229.5		J	5.7	-8.4	0.1	-18.0	
13.3	238.0							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
4.9	83.9		J	2.1	-3.1	0.0	-6.6	
4.9	87.1							
		q3	I	-76.6	-11.2	7.9	20.4	
-99.5	308.0		J	-79.8	-11.2	7.9	20.4	
-104.4	319.5							
		q4-1	I	92.7	56.1	10.9	-123.4	
14.9	-1291.5		J	92.7	56.1	10.9	-123.4	
3.8	-1348.5							
		q4-2	I	30.1	-44.5	6.2	9.7	
-70.1	1216.4		J	30.1	-44.5	6.2	9.7	
-76.4	1261.5							
		q4-3	I	-1.8	2.6	0.3	23.2	
-12.5	-71.3		J	-1.8	2.6	0.3	23.2	
-12.8	-74.0							
		q4-4	I	-1.6	2.3	-0.3	1.7	
3.1	-63.3		J	-1.6	2.3	-0.3	1.7	
3.5	-65.7							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-5.8	8.9		J	0.2	-0.3	0.3	-1.4	
-6.0	9.3							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-7.2	13.1		J	0.3	-0.5	0.3	-0.8	
-7.5	13.6							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-7.4	10.4		J	0.2	-0.4	0.3	-0.7	
-7.7	10.8							
		q5 - p~1	I	-433.0	-53.3	22.0	234.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-440.4	2053.6		J	-452.2	-51.7	21.2	234.3	
-455.5	2106.9							
231.1	-4352.1	q5 - p~2	I	-170.0	-65.8	-37.4	82.3	
267.9	-4276.8		J	-167.0	-82.5	-37.3	88.3	
-408.4	1944.9	q5 - p~3	I	-410.0	-50.4	15.2	222.5	
-422.1	1995.3		J	-428.2	-48.9	14.4	222.4	
198.8	-4109.0	q5 - p~4	I	-160.9	-62.7	-33.7	53.9	
232.8	-4037.3		J	-158.1	-78.5	-33.6	55.1	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-73.7	445.8	q7	I	-54.2	-16.5	2.2	50.4	
-75.9	462.6		J	-54.2	-16.5	2.2	50.4	
4.1	23.5	T	I	0.6	-0.9	-0.1	2.4	
4.2	24.4		J	0.6	-0.9	-0.1	2.4	
-193.4	-2670.1	M. tor~1	I	117.6	-173.7	20.7	-294.2	
-214.4	-2780.2		J	117.6	-173.7	20.7	-282.6	
-114.3	-1578.6	M. tor~2	I	69.5	-102.7	12.2	-173.9	
-126.8	-1643.7		J	69.5	-102.7	12.2	-167.1	
6183.2	5804.7	INVSLU Max	I	515.9	209.2	3811.5	2659.7	2
3142.0	5684.5		J	535.6	224.3	4073.5	2747.1	2
2003.8	-8160.8	Min	I	-781.6	-106.9	1498.5	-2263.5	-
4584.4	-8126.1		J	-818.0	-121.9	1732.4	-2315.1	-
0271.9	21224.2	INVSLV Max	I	786.3	957.5	2024.3	4406.9	1
8471.6	21960.7		J	780.7	957.5	2163.6	4406.9	
2391.1	-22709.4	Min	I	-945.2	-903.6	990.4	-4665.3	
988.1	-23500.7		J	-950.9	-903.6	1129.6	-4665.3	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9365.9	3844.8	INVSLE Max	I	336.7	150.6	2820.8	1954.6	1
			J	349.2	160.7	3014.9	2019.4	1
7112.1	3763.8	Min	I	-533.5	-74.8	1112.5	-1661.2	-
1455.2	-5590.1		J	-558.4	-84.9	1285.8	-1699.4	-
3365.8	-5572.4							
755	1	52 C1-C2;~1 Max	I	9.6	49.1	1343.1	2006.6	1
2053.9	787.0		J	9.6	49.1	1398.5	2074.5	1
1316.8	815.8	Min	I	-75.2	-28.5	-336.9	-1102.2	-
7601.4	-1374.3		J	-77.3	-28.5	-304.5	-1069.8	-
7892.7	-1422.0							
		C3-C4;~1 Max	I	11.1	50.9	1345.9	1562.0	1
2106.5	902.1		J	11.1	50.9	1401.3	1592.3	1
1373.9	935.0	Min	I	-75.5	-32.5	-338.4	-1428.2	-
7819.8	-1377.1		J	-77.5	-32.5	-306.0	-1468.0	-
8119.7	-1428.6							
		C1-C2;~2 Max	I	5.0	26.6	797.0	1210.4	
6996.2	412.7		J	5.0	26.6	827.4	1248.2	
6565.7	427.9	Min	I	-44.8	-14.9	-215.0	-604.5	-
4127.5	-750.4		J	-45.8	-14.9	-194.0	-580.8	-
4285.6	-776.5							
		C3-C4;~2 Max	I	5.8	27.5	797.9	937.5	
7026.1	481.9		J	5.8	27.5	828.3	951.5	
6598.8	499.5	Min	I	-44.6	-17.4	-215.8	-802.7	-
4260.3	-748.3		J	-45.2	-17.4	-194.9	-821.8	-
4423.7	-776.3							
		SLVx (RS)	I	667.8	766.3	217.4	-3681.7	
2463.3	18608.7		J	667.8	766.3	217.4	-3681.7	
2382.0	19245.6							
		SLVy (RS)	I	604.3	-474.0	76.4	2753.0	
2237.8	-11756.2		J	604.3	-474.0	76.4	2753.0	
2271.2	-12121.7							
		SLDx (RS)	I	477.1	538.6	161.6	-2569.7	
1771.2	13349.5		J	477.1	538.6	161.6	-2569.7	
1704.1	13792.8							
		SLDy (RS)	I	430.6	-332.8	56.5	1918.3	
1573.9	-8305.2		J	430.6	-332.8	56.5	1918.3	
1596.6	-8558.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2044.7	-1983.9	SLVz (RS)	I	128.9	78.9	-464.2	67.5	-
			J	128.9	78.9	-464.2	67.5	-
1601.0	-2008.7							
		G1	I	-68.1	28.2	1206.0	-76.4	
3451.7	-802.2		J	-72.2	28.2	1308.0	-76.4	
2175.1	-830.8							
		G2	I	-24.9	10.3	440.4	-28.3	
1259.9	-292.9		J	-26.4	10.3	477.7	-28.3	
793.7	-303.3							
		G1- Imp~1	I	5.7	-8.4	0.1	-18.0	
13.3	238.0		J	5.7	-8.4	0.1	-18.0	
13.1	246.6							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.6	
4.9	87.1		J	2.1	-3.1	0.0	-6.6	
4.8	90.2							
		q3	I	-79.8	-11.2	7.9	20.4	
-104.4	319.5		J	-83.1	-11.2	7.9	20.4	
-109.3	330.9							
		q4-1	I	92.7	56.1	10.9	-123.4	
3.8	-1348.5		J	92.7	56.1	10.9	-123.4	
-7.3	-1405.5							
		q4-2	I	30.1	-44.5	6.2	9.7	
-76.4	1261.5		J	30.1	-44.5	6.2	9.7	
-82.8	1306.7							
		q4-3	I	-1.8	2.6	0.3	23.2	
-12.8	-74.0		J	-1.8	2.6	0.3	23.2	
-13.1	-76.7							
		q4-4	I	-1.6	2.3	-0.3	1.7	
3.5	-65.7		J	-1.6	2.3	-0.3	1.7	
3.8	-68.1							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-6.0	9.3		J	0.2	-0.3	0.3	-1.4	
-6.3	9.6							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-7.5	13.6		J	0.3	-0.5	0.3	-0.8	
-7.8	14.1							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-7.7	10.8		J	0.2	-0.4	0.3	-0.7	
-8.1	11.2							
		q5 - p~1	I	-452.2	-51.7	21.2	234.3	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-455.5	2106.9		J	-471.5	-50.1	20.4	233.7	
-469.7	2158.6							
		q5 - p~2	I	-167.0	-82.5	-37.3	88.3	
267.9	-4276.8		J	-164.0	-99.2	-37.1	94.3	
304.6	-4184.5							
		q5 - p~3	I	-428.2	-48.9	14.4	222.4	
-422.1	1995.3		J	-446.4	-47.4	13.7	222.3	
-435.1	2044.2							
		q5 - p~4	I	-158.1	-78.5	-33.6	55.1	
232.8	-4037.3		J	-155.2	-94.4	-33.5	56.2	
266.6	-3949.5							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-54.2	-16.5	2.2	50.4	
-75.9	462.6		J	-54.2	-16.5	2.2	50.4	
-78.1	479.3							
		T	I	0.6	-0.9	-0.1	2.4	
4.2	24.4		J	0.6	-0.9	-0.1	2.4	
4.3	25.3							
		M. tor~1	I	117.6	-173.7	20.7	-282.6	
-214.4	-2780.2		J	117.6	-173.7	20.7	-271.0	
-235.5	-2890.3							
		M. tor~2	I	69.5	-102.7	12.2	-167.1	
-126.8	-1643.7		J	69.5	-102.7	12.2	-160.2	
-139.2	-1708.8							
		INVSLU Max	I	535.6	224.3	4073.5	2747.1	2
3142.0	5684.5		J	555.3	239.3	4336.1	2838.3	1
9812.7	5540.2	Min	I	-818.0	-121.9	1732.4	-2315.1	-
4584.4	-8126.1		J	-854.4	-137.0	1964.3	-2368.4	-
7355.2	-8067.2							
		INVSLV Max	I	802.7	959.1	2198.9	4398.7	
8477.8	21960.7		J	797.0	959.1	2338.1	4398.7	
6530.4	22687.3	Min	I	-972.9	-905.1	1094.3	-4657.1	
981.8	-23500.7		J	-978.5	-905.1	1233.5	-4657.1	
-556.9	-24282.2							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

7112.1	3763.8	INVSLE	Max	I	349.2	160.7	3014.9	2019.4	1
				J	361.8	170.7	3209.4	2087.0	1
4645.1	3666.7		Min	I	-558.4	-84.9	1285.8	-1699.4	-
3365.8	-5572.4			J	-583.3	-94.9	1457.5	-1738.9	-
5417.3	-5538.6								
756	1	52 C1-C2;~1	Max	I	9.8	48.8	1398.5	2165.8	1
1310.9	812.5			J	9.8	48.8	1453.5	2232.7	1
0516.3	840.7		Min	I	-78.0	-28.3	-304.5	-1053.5	-
7887.9	-1418.1			J	-80.0	-28.3	-274.3	-1023.1	-
8175.0	-1464.9								
		C3-C4;~1	Max	I	11.4	50.5	1401.2	1685.0	1
1373.7	931.6			J	11.3	50.5	1456.1	1714.6	1
0579.0	963.8		Min	I	-78.2	-32.2	-306.0	-1455.9	-
8115.2	-1425.2			J	-80.0	-32.2	-275.5	-1510.0	-
8410.9	-1475.7								
		C1-C2;~2	Max	I	5.1	26.4	827.4	1304.5	
6561.6	426.0			J	5.1	26.4	857.3	1340.6	
6100.7	440.9		Min	I	-46.2	-14.8	-194.0	-560.0	-
4283.0	-774.4			J	-47.1	-14.8	-174.3	-536.7	-
4438.9	-799.9								
		C3-C4;~2	Max	I	5.9	27.4	828.3	1008.5	
6598.4	497.6			J	5.9	27.4	858.1	1021.1	
6137.1	514.9		Min	I	-45.5	-17.2	-194.9	-805.0	-
4421.2	-774.5			J	-46.4	-17.2	-175.0	-834.7	-
4582.3	-801.8								
		SLVx (RS)		I	681.6	771.8	232.1	-3668.7	
2399.1	19245.7			J	681.6	771.8	232.1	-3668.7	
2326.6	19866.9								
		SLVy (RS)		I	619.2	-477.5	76.5	2741.3	
2284.5	-12121.6			J	619.2	-477.5	76.5	2741.3	
2315.1	-12479.7								
		SLDx (RS)		I	486.8	542.1	172.6	-2560.8	
1715.7	13792.8			J	486.8	542.1	172.6	-2560.8	
1655.1	14223.9								
		SLDy (RS)		I	441.2	-335.1	56.9	1910.3	
1605.7	-8558.6			J	441.2	-335.1	56.9	1910.3	
1626.5	-8806.6								


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1599.9	-2008.4	SLVz (RS)	I	126.6	77.4	-491.6	68.6	-
			J	126.6	77.4	-491.6	68.6	-
1151.7	-2027.5							
		G1	I	-72.7	28.0	1308.0	-54.5	
2175.9	-829.9		J	-76.8	28.0	1408.5	-54.5	
816.2	-858.0							
		G2	I	-26.6	10.2	477.7	-20.3	
794.0	-303.0		J	-28.1	10.2	514.4	-20.3	
297.5	-313.3							
		G1- Imp~1	I	5.8	-8.4	0.1	-17.9	
13.2	246.6		J	5.8	-8.4	0.1	-17.9	
13.1	254.9							
		G2- Imp~1	I	2.1	-3.1	0.0	-6.5	
4.8	90.2		J	2.1	-3.1	0.0	-6.5	
4.8	93.3							
		q3	I	-83.0	-12.1	7.9	19.2	
-109.7	330.9		J	-86.2	-12.1	7.9	19.2	
-114.5	342.9							
		q4-1	I	92.2	57.1	10.9	-123.2	
-5.4	-1405.6		J	92.2	57.1	10.9	-123.2	
-16.4	-1462.7							
		q4-2	I	30.5	-44.2	6.3	8.6	
-83.4	1306.7		J	30.5	-44.2	6.3	8.6	
-89.7	1350.9							
		q4-3	I	-1.8	2.6	0.3	23.1	
-13.3	-76.7		J	-1.8	2.6	0.3	23.1	
-13.6	-79.3							
		q4-4	I	-1.6	2.3	-0.3	1.7	
3.8	-68.1		J	-1.6	2.3	-0.3	1.7	
4.1	-70.4							
		q4-5	I	0.2	-0.3	0.3	-1.4	
-6.3	9.6		J	0.2	-0.3	0.3	-1.4	
-6.5	9.9							
		q4-6	I	0.3	-0.5	0.3	-0.8	
-7.8	14.1		J	0.3	-0.5	0.3	-0.8	
-8.1	14.6							
		q4-7	I	0.3	-0.4	0.3	-0.8	
-8.1	11.2		J	0.3	-0.4	0.3	-0.8	
-8.4	11.5							
		q5 - p~1	I	-470.9	-54.7	20.4	228.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-472.9	2158.6		J	-489.9	-53.3	19.6	228.2	
-486.0	2212.7							
305.5	-4184.3	q5 - p~2	I	-163.0	-100.9	-37.1	98.1	
341.5	-4075.0		J	-159.9	-117.3	-37.0	104.0	
-438.1	2044.2	q5 - p~3	I	-445.9	-51.8	13.6	217.6	
-450.1	2095.4		J	-463.9	-50.5	12.9	217.5	
267.7	-3949.3	q5 - p~4	I	-154.3	-95.9	-33.4	59.5	
301.0	-3845.5		J	-151.4	-111.5	-33.3	60.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-78.8	479.3	q7	I	-54.0	-17.0	2.2	49.5	
-81.0	496.4		J	-54.0	-17.0	2.2	49.5	
4.3	25.3	T	I	0.6	-0.9	-0.1	2.4	
4.4	26.1		J	0.6	-0.9	-0.1	2.4	
-231.6	-2890.5	M. tor~1	I	119.3	-172.5	20.8	-272.7	
-252.4	-3000.2		J	119.3	-172.5	20.8	-261.2	
-136.9	-1708.9	M. tor~2	I	70.5	-102.0	12.3	-161.2	
-149.2	-1773.7		J	70.5	-102.0	12.3	-154.4	
9817.0	5539.1	INVSLU Max	I	554.0	241.6	4336.0	2997.6	1
6249.8	5371.0		J	573.3	256.4	4595.2	3087.4	1
7350.5	-8062.5	Min	I	-855.0	-138.1	1964.2	-2307.0	-
0267.7	-7980.6		J	-890.8	-154.9	2190.8	-2379.5	-1
6552.4	22688.5	INVSLV Max	I	814.0	965.2	2370.0	4412.5	
4498.2	23396.0		J	808.4	965.2	2507.2	4412.5	
-576.5	-24280.8	Min	I	-996.7	-911.5	1201.6	-4610.9	
2235.2	-25042.1		J	-1002.3	-911.5	1338.9	-4610.9	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4648.0	3665.9	INVSLE Max	I	360.8	172.3	3209.4	2205.3	1
			J	373.2	182.2	3401.4	2271.9	1
2004.8	3553.0	Min	I	-583.8	-95.6	1457.4	-1693.8	-
5413.5	-5535.1		J	-608.3	-105.5	1625.3	-1747.6	-
7573.6	-5548.3							
757	1	52 C1-C2;~1 Max	I	9.5	70.4	1452.8	2127.2	1
0546.2	684.7		J	9.5	71.2	1507.9	2191.1	
9684.8	707.5	Min	I	-79.1	-22.9	-274.7	-1038.2	-
8196.1	-1319.8		J	-81.1	-22.9	-246.0	-1016.5	-
8483.3	-1386.7							
		C3-C4;~1 Max	I	11.0	71.2	1455.5	1607.6	1
0599.4	804.1		J	11.0	72.1	1510.5	1633.4	
9738.1	830.8	Min	I	-79.1	-26.7	-275.9	-1498.3	-
8433.8	-1334.3		J	-80.9	-26.7	-246.9	-1548.6	-
8729.6	-1403.6							
		C1-C2;~2 Max	I	5.0	39.6	856.9	1275.7	
6117.2	355.9		J	5.0	40.0	886.6	1309.1	
5620.1	367.7	Min	I	-46.6	-11.9	-174.6	-563.0	-
4450.1	-722.9		J	-47.5	-11.9	-155.7	-545.9	-
4606.0	-760.3							
		C3-C4;~2 Max	I	5.7	39.8	857.7	955.4	
6147.3	427.2		J	5.7	40.2	887.4	965.1	
5650.0	441.4	Min	I	-45.9	-14.2	-175.3	-841.0	-
4594.7	-729.6		J	-46.7	-14.2	-156.2	-866.7	-
4755.9	-767.8							
		SLVx (RS)	I	704.9	769.5	245.1	-3673.1	
2468.6	19850.7		J	704.9	769.5	245.1	-3673.1	
2416.4	20462.0							
		SLVy (RS)	I	637.6	-476.4	77.0	2745.4	
2241.9	-12492.0		J	637.6	-476.4	77.0	2745.4	
2267.3	-12848.0							
		SLDx (RS)	I	502.9	540.0	182.5	-2563.9	
1756.7	14212.2		J	502.9	540.0	182.5	-2563.9	
1711.6	14635.3							
		SLDy (RS)	I	454.2	-334.1	57.7	1913.1	
1575.1	-8815.1		J	454.2	-334.1	57.7	1913.1	
1592.2	-9061.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1171.4	-2015.4	SLVz (RS)	I	124.7	77.5	-515.9	69.4	-
			J	124.7	77.5	-515.9	69.4	
-748.7	-2034.1							
		G1	I	-76.1	57.0	1407.7	-44.6	
832.5	-840.5		J	-80.1	59.0	1508.0	-44.6	
-625.1	-898.5							
		G2	I	-27.8	20.8	514.1	-16.7	
303.4	-306.9		J	-29.3	21.6	550.7	-16.7	
-228.9	-328.1							
		G1- Imp~1	I	5.7	-8.4	0.3	-18.0	
7.8	255.1		J	5.7	-8.4	0.3	-18.0	
7.5	263.5							
		G2- Imp~1	I	2.1	-3.1	0.1	-6.6	
2.9	93.3		J	2.1	-3.1	0.1	-6.6	
2.8	96.4							
		q3	I	-86.3	-10.8	8.1	20.9	
-121.0	341.9		J	-89.5	-10.8	8.1	20.9	
-126.1	352.6							
		q4-1	I	92.9	56.0	9.8	-123.2	
11.0	-1464.1		J	92.9	56.0	9.8	-123.2	
1.2	-1520.1							
		q4-2	I	29.9	-44.5	7.1	10.2	
-116.3	1348.4		J	29.9	-44.5	7.1	10.2	
-123.5	1392.9							
		q4-3	I	-1.8	2.7	0.2	23.3	
-11.7	-79.6		J	-1.8	2.7	0.2	23.3	
-11.9	-82.2							
		q4-4	I	-1.6	2.3	-0.4	1.6	
5.5	-70.2		J	-1.6	2.3	-0.4	1.6	
5.9	-72.6							
		q4-5	I	0.2	-0.3	0.3	-1.3	
-6.7	9.8		J	0.2	-0.3	0.3	-1.3	
-7.0	10.1							
		q4-6	I	0.3	-0.5	0.3	-0.7	
-8.4	14.4		J	0.3	-0.5	0.3	-0.7	
-8.8	14.9							
		q4-7	I	0.2	-0.4	0.3	-0.7	
-8.6	11.4		J	0.2	-0.4	0.3	-0.7	
-8.9	11.7							
		q5 - p~1	I	-490.6	-46.4	20.6	235.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-526.8	2209.9		J	-509.5	-44.8	19.8	234.9	
-540.2	2255.5							
423.5	-4065.1	q5 - p~2	I	-161.5	-115.9	-34.7	97.9	
456.9	-3941.0		J	-158.5	-132.4	-34.2	103.8	
-488.7	2093.0	q5 - p~3	I	-464.5	-44.0	13.9	224.3	
-501.0	2136.2		J	-482.4	-42.5	13.1	224.1	
377.9	-3836.5	q5 - p~4	I	-152.8	-110.1	-31.1	55.1	
408.6	-3718.6		J	-150.0	-125.7	-30.7	56.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-90.1	495.5	q7	I	-54.3	-16.3	2.5	50.7	
-92.6	511.7		J	-54.3	-16.3	2.5	50.7	
3.9	26.2	T	I	0.6	-0.9	-0.1	2.4	
4.0	27.1		J	0.6	-0.9	-0.1	2.4	
-196.3	-3006.4	M. tor~1	I	117.0	-173.6	24.2	-258.3	
-214.7	-3114.7		J	117.0	-173.6	24.2	-246.9	
-116.0	-1777.4	M. tor~2	I	69.2	-102.6	14.3	-152.7	
-127.0	-1841.5		J	69.2	-102.6	14.3	-146.0	
6333.9	5271.7	INVSLU Max	I	575.2	323.8	4591.0	2969.4	1
2496.5	5023.4		J	594.6	342.9	4849.9	3055.2	1
0314.7	-7837.2	Min	I	-889.8	-95.5	2191.2	-2352.3	-1
3413.0	-7825.1		J	-925.4	-115.2	2415.7	-2419.7	-1
4639.1	23403.9	INVSLV Max	I	837.5	1002.0	2534.7	4431.6	
2477.6	24060.0		J	832.0	1004.7	2671.7	4431.6	
2346.0	-25001.9	Min	I	-1029.6	-869.4	1309.6	-4603.4	-
4164.9	-25793.2		J	-1035.2	-866.6	1446.6	-4603.4	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

2064.3	3480.5	INVSLE Max	I	374.5	232.2	3398.4	2184.0	1
			J	386.9	245.2	3590.3	2247.6	
9220.9	3348.5	Min	I	-607.6	-62.4	1625.4	-1726.9	-
7605.7	-5447.5		J	-631.9	-71.4	1791.6	-1776.8	-
9899.8	-5535.5							
758	1	52 C1-C2;~1 Max	I	9.2	72.2	1507.9	2089.3	
9689.0	707.5		J	9.2	73.1	1563.1	2157.7	
8760.3	730.4	Min	I	-80.2	-23.0	-246.0	-1037.3	-
8488.3	-1386.7		J	-82.1	-23.0	-218.8	-1013.6	-
8775.6	-1455.6							
		C3-C4;~1 Max	I	10.7	73.1	1510.5	1529.9	
9733.3	830.8		J	10.7	73.9	1566.0	1559.4	
8808.8	857.6	Min	I	-80.0	-26.9	-246.9	-1572.4	-
8734.3	-1403.6		J	-81.8	-26.9	-219.5	-1622.8	-
9030.2	-1474.9							
		C1-C2;~2 Max	I	4.8	40.5	886.6	1246.7	
5623.2	367.7		J	4.8	40.9	916.1	1283.1	
5089.8	379.7	Min	I	-47.0	-12.0	-155.7	-575.8	-
4608.8	-760.3		J	-47.9	-12.0	-137.7	-556.8	-
4764.8	-798.7							
		C3-C4;~2 Max	I	5.5	40.7	887.4	901.8	
5647.2	441.4		J	5.5	41.1	917.1	914.1	
5116.7	455.7	Min	I	-46.2	-14.3	-156.2	-898.1	-
4758.4	-767.8		J	-47.0	-14.3	-138.1	-922.8	-
4919.7	-807.1							
		SLVx (RS)	I	728.5	766.8	257.7	-3677.8	
2410.6	20462.0		J	728.5	766.8	257.7	-3677.8	
2375.4	21063.1							
		SLVy (RS)	I	656.0	-475.0	78.4	2749.0	
2263.0	-12848.0		J	656.0	-475.0	78.4	2749.0	
2287.1	-13201.4							
		SLDx (RS)	I	519.4	537.9	191.9	-2567.4	
1707.5	14635.3		J	519.4	537.9	191.9	-2567.4	
1675.6	15050.3							
		SLDy (RS)	I	467.2	-333.0	59.0	1915.6	
1589.5	-9061.6		J	467.2	-333.0	59.0	1915.6	
1605.8	-9306.1							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-747.9	-2034.1	SLVz (RS)	I	123.1	77.2	-538.1	72.8
			J	123.1	77.2	-538.1	72.8
-509.9	-2047.9						
		G1	I	-79.4	60.0	1508.0	-36.7
-625.6	-898.5		J	-83.4	62.1	1608.4	-36.7
2183.7	-959.6						
		G2	I	-29.0	21.9	550.7	-13.8
-229.1	-328.1		J	-30.5	22.7	587.4	-13.8
-798.0	-350.4						
		G1- Imp~1	I	5.6	-8.5	0.3	-18.1
7.3	263.5		J	5.6	-8.5	0.3	-18.1
7.0	272.0						
		G2- Imp~1	I	2.0	-3.1	0.1	-6.6
2.7	96.4		J	2.0	-3.1	0.1	-6.6
2.6	99.5						
		q3	I	-89.6	-9.6	8.1	22.5
-125.8	352.6		J	-92.8	-9.6	8.1	22.5
-130.9	362.3						
		q4-1	I	93.6	54.8	9.8	-123.2
-0.3	-1520.1		J	93.6	54.8	9.8	-123.2
-10.1	-1575.0						
		q4-2	I	29.4	-44.8	7.1	11.8
-123.3	1392.9		J	29.4	-44.8	7.1	11.8
-130.5	1437.7						
		q4-3	I	-1.8	2.7	0.2	23.4
-11.6	-82.2		J	-1.8	2.7	0.2	23.4
-11.9	-84.9						
		q4-4	I	-1.5	2.3	-0.4	1.6
5.9	-72.6		J	-1.5	2.3	-0.4	1.6
6.2	-74.9						
		q4-5	I	0.2	-0.3	0.3	-1.3
-7.0	10.1		J	0.2	-0.3	0.3	-1.3
-7.3	10.4						
		q4-6	I	0.3	-0.5	0.3	-0.6
-8.8	14.9		J	0.3	-0.5	0.3	-0.6
-9.1	15.4						
		q4-7	I	0.2	-0.4	0.3	-0.6
-8.9	11.7		J	0.2	-0.4	0.3	-0.6
-9.3	12.1						
		q5 - p~1	I	-510.0	-38.3	19.8	241.7

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-537.2	2255.5		J	-528.9	-36.5	19.0	241.1	
-549.8	2292.9							
458.2	-3941.0	q5 - p~2	I	-160.2	-130.4	-34.2	98.0	
491.1	-3802.4		J	-157.4	-146.9	-33.8	104.0	
-498.1	2136.2	q5 - p~3	I	-482.9	-36.4	13.1	230.5	
-509.6	2171.7		J	-500.8	-34.6	12.4	230.3	
409.3	-3718.6	q5 - p~4	I	-151.6	-123.8	-30.7	51.1	
439.6	-3586.9		J	-148.9	-139.5	-30.2	52.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-92.0	511.7	q7	I	-54.5	-15.6	2.5	51.9	
-94.5	527.3		J	-54.5	-15.6	2.5	51.9	
4.0	27.1	T	I	0.6	-0.9	-0.1	2.3	
4.1	28.0		J	0.6	-0.9	-0.1	2.3	
-217.8	-3114.7	M. tor~1	I	114.8	-175.1	24.2	-244.2	
-236.2	-3221.7		J	114.8	-175.1	24.2	-232.9	
-128.8	-1841.5	M. tor~2	I	67.9	-103.5	14.3	-144.4	
-139.6	-1904.7		J	67.9	-103.5	14.3	-137.7	
2486.1	5023.4	INVSLU Max	I	596.3	342.0	4849.9	2938.3	1
8377.2	4748.9		J	615.7	364.2	5109.4	3030.0	
3418.0	-7825.1	Min	I	-924.3	-110.7	2415.7	-2443.5	-1
6701.0	-7924.9		J	-959.7	-130.4	2638.1	-2511.0	-1
2469.2	24060.0	INVSLV Max	I	861.5	1002.8	2698.1	4449.2	
242.4	24699.5		J	856.0	1005.7	2835.1	4449.2	
4158.6	-25793.2	Min	I	-1062.9	-862.1	1420.3	-4599.6	-
6186.8	-26576.3		J	-1068.4	-859.3	1557.3	-4599.6	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

9213.4	3348.5	INVSLE Max	I	388.1	244.7	3590.3	2160.5	
			J	400.5	257.8	3782.5	2228.6	
6168.9	3253.2	Min	I	-631.0	-68.3	1791.6	-1794.1	-
9903.7	-5535.5		J	-655.3	-81.1	1956.4	-1844.1	-1
2334.8	-5618.7							
759	1	52 C1-C2;~1 Max	I	8.9	74.1	1563.1	2063.3	
8762.9	730.4		J	8.9	75.0	1618.6	2140.5	
7770.8	753.4	Min	I	-81.2	-23.1	-218.8	-1024.5	-
8779.3	-1455.6		J	-83.0	-23.1	-193.0	-1016.1	-
9067.5	-1526.4							
		C3-C4;~1 Max	I	10.3	74.9	1566.0	1463.4	
8801.7	857.6		J	10.3	75.8	1621.7	1500.9	
7813.8	884.6	Min	I	-80.8	-27.0	-219.5	-1636.2	-
9033.5	-1474.9		J	-82.5	-27.0	-193.6	-1682.3	-
9330.4	-1548.1							
		C1-C2;~2 Max	I	4.7	41.5	916.1	1225.2	
5092.0	379.7		J	4.7	41.8	945.5	1267.7	
4525.5	391.7	Min	I	-47.4	-12.0	-137.7	-581.2	-
4766.8	-798.7		J	-48.2	-12.0	-120.5	-563.9	-
4923.2	-838.2							
		C3-C4;~2 Max	I	5.4	41.7	917.1	855.4	
5112.6	455.7		J	5.3	42.0	946.6	873.4	
4548.9	470.1	Min	I	-46.5	-14.4	-138.1	-948.4	-
4921.5	-807.1		J	-47.2	-14.4	-120.7	-968.8	-
5083.1	-847.3							
		SLVx (RS)	I	752.7	763.6	269.1	-3683.6	
2369.5	21063.1		J	752.7	763.6	269.1	-3683.6	
2356.6	21653.9							
		SLVy (RS)	I	674.7	-473.4	80.3	2752.6	
2283.2	-13201.4		J	674.7	-473.4	80.3	2752.6	
2306.4	-13551.9							
		SLDx (RS)	I	536.2	535.4	200.5	-2571.7	
1671.3	15050.3		J	536.2	535.4	200.5	-2571.7	
1656.9	15457.2							
		SLDy (RS)	I	480.2	331.6	60.7	1918.0	
1603.2	-9306.1		J	480.2	331.6	60.7	1918.0	
1619.1	-9548.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-510.5	-2047.9	SLVz (RS)	I	121.6	78.0	-558.2	77.0	
			J	121.6	78.0	-558.2	77.0	
736.5	-2056.8							
		G1	I	-82.6	63.2	1608.4	-8.5	-
2184.0	-959.6		J	-86.6	65.4	1708.9	-8.5	-
3844.6	-1023.9							
		G2	I	-30.2	23.1	587.4	-3.5	
-798.2	-350.4		J	-31.6	23.9	624.1	-3.5	-
1404.6	-373.9							
		G1- Imp~1	I	5.5	-8.6	0.3	-18.2	
6.7	272.0		J	5.5	-8.6	0.3	-18.2	
6.4	280.6							
		G2- Imp~1	I	2.0	-3.1	0.1	-6.6	
2.5	99.5		J	2.0	-3.1	0.1	-6.6	
2.4	102.6							
		q3	I	-93.0	-8.4	8.1	24.2	
-130.6	362.3		J	-96.2	-8.4	8.1	24.2	
-135.7	370.7							
		q4-1	I	94.3	53.6	9.8	-123.0	
-11.7	-1575.0		J	94.3	53.6	9.8	-123.0	
-21.5	-1628.7							
		q4-2	I	28.8	-45.2	7.1	13.5	
-130.3	1437.7		J	28.8	-45.2	7.1	13.5	
-137.4	1483.0							
		q4-3	I	-1.7	2.7	0.2	23.6	
-11.6	-84.9		J	-1.7	2.7	0.2	23.6	
-11.8	-87.6							
		q4-4	I	-1.5	2.4	-0.4	1.5	
6.2	-74.9		J	-1.5	2.4	-0.4	1.5	
6.6	-77.3							
		q4-5	I	0.2	-0.3	0.3	-1.2	
-7.3	10.4		J	0.2	-0.3	0.3	-1.2	
-7.6	10.8							
		q4-6	I	0.3	-0.5	0.3	-0.5	
-9.1	15.4		J	0.3	-0.5	0.3	-0.5	
-9.4	15.8							
		q4-7	I	0.2	-0.4	0.3	-0.5	
-9.3	12.1		J	0.2	-0.4	0.3	-0.5	
-9.6	12.5							
		q5 - p~1	I	-529.3	-29.6	19.0	248.2	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-546.7	2292.9		J	-548.2	-27.5	18.2	247.4	
-558.5	2321.5							
492.4	-3802.4	q5 - p~2	I	-159.2	-144.9	-33.8	97.6	
525.0	-3649.0		J	-156.5	-161.5	-33.3	103.6	
-506.6	2171.7	q5 - p~3	I	-501.2	-28.1	12.4	236.9	
-517.3	2198.9		J	-519.1	-26.1	11.6	236.8	
440.2	-3586.9	q5 - p~4	I	-150.7	-137.6	-30.2	46.5	
470.1	-3441.3		J	-148.1	-153.4	-29.8	47.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-93.8	527.3	q7	I	-54.7	-14.9	2.5	53.1	
-96.3	542.2		J	-54.7	-14.9	2.5	53.1	
4.1	28.0	T	I	0.6	-0.9	-0.1	2.3	
4.2	28.8		J	0.6	-0.9	-0.1	2.3	
-239.2	-3221.7	M. tor~1	I	112.5	-176.5	24.2	-229.8	
-257.4	-3327.2		J	112.5	-176.5	24.2	-218.5	
-141.4	-1904.7	M. tor~2	I	66.5	-104.4	14.3	-135.9	
-152.2	-1967.1		J	66.5	-104.4	14.3	-129.2	
8363.8	4748.9	INVSLU Max	I	617.4	363.9	5109.4	2960.8	
3979.9	4571.8		J	636.8	392.1	5369.4	3064.4	
6703.6	-7924.9	Min	I	-958.3	-125.7	2638.1	-2483.4	-1
0176.2	-8017.1		J	-993.6	-145.4	2858.7	-2545.1	-2
234.7	24699.5	INVSLV Max	I	886.3	1003.6	2859.3	4495.8	
1970.8	25322.0		J	880.9	1006.6	2996.5	4495.8	-
6180.5	-26576.3	Min	I	-1096.9	-854.5	1533.1	-4569.3	-
8509.8	-27351.1		J	-1102.4	-851.5	1670.4	-4569.3	-

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

6159.3	3253.2	INVSLE Max	I	401.6	257.3	3782.5	2176.8	
			J	414.1	273.4	3975.1	2253.6	
2911.1	3145.2	Min	I	-654.2	-77.9	1956.4	-1823.2	-1
2336.9	-5618.7		J	-678.4	-90.7	2119.8	-1868.9	-1
4908.4	-5697.2							
760	1	52 C1-C2;~1 Max	I	8.6	76.1	1618.6	2057.4	
7772.1	753.4		J	8.5	77.0	1674.2	2140.5	
6747.6	776.5	Min	I	-82.1	-23.2	-193.0	-1021.9	-
9069.7	-1526.4		J	-83.9	-23.2	-168.9	-1025.2	-
9384.6	-1599.3							
		C3-C4;~1 Max	I	10.0	76.9	1621.7	1416.3	
7804.5	884.6		J	9.9	77.8	1677.4	1459.0	
6785.2	911.7	Min	I	-81.6	-27.1	-193.6	-1688.9	-
9332.3	-1548.1		J	-83.2	-27.1	-169.3	-1733.5	-
9656.7	-1623.3							
		C1-C2;~2 Max	I	4.5	42.4	945.5	1215.9	
4527.0	391.7		J	4.5	42.8	974.7	1262.2	
3940.9	403.7	Min	I	-47.7	-12.1	-120.5	-584.8	-
4924.5	-838.2		J	-48.4	-12.1	-104.2	-578.0	-
5091.5	-878.7							
		C3-C4;~2 Max	I	5.2	42.6	946.6	821.0	
4543.6	470.1		J	5.1	43.0	975.9	842.6	
3960.8	484.5	Min	I	-46.7	-14.4	-120.7	-990.1	-
5084.2	-847.3		J	-47.4	-14.4	-104.3	-1008.4	-
5256.8	-888.6							
		SLVx (RS)	I	777.5	760.0	279.4	-3690.5	
2350.4	21653.9		J	777.5	760.0	279.4	-3690.5	
2364.6	-22232.3							
		SLVy (RS)	I	693.4	-471.6	82.7	2756.2	
2302.8	-13551.9		J	693.4	-471.6	82.7	2756.2	
2325.5	-13898.1							
		SLDx (RS)	I	553.5	532.7	208.2	-2576.8	
1652.5	15457.2		J	553.5	532.7	208.2	-2576.8	
1659.6	15854.4							
		SLDy (RS)	I	493.4	330.2	62.6	1920.6	
1616.8	-9548.3		J	493.4	330.2	62.6	1920.6	
1632.6	-9787.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
738.1	-2056.8	SLVz (RS)	I	120.5	79.8	-576.6	-81.2	
			J	120.5	79.8	-576.6	-81.2	
1212.2	-2061.1							
		G1	I	-85.7	66.5	1708.9	42.7	-
3844.3	-1023.9		J	-89.7	68.7	1809.4	42.7	-
5604.1	-1091.6							
		G2	I	-31.3	24.3	624.1	15.2	-
1404.5	-373.9		J	-32.8	25.1	660.8	15.2	-
2047.2	-398.6							
		G1- Imp~1	I	5.4	-8.7	0.3	-18.2	
6.2	280.6		J	5.4	-8.7	0.3	-18.2	
5.9	289.3							
		G2- Imp~1	I	2.0	-3.2	0.1	-6.7	
2.3	102.6		J	2.0	-3.2	0.1	-6.7	
2.2	105.8							
		q3	I	-96.3	-7.1	8.1	26.0	
-135.3	370.7		J	-99.5	-7.1	8.1	26.0	
-140.4	377.8							
		q4-1	I	95.0	52.4	9.8	-122.7	
-23.1	-1628.7		J	95.0	52.4	9.8	-122.7	
-32.9	-1681.1							
		q4-2	I	28.2	-45.6	7.1	15.3	
-137.3	1483.0		J	28.2	-45.6	7.1	15.3	
-144.4	1528.6							
		q4-3	I	-1.7	2.7	0.2	23.7	
-11.5	-87.6		J	-1.7	2.7	0.2	23.7	
-11.8	-90.3							
		q4-4	I	-1.5	2.4	-0.4	1.4	
6.6	-77.3		J	-1.5	2.4	-0.4	1.4	
7.0	-79.6							
		q4-5	I	0.2	-0.3	0.3	-1.1	
-7.6	10.8		J	0.2	-0.3	0.3	-1.1	
-7.8	11.1							
		q4-6	I	0.3	-0.5	0.3	-0.4	
-9.4	15.8		J	0.3	-0.5	0.3	-0.4	
-9.8	16.3							
		q4-7	I	0.2	-0.4	0.3	-0.3	
-9.6	12.5		J	0.2	-0.4	0.3	-0.3	
-9.9	12.9							
		q5 - p~1	I	-548.5	-20.2	18.2	254.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-555.2	2321.5		J	-567.4	-17.9	17.4	254.0	
-566.3	2340.6							
		q5 - p~2	I	-158.6	-159.4	-33.3	96.6	
526.3	-3649.0		J	-156.0	-176.2	-32.8	102.7	
558.5	-3481.1							
		q5 - p~3	I	-519.4	-19.2	11.6	243.6	
-514.1	2198.9		J	-537.3	-17.0	10.9	243.5	
-524.1	2217.0							
		q5 - p~4	I	-150.2	-151.4	-29.8	41.3	
470.7	-3441.3		J	-147.7	-167.2	-29.4	42.4	
500.1	-3281.9							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-54.9	-14.1	2.5	54.4	
-95.6	542.2		J	-54.9	-14.1	2.5	54.4	
-98.1	556.3							
		T	I	0.6	-0.9	-0.1	2.2	
4.2	28.8		J	0.6	-0.9	-0.1	2.2	
4.3	29.7							
		M. tor~1	I	110.2	-178.0	24.2	-215.1	
-260.3	-3327.2		J	110.2	-178.0	24.2	-203.9	
-278.3	-3431.3							
		M. tor~2	I	65.1	-105.3	14.3	-127.2	
-153.9	-1967.1		J	65.1	-105.3	14.3	-120.5	
-164.5	-2028.6							
		INVSLU Max	I	638.4	391.9	5369.4	3053.0	
3964.3	4571.8		J	657.8	420.2	5629.4	3164.4	
-645.6	4393.7							
		Min	I	-992.0	-140.5	2858.7	-2466.5	-2
0175.8	-8017.1		J	-1027.1	-160.2	3077.1	-2525.8	-2
3867.6	-8101.7							
		INVSLV Max	I	912.0	1004.4	3018.7	4574.8	-
1977.7	25322.0		J	906.6	1007.4	3155.8	4574.8	-
4217.3	25925.0							
		Min	I	-1131.4	-846.4	1648.2	-4508.8	-
8503.1	-27351.1		J	-1136.9	-843.4	1785.3	-4508.8	-1
1069.1	-28115.1							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

2899.8	3145.2	INVSLE Max	I	415.2	273.5	3975.1	2244.7	
			J	427.6	292.7	4167.7	2327.2	
-515.7	3024.5	Min	I	-677.1	-87.3	2119.8	-1810.2	-1
4908.3	-5697.2		J	-701.2	-100.2	2281.5	-1854.2	-1
7642.2	-5771.2							
761	1	52 C1-C2;~1 Max	I	8.2	78.0	1674.2	2085.3	
6748.0	776.5		J	8.2	78.9	1729.9	2173.7	
5794.5	799.6	Min	I	-82.9	-23.3	-168.9	-1042.9	-
9385.5	-1599.3		J	-84.6	-23.3	-146.2	-1043.9	-
9827.7	-1674.1							
		C3-C4;~1 Max	I	9.6	78.8	1677.4	1400.3	
6774.9	911.7		J	9.6	79.7	1733.3	1448.6	
5827.2	938.9	Min	I	-82.2	-27.3	-169.3	-1762.7	-
9657.6	-1623.3		J	-83.1	-27.3	-146.5	-1805.3	-1
0109.7	-1700.4							
		C1-C2;~2 Max	I	4.3	43.4	974.7	1224.2	
3941.9	403.7		J	4.3	43.8	1003.7	1274.0	
3378.7	415.7	Min	I	-47.9	-12.1	-104.2	-601.3	-
5092.0	-878.7		J	-48.6	-12.1	-88.7	-592.0	-
5309.9	-920.1							
		C3-C4;~2 Max	I	5.0	43.6	975.9	802.8	
3954.9	484.5		J	4.9	43.9	1005.0	828.3	
3395.3	498.9	Min	I	-46.9	-14.5	-104.3	-1036.4	-
5257.2	-888.6		J	-47.6	-14.5	-88.7	-1052.2	-
5480.9	-930.7							
		SLVx (RS)	I	802.7	756.1	288.6	-3698.2	
2358.7	-22232.3		J	802.7	756.1	288.6	-3698.2	
2403.1	-22797.5							
		SLVy (RS)	I	712.2	-469.7	85.5	2759.8	
2322.3	-13898.1		J	712.2	-469.7	85.5	2759.8	
2345.1	-14239.7							
		SLDx (RS)	I	571.1	529.9	215.1	-2582.4	
1655.3	15854.4		J	571.1	529.9	215.1	-2582.4	
1686.6	16241.7							
		SLDy (RS)	I	506.5	328.7	64.9	1923.0	
1630.6	-9787.5		J	506.5	328.7	64.9	1923.0	
1646.6	-10023.2							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1213.8	-2061.1	SLVz (RS)	I	119.7	-82.3	-593.3	-86.6	
			J	119.7	-82.3	-593.3	-86.6	
1759.2	-2061.1							
		G1	I	-88.8	69.9	1809.4	117.4	-
5603.1	-1091.6		J	-92.7	72.2	1909.7	117.4	-
7462.1	-1162.6							
		G2	I	-32.4	25.5	660.8	42.5	-
2046.8	-398.6		J	-33.9	26.4	697.4	42.5	-
2725.7	-424.5							
		G1- Imp~1	I	5.3	-8.7	0.3	-18.3	
5.7	289.3		J	5.3	-8.7	0.3	-18.3	
5.4	298.0							
		G2- Imp~1	I	1.9	-3.2	0.1	-6.7	
2.1	105.8		J	1.9	-3.2	0.1	-6.7	
2.0	109.0							
		q3	I	-99.5	-5.8	8.1	27.9	
-140.1	377.8		J	-102.7	-5.8	8.1	27.9	
-145.1	383.7							
		q4-1	I	95.7	51.1	9.8	-122.3	
-34.6	-1681.1		J	95.7	51.1	9.8	-122.3	
-44.3	-1732.2							
		q4-2	I	27.6	-46.0	7.1	17.2	
-144.2	1528.6		J	27.6	-46.0	7.1	17.2	
-151.3	1574.5							
		q4-3	I	-1.7	2.7	0.2	23.9	
-11.4	-90.3		J	-1.7	2.7	0.2	23.9	
-11.7	-93.1							
		q4-4	I	-1.4	2.4	-0.4	1.3	
7.0	-79.6		J	-1.4	2.4	-0.4	1.3	
7.3	-82.0							
		q4-5	I	0.2	-0.3	0.3	-1.0	
-7.8	11.1		J	0.2	-0.3	0.3	-1.0	
-8.1	11.4							
		q4-6	I	0.3	-0.5	0.3	-0.2	
-9.8	16.3		J	0.3	-0.5	0.3	-0.2	
-10.1	16.8							
		q4-7	I	0.2	-0.4	0.3	-0.2	
-9.9	12.9		J	0.2	-0.4	0.3	-0.2	
-10.3	13.3							
		q5 - p~1	I	-567.6	-10.3	17.4	261.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-562.8	2340.6		J	-586.3	-7.7	16.6	260.6	
-573.1	2349.6							
559.8	-3481.1	q5 - p~2	I	-158.3	-174.1	-32.8	95.2	
591.4	-3298.7		J	-155.8	-190.8	-32.3	101.2	
-520.8	2217.0	q5 - p~3	I	-537.4	-9.8	10.9	250.5	
-530.0	2225.5		J	-555.3	-7.3	10.1	250.3	
500.6	-3281.9	q5 - p~4	I	-149.9	-165.2	-29.4	35.8	
529.6	-3108.8		J	-147.5	-181.1	-28.9	36.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-97.4	556.3	q7	I	-55.0	-13.4	2.5	55.7	
-99.9	569.8		J	-55.0	-13.4	2.5	55.7	
4.3	29.7	T	I	0.5	-0.9	-0.1	2.2	
4.4	30.6		J	0.5	-0.9	-0.1	2.2	
-281.0	-3431.3	M. tor~1	I	107.8	-179.5	24.2	-200.2	
-298.9	-3533.8		J	107.8	-179.5	24.2	-189.1	
-166.1	-2028.6	M. tor~2	I	63.7	-106.1	14.3	-118.3	
-176.7	-2089.2		J	63.7	-106.1	14.3	-111.8	
-661.1	4393.7	INVSLU Max	I	659.3	420.1	5629.4	3234.1	
5341.4	4196.8		J	678.7	448.6	5889.3	3352.6	-
3864.2	-8101.7	Min	I	-1025.2	-155.3	3077.1	-2434.5	-2
7927.2	-8178.9		J	-1060.1	-175.0	3293.2	-2491.1	-2
4222.6	25925.0	INVSLV Max	I	938.2	1005.3	3176.0	4687.0	-
6546.1	26507.6		J	932.8	1008.4	3313.0	4687.0	-
1061.6	-28115.1	Min	I	-1166.3	-838.2	1765.1	-4417.2	-1
3814.9	-28867.9		J	-1171.7	-835.1	1902.1	-4417.2	-1

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

-526.9	3024.5	INVSLE Max	I	428.7	292.9	4167.7	2378.4	
			J	441.1	312.2	4360.3	2466.2	-
3995.7	2890.9	Min	I	-699.7	-96.7	2281.5	-1786.0	-1
7640.0	-5771.2		J	-723.6	-109.5	2441.6	-1828.0	-2
0647.7	-5840.6							
762	1	52 C1-C2;~1 Max	I	7.9	80.0	1729.9	2181.1	
5794.4	799.6		J	7.9	81.0	1785.6	2274.1	
4926.7	822.8	Min	I	-83.6	-23.4	-146.2	-1094.9	-
9827.3	-1674.1		J	-85.3	-23.4	-125.0	-1095.0	-1
0410.7	-1750.9							
		C3-C4;~1 Max	I	9.2	80.8	1733.3	1443.3	
5816.5	938.9		J	9.1	81.8	1789.1	1497.5	
4955.5	966.1	Min	I	-82.1	-27.4	-146.5	-1854.5	-1
0110.2	-1700.4		J	-83.7	-27.4	-125.3	-1894.7	-1
0703.8	-1779.6							
		C1-C2;~2 Max	I	4.2	44.1	1003.7	1271.5	
3379.5	415.7		J	4.2	44.4	1032.4	1324.1	
2845.6	427.7	Min	I	-48.1	-12.2	-88.7	-626.5	-
5309.7	-920.1		J	-48.8	-12.2	-74.1	-615.8	-
5584.1	-962.5							
		C3-C4;~2 Max	I	4.8	44.6	1005.0	812.0	
3388.9	498.9		J	4.7	44.9	1033.9	841.4	
2859.2	513.4	Min	I	-47.0	-14.5	-88.7	-1086.0	-
5480.9	-930.7		J	-47.7	-14.5	-74.0	-1099.3	-
5761.2	-973.9							
		SLVx (RS)	I	828.2	752.0	296.5	-3706.9	
2397.3	-22797.5		J	828.2	752.0	296.5	-3706.9	
2473.8	-23349.5							
		SLVy (RS)	I	730.9	-467.8	88.6	2763.4	
2342.2	-14239.7		J	730.9	-467.8	88.6	2763.4	
2365.5	-14576.5							
		SLDx (RS)	I	588.8	527.0	221.0	-2588.8	
1682.4	16241.7		J	588.8	527.0	221.0	-2588.8	
1739.2	16618.9							
		SLDy (RS)	I	519.6	327.1	67.3	1925.5	
1644.9	-10023.2		J	519.6	327.1	67.3	1925.5	
1661.7	-10255.4							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1760.6	-2061.1	SLVz (RS)	I	119.2	-85.4	-608.3	-96.0	
			J	119.2	-85.4	-608.3	-96.0	
2338.6	-2057.2							
		G1	I	-91.7	73.4	1909.7	218.8	-
7459.9	-1162.6		J	-95.7	75.7	2010.2	218.8	-
9420.3	-1237.2							
		G2	I	-33.5	26.8	697.4	79.6	-
2724.8	-424.5		J	-34.9	27.7	734.1	79.6	-
3440.8	-451.7							
		G1- Imp~1	I	5.1	-8.8	0.3	-18.4	
5.1	298.0		J	5.1	-8.8	0.3	-18.4	
4.8	306.8							
		G2- Imp~1	I	1.9	-3.2	0.1	-6.7	
1.9	109.0		J	1.9	-3.2	0.1	-6.7	
1.8	112.2							
		q3	I	-102.8	-4.4	8.1	29.9	
-144.7	383.7		J	-106.0	-4.4	8.1	29.9	
-149.8	388.1							
		q4-1	I	96.4	49.8	9.8	-121.7	
-46.0	-1732.2		J	96.4	49.8	9.8	-121.7	
-55.8	-1782.0							
		q4-2	I	27.0	-46.3	7.1	19.3	
-151.1	1574.5		J	27.0	-46.3	7.1	19.3	
-158.2	1620.9							
		q4-3	I	-1.6	2.8	0.2	24.0	
-11.4	-93.1		J	-1.6	2.8	0.2	24.0	
-11.6	-95.9							
		q4-4	I	-1.4	2.4	-0.4	1.2	
7.3	-82.0		J	-1.4	2.4	-0.4	1.2	
7.7	-84.5							
		q4-5	I	0.2	-0.3	0.3	-0.8	
-8.1	11.4		J	0.2	-0.3	0.3	-0.8	
-8.4	11.8							
		q4-6	I	0.3	-0.5	0.3	-0.1	
-10.1	16.8		J	0.3	-0.5	0.3	-0.1	
-10.4	17.3							
		q4-7	I	0.2	-0.4	0.3	-0.1	
-10.3	13.3		J	0.2	-0.4	0.3	-0.1	
-10.6	13.7							
		q5 - p~1	I	-586.4	0.3	16.6	268.3	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-569.5	2349.6		J	-605.2	3.1	15.8	267.3	
-579.0	2347.9							
592.8	-3298.7	q5 - p~2	I	-158.4	-188.7	-32.3	93.2	
624.0	-3101.5		J	-156.0	-205.6	-31.9	99.3	
-526.6	2225.5	q5 - p~3	I	-555.3	0.2	10.1	257.5	
-535.1	2224.0		J	-573.1	2.9	9.3	257.3	
530.0	-3108.8	q5 - p~4	I	-150.0	-179.1	-28.9	29.7	
558.5	-2921.7		J	-147.7	-195.1	-28.4	30.8	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-99.1	569.8	q7	I	-55.2	-12.7	2.5	57.1	
-101.6	582.4		J	-55.2	-12.7	2.5	57.1	
4.4	30.6	T	I	0.5	-0.9	-0.1	2.1	
4.5	31.5		J	0.5	-0.9	-0.1	2.1	
-301.4	-3533.8	M. tor~1	I	105.3	-180.9	24.2	-185.0	
-319.2	-3634.9		J	105.3	-180.9	24.2	-174.0	
-178.2	-2089.2	M. tor~2	I	62.3	-107.0	14.3	-109.4	
-188.7	-2149.0		J	62.3	-107.0	14.3	-102.9	
5351.0	4196.8	INVSLU Max	I	680.2	448.6	5889.3	3556.4	-
0098.8	3980.9		J	699.6	477.3	6149.3	3681.0	-1
7925.3	-8178.9	Min	I	-1057.9	-169.8	3293.2	-2377.6	-2
2368.7	-8248.9		J	-1092.7	-189.5	3507.5	-2431.0	-3
6549.6	26507.6	INVSLV Max	I	965.0	1006.2	3331.4	4837.9	-
8969.5	27069.7		J	959.6	1009.3	3468.5	4837.9	-
3805.8	-28867.9	Min	I	-1201.4	-829.7	1883.7	-4291.4	-1
6739.5	-29609.6		J	-1206.8	-826.6	2020.8	-4291.4	-1

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4002.9	2890.9	INVSLE Max	I	442.2	312.4	4360.3	2616.6	-
			J	454.6	331.9	4552.9	2709.0	-
7521.9	2744.1	Min	I	-721.9	-106.0	2441.6	-1743.4	-2
0646.2	-5840.6		J	-745.8	-118.8	2600.2	-1783.0	-2
3935.5	-5905.7							
763	1	52 C1-C2;~1 Max	I	7.6	82.0	1785.6	2336.1	
4926.5	822.8		J	7.6	82.9	1841.3	2433.8	
4139.5	845.9	Min	I	-84.4	-23.5	-125.0	-1142.5	-1
0409.4	-1750.9		J	-86.1	-23.5	-105.3	-1142.2	-1
1124.2	-1833.4							
		C3-C4;~1 Max	I	8.8	82.8	1789.1	1540.0	
4945.8	966.1		J	8.8	83.7	1845.0	1605.6	
4166.2	993.3	Min	I	-82.8	-27.5	-125.3	-1943.6	-1
0704.0	-1779.6		J	-84.4	-27.5	-105.5	-1981.5	-1
1429.5	-1860.7							
		C1-C2;~2 Max	I	4.0	45.0	1032.4	1349.7	
2846.3	427.7		J	4.0	45.4	1060.9	1405.2	
2341.2	439.8	Min	I	-48.3	-12.2	-74.1	-644.7	-
5583.2	-962.5		J	-49.0	-12.2	-60.3	-633.2	-
5910.2	-1006.0							
		C3-C4;~2 Max	I	4.6	45.5	1033.9	850.7	
2853.4	513.4		J	4.5	45.9	1062.5	888.1	
2352.8	527.9	Min	I	-47.2	-14.6	-74.0	-1129.5	-
5760.8	-973.9		J	-47.8	-14.6	-60.2	-1140.3	-
6093.8	-1018.1							
		SLVx (RS)	I	853.2	748.4	303.2	-3715.5	
2469.5	-23349.5		J	853.2	748.4	303.2	-3715.5	
2577.8	-23887.7							
		SLVy (RS)	I	749.3	-466.2	92.0	2766.1	
2364.0	-14576.5		J	749.3	-466.2	92.0	2766.1	
2388.4	-14908.0							
		SLDx (RS)	I	606.3	524.6	226.0	-2595.2	
1736.1	16618.9		J	606.3	524.6	226.0	-2595.2	
1818.2	16985.7							
		SLDy (RS)	I	532.4	325.8	69.9	1927.3	
1660.8	-10255.4		J	532.4	325.8	69.9	1927.3	
1678.8	-10483.7							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2339.6	-2057.2	SLVz (RS)	I	119.0	-88.7	-621.6	-111.2	
			J	119.0	-88.7	-621.6	-111.2	
2938.0	-2049.9							
		G1	I	-94.7	76.9	2010.2	335.3	-
9416.9	-1237.2		J	-98.6	79.3	2110.6	335.3	-1
1477.8	-1315.3							
		G2	I	-34.6	28.1	734.1	122.1	-
3439.5	-451.7		J	-36.0	28.9	770.8	122.1	-
4192.2	-480.3							
		G1- Imp~1	I	5.0	-8.9	0.3	-18.5	
4.6	306.8		J	5.0	-8.9	0.3	-18.5	
4.3	315.6							
		G2- Imp~1	I	1.8	-3.2	0.1	-6.7	
1.7	112.2		J	1.8	-3.2	0.1	-6.7	
1.6	115.5							
		q3	I	-106.1	-3.1	8.1	31.7	
-149.4	388.1		J	-109.3	-3.1	8.1	31.7	
-154.5	391.2							
		q4-1	I	97.0	48.6	9.8	-121.0	
-57.3	-1782.0		J	97.0	48.6	9.8	-121.0	
-67.1	-1830.6							
		q4-2	I	26.4	-46.7	7.1	21.2	
-157.9	1620.9		J	26.4	-46.7	7.1	21.2	
-165.1	1667.5							
		q4-3	I	-1.6	2.8	0.2	24.2	
-11.3	-95.9		J	-1.6	2.8	0.2	24.2	
-11.5	-98.6							
		q4-4	I	-1.4	2.4	-0.4	1.1	
7.7	-84.5		J	-1.4	2.4	-0.4	1.1	
8.1	-86.9							
		q4-5	I	0.2	-0.3	0.3	-0.7	
-8.4	11.8		J	0.2	-0.3	0.3	-0.7	
-8.6	12.1							
		q4-6	I	0.3	-0.5	0.3	0.0	
-10.4	17.3		J	0.3	-0.5	0.3	0.0	
-10.7	17.8							
		q4-7	I	0.2	-0.4	0.3	0.1	
-10.6	13.7		J	0.2	-0.4	0.3	0.1	
-10.9	14.0							
		q5 - p~1	I	-605.1	10.6	15.8	274.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-575.6	2347.9		J	-623.8	13.7	15.0	273.3	
-584.3	2335.7							
625.2	-3101.5	q5 - p~2	I	-158.6	-203.6	-31.9	91.5	
656.0	-2889.4		J	-156.3	-220.5	-31.4	97.6	
-531.9	2224.0	q5 - p~3	I	-573.0	10.0	9.3	263.9	
-539.6	2212.5		J	-590.8	13.0	8.6	263.7	
558.9	-2921.7	q5 - p~4	I	-150.1	-193.2	-28.4	23.9	
587.0	-2720.4		J	-147.9	-209.3	-28.0	25.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-100.9	582.4	q7	I	-55.4	-12.0	2.5	58.3	
-103.4	594.4		J	-55.4	-12.0	2.5	58.3	
4.5	31.5	T	I	0.5	-0.9	-0.1	2.1	
4.6	32.4		J	0.5	-0.9	-0.1	2.1	
-321.3	-3634.9	M. tor~1	I	103.1	-182.2	24.2	-170.0	
-338.9	-3734.7		J	103.1	-182.2	24.2	-159.1	
-189.9	-2149.0	M. tor~2	I	61.0	-107.7	14.3	-100.5	
-200.4	-2208.0		J	61.0	-107.7	14.3	-94.1	
0104.9	3980.9	INVSLU Max	I	700.8	477.3	6149.3	3985.7	-1
4928.5	3745.6		J	720.2	506.2	6409.3	4116.6	-1
2364.1	-8248.9	Min	I	-1090.4	-184.8	3507.5	-2288.8	-3
7170.0	-8311.5		J	-1125.1	-204.5	3719.6	-2338.9	-3
8969.6	27069.7	INVSLV Max	I	991.3	1007.8	3484.8	5011.0	-
1236.2	27610.6		J	986.0	1011.0	3621.9	5011.0	-1
6730.7	-29609.6	Min	I	-1236.2	-822.0	2004.5	-4146.5	-1
0092.0	-30339.6		J	-1241.5	-818.8	2141.6	-4146.5	-2

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

7526.5	2744.1	INVSLE Max	I	455.4	332.2	4552.9	2934.2	-
			J	467.9	351.8	4745.6	3031.3	-1
1101.5	2584.0	Min	I	-744.0	-115.5	2600.2	-1677.3	-2
3932.0	-5905.7		J	-767.8	-128.3	2757.4	-1714.5	-2
7489.9	-5966.2							
764	1	52 C1-C2;~1 Max	I	7.3	84.0	1841.3	2518.9	
4139.6	845.9		J	7.2	84.9	1896.9	2621.2	
3425.1	868.9	Min	I	-85.0	-23.6	-105.3	-1181.1	-1
1121.7	-1833.4		J	-86.7	-23.5	-87.1	-1179.9	-1
1957.6	-1915.5							
		C3-C4;~1 Max	I	8.4	84.8	1845.0	1695.1	
4156.2	993.3		J	8.3	85.7	1900.7	1764.9	
3449.7	1020.3	Min	I	-83.3	-27.6	-105.5	-2023.2	-1
1429.3	-1860.7		J	-84.9	-27.5	-88.3	-2058.6	-1
2275.8	-1943.4							
		C1-C2;~2 Max	I	3.8	46.0	1060.9	1441.9	
2342.1	439.8		J	3.8	46.4	1089.1	1500.0	
1863.3	451.8	Min	I	-48.4	-12.3	-60.3	-656.7	-
5908.6	-1006.0		J	-49.1	-12.3	-47.4	-644.2	-
6284.1	-1050.4							
		C3-C4;~2 Max	I	4.4	46.5	1062.5	926.9	
2346.7	527.9		J	4.3	46.8	1090.7	966.8	
1872.9	542.3	Min	I	-47.3	-14.6	-60.2	-1165.9	-
6093.0	-1018.1		J	-47.9	-14.6	-48.0	-1174.2	-
6474.5	-1063.1							
		SLVx (RS)	I	878.8	744.3	308.7	-3725.6	
2572.9	-23887.7		J	878.8	744.3	308.7	-3725.6	
2711.3	-24411.2							
		SLVy (RS)	I	767.7	-464.4	95.3	2769.2	
2386.6	-14908.0		J	767.7	-464.4	95.3	2769.2	
2412.9	-15233.8							
		SLDx (RS)	I	624.2	521.9	230.1	-2602.6	
1814.6	16985.7		J	624.2	521.9	230.1	-2602.6	
1920.3	-17341.6							
		SLDy (RS)	I	545.2	324.3	72.3	1929.5	
1677.8	-10483.7		J	545.2	324.3	72.3	1929.5	
1697.4	-10707.8							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2938.6	-2049.9	SLVz (RS)	I	119.2	-92.0	-633.0	-136.7	
			J	119.2	-92.0	-633.0	-136.7	
3552.0	-2039.8							
		G1	I	-97.5	80.6	2110.6	488.4	-1
1472.3	-1315.3		J	-101.4	83.0	2211.0	488.4	-1
3633.5	-1397.1							
		G2	I	-35.6	29.4	770.8	178.0	-
4190.1	-480.3		J	-37.0	30.3	807.4	178.0	-
4979.4	-510.1							
		G1- Imp~1	I	4.9	-8.9	0.3	-18.5	
4.1	315.6		J	4.9	-8.9	0.3	-18.5	
3.8	324.6							
		G2- Imp~1	I	1.8	-3.3	0.1	-6.8	
1.5	115.5		J	1.8	-3.3	0.1	-6.8	
1.4	118.7							
		q3	I	-109.3	-1.6	8.1	33.8	
-154.1	391.2		J	-112.5	-1.6	8.1	33.8	
-159.1	392.8							
		q4-1	I	97.7	47.3	9.8	-120.1	
-68.7	-1830.6		J	97.7	47.3	9.8	-120.1	
-78.5	-1877.9							
		q4-2	I	25.8	-47.0	7.1	23.4	
-164.8	1667.5		J	25.8	-47.0	7.1	23.4	
-171.9	1714.6							
		q4-3	I	-1.6	2.8	0.2	24.3	
-11.2	-98.6		J	-1.6	2.8	0.2	24.3	
-11.5	-101.5							
		q4-4	I	-1.3	2.5	-0.4	1.0	
8.1	-86.9		J	-1.3	2.5	-0.4	1.0	
8.4	-89.3							
		q4-5	I	0.2	-0.3	0.3	-0.6	
-8.6	12.1		J	0.2	-0.3	0.3	-0.6	
-8.9	12.4							
		q4-6	I	0.3	-0.5	0.3	0.2	
-10.7	17.8		J	0.3	-0.5	0.3	0.2	
-11.1	18.3							
		q4-7	I	0.2	-0.4	0.3	0.2	
-10.9	14.0		J	0.2	-0.4	0.3	0.2	
-11.2	14.4							
		q5 - p~1	I	-623.6	22.0	15.0	281.1	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-580.6	2335.7		J	-642.3	25.4	14.2	279.9	
-588.6	2312.0							
		q5 - p~2	I	-159.2	-218.4	-31.4	88.9	
657.2	-2889.4		J	-157.0	-235.4	-30.9	95.0	
687.6	-2662.5							
		q5 - p~3	I	-590.5	20.8	8.6	270.8	
-536.0	2212.5		J	-608.2	24.0	7.8	270.6	
-543.0	2190.1							
		q5 - p~4	I	-150.7	-207.3	-28.0	17.2	
587.2	-2720.4		J	-148.7	-223.3	-27.5	18.3	
614.9	-2505.0							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-55.5	-11.2	2.5	59.7	
-102.6	594.4		J	-55.5	-11.2	2.5	59.7	
-105.1	605.6							
		T	I	0.5	-0.9	-0.1	2.0	
4.6	32.4		J	0.5	-0.9	-0.1	2.0	
4.7	33.3							
		M. tor~1	I	100.7	-183.6	24.2	-154.6	
-341.0	-3734.7		J	100.7	-183.6	24.2	-143.7	
-358.4	-3833.1							
		M. tor~2	I	59.5	-108.5	14.3	-91.4	
-201.6	-2208.0		J	59.5	-108.5	14.3	-85.0	
-211.9	-2266.2							
		INVSLU Max	I	721.3	506.4	6409.3	4520.6	-1
4931.1	3745.6		J	740.7	535.4	6669.2	4657.6	-1
9841.1	3490.6	Min	I	-1122.2	-199.3	3719.6	-2120.1	-3
7161.2	-8311.5		J	-1156.8	-218.9	3928.4	-2166.8	-4
2315.0	-8366.9							
		INVSLV Max	I	1018.4	1009.1	3636.0	5238.6	-1
1230.5	27610.6		J	1013.2	1012.4	3773.1	5238.6	-1
3518.4	28129.3	Min	I	-1271.3	-813.4	2127.5	-3956.2	-2
0083.4	-30339.6		J	-1276.6	-810.1	2264.6	-3956.2	-2
3696.9	-31057.2							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1103.6	2584.0	INVSLE Max	I	468.7	352.1	4745.6	3330.0	-1
			J	481.2	371.8	4938.1	3431.5	-1
4742.6	2410.4	Min	I	-765.7	-124.6	2757.4	-1551.8	-2
7483.3	-5966.2		J	-789.4	-137.4	2912.0	-1586.5	-3
1298.9	-6022.4							
765	1	52 C1-C2;~1 Max	I	7.0	86.0	1896.9	2713.6	
3425.8	868.9		J	6.9	86.9	1952.5	2820.8	
3194.7	892.0	Min	I	-85.7	-23.6	-87.1	-1201.0	-1
1954.3	-1915.5		J	-87.3	-23.6	-83.7	-1199.4	-1
2901.7	-1999.5							
		C3-C4;~1 Max	I	8.0	86.7	1900.7	1861.5	
3441.1	1020.3		J	7.9	87.6	1956.3	1935.8	
3263.4	1046.9	Min	I	-83.9	-27.6	-88.3	-2084.7	-1
2275.2	-1943.4		J	-85.4	-27.5	-85.5	-2117.9	-1
3232.7	-2027.8							
		C1-C2;~2 Max	I	3.7	47.0	1089.1	1541.1	
1864.5	451.8		J	3.7	47.3	1117.0	1602.1	
1723.7	463.9	Min	I	-48.6	-12.3	-47.4	-657.0	-
6281.9	-1050.4		J	-49.2	-12.3	-45.4	-643.9	-
6702.0	-1095.8							
		C3-C4;~2 Max	I	4.2	47.4	1090.7	1009.9	
1867.4	542.3		J	4.1	47.8	1118.7	1052.6	
1765.8	556.6	Min	I	-47.4	-14.7	-48.0	-1190.5	-
6473.3	-1063.1		J	-48.0	-14.6	-46.5	-1196.7	-
6899.2	-1108.9							
		SLVx (RS)	I	903.9	740.9	313.0	-3735.9	
2707.5	-24411.2		J	903.9	740.9	313.0	-3735.9	
2873.2	-24920.1							
		SLVy (RS)	I	785.8	-462.9	98.4	2771.7	
2412.1	-15233.8		J	785.8	-462.9	98.4	2771.7	
2440.7	-15553.6							
		SLDx (RS)	I	641.7	519.8	233.3	-2610.2	
1917.5	-17341.6		J	641.7	519.8	233.3	-2610.2	
2044.3	-17686.5							
		SLDy (RS)	I	557.6	323.1	74.6	1931.2	
1697.1	-10707.8		J	557.6	323.1	74.6	1931.2	
1718.7	-10927.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3552.1	-2039.8	SLVz (RS)	I	119.6	-95.0	-642.5	-169.9	
			J	119.6	-95.0	-642.5	-169.9	
4177.3	-2027.4							
		G1	I	-100.4	84.2	2211.0	657.0	-1
3626.4	-1397.1		J	-104.2	86.7	2311.5	657.0	-1
5888.7	-1482.6							
		G2	I	-36.7	30.8	807.4	239.6	-
4976.8	-510.1		J	-38.0	31.7	844.1	239.6	-
5802.9	-541.4							
		G1- Imp~1	I	4.8	-9.0	0.3	-18.6	
3.5	324.6		J	4.8	-9.0	0.3	-18.6	
3.2	333.6							
		G2- Imp~1	I	1.8	-3.3	0.1	-6.8	
1.3	118.7		J	1.8	-3.3	0.1	-6.8	
1.2	122.0							
		q3	I	-112.5	-0.3	8.1	35.7	
-158.7	392.8		J	-115.7	-0.3	8.1	35.7	
-163.8	393.1							
		q4-1	I	98.2	46.1	9.8	-119.1	
-79.9	-1877.9		J	98.2	46.1	9.8	-119.1	
-89.7	-1924.0							
		q4-2	I	25.2	-47.3	7.1	25.6	
-171.6	1714.6		J	25.2	-47.3	7.1	25.6	
-178.8	1761.9							
		q4-3	I	-1.5	2.8	0.2	24.5	
-11.2	-101.5		J	-1.5	2.8	0.2	24.5	
-11.4	-104.3							
		q4-4	I	-1.3	2.5	-0.4	0.9	
8.4	-89.3		J	-1.3	2.5	-0.4	0.9	
8.8	-91.8							
		q4-5	I	0.2	-0.3	0.3	-0.5	
-8.9	12.4		J	0.2	-0.3	0.3	-0.5	
-9.2	12.8							
		q4-6	I	0.3	-0.5	0.3	0.3	
-11.1	18.3		J	0.3	-0.5	0.3	0.3	
-11.4	18.8							
		q4-7	I	0.2	-0.4	0.3	0.4	
-11.2	14.4		J	0.2	-0.4	0.3	0.4	
-11.6	14.8							
		q5 - p~1	I	-641.9	33.3	14.2	287.1	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-585.1	2312.0		J	-660.6	36.9	13.4	285.8	
-592.2	2276.8							
688.7	-2662.5	q5 - p~2	I	-159.9	-233.4	-30.9	86.5	
718.6	-2420.4		J	-157.9	-250.5	-30.4	92.6	
-539.6	2190.1	q5 - p~3	I	-607.9	31.5	7.8	277.3	
-545.8	2156.8		J	-625.6	34.9	7.1	277.1	
615.0	-2505.0	q5 - p~4	I	-151.4	-221.5	-27.5	10.7	
642.2	-2275.4		J	-149.5	-237.6	-27.1	11.8	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-104.3	605.6	q7	I	-55.7	-10.6	2.5	61.0	
-106.8	616.2		J	-55.7	-10.6	2.5	61.0	
4.7	33.3	T	I	0.5	-0.9	-0.1	1.9	
4.8	34.2		J	0.5	-0.9	-0.1	1.9	
-360.2	-3833.1	M. tor~1	I	98.4	-184.8	24.2	-139.3	
-377.5	-3930.4		J	98.4	-184.8	24.2	-128.6	
-212.9	-2266.2	M. tor~2	I	58.2	-109.3	14.3	-82.4	
-223.2	-2323.7		J	58.2	-109.3	14.3	-76.0	
9839.1	3490.6	INVSLU Max	I	741.7	535.6	6669.2	5099.4	-1
4221.9	3215.5		J	761.1	564.8	6928.9	5242.9	-2
2302.5	-8366.9	Min	I	-1153.9	-214.0	3928.4	-1898.0	-4
7792.0	-8414.8		J	-1188.3	-233.6	4117.7	-1941.7	-4
3510.4	28129.3	INVSLV Max	I	1045.1	1011.0	3784.8	5489.6	-1
5915.7	28625.9		J	1039.9	1014.3	3921.9	5489.6	-1
3686.3	-31057.2	Min	I	-1306.0	-805.5	2252.9	-3747.2	-2
7458.7	-31762.8		J	-1311.2	-802.2	2390.0	-3747.2	-2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4741.2	2410.4	INVSLE Max	I	481.9	372.2	4938.1	3758.3	-1
7989.7	2222.8		J	494.3	392.0	5130.5	3864.7	-1
1289.6	-6022.4	Min	I	-787.2	-134.0	2912.0	-1386.9	-3
5353.9	-6074.1		J	-810.8	-146.7	3052.1	-1419.3	-3
766	1	52 C1-C2;~1 Max	I	6.6	88.1	1952.5	2943.0	
3191.6	892.0		J	6.5	89.1	2007.9	3055.0	
3194.7	914.8	Min	I	-86.1	-23.7	-83.7	-1206.4	-1
2896.3	-1999.5		J	-87.7	-23.6	-82.8	-1206.9	-1
3946.5	-2085.5							
3259.6	1046.9	C3-C4;~1 Max	I	7.6	88.8	1956.3	2063.5	
3265.6	1072.9		J	7.5	89.7	2011.7	2142.3	
3231.1	-2027.8	Min	I	-84.3	-27.6	-85.5	-2132.8	-1
4290.9	-2113.8		J	-85.8	-27.5	-84.7	-2165.9	-1
1722.0	463.9	C1-C2;~2 Max	I	3.5	48.0	1117.0	1657.6	
1735.2	475.8		J	3.5	48.4	1144.6	1721.4	
6698.6	-1095.8	Min	I	-48.6	-12.3	-45.4	-648.5	-
7159.8	-1142.3		J	-49.2	-12.3	-45.0	-636.7	-
1763.9	556.6	C3-C4;~2 Max	I	3.9	48.4	1118.7	1110.6	
1778.6	570.6		J	3.9	48.8	1146.2	1155.9	
6897.2	-1108.9	Min	I	-47.4	-14.7	-46.5	-1206.7	-
7364.0	-1155.6		J	-48.0	-14.6	-46.1	-1212.3	-
2867.9	-24920.1	SLVx (RS)	I	929.9	736.4	316.1	-3748.3	
3057.4	-25413.0		J	929.9	736.4	316.1	-3748.3	-
2439.1	-15553.6	SLVy (RS)	I	803.9	-460.9	101.0	2775.1	
2470.5	15867.0		J	803.9	-460.9	101.0	2775.1	
2040.6	-17686.5	SLDx (RS)	I	659.8	517.0	235.6	-2619.3	
2185.6	-18019.8		J	659.8	517.0	235.6	-2619.3	-
1717.9	-10927.6	SLDy (RS)	I	570.2	321.5	76.5	1933.5	
1741.9	-11142.6		J	570.2	321.5	76.5	1933.5	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
4176.4	-2027.4	SLVz (RS)	I	120.3	-97.5	-650.0	-219.6	
			J	120.3	-97.5	-650.0	-219.6	
4810.8	-2013.1							
		G1	I	-102.9	88.2	2311.5	884.4	-1
5877.6	-1482.6		J	-106.7	90.7	2411.9	884.4	-1
8240.5	-1572.1							
		G2	I	-37.6	32.2	844.1	322.6	-
5798.9	-541.4		J	-39.0	33.1	880.8	322.6	-
6661.8	-574.0							
		G1- Imp~1	I	4.7	-9.1	0.3	-18.6	
3.0	333.6		J	4.7	-9.1	0.3	-18.6	
2.7	342.6							
		G2- Imp~1	I	1.7	-3.3	0.1	-6.8	
1.1	122.0		J	1.7	-3.3	0.1	-6.8	
1.0	125.3							
		q3	I	-115.7	1.4	8.1	38.1	
-163.3	393.1		J	-118.9	1.4	8.1	38.1	
-168.3	391.7							
		q4-1	I	98.9	44.7	9.8	-117.8	
-91.4	-1924.0		J	98.9	44.7	9.8	-117.8	
-101.2	-1968.7							
		q4-2	I	24.5	-47.7	7.1	28.1	
-178.4	1761.9		J	24.5	-47.7	7.1	28.1	
-185.5	1809.6							
		q4-3	I	-1.5	2.9	0.2	24.6	
-11.1	-104.3		J	-1.5	2.9	0.2	24.6	
-11.3	-107.1							
		q4-4	I	-1.3	2.5	-0.4	0.8	
8.8	-91.8		J	-1.3	2.5	-0.4	0.8	
9.2	-94.3							
		q4-5	I	0.2	-0.3	0.3	-0.4	
-9.2	12.8		J	0.2	-0.3	0.3	-0.4	
-9.4	13.1							
		q4-6	I	0.3	-0.5	0.3	0.5	
-11.4	18.8		J	0.3	-0.5	0.3	0.5	
-11.7	19.3							
		q4-7	I	0.2	-0.4	0.3	0.5	
-11.6	14.8		J	0.2	-0.4	0.3	0.5	
-11.9	15.2							
		q5 - p~1	I	-660.0	46.4	13.4	294.3	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-588.0	2276.8		J	-678.6	50.2	12.7	292.9	
-594.4	2228.5							
719.9	-2420.4	q5 - p~2	I	-161.5	-248.2	-30.4	82.3	
749.3	-2163.6		J	-159.5	-265.3	-29.9	88.5	
-541.8	2156.8	q5 - p~3	I	-625.0	43.9	7.1	284.9	
-547.3	2111.1		J	-642.6	47.5	6.3	284.6	
642.3	-2275.4	q5 - p~4	I	-152.9	-235.4	-27.1	2.6	
669.0	-2031.7		J	-151.1	-251.6	-26.6	3.7	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-106.0	616.2	q7	I	-55.8	-9.8	2.5	62.5	
-108.5	626.0		J	-55.8	-9.8	2.5	62.5	
4.8	34.2	T	I	0.5	-0.9	-0.1	1.9	
4.9	35.2		J	0.5	-0.9	-0.1	1.9	
-379.3	-3930.4	M. tor~1	I	95.7	-186.2	24.2	-123.1	
-396.5	-4026.3		J	95.7	-186.2	24.2	-112.5	
-224.3	-2323.7	M. tor~2	I	56.6	-110.1	14.3	-72.8	
-234.4	-2380.4		J	56.6	-110.1	14.3	-66.5	
4206.1	3215.5	INVSLU Max	I	762.0	565.0	6928.9	5834.4	-2
8526.6	2978.7		J	781.4	594.4	7188.4	5984.4	-2
7771.2	-8414.8	Min	I	-1184.5	-227.8	4117.7	-1550.3	-4
3583.8	-8514.3		J	-1218.8	-247.4	4304.4	-1593.8	-5
5903.9	28625.9	INVSLV Max	I	1073.0	1012.0	3931.1	5828.3	-1
8429.5	29098.7		J	1067.9	1015.4	4068.2	5828.3	-1
7441.0	-31762.8	Min	I	-1341.3	-795.9	2380.8	-3465.1	-2
1367.8	-32455.2		J	-1346.5	-792.5	2518.0	-3465.1	-3

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

7978.1	2222.8	INVSLE Max	I	495.1	392.4	5130.5	4302.3	-1
			J	507.5	412.4	5322.8	4413.5	-2
1180.5	2060.2	Min	I	-808.0	-142.7	3052.1	-1128.9	-3
5338.4	-6074.1		J	-831.5	-155.4	3190.4	-1161.2	-3
9642.0	-6160.7							
767	1	52 C1-C2;~1 Max	I	6.2	53.1	2008.8	3146.0	
3183.3	1188.2		J	6.2	53.1	2063.9	3268.4	
3240.2	1219.0	Min	I	-86.7	-30.8	-82.6	-1220.3	-1
3938.6	-1986.1		J	-88.2	-30.8	-82.3	-1242.6	-1
5083.5	-2039.2							
		C3-C4;~1 Max	I	7.2	55.0	2012.5	2237.4	
3252.8	1354.5		J	7.1	55.0	2067.6	2326.2	
3311.8	1389.6	Min	I	-84.8	-35.1	-84.4	-2192.3	-1
4282.6	-2014.9		J	-86.3	-35.1	-84.1	-2248.5	-1
5436.2	-2069.9							
		C1-C2;~2 Max	I	3.3	28.8	1145.1	1760.8	
1729.2	624.4		J	3.3	28.8	1172.2	1831.5	
1763.8	640.5	Min	I	-48.7	-16.2	-44.9	-644.6	-
7152.1	-1079.9		J	-49.3	-16.2	-44.8	-648.8	-
7651.0	-1108.7							
		C3-C4;~2 Max	I	3.7	29.8	1146.7	1197.3	
1771.8	724.4		J	3.7	29.8	1173.8	1249.3	
1807.7	743.2	Min	I	-47.4	-18.8	-46.0	-1229.5	-
7355.2	-1092.2		J	-48.0	-18.8	-45.9	-1252.0	-
7859.4	-1122.0							
		SLVx (RS)	I	954.8	732.8	319.7	-3760.2	
2951.0	-25416.7		J	954.8	732.8	319.7	-3760.2	-
3175.3	-25892.5							
		SLVy (RS)	I	821.4	-459.7	102.8	2777.3	
2563.9	-15848.3		J	821.4	-459.7	102.8	2777.3	
2603.6	16154.2							
		SLDx (RS)	I	677.2	514.9	238.1	-2628.1	-
2110.3	-18022.8		J	677.2	514.9	238.1	-2628.1	-
2281.1	-18343.6							
		SLDy (RS)	I	582.2	320.4	77.4	1935.0	
1807.4	-11129.7		J	582.2	320.4	77.4	1935.0	
1837.5	11339.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4832.6	-1957.0	SLVz (RS)	I	121.2	-102.6	-655.1	-260.5	
			J	121.2	-102.6	-655.1	-260.5	
5473.2	-1934.2							
		G1	I	-105.6	30.5	2413.5	1060.1	-1
8262.6	-1109.1		J	-109.4	30.5	2513.9	1060.1	-2
0726.7	-1139.6							
		G2	I	-38.6	11.1	881.4	386.8	-
6669.8	-404.9		J	-39.9	11.1	918.0	386.8	-
7569.7	-416.1							
		G1- Imp~1	I	4.6	-9.1	0.1	-18.6	
11.2	342.5		J	4.6	-9.1	0.1	-18.6	
11.1	351.6							
		G2- Imp~1	I	1.7	-3.3	0.0	-6.8	
4.1	125.3		J	1.7	-3.3	0.0	-6.8	
4.1	128.6							
		q3	I	-118.9	2.6	8.2	40.0	
-157.8	393.6		J	-122.1	2.6	8.2	40.0	
-163.0	390.9							
		q4-1	I	99.4	43.2	10.9	-116.7	
-152.8	-1963.5		J	99.4	43.2	10.9	-116.7	
-163.6	-2006.8							
		q4-2	I	23.9	-48.1	5.9	30.3	
-139.0	1814.2		J	23.9	-48.1	5.9	30.3	
-144.9	1862.3							
		q4-3	I	-1.4	2.9	0.3	24.8	
-13.7	-106.9		J	-1.4	2.9	0.3	24.8	
-14.0	-109.7							
		q4-4	I	-1.2	2.5	-0.3	0.7	
6.8	-94.5		J	-1.2	2.5	-0.3	0.7	
7.0	-97.0							
		q4-5	I	0.2	-0.4	0.2	-0.3	
-9.1	13.4		J	0.2	-0.4	0.2	-0.3	
-9.3	13.7							
		q4-6	I	0.2	-0.5	0.3	0.6	
-11.2	19.6		J	0.2	-0.5	0.3	0.6	
-11.5	20.1							
		q4-7	I	0.2	-0.4	0.3	0.7	
-11.5	15.5		J	0.2	-0.4	0.3	0.7	
-11.8	16.0							
		q5 - p~1	I	-677.9	58.1	14.1	299.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-534.0	2229.9		J	-696.4	62.2	13.4	298.4	
-541.1	2169.7							
694.9	-2185.1	q5 - p~2	I	-162.8	-262.4	-36.6	80.0	
730.8	-1914.0		J	-161.0	-279.6	-36.5	86.1	
-489.9	2112.0	q5 - p~3	I	-642.0	55.1	7.7	291.1	
-496.1	2054.9		J	-659.6	59.0	7.1	290.8	
617.0	-2051.0	q5 - p~4	I	-154.1	-249.0	-32.9	-3.8	
649.8	-1793.9		J	-152.4	-265.2	-32.9	-2.7	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-91.7	627.4	q7	I	-55.9	-9.1	2.3	63.8	
-94.0	636.6		J	-55.9	-9.1	2.3	63.8	
5.8	35.0	T	I	0.5	-0.9	-0.1	1.8	
5.9	36.0		J	0.5	-0.9	-0.1	1.8	
-500.3	-4013.0	M. tor~1	I	93.5	-187.9	19.4	-108.1	
-519.7	-4107.2		J	93.5	-187.9	19.4	-97.5	
-295.8	-2372.6	M. tor~2	I	55.3	-111.1	11.5	-63.9	
-307.3	-2428.3		J	55.3	-111.1	11.5	-57.7	
8617.3	4046.8	INVSLU Max	I	782.1	453.8	7198.0	6437.2	-2
3046.6	4044.2		J	801.5	478.2	7457.4	6601.2	-3
3549.3	-7569.8	Min	I	-1215.3	-360.1	4301.2	-1311.8	-5
9680.5	-7654.3		J	-1249.4	-384.5	4486.7	-1386.3	-5
8430.1	29712.0	INVSLV Max	I	1099.6	930.7	4076.8	6093.0	-1
1074.3	30243.6		J	1094.5	930.7	4213.9	6093.0	-2
1404.2	-31804.5	Min	I	-1375.5	-872.3	2513.0	-3250.1	-3
5488.1	-32394.5		J	-1380.6	-872.3	2650.1	-3250.1	-3

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1243.9	2851.3	INVSLE Max	I	508.1	308.6	5329.4	4748.5	-2
			J	520.4	324.8	5521.6	4870.0	-2
4527.3	2853.5	Min	I	-828.9	-239.2	3188.5	-951.9	-3
9620.2	-5461.0		J	-852.2	-255.4	3325.9	-1007.2	-4
4159.4	-5527.6							
768	1	52 C1-C2;~1 Max	I	88.6	35.7	275.0	2505.4	
3272.6	1148.0		J	85.5	35.7	275.3	2511.2	
3017.2	1115.2	Min	I	-10.4	-45.3	-2162.2	-3437.1	-1
4998.6	-1975.7		J	-11.2	-45.3	-2108.5	-3296.2	-1
3245.8	-1934.4							
		C3-C4;~1 Max	I	82.2	38.2	282.8	3431.2	
3354.6	1344.6		J	79.2	38.2	283.1	3379.3	
3089.6	1309.8	Min	I	-9.3	-42.3	-2165.8	-2380.4	-1
5376.0	-1930.8		J	-10.7	-42.3	-2112.4	-2271.1	-1
3616.2	-1891.4							
		C1-C2;~2 Max	I	48.8	18.7	149.5	1250.9	
1779.9	599.0		J	46.9	18.7	149.6	1267.8	
1638.3	581.7	Min	I	-5.8	-23.7	-1211.4	-1933.4	-
7617.7	-1077.9		J	-6.4	-23.7	-1185.4	-1848.7	-
6699.4	-1055.8							
		C3-C4;~2 Max	I	44.7	19.9	154.2	1782.9	
1830.0	716.4		J	42.9	19.9	154.3	1763.8	
1682.9	697.9	Min	I	-5.5	-21.9	-1213.3	-1305.5	-
7836.3	-1052.7		J	-6.4	-21.9	-1187.4	-1238.0	-
6914.2	-1032.1							
		SLVx (RS)	I	896.9	843.4	211.5	-2396.0	-
2665.0	-25813.8		J	896.9	843.4	211.5	-2396.0	-
2529.1	-26261.7							
		SLVy (RS)	I	786.7	388.6	-130.9	1713.6	
1677.7	-15935.9		J	786.7	388.6	-130.9	1713.6	
1621.5	-16054.9							
		SLDx (RS)	I	634.4	601.6	153.6	-1677.7	-
1941.1	-18270.4		J	634.4	601.6	153.6	-1677.7	-
1841.8	-18564.2							
		SLDy (RS)	I	547.8	276.7	-94.8	1180.8	
1189.2	-11188.7		J	547.8	276.7	-94.8	1180.8	
1148.7	-11268.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
5413.7	-1876.0	SLVz (RS)	I	129.2	-106.0	431.9	131.5	
			J	129.2	-106.0	431.9	131.5	
4996.4	-1818.0							
		G1	I	105.9	-13.8	-2484.3	234.8	-2
0410.8	-1087.7		J	102.4	-13.8	-2383.8	234.8	-1
7976.4	-1073.9							
		G2	I	38.7	-5.0	-907.3	85.0	-
7454.4	-397.1		J	37.4	-5.0	-870.6	85.0	-
6565.3	-392.1							
		G1- Imp~1	I	-5.2	2.9	-0.3	5.8	
-15.9	329.9		J	-5.2	2.9	-0.3	5.8	
-15.7	327.0							
		G2- Imp~1	I	-1.9	1.0	-0.1	2.1	
-5.8	120.7		J	-1.9	1.0	-0.1	2.1	
-5.7	119.6							
		q3	I	-89.2	-32.9	-0.3	37.7	
-65.0	469.7		J	-92.4	-32.9	-0.3	37.7	
-61.6	502.6							
		q4-1	I	125.4	6.4	-4.7	-72.8	
-107.0	-1947.9		J	125.4	6.4	-4.7	-72.8	
-102.2	-1954.4							
		q4-2	I	70.3	84.9	0.6	-49.9	
6.5	1986.1		J	70.3	84.9	0.6	-49.9	
5.9	1901.3							
		q4-3	I	15.7	-19.8	4.9	30.9	
37.2	-67.5		J	15.7	-19.8	4.9	30.9	
32.3	-47.7							
		q4-4	I	-2.6	4.5	0.7	14.3	
2.7	-100.1		J	-2.6	4.5	0.7	14.3	
2.0	-104.6							
		q4-5	I	-0.4	0.4	-1.0	0.3	
-10.9	12.4		J	-0.4	0.4	-1.0	0.3	
-9.9	12.0							
		q4-6	I	0.4	-0.8	-0.9	0.5	
-10.9	20.6		J	0.4	-0.8	-0.9	0.5	
-9.9	21.3							
		q4-7	I	0.3	-0.6	-1.0	1.0	
-11.3	16.2		J	0.3	-0.6	-1.0	1.0	
-10.4	16.8							
		q5 - p~1	I	-392.3	-296.6	62.7	327.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
362.9	2908.8		J	-410.6	-291.3	62.1	326.0	
307.1	3202.7							
-151.4	-2654.1	q5 - p~2	I	-479.2	132.3	-24.5	142.9	
-127.4	-2777.7		J	-478.0	114.9	-24.4	149.1	
360.1	2752.7	q5 - p~3	I	-371.5	-280.8	54.5	250.9	
307.1	3031.1		J	-388.8	-275.9	53.9	250.6	
-190.7	-2489.3	q5 - p~4	I	-454.3	125.5	-24.6	241.8	
-166.2	-2606.6		J	-453.1	109.1	-24.6	242.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-68.5	779.2	q7	I	-200.2	-56.4	1.2	43.6	
-69.7	835.6		J	-200.2	-56.4	1.2	43.6	
3.3	33.7	T	I	-0.6	0.3	1.0	4.9	
2.3	33.4		J	-0.6	0.3	1.0	4.9	
-340.1	-3953.9	M. tor~1	I	149.9	-282.6	-10.7	-443.4	
-329.4	-3953.4		J	149.9	-282.6	-10.7	-433.7	
-201.1	-2337.6	M. tor~2	I	88.6	-167.1	-6.3	-262.2	
-194.8	-2337.3		J	88.6	-167.1	-6.3	-256.4	
2789.7	4894.3	INVSLU Max	I	933.3	428.2	-4140.1	5373.2	-3
8711.3	5039.3		J	922.7	420.8	-3955.2	5301.4	-2
8733.9	-8123.3	Min	I	-504.1	-473.6	-7560.1	-4496.3	-5
1820.1	-8346.5		J	-509.5	-466.1	-7302.2	-4304.4	-5
1170.4	30123.0	INVSLV Max	I	1309.1	976.9	-2857.3	3277.2	-2
8321.5	30604.2		J	1304.4	976.9	-2720.1	3277.2	-1
4603.5	-32191.6	Min	I	-1034.1	-1006.7	-3926.6	-2621.8	-3
0804.7	-32643.0		J	-1038.8	-1006.7	-3789.4	-2621.8	-3

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4312.6	3433.7	INVSLE	Max	I	640.9	286.0	-3070.9	3958.6	-2
				J	633.2	281.1	-2933.9	3905.6	-2
1287.9	3521.5		Min	I	-323.0	-319.6	-5596.0	-3309.1	-4
3482.6	-5825.6			J	-327.1	-314.7	-5405.0	-3167.0	-3
8364.9	-5971.3								
769	1	52	C1-C2;~1	Max	I	85.4	36.2	275.3	2603.7
3010.1	1119.6			J	82.3	36.2	276.1	2618.8	
2793.4	1086.7		Min	I	-11.0	-45.9	-2108.5	-3218.9	-1
3228.0	-1932.2			J	-11.8	-45.9	-2054.6	-3081.9	-1
1584.7	-1890.8								
			C3-C4;~1	Max	I	79.1	38.7	283.1	3486.0
3082.7	1314.3			J	76.2	38.7	283.8	3458.8	
2855.6	1279.5		Min	I	-10.5	-43.0	-2112.3	-2212.6	-1
3584.9	-1889.2			J	-11.8	-43.0	-2058.6	-2106.9	-1
1933.1	-1849.7								
			C1-C2;~2	Max	I	46.9	18.9	149.6	1315.0
1634.3	584.1			J	45.0	18.9	149.9	1338.6	
1508.2	566.7		Min	I	-6.3	-24.0	-1185.4	-1812.4	-
6690.1	-1054.5			J	-6.9	-24.0	-1158.9	-1729.4	-
5826.0	-1032.3								
			C3-C4;~2	Max	I	42.9	20.2	154.3	1820.1
1679.1	700.4			J	41.2	20.2	154.6	1819.3	
1547.2	681.9		Min	I	-6.3	-22.2	-1187.4	-1208.9	-
6896.8	-1030.8			J	-7.2	-22.2	-1161.1	-1142.8	-
6028.2	-1009.9								
			SLVx (RS)	I	920.9	836.7	210.1	-2364.0	-
2544.2	-26261.6			J	920.9	836.7	210.1	-2364.0	-
2419.3	-26698.8								
			SLVy (RS)	I	802.7	378.3	-129.2	1695.6	
1645.9	-16054.7			J	802.7	378.3	-129.2	1695.6	
1598.2	-16164.3								
			SLDx (RS)	I	651.2	598.0	152.6	-1654.9	-
1852.0	-18564.1			J	651.2	598.0	152.6	-1654.9	-
1760.6	-18850.7								
			SLDy (RS)	I	558.8	269.2	-93.6	1168.5	
1165.6	-11268.5			J	558.8	269.2	-93.6	1168.5	
1131.4	-11341.8								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4998.4	-1817.1	SLVz (RS)	I	-130.0	-108.0	428.0	-96.0	
			J	-130.0	-108.0	428.0	-96.0	
4584.3	-1756.9							
		G1	I	102.4	-14.0	-2383.8	471.0	-1
7972.2	-1065.8		J	98.9	-14.0	-2283.4	471.0	-1
5638.3	-1051.7							
		G2	I	37.4	-5.1	-870.6	171.2	-
6563.8	-389.1		J	36.1	-5.1	-833.9	171.2	-
5711.4	-384.0							
		G1- Imp~1	I	-5.1	2.9	-0.3	6.0	
-15.4	327.0		J	-5.1	2.9	-0.3	6.0	
-15.2	324.1							
		G2- Imp~1	I	-1.9	1.1	-0.1	2.2	
-5.6	119.6		J	-1.9	1.1	-0.1	2.2	
-5.5	118.5							
		q3	I	-92.8	-31.7	-0.3	38.5	
-60.9	502.6		J	-96.0	-31.7	-0.3	38.5	
-57.5	534.2							
		q4-1	I	125.5	4.8	-4.7	-71.3	
-104.1	-1954.3		J	125.5	4.8	-4.7	-71.3	
-99.4	-1959.1							
		q4-2	I	71.4	83.9	0.7	-50.1	
6.1	1901.3		J	71.4	83.9	0.7	-50.1	
5.4	1817.3							
		q4-3	I	15.4	-20.0	4.9	30.4	
32.7	-47.7		J	15.4	-20.0	4.9	30.4	
27.8	-27.6							
		q4-4	I	-2.5	4.5	0.7	14.3	
2.2	-104.6		J	-2.5	4.5	0.7	14.3	
1.5	-109.2							
		q4-5	I	-0.4	0.4	-1.0	0.5	
-9.9	12.0		J	-0.4	0.4	-1.0	0.5	
-9.0	11.6							
		q4-6	I	0.4	-0.8	-0.9	0.6	
-9.9	21.3		J	0.4	-0.8	-0.9	0.6	
-9.0	22.1							
		q4-7	I	0.3	-0.6	-1.0	1.1	
-10.4	16.8		J	0.3	-0.6	-1.0	1.1	
-9.4	17.4							
		q5 - p~1	I	-414.3	-286.0	61.9	321.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
312.7	3202.5		J	-432.5	-280.5	61.3	319.8	
257.7	3485.8							
		q5 - p~2	I	-476.5	121.2	-24.4	151.0	
-126.7	-2777.8		J	-475.4	103.9	-24.4	157.2	
-102.7	-2890.4							
		q5 - p~3	I	-392.4	-270.8	53.8	246.3	
311.7	3030.8		J	-409.6	-265.6	53.2	246.0	
259.5	3299.1							
		q5 - p~4	I	-451.7	115.0	-24.5	245.3	
-164.2	-2606.7		J	-450.6	98.6	-24.5	246.4	
-139.7	-2713.5							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-200.9	-53.7	1.2	44.4	
-68.8	835.6		J	-200.9	-53.7	1.2	44.4	
-70.0	889.3							
		T	I	-0.6	0.3	1.0	4.9	
2.4	33.4		J	-0.6	0.3	1.0	4.9	
1.4	33.1							
		M. tor~1	I	146.2	-284.5	-10.8	-429.2	
-336.9	-3953.2		J	146.2	-284.5	-10.8	-419.4	
-326.0	-3950.9							
		M. tor~2	I	86.4	-168.2	-6.4	-253.7	
-199.2	-2337.2		J	86.4	-168.2	-6.4	-248.0	
-192.8	-2335.8							
		INVSLU Max	I	920.4	413.2	-3955.4	5877.2	-2
8707.2	5057.5		J	910.0	405.5	-3769.8	5838.6	-2
4762.0	5194.3	Min	I	-507.2	-459.4	-7302.1	-3760.6	-5
1774.9	-8329.2		J	-513.2	-451.6	-7043.8	-3573.9	-4
5192.7	-8540.0							
		INVSLV Max	I	1333.5	967.4	-2725.0	3551.8	-1
8301.6	30614.8		J	1328.8	967.4	-2587.9	3551.8	-1
5580.9	31082.0	Min	I	-1068.0	-997.8	-3784.6	-2251.1	-3
0812.5	-32631.4		J	-1072.7	-997.8	-3647.4	-2251.1	-2
7160.0	-33068.2							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1285.3	3535.0	INVSLE Max	I	631.6	276.0	-2934.0	4332.4	-2
			J	624.0	270.8	-2796.4	4303.9	-1
8359.3	3617.5	Min	I	-325.5	-310.2	-5404.9	-2764.5	-3
8331.1	-5958.5		J	-330.1	-305.0	-5213.6	-2626.3	-3
3459.0	-6095.8							
770	1	52 C1-C2;~1 Max	I	82.2	36.7	276.1	2692.1	
2786.2	1090.4		J	79.2	36.7	277.4	2711.7	
2831.6	1057.3	Min	I	-11.6	-46.6	-2054.6	-3016.0	-1
1565.4	-1888.6		J	-12.4	-46.6	-2000.4	-2883.0	-1
0337.6	-1847.0							
		C3-C4;~1 Max	I	76.1	39.2	283.8	3532.6	
2848.9	1283.3		J	73.3	39.2	285.1	3522.9	
2779.6	1248.3	Min	I	-11.6	-43.6	-2058.5	-2059.3	-1
1901.2	-1847.5		J	-12.8	-43.6	-2004.5	-1957.3	-1
0577.9	-1807.6							
		C1-C2;~2 Max	I	45.0	19.2	149.9	1375.4	
1504.2	568.7		J	43.2	19.2	150.4	1402.1	
1574.0	551.2	Min	I	-6.8	-24.4	-1158.9	-1699.2	-
5815.8	-1030.9		J	-7.3	-24.4	-1132.1	-1618.0	-
5233.9	-1008.6							
		C3-C4;~2 Max	I	41.2	20.5	154.6	1854.8	
1543.3	684.0		J	39.5	20.5	155.1	1866.8	
1530.1	665.3	Min	I	-7.1	-22.6	-1161.1	-1119.6	-
6010.4	-1008.6		J	-7.8	-22.6	-1134.3	-1055.3	-
5358.9	-987.6							
		SLVx (RS)	I	945.1	829.6	208.3	-2333.4	-
2434.0	-26698.6		J	945.1	829.6	208.3	-2333.4	-
2320.8	-27124.0							
		SLVy (RS)	I	818.7	367.8	-126.9	1678.3	
1622.2	-16164.1		J	818.7	367.8	-126.9	1678.3	
1582.9	-16263.2							
		SLDx (RS)	I	668.0	594.1	151.3	-1633.1	-
1770.4	-18850.6		J	668.0	594.1	151.3	-1633.1	-
1687.4	-19129.4							
		SLDy (RS)	I	569.6	261.5	-91.8	1156.5	
1148.1	-11341.7		J	569.6	261.5	-91.8	1156.5	
1120.2	-11407.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4585.3	-1756.0	SLVz (RS)	I	-130.9	-109.5	424.5	-94.5	
			J	-130.9	-109.5	424.5	-94.5	
4173.7	-1693.9							
		G1	I	98.8	-14.3	-2283.4	676.5	-1
5631.2	-1044.6		J	95.4	-14.3	-2182.9	676.5	-1
3397.7	-1030.3							
		G2	I	36.1	-5.2	-833.9	246.3	-
5708.8	-381.4		J	34.8	-5.2	-797.2	246.3	-
4893.1	-376.2							
		G1- Imp~1	I	-5.1	3.0	-0.3	6.2	
-15.0	324.1		J	-5.1	3.0	-0.3	6.2	
-14.7	321.1							
		G2- Imp~1	I	-1.9	1.1	-0.1	2.3	
-5.5	118.6		J	-1.9	1.1	-0.1	2.3	
-5.4	117.5							
		q3	I	-96.4	-30.4	-0.3	39.2	
-56.8	534.2		J	-99.6	-30.4	-0.3	39.2	
-53.4	564.6							
		q4-1	I	125.5	3.2	-4.7	-69.9	
-101.2	-1959.0		J	125.5	3.2	-4.7	-69.9	
-96.5	-1962.2							
		q4-2	I	72.5	83.0	0.7	-50.2	
5.6	1817.4		J	72.5	83.0	0.7	-50.2	
4.9	1734.4							
		q4-3	I	15.1	-20.2	4.9	30.1	
28.2	-27.6		J	15.1	-20.2	4.9	30.1	
23.3	-7.4							
		q4-4	I	-2.5	4.6	0.7	14.3	
1.7	-109.2		J	-2.5	4.6	0.7	14.3	
1.0	-113.7							
		q4-5	I	-0.4	0.4	-1.0	0.6	
-8.9	11.6		J	-0.4	0.4	-1.0	0.6	
-8.0	11.2							
		q4-6	I	0.4	-0.8	-0.9	0.7	
-9.0	22.1		J	0.4	-0.8	-0.9	0.7	
-8.0	22.9							
		q4-7	I	0.3	-0.6	-1.0	1.3	
-9.4	17.4		J	0.3	-0.6	-1.0	1.3	
-8.4	18.0							
		q5 - p~1	I	-436.2	-274.9	61.1	316.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
263.4	3485.5		J	-454.3	-269.2	60.5	314.1	
209.1	3757.6							
-102.0	-2890.5	q5 - p~2	I	-474.0	110.1	-24.3	158.7	
-78.0	-2991.9		J	-473.0	92.7	-24.3	164.9	
264.2	3298.9	q5 - p~3	I	-413.0	-260.3	53.0	242.4	
212.6	3556.5		J	-430.2	-254.9	52.4	242.0	
-137.7	-2713.6	q5 - p~4	I	-449.3	104.5	-24.5	248.4	
-113.3	-2809.9		J	-448.4	88.0	-24.5	249.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-69.0	889.3	q7	I	-201.6	-51.1	1.2	45.3	
-70.1	940.4		J	-201.6	-51.1	1.2	45.3	
1.5	33.1	T	I	-0.6	0.3	1.0	4.9	
0.5	32.8		J	-0.6	0.3	1.0	4.9	
-333.3	-3950.7	M. tor~1	I	142.4	-286.4	-10.9	-414.9	
-322.3	-3946.4		J	142.4	-286.4	-10.9	-405.2	
-197.0	-2335.7	M. tor~2	I	84.2	-169.3	-6.5	-245.3	
-190.6	-2333.2		J	84.2	-169.3	-6.5	-239.6	
4752.4	5210.1	INVSLU Max	I	907.8	397.4	-3769.9	6314.2	-2
0708.6	5338.3		J	897.7	389.3	-3583.6	6299.2	-2
5141.4	-8524.8	Min	I	-511.1	-444.4	-7043.6	-3102.6	-4
9188.4	-8722.6		J	-517.2	-436.3	-6784.9	-2921.2	-3
5558.2	31091.3	INVSLV Max	I	1357.9	957.4	-2592.6	3796.4	-1
2966.1	31543.2		J	1353.2	957.4	-2455.5	3796.4	-1
7162.6	-33058.0	Min	I	-1102.0	-988.3	-3642.7	-1934.1	-2
3655.8	-33479.0		J	-1106.7	-988.3	-3505.5	-1934.1	-2

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8352.6	3629.2	INVSLE	Max	I	622.6	265.5	-2796.5	4656.4	-1
				J	615.2	260.1	-2658.5	4645.5	-1
5353.6	3706.0		Min	I	-328.7	-300.3	-5213.5	-2277.4	-3
3420.6	-6084.5			J	-333.3	-294.9	-5021.9	-2143.3	-2
9014.5	-6212.9								
771	1	52 C1-C2;~1	Max	I	79.1	37.1	277.4	2766.4	
2819.7	1060.2			J	76.2	37.1	279.4	2786.4	
3329.1	1027.1		Min	I	-12.2	-47.2	-2000.4	-2828.0	-1
0331.8	-1844.8			J	-12.9	-47.2	-1946.0	-2699.1	-
9363.5	-1803.0								
		C3-C4;~1	Max	I	73.2	39.7	285.1	3577.6	
2777.5	1251.3			J	70.4	39.7	287.0	3568.5	
3269.2	1216.2		Min	I	-12.6	-44.2	-2004.5	-1918.6	-1
0567.7	-1805.5			J	-13.8	-44.2	-1950.2	-1820.4	-
9590.1	-1768.4								
		C1-C2;~2	Max	I	43.1	19.4	150.4	1428.8	
1567.1	552.8			J	41.4	19.4	151.2	1455.4	
1945.6	535.3		Min	I	-7.2	-24.7	-1132.1	-1593.7	-
5234.1	-1007.3			J	-7.7	-24.7	-1105.0	-1514.5	-
4815.9	-984.7								
		C3-C4;~2	Max	I	39.5	20.7	155.1	1891.7	
1530.3	667.0			J	37.8	20.7	155.9	1903.8	
1898.6	648.2		Min	I	-7.7	-22.9	-1134.3	-1037.1	-
5357.4	-986.3			J	-8.5	-22.9	-1107.3	-974.6	-
4934.8	-965.1								
		SLVx (RS)		I	969.3	822.3	206.2	-2304.2	-
2335.0	-27123.8			J	969.3	822.3	206.2	-2304.2	-
2234.3	-27536.5								
		SLVy (RS)		I	834.4	357.4	-123.8	1661.5	
1606.4	-16263.1			J	834.4	357.4	-123.8	1661.5	
1575.4	-16350.8								
		SLDx (RS)		I	684.9	590.1	149.7	-1612.3	-
1697.0	-19129.3			J	684.9	590.1	149.7	-1612.3	-
1622.9	-19399.8								
		SLDy (RS)		I	580.3	253.8	-89.5	1145.0	
1136.5	-11407.5			J	580.3	253.8	-89.5	1145.0	
1114.8	-11465.4								


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
4173.8	-1693.1	SLVz (RS)	I	-131.8	-110.6	421.2	-120.9	
			J	-131.8	-110.6	421.2	-120.9	
3764.4	-1629.2							
		G1	I	95.3	-14.6	-2182.9	852.6	-1
3388.1	-1024.2		J	91.8	-14.6	-2082.5	852.6	-1
1255.1	-1009.6							
		G2	I	34.8	-5.3	-797.2	310.6	-
4889.6	-373.9		J	33.5	-5.3	-760.5	310.6	-
4110.6	-368.6							
		G1- Imp~1	I	-5.0	3.1	-0.3	6.3	
-14.5	321.1		J	-5.0	3.1	-0.3	6.3	
-14.2	318.1							
		G2- Imp~1	I	-1.8	1.1	-0.1	2.3	
-5.3	117.5		J	-1.8	1.1	-0.1	2.3	
-5.2	116.3							
		q3	I	-100.0	-29.1	-0.4	39.9	
-52.6	564.6		J	-103.2	-29.1	-0.4	39.9	
-49.2	593.7							
		q4-1	I	125.5	1.5	-4.7	-68.6	
-98.3	-1962.1		J	125.5	1.5	-4.7	-68.6	
-93.6	-1963.6							
		q4-2	I	73.6	82.0	0.7	-50.4	
5.0	1734.4		J	73.6	82.0	0.7	-50.4	
4.3	1652.3							
		q4-3	I	14.9	-20.4	4.9	29.8	
23.7	-7.4		J	14.9	-20.4	4.9	29.8	
18.9	13.0							
		q4-4	I	-2.4	4.6	0.7	14.3	
1.1	-113.7		J	-2.4	4.6	0.7	14.3	
0.4	-118.3							
		q4-5	I	-0.4	0.4	-1.0	0.7	
-8.0	11.2		J	-0.4	0.4	-1.0	0.7	
-7.0	10.8							
		q4-6	I	0.4	-0.8	-0.9	0.8	
-8.0	22.9		J	0.4	-0.8	-0.9	0.8	
-7.1	23.7							
		q4-7	I	0.3	-0.6	-1.0	1.4	
-8.4	18.0		J	0.3	-0.6	-1.0	1.4	
-7.4	18.6							
		q5 - p~1	I	-457.8	-263.2	60.4	311.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
214.9	3757.4		J	-475.8	-257.3	59.8	309.0	
161.3	4017.7							
-77.2	-2992.0	q5 - p~2	I	-471.8	98.9	-24.3	166.1	
-53.2	-3082.2		J	-471.0	81.5	-24.2	172.4	
217.4	3556.3	q5 - p~3	I	-433.5	-249.3	52.3	239.0	
166.6	3802.7		J	-450.6	-243.6	51.7	238.6	
-111.3	-2810.0	q5 - p~4	I	-447.2	93.9	-24.4	251.1	
-86.9	-2895.7		J	-446.4	77.4	-24.4	252.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-69.1	940.4	q7	I	-202.3	-48.5	1.1	46.2	
-70.3	988.8		J	-202.3	-48.5	1.1	46.2	
0.5	32.8	T	I	-0.6	0.3	1.0	4.9	
-0.5	32.5		J	-0.6	0.3	1.0	4.9	
-329.4	-3946.2	M. tor~1	I	138.7	-288.2	-11.1	-400.8	
-318.3	-3940.2		J	138.7	-288.2	-11.1	-391.0	
-194.7	-2333.1	M. tor~2	I	82.0	-170.4	-6.5	-236.9	
-188.2	-2329.5		J	82.0	-170.4	-6.5	-231.2	
0701.2	5351.7	INVSLU Max	I	895.7	380.9	-3583.7	6695.2	-2
6130.2	5470.8		J	892.1	372.5	-3396.5	6681.1	-1
9161.8	-8709.3	Min	I	-515.3	-428.7	-6784.8	-2519.4	-3
3862.2	-8893.7		J	-527.9	-420.3	-6525.9	-2343.5	-3
2941.3	31551.1	INVSLV Max	I	1382.3	946.9	-2460.3	4010.8	-1
0477.9	31986.6		J	1377.6	946.9	-2323.2	4010.8	-1
3653.8	-33470.2	Min	I	-1135.9	-978.4	-3500.7	-1667.1	-2
0292.5	-33874.3		J	-1140.7	-978.4	-3363.6	-1667.1	-2

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5348.5	3715.9	INVSLE Max	I	613.9	254.5	-2658.5	4939.0	-1
			J	610.8	248.9	-2519.9	4928.7	-1
1959.0	3786.8	Min	I	-332.1	-289.9	-5021.8	-1845.8	-2
8994.5	-6203.0		J	-341.0	-284.3	-4830.1	-1715.6	-2
5072.4	-6322.3							
772	1	52 C1-C2;~1 Max	I	76.0	37.6	279.4	2822.7	
3318.5	1029.3		J	73.2	37.6	281.9	2842.7	
3878.6	996.2	Min	I	-12.7	-47.8	-1946.0	-2654.5	-
9357.3	-1800.9		J	-13.5	-47.8	-1891.6	-2529.7	-
8481.0	-1759.1							
		C3-C4;~1 Max	I	70.3	40.2	287.0	3604.5	
3268.4	1218.5		J	67.7	40.2	289.6	3595.9	
3810.8	1183.5	Min	I	-13.6	-44.8	-1950.2	-1789.3	-
9580.0	-1766.2		J	-14.9	-44.8	-1895.8	-1694.8	-
8693.6	-1727.0							
		C1-C2;~2 Max	I	41.4	19.7	151.2	1471.9	
1939.8	536.5		J	39.7	19.7	152.2	1498.3	
2337.3	518.9	Min	I	-7.5	-25.0	-1104.9	-1495.8	-
4815.7	-983.5		J	-8.0	-25.0	-1077.5	-1418.7	-
4434.4	-960.9							
		C3-C4;~2 Max	I	37.8	21.0	155.9	1918.6	
1899.7	649.5		J	36.2	21.0	156.9	1930.6	
2287.3	630.7	Min	I	-8.4	-23.2	-1107.3	-961.0	-
4933.1	-963.8		J	-9.2	-23.2	-1079.9	-900.3	-
4547.0	-943.8							
		SLVx (RS)	I	993.4	814.6	203.6	-2276.4	-
2248.0	-27536.3		J	993.4	814.6	203.6	-2276.4	-
2160.4	-27935.2							
		SLVy (RS)	I	850.0	347.1	-120.1	1645.4	
1598.2	-16350.7		J	850.0	347.1	-120.1	1645.4	
1574.9	-16426.2							
		SLDx (RS)	I	701.7	585.9	147.8	-1592.5	-
1632.1	-19399.6		J	701.7	585.9	147.8	-1592.5	-
1567.5	-19661.1							
		SLDy (RS)	I	590.9	246.2	-86.8	1133.9	
1130.6	-11465.3		J	590.9	246.2	-86.8	1133.9	
1114.6	-11514.4							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
3763.7	-1628.4	SLVz (RS)	I	-132.5	-111.4	418.1	-156.7	
			J	-132.5	-111.4	418.1	-156.7	
3356.4	-1562.7							
		G1	I	91.7	-14.8	-2082.5	1000.6	-1
1243.4	-1004.5		J	88.2	-14.8	-1982.0	1000.6	-
9210.9	-989.7							
		G2	I	33.5	-5.4	-760.6	364.7	-
4106.4	-366.7		J	32.2	-5.4	-723.9	364.7	-
3364.1	-361.3							
		G1- Imp~1	I	-5.0	3.1	-0.3	6.5	
-14.0	318.1		J	-5.0	3.1	-0.3	6.5	
-13.7	314.9							
		G2- Imp~1	I	-1.8	1.1	-0.1	2.4	
-5.1	116.3		J	-1.8	1.1	-0.1	2.4	
-5.0	115.2							
		q3	I	-103.6	-27.7	-0.4	40.5	
-48.5	593.7		J	-106.8	-27.7	-0.4	40.5	
-45.0	621.4							
		q4-1	I	125.6	-0.1	-4.7	-67.2	
-95.3	-1963.5		J	125.6	-0.1	-4.7	-67.2	
-90.7	-1963.4							
		q4-2	I	74.7	81.1	0.8	-50.5	
4.3	1652.4		J	74.7	81.1	0.8	-50.5	
3.6	1571.3							
		q4-3	I	14.6	-20.6	4.9	29.5	
19.3	13.0		J	14.6	-20.6	4.9	29.5	
14.4	33.7							
		q4-4	I	-2.3	4.6	0.7	14.3	
0.6	-118.3		J	-2.3	4.6	0.7	14.3	
-0.1	-123.0							
		q4-5	I	-0.3	0.4	-1.0	0.8	
-7.0	10.8		J	-0.3	0.4	-1.0	0.8	
-6.0	10.4							
		q4-6	I	0.4	-0.8	-0.9	0.9	
-7.1	23.7		J	0.4	-0.8	-0.9	0.9	
-6.1	24.5							
		q4-7	I	0.3	-0.6	-1.0	1.5	
-7.4	18.6		J	0.3	-0.6	-1.0	1.5	
-6.4	19.1							
		q5 - p~1	I	-479.2	-251.1	59.6	306.7	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
167.2	4017.4		J	-497.1	-244.9	59.0	304.5	
114.3	4265.5							
-52.3	-3082.3	q5 - p~2	I	-469.8	87.7	-24.2	173.2	
-28.4	-3161.3		J	-469.2	70.2	-24.2	179.4	
171.4	3802.5	q5 - p~3	I	-453.8	-237.8	51.6	236.2	
121.3	4037.4		J	-470.8	-231.9	51.0	235.8	
-84.9	-2895.8	q5 - p~4	I	-445.4	83.3	-24.4	253.5	
-60.5	-2970.8		J	-444.7	66.8	-24.4	254.7	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-69.2	988.8	q7	I	-202.9	-45.8	1.1	47.0	
-70.3	1034.6		J	-202.9	-45.8	1.1	47.0	
-0.4	32.5	T	I	-0.6	0.3	1.0	4.9	
-1.4	32.2		J	-0.6	0.3	1.0	4.9	
-325.2	-3940.0	M. tor~1	I	134.9	-290.0	-11.2	-386.7	
-314.0	-3932.1		J	134.9	-290.0	-11.2	-376.9	
-192.3	-2329.4	M. tor~2	I	79.8	-171.5	-6.6	-228.6	
-185.6	-2324.7		J	79.8	-171.5	-6.6	-222.8	
6117.3	5481.9	INVSLU Max	I	896.6	363.6	-3396.7	7000.7	-1
1661.5	5687.6		J	913.5	354.9	-3208.7	6987.1	-1
3831.7	-8882.2	Min	I	-532.6	-412.2	-6525.7	-2008.1	-3
8841.8	-9053.0		J	-565.6	-403.5	-6266.6	-1837.6	-2
0451.3	31993.3	INVSLV Max	I	1406.5	936.2	-2328.1	4191.2	-1
8116.7	32411.1		J	1401.8	936.2	-2191.0	4191.2	-
0286.4	-33866.9	Min	I	-1169.8	-968.1	-3358.6	-1443.0	-2
7070.8	-34252.7		J	-1174.6	-968.1	-3221.5	-1443.0	-1

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1949.9	3795.0	INVSLE Max	I	613.8	243.0	-2520.0	5165.6	-1
			J	624.4	237.1	-2380.7	5155.6	-
8645.7	3859.7	Min	I	-344.1	-279.0	-4830.0	-1467.4	-2
5049.4	-6313.7		J	-366.7	-273.1	-4638.1	-1341.2	-2
1356.7	-6423.7							
773	1	52 C1-C2;~1 Max	I	73.1	38.0	281.9	2861.7	
3869.4	997.7		J	70.3	38.0	285.2	2881.8	
4481.2	964.5	Min	I	-13.2	-48.4	-1891.6	-2495.1	-
8474.8	-1757.0		J	-13.9	-48.4	-1837.1	-2374.3	-
7694.1	-1715.4							
		C3-C4;~1 Max	I	67.6	40.7	289.6	3613.8	
3811.5	1185.1		J	65.1	40.7	292.7	3605.4	
4405.3	1150.3	Min	I	-14.6	-45.4	-1895.8	-1670.4	-
8683.9	-1724.8		J	-16.0	-45.4	-1841.4	-1579.6	-
7892.1	-1685.7							
		C1-C2;~2 Max	I	39.6	19.9	152.2	1505.4	
2332.5	519.7		J	38.0	19.9	153.5	1531.6	
2748.5	502.1	Min	I	-7.9	-25.4	-1077.5	-1405.5	-
4434.0	-959.6		J	-8.7	-25.4	-1049.8	-1330.4	-
4090.9	-937.1							
		C3-C4;~2 Max	I	36.2	21.2	156.9	1935.5	
2289.3	631.6		J	34.7	21.2	158.2	1947.3	
2695.7	612.8	Min	I	-9.0	-23.5	-1079.9	-890.9	-
4545.3	-942.5		J	-9.9	-23.5	-1052.2	-832.1	-
4197.0	-921.9							
		SLVx (RS)	I	1017.5	806.7	200.6	-2250.1	-
2173.6	-27935.1		J	1017.5	806.7	200.6	-2250.1	-
2099.5	-28319.4							
		SLVy (RS)	I	865.3	337.3	-116.0	1629.9	
1596.8	-16426.1		J	865.3	337.3	-116.0	1629.9	
1580.3	-16488.3							
		SLDx (RS)	I	718.5	581.5	145.6	-1573.7	-
1576.3	-19661.0		J	718.5	581.5	145.6	-1573.7	-
1521.3	-19913.0							
		SLDy (RS)	I	601.2	238.8	-83.6	1123.4	
1129.8	-11514.3		J	601.2	238.8	-83.6	1123.4	
1118.8	-11554.0							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3354.9	-1562.1	SLVz (RS)	I	-133.2	-112.0	415.1	-193.0	
			J	-133.2	-112.0	415.1	-193.0	
2950.2	-1494.6							
		G1	I	88.1	-15.1	-1982.0	1121.8	-
9197.4	-985.4		J	84.6	-15.1	-1881.6	1121.8	-
7265.3	-970.3							
		G2	I	32.2	-5.5	-723.9	408.9	-
3359.2	-359.8		J	30.9	-5.5	-687.2	408.9	-
2653.5	-354.2							
		G1- Imp~1	I	-5.0	3.2	-0.3	6.7	
-13.5	314.9		J	-5.0	3.2	-0.3	6.7	
-13.3	311.7							
		G2- Imp~1	I	-1.8	1.2	-0.1	2.4	
-4.9	115.2		J	-1.8	1.2	-0.1	2.4	
-4.8	114.0							
		q3	I	-107.1	-26.3	-0.4	41.1	
-44.2	621.4		J	-110.3	-26.3	-0.4	41.1	
-40.8	647.7							
		q4-1	I	125.5	-1.8	-4.7	-66.0	
-92.4	-1963.3		J	125.5	-1.8	-4.7	-66.0	
-87.7	-1961.6							
		q4-2	I	75.7	80.1	0.8	-50.6	
3.6	1571.3		J	75.7	80.1	0.8	-50.6	
2.8	1491.2							
		q4-3	I	14.3	-20.8	4.9	29.3	
14.8	33.7		J	14.3	-20.8	4.9	29.3	
9.9	54.5							
		q4-4	I	-2.3	4.7	0.7	14.3	
0.0	-123.0		J	-2.3	4.7	0.7	14.3	
-0.6	-127.6							
		q4-5	I	-0.3	0.4	-1.0	0.8	
-6.0	10.4		J	-0.3	0.4	-1.0	0.8	
-5.0	10.0							
		q4-6	I	0.4	-0.8	-0.9	1.0	
-6.1	24.5		J	0.4	-0.8	-0.9	1.0	
-5.2	25.3							
		q4-7	I	0.3	-0.6	-1.0	1.6	
-6.4	19.2		J	0.3	-0.6	-1.0	1.6	
-5.5	19.7							
		q5 - p~1	I	-500.3	-238.4	58.9	302.8	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
120.2	4265.3		J	-518.2	-232.0	58.3	300.5	
68.1	4500.5							
		q5 - p~2	I	-468.2	76.4	-24.2	179.9	
-27.4	-3161.5		J	-467.7	59.0	-24.2	186.2	
-3.5	-3229.1							
		q5 - p~3	I	-473.8	-225.8	50.9	234.1	
126.2	4037.2		J	-490.7	-219.7	50.3	233.6	
76.8	4259.9							
		q5 - p~4	I	-443.8	72.6	-24.3	255.5	
-58.6	-2970.9		J	-443.3	56.1	-24.3	256.7	
-34.2	-3035.3							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-203.5	-43.2	1.1	47.9	
-69.2	1034.6		J	-203.5	-43.2	1.1	47.9	
-70.3	1077.8							
		T	I	-0.5	0.3	1.0	4.9	
-1.3	32.2		J	-0.5	0.3	1.0	4.9	
-2.3	31.8							
		M. tor~1	I	131.1	-291.7	-11.3	-372.6	
-320.7	-3931.9		J	131.1	-291.7	-11.3	-362.9	
-309.4	-3922.3							
		M. tor~2	I	77.5	-172.5	-6.7	-220.3	
-189.6	-2324.6		J	77.5	-172.5	-6.7	-214.5	
-182.9	-2318.9							
		INVSLU Max	I	917.8	345.6	-3208.8	7233.4	-1
1643.4	5696.2		J	934.6	336.5	-3020.0	7220.0	-
7302.3	6026.7	Min	I	-570.0	-395.0	-6266.5	-1565.7	-2
8808.7	-9043.2		J	-603.0	-386.0	-6007.3	-1400.6	-2
4132.3	-9199.9							
		INVSLV Max	I	1430.6	925.2	-2196.2	4336.7	-
8089.0	32416.5		J	1425.8	925.2	-2059.1	4336.7	-
5882.8	32815.5	Min	I	-1203.6	-957.7	-3216.3	-1257.1	-1
7061.0	-34246.6		J	-1208.4	-957.7	-3079.1	-1257.1	-1
3991.1	-34613.1							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8632.7	3866.3	INVSLE Max	I	627.2	231.0	-2380.8	5338.2	-
			J	637.8	224.9	-2240.8	5328.5	-
5413.5	3993.0	Min	I	-369.6	-267.6	-4638.0	-1139.9	-2
1331.9	-6416.5		J	-392.2	-261.5	-4446.0	-1017.8	-1
7871.4	-6516.8							
774	1	52 C1-C2;~1 Max	I	70.2	38.5	285.1	2883.5	
4473.5	965.4		J	67.6	38.5	289.1	2903.6	
5137.0	932.2	Min	I	-13.6	-49.1	-1837.1	-2349.2	-
7688.4	-1713.4		J	-14.9	-49.1	-1782.6	-2232.4	-
7005.7	-1672.1							
		C3-C4;~1 Max	I	65.0	41.2	292.7	3605.1	
4407.6	1151.1		J	62.5	41.2	296.6	3596.9	
5052.8	1116.7	Min	I	-15.8	-46.0	-1841.3	-1561.1	-
7883.4	-1683.5		J	-17.7	-46.0	-1786.9	-1474.0	-
7188.8	-1644.6							
		C1-C2;~2 Max	I	38.0	20.1	153.5	1529.1	
2744.6	502.5		J	36.4	20.1	155.1	1554.8	
3178.2	484.8	Min	I	-8.5	-25.7	-1049.8	-1322.5	-
4090.5	-935.8		J	-9.3	-25.7	-1021.9	-1249.5	-
3786.7	-913.3							
		C3-C4;~2 Max	I	34.7	21.5	158.2	1942.1	
2698.6	613.3		J	33.3	21.5	159.7	1953.8	
3122.8	594.6	Min	I	-9.8	-23.8	-1052.2	-826.5	-
4195.5	-920.6		J	-11.0	-23.8	-1024.3	-769.6	-
3886.0	-900.1							
		SLVx (RS)	I	1041.6	798.5	197.2	-2225.1	-
2112.1	-28319.2		J	1041.6	798.5	197.2	-2225.1	-
2051.6	-28688.1							
		SLVy (RS)	I	880.4	328.1	-111.4	1615.2	
1601.4	-16488.2		J	880.4	328.1	-111.4	1615.2	
1590.8	-16536.5							
		SLDx (RS)	I	735.2	576.9	143.1	-1555.9	-
1529.8	-19912.9		J	735.2	576.9	143.1	-1555.9	-
1484.5	-20154.8							
		SLDy (RS)	I	611.3	232.0	-80.2	1113.3	
1133.5	-11553.9		J	611.3	232.0	-80.2	1113.3	
1126.7	-11583.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2947.9	-1494.1	SLVz (RS)	I	-133.6	-112.7	411.8	-226.6	
			J	-133.6	-112.7	411.8	-226.6	
2546.6	-1424.8							
		G1	I	84.5	-15.3	-1881.6	1217.4	-
7250.4	-967.0		J	81.0	-15.3	-1781.1	1217.4	-
5418.8	-951.6							
		G2	I	30.8	-5.6	-687.2	443.9	-
2648.1	-353.0		J	29.6	-5.6	-650.5	443.9	-
1979.2	-347.4							
		G1- Imp~1	I	-4.9	3.3	-0.2	6.8	
-13.0	311.7		J	-4.9	3.3	-0.2	6.8	
-12.8	308.5							
		G2- Imp~1	I	-1.8	1.2	-0.1	2.5	
-4.8	114.0		J	-1.8	1.2	-0.1	2.5	
-4.7	112.8							
		q3	I	-110.7	-24.9	-0.4	41.6	
-40.0	647.7		J	-113.9	-24.9	-0.4	41.6	
-36.5	672.6							
		q4-1	I	125.5	-3.4	-4.7	-64.8	
-89.5	-1961.5		J	125.5	-3.4	-4.7	-64.8	
-84.8	-1958.1							
		q4-2	I	76.8	79.1	0.9	-50.6	
2.8	1491.2		J	76.8	79.1	0.9	-50.6	
2.0	1412.2							
		q4-3	I	14.1	-21.0	4.8	29.2	
10.4	54.5		J	14.1	-21.0	4.8	29.2	
5.5	75.5							
		q4-4	I	-2.2	4.7	0.7	14.3	
-0.5	-127.6		J	-2.2	4.7	0.7	14.3	
-1.2	-132.3							
		q4-5	I	-0.3	0.4	-1.0	0.9	
-5.0	10.0		J	-0.3	0.4	-1.0	0.9	
-4.1	9.6							
		q4-6	I	0.4	-0.8	-0.9	1.1	
-5.2	25.3		J	0.4	-0.8	-0.9	1.1	
-4.2	26.1							
		q4-7	I	0.3	-0.6	-1.0	1.6	
-5.4	19.7		J	0.3	-0.6	-1.0	1.6	
-4.5	20.3							
		q5 - p~1	I	-521.2	-225.3	58.1	299.5	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
74.1	4500.3		J	-539.0	-218.6	57.5	297.1	
22.6	4722.3							
-2.5	-3229.3	q5 - p~2	I	-466.9	65.1	-24.1	186.3	
21.5	-3285.7		J	-466.5	47.6	-24.1	192.6	
81.8	4259.7	q5 - p~3	I	-493.6	-213.3	50.2	232.5	
33.1	4469.9		J	-510.4	-207.0	49.6	232.0	
-32.3	-3035.4	q5 - p~4	I	-442.5	61.9	-24.3	257.2	
-8.0	-3089.0		J	-442.2	45.4	-24.3	258.4	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-69.2	1077.7	q7	I	-204.0	-40.5	1.1	48.8	
-70.2	1118.2		J	-204.0	-40.5	1.1	48.8	
-2.3	31.8	T	I	-0.5	0.3	1.0	4.9	
-3.3	31.5		J	-0.5	0.3	1.0	4.9	
-315.9	-3922.1	M. tor~1	I	127.3	-293.4	-11.4	-358.7	
-304.4	-3910.8		J	127.3	-293.4	-11.4	-348.9	
-186.7	-2318.8	M. tor~2	I	75.2	-173.5	-6.8	-212.0	
-180.0	-2312.1		J	75.2	-173.5	-6.8	-206.3	
7279.6	6033.2	INVSLU Max	I	938.5	326.9	-3020.1	7395.3	-
3053.2	6345.3		J	955.3	317.5	-2830.3	7382.0	-
4098.0	-9191.8	Min	I	-607.3	-377.1	-6007.2	-1189.1	-2
9738.4	-9334.0		J	-640.7	-367.7	-5748.0	-1029.3	-1
5854.3	32819.7	INVSLV Max	I	1454.4	914.3	-2064.7	4448.3	-
3776.1	33198.7		J	1449.6	914.3	-1927.6	4448.3	-
3978.3	-34608.2	Min	I	-1237.2	-947.3	-3073.5	-1107.0	-1
1054.8	-34954.2		J	-1241.9	-947.3	-2936.4	-1107.0	-1

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

5397.1	3997.9		INVSLE Max	I	640.4	219.4	-2240.9	5458.4	-
				J	651.0	215.5	-2100.3	5448.7	-
2262.9	4205.7		Min	I	-395.1	-255.7	-4446.0	-861.2	-1
7845.6	-6510.8			J	-417.9	-249.4	-4254.0	-742.9	-1
4619.8	-6601.4								
775	1	52	C1-C2;~1 Max	I	67.4	38.9	289.0	2889.1	
5131.0	932.4			J	64.9	38.9	298.7	2908.9	
5844.9	899.4		Min	I	-14.7	-49.7	-1782.6	-2216.3	-
7001.0	-1670.1			J	-16.0	-49.7	-1728.2	-2103.3	-
6417.6	-1629.2								
			C3-C4;~1 Max	I	62.4	41.6	296.6	3579.8	
5056.8	1116.9			J	60.4	41.6	303.5	3571.5	
5751.9	1083.2		Min	I	-17.4	-46.6	-1786.9	-1460.8	-
7181.5	-1642.4			J	-19.3	-46.6	-1732.5	-1377.2	-
6585.2	-1604.2								
			C1-C2;~2 Max	I	36.4	20.4	155.1	1543.4	
3175.3	484.9			J	34.8	20.4	160.7	1568.8	
3625.2	467.3		Min	I	-9.2	-26.0	-1021.9	-1246.6	-
3786.5	-912.1			J	-10.0	-26.0	-993.8	-1175.6	-
3522.3	-889.6								
			C3-C4;~2 Max	I	33.3	21.7	159.7	1939.5	
3126.6	594.7			J	32.1	21.7	163.3	1950.8	
3567.1	576.3		Min	I	-10.9	-24.2	-1024.3	-767.7	-
3884.9	-898.8			J	-12.1	-24.2	-996.2	-712.7	-
3614.8	-878.4								
			SLVx (RS)	I	1065.5	790.2	193.5	-2201.7	-
2063.4	-28687.9			J	1065.5	790.2	193.5	-2201.7	-
2016.4	-29040.4								
			SLVy (RS)	I	895.2	319.8	-106.6	1601.2	
1610.9	-16536.4			J	895.2	319.8	-106.6	1601.2	
1605.0	-16569.9								
			SLDx (RS)	I	751.9	572.2	140.3	-1539.2	-
1492.5	-20154.7			J	751.9	572.2	140.3	-1539.2	-
1456.8	-20386.0								
			SLDy (RS)	I	621.2	225.7	-76.5	1103.7	
1140.6	-11583.6			J	621.2	225.7	-76.5	1103.7	
1137.2	-11602.6								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2543.7	-1424.3	SLVz (RS)	I	-133.9	-113.6	408.0	-256.4	
			J	-133.9	-113.6	408.0	-256.4	
2147.3	-1353.2							
		G1	I	80.8	-15.6	-1781.1	1288.9	-
5402.8	-949.1		J	77.3	-15.6	-1680.7	1288.9	-
3671.7	-933.6							
		G2	I	29.5	-5.7	-650.5	470.0	-
1973.3	-346.5		J	28.2	-5.7	-613.8	470.0	-
1341.1	-340.8							
		G1- Imp~1	I	-4.9	3.3	-0.2	7.0	
-12.6	308.5		J	-4.9	3.3	-0.2	7.0	
-12.3	305.2							
		G2- Imp~1	I	-1.8	1.2	-0.1	2.6	
-4.6	112.8		J	-1.8	1.2	-0.1	2.6	
-4.5	111.6							
		q3	I	-114.2	-23.4	-0.4	42.1	
-35.7	672.6		J	-117.4	-23.4	-0.4	42.1	
-32.2	696.0							
		q4-1	I	125.5	-5.0	-4.7	-63.6	
-86.5	-1958.0		J	125.5	-5.0	-4.7	-63.6	
-81.8	-1953.0							
		q4-2	I	77.8	78.1	0.9	-50.7	
1.9	1412.2		J	77.8	78.1	0.9	-50.7	
1.1	1334.1							
		q4-3	I	13.8	-21.2	4.8	29.1	
5.9	75.5		J	13.8	-21.2	4.8	29.1	
1.1	96.7							
		q4-4	I	-2.1	4.7	0.7	14.3	
-1.1	-132.3		J	-2.1	4.7	0.7	14.3	
-1.8	-137.1							
		q4-5	I	-0.3	0.4	-1.0	1.0	
-4.0	9.6		J	-0.3	0.4	-1.0	1.0	
-3.1	9.2							
		q4-6	I	0.4	-0.8	-0.9	1.1	
-4.2	26.1		J	0.4	-0.8	-0.9	1.1	
-3.3	26.9							
		q4-7	I	0.3	-0.6	-1.0	1.7	
-4.4	20.3		J	0.3	-0.6	-1.0	1.7	
-3.5	20.9							
		q5 - p~1	I	-541.8	-211.6	57.4	296.6	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name					
			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E					
28.7	4722.1		J	-559.5	-204.7	56.8	294.2	
-22.1	4930.3							
		q5 - p~2	I	-465.8	53.7	-24.1	192.4	
22.6	-3285.8		J	-465.6	36.3	-24.1	198.7	
46.6	-3330.8							
		q5 - p~3	I	-513.1	-200.3	49.5	231.5	
38.2	4469.7		J	-529.9	-193.8	48.9	231.0	
-9.9	4666.8							
		q5 - p~4	I	-441.5	51.2	-24.3	258.5	
-6.0	-3089.2		J	-441.3	34.6	-24.3	259.7	
18.3	-3132.1							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-204.5	-37.8	1.0	49.7	
-69.1	1118.2		J	-204.5	-37.8	1.0	49.7	
-70.1	1156.0							
		T	I	-0.5	0.4	1.0	5.0	
-3.2	31.5		J	-0.5	0.4	1.0	5.0	
-4.2	31.1							
		M. tor~1	I	123.4	-295.1	-11.6	-344.8	
-310.7	-3910.6		J	123.4	-295.1	-11.6	-335.0	
-299.1	-3897.7							
		M. tor~2	I	73.0	-174.4	-6.8	-203.8	
-183.7	-2312.0		J	73.0	-174.4	-6.8	-198.1	
-176.9	-2304.4							
		INVSLU Max	I	959.0	307.5	-2830.4	7490.7	-
3026.1	6349.7		J	975.7	297.7	-2636.5	7477.2	
1145.6	6642.9							
		Min	I	-644.7	-358.5	-5747.9	-875.1	-1
9704.1	-9327.5		J	-678.0	-348.7	-5488.7	-720.4	-1
5724.9	-9454.9							
		INVSLV Max	I	1477.9	903.4	-1934.0	4527.3	-
3747.3	33201.8		J	1473.1	903.4	-1796.9	4527.3	-
1795.9	33559.7							
		Min	I	-1270.5	-936.9	-2930.0	-990.5	-1
1039.4	-34950.5		J	-1275.3	-936.9	-2792.8	-990.5	-
8263.4	-35274.9							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

2243.2	4209.0		INVSLE Max	I	653.4	210.2	-2100.4	5529.2	-
				J	663.9	206.1	-1956.7	5519.4	
845.7	4404.2		Min	I	-420.6	-243.3	-4253.9	-628.8	-1
4594.0	-6596.5			J	-443.4	-236.8	-4062.0	-514.3	-1
1645.3	-6677.0								
776	1	52	C1-C2;~1 Max	I	64.7	39.4	298.7	2878.6	
5840.7	898.9			J	62.3	39.4	317.9	2898.2	
6601.4	866.2		Min	I	-15.7	-50.3	-1728.2	-2095.7	-
6414.3	-1627.2			J	-17.0	-50.3	-1673.9	-1986.4	-
5929.1	-1587.0								
			C3-C4;~1 Max	I	60.2	42.1	303.4	3537.6	
5757.9	1082.7			J	58.4	42.1	318.4	3529.1	
6499.2	1050.4		Min	I	-19.1	-47.2	-1732.5	-1369.0	-
6579.8	-1602.0			J	-20.9	-47.2	-1678.2	-1288.8	-
6080.9	-1565.0								
			C1-C2;~2 Max	I	34.8	20.6	160.7	1548.5	
3623.3	467.0			J	33.4	20.6	173.2	1573.4	
4087.2	449.4		Min	I	-9.8	-26.3	-993.8	-1177.6	-
3522.5	-888.4			J	-10.6	-26.3	-965.5	-1108.7	-
3297.6	-866.2								
			C3-C4;~2 Max	I	32.0	22.0	163.3	1927.1	
3571.9	576.0			J	31.0	22.0	172.6	1938.0	
4026.4	558.1		Min	I	-11.9	-24.5	-996.2	-714.2	-
3614.3	-877.2			J	-13.1	-24.5	-967.9	-661.0	-
3383.1	-857.3								
			SLVx (RS)	I	1089.2	781.7	189.4	-2179.7	-
2027.3	-29040.2			J	1089.2	781.7	189.4	-2179.7	-
1993.1	-29375.5								
			SLVy (RS)	I	909.7	312.7	-101.6	1587.9	
1624.1	-16569.8			J	909.7	312.7	-101.6	1587.9	
1621.8	-16587.9								
			SLDx (RS)	I	768.4	567.4	137.2	-1523.5	-
1464.2	-20385.9			J	768.4	567.4	137.2	-1523.5	-
1437.7	-20606.0								
			SLDy (RS)	I	630.8	220.3	-72.8	1094.8	
1150.5	-11602.6			J	630.8	220.3	-72.8	1094.8	
1149.6	-11610.5								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2143.9	-1352.8	SLVz (RS)	I	-134.0	-114.7	403.2	-281.8	
			J	-134.0	-114.7	403.2	-281.8	
1755.0	-1279.9							
		G1	I	77.1	-15.8	-1680.7	1337.4	-
3654.9	-931.8		J	73.7	-15.8	-1580.2	1337.4	-
2024.3	-916.0							
		G2	I	28.2	-5.8	-613.8	487.7	-
1335.0	-340.2		J	26.9	-5.8	-577.1	487.7	
-739.4	-334.4							
		G1- Imp~1	I	-4.8	3.4	-0.2	7.2	
-12.1	305.2		J	-4.8	3.4	-0.2	7.2	
-11.8	301.8							
		G2- Imp~1	I	-1.8	1.2	-0.1	2.6	
-4.4	111.6		J	-1.8	1.2	-0.1	2.6	
-4.3	110.4							
		q3	I	-117.7	-21.9	-0.4	42.5	
-31.4	696.0		J	-120.9	-21.9	-0.4	42.5	
-27.9	717.8							
		q4-1	I	125.4	-6.7	-4.7	-62.5	
-83.6	-1952.9		J	125.4	-6.7	-4.7	-62.5	
-78.9	-1946.2							
		q4-2	I	78.8	77.0	0.9	-50.7	
1.0	1334.1		J	78.8	77.0	0.9	-50.7	
0.1	1257.1							
		q4-3	I	13.5	-21.4	4.8	29.1	
1.5	96.8		J	13.5	-21.4	4.8	29.1	
-3.3	118.1							
		q4-4	I	-2.1	4.7	0.7	14.3	
-1.6	-137.1		J	-2.1	4.7	0.7	14.3	
-2.3	-141.8							
		q4-5	I	-0.3	0.4	-1.0	1.0	
-3.1	9.2		J	-0.3	0.4	-1.0	1.0	
-2.1	8.8							
		q4-6	I	0.4	-0.8	-0.9	1.2	
-3.2	26.9		J	0.4	-0.8	-0.9	1.2	
-2.3	27.7							
		q4-7	I	0.3	-0.6	-1.0	1.7	
-3.4	20.9		J	0.3	-0.6	-1.0	1.7	
-2.5	21.5							
		q5 - p~1	I	-562.1	-197.4	56.7	294.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-16.0	4930.1		J	-579.7	-190.3	56.1	291.8	
-66.0	5124.0							
47.7	-3331.0	q5 - p~2	I	-465.0	42.4	-24.1	198.1	
71.7	-3364.7		J	-465.0	24.9	-24.1	204.4	
-4.7	4666.6	q5 - p~3	I	-532.3	-186.9	48.8	231.0	
-52.1	4850.2		J	-549.0	-180.2	48.2	230.6	
20.3	-3132.2	q5 - p~4	I	-440.8	40.4	-24.3	259.5	
44.5	-3164.4		J	-440.7	23.8	-24.3	260.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-68.9	1156.0	q7	I	-205.0	-35.1	1.0	50.6	
-69.9	1191.1		J	-205.0	-35.1	1.0	50.6	
-4.1	31.1	T	I	-0.5	0.4	1.0	5.0	
-5.1	30.8		J	-0.5	0.4	1.0	5.0	
-305.3	-3897.5	M. tor~1	I	119.5	-296.6	-11.7	-331.0	
-293.6	-3883.0		J	119.5	-296.6	-11.7	-321.2	
-180.5	-2304.3	M. tor~2	I	70.7	-175.4	-6.9	-195.7	
-173.6	-2295.7		J	70.7	-175.4	-6.9	-189.9	
1172.2	6645.3	INVSLU Max	I	979.2	288.7	-2636.6	7521.3	
5227.4	6919.2		J	995.8	282.3	-2431.9	7507.6	
5687.3	-9449.8	Min	I	-681.8	-339.1	-5488.6	-620.5	-1
2030.2	-9598.3		J	-714.8	-329.0	-5229.7	-470.7	-1
1767.0	33561.8	INVSLV Max	I	1501.1	892.9	-1804.3	4575.5	-
226.4	33897.6		J	1496.3	892.9	-1667.2	4575.5	
8245.8	-35272.3	Min	I	-1303.6	-926.9	-2785.4	-905.7	-
5786.0	-35574.0		J	-1308.4	-926.9	-2648.3	-905.7	-

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

865.4	4406.0	INVSLE Max	I	666.2	200.7	-1956.8	5552.0	
			J	676.7	196.4	-1805.1	5542.1	
3867.7	4588.5	Min	I	-445.9	-230.4	-4061.9	-440.4	-1
1617.3	-6673.3		J	-468.5	-223.7	-3870.2	-329.6	-
8906.8	-6743.5							
777	1	52 C1-C2;~1 Max	I	62.2	39.8	317.9	2853.1	
6599.1	865.1		J	59.9	39.8	342.6	2872.3	
7399.7	832.7	Min	I	-16.8	-50.8	-1673.9	-1997.7	-
5927.5	-1585.0		J	-18.5	-50.8	-1619.9	-1892.1	-
5536.3	-1545.3							
		C3-C4;~1 Max	I	58.1	42.6	318.4	3479.5	
6507.2	1049.2		J	56.4	42.6	343.1	3470.8	
7288.0	1017.5	Min	I	-20.7	-47.7	-1678.2	-1285.4	-
6077.8	-1562.9		J	-22.5	-47.7	-1624.0	-1208.3	-
5672.3	-1526.3							
		C1-C2;~2 Max	I	33.3	20.8	173.2	1544.9	
4086.3	448.8		J	32.0	20.8	189.6	1569.4	
4560.5	431.2	Min	I	-10.5	-26.7	-965.5	-1123.5	-
3298.4	-865.0		J	-11.6	-26.7	-937.1	-1056.5	-
3111.1	-842.9							
		C3-C4;~2 Max	I	30.9	22.2	172.6	1905.6	
4032.1	557.4		J	29.9	22.2	189.0	1916.1	
4497.0	539.7	Min	I	-13.0	-24.8	-967.9	-666.0	-
3383.4	-856.0		J	-14.2	-24.8	-939.5	-614.6	-
3189.5	-836.2							
		SLVx (RS)	I	1112.8	773.1	185.1	-2159.3	-
2003.2	-29375.3		J	1112.8	773.1	185.1	-2159.3	-
1981.0	-29692.6							
		SLVy (RS)	I	923.8	307.0	-96.8	1575.5	
1639.9	-16587.8		J	923.8	307.0	-96.8	1575.5	
1640.2	-16589.7							
		SLDx (RS)	I	784.8	562.5	134.0	-1508.9	-
1444.6	-20606.0		J	784.8	562.5	134.0	-1508.9	-
1426.6	-20814.4							
		SLDy (RS)	I	640.1	216.0	-69.2	1086.4	
1162.1	-11610.5		J	640.1	216.0	-69.2	1086.4	
1163.0	-11606.8							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1751.2	-1279.6	SLVz (RS)	I	-134.2	-116.2	397.1	-302.5	
			J	-134.2	-116.2	397.1	-302.5	
1373.7	-1205.2							
		G1	I	73.5	-16.1	-1580.3	1364.4	-
2007.0	-915.1		J	70.0	-16.1	-1479.8	1364.4	
-476.8	-899.0							
		G2	I	26.8	-5.9	-577.1	497.5	
-733.1	-334.0		J	25.6	-5.9	-540.5	497.5	
-174.2	-328.2							
		G1- Imp~1	I	-4.8	3.5	-0.2	7.3	
-11.6	301.8		J	-4.8	3.5	-0.2	7.3	
-11.4	298.3							
		G2- Imp~1	I	-1.8	1.3	-0.1	2.7	
-4.2	110.4		J	-1.8	1.3	-0.1	2.7	
-4.2	109.1							
		q3	I	-121.2	-20.3	-0.4	42.8	
-27.0	717.8		J	-124.4	-20.3	-0.4	42.8	
-23.5	738.1							
		q4-1	I	125.3	-8.3	-4.7	-61.4	
-80.6	-1946.1		J	125.3	-8.3	-4.7	-61.4	
-75.9	-1937.8							
		q4-2	I	79.8	76.0	1.0	-50.7	
-0.0	1257.1		J	79.8	76.0	1.0	-50.7	
-1.0	1181.1							
		q4-3	I	13.2	-21.6	4.8	29.1	
-2.9	118.1		J	13.2	-21.6	4.8	29.1	
-7.7	139.7							
		q4-4	I	-2.0	4.8	0.7	14.3	
-2.2	-141.8		J	-2.0	4.8	0.7	14.3	
-2.9	-146.6							
		q4-5	I	-0.3	0.4	-1.0	1.0	
-2.1	8.8		J	-0.3	0.4	-1.0	1.0	
-1.1	8.4							
		q4-6	I	0.3	-0.8	-0.9	1.2	
-2.3	27.7		J	0.3	-0.8	-0.9	1.2	
-1.3	28.5							
		q4-7	I	0.3	-0.6	-1.0	1.8	
-2.4	21.5		J	0.3	-0.6	-1.0	1.8	
-1.5	22.1							
		q5 - p~1	I	-582.2	-182.7	56.0	292.5	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-59.9	5123.8		J	-599.7	-175.4	55.4	289.9
-109.3	5302.9						
		q5 - p~2	I	-464.6	31.0	-24.1	203.5
72.9	-3364.8		J	-464.7	13.5	-24.1	209.8
97.0	-3387.1						
		q5 - p~3	I	-551.4	-173.0	48.2	231.2
-46.9	4850.0		J	-568.0	-166.0	47.6	230.7
-93.6	5019.5						
		q5 - p~4	I	-440.4	29.6	-24.3	260.1
46.5	-3164.5		J	-440.5	13.1	-24.3	261.2
70.8	-3185.9						
		q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q7	I	-205.4	-32.5	1.0	51.5
-68.7	1191.1		J	-205.4	-32.5	1.0	51.5
-69.7	1223.5						
		T	I	-0.5	0.4	1.0	5.1
-5.1	30.8		J	-0.5	0.4	1.0	5.1
-6.1	30.4						
		M. tor~1	I	115.6	-298.2	-11.8	-317.3
-299.5	-3882.8		J	115.6	-298.2	-11.8	-307.5
-287.7	-3866.8						
		M. tor~2	I	68.4	-176.3	-7.0	-187.6
-177.1	-2295.6		J	68.4	-176.3	-7.0	-181.8
-170.1	-2286.1						
		INVSLU Max	I	999.0	274.0	-2432.0	7491.3
5257.5	6919.8		J	1015.6	267.5	-2214.1	7477.2
9192.5	7173.2						
		Min	I	-718.4	-319.0	-5229.6	-436.8
1994.7	-9594.8		J	-751.3	-308.6	-4970.9	-291.8
8660.1	-9795.6						
		INVSLV Max	I	1523.9	882.8	-1676.0	4594.6
264.6	33898.6		J	1519.2	882.8	-1538.9	4594.6
2218.7	34211.3						
		Min	I	-1336.4	-917.3	-2639.5	-850.8
5776.5	-35572.5		J	-1341.2	-917.3	-2502.3	-850.8
3551.7	-35850.7						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3890.0	4588.9	INVSLE	Max	I	678.8	190.8	-1805.1	5529.9	
				J	689.2	186.4	-1643.7	5519.7	
6802.4	4757.8		Min	I	-470.9	-217.1	-3870.1	-304.4	-
8880.5	-6740.8			J	-493.4	-210.2	-3678.5	-197.2	-
6408.0	-6800.3								
778	1	52	C1-C2;~1	Max	I	59.7	40.2	342.6	2812.6
7399.3	830.9			J	57.8	40.2	368.7	2831.6	
8224.5	798.8		Min	I	-18.3	-51.4	-1619.9	-1914.7	-
5536.6	-1543.4			J	-20.2	-51.4	-1566.1	-1812.5	-
5229.2	-1504.1								
			C3-C4;~1	Max	I	56.2	43.0	343.1	3406.5
7297.9	1015.7			J	54.5	43.0	369.2	3397.5	
8104.4	984.4		Min	I	-22.2	-48.3	-1624.0	-1224.4	-
5671.5	-1524.2			J	-24.1	-48.3	-1570.2	-1150.3	-
5349.0	-1488.0								
			C1-C2;~2	Max	I	31.9	21.0	189.6	1532.7
4560.6	430.2			J	30.8	21.0	206.8	1556.6	
5038.4	412.8		Min	I	-11.4	-27.0	-937.1	-1078.6	-
3112.4	-841.7			J	-12.7	-27.0	-908.6	-1013.6	-
2958.6	-819.7								
			C3-C4;~2	Max	I	29.8	22.5	189.0	1875.5
4503.7	538.6			J	28.9	22.5	206.2	1885.5	
4972.8	521.0		Min	I	-14.0	-25.1	-939.5	-633.9	-
3190.6	-835.0			J	-15.1	-25.1	-911.0	-584.4	-
3030.0	-815.2								
			SLVx (RS)	I	1136.2	764.5	180.7	-2140.5	-
1990.1	-29692.4			J	1136.2	764.5	180.7	-2140.5	-
1978.7	-29990.8								
			SLVy (RS)	I	937.6	303.0	-92.4	1563.9	
1657.2	-16589.6			J	937.6	303.0	-92.4	1563.9	
1659.1	-16574.8								
			SLDx (RS)	I	801.1	557.4	130.8	-1495.4	-
1432.7	-20814.3			J	801.1	557.4	130.8	-1495.4	-
1422.5	-21010.6								
			SLDy (RS)	I	649.2	212.8	-65.9	1078.6	
1174.7	-11606.8			J	649.2	212.8	-65.9	1078.6	
1176.6	-11591.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1369.7	-1204.9	SLVz (RS)	I	-134.2	-118.0	389.3	-318.6
			J	-134.2	-118.0	389.3	-318.6
1011.6	-1129.3						
		G1	I	69.8	-16.3	-1479.8	1371.0
-459.3	-898.7		J	66.3	-16.3	-1379.4	1371.0
970.5	-882.4						
		G2	I	25.5	-6.0	-540.5	500.0
-167.9	-328.1		J	24.2	-6.0	-503.8	500.0
354.3	-322.1						
		G1- Imp~1	I	-4.7	3.5	-0.2	7.5
-11.1	298.3		J	-4.7	3.5	-0.2	7.5
-10.9	294.8						
		G2- Imp~1	I	-1.7	1.3	-0.1	2.7
-4.1	109.1		J	-1.7	1.3	-0.1	2.7
-4.0	107.8						
		q3	I	-124.6	-18.6	-0.4	43.1
-22.6	738.0		J	-127.8	-18.6	-0.4	43.1
-19.1	756.7						
		q4-1	I	125.2	-10.0	-4.7	-60.4
-77.6	-1937.7		J	125.2	-10.0	-4.7	-60.4
-72.9	-1927.8						
		q4-2	I	80.8	74.9	1.0	-50.7
-1.1	1181.1		J	80.8	74.9	1.0	-50.7
-2.1	1106.2						
		q4-3	I	12.9	-21.7	4.8	29.2
-7.2	139.7		J	12.9	-21.7	4.8	29.2
-12.0	161.4						
		q4-4	I	-2.0	4.8	0.7	14.4
-2.8	-146.6		J	-2.0	4.8	0.7	14.4
-3.4	-151.4						
		q4-5	I	-0.3	0.4	-1.0	1.0
-1.1	8.4		J	-0.3	0.4	-1.0	1.0
-0.1	8.0						
		q4-6	I	0.3	-0.8	-0.9	1.2
-1.3	28.5		J	0.3	-0.8	-0.9	1.2
-0.4	29.3						
		q4-7	I	0.2	-0.6	-1.0	1.8
-1.4	22.1		J	0.2	-0.6	-1.0	1.8
-0.5	22.7						
		q5 - p~1	I	-602.0	-167.6	55.3	291.3

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-103.1	5302.8		J	-619.4	-160.0	54.7	288.5	
-151.8	5466.6							
98.2	-3387.3	q5 - p~2	I	-464.5	19.6	-24.1	208.5	
122.4	-3398.2		J	-464.8	2.2	-24.1	214.8	
-88.3	5019.4	q5 - p~3	I	-570.1	-158.6	47.5	231.9	
-134.4	5174.4		J	-586.6	-151.4	46.9	231.3	
72.7	-3186.1	q5 - p~4	I	-440.3	18.8	-24.3	260.3	
97.0	-3196.6		J	-440.6	2.3	-24.3	261.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-68.5	1223.5	q7	I	-205.9	-29.8	1.0	52.4	
-69.5	1253.2		J	-205.9	-29.8	1.0	52.4	
-6.0	30.4	T	I	-0.5	0.4	1.0	5.1	
-7.0	30.0		J	-0.5	0.4	1.0	5.1	
-293.4	-3866.6	M. tor~1	I	111.7	-299.7	-12.0	-303.7	
-281.4	-3849.1		J	111.7	-299.7	-12.0	-293.9	
-173.5	-2286.0	M. tor~2	I	66.1	-177.2	-7.1	-179.6	
-166.4	-2275.6		J	66.1	-177.2	-7.1	-173.8	
9219.0	7172.0	INVSLU Max	I	1018.4	259.0	-2214.1	7404.2	
3013.2	7404.1		J	1035.3	252.2	-1994.4	7389.6	1
8620.8	-9793.4	Min	I	-754.5	-298.2	-4970.8	-311.2	-
5594.4	-9972.3		J	-787.3	-287.5	-4712.4	-170.8	-
2255.8	34211.4	INVSLV Max	I	1546.5	873.3	-1549.4	4586.4	
4089.9	34500.2		J	1541.7	873.3	-1412.3	4586.4	
3540.4	-35850.2	Min	I	-1368.9	-908.3	-2491.8	-824.1	-
1470.0	-36103.9		J	-1373.7	-908.3	-2354.7	-824.1	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

6822.4	4756.9	INVSLE Max	I	691.1	180.7	-1643.7	5465.5	
			J	701.7	176.2	-1480.9	5454.9	
9629.8	4911.6	Min	I	-495.6	-203.3	-3678.4	-211.5	-
6379.3	-6798.7		J	-518.0	-196.1	-3487.1	-107.6	-
4134.4	-6847.3							
779	1	52 C1-C2;~1 Max	I	57.6	40.6	368.7	2758.7	
8225.7	796.5		J	55.9	40.6	396.2	2777.2	
9105.8	766.8	Min	I	-20.0	-52.0	-1566.1	-1841.0	-
5231.4	-1502.2		J	-21.9	-52.0	-1512.6	-1742.1	-
5076.7	-1463.5							
		C3-C4;~1 Max	I	54.3	43.5	369.2	3319.3	
8116.1	982.0		J	52.7	43.5	396.6	3309.9	
8994.7	951.3	Min	I	-23.8	-48.8	-1570.2	-1169.5	-
5350.8	-1485.9		J	-25.7	-48.8	-1516.6	-1113.4	-
5187.6	-1450.2							
		C1-C2;~2 Max	I	30.7	21.2	206.8	1512.6	
5039.3	411.5		J	29.7	21.2	224.7	1536.0	
5532.1	395.7	Min	I	-12.5	-27.3	-908.6	-1038.9	-
2960.6	-818.6		J	-13.7	-27.3	-880.1	-975.8	-
2867.9	-796.7							
		C3-C4;~2 Max	I	28.8	22.7	206.2	1837.0	
4980.1	519.6		J	27.9	22.7	224.1	1846.4	
5471.3	502.2	Min	I	-15.0	-25.3	-911.0	-605.9	-
3031.8	-814.1		J	-16.1	-25.3	-882.4	-557.9	-
2934.9	-794.4							
		SLVx (RS)	I	1159.3	755.8	176.2	-2123.4	-
1986.7	-29990.7		J	1159.3	755.8	176.2	-2123.4	-
1984.9	-30269.4							
		SLVy (RS)	I	951.1	300.9	-88.6	1553.2	
1675.0	-16574.7		J	951.1	300.9	-88.6	1553.2	
1677.8	-16542.7							
		SLDx (RS)	I	817.2	552.4	127.4	-1483.1	-
1427.9	-21010.6		J	817.2	552.4	127.4	-1483.1	-
1424.5	-21194.1							
		SLDy (RS)	I	658.0	211.1	-63.0	1071.5	
1187.6	-11591.0		J	658.0	211.1	-63.0	1071.5	
1189.8	-11562.9							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
1007.6	-1129.1	SLVz (RS)	I	-134.3	-120.2	379.4	-329.9
			J	-134.3	-120.2	379.4	-329.9
688.0	-1053.0						
		G1	I	66.1	-16.6	-1379.4	1358.6
987.9	-882.8		J	62.6	-16.6	-1278.9	1358.6
2317.3	-866.3						
		G2	I	24.1	-6.1	-503.8	495.4
360.7	-322.3		J	22.9	-6.1	-467.1	495.4
846.2	-316.2						
		G1- Imp~1	I	-4.7	3.6	-0.2	7.6
-10.6	294.8		J	-4.7	3.6	-0.2	7.6
-10.4	291.2						
		G2- Imp~1	I	-1.7	1.3	-0.1	2.8
-3.9	107.8		J	-1.7	1.3	-0.1	2.8
-3.8	106.5						
		q3	I	-128.1	-17.0	-0.5	43.4
-18.2	756.6		J	-131.3	-17.0	-0.5	43.4
-14.7	773.6						
		q4-1	I	125.0	-11.6	-4.7	-59.5
-74.5	-1927.7		J	125.0	-11.6	-4.7	-59.5
-69.8	-1916.1						
		q4-2	I	81.8	73.9	1.0	-50.7
-2.3	1106.2		J	81.8	73.9	1.0	-50.7
-3.3	1032.3						
		q4-3	I	12.6	-21.9	4.8	29.4
-11.6	161.5		J	12.6	-21.9	4.8	29.4
-16.4	183.4						
		q4-4	I	-1.9	4.8	0.7	14.4
-3.3	-151.4		J	-1.9	4.8	0.7	14.4
-4.0	-156.2						
		q4-5	I	-0.3	0.4	-1.0	1.0
-0.1	8.0		J	-0.3	0.4	-1.0	1.0
0.9	7.5						
		q4-6	I	0.3	-0.8	-0.9	1.2
-0.3	29.3		J	0.3	-0.8	-0.9	1.2
0.6	30.2						
		q4-7	I	0.2	-0.6	-1.0	1.8
-0.5	22.7		J	0.2	-0.6	-1.0	1.8
0.5	23.3						
		q5 - p~1	I	-621.4	-151.9	54.6	290.5

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-145.6	5466.4		J	-638.8	-144.1	54.0	287.7	
-193.7	5614.5							
		q5 - p~2	I	-464.8	8.2	-24.1	213.2	
123.7	-3398.4		J	-465.4	-9.2	-24.1	219.5	
148.0	-3397.9							
		q5 - p~3	I	-588.5	-143.8	46.9	233.1	
-129.0	5174.3		J	-604.9	-136.4	46.3	232.6	
-174.4	5314.4							
		q5 - p~4	I	-440.6	8.1	-24.3	260.2	
99.0	-3196.8		J	-441.1	-8.5	-24.3	261.3	
123.3	-3196.6							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-206.2	-27.1	1.0	53.3	
-68.2	1253.2		J	-206.2	-27.1	1.0	53.3	
-69.2	1280.3							
		T	I	-0.5	0.4	1.0	5.2	
-6.9	30.0		J	-0.5	0.4	1.0	5.2	
-7.9	29.7							
		M. tor~1	I	107.8	-301.1	-12.1	-290.2	
-287.0	-3848.9		J	107.8	-301.1	-12.1	-280.5	
-274.9	-3829.9							
		M. tor~2	I	63.7	-178.0	-7.2	-171.6	
-169.7	-2275.5		J	63.7	-178.0	-7.2	-165.8	
-162.5	-2264.3							
		INVSLU Max	I	1037.7	243.4	-1994.4	7263.3	1
3041.7	7401.2		J	1054.6	236.4	-1772.8	7248.1	1
6724.3	7611.6	Min	I	-790.2	-276.7	-4712.3	-233.6	-
5558.5	-9971.4		J	-822.8	-265.6	-4454.3	-97.5	-
2931.8	-10127.8							
		INVSLV Max	I	1568.7	864.4	-1424.6	4552.8	
4125.6	34499.4		J	1563.9	864.4	-1287.5	4552.8	
5843.9	34763.5	Min	I	-1401.1	-899.9	-2342.3	-823.9	-
1457.4	-36104.3		J	-1405.9	-899.9	-2205.2	-823.9	
454.6	-36332.9							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

9651.3	4909.5	INVSLE	Max	I	703.3	170.2	-1480.9	5361.2	
				J	714.0	165.6	-1316.7	5350.1	1
2376.0	5049.7		Min	I	-520.0	-189.0	-3487.0	-154.0	-
4108.2	-6846.6			J	-542.3	-181.6	-3296.0	-53.4	-
2159.3	-6913.6								
780	1	52 C1-C2;~1	Max	I	55.6	41.0	396.2	2691.3	
9115.6	764.4			J	53.9	41.0	425.0	2709.5	1
0055.8	739.2		Min	I	-21.7	-52.5	-1512.6	-1775.9	-
5087.5	-1461.6			J	-23.6	-52.5	-1459.5	-1680.1	-
5062.8	-1423.6								
		C3-C4;~1	Max	I	52.4	43.9	396.6	3220.3	
9014.5	948.3			J	50.9	43.9	425.4	3210.5	
9953.1	918.5		Min	I	-25.3	-49.4	-1516.6	-1120.8	-
5198.5	-1448.1			J	-27.2	-49.4	-1463.3	-1073.7	-
5171.8	-1413.2								
		C1-C2;~2	Max	I	29.6	21.5	224.7	1484.6	
5536.5	394.4			J	28.7	21.5	243.3	1507.5	
6045.8	381.6		Min	I	-13.6	-27.6	-880.1	-1004.1	-
2873.1	-795.6			J	-14.8	-27.6	-851.6	-942.8	-
2832.5	-774.0								
		C3-C4;~2	Max	I	27.8	22.9	224.1	1791.3	
5481.9	500.5			J	26.9	22.9	242.7	1800.2	
5989.5	483.4		Min	I	-15.9	-25.6	-882.4	-581.6	-
2940.3	-793.3			J	-17.0	-25.6	-853.8	-542.7	-
2898.0	-773.9								
		SLVx (RS)		I	1182.1	747.3	171.8	-2108.1	-
1991.8	-30269.3			J	1182.1	747.3	171.8	-2108.1	-
1998.2	-30527.7								
		SLVy (RS)		I	-964.3	300.8	-85.8	1543.5	
1692.6	-16542.7			J	-964.3	300.8	-85.8	1543.5	
1695.6	-16493.1								
		SLDx (RS)		I	833.2	547.3	124.2	-1472.1	-
1429.2	-21194.1			J	833.2	547.3	124.2	-1472.1	-
1431.5	-21364.4								
		SLDy (RS)		I	666.5	211.0	-60.9	1065.0	
1200.1	-11562.9			J	666.5	211.0	-60.9	1065.0	
1202.3	-11522.0								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
684.6	-1052.9	SLVz (RS)	I	-134.5	-122.7	367.3	-336.5
			J	-134.5	-122.7	367.3	-336.5
-464.4	-977.3						
		G1	I	62.4	-16.8	-1278.9	1328.6
2334.4	-867.3		J	58.9	-16.8	-1178.5	1328.6
3563.3	-850.5						
		G2	I	22.8	-6.1	-467.1	484.5
852.5	-316.6		J	21.5	-6.1	-430.4	484.5
1301.3	-310.4						
		G1- Imp~1	I	-4.7	3.6	-0.2	7.7
-10.2	291.2		J	-4.7	3.6	-0.2	7.7
-9.9	287.6						
		G2- Imp~1	I	-1.7	1.3	-0.1	2.8
-3.7	106.5		J	-1.7	1.3	-0.1	2.8
-3.6	105.2						
		q3	I	-131.5	-15.2	-0.5	43.6
-13.8	773.6		J	-134.7	-15.2	-0.5	43.6
-10.3	788.8						
		q4-1	I	124.9	-13.2	-4.7	-58.6
-71.5	-1916.0		J	124.9	-13.2	-4.7	-58.6
-66.8	-1902.8						
		q4-2	I	82.8	72.8	1.1	-50.6
-3.5	1032.4		J	82.8	72.8	1.1	-50.6
-4.5	959.5						
		q4-3	I	12.4	-22.1	4.8	29.6
-15.9	183.4		J	12.4	-22.1	4.8	29.6
-20.7	205.4						
		q4-4	I	-1.8	4.9	0.7	14.5
-3.9	-156.2		J	-1.8	4.9	0.7	14.5
-4.6	-161.1						
		q4-5	I	-0.3	0.4	-1.0	1.0
0.9	7.5		J	-0.3	0.4	-1.0	1.0
1.8	7.1						
		q4-6	I	0.3	-0.8	-0.9	1.2
0.6	30.2		J	0.3	-0.8	-0.9	1.2
1.6	31.0						
		q4-7	I	0.2	-0.6	-1.0	1.8
0.5	23.3		J	0.2	-0.6	-1.0	1.8
1.5	24.0						
		q5 - p~1	I	-640.6	-135.8	54.0	290.2

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-187.3	5614.3		J	-657.8	-127.8	53.4	287.4
-234.8	5746.1						
149.3	-3398.2	q5 - p~2	I	-465.5	-3.1	-24.1	217.5
173.8	-3386.3		J	-466.3	-20.6	-24.1	223.8
-168.9	5314.3	q5 - p~3	I	-606.7	-128.5	46.2	234.9
-213.8	5439.0		J	-623.0	-120.9	45.7	234.3
125.3	-3196.8	q5 - p~4	I	-441.2	-2.7	-24.3	259.7
149.6	-3185.9		J	-442.0	-19.2	-24.3	260.8
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-67.9	1280.2	q7	I	-206.6	-24.4	1.0	54.2
-68.9	1304.6		J	-206.6	-24.4	1.0	54.2
-7.8	29.7	T	I	-0.5	0.4	1.0	5.3
-8.9	29.3		J	-0.5	0.4	1.0	5.3
-280.3	-3829.8	M. tor~1	I	103.8	-302.5	-12.3	-276.9
-268.0	-3809.4		J	103.8	-302.5	-12.3	-267.1
-165.7	-2264.2	M. tor~2	I	61.4	-178.8	-7.2	-163.7
-158.4	-2252.2		J	61.4	-178.8	-7.2	-157.9
6763.9	7607.1	INVSLU Max	I	1056.7	227.5	-1772.8	7074.4
0341.9	7795.1		J	1073.5	220.3	-1549.4	7058.5
2908.7	-10128.1	Min	I	-825.5	-254.5	-4454.3	-200.5
-650.8	-10261.4		J	-857.9	-243.1	-4196.7	-68.6
5877.9	34761.9	INVSLV Max	I	1590.5	856.3	-1301.8	4495.7
7497.2	35000.7		J	1585.7	856.3	-1164.6	4495.7
468.1	-36334.1	Min	I	-1432.9	-892.3	-2190.9	-848.4
2204.8	-36536.9		J	-1437.7	-892.3	-2053.8	-848.4

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

2405.8	5046.4	INVSLE Max	I	715.3	159.5	-1316.7	5221.3	1
			J	726.0	154.7	-1151.2	5209.7	1
5053.0	5171.8	Min	I	-544.1	-174.3	-3295.9	-129.5	-
2142.6	-6913.8		J	-566.3	-166.7	-3105.2	-32.0	-
-467.0	-6998.7							
781	1	52 C1-C2;~1 Max	I	53.6	41.4	425.0	2611.8	1
0066.2	736.3		J	52.1	41.4	455.1	2629.7	1
0944.8	712.6	Min	I	-23.3	-53.1	-1459.5	-1718.6	-
5073.3	-1421.9		J	-25.2	-53.1	-1406.8	-1625.7	-
5051.4	-1384.8							
		C3-C4;~1 Max	I	50.7	44.3	425.4	3110.6	
9972.9	915.0		J	49.4	44.3	455.6	3100.3	1
0850.0	886.3	Min	I	-26.8	-49.9	-1463.3	-1078.1	-
5182.7	-1411.2		J	-28.7	-49.9	-1410.5	-1039.1	-
5160.2	-1377.3							
		C1-C2;~2 Max	I	28.5	21.7	243.3	1449.5	
6050.5	380.0		J	27.6	21.7	262.6	1471.9	
6526.9	367.8	Min	I	-14.6	-27.9	-851.6	-973.8	-
2837.4	-772.9		J	-15.8	-27.9	-823.1	-914.2	-
2797.9	-751.6							
		C3-C4;~2 Max	I	26.8	23.2	242.7	1738.9	
6000.2	481.3		J	26.1	23.2	262.0	1747.3	
6475.1	464.6	Min	I	-16.8	-25.9	-853.8	-561.2	-
2903.2	-772.8		J	-17.9	-25.9	-825.2	-526.7	-
2862.6	-753.8							
		SLVx (RS)	I	1204.6	738.8	167.5	-2094.5	-
2003.8	-30527.6		J	1204.6	738.8	167.5	-2094.5	-
2017.0	-30764.7							
		SLVy (RS)	I	-977.1	302.9	-84.0	1534.7	
1709.5	-16493.1		J	-977.1	302.9	-84.0	1534.7	
1712.4	-16425.6							
		SLDx (RS)	I	848.9	542.2	121.0	-1462.3	-
1435.3	-21364.3		J	848.9	542.2	121.0	-1462.3	-
1442.4	-21520.9							
		SLDy (RS)	I	674.7	212.4	-59.6	1059.3	
1211.9	-11522.0		J	674.7	212.4	-59.6	1059.3	
1213.9	-11468.2							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-463.1	-977.3	SLVz (RS)	I	-134.6	-125.2	353.1	-338.6
			J	-134.6	-125.2	353.1	-338.6
-471.9	-903.8						
		G1	I	58.6	-17.0	-1178.5	1282.2
3580.0	-852.1		J	55.2	-17.0	-1078.0	1282.2
4708.4	-835.1						
		G2	I	21.4	-6.2	-430.4	467.5
1307.4	-311.0		J	20.1	-6.2	-393.7	467.5
1719.5	-304.8						
		G1- Imp~1	I	-4.6	3.7	-0.2	7.9
-9.7	287.6		J	-4.6	3.7	-0.2	7.9
-9.5	283.9						
		G2- Imp~1	I	-1.7	1.4	-0.1	2.9
-3.6	105.2		J	-1.7	1.4	-0.1	2.9
-3.5	103.8						
		q3	I	-134.9	-13.5	-0.5	43.7
-9.4	788.8		J	-138.1	-13.5	-0.5	43.7
-5.9	802.3						
		q4-1	I	124.7	-14.9	-4.7	-57.7
-68.4	-1902.7		J	124.7	-14.9	-4.7	-57.7
-63.7	-1887.9						
		q4-2	I	83.7	71.7	1.1	-50.6
-4.8	959.6		J	83.7	71.7	1.1	-50.6
-5.9	887.9						
		q4-3	I	12.1	-22.2	4.8	29.8
-20.2	205.5		J	12.1	-22.2	4.8	29.8
-25.0	227.7						
		q4-4	I	-1.8	4.9	0.7	14.5
-4.5	-161.1		J	-1.8	4.9	0.7	14.5
-5.2	-165.9						
		q4-5	I	-0.3	0.4	-1.0	1.0
1.9	7.1		J	-0.3	0.4	-1.0	1.0
2.8	6.6						
		q4-6	I	0.3	-0.8	-0.9	1.2
1.6	31.0		J	0.3	-0.8	-0.9	1.2
2.5	31.8						
		q4-7	I	0.2	-0.6	-1.0	1.8
1.5	24.0		J	0.2	-0.6	-1.0	1.8
2.5	24.6						
		q5 - p~1	I	-659.4	-119.2	53.3	290.5

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-228.5	5746.0		J	-676.5	-110.9	52.8	287.5
-275.3	5861.1						
		q5 - p~2	I	-466.6	-14.4	-24.1	221.4
175.2	-3386.6		J	-467.8	-31.9	-24.2	227.7
199.7	-3363.4						
		q5 - p~3	I	-624.5	-112.8	45.6	237.2
-208.2	5438.9		J	-640.7	-105.0	45.1	236.6
-252.4	5547.7						
		q5 - p~4	I	-442.2	-13.4	-24.3	258.8
151.6	-3186.1		J	-443.4	-29.9	-24.3	260.0
176.0	-3164.4						
		q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q7	I	-206.9	-21.7	1.0	55.1
-67.6	1304.6		J	-206.9	-21.7	1.0	55.1
-68.5	1326.2						
		T	I	-0.5	0.4	1.0	5.5
-8.8	29.3		J	-0.5	0.4	1.0	5.5
-9.8	28.9						
		M. tor~1	I	99.9	-303.8	-12.4	-263.6
-273.2	-3809.3		J	99.9	-303.8	-12.4	-253.8
-260.8	-3787.6						
		M. tor~2	I	59.0	-179.6	-7.3	-155.8
-161.5	-2252.1		J	59.0	-179.6	-7.3	-150.1
-154.2	-2239.3						
		INVSLU Max	I	1075.2	211.0	-1549.4	6841.4
0381.3	7789.1		J	1091.9	203.6	-1324.1	6824.8
3690.5	7954.2						
		Min	I	-860.3	-231.6	-4196.7	-208.7
-628.5	-10262.8		J	-892.5	-219.9	-3939.7	-80.7
1439.1	-10375.4						
		INVSLV Max	I	1611.9	849.0	-1180.7	4417.0
7529.7	34998.3		J	1607.1	849.0	-1043.6	4417.0
9087.2	35211.4						
		Min	I	-1464.4	-885.5	-2037.7	-896.0
2218.5	-36539.0		J	-1469.1	-885.5	-1900.6	-896.0
3742.7	-36715.7						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

5082.6	5167.4	INVSLE	Max	I	727.1	148.4	-1151.2	5048.7	1
				J	737.7	143.5	-984.3	5036.6	1
7530.9	5277.5		Min	I	-567.9	-159.1	-3105.2	-135.6	
-450.9	-6999.7			J	-590.0	-151.3	-2914.9	-40.9	
1083.7	-7071.0								
782	1	52 C1-C2;~1	Max	I	51.8	41.8	455.1	2520.9	1
0955.1	709.4			J	50.4	41.8	486.6	2538.5	1
1768.1	687.3		Min	I	-24.9	-53.6	-1406.8	-1668.5	-
5061.1	-1383.2			J	-26.8	-53.6	-1354.6	-1578.4	-
5039.5	-1347.2								
		C3-C4;~1	Max	I	48.9	44.8	455.6	2992.4	1
0869.2	882.3			J	48.2	44.8	487.0	2981.6	1
1680.9	854.9		Min	I	-28.3	-50.4	-1410.5	-1041.5	-
5170.3	-1375.4			J	-30.2	-50.4	-1358.2	-1010.8	-
5148.1	-1342.5								
		C1-C2;~2	Max	I	27.5	21.9	262.6	1407.7	
6531.5	366.0			J	26.7	21.9	282.6	1429.6	
6972.9	354.4		Min	I	-15.6	-28.2	-823.1	-947.7	-
2802.3	-750.6			J	-16.7	-28.2	-794.6	-889.6	-
2762.9	-729.7								
		C3-C4;~2	Max	I	25.8	23.4	262.0	1680.7	
6485.4	462.2			J	25.6	23.4	282.0	1688.6	
6925.5	446.0		Min	I	-17.7	-26.2	-825.2	-544.5	-
2867.3	-752.7			J	-18.8	-26.2	-796.7	-513.8	-
2826.9	-734.1								
		SLVx (RS)		I	1226.8	730.6	163.3	-2082.9	-
2021.4	-30764.6			J	1226.8	730.6	163.3	-2082.9	-
2040.1	-30979.8								
		SLVy (RS)		I	-989.5	307.3	-83.5	1527.0	
1725.2	-16425.5			J	-989.5	307.3	-83.5	1527.0	
1728.0	-16339.9								
		SLDx (RS)		I	864.4	537.1	118.0	-1453.8	-
1445.5	-21520.9			J	864.4	537.1	118.0	-1453.8	-
1456.4	-21663.2								
		SLDy (RS)		I	682.6	215.6	-59.3	1054.3	
1222.7	-11468.2			J	682.6	215.6	-59.3	1054.3	
1224.4	-11401.3								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-474.3	-903.8	SLVz (RS)	I	134.7	-127.7	336.7	-336.3
			J	134.7	-127.7	336.7	-336.3
-679.1	-834.6						
		G1	I	54.9	-17.3	-1078.0	1220.8
4724.3	-837.2		J	51.4	-17.3	-977.6	1220.8
5752.3	-819.9						
		G2	I	20.1	-6.3	-393.7	445.1
1725.3	-305.6		J	18.8	-6.3	-357.1	445.1
2100.8	-299.3						
		G1- Imp~1	I	-4.6	3.8	-0.2	8.0
-9.2	283.9		J	-4.6	3.8	-0.2	8.0
-9.0	280.2						
		G2- Imp~1	I	-1.7	1.4	-0.1	2.9
-3.4	103.8		J	-1.7	1.4	-0.1	2.9
-3.3	102.5						
		q3	I	-138.2	-11.7	-0.5	43.8
-5.0	802.2		J	-141.4	-11.7	-0.5	43.8
-1.5	813.9						
		q4-1	I	124.5	-16.5	-4.7	-56.9
-65.3	-1887.8		J	124.5	-16.5	-4.7	-56.9
-60.6	-1871.3						
		q4-2	I	84.6	70.6	1.1	-50.5
-6.1	887.9		J	84.6	70.6	1.1	-50.5
-7.2	817.3						
		q4-3	I	11.8	-22.4	4.8	30.2
-24.5	227.7		J	11.8	-22.4	4.8	30.2
-29.2	250.1						
		q4-4	I	-1.7	4.9	0.7	14.6
-5.1	-165.9		J	-1.7	4.9	0.7	14.6
-5.8	-170.8						
		q4-5	I	-0.3	0.4	-1.0	1.0
2.8	6.6		J	-0.3	0.4	-1.0	1.0
3.8	6.2						
		q4-6	I	0.3	-0.8	-0.9	1.2
2.6	31.8		J	0.3	-0.8	-0.9	1.2
3.5	32.6						
		q4-7	I	0.2	-0.6	-1.0	1.7
2.5	24.6		J	0.2	-0.6	-1.0	1.7
3.5	25.2						
		q5 - p~1	I	-677.9	-102.1	52.7	291.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-268.9	5861.0		J	-694.9	-93.7	52.1	288.1	
-315.2	5958.8							
		q5 - p~2	I	-468.1	-25.7	-24.2	225.0	
201.2	-3363.7		J	-469.6	-43.1	-24.2	231.3	
225.9	-3329.3							
		q5 - p~3	I	-642.0	-96.6	45.0	240.0	
-246.8	5547.6		J	-658.2	-88.6	44.5	239.4	
-290.4	5640.2							
		q5 - p~4	I	-443.7	-24.1	-24.3	257.6	
177.9	-3164.7		J	-445.1	-40.6	-24.4	258.7	
202.4	-3132.3							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-207.1	-18.9	1.0	56.0	
-67.2	1326.2		J	-207.1	-18.9	1.0	56.0	
-68.1	1345.1							
		T	I	-0.5	0.4	1.0	5.6	
-9.7	28.9		J	-0.5	0.4	1.0	5.6	
-10.7	28.5							
		M. tor~1	I	95.9	-305.1	-12.5	-250.5	
-265.8	-3787.4		J	95.9	-305.1	-12.5	-240.7	
-253.3	-3764.5							
		M. tor~2	I	56.7	-180.4	-7.4	-148.1	
-157.2	-2239.2		J	56.7	-180.4	-7.4	-142.3	
-149.7	-2225.6							
		INVSLU Max	I	1093.3	194.2	-1324.1	6569.7	2
3728.5	7946.9		J	1110.0	186.6	-1097.1	6552.4	2
6763.4	8088.5	Min	I	-894.6	-208.1	-3939.7	-254.8	
1461.2	-10377.7		J	-926.6	-196.1	-3683.4	-130.3	
3343.7	-10466.3							
		INVSLV Max	I	1632.8	842.6	-1061.4	4318.7	
9118.3	35208.4		J	1628.1	842.6	-924.2	4318.7	1
0603.0	35395.6	Min	I	-1495.4	-879.5	-1882.8	-965.0	
3755.8	-36718.5		J	-1500.1	-879.5	-1745.7	-965.0	
5078.6	-36868.8							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

7559.4	5272.1	INVSLE Max	I	738.6	137.1	-984.3	4847.4	1
			J	749.1	132.0	-816.0	4834.8	1
9804.5	5366.7	Min	I	-591.3	-143.4	-2914.9	-169.7	
1099.7	-7072.7		J	-613.3	-135.4	-2725.0	-77.7	
2497.1	-7128.0							
783	1	52 C1-C2;~1 Max	I	50.0	42.2	486.6	2419.4	1
1778.0	683.6		J	49.1	42.2	519.3	2436.8	1
2523.7	662.6	Min	I	-26.5	-54.2	-1354.5	-1625.3	-
5048.3	-1345.7		J	-28.4	-54.2	-1302.9	-1537.6	-
5026.8	-1310.8							
		C3-C4;~1 Max	I	47.7	45.2	487.0	2867.2	1
1699.2	850.3		J	47.1	45.2	519.8	2857.0	1
2443.7	824.4	Min	I	-29.8	-51.0	-1358.1	-1010.8	-
5157.3	-1340.7		J	-31.6	-51.0	-1306.3	-989.4	-
5135.2	-1309.2							
		C1-C2;~2 Max	I	26.5	22.1	282.6	1359.5	
6977.4	352.5		J	26.1	22.1	303.2	1381.0	
7382.6	341.3	Min	I	-16.6	-28.4	-794.6	-925.5	-
2766.9	-728.7		J	-17.7	-28.4	-766.3	-868.9	-
2727.5	-708.1							
		C3-C4;~2 Max	I	25.3	23.6	282.1	1617.8	
6935.3	443.3		J	25.0	23.6	302.7	1625.5	
7339.2	427.5	Min	I	-18.6	-26.5	-796.7	-531.3	-
2831.1	-733.1		J	-19.7	-26.5	-768.2	-504.3	-
2790.7	-714.9							
		SLVx (RS)	I	1248.7	722.6	159.5	-2073.2	-
2043.2	-30979.8		J	1248.7	722.6	159.5	-2073.2	-
2066.1	-31172.2							
		SLVy (RS)	I	-1001.6	313.9	-84.0	1520.2	
1739.8	-16339.9		J	-1001.6	313.9	-84.0	1520.2	
1742.5	-16236.0							
		SLDx (RS)	I	879.7	532.2	115.2	-1446.8	-
1458.5	-21663.1		J	879.7	532.2	115.2	-1446.8	-
1472.4	-21790.6							
		SLDy (RS)	I	690.3	220.4	-59.8	1050.0	
1232.5	-11401.3		J	690.3	220.4	-59.8	1050.0	
1233.9	-11321.1							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-683.1	-834.6	SLVz (RS)	I	134.8	-130.0	318.3	-329.7
			J	134.8	-130.0	318.3	-329.7
-945.5	772.4						
		G1	I	51.2	-17.5	-977.6	1145.8
5767.4	-822.6		J	47.7	-17.5	-877.1	1145.8
6694.9	-805.1						
		G2	I	18.7	-6.4	-357.1	417.7
2106.3	-300.2		J	17.4	-6.4	-320.4	417.7
2445.1	-293.8						
		G1- Imp~1	I	-4.5	3.8	-0.2	8.1
-8.8	280.2		J	-4.5	3.8	-0.2	8.1
-8.5	276.3						
		G2- Imp~1	I	-1.6	1.4	-0.1	3.0
-3.2	102.5		J	-1.6	1.4	-0.1	3.0
-3.1	101.1						
		q3	I	-141.6	-9.8	-0.5	43.8
-0.5	813.8		J	-144.8	-9.8	-0.5	43.8
3.0	823.7						
		q4-1	I	124.2	-18.1	-4.7	-56.2
-62.2	-1871.3		J	124.2	-18.1	-4.7	-56.2
-57.4	-1853.1						
		q4-2	I	85.5	69.5	1.2	-50.3
-7.5	817.3		J	85.5	69.5	1.2	-50.3
-8.7	747.8						
		q4-3	I	11.5	-22.5	4.8	30.6
-28.7	250.1		J	11.5	-22.5	4.8	30.6
-33.5	272.7						
		q4-4	I	-1.6	4.9	0.7	14.7
-5.6	-170.8		J	-1.6	4.9	0.7	14.7
-6.3	-175.8						
		q4-5	I	-0.3	0.4	-1.0	0.9
3.8	6.2		J	-0.3	0.4	-1.0	0.9
4.8	5.8						
		q4-6	I	0.3	-0.8	-0.9	1.1
3.5	32.6		J	0.3	-0.8	-0.9	1.1
4.5	33.5						
		q4-7	I	0.2	-0.6	-1.0	1.7
3.5	25.2		J	0.2	-0.6	-1.0	1.7
4.5	25.8						
		q5 - p~1	I	-696.1	-84.6	52.1	292.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-308.7	5958.7		J	-713.0	-75.9	51.5	289.3	
-354.5	6039.0							
		q5 - p~2	I	-470.2	-36.9	-24.2	228.2	
227.4	-3329.5		J	-472.0	-54.3	-24.3	234.5	
252.4	-3283.9							
		q5 - p~3	I	-659.3	-80.0	44.5	243.3	
-284.7	5640.1		J	-675.3	-71.7	43.9	242.8	
-327.8	5716.0							
		q5 - p~4	I	-445.6	-34.7	-24.4	256.0	
204.4	-3132.6		J	-447.3	-51.2	-24.5	257.1	
228.9	-3089.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-207.4	-16.2	0.9	57.0	
-66.8	1345.1		J	-207.4	-16.2	0.9	57.0	
-67.7	1361.3							
		T	I	-0.5	0.4	1.0	5.7	
-10.6	28.5		J	-0.5	0.4	1.0	5.7	
-11.6	28.1							
		M. tor~1	I	91.9	-306.3	-12.7	-237.5	
-258.1	-3764.3		J	91.9	-306.3	-12.7	-227.7	
-245.4	-3740.2							
		M. tor~2	I	54.3	-181.1	-7.5	-140.4	
-152.6	-2225.5		J	54.3	-181.1	-7.5	-134.6	
-145.1	-2211.2							
		INVSLU Max	I	1111.0	176.9	-1097.1	6263.6	2
6799.1	8079.8		J	1128.1	169.1	-868.2	6247.0	2
9557.5	8197.4	Min	I	-928.3	-183.9	-3683.4	-335.7	
3365.5	-10469.6		J	-960.2	-171.5	-3427.7	-214.5	
5063.3	-10533.4							
		INVSLV Max	I	1653.3	837.1	-943.6	4202.7	1
0631.8	35391.9		J	1648.6	837.1	-806.5	4202.7	1
2000.8	35553.2	Min	I	-1525.9	-874.5	-1726.3	-1053.7	
5091.6	-36872.3		J	-1530.6	-874.5	-1589.2	-1053.7	
6255.7	-36996.2							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9831.3	5360.3	INVSLE	Max	I	749.8	125.4	-816.1	4620.6	1	
1871.6	5438.9			J	760.6	120.2	-646.5	4608.5	2	
2512.8	-7130.5		Min	I	-614.4	-127.3	-2725.0	-229.6		
3773.4	-7169.3			J	-636.3	-119.1	-2535.7	-140.0		
784	1	52	C1-C2;~1	Max	I	48.6	42.6	519.3	2309.7	1
2533.0	658.7			J	47.9	42.6	553.3	2326.8	1	
3209.9	639.7			Min	I	-28.0	-54.7	-1302.9	-1588.9	-
5034.7	-1309.4			J	-29.9	-54.7	-1251.8	-1503.5	-	
5013.2	-1275.9									
2460.8	819.4		C3-C4;~1	Max	I	46.6	45.6	519.8	2735.0	1
3136.7	794.8			J	46.0	45.6	553.9	2725.9	1	
5143.5	-1307.5			Min	I	-31.2	-51.5	-1306.3	-986.0	-
5121.4	-1277.4			J	-33.0	-51.5	-1255.0	-973.9	-	
7386.8	339.1		C1-C2;~2	Max	I	25.8	22.3	303.2	1306.3	
7754.7	328.7			J	25.5	22.3	324.5	1327.4		
2731.0	-707.3			Min	I	-17.5	-28.7	-766.3	-907.1	-
2691.6	-687.2			J	-18.6	-28.7	-738.0	-851.9	-	
7348.5	424.6		C3-C4;~2	Max	I	24.7	23.8	302.7	1549.9	
7715.2	409.4			J	24.5	23.8	324.1	1557.8		
2794.4	-714.0			Min	I	-19.4	-26.7	-768.2	-521.6	-
2754.0	-696.3			J	-20.5	-26.7	-739.8	-497.7	-	
2068.0	-31172.2		SLVx (RS)	I	1270.1	715.1	-156.1	-2065.6	-	
2094.1	-31341.2			J	1270.1	715.1	-156.1	-2065.6	-	
1753.3	-16236.0		SLVy (RS)	I	-1013.4	322.6	85.4	1514.6		
1756.3	-16113.9			J	-1013.4	322.6	85.4	1514.6		
1473.7	-21790.6		SLDx (RS)	I	894.7	527.4	-112.8	-1441.1	-	
1489.7	-21902.8			J	894.7	527.4	-112.8	-1441.1	-	
1241.4	-11321.1		SLDy (RS)	I	697.6	226.8	60.9	1046.5		
1242.8	-11227.8			J	697.6	226.8	60.9	1046.5		


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-949.8	772.4	SLVz (RS)	I	134.9	-131.9	298.0	-319.2	
			J	134.9	-131.9	298.0	-319.2	-
1216.5	-720.5							
		G1	I	47.4	-17.7	-877.1	1058.3	
6708.9	-808.1		J	44.0	-17.7	-776.7	1058.3	
7535.9	-790.4							
		G2	I	17.3	-6.5	-320.4	385.8	
2450.2	-294.9		J	16.1	-6.5	-283.7	385.8	
2752.3	-288.5							
		G1- Imp~1	I	-4.5	3.9	-0.2	8.2	
-8.3	276.3		J	-4.5	3.9	-0.2	8.2	
-8.1	272.5							
		G2- Imp~1	I	-1.6	1.4	-0.1	3.0	
-3.0	101.1		J	-1.6	1.4	-0.1	3.0	
-3.0	99.6							
		q3	I	-144.9	-7.9	-0.5	43.8	
3.9	823.6		J	-148.1	-7.9	-0.5	43.8	
7.4	831.5							
		q4-1	I	124.0	-19.7	-4.7	-55.5	
-59.0	-1853.1		J	124.0	-19.7	-4.7	-55.5	
-54.3	-1833.3							
		q4-2	I	86.4	68.4	1.2	-50.2	
-9.0	747.8		J	86.4	68.4	1.2	-50.2	
-10.2	679.5							
		q4-3	I	11.2	-22.7	4.7	31.0	
-33.0	272.7		J	11.2	-22.7	4.7	31.0	
-37.7	295.4							
		q4-4	I	-1.6	4.9	0.7	14.7	
-6.2	-175.8		J	-1.6	4.9	0.7	14.7	
-6.9	-180.7							
		q4-5	I	-0.3	0.5	-1.0	0.9	
4.8	5.7		J	-0.3	0.5	-1.0	0.9	
5.8	5.3							
		q4-6	I	0.3	-0.8	-0.9	1.1	
4.5	33.5		J	0.3	-0.8	-0.9	1.1	
5.4	34.3							
		q4-7	I	0.2	-0.6	-1.0	1.6	
4.5	25.8		J	0.2	-0.6	-1.0	1.6	
5.5	26.4							
		q5 - p~1	I	-713.9	-66.6	51.5	294.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-347.9	6038.9		J	-730.7	-57.7	50.9	290.8	
-393.1	6101.0							
253.9	-3284.2	q5 - p~2	I	-472.6	-48.1	-24.3	231.0	
279.0	-3227.4		J	-474.7	-65.4	-24.4	237.3	
-322.0	5715.9	q5 - p~3	I	-676.1	-62.9	43.9	247.2	
-364.5	5774.6		J	-692.0	-54.5	43.4	246.6	
230.9	-3089.9	q5 - p~4	I	-448.0	-45.3	-24.5	254.0	
255.5	-3036.4		J	-450.0	-61.7	-24.5	255.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-66.4	1361.3	q7	I	-207.6	-13.5	0.9	57.9	
-67.3	1374.8		J	-207.6	-13.5	0.9	57.9	
-11.6	28.1	T	I	-0.5	0.4	1.0	5.9	
-12.6	27.7		J	-0.5	0.4	1.0	5.9	
-250.1	-3740.0	M. tor~1	I	87.9	-307.5	-12.8	-224.6	
-237.3	-3714.7		J	87.9	-307.5	-12.8	-214.8	
-147.9	-2211.2	M. tor~2	I	51.9	-181.8	-7.6	-132.8	
-140.3	-2196.2		J	51.9	-181.8	-7.6	-127.0	
9590.4	8187.6	INVSLU Max	I	1128.6	159.2	-868.2	5925.7	2
2070.3	8280.4		J	1145.7	158.1	-637.6	5910.6	3
5084.3	-10537.5	Min	I	-961.6	-159.6	-3427.7	-449.3	
6597.5	-10576.0		J	-993.3	-158.5	-3172.8	-331.0	
2026.7	35549.0	INVSLV Max	I	1673.3	832.5	-827.4	4071.0	1
3263.2	35684.8		J	1668.6	832.5	-690.2	4071.0	1
6268.8	-37000.4	Min	I	-1555.9	-870.3	-1568.4	-1160.4	
7291.2	-37098.3		J	-1560.7	-870.3	-1431.2	-1160.4	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1896.4	5431.7	INVSLE Max	I	760.9	113.5	-646.5	4370.2	2
			J	771.8	112.8	-475.7	4359.2	2
3730.4	5493.8	Min	I	-637.2	-113.8	-2535.7	-313.6	
3788.6	-7172.4		J	-658.9	-113.1	-2346.9	-226.2	
4912.4	-7194.3							
785	1	52 C1-C2;~1 Max	I	47.4	42.9	553.3	2195.5	1
3218.4	635.6		J	46.8	42.9	588.5	2212.5	1
3825.3	619.3	Min	I	-29.6	-55.2	-1251.8	-1564.5	-
5020.3	-1274.8		J	-31.5	-55.2	-1201.3	-1481.1	-
4998.7	-1242.9							
		C3-C4;~1 Max	I	45.5	46.0	553.9	2597.5	1
3152.6	789.7		J	44.9	46.0	589.2	2589.8	1
3758.5	766.3	Min	I	-32.6	-52.0	-1255.0	-968.2	-
5128.8	-1275.8		J	-34.4	-52.0	-1204.4	-964.6	-
5106.7	-1246.7							
		C1-C2;~2 Max	I	25.2	22.5	324.5	1249.5	
7758.5	326.4		J	25.0	22.5	346.4	1239.3	
8088.2	317.0	Min	I	-18.4	-29.0	-738.0	-894.6	-
2694.6	-686.5		J	-19.5	-29.0	-709.9	-840.6	-
2655.2	-667.0							
		C3-C4;~2 Max	I	24.2	24.0	324.1	1478.1	
7723.8	406.2		J	24.0	24.0	346.1	1486.2	
8052.4	391.5	Min	I	-20.3	-27.0	-739.8	-515.7	-
2757.2	-695.4		J	-21.3	-27.0	-711.6	-494.0	-
2716.8	-678.1							
		SLVx (RS)	I	1291.2	708.0	-153.2	-2060.1	-
2094.7	-31341.1		J	1291.2	708.0	-153.2	-2060.1	-
2123.2	-31486.0							
		SLVy (RS)	I	-1024.8	333.2	87.3	1510.0	
1766.1	-16113.9		J	-1024.8	333.2	87.3	1510.0	
1769.7	-15973.6							
		SLDx (RS)	I	909.4	522.8	-110.7	-1437.0	-
1490.1	-21902.8		J	909.4	522.8	-110.7	-1437.0	-
1507.8	-21999.2							
		SLDy (RS)	I	704.7	234.6	62.4	1043.9	
1249.6	-11227.8		J	704.7	234.6	62.4	1043.9	
1251.3	-11121.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1220.8	-720.6	SLVz (RS)	I	134.9	-133.3	276.1	-305.0	-
			J	134.9	-133.3	276.1	-305.0	-
1475.4	-682.8							
		G1	I	43.7	-18.0	-776.7	959.8	
7548.7	-793.8		J	40.2	-18.0	-676.3	959.8	
8275.3	-775.9							
		G2	I	16.0	-6.6	-283.7	349.8	
2757.0	-289.7		J	14.7	-6.6	-247.0	349.8	
3022.4	-283.2							
		G1- Imp~1	I	-4.4	3.9	-0.2	8.4	
-7.8	272.5		J	-4.4	3.9	-0.2	8.4	
-7.6	268.5							
		G2- Imp~1	I	-1.6	1.4	-0.1	3.1	
-2.9	99.6		J	-1.6	1.4	-0.1	3.1	
-2.8	98.2							
		q3	I	-148.2	-6.0	-0.5	43.8	
8.4	831.5		J	-151.4	-6.0	-0.5	43.8	
11.9	837.5							
		q4-1	I	123.7	-21.4	-4.8	-54.8	
-55.8	-1833.3		J	123.7	-21.4	-4.8	-54.8	
-51.0	-1811.9							
		q4-2	I	87.3	67.2	1.2	-50.0	
-10.5	679.5		J	87.3	67.2	1.2	-50.0	
-11.7	612.3							
		q4-3	I	10.9	-22.8	4.7	31.5	
-37.2	295.4		J	10.9	-22.8	4.7	31.5	
-41.9	318.2							
		q4-4	I	-1.5	5.0	0.7	14.8	
-6.8	-180.7		J	-1.5	5.0	0.7	14.8	
-7.5	-185.7							
		q4-5	I	-0.3	0.5	-1.0	0.8	
5.8	5.3		J	-0.3	0.5	-1.0	0.8	
6.8	4.8							
		q4-6	I	0.3	-0.8	-0.9	1.0	
5.5	34.3		J	0.3	-0.8	-0.9	1.0	
6.4	35.1							
		q4-7	I	0.2	-0.6	-1.0	1.6	
5.5	26.4		J	0.2	-0.6	-1.0	1.6	
6.5	27.0							
		q5 - p~1	I	-731.4	-48.1	50.9	296.2	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-386.5	6100.9		J	-748.1	-39.0	50.4	292.9	
-431.2	6144.5							
		q5 - p~2	I	-475.6	-59.2	-24.4	233.5	
280.7	-3227.7		J	-478.0	-76.4	-24.5	239.7	
306.0	-3159.9							
		q5 - p~3	I	-692.7	-45.4	43.4	251.6	
-358.7	5774.5		J	-708.5	-36.8	42.8	251.0	
-400.7	5815.6							
		q5 - p~4	I	-450.7	-55.8	-24.5	251.7	
257.5	-3036.7		J	-453.0	-72.1	-24.6	252.9	
282.2	-2972.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-207.7	-10.8	1.0	58.8	
-65.9	1374.7		J	-207.7	-10.8	1.0	58.8	
-66.9	1385.5							
		T	I	-0.5	0.4	1.0	6.0	
-12.5	27.7		J	-0.5	0.4	1.0	6.0	
-13.5	27.3							
		M. tor~1	I	83.8	-308.6	-13.0	-211.8	
-241.7	-3714.5		J	83.8	-308.6	-13.0	-202.1	
-228.8	-3688.1							
		M. tor~2	I	49.6	-182.4	-7.7	-125.2	
-142.9	-2196.1		J	49.6	-182.4	-7.7	-119.5	
-135.3	-2180.4							
		INVSLU Max	I	1145.9	150.9	-637.6	5560.9	3
2099.9	8269.7		J	1162.8	166.4	-405.3	5547.5	3
4299.8	8337.0	Min	I	-994.3	-153.9	-3172.9	-599.6	
6617.5	-10581.0		J	-1025.8	-173.4	-2918.8	-484.1	
7946.1	-10593.2							
		INVSLV Max	I	1692.8	828.8	-712.5	3925.6	1
3285.7	35680.1		J	1688.0	828.8	-575.3	3925.6	1
4384.0	35790.6	Min	I	-1585.5	-867.1	-1409.0	-1283.6	
7304.3	-37102.9		J	-1590.2	-867.1	-1271.8	-1283.6	
8190.5	-37175.2							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

3752.8	5485.9	INVSLE	Max	I	771.9	107.9	-475.7	4099.8	2
				J	782.7	118.2	-303.5	4090.1	2
5379.4	5531.2		Min	I	-659.6	-110.1	-2346.9	-424.8	
4926.8	-7198.0			J	-681.2	-120.5	-2158.8	-339.5	
5913.8	-7202.5								
786	1	52 C1-C2;~1	Max	I	46.2	43.3	588.5	2079.4	1
3833.0	615.2			J	45.6	43.3	625.0	2040.8	1
4368.8	600.6		Min	I	-31.1	-55.7	-1201.3	-1551.9	-
5004.9	-1242.2			J	-33.0	-55.7	-1151.5	-1470.3	-
4983.3	-1212.2								
		C3-C4;~1	Max	I	44.3	46.4	589.2	2457.8	1
3773.0	761.0			J	43.8	46.4	625.8	2451.6	1
4307.8	738.5		Min	I	-34.0	-52.5	-1204.4	-973.9	-
5113.2	-1245.3			J	-35.8	-52.5	-1154.4	-976.1	-
5091.0	-1217.0								
		C1-C2;~2	Max	I	24.7	22.6	346.4	1166.0	
8091.5	314.6			J	24.4	22.6	368.9	1216.0	
8382.3	305.9		Min	I	-19.3	-29.3	-709.9	-887.6	-
2657.8	-666.4			J	-20.4	-29.3	-682.0	-834.7	-
2618.4	-647.6								
		C3-C4;~2	Max	I	23.7	24.3	346.1	1403.7	
8060.3	388.3			J	23.5	24.3	368.6	1412.1	
8349.9	373.9		Min	I	-21.1	-27.3	-711.6	-523.1	-
2719.6	-677.3			J	-22.1	-27.3	-683.6	-503.5	-
2679.1	-660.3								
		SLVx (RS)		I	1311.8	701.6	-150.9	-2056.8	-
2122.5	-31486.0			J	1311.8	701.6	-150.9	-2056.8	-
2152.7	-31605.9								
		SLVy (RS)		I	-1035.9	345.6	89.3	1506.6	
1778.6	-15973.7			J	-1035.9	345.6	89.3	1506.6	
1783.4	-15815.4								
		SLDx (RS)		I	923.8	518.6	-109.1	-1434.4	-
1507.3	-21999.2			J	923.8	518.6	-109.1	-1434.4	-
1526.1	-22079.2								
		SLDy (RS)		I	711.6	243.7	64.0	1042.0	
1257.4	-11121.3			J	711.6	243.7	64.0	1042.0	
1259.9	-11001.8								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1479.4	-682.7	SLVz (RS)	I	-135.0	-134.1	252.6	-287.3	-
			J	-135.0	-134.1	252.6	-287.3	-
1714.8	662.4							
		G1	I	40.0	-18.2	-676.3	851.6	
8286.8	-779.6		J	36.5	-18.2	-575.8	851.6	
8912.9	-761.5							
		G2	I	14.6	-6.6	-247.0	310.3	
3026.5	-284.5		J	13.3	-6.6	-210.3	310.3	
3255.3	-277.9							
		G1- Imp~1	I	-4.4	4.0	-0.2	8.5	
-7.4	268.5		J	-4.4	4.0	-0.2	8.5	
-7.1	264.5							
		G2- Imp~1	I	-1.6	1.5	-0.1	3.1	
-2.7	98.2		J	-1.6	1.5	-0.1	3.1	
-2.6	96.7							
		q3	I	-151.4	-4.0	-0.5	43.6	
12.8	837.4		J	-154.6	-4.0	-0.5	43.6	
16.3	841.4							
		q4-1	I	123.4	-23.0	-4.8	-54.2	
-52.6	-1811.9		J	123.4	-23.0	-4.8	-54.2	
-47.8	-1788.9							
		q4-2	I	88.2	66.1	1.2	-49.9	
-12.1	612.3		J	88.2	66.1	1.2	-49.9	
-13.3	546.2							
		q4-3	I	10.6	-23.0	4.7	32.1	
-41.3	318.3		J	10.6	-23.0	4.7	32.1	
-46.1	341.2							
		q4-4	I	-1.4	5.0	0.7	14.9	
-7.4	-185.6		J	-1.4	5.0	0.7	14.9	
-8.1	-190.6							
		q4-5	I	-0.3	0.5	-1.0	0.7	
6.8	4.8		J	-0.3	0.5	-1.0	0.7	
7.7	4.4							
		q4-6	I	0.2	-0.8	-0.9	0.9	
6.4	35.1		J	0.2	-0.8	-0.9	0.9	
7.4	36.0							
		q4-7	I	0.2	-0.6	-1.0	1.5	
6.5	27.0		J	0.2	-0.6	-1.0	1.5	
7.5	27.7							
		q5 - p~1	I	-748.5	-29.2	50.4	298.8	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-424.5	6144.5		J	-765.1	-19.9	49.8	295.4
-468.7	6169.0						
307.6	-3160.3	q5 - p~2	I	-478.9	-70.1	-24.5	235.5
333.2	-3081.5		J	-481.7	-87.3	-24.6	241.7
-394.7	5815.6	q5 - p~3	I	-708.9	-27.5	42.8	256.4
-436.2	5838.7		J	-724.6	-18.7	42.3	255.8
284.2	-2973.1	q5 - p~4	I	-454.0	-66.1	-24.6	249.0
309.0	-2898.8		J	-456.6	-82.4	-24.7	250.2
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-65.5	1385.5	q7	I	-207.8	-8.1	1.0	59.7
-66.4	1393.6		J	-207.8	-8.1	1.0	59.7
-13.4	27.3	T	I	-0.5	0.4	1.0	6.2
-14.4	26.9		J	-0.5	0.4	1.0	6.2
-233.1	-3687.9	M. tor~1	I	79.8	-309.7	-13.1	-199.3
-220.0	-3660.4		J	79.8	-309.7	-13.1	-189.5
-137.8	-2180.4	M. tor~2	I	47.2	-183.1	-7.7	-117.8
-130.0	-2164.1		J	47.2	-183.1	-7.7	-112.1
4325.6	8325.7	INVSLU Max	I	1162.6	159.2	-405.3	5175.5
6243.9	8366.7		J	1179.4	174.7	-171.3	5164.0
7964.9	-10598.9	Min	I	-1026.5	-165.2	-2918.9	-784.3
9108.8	-10584.2		J	-1057.7	-189.6	-2665.7	-671.1
4403.1	35785.5	INVSLV Max	I	1711.7	826.1	-598.9	3768.3
5360.5	35871.2		J	1707.0	826.1	-461.8	3768.3
8203.4	-37180.3	Min	I	-1614.5	-864.9	-1248.3	-1421.6
8956.3	-37227.3		J	-1619.2	-864.9	-1111.1	-1421.6

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

5399.0	5522.8	INVSLE Max	I	782.5	113.3	-303.5	3814.2	2
			J	793.2	123.6	-130.2	3805.9	2
6817.1	5550.6	Min	I	-681.6	-117.4	-2158.8	-561.5	
5927.3	-7206.7		J	-703.0	-131.3	-1971.4	-477.9	
6777.5	-7193.2							
787	1	52 C1-C2;~1 Max	I	45.1	43.6	625.0	1924.8	1
4375.4	596.8		J	44.5	43.6	662.6	1998.0	1
4839.3	583.4	Min	I	-32.6	-56.2	-1151.5	-1543.7	-
4988.6	-1212.4		J	-34.4	-56.2	-1102.4	-1463.7	-
4967.0	-1184.6							
		C3-C4;~1 Max	I	43.3	46.8	625.8	2315.9	1
4320.8	733.3		J	42.7	46.8	663.6	2311.4	1
4783.6	711.5	Min	I	-35.3	-53.0	-1154.4	-1053.0	-
5096.6	-1215.7		J	-37.1	-53.0	-1105.1	-1028.1	-
5074.5	-1188.0							
		C1-C2;~2 Max	I	24.1	22.8	368.9	1139.8	
8385.1	303.8		J	23.9	22.8	391.9	1189.2	
8636.1	295.5	Min	I	-20.2	-29.5	-682.0	-883.1	-
2620.5	-647.4		J	-21.2	-29.5	-654.3	-831.2	-
2581.0	-629.5							
		C3-C4;~2 Max	I	23.2	24.5	368.6	1327.0	
8356.9	370.7		J	22.9	24.5	391.8	1335.9	
8606.8	356.6	Min	I	-21.8	-27.5	-683.6	-552.1	-
2681.4	-659.5		J	-22.8	-27.5	-655.7	-541.7	-
2640.9	-642.8							
		SLVx (RS)	I	1332.0	695.9	-149.1	-2055.8	-
2150.6	-31605.9		J	1332.0	695.9	-149.1	-2055.8	-
2182.0	-31700.3							
		SLVy (RS)	I	-1046.8	359.4	91.2	1504.3	
1791.2	-15815.5		J	-1046.8	359.4	91.2	1504.3	
1797.6	-15639.6							
		SLDx (RS)	I	938.0	514.8	-107.9	-1433.3	-
1524.7	-22079.2		J	938.0	514.8	-107.9	-1433.3	-
1544.3	-22142.5							
		SLDy (RS)	I	-718.1	253.8	65.4	1040.9	
1265.4	-11001.8		J	-718.1	253.8	65.4	1040.9	
1268.9	-10869.5							


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1718.6	662.3	SLVz (RS)	I	-135.0	-134.3	227.7	-266.6	-
			J	-135.0	-134.3	227.7	-266.6	-
1931.0	661.4							
		G1	I	36.2	-18.4	-575.8	735.0	
8922.9	-765.5		J	32.8	-18.4	-475.4	735.0	
9448.6	-747.1							
		G2	I	13.2	-6.7	-210.4	267.7	
3258.9	-279.4		J	12.0	-6.7	-173.7	267.7	
3451.0	-272.7							
		G1- Imp~1	I	-4.3	4.0	-0.2	8.6	
-6.9	264.5		J	-4.3	4.0	-0.2	8.6	
-6.7	260.5							
		G2- Imp~1	I	-1.6	1.5	-0.1	3.1	
-2.5	96.7		J	-1.6	1.5	-0.1	3.1	
-2.5	95.3							
		q3	I	-154.7	-2.0	-0.4	43.5	
17.3	841.3		J	-157.9	-2.0	-0.4	43.5	
20.8	843.3							
		q4-1	I	123.1	-24.6	-4.8	-53.7	
-49.3	-1788.8		J	123.1	-24.6	-4.8	-53.7	
-44.5	-1764.2							
		q4-2	I	89.1	64.9	1.3	-49.7	
-13.7	546.3		J	89.1	64.9	1.3	-49.7	
-15.0	481.3							
		q4-3	I	10.3	-23.1	4.7	32.7	
-45.5	341.3		J	10.3	-23.1	4.7	32.7	
-50.2	364.4							
		q4-4	I	-1.4	5.0	0.7	15.0	
-8.0	-190.6		J	-1.4	5.0	0.7	15.0	
-8.7	-195.6							
		q4-5	I	-0.3	0.5	-1.0	0.6	
7.7	4.4		J	-0.3	0.5	-1.0	0.6	
8.7	3.9							
		q4-6	I	0.2	-0.8	-0.9	0.8	
7.4	36.0		J	0.2	-0.8	-0.9	0.8	
8.3	36.8							
		q4-7	I	0.2	-0.6	-1.0	1.4	
7.5	27.7		J	0.2	-0.6	-1.0	1.4	
8.5	28.3							
		q5 - p~1	I	-765.2	-9.9	49.9	301.8	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-462.0	6169.0		J	-781.7	-0.4	49.3	298.4
-505.6	6174.1						
334.9	-3081.9	q5 - p~2	I	-482.8	-81.0	-24.6	237.2
360.7	-2992.3		J	-485.9	-98.1	-24.7	243.3
-430.2	5838.6	q5 - p~3	I	-724.7	-9.2	42.3	261.8
-471.2	5843.3		J	-740.3	-0.2	41.8	261.1
311.0	-2899.1	q5 - p~4	I	-457.6	-76.4	-24.7	246.0
336.0	-2814.6		J	-460.5	-92.6	-24.8	247.1
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-65.0	1393.5	q7	I	-207.9	-5.4	1.0	60.7
-66.0	1398.9		J	-207.9	-5.4	1.0	60.7
-14.3	26.9	T	I	-0.5	0.4	1.0	6.4
-15.3	26.5		J	-0.5	0.4	1.0	6.4
-224.1	-3660.3	M. tor~1	I	75.7	-310.7	-13.2	-186.8
-210.8	-3631.7		J	75.7	-310.7	-13.2	-177.1
-132.5	-2164.0	M. tor~2	I	44.8	-183.7	-7.8	-110.4
-124.6	-2147.1		J	44.8	-183.7	-7.8	-104.7
6265.6	8354.9	INVSLU Max	I	1178.9	167.4	-171.3	4772.1
7901.2	8369.0		J	1195.5	182.8	64.3	4762.9
9126.2	-10590.5	Min	I	-1058.1	-181.2	-2665.8	-990.9
0085.4	-10548.2		J	-1089.1	-205.5	-2413.6	-879.8
5375.9	35865.7	INVSLV Max	I	1730.1	824.4	-486.7	3601.4
6191.0	35926.6		J	1725.4	824.4	-349.6	3601.4
8968.9	-37232.8	Min	I	-1642.9	-863.6	-1086.3	-1572.7
9589.8	-37254.6		J	-1647.6	-863.6	-949.1	-1572.7

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6833.6	5541.9	INVSLE	Max	I	792.7	118.6	-130.2	3515.2	2
				J	803.4	128.9	44.4	3508.6	2
8042.2	5551.8		Min	I	-703.2	-125.8	-1971.4	-714.3	
6790.0	-7197.9			J	-724.5	-142.0	-1784.7	-632.2	
7503.3	-7166.0								
788	1	52 C1-C2;~1	Max	I	43.9	44.0	662.6	1880.6	1
4844.7	579.8			J	43.4	44.0	701.5	1953.4	1
5235.8	566.7		Min	I	-34.0	-56.7	-1102.4	-1541.8	-
4971.4	-1185.0			J	-35.9	-56.7	-1054.1	-1463.2	-
4949.8	-1157.2								
		C3-C4;~1	Max	I	42.2	47.2	663.6	2176.7	1
4794.9	707.5			J	41.7	47.2	702.5	2174.1	1
5184.9	691.7		Min	I	-36.7	-53.4	-1105.1	-1117.1	-
5079.2	-1186.8			J	-38.5	-53.4	-1056.6	-1095.2	-
5057.0	-1159.6								
		C1-C2;~2	Max	I	23.6	23.0	391.9	1111.6	
8638.3	293.5			J	23.4	23.0	415.5	1160.6	
8849.0	285.4		Min	I	-21.0	-29.8	-654.3	-881.8	-
2582.7	-629.4			J	-22.0	-29.8	-626.8	-830.7	-
2543.2	-611.4								
		C3-C4;~2	Max	I	22.6	24.7	391.8	1250.2	
8612.9	354.3			J	22.5	24.7	415.5	1259.7	
8822.4	344.4		Min	I	-22.6	-27.8	-655.7	-607.0	-
2642.8	-642.1			J	-23.6	-27.8	-628.1	-587.9	-
2602.2	-625.4								
		SLVx (RS)		I	1351.7	691.1	-148.0	-2057.1	-
2178.6	-31700.3			J	1351.7	691.1	-148.0	-2057.1	-
2211.0	-31768.4								
		SLVy (RS)		I	-1057.3	374.3	92.5	1503.1	
1804.6	-15639.6			J	-1057.3	374.3	92.5	1503.1	
1812.9	-15446.6								
		SLDx (RS)		I	951.8	511.4	-107.2	-1434.0	-
1542.0	-22142.5			J	951.8	511.4	-107.2	-1434.0	-
1562.3	-22188.4								
		SLDy (RS)		I	-724.5	264.8	66.5	1040.7	
1273.8	-10869.5			J	-724.5	264.8	66.5	1040.7	
1278.7	-10724.8								


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1934.4	661.3	SLVz (RS)	I	-135.1	-133.9	201.6	-243.3	-
			J	-135.1	-133.9	201.6	-243.3	-
2121.3	679.9							
		G1	I	32.5	-18.6	-475.4	611.4	
9457.0	-751.4		J	29.1	-18.6	-374.9	611.4	
9882.2	-732.8							
		G2	I	11.9	-6.8	-173.7	222.5	
3454.0	-274.2		J	10.6	-6.8	-137.0	222.5	
3609.4	-267.4							
		G1- Imp~1	I	-4.2	4.1	-0.2	8.7	
-6.5	260.5		J	-4.2	4.1	-0.2	8.7	
-6.2	256.4							
		G2- Imp~1	I	-1.6	1.5	-0.1	3.2	
-2.4	95.3		J	-1.6	1.5	-0.1	3.2	
-2.3	93.8							
		q3	I	-157.9	0.1	-0.4	43.2	
21.7	843.3		J	-161.1	0.1	-0.4	43.2	
25.2	843.2							
		q4-1	I	122.8	-26.2	-4.8	-53.2	
-46.0	-1764.2		J	122.8	-26.2	-4.8	-53.2	
-41.2	-1738.0							
		q4-2	I	89.9	63.7	1.3	-49.4	
-15.4	481.4		J	89.9	63.7	1.3	-49.4	
-16.7	417.6							
		q4-3	I	10.0	-23.3	4.7	33.3	
-49.6	364.4		J	10.0	-23.3	4.7	33.3	
-54.3	387.7							
		q4-4	I	-1.3	5.0	0.7	15.1	
-8.6	-195.6		J	-1.3	5.0	0.7	15.1	
-9.3	-200.6							
		q4-5	I	-0.3	0.5	-1.0	0.5	
8.7	3.9		J	-0.3	0.5	-1.0	0.5	
9.7	3.4							
		q4-6	I	0.2	-0.8	-0.9	0.7	
8.4	36.8		J	0.2	-0.8	-0.9	0.7	
9.3	37.7							
		q4-7	I	0.2	-0.6	-1.0	1.3	
8.5	28.3		J	0.2	-0.6	-1.0	1.3	
9.5	28.9							
		q5 - p~1	I	-781.6	9.8	49.3	305.3	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-498.9	6174.1		J	-797.9	19.6	48.8	301.8	
-542.1	6159.3							
362.5	-2992.7	q5 - p~2	I	-487.1	-91.7	-24.7	238.4	
388.5	-2892.5		J	-490.5	-108.7	-24.8	244.6	
-465.1	5843.3	q5 - p~3	I	-740.2	9.5	41.8	267.6	
-505.6	5829.2		J	-755.7	18.7	41.3	266.9	
337.9	-2814.9	q5 - p~4	I	-461.7	-86.6	-24.8	242.5	
363.0	-2720.3		J	-464.9	-102.7	-25.0	243.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-64.6	1398.9	q7	I	-208.0	-2.6	1.0	61.6	
-65.5	1401.5		J	-208.0	-2.6	1.0	61.6	
-15.2	26.5	T	I	-0.5	0.4	1.0	6.6	
-16.2	26.0		J	-0.5	0.4	1.0	6.6	
-214.8	-3631.6	M. tor~1	I	71.7	-311.6	-13.4	-174.5	
-201.4	-3602.1		J	71.7	-311.6	-13.4	-164.8	
-127.0	-2147.1	M. tor~2	I	42.4	-184.2	-7.9	-103.2	
-119.1	-2129.6		J	42.4	-184.2	-7.9	-97.5	
7918.4	8358.0	INVSLU Max	I	1194.6	175.5	64.3	4359.8	3
9270.1	8349.9		J	1211.1	190.8	301.6	4353.1	3
0101.1	-10555.1	Min	I	-1089.1	-197.1	-2413.7	-1219.3	1
0875.7	-10484.4		J	-1119.9	-221.3	-2162.6	-1110.0	1
6202.6	35920.7	INVSLV Max	I	1748.0	823.8	-375.6	3426.7	1
6874.4	35956.3		J	1743.3	823.8	-238.4	3426.7	1
9601.9	-37260.4	Min	I	-1670.8	-863.4	-923.1	-1735.3	
0091.9	-37256.4		J	-1675.5	-863.4	-786.0	-1735.3	1

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8055.4	5543.6	INVSLE	Max	I	802.7	123.9	44.4	3209.6	2
				J	813.2	134.1	220.2	3204.9	2
9053.9	5539.2		Min	I	-724.5	-136.4	-1784.7	-883.3	
7514.6	-7171.1			J	-745.6	-152.5	-1598.7	-802.5	
8091.1	-7120.3								
789	1	52 C1-C2;~1	Max	I	42.8	44.3	701.5	1833.3	1
5240.0	563.3			J	42.3	44.3	741.4	1906.0	1
5557.5	550.5		Min	I	-35.4	-57.2	-1054.1	-1543.4	-
4953.3	-1157.7			J	-37.3	-57.2	-1006.6	-1466.1	-
4931.7	-1129.9								
		C3-C4;~1	Max	I	41.2	47.5	702.6	2043.7	1
5194.4	688.1			J	40.7	47.5	742.7	2043.2	1
5510.9	672.8		Min	I	-38.0	-53.9	-1056.6	-1196.8	-
5060.8	-1158.6			J	-39.8	-53.9	-1008.9	-1177.9	-
5038.6	-1131.7								
		C1-C2;~2	Max	I	23.0	23.2	415.5	1081.1	
8850.5	283.5			J	22.8	23.2	439.6	1129.8	
9020.4	275.5		Min	I	-21.8	-30.0	-626.8	-882.4	-
2544.4	-611.3			J	-22.8	-30.0	-599.6	-832.0	-
2504.9	-593.3								
		C3-C4;~2	Max	I	22.1	24.9	415.5	1174.8	
8827.5	342.5			J	22.0	24.9	439.7	1184.9	
8996.3	332.8		Min	I	-23.3	-28.0	-628.1	-659.5	-
2603.6	-624.8			J	-24.3	-28.0	-600.8	-641.7	-
2563.1	-608.2								
		SLVx (RS)		I	1370.9	687.4	-147.4	-2060.8	-
2206.3	-31768.4			J	1370.9	687.4	-147.4	-2060.8	
2239.4	-31809.7								
		SLVy (RS)		I	-1067.5	390.2	93.3	1503.0	
1819.0	-15446.6			J	-1067.5	390.2	93.3	1503.0	
1829.5	-15236.9								
		SLDx (RS)		I	965.2	508.6	-106.9	-1436.3	-
1559.1	-22188.4			J	965.2	508.6	-106.9	-1436.3	
1579.9	-22216.5								
		SLDy (RS)		I	-730.6	276.4	67.1	1041.2	
1282.9	-10724.8			J	-730.6	276.4	67.1	1041.2	
1289.4	-10568.1								


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2124.2	679.8	SLVz (RS)	I	-135.1	-132.7	174.8	-217.8	-
			J	-135.1	-132.7	174.8	-217.8	-
2283.6	715.8							
		G1	I	28.8	-18.8	-374.9	482.0	
9889.1	-737.3		J	25.4	-18.8	-274.5	482.0	1
0213.8	-718.5							
		G2	I	10.5	-6.9	-137.0	175.3	
3611.9	-269.0		J	9.3	-6.9	-100.3	175.3	
3730.5	-262.2							
		G1- Imp~1	I	-4.2	4.2	-0.2	8.8	
-6.0	256.4		J	-4.2	4.2	-0.2	8.8	
-5.8	252.2							
		G2- Imp~1	I	-1.5	1.5	-0.1	3.2	
-2.2	93.8		J	-1.5	1.5	-0.1	3.2	
-2.1	92.2							
		q3	I	-161.1	2.2	-0.4	42.9	
26.1	843.1		J	-164.3	2.2	-0.4	42.9	
29.6	840.9							
		q4-1	I	122.4	-27.8	-4.8	-52.8	
-42.7	-1737.9		J	122.4	-27.8	-4.8	-52.8	
-37.8	-1710.1							
		q4-2	I	90.7	62.6	1.3	-49.2	
-17.2	417.7		J	90.7	62.6	1.3	-49.2	
-18.5	355.1							
		q4-3	I	9.7	-23.4	4.7	34.1	
-53.7	387.7		J	9.7	-23.4	4.7	34.1	
-58.4	411.1							
		q4-4	I	-1.3	5.0	0.7	15.2	
-9.2	-200.6		J	-1.3	5.0	0.7	15.2	
-9.9	-205.7							
		q4-5	I	-0.3	0.5	-1.0	0.4	
9.7	3.4		J	-0.3	0.5	-1.0	0.4	
10.6	2.9							
		q4-6	I	0.2	-0.9	-0.9	0.6	
9.3	37.7		J	0.2	-0.9	-0.9	0.6	
10.3	38.5							
		q4-7	I	0.2	-0.6	-1.0	1.1	
9.5	28.9		J	0.2	-0.6	-1.0	1.1	
10.5	29.5							
		q5 - p~1	I	-797.6	30.0	48.8	309.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-535.3	6159.3		J	-813.7	40.0	48.3	305.6	
-578.1	6124.3							
		q5 - p~2	I	-491.9	-102.3	-24.8	239.3	
390.3	-2892.8		J	-495.5	-119.2	-25.0	245.4	
416.6	-2782.1							
		q5 - p~3	I	-755.4	28.6	41.4	273.9	
-499.4	5829.1		J	-770.7	38.1	40.8	273.2	
-539.4	5795.8							
		q5 - p~4	I	-466.2	-96.6	-25.0	238.7	
365.0	-2720.6		J	-469.7	-112.6	-25.1	239.8	
390.2	-2616.0							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-208.0	0.1	1.0	62.6	
-64.1	1401.4		J	-208.0	0.1	1.0	62.6	
-65.1	1401.4							
		T	I	-0.5	0.4	1.0	6.8	
-16.1	26.0		J	-0.5	0.4	1.0	6.8	
-17.2	25.6							
		M. tor~1	I	67.6	-312.5	-13.5	-162.4	
-205.1	-3602.0		J	67.6	-312.5	-13.5	-152.7	
-191.6	-3571.6							
		M. tor~2	I	39.9	-184.8	-8.0	-96.0	
-121.3	-2129.6		J	39.9	-184.8	-8.0	-90.3	
-113.3	-2111.6							
		INVSLU Max	I	1209.8	183.4	301.6	3945.7	3
9282.5	8339.0		J	1226.2	198.6	540.4	3941.8	4
0349.5	8302.6	Min	I	-1119.5	-212.7	-2162.6	-1463.3	1
0889.6	-10491.7		J	-1150.1	-236.8	-1912.6	-1355.6	1
1479.4	-10392.0							
		INVSLV Max	I	1765.2	824.3	-265.3	3246.3	1
6882.0	35950.2		J	1760.5	824.3	-128.1	3246.3	1
7440.7	35959.3	Min	I	-1698.1	-864.3	-759.2	-1907.7	1
0103.5	-37262.5		J	-1702.8	-864.3	-622.0	-1907.7	1
0432.2	-37231.6							

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9063.6	5531.1	INVSLE Max	I	812.2	129.0	220.2	2902.6	2
			J	822.7	139.2	397.2	2899.9	2
9851.1	5507.8	Min	I	-745.3	-146.9	-1598.8	-1063.7	
8101.0	-7125.7		J	-766.3	-162.9	-1413.6	-984.3	
8540.7	-7055.5							
790	1	52 C1-C2;~1 Max	I	41.7	44.6	741.5	1783.3	1
5560.4	547.2		J	41.3	44.6	782.5	1856.4	1
5804.0	534.5	Min	I	-36.8	-57.6	-1006.6	-1553.1	-
4934.3	-1130.5		J	-38.7	-57.6	-959.9	-1477.2	-
4912.7	-1102.7							
		C3-C4;~1 Max	I	40.2	47.9	742.7	1913.0	1
5518.6	669.4		J	39.7	47.9	783.9	1914.7	1
5760.9	654.6	Min	I	-39.3	-54.3	-1008.9	-1286.5	-
5041.5	-1130.9		J	-41.0	-54.3	-962.1	-1270.5	-
5019.3	-1104.4							
		C1-C2;~2 Max	I	22.5	23.4	439.6	1048.8	
9021.2	273.8		J	22.3	23.4	464.2	1097.4	
9149.9	265.8	Min	I	-22.6	-30.3	-599.6	-888.5	-
2505.7	-593.3		J	-23.6	-30.3	-572.7	-839.0	-
2466.2	-575.2							
		C3-C4;~2 Max	I	21.7	25.0	439.7	1099.4	
9000.4	331.0		J	21.5	25.0	464.5	1110.2	
9127.8	321.4	Min	I	-24.0	-28.3	-600.8	-717.1	-
2564.1	-607.7		J	-24.9	-28.3	-573.8	-700.7	-
2523.5	-591.3							
		SLVx (RS)	I	1389.5	684.9	-147.4	-2066.9	
2233.4	-31809.7		J	1389.5	684.9	-147.4	-2066.9	
2267.3	-31823.4							
		SLVy (RS)	I	-1077.5	406.7	93.3	1504.1	
1834.6	-15236.9		J	-1077.5	406.7	93.3	1504.1	
1847.5	-15011.2							
		SLDx (RS)	I	978.3	506.5	-107.0	-1440.3	
1575.8	-22216.5		J	978.3	506.5	-107.0	-1440.3	
1597.2	-22226.4							
		SLDy (RS)	I	-736.5	288.4	67.2	1042.6	
1293.0	-10568.1		J	-736.5	288.4	67.2	1042.6	
1301.1	-10399.7							


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2286.1	715.5	SLVz (RS)	I	-135.2	-131.0	147.6	-190.8	-
			J	-135.2	-131.0	147.6	-190.8	-
2416.5	765.6							
		G1	I	25.1	-19.0	-274.5	348.3	1
0218.9	-723.1		J	21.6	-19.0	-174.0	348.3	1
0443.2	-704.0							
		G2	I	9.2	-7.0	-100.3	126.5	
3732.4	-263.9		J	7.9	-7.0	-63.6	126.5	
3814.4	-256.9							
		G1- Imp~1	I	-4.1	4.2	-0.2	8.9	
-5.5	252.2		J	-4.1	4.2	-0.2	8.9	
-5.3	248.0							
		G2- Imp~1	I	-1.5	1.5	-0.1	3.2	
-2.0	92.2		J	-1.5	1.5	-0.1	3.2	
-2.0	90.7							
		q3	I	-164.2	4.3	-0.4	42.6	
30.6	840.8		J	-167.4	4.3	-0.4	42.6	
34.0	836.5							
		q4-1	I	122.1	-29.4	-4.9	-52.4	
-39.3	-1710.1		J	122.1	-29.4	-4.9	-52.4	
-34.5	-1680.7							
		q4-2	I	91.5	61.4	1.3	-48.9	
-19.0	355.1		J	91.5	61.4	1.3	-48.9	
-20.3	293.7							
		q4-3	I	9.4	-23.5	4.7	34.9	
-57.7	411.1		J	9.4	-23.5	4.7	34.9	
-62.4	434.6							
		q4-4	I	-1.2	5.0	0.7	15.3	
-9.8	-205.7		J	-1.2	5.0	0.7	15.3	
-10.5	-210.7							
		q4-5	I	-0.2	0.5	-1.0	0.2	
10.7	2.9		J	-0.2	0.5	-1.0	0.2	
11.6	2.5							
		q4-6	I	0.2	-0.9	-0.9	0.4	
10.3	38.5		J	0.2	-0.9	-0.9	0.4	
11.2	39.4							
		q4-7	I	0.2	-0.6	-1.0	1.0	
10.5	29.5		J	0.2	-0.6	-1.0	1.0	
11.5	30.1							
		q5 - p~1	I	-813.1	50.6	48.4	313.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-571.3	6124.2		J	-829.2	60.8	47.8	309.9	
-613.6	6068.5							
		q5 - p~2	I	-497.1	-112.7	-25.0	239.7	
418.5	-2782.5		J	-501.0	-129.5	-25.1	245.8	
445.0	-2661.4							
		q5 - p~3	I	-770.1	48.1	40.9	280.6	
-533.2	5795.7		J	-785.3	57.8	40.4	280.0	
-572.8	5742.8							
		q5 - p~4	I	-471.1	-106.4	-25.1	234.5	
392.2	-2616.4		J	-474.9	-122.4	-25.2	235.7	
417.6	-2501.9							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-208.0	2.8	1.0	63.5	
-63.6	1401.3		J	-208.0	2.8	1.0	63.5	
-64.6	1398.5							
		T	I	-0.5	0.4	1.0	7.1	
-17.1	25.6		J	-0.5	0.4	1.0	7.1	
-18.1	25.2							
		M. tor~1	I	63.5	-313.4	-13.7	-150.4	
-195.2	-3571.5		J	63.5	-313.4	-13.7	-140.8	
-181.5	-3540.3							
		M. tor~2	I	37.5	-185.3	-8.1	-88.9	
-115.4	-2111.5		J	37.5	-185.3	-8.1	-83.2	
-107.3	-2093.1							
		INVSLU Max	I	1224.4	191.1	540.5	3527.1	4
0357.0	8291.6		J	1240.6	206.2	780.8	3526.0	4
1138.5	8226.2	Min	I	-1149.3	-228.2	-1912.7	-1726.7	1
1491.4	-10399.8		J	-1179.7	-252.1	-1663.8	-1620.9	1
1896.5	-10270.5							
		INVSLV Max	I	1781.9	826.0	-155.3	3062.2	1
7450.2	35953.0		J	1777.3	826.0	-18.2	3062.2	1
7901.2	35934.2	Min	I	-1724.7	-866.4	-594.9	-2088.5	1
0437.2	-37237.9		J	-1729.4	-866.4	-457.8	-2088.5	1
0599.3	-37178.7							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9857.1	5499.6	INVSLE	Max	I	821.5	134.1	397.2	2592.2	2
0433.3	5457.1			J	831.8	144.2	575.3	2591.7	3
8549.1	-7061.3		Min	I	-765.8	-157.2	-1413.7	-1258.6	
8851.9	-6971.4			J	-786.6	-173.1	-1229.4	-1180.5	
791	1	52 C1-C2;~1	Max	I	40.6	45.0	782.6	1730.4	1
5805.5	531.5			J	40.2	45.0	824.7	1803.9	1
5974.7	519.0		Min	I	-38.2	-58.1	-959.9	-1588.7	-
4914.5	-1103.4			J	-40.0	-58.1	-914.2	-1514.1	-
4996.3	-1075.5								
5766.7	651.5	C3-C4;~1	Max	I	39.2	48.2	783.9	1782.9	1
5935.0	637.2			J	38.8	48.2	826.3	1786.9	1
5021.4	-1103.8		Min	I	-40.5	-54.8	-962.1	-1382.9	-
5123.7	-1077.7			J	-42.3	-54.8	-916.2	-1369.9	-
9149.9	264.2	C1-C2;~2	Max	I	22.0	23.5	464.3	1014.8	
9237.2	256.3			J	21.8	23.5	489.3	1063.4	
2466.5	-575.3		Min	I	-23.3	-30.5	-572.7	-914.2	-
2504.6	-557.1			J	-24.4	-30.5	-546.2	-865.3	-
9130.8	319.8	C3-C4;~2	Max	I	21.2	25.2	464.5	1023.7	
9217.1	310.4			J	21.0	25.2	489.7	1035.3	
2524.0	-590.9		Min	I	-24.7	-28.5	-573.8	-778.6	-
2576.9	-574.6			J	-25.6	-28.5	-547.1	-763.4	-
2260.0	-31823.5	SLVx (RS)		I	1407.7	683.8	-147.9	-2075.5	
2294.7	-31809.1			J	1407.7	683.8	-147.9	-2075.5	
1851.8	-15011.2	SLVy (RS)		I	-1087.3	423.6	92.6	1506.3	
1866.9	-14770.2			J	-1087.3	423.6	92.6	1506.3	
1592.2	-22226.4	SLDx (RS)		I	991.0	505.3	-107.5	-1446.1	
1614.2	-22217.6			J	991.0	505.3	-107.5	-1446.1	
1304.1	-10399.8	SLDy (RS)		I	-742.2	300.7	66.7	1044.7	
1313.9	-10220.4			J	-742.2	300.7	66.7	1044.7	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2418.5	765.3	SLVz (RS)	I	-135.1	-128.7	121.1	-163.0	-
			J	-135.1	-128.7	121.1	-163.0	-
2518.8	825.6							
		G1	I	21.4	-19.2	-174.0	211.6	1
0446.5	-708.7		J	18.0	-19.2	-73.6	211.6	1
0570.4	-689.5							
		G2	I	7.8	-7.0	-63.6	76.5	
3815.6	-258.6		J	6.6	-7.0	-27.0	76.5	
3860.9	-251.6							
		G1- Imp~1	I	-4.1	4.3	-0.2	8.9	
-5.1	248.0		J	-4.1	4.3	-0.2	8.9	
-4.9	243.7							
		G2- Imp~1	I	-1.5	1.6	-0.1	3.3	
-1.9	90.7		J	-1.5	1.6	-0.1	3.3	
-1.8	89.1							
		q3	I	-167.4	6.5	-0.4	42.2	
34.9	836.4		J	-170.6	6.5	-0.4	42.2	
38.4	829.9							
		q4-1	I	121.7	-31.0	-4.9	-52.0	
-35.9	-1680.6		J	121.7	-31.0	-4.9	-52.0	
-31.0	-1649.6							
		q4-2	I	92.3	60.2	1.3	-48.6	
-20.8	293.8		J	92.3	60.2	1.3	-48.6	
-22.1	233.6							
		q4-3	I	9.1	-23.6	4.7	35.7	
-61.7	434.6		J	9.1	-23.6	4.7	35.7	
-66.4	458.3							
		q4-4	I	-1.1	5.1	0.7	15.5	
-10.4	-210.7		J	-1.1	5.1	0.7	15.5	
-11.1	-215.8							
		q4-5	I	-0.2	0.5	-1.0	0.1	
11.6	2.5		J	-0.2	0.5	-1.0	0.1	
12.6	2.0							
		q4-6	I	0.2	-0.9	-0.9	0.3	
11.3	39.4		J	0.2	-0.9	-0.9	0.3	
12.2	40.2							
		q4-7	I	0.1	-0.6	-1.0	0.9	
11.5	30.1		J	0.1	-0.6	-1.0	0.9	
12.5	30.8							
		q5 - p~1	I	-828.3	71.7	47.9	318.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-606.8	6068.5		J	-844.2	82.0	47.4	314.6	
-648.7	5991.6							
447.0	-2661.8	q5 - p~2	I	-502.7	-122.9	-25.1	239.7	
473.7	-2530.5		J	-507.0	-139.6	-25.3	245.8	
-566.5	5742.7	q5 - p~3	I	-784.5	68.0	40.5	287.8	
-605.7	5669.8		J	-799.5	77.9	40.0	287.2	
419.5	-2502.3	q5 - p~4	I	-476.4	-116.1	-25.3	230.0	
445.2	-2378.2		J	-480.5	-132.0	-25.4	231.1	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-63.2	1398.5	q7	I	-207.9	5.5	1.0	64.4	
-64.2	1392.9		J	-207.9	5.5	1.0	64.4	
-18.0	25.2	T	I	-0.5	0.4	1.0	7.3	
-19.0	24.7		J	-0.5	0.4	1.0	7.3	
-184.9	-3540.2	M. tor~1	I	59.4	-314.2	-13.8	-138.7	
-171.1	-3508.1		J	59.4	-314.2	-13.8	-129.0	
-109.3	-2093.0	M. tor~2	I	35.1	-185.7	-8.2	-82.0	
-101.1	-2074.0		J	35.1	-185.7	-8.2	-76.3	
1140.8	8215.3	INVSLU Max	I	1238.6	198.7	780.9	3104.0	4
1636.4	8120.4		J	1254.6	213.7	1022.7	3129.1	4
1906.5	-10278.5	Min	I	-1178.4	-243.3	-1663.9	-2031.0	1
1958.7	-10119.2		J	-1208.6	-267.1	-1416.3	-1926.9	1
7907.1	35927.8	INVSLV Max	I	1798.0	829.0	-26.0	2876.6	1
8191.9	35879.6		J	1793.4	829.0	111.1	2876.6	1
0603.1	-37185.0	Min	I	-1750.8	-869.9	-449.9	-2275.9	1
0657.2	-37096.0		J	-1755.5	-869.9	-312.8	-2275.9	1

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0435.4	5449.0	INVSLE	Max	I	830.3	139.0	575.3	2278.6	3
0799.8	5386.8			J	840.5	149.0	754.5	2297.4	3
8858.9	-6977.3		Min	I	-785.8	-167.4	-1229.4	-1483.7	
8900.3	-6867.4			J	-806.5	-183.2	-1046.0	-1406.8	
792	1	52 C1-C2;~1	Max	I	39.6	45.3	824.7	1675.1	1
5974.7	516.1			J	39.2	45.3	868.0	1749.2	1
6069.3	503.7		Min	I	-39.5	-58.6	-914.2	-1625.8	-
5001.2	-1076.4			J	-41.3	-58.6	-869.4	-1552.3	-
5180.3	-1048.4								
5938.4	634.4	C3-C4;~1	Max	I	38.2	48.6	826.3	1653.1	1
6032.8	620.6			J	37.8	48.6	869.7	1659.6	1
5128.5	-1077.3		Min	I	-41.7	-55.2	-916.1	-1483.2	-
5314.0	-1051.8			J	-43.5	-55.2	-871.1	-1473.0	-
9236.4	254.8	C1-C2;~2	Max	I	21.4	23.7	489.4	979.6	
9282.0	247.1			J	21.3	23.7	514.9	1028.4	
2507.5	-557.3		Min	I	-24.1	-30.8	-546.2	-941.4	-
2618.6	-539.1			J	-25.1	-30.8	-520.0	-892.9	-
9218.7	308.9	C3-C4;~2	Max	I	20.7	25.4	489.7	947.7	
9263.8	299.8			J	20.5	25.4	515.4	960.3	
2579.7	-574.3		Min	I	-25.3	-28.7	-547.1	-842.2	-
2694.9	-558.2			J	-26.2	-28.7	-520.7	-828.2	-
2286.2	-31809.1	SLVx (RS)		I	1425.3	684.1	-148.8	-2086.6	
2321.9	-31766.1			J	1425.3	684.1	-148.8	-2086.6	
1870.2	-14770.3	SLVy (RS)		I	-1096.8	440.6	91.4	1509.6	
1887.4	-14514.8			J	-1096.8	440.6	91.4	1509.6	
1608.3	-22217.6	SLDx (RS)		I	1003.4	504.9	-108.3	-1453.7	
1631.3	-22189.7			J	1003.4	504.9	-108.3	-1453.7	
1316.3	-10220.5	SLDy (RS)		I	-747.7	313.0	65.8	1047.7	
1327.6	-10030.7			J	-747.7	313.0	65.8	1047.7	


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2520.3	825.2	SLVz (RS)	I	-135.1	-126.1	96.9	-135.3	-
			J	-135.1	-126.1	96.9	-135.3	-
2589.8	892.3							
		G1	I	17.7	-19.4	-73.6	73.2	1
0571.9	-694.2		J	14.3	-19.4	26.9	73.2	1
0595.3	-674.8							
		G2	I	6.5	-7.1	-27.0	26.0	
3861.4	-253.3		J	5.2	-7.1	9.7	26.0	
3870.0	-246.2							
		G1- Imp~1	I	-4.0	4.3	-0.2	9.0	
-4.7	243.7		J	-4.0	4.3	-0.2	9.0	
-4.4	239.4							
		G2- Imp~1	I	-1.5	1.6	-0.1	3.3	
-1.7	89.1		J	-1.5	1.6	-0.1	3.3	
-1.6	87.6							
		q3	I	-170.5	8.8	-0.4	41.8	
39.3	829.8		J	-173.7	8.8	-0.4	41.8	
42.7	821.0							
		q4-1	I	121.2	-32.6	-4.9	-51.7	
-32.4	-1649.6		J	121.2	-32.6	-4.9	-51.7	
-27.5	-1617.0							
		q4-2	I	93.1	59.0	1.4	-48.3	
-22.7	233.7		J	93.1	59.0	1.4	-48.3	
-24.0	174.7							
		q4-3	I	8.8	-23.8	4.7	36.6	
-65.7	458.3		J	8.8	-23.8	4.7	36.6	
-70.4	482.1							
		q4-4	I	-1.1	5.1	0.7	15.6	
-11.0	-215.8		J	-1.1	5.1	0.7	15.6	
-11.8	-220.8							
		q4-5	I	-0.2	0.5	-1.0	-0.1	
12.6	2.0		J	-0.2	0.5	-1.0	-0.1	
13.5	1.5							
		q4-6	I	0.2	-0.9	-0.9	0.1	
12.2	40.2		J	0.2	-0.9	-0.9	0.1	
13.2	41.1							
		q4-7	I	0.1	-0.6	-1.0	0.7	
12.5	30.8		J	0.1	-0.6	-1.0	0.7	
13.5	31.4							
		q5 - p~1	I	-843.0	93.1	47.5	323.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-641.9	5991.6		J	-858.8	103.7	46.9	319.7	
-683.4	5893.2							
475.8	-2530.9	q5 - p~2	I	-508.8	-133.0	-25.3	239.4	
502.8	-2389.6		J	-513.4	-149.6	-25.5	245.3	
-599.4	5669.7	q5 - p~3	I	-798.4	88.3	40.1	295.5	
-638.1	5576.4		J	-813.4	98.4	39.6	294.8	
447.1	-2378.6	q5 - p~4	I	-482.2	-125.7	-25.4	225.1	
472.9	-2245.1		J	-486.5	-141.4	-25.6	226.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-62.7	1392.9	q7	I	-207.8	8.2	1.0	65.4	
-63.8	1384.6		J	-207.8	8.2	1.0	65.4	
-18.9	24.7	T	I	-0.5	0.5	1.0	7.5	
-19.9	24.3		J	-0.5	0.5	1.0	7.5	
-174.3	-3508.0	M. tor~1	I	55.2	-314.9	-14.0	-127.0	
-160.3	-3475.2		J	55.2	-314.9	-14.0	-117.4	
-103.1	-2074.0	M. tor~2	I	32.7	-186.2	-8.3	-75.1	
-94.8	-2054.6		J	32.7	-186.2	-8.3	-69.4	
1633.5	8109.7	INVSLU Max	I	1252.1	206.1	1022.8	2708.4	4
1843.0	7984.7		J	1268.0	221.0	1266.0	2805.1	4
1961.6	-10127.4	Min	I	-1206.9	-258.2	-1416.4	-2340.9	1
1716.8	-9937.5		J	-1236.9	-281.8	-1170.0	-2238.2	1
8194.2	35873.1	INVSLV Max	I	1813.5	833.5	104.4	2691.6	1
8311.9	35794.2		J	1808.9	833.5	241.6	2691.6	1
0659.8	-37102.4	Min	I	-1776.2	-874.8	-306.1	-2468.6	1
0606.6	-36982.3		J	-1780.9	-874.8	-169.0	-2468.6	1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0798.1	5378.8	INVSLE Max	I	838.8	143.8	754.5	1985.2	3
			J	848.9	153.8	934.8	2057.0	3
0950.6	5296.6	Min	I	-805.3	-177.3	-1046.1	-1712.9	
8902.0	-6873.5		J	-825.9	-193.0	-863.6	-1637.1	
8723.3	-6743.1							
793	1	52 C1-C2;~1 Max	I	38.5	45.6	868.0	1618.2	1
6071.0	501.1		J	38.2	45.6	912.2	1693.2	1
6094.5	488.9	Min	I	-40.8	-59.0	-869.4	-1663.1	-
5184.3	-1049.4		J	-42.6	-59.0	-825.5	-1590.5	-
5363.4	-1021.3							
		C3-C4;~1 Max	I	37.2	48.9	869.7	1524.6	1
6034.3	618.0		J	36.9	48.9	914.1	1533.7	1
6061.3	604.9	Min	I	-42.9	-55.7	-871.1	-1586.2	-
5317.9	-1051.6		J	-44.7	-55.7	-827.1	-1578.7	-
5503.3	-1026.6							
		C1-C2;~2 Max	I	20.9	23.9	514.9	943.8	
9282.8	245.7		J	20.8	23.9	540.9	992.8	
9289.4	234.3	Min	I	-24.8	-31.0	-520.0	-969.1	-
2621.0	-539.3		J	-25.8	-31.0	-494.2	-921.1	-
2732.0	-521.0							
		C3-C4;~2 Max	I	20.2	25.6	515.4	872.2	
9264.4	298.4		J	20.1	25.6	541.5	885.8	
9273.3	289.5	Min	I	-25.9	-29.0	-520.7	-907.4	-
2697.3	-557.9		J	-26.9	-29.0	-494.8	-894.5	-
2812.5	-542.1							
		SLVx (RS)	I	1442.3	686.2	-150.1	-2100.2	
2312.1	-31766.2		J	1442.3	686.2	-150.1	-2100.2	
2349.2	-31694.0							
		SLVy (RS)	I	-1106.2	457.7	89.7	1514.0	
1889.9	-14514.8		J	-1106.2	457.7	89.7	1514.0	
1908.8	-14245.9							
		SLDx (RS)	I	1015.3	505.6	-109.4	-1463.0	
1624.5	-22189.7		J	1015.3	505.6	-109.4	-1463.0	
1648.5	-22142.2							
		SLDy (RS)	I	-753.1	325.4	64.6	1051.4	
1329.3	-10030.7		J	-753.1	325.4	64.6	1051.4	
1341.9	-9831.2							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2590.7	891.9	SLVz (RS)	I	-135.0	-123.1	78.1	-109.6	-
			J	-135.0	-123.1	78.1	-109.6	-
2629.0	963.0							
		G1	I	14.0	-19.6	26.9	-65.6	1
0595.0	-679.5		J	10.6	-19.6	127.3	-65.6	1
0517.9	-659.9							
		G2	I	5.1	-7.2	9.7	-24.7	
3869.9	-247.9		J	3.9	-7.2	46.4	-24.7	
3841.9	-240.8							
		G1- Imp~1	I	-4.0	4.4	-0.2	9.1	
-4.2	239.4		J	-4.0	4.4	-0.2	9.1	
-4.0	235.0							
		G2- Imp~1	I	-1.5	1.6	-0.1	3.3	
-1.6	87.6		J	-1.5	1.6	-0.1	3.3	
-1.5	86.0							
		q3	I	-173.5	11.0	-0.4	41.3	
43.6	820.9		J	-176.7	11.0	-0.4	41.3	
47.0	809.9							
		q4-1	I	120.8	-34.1	-4.9	-51.5	
-28.9	-1617.0		J	120.8	-34.1	-4.9	-51.5	
-24.0	-1582.8							
		q4-2	I	93.9	57.7	1.4	-48.0	
-24.6	174.7		J	93.9	57.7	1.4	-48.0	
-26.0	117.0							
		q4-3	I	8.4	-23.9	4.6	37.6	
-69.7	482.1		J	8.4	-23.9	4.6	37.6	
-74.3	506.0							
		q4-4	I	-1.0	5.1	0.7	15.7	
-11.7	-220.8		J	-1.0	5.1	0.7	15.7	
-12.4	-225.9							
		q4-5	I	-0.2	0.5	-1.0	-0.3	
13.5	1.5		J	-0.2	0.5	-1.0	-0.3	
14.5	1.0							
		q4-6	I	0.2	-0.9	-0.9	-0.0	
13.2	41.1		J	0.2	-0.9	-0.9	-0.0	
14.1	41.9							
		q4-7	I	0.1	-0.6	-1.0	0.5	
13.5	31.4		J	0.1	-0.6	-1.0	0.5	
14.5	32.0							
		q5 - p~1	I	-857.4	114.9	47.1	329.1	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-676.5	5893.2		J	-873.0	125.7	46.5	325.2	
-717.7	5772.9							
		q5 - p~2	I	-515.3	-142.8	-25.5	238.5	
504.9	-2390.0		J	-520.2	-159.3	-25.7	244.5	
532.3	-2239.0							
		q5 - p~3	I	-812.0	109.0	39.7	303.6	
-631.7	5576.3		J	-826.8	119.3	39.2	302.9	
-670.1	5462.2							
		q5 - p~4	I	-488.4	-135.0	-25.6	219.8	
474.8	-2245.5		J	-493.0	-150.6	-25.7	220.9	
500.8	-2102.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-207.7	11.0	1.1	66.3	
-62.3	1384.6		J	-207.7	11.0	1.1	66.3	
-63.3	1373.6							
		T	I	-0.4	0.5	1.0	7.8	
-19.8	24.3		J	-0.4	0.5	1.0	7.8	
-20.8	23.8							
		M. tor~1	I	51.1	-315.6	-14.1	-115.6	
-163.4	-3475.1		J	51.1	-315.6	-14.1	-106.0	
-149.3	-3441.7							
		M. tor~2	I	30.2	-186.6	-8.3	-68.4	
-96.6	-2054.6		J	30.2	-186.6	-8.3	-62.7	
-88.3	-2034.8							
		INVSLU Max	I	1265.1	213.2	1266.2	2381.3	4
1838.9	7974.2		J	1280.8	232.7	1510.8	2479.0	4
1766.8	7818.8	Min	I	-1234.8	-272.8	-1170.1	-2652.1	1
1717.6	-9945.9		J	-1264.5	-296.2	-925.1	-2550.5	1
1288.0	-9724.7							
		INVSLV Max	I	1828.4	839.6	236.8	2509.4	1
8310.5	35787.7		J	1823.8	839.6	373.9	2509.4	1
8260.7	35677.0	Min	I	-1801.0	-881.2	-164.2	-2665.1	1
0607.9	-36988.6		J	-1805.6	-881.2	-27.0	-2665.1	1
0448.0	-36836.3							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0948.0	5288.9	INVSLE	Max	I	846.9	148.5	934.8	1742.5	3
				J	856.9	158.4	1116.1	1815.1	3
0891.9	5186.4		Min	I	-824.5	-187.1	-863.7	-1943.1	
8723.5	-6749.3			J	-844.9	-202.7	-682.2	-1868.1	
8407.9	-6598.2								
794	1	52 C1-C2;~1	Max	I	37.5	45.9	912.2	1560.9	1
6098.4	486.4			J	37.2	45.9	957.5	1636.8	1
6049.2	486.9		Min	I	-42.1	-59.4	-825.5	-1699.4	-
5366.5	-1022.4			J	-43.9	-59.4	-782.7	-1627.6	-
5545.5	-994.3								
		C3-C4;~1	Max	I	36.3	49.2	914.1	1398.3	1
6062.3	603.2			J	36.0	49.2	959.5	1410.2	1
6016.9	608.3		Min	I	-44.1	-56.1	-827.1	-1691.0	-
5506.3	-1026.5			J	-45.8	-56.1	-784.1	-1686.1	-
5691.7	-1001.5								
		C1-C2;~2	Max	I	20.4	24.0	540.9	908.0	
9292.1	233.7			J	20.3	24.0	567.2	957.4	
9258.4	237.8		Min	I	-25.5	-31.2	-494.2	-996.7	-
2734.0	-521.3			J	-26.4	-31.2	-468.8	-948.9	-
2845.0	-503.0								
		C3-C4;~2	Max	I	19.8	25.8	541.5	797.7	
9273.9	288.7			J	19.6	25.8	568.0	812.5	
9242.8	293.5		Min	I	-26.5	-29.2	-494.8	-973.4	-
2814.4	-541.9			J	-27.5	-29.2	-469.3	-961.5	-
2929.6	-526.0								
		SLVx (RS)		I	1458.8	690.0	-151.8	-2116.3	
2338.2	-31694.1			J	1458.8	690.0	-151.8	-2116.3	
2376.9	-31592.4								
		SLVy (RS)		I	-1115.3	474.7	87.7	1519.4	
1910.5	-14245.9			J	-1115.3	474.7	87.7	1519.4	
1930.8	-13964.4								
		SLDx (RS)		I	1026.9	507.4	-110.8	-1474.1	
1640.9	-22142.3			J	1026.9	507.4	-110.8	-1474.1	
1666.3	-22075.0								
		SLDy (RS)		I	-758.3	337.6	63.1	1055.9	
1343.1	-9831.3			J	-758.3	337.6	63.1	1055.9	
1356.7	-9622.8								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2629.3	962.5	SLVz (RS)	I	-135.0	-120.0	69.5	-88.6	-
			J	-135.0	-120.0	69.5	-88.6	-
2636.1	1035.3							
		G1	I	10.4	-19.8	127.3	-203.3	1
0515.9	-664.5		J	7.0	-19.8	227.8	-203.3	1
0338.3	-644.7							
		G2	I	3.8	-7.2	46.4	-75.0	
3841.1	-242.5		J	2.5	-7.2	83.1	-75.0	
3776.4	-235.2							
		G1- Imp~1	I	-3.9	4.4	-0.2	9.2	
-3.8	235.0		J	-3.9	4.4	-0.2	9.2	
-3.6	230.6							
		G2- Imp~1	I	-1.4	1.6	-0.1	3.4	
-1.4	86.0		J	-1.4	1.6	-0.1	3.4	
-1.3	84.3							
		q3	I	-176.6	13.4	-0.3	40.7	
47.9	809.8		J	-179.8	13.4	-0.3	40.7	
51.3	796.4							
		q4-1	I	120.4	-35.7	-5.0	-51.3	
-25.4	-1582.7		J	120.4	-35.7	-5.0	-51.3	
-20.4	-1547.0							
		q4-2	I	94.6	56.5	1.4	-47.6	
-26.5	117.1		J	94.6	56.5	1.4	-47.6	
-27.9	60.6							
		q4-3	I	8.1	-24.0	4.6	38.6	
-73.6	506.0		J	8.1	-24.0	4.6	38.6	
-78.2	530.0							
		q4-4	I	-0.9	5.1	0.7	15.9	
-12.3	-225.9		J	-0.9	5.1	0.7	15.9	
-13.0	-231.0							
		q4-5	I	-0.2	0.5	-1.0	-0.5	
14.5	1.0		J	-0.2	0.5	-1.0	-0.5	
15.5	0.5							
		q4-6	I	0.2	-0.9	-0.9	-0.2	
14.1	41.9		J	0.2	-0.9	-0.9	-0.2	
15.1	42.8							
		q4-7	I	0.1	-0.6	-1.0	0.3	
14.5	32.0		J	0.1	-0.6	-1.0	0.3	
15.4	32.7							
		q5 - p~1	I	-871.3	137.1	46.7	335.1	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-710.8	5772.9		J	-886.7	148.1	46.1	331.1	
-751.7	5630.3							
534.4	-2239.4	q5 - p~2	I	-522.2	-152.5	-25.7	237.3	
562.0	-2078.7		J	-527.4	-168.8	-25.8	243.2	
-663.7	5462.2	q5 - p~3	I	-825.2	130.1	39.3	312.1	
-701.7	5326.9		J	-839.8	140.5	38.8	311.4	
502.7	-2103.1	q5 - p~4	I	-494.9	-144.1	-25.8	214.1	
528.9	-1951.2		J	-499.9	-159.6	-25.9	215.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-61.9	1373.6	q7	I	-207.5	13.7	1.1	67.3	
-62.9	1359.9		J	-207.5	13.7	1.1	67.3	
-20.7	23.8	T	I	-0.4	0.5	1.0	8.1	
-21.7	23.4		J	-0.4	0.5	1.0	8.1	
-152.2	-3441.6	M. tor~1	I	47.0	-316.3	-14.3	-104.4	
-137.9	-3407.5		J	47.0	-316.3	-14.3	-94.8	
-90.0	-2034.7	M. tor~2	I	27.8	-187.0	-8.4	-61.7	
-81.5	-2014.5		J	27.8	-187.0	-8.4	-56.1	
1762.4	7809.1	INVSLU Max	I	1277.5	222.9	1510.9	2055.7	4
1406.7	7640.7		J	1293.0	246.1	1756.9	2154.5	4
1286.8	-9733.1	Min	I	-1262.0	-287.0	-925.2	-2960.5	1
0672.3	-9480.1		J	-1291.5	-310.3	-681.5	-2938.9	1
8255.7	35670.6	INVSLV Max	I	1842.7	847.4	372.4	2332.9	1
8038.2	35527.3		J	1838.1	847.4	509.6	2332.9	1
0447.9	-36842.6	Min	I	-1825.1	-889.4	-25.6	-2864.6	1
0181.4	-36657.2		J	-1829.7	-889.4	111.5	-2864.6	1

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0889.1	5179.2	INVSLE	Max	I	854.6	153.0	1116.2	1500.9	3	
				J	864.5	164.6	1298.4	1574.4	3	
0623.0	5069.5		Min	I	-843.2	-196.6	-682.3	-2171.2		
8406.6	-6604.4			J	-863.4	-212.1	-501.8	-2155.5		
7954.1	-6431.9									
795	1	52	C1-C2;~1	Max	I	36.5	46.2	957.5	1504.1	1
6051.6	480.7			J	36.2	46.2	1003.7	1581.0	1	
5927.7	489.7		Min	I	-43.3	-59.8	-782.7	-1733.8	-	
5547.6	-995.4			J	-45.1	-59.8	-740.9	-1662.6	-	
5726.7	-981.0									
			C3-C4;~1	Max	I	35.4	49.6	959.5	1275.2	1
6015.2	607.3			J	35.1	49.6	1005.9	1289.9	1	
5895.9	612.8		Min	I	-45.2	-56.5	-784.1	-1796.5	-	
5693.7	-1001.6			J	-46.9	-56.5	-742.1	-1794.1	-	
5879.1	-976.6									
			C1-C2;~2	Max	I	19.9	24.2	567.2	872.9	
9260.3	237.9			J	19.8	24.2	594.0	922.9		
9185.0	243.5		Min	I	-26.1	-31.5	-468.8	-1023.5	-	
2846.5	-503.3			J	-27.1	-31.5	-443.8	-975.9	-	
2957.6	-495.2									
			C3-C4;~2	Max	I	19.3	25.9	568.0	725.0	
9241.8	293.2			J	19.2	25.9	594.8	740.9		
9169.5	298.3		Min	I	-27.1	-29.4	-469.3	-1039.6	-	
2931.0	-525.9			J	-28.0	-29.4	-444.2	-1028.6	-	
3046.2	-510.1									
			SLVx (RS)	I	1474.7	695.7	-153.9	-2135.0		
2364.7	-31592.4			J	1474.7	695.7	-153.9	-2135.0		
2405.5	-31460.8									
			SLVy (RS)	I	-1124.4	491.5	85.6	1525.9		
1931.6	-13964.5			J	-1124.4	491.5	85.6	1525.9		
1953.0	-13671.6									
			SLDx (RS)	I	1038.0	510.4	-112.3	-1486.9		
1657.8	-22075.0			J	1038.0	510.4	-112.3	-1486.9		
1685.0	-21987.5									
			SLDy (RS)	I	-763.4	349.6	61.5	1061.1		
1357.3	-9622.9			J	-763.4	349.6	61.5	1061.1		
1371.6	-9406.3									


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2635.9	1034.8	SLVz (RS)	I	-134.9	-116.9	74.7	77.1	-
			J	-134.9	-116.9	74.7	77.1	-
2611.3	1107.6							
		G1	I	6.7	-20.0	227.7	-338.8	1
0334.5	-649.3		J	3.3	-20.0	328.2	-338.8	1
0056.5	-629.3							
		G2	I	2.5	-7.3	83.1	-124.5	
3775.0	-236.9		J	1.2	-7.3	119.8	-124.5	
3673.5	-229.6							
		G1- Imp~1	I	-3.9	4.5	-0.2	9.2	
-3.3	230.6		J	-3.9	4.5	-0.2	9.2	
-3.1	226.1							
		G2- Imp~1	I	-1.4	1.6	-0.1	3.4	
-1.2	84.3		J	-1.4	1.6	-0.1	3.4	
-1.2	82.7							
		q3	I	-179.6	15.7	-0.3	40.1	
52.2	796.4		J	-182.8	15.7	-0.3	40.1	
55.6	780.6							
		q4-1	I	119.9	-37.3	-5.0	-51.2	
-21.8	-1547.0		J	119.9	-37.3	-5.0	-51.2	
-16.8	-1509.7							
		q4-2	I	95.4	55.3	1.4	-47.2	
-28.5	60.6		J	95.4	55.3	1.4	-47.2	
-29.9	5.4							
		q4-3	I	7.8	-24.1	4.6	39.6	
-77.5	530.0		J	7.8	-24.1	4.6	39.6	
-82.1	554.1							
		q4-4	I	-0.9	5.1	0.7	16.0	
-12.9	-231.0		J	-0.9	5.1	0.7	16.0	
-13.6	-236.1							
		q4-5	I	-0.2	0.5	-1.0	-0.7	
15.5	0.5		J	-0.2	0.5	-1.0	-0.7	
16.4	-0.0							
		q4-6	I	0.1	-0.9	-0.9	-0.4	
15.1	42.8		J	0.1	-0.9	-0.9	-0.4	
16.0	43.6							
		q4-7	I	0.1	-0.6	-1.0	0.1	
15.5	32.7		J	0.1	-0.6	-1.0	0.1	
16.4	33.3							
		q5 - p~1	I	-884.7	159.7	46.3	341.4	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-744.8	5630.3		J	-900.0	170.9	45.8	337.4	
-785.3	5465.0							
		q5 - p~2	I	-529.6	-161.9	-25.9	235.6	
564.3	-2079.2		J	-535.1	-178.1	-26.1	241.4	
592.2	-1909.2							
		q5 - p~3	I	-837.9	151.5	39.0	321.0	
-695.2	5326.9		J	-852.4	162.1	38.5	320.3	
-732.9	5170.1							
		q5 - p~4	I	-501.9	-153.0	-25.9	208.1	
530.8	-1951.7		J	-507.1	-168.4	-26.1	209.2	
557.2	-1790.9							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-207.3	16.4	1.1	68.2	
-61.5	1359.8		J	-207.3	16.4	1.1	68.2	
-62.6	1343.4							
		T	I	-0.4	0.5	1.0	8.4	
-21.6	23.4		J	-0.4	0.5	1.0	8.4	
-22.6	22.9							
		M. tor~1	I	42.8	-316.8	-14.4	-93.3	
-140.7	-3407.4		J	42.8	-316.8	-14.4	-83.8	
-126.3	-3372.7							
		M. tor~2	I	25.3	-187.3	-8.5	-55.2	
-83.2	-2014.5		J	25.3	-187.3	-8.5	-49.5	
-74.7	-1994.0							
		INVSLU Max	I	1289.3	236.3	1757.0	1735.4	4
1397.0	7631.9		J	1304.7	259.3	2004.3	1835.7	4
0755.1	7431.8	Min	I	-1288.5	-301.0	-681.7	-3347.0	1
0669.3	-9488.3		J	-1317.8	-324.0	-439.4	-3340.1	
9869.9	-9202.8							
		INVSLV Max	I	1856.4	857.0	512.5	2165.2	1
8029.7	35521.0		J	1851.8	857.0	649.7	2165.2	1
7644.6	35344.6	Min	I	-1848.6	-899.4	108.6	-3066.5	1
0180.1	-36663.4		J	-1853.2	-899.4	245.7	-3066.5	
9806.8	-36444.5							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0616.3	5063.0	INVSLE	Max	I	862.0	158.0	1298.5	1263.3	3
				J	871.8	173.4	1481.7	1337.8	3
0138.1	4932.1		Min	I	-861.4	-206.0	-501.9	-2457.0	
7951.4	-6438.1			J	-881.4	-221.3	-322.5	-2452.2	
7361.9	-6243.9								
796	1	52 C1-C2;~1	Max	I	35.5	46.5	1003.7	1449.2	1
5928.6	489.7			J	35.2	46.5	1050.8	1527.5	1
5730.3	499.4		Min	I	-44.6	-60.2	-740.9	-1765.4	-
5727.8	-982.9			J	-46.3	-60.2	-700.2	-1694.6	-
5906.8	-977.6								
		C3-C4;~1	Max	I	34.5	49.9	1005.9	1156.4	1
5892.0	612.0			J	34.2	49.9	1053.2	1174.0	1
5698.2	618.1		Min	I	-46.3	-56.9	-742.1	-1901.7	-
5880.1	-976.8			J	-48.0	-56.9	-701.3	-1901.7	-
6065.4	-951.8								
		C1-C2;~2	Max	I	19.4	24.3	594.0	839.5	
9186.1	243.7			J	19.3	24.3	621.0	890.2	
9069.2	249.7		Min	I	-26.8	-31.7	-443.8	-1048.9	-
2958.5	-496.0			J	-27.7	-31.7	-419.4	-1001.3	-
3069.5	-494.5								
		C3-C4;~2	Max	I	18.8	26.1	594.8	654.6	
9167.3	298.0			J	18.7	26.1	622.0	671.7	
9053.4	303.5		Min	I	-27.7	-29.6	-444.2	-1105.3	-
3047.0	-510.0			J	-28.6	-29.6	-419.6	-1095.2	-
3162.2	-494.2								
		SLVx (RS)		I	1490.0	703.4	-156.2	-2156.1	
2392.0	-31460.9			J	1490.0	703.4	-156.2	-2156.1	
2435.3	-31299.0								
		SLVy (RS)		I	-1133.2	-508.0	83.5	1533.5	
1953.0	-13671.6			J	-1133.2	-508.0	83.5	1533.5	
1975.0	-13368.7								
		SLDx (RS)		I	1048.8	514.8	-114.1	-1501.6	
1675.6	-21987.6			J	1048.8	514.8	-114.1	-1501.6	
1704.8	-21879.7								
		SLDy (RS)		I	-768.3	-361.4	59.9	1067.1	
1371.6	-9406.4			J	-768.3	-361.4	59.9	1067.1	
1386.5	-9182.6								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2610.7	1107.1	SLVz (RS)	I	-134.9	-113.9	-90.9	79.0	-
			J	-134.9	-113.9	-90.9	79.0	-
2555.0	1178.8							
		G1	I	3.1	-20.2	328.2	-470.6	1
0051.0	-633.7		J	-0.3	-20.2	428.7	-470.6	
9672.5	-613.5							
		G2	I	1.1	-7.4	119.8	-172.7	
3671.5	-231.2		J	-0.1	-7.4	156.5	-172.7	
3533.3	-223.8							
		G1- Imp~1	I	-3.8	4.5	-0.2	9.3	
-2.9	226.1		J	-3.8	4.5	-0.2	9.3	
-2.7	221.6							
		G2- Imp~1	I	-1.4	1.7	-0.1	3.4	
-1.1	82.7		J	-1.4	1.7	-0.1	3.4	
-1.0	81.0							
		q3	I	-182.6	18.1	-0.3	39.5	
56.4	780.6		J	-185.8	18.1	-0.3	39.5	
59.8	762.5							
		q4-1	I	119.4	-38.9	-5.0	-51.1	
-18.1	-1509.6		J	119.4	-38.9	-5.0	-51.1	
-13.1	-1470.8							
		q4-2	I	96.1	54.0	1.4	-46.8	
-30.6	5.4		J	96.1	54.0	1.4	-46.8	
-32.0	-48.6							
		q4-3	I	7.5	-24.2	4.6	40.8	
-81.3	554.1		J	7.5	-24.2	4.6	40.8	
-85.9	578.3							
		q4-4	I	-0.8	5.1	0.7	16.2	
-13.5	-236.1		J	-0.8	5.1	0.7	16.2	
-14.2	-241.2							
		q4-5	I	-0.2	0.5	-1.0	-0.9	
16.4	-0.0		J	-0.2	0.5	-1.0	-0.9	
17.4	-0.5							
		q4-6	I	0.1	-0.9	-0.9	-0.6	
16.1	43.6		J	0.1	-0.9	-0.9	-0.6	
17.0	44.5							
		q4-7	I	0.1	-0.6	-1.0	-0.1	
16.4	33.3		J	0.1	-0.6	-1.0	-0.1	
17.4	33.9							
		q5 - p~1	I	-897.7	182.6	46.0	348.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-778.4	5465.0		J	-912.9	194.1	45.4	344.1	
-818.6	5276.6							
594.5	-1909.7	q5 - p~2	I	-537.4	-171.0	-26.1	233.5	
622.7	-1730.6		J	-543.2	-187.1	-26.3	239.2	
-726.4	5170.1	q5 - p~3	I	-850.2	173.2	38.6	330.4	
-763.8	4991.5		J	-864.6	184.0	38.2	329.6	
559.1	-1791.4	q5 - p~4	I	-509.3	-161.7	-26.1	201.7	
585.7	-1622.0		J	-514.8	-176.9	-26.3	202.7	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-61.1	1343.4	q7	I	-207.1	19.1	1.1	69.2	
-62.2	1324.3		J	-207.1	19.1	1.1	69.2	
-22.5	22.9	T	I	-0.4	0.5	1.0	8.7	
-23.5	22.4		J	-0.4	0.5	1.0	8.7	
-128.8	-3372.7	M. tor~1	I	38.7	-317.4	-14.6	-82.5	
-114.3	-3337.4		J	38.7	-317.4	-14.6	-73.0	
-76.2	-1994.0	M. tor~2	I	22.9	-187.6	-8.6	-48.8	
-67.6	-1973.1		J	22.9	-187.6	-8.6	-43.1	
0740.2	7423.5	INVSLU Max	I	1300.6	266.5	2004.4	1424.8	4
9812.4	7191.4		J	1315.8	282.7	2252.9	1526.8	3
9865.0	-9210.8	Min	I	-1314.3	-331.8	-439.6	-3738.1	
8880.8	-8892.6		J	-1343.3	-348.0	-198.8	-3734.3	
7632.6	35338.5	INVSLV Max	I	1869.5	868.6	656.2	2009.3	1
7080.2	35128.6		J	1864.8	868.6	793.3	2009.3	1
9804.3	-36450.5	Min	I	-1871.3	-911.4	239.2	-3270.3	
9323.9	-36197.8		J	-1876.0	-911.4	376.3	-3270.3	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0127.6	4925.9	INVSLE	Max	I	868.9	178.2	1481.8	1032.8	3
				J	878.6	189.0	1665.9	1108.6	2
9437.6	4773.9		Min	I	-879.1	-226.6	-322.6	-2746.3	
7357.8	-6249.9			J	-899.0	-237.4	-144.3	-2743.8	
6631.4	-6034.0								
797	1	52 C1-C2;~1	Max	I	34.5	46.7	1050.8	1401.5	1
5729.8	499.7			J	34.2	46.7	1098.7	1481.3	1
5457.3	510.2		Min	I	-45.7	-60.6	-700.2	-1793.4	-
5906.9	-979.7			J	-47.5	-60.6	-660.6	-1722.9	-
6085.9	-975.2								
		C3-C4;~1	Max	I	33.6	50.2	1053.2	1043.3	1
5692.5	617.7			J	33.3	50.2	1101.3	1063.9	1
5424.4	625.1		Min	I	-47.4	-57.3	-701.3	-2006.0	-
6065.4	-952.1			J	-49.1	-57.3	-661.5	-2008.2	-
6250.7	-927.2								
		C1-C2;~2	Max	I	18.9	24.5	621.1	811.5	
9069.6	249.9			J	18.8	24.5	648.4	862.9	
8911.4	256.3		Min	I	-27.4	-31.9	-419.4	-1072.3	-
3070.0	-495.4			J	-28.3	-31.9	-395.4	-1024.6	-
3181.0	-494.3								
		C3-C4;~2	Max	I	18.4	26.3	622.1	587.5	
9050.2	303.6			J	18.3	26.3	649.6	596.8	
8895.0	310.0		Min	I	-28.3	-29.8	-419.6	-1170.0	-
3162.5	-494.2			J	-29.1	-29.8	-395.5	-1160.6	-
3277.7	-478.4								
		SLVx (RS)		I	1504.6	713.2	-158.8	-2179.6	
2420.8	-31299.1			J	1504.6	713.2	-158.8	-2179.6	
2467.0	-31106.7								
		SLVy (RS)		I	-1142.0	-524.2	81.3	1542.1	
1974.2	-13368.7			J	-1142.0	-524.2	81.3	1542.1	
1996.5	-13056.8								
		SLDx (RS)		I	1059.1	520.4	-116.0	-1517.9	
1694.7	-21879.8			J	1059.1	520.4	-116.0	-1517.9	
1726.2	-21751.3								
		SLDy (RS)		I	-773.2	-372.9	58.2	1073.8	
1385.9	-9182.7			J	-773.2	-372.9	58.2	1073.8	
1400.9	-8952.6								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2553.8	1178.3	SLVz (RS)	I	-135.0	-111.2	-113.1	93.0	-
			J	-135.0	-111.2	-113.1	93.0	-
2467.7	1248.0							
		G1	I	-0.5	-20.4	428.6	-597.3	
9665.2	-617.7		J	-3.9	-20.4	529.1	-597.3	
9186.3	-597.3							
		G2	I	-0.2	-7.4	156.5	-219.0	
3530.7	-225.3		J	-1.4	-7.4	193.1	-219.0	
3355.9	-217.9							
		G1- Imp~1	I	-3.7	4.6	-0.2	9.4	
-2.5	221.6		J	-3.7	4.6	-0.2	9.4	
-2.3	217.0							
		G2- Imp~1	I	-1.4	1.7	-0.1	3.4	
-0.9	81.0		J	-1.4	1.7	-0.1	3.4	
-0.9	79.4							
		q3	I	-185.5	20.5	-0.3	38.8	
60.6	762.4		J	-188.7	20.5	-0.3	38.8	
63.9	741.8							
		q4-1	I	118.9	-40.4	-5.0	-51.1	
-14.4	-1470.7		J	118.9	-40.4	-5.0	-51.1	
-9.4	-1430.3							
		q4-2	I	96.8	52.7	1.4	-46.4	
-32.6	-48.5		J	96.8	52.7	1.4	-46.4	
-34.0	-101.3							
		q4-3	I	7.2	-24.3	4.6	42.0	
-85.1	578.4		J	7.2	-24.3	4.6	42.0	
-89.7	602.7							
		q4-4	I	-0.7	5.1	0.7	16.3	
-14.1	-241.2		J	-0.7	5.1	0.7	16.3	
-14.9	-246.4							
		q4-5	I	-0.2	0.5	-1.0	-1.1	
17.4	-0.5		J	-0.2	0.5	-1.0	-1.1	
18.3	-1.0							
		q4-6	I	0.1	-0.9	-0.9	-0.8	
17.0	44.5		J	0.1	-0.9	-0.9	-0.8	
18.0	45.4							
		q4-7	I	0.1	-0.6	-1.0	-0.3	
17.4	33.9		J	0.1	-0.6	-1.0	-0.3	
18.4	34.6							
		q5 - p~1	I	-910.3	206.0	45.6	355.3	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-811.7	5276.6		J	-925.3	217.6	45.1	351.1	
-851.7	5064.8							
625.0	-1731.1	q5 - p~2	I	-545.6	-180.0	-26.3	230.9	
653.6	-1543.1		J	-551.6	-195.9	-26.5	236.6	
-757.2	4991.5	q5 - p~3	I	-862.1	195.3	38.3	340.1	
-794.3	4790.7		J	-876.4	206.3	37.9	339.3	
587.6	-1622.5	q5 - p~4	I	-517.0	-170.2	-26.3	194.9	
614.4	-1444.8		J	-522.8	-185.2	-26.5	195.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-60.7	1324.2	q7	I	-206.8	21.8	1.2	70.1	
-61.9	1302.4		J	-206.8	21.8	1.2	70.1	
-23.4	22.5	T	I	-0.4	0.5	1.0	9.0	
-24.4	22.0		J	-0.4	0.5	1.0	9.0	
-116.7	-3337.4	M. tor~1	I	34.5	-317.8	-14.7	-71.8	
-102.0	-3301.7		J	34.5	-317.8	-14.7	-62.4	
-69.0	-1973.1	M. tor~2	I	20.4	-187.9	-8.7	-42.5	
-60.3	-1952.0		J	20.4	-187.9	-8.7	-36.9	
9792.5	7183.8	INVSLU Max	I	1311.2	299.6	2253.1	1133.5	3
8579.2	6920.1		J	1326.2	316.2	2502.8	1237.5	3
8874.2	-8901.7	Min	I	-1339.4	-365.5	-199.0	-4119.0	
7705.1	-8569.4		J	-1368.2	-382.0	40.3	-4118.2	
7064.8	35122.8	INVSLV Max	I	1881.9	882.2	801.9	1866.7	1
6345.7	34879.4		J	1877.3	882.2	939.0	1866.7	1
9320.2	-36203.5	Min	I	-1893.5	-925.3	367.8	-3473.6	
8732.3	-35916.9		J	-1898.1	-925.3	504.9	-3473.6	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9423.4	4768.2	INVSLE	Max	I	875.5	200.3	1666.0	816.6	2
				J	885.0	211.3	1851.0	893.8	2
8522.0	4595.1		Min	I	-896.4	-249.1	-144.4	-3028.0	
6626.1	-6040.8			J	-916.1	-260.1	32.8	-3027.7	
5762.7	-5816.9								
798	1	52 C1-C2;~1	Max	I	33.6	47.0	1098.7	1379.9	1
5455.5	510.7			J	33.3	47.0	1147.5	1461.0	1
5109.4	521.9		Min	I	-46.9	-61.0	-660.6	-1818.6	-
6085.0	-977.5			J	-48.7	-61.0	-622.1	-1748.0	-
6264.0	-973.7								
		C3-C4;~1	Max	I	32.7	50.5	1101.3	939.9	1
5416.8	624.9			J	32.4	50.5	1150.3	951.3	1
5075.0	632.7		Min	I	-48.5	-57.6	-661.5	-2110.8	-
6249.6	-927.5			J	-50.2	-57.6	-622.9	-2115.0	-
6434.9	-903.1								
		C1-C2;~2	Max	I	18.4	24.6	648.4	802.4	
8911.0	256.6			J	18.3	24.6	676.1	854.6	
8711.9	261.9		Min	I	-28.0	-32.1	-395.4	-1093.9	-
3180.9	-495.4			J	-28.9	-32.1	-371.9	-1045.8	-
3291.9	-494.6								
		C3-C4;~2	Max	I	17.9	26.4	649.6	525.7	
8890.7	310.2			J	17.8	26.4	677.4	548.5	
8694.5	316.9		Min	I	-28.8	-30.0	-395.5	-1234.0	-
3277.4	-478.5			J	-29.7	-30.0	-371.9	-1225.3	-
3392.6	-463.0								
		SLVx (RS)		I	1518.7	725.0	-161.5	-2205.6	
2451.3	-31106.8			J	1518.7	725.0	-161.5	-2205.6	
2501.0	-30883.9								
		SLVy (RS)		I	-1150.6	-540.0	79.2	1551.8	
1995.0	-13056.8			J	-1150.6	-540.0	79.2	1551.8	
2017.3	-12737.6								
		SLDx (RS)		I	1068.9	527.5	-118.1	-1536.0	
1715.4	-21751.3			J	1068.9	527.5	-118.1	-1536.0	
1749.7	-21602.1								
		SLDy (RS)		I	-777.9	-384.1	56.7	1081.2	
1399.8	-8952.7			J	-777.9	-384.1	56.7	1081.2	
1414.7	-8717.4								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2466.0	1247.5	SLVz (RS)	I	-135.1	-108.7	-137.9	113.6	-
			J	-135.1	-108.7	-137.9	113.6	-
2350.0	1314.6							
		G1	I	-4.1	-20.6	529.1	-717.8	
9177.5	-601.2		J	-7.4	-20.6	629.6	-717.8	
8598.0	-580.7							
		G2	I	-1.5	-7.5	193.1	-263.0	
3352.6	-219.3		J	-2.7	-7.5	229.8	-263.0	
3141.1	-211.8							
		G1- Imp~1	I	-3.7	4.6	-0.2	9.4	
-2.1	217.0		J	-3.7	4.6	-0.2	9.4	
-1.9	212.4							
		G2- Imp~1	I	-1.3	1.7	-0.1	3.5	
-0.8	79.4		J	-1.3	1.7	-0.1	3.5	
-0.7	77.7							
		q3	I	-188.4	23.0	-0.2	38.0	
64.7	741.7		J	-191.6	23.0	-0.2	38.0	
68.0	718.7							
		q4-1	I	118.3	-42.0	-5.1	-51.2	
-10.7	-1430.2		J	118.3	-42.0	-5.1	-51.2	
-5.6	-1388.3							
		q4-2	I	97.5	51.5	1.5	-46.0	
-34.7	-101.2		J	97.5	51.5	1.5	-46.0	
-36.1	-152.7							
		q4-3	I	6.9	-24.4	4.6	43.2	
-88.9	602.7		J	6.9	-24.4	4.6	43.2	
-93.5	627.1							
		q4-4	I	-0.7	5.1	0.7	16.5	
-14.8	-246.4		J	-0.7	5.1	0.7	16.5	
-15.5	-251.5							
		q4-5	I	-0.2	0.5	-1.0	-1.3	
18.3	-1.0		J	-0.2	0.5	-1.0	-1.3	
19.3	-1.5							
		q4-6	I	0.1	-0.9	-0.9	-1.0	
18.0	45.3		J	0.1	-0.9	-0.9	-1.0	
18.9	46.2							
		q4-7	I	0.1	-0.6	-1.0	-0.5	
18.4	34.5		J	0.1	-0.6	-1.0	-0.5	
19.4	35.2							
		q5 - p~1	I	-922.4	229.7	45.3	362.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-844.8	5064.9		J	-937.3	241.5	44.8	358.6	
-884.5	4829.3							
656.0	-1543.7	q5 - p~2	I	-554.2	-188.6	-26.5	227.9	
684.9	-1347.1		J	-560.5	-204.3	-26.7	233.5	
-787.7	4790.7	q5 - p~3	I	-873.6	217.8	38.1	350.2	
-824.5	4567.3		J	-887.7	228.9	37.6	349.4	
616.3	-1445.3	q5 - p~4	I	-525.2	-178.4	-26.6	187.7	
643.4	-1259.4		J	-531.2	-193.3	-26.8	188.8	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-60.4	1302.3	q7	I	-206.5	24.5	1.2	71.1	
-61.6	1277.8		J	-206.5	24.5	1.2	71.1	
-24.2	22.0	T	I	-0.4	0.5	1.0	9.3	
-25.3	21.5		J	-0.4	0.5	1.0	9.3	
-104.3	-3301.6	M. tor~1	I	30.4	-318.3	-14.8	-61.4	
-89.4	-3265.5		J	30.4	-318.3	-14.8	-52.0	
-61.6	-1952.0	M. tor~2	I	17.9	-188.2	-8.8	-36.3	
-52.9	-1930.6		J	17.9	-188.2	-8.8	-30.7	
8554.5	6913.1	INVSLU Max	I	1321.3	333.3	2503.0	889.5	3
7056.3	6616.0		J	1336.1	350.1	2753.7	995.2	3
7697.0	-8578.3	Min	I	-1363.8	-399.7	40.1	-4489.4	
6343.0	-8212.4		J	-1392.3	-416.5	277.8	-4491.2	
6327.2	34874.0	INVSLV Max	I	1893.8	897.8	948.6	1737.3	1
5547.8	34597.1		J	1889.2	897.8	1085.8	1737.3	1
8727.3	-35922.3	Min	I	-1915.0	-941.3	495.3	-3673.0	
7925.4	-35602.0		J	-1919.6	-941.3	632.5	-3673.0	

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

8504.2	4590.0	INVSLE Max	I	881.7	222.7	1851.1	635.3	2
7391.9	4394.7		J	891.1	233.9	2036.9	713.9	2
5756.2	-5823.4	Min	I	-913.2	-271.9	32.6	-3301.9	
4755.8	-5577.2		J	-932.7	-283.1	208.7	-3303.6	
799	1	52 C1-C2;~1 Max	I	32.6	47.3	1147.5	1368.5	1
5106.2	522.5		J	32.4	47.3	1197.1	1451.1	1
4687.1	530.5	Min	I	-48.1	-61.4	-622.1	-1846.5	-
6262.0	-976.2		J	-49.8	-61.4	-584.8	-1851.8	-
6441.0	-973.1							
5065.6	632.7	C3-C4;~1 Max	I	31.8	50.8	1150.3	860.1	1
4650.7	640.6		J	31.6	50.8	1200.0	889.4	1
6432.7	-904.1	Min	I	-49.5	-58.0	-622.9	-2228.8	-
6618.0	-892.4		J	-51.2	-58.0	-585.4	-2234.9	-
8710.8	262.5	C1-C2;~2 Max	I	17.9	24.7	676.1	797.9	
8471.2	270.5		J	17.8	24.7	704.0	850.9	
3291.2	-495.7	Min	I	-28.6	-32.3	-371.9	-1115.4	-
3402.3	-495.3		J	-29.5	-32.3	-349.0	-1066.9	-
8689.2	317.2	C3-C4;~2 Max	I	17.5	26.6	677.4	469.6	
8452.5	324.0		J	17.4	26.6	705.4	508.4	
3391.8	-463.6	Min	I	-29.3	-30.2	-371.9	-1302.3	-
3506.9	-457.7		J	-30.2	-30.2	-348.9	-1294.0	-
2484.3	-30884.0	SLVx (RS)	I	1532.1	738.8	-164.5	-2233.8	
2537.8	-30630.4		J	1532.1	738.8	-164.5	-2233.8	
2014.9	-12737.6	SLVy (RS)	I	-1159.1	-555.4	77.4	1562.4	
2036.9	-12412.5		J	-1159.1	-555.4	77.4	1562.4	
1738.1	-21602.2	SLDx (RS)	I	1078.4	535.9	-120.3	-1555.7	
1775.5	-21432.1		J	1078.4	535.9	-120.3	-1555.7	
1413.1	-8717.5	SLDy (RS)	I	-782.6	-394.9	55.3	1089.3	
1427.7	-8478.2		J	-782.6	-394.9	55.3	1089.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2347.9	1314.2	SLVz (RS)	I	-135.2	-106.7	-163.8	136.7	-
			J	-135.2	-106.7	-163.8	136.7	-
2203.0	1378.4							
		G1	I	-7.6	-20.7	629.5	-830.5	
8587.7	-584.3		J	-11.0	-20.7	730.0	-830.5	
7907.8	-563.6							
		G2	I	-2.8	-7.6	229.8	-304.1	
3137.3	-213.1		J	-4.0	-7.6	266.5	-304.1	
2889.1	-205.6							
		G1- Imp~1	I	-3.6	4.7	-0.2	9.5	
-1.6	212.4		J	-3.6	4.7	-0.2	9.5	
-1.5	207.7							
		G2- Imp~1	I	-1.3	1.7	-0.1	3.5	
-0.6	77.7		J	-1.3	1.7	-0.1	3.5	
-0.6	76.0							
		q3	I	-191.3	25.5	-0.2	37.2	
68.8	718.6		J	-194.5	25.5	-0.2	37.2	
72.0	693.1							
		q4-1	I	117.8	-43.5	-5.1	-51.2	
-6.9	-1388.2		J	117.8	-43.5	-5.1	-51.2	
-1.8	-1344.7							
		q4-2	I	98.1	50.2	1.5	-45.5	
-36.8	-152.6		J	98.1	50.2	1.5	-45.5	
-38.3	-202.8							
		q4-3	I	6.5	-24.5	4.6	44.5	
-92.7	627.1		J	6.5	-24.5	4.6	44.5	
-97.2	651.6							
		q4-4	I	-0.6	5.1	0.7	16.6	
-15.4	-251.5		J	-0.6	5.1	0.7	16.6	
-16.1	-256.6							
		q4-5	I	-0.2	0.5	-1.0	-1.6	
19.2	-1.5		J	-0.2	0.5	-1.0	-1.6	
20.2	-2.0							
		q4-6	I	0.1	-0.9	-0.9	-1.3	
18.9	46.2		J	0.1	-0.9	-0.9	-1.3	
19.9	47.1							
		q4-7	I	0.1	-0.6	-1.0	-0.8	
19.4	35.2		J	0.1	-0.6	-1.0	-0.8	
20.3	35.8							
		q5 - p~1	I	-934.0	253.7	45.1	370.7	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-877.7	4829.3		J	-948.7	265.7	44.6	366.3	
-917.2	4569.6							
687.3	-1347.7	q5 - p~2	I	-563.1	-197.0	-26.7	224.4	
716.5	-1142.9		J	-569.8	-212.6	-27.0	230.0	
-817.9	4567.4	q5 - p~3	I	-884.6	240.5	37.8	360.7	
-854.5	4321.1		J	-898.5	251.9	37.3	359.9	
645.2	-1259.9	q5 - p~4	I	-533.7	-186.3	-26.8	180.2	
672.6	-1066.2		J	-539.9	-201.0	-27.0	181.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-60.1	1277.8	q7	I	-206.2	27.2	1.2	72.0	
-61.4	1250.5		J	-206.2	27.2	1.2	72.0	
-25.1	21.5	T	I	-0.4	0.5	1.0	9.6	
-26.2	21.0		J	-0.4	0.5	1.0	9.6	
-91.5	-3265.5	M. tor~1	I	26.2	-318.6	-15.0	-51.2	
-76.5	-3229.0		J	26.2	-318.6	-15.0	-41.8	
-54.1	-1930.6	M. tor~2	I	15.5	-188.4	-8.9	-30.3	
-45.3	-1909.0		J	15.5	-188.4	-8.9	-24.7	
7027.2	6609.7	INVSLU Max	I	1330.7	367.4	2753.9	673.7	3
5245.1	6278.8		J	1345.3	384.5	3005.8	781.2	3
6333.6	-8220.8	Min	I	-1387.5	-434.4	277.6	-4863.8	
4794.6	-7820.8		J	-1415.7	-451.4	513.7	-4868.1	
5515.9	34592.1	INVSLV Max	I	1905.1	915.5	1095.9	1621.9	1
4604.7	34282.2		J	1900.5	915.5	1233.1	1621.9	1
7929.6	-35606.9	Min	I	-1935.8	-959.4	622.3	-3865.3	
6985.2	-35253.2		J	-1940.4	-959.4	759.4	-3865.3	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

7370.7	4390.0	INVSLE Max	I	887.4	245.5	2037.0	475.0	2
			J	896.7	256.8	2223.6	554.9	2
6048.1	4172.2	Min	I	-929.5	-295.1	208.6	-3578.7	
4748.4	-5583.4		J	-948.9	-306.4	383.4	-3582.2	
3611.0	-5314.5							
800	1	52 C1-C2;~1 Max	I	31.7	47.5	1197.1	1375.2	1
4682.8	531.9		J	31.5	47.5	1247.3	1459.4	1
4191.4	546.8	Min	I	-49.3	-61.8	-584.8	-1982.0	-
6437.9	-975.7		J	-51.0	-61.8	-548.7	-1966.1	-
6616.8	-973.3							
		C3-C4;~1 Max	I	30.9	51.0	1200.0	792.3	1
4639.6	640.8		J	30.7	51.0	1250.5	851.0	1
4152.4	649.0	Min	I	-50.5	-58.4	-585.4	-2364.4	-
6614.6	-893.6		J	-52.2	-58.4	-549.2	-2372.1	-
6799.9	-882.1							
		C1-C2;~2 Max	I	17.5	24.9	704.0	801.3	
8469.5	271.2		J	17.4	24.9	732.2	855.3	
8190.1	279.9	Min	I	-29.2	-32.5	-349.0	-1139.3	-
3401.0	-496.5		J	-30.1	-32.5	-326.6	-1136.4	-
3512.0	-496.4							
		C3-C4;~2 Max	I	17.0	26.7	705.4	439.7	
8446.3	324.4		J	17.0	26.7	733.7	479.4	
8169.7	331.4	Min	I	-29.8	-30.4	-348.9	-1376.2	-
3505.5	-458.5		J	-30.6	-30.4	-326.4	-1368.4	-
3620.7	-452.8							
		SLVx (RS)	I	1545.0	754.7	-167.5	-2264.4	
2520.1	-30630.5		J	1545.0	754.7	-167.5	-2264.4	
2578.0	-30346.4							
		SLVy (RS)	I	-1167.6	-570.4	76.0	1574.0	
2033.8	-12412.5		J	-1167.6	-570.4	76.0	1574.0	
2055.3	-12083.2							
		SLDx (RS)	I	1087.4	545.8	-122.6	-1577.0	
1763.2	-21432.2		J	1087.4	545.8	-122.6	-1577.0	
1804.1	-21241.4							
		SLDy (RS)	I	-787.2	-405.4	54.2	1098.1	
1425.5	-8478.2		J	-787.2	-405.4	54.2	1098.1	
1439.6	-8236.2							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2200.4	1377.9	SLVz (RS)	I	-135.4	-105.1	-190.0	160.0	-
			J	-135.4	-105.1	-190.0	160.0	-
2027.8	1439.1							
		G1	I	-11.2	-20.9	730.0	-934.2	
7896.1	-566.9		J	-14.5	-20.9	830.5	-934.2	
7115.7	-546.0							
		G2	I	-4.1	-7.6	266.5	-342.1	
2884.8	-206.8		J	-5.3	-7.6	303.2	-342.1	
2600.0	-199.1							
		G1- Imp~1	I	-3.6	4.7	-0.2	9.5	
-1.2	207.7		J	-3.6	4.7	-0.2	9.5	
-1.0	203.0							
		G2- Imp~1	I	-1.3	1.7	-0.1	3.5	
-0.5	76.0		J	-1.3	1.7	-0.1	3.5	
-0.4	74.2							
		q3	I	-194.2	28.0	-0.2	36.4	
72.8	693.0		J	-197.4	28.0	-0.2	36.4	
76.0	665.0							
		q4-1	I	117.2	-45.0	-5.1	-51.4	
-3.1	-1344.7		J	117.2	-45.0	-5.1	-51.4	
2.1	-1299.6							
		q4-2	I	98.8	48.9	1.5	-45.1	
-39.0	-202.8		J	98.8	48.9	1.5	-45.1	
-40.4	-251.7							
		q4-3	I	6.2	-24.6	4.6	45.8	
-96.4	651.6		J	6.2	-24.6	4.6	45.8	
-100.9	676.2							
		q4-4	I	-0.5	5.2	0.7	16.8	
-16.0	-256.6		J	-0.5	5.2	0.7	16.8	
-16.8	-261.8							
		q4-5	I	-0.2	0.5	-1.0	-1.9	
20.2	-2.0		J	-0.2	0.5	-1.0	-1.9	
21.1	-2.6							
		q4-6	I	0.1	-0.9	-0.9	-1.5	
19.9	47.1		J	0.1	-0.9	-0.9	-1.5	
20.8	47.9							
		q4-7	I	0.1	-0.6	-1.0	-1.0	
20.3	35.8		J	0.1	-0.6	-1.0	-1.0	
21.3	36.4							
		q5 - p~1	I	-945.2	278.1	44.8	378.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-910.3	4569.6		J	-959.7	290.3	44.3	374.5	
-949.6	4285.4							
719.0	-1143.4	q5 - p~2	I	-572.5	-205.1	-27.0	220.5	
748.6	-930.6		J	-579.4	-220.5	-27.2	226.0	
-847.8	4321.2	q5 - p~3	I	-895.2	263.6	37.6	371.6	
-884.2	4051.7		J	-909.0	275.2	37.1	370.8	
674.4	-1066.7	q5 - p~4	I	-542.5	-193.9	-27.0	172.3	
702.0	-865.5		J	-549.1	-208.5	-27.2	173.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-59.9	1250.5	q7	I	-205.8	29.9	1.3	73.0	
-61.2	1220.6		J	-205.8	29.9	1.3	73.0	
-26.0	21.0	T	I	-0.4	0.5	1.0	10.0	
-27.0	20.5		J	-0.4	0.5	1.0	10.0	
-78.5	-3229.0	M. tor~1	I	22.0	-318.9	-15.1	-41.2	
-63.4	-3192.2		J	22.0	-318.9	-15.1	-31.8	
-46.4	-1909.0	M. tor~2	I	13.0	-188.6	-8.9	-24.3	
-37.5	-1887.3		J	13.0	-188.6	-8.9	-18.8	
5211.7	6273.2	INVSLU Max	I	1339.5	402.0	3006.0	499.2	3
3146.7	5908.0		J	1353.9	419.4	3258.8	608.9	3
4784.2	-7828.7	Min	I	-1410.4	-469.5	513.5	-5245.5	
3060.2	-7394.2		J	-1438.3	-486.8	748.0	-5252.0	
4569.6	34277.6	INVSLV Max	I	1915.8	935.2	1259.3	1521.3	1
3517.2	33935.2		J	1911.2	935.2	1396.4	1521.3	1
6988.8	-35257.7	Min	I	-1955.9	-979.4	733.2	-4047.9	
5911.3	-34871.1		J	-1960.5	-979.4	870.3	-4047.9	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6023.8	4168.1	INVSLE	Max	I	892.8	268.5	2223.8	345.2	2
				J	901.9	280.1	2411.1	426.8	2
4491.6	3927.5		Min	I	-945.3	-318.5	383.3	-3861.0	
3602.8	-5320.3			J	-964.5	-330.1	557.0	-3866.1	
2328.3	-5028.4								
801	1	52 C1-C2;~1	Max	I	30.8	47.7	1247.4	1402.7	1
4185.9	548.3			J	30.6	47.7	1298.3	1488.8	1
3623.2	565.0		Min	I	-50.5	-62.1	-548.7	-2105.8	-
6612.6	-975.9			J	-52.2	-62.1	-513.8	-2089.7	-
6791.5	-974.3								
		C3-C4;~1	Max	I	30.1	51.3	1250.5	786.3	1
4139.7	649.8			J	29.9	51.3	1301.6	846.8	1
3581.2	663.2		Min	I	-51.5	-58.7	-549.2	-2511.1	-
6795.4	-883.7			J	-53.2	-58.7	-514.2	-2520.4	-
6980.7	-877.7								
		C1-C2;~2	Max	I	17.0	25.0	732.2	813.8	
8187.8	280.8			J	16.9	25.0	760.5	869.0	
7869.1	290.2		Min	I	-29.8	-32.7	-326.6	-1218.2	-
3510.2	-497.7			J	-30.6	-32.7	-304.8	-1197.9	-
3621.2	-498.0								
		C3-C4;~2	Max	I	16.6	26.9	733.7	425.3	
8162.7	332.0			J	16.5	26.9	762.1	466.0	
7846.8	341.1		Min	I	-30.3	-30.6	-326.4	-1453.2	-
3618.6	-453.7			J	-31.1	-30.6	-304.5	-1445.7	-
3733.8	-450.3								
		SLVx (RS)		I	1557.2	-772.5	-170.7	-2297.1	
2559.4	-30346.5			J	1557.2	-772.5	-170.7	-2297.1	
2622.1	-30032.1								
		SLVy (RS)		I	-1176.0	-584.9	75.4	1586.5	
2051.5	-12083.2			J	-1176.0	-584.9	75.4	1586.5	
2072.3	-11751.6								
		SLDx (RS)		I	1096.0	-557.0	-124.9	-1599.9	
1791.2	-21241.4			J	1096.0	-557.0	-124.9	-1599.9	
1835.8	-21029.9								
		SLDy (RS)		I	-791.7	-415.6	53.8	1107.5	
1437.0	-8236.2			J	-791.7	-415.6	53.8	1107.5	
1450.5	-7992.7								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2024.9	1438.7	SLVz (RS)	I	-135.6	-103.8	-216.0	182.2	-
			J	-135.6	-103.8	-216.0	182.2	-
1826.0	1496.7							
		G1	I	-14.7	-21.1	830.5	-1027.6	
7102.7	-549.0		J	-18.0	-21.1	930.9	-1027.6	
6221.9	-527.9							
		G2	I	-5.3	-7.7	303.2	-376.2	
2595.2	-200.2		J	-6.6	-7.7	339.9	-376.2	
2273.6	-192.5							
		G1- Imp~1	I	-3.5	4.8	-0.2	9.6	
-0.8	203.0		J	-3.5	4.8	-0.2	9.6	
-0.6	198.2							
		G2- Imp~1	I	-1.3	1.7	-0.1	3.5	
-0.3	74.2		J	-1.3	1.7	-0.1	3.5	
-0.3	72.5							
		q3	I	-197.0	30.6	-0.1	35.5	
76.8	664.9		J	-200.2	30.6	-0.1	35.5	
79.9	634.3							
		q4-1	I	116.6	-46.6	-5.2	-51.6	
0.8	-1299.6		J	116.6	-46.6	-5.2	-51.6	
6.0	-1253.0							
		q4-2	I	99.4	47.6	1.5	-44.6	
-41.1	-251.6		J	99.4	47.6	1.5	-44.6	
-42.6	-299.2							
		q4-3	I	5.9	-24.6	4.5	47.2	
-100.0	676.2		J	5.9	-24.6	4.5	47.2	
-104.6	700.9							
		q4-4	I	-0.4	5.2	0.7	17.0	
-16.7	-261.8		J	-0.4	5.2	0.7	17.0	
-17.4	-267.0							
		q4-5	I	-0.2	0.5	-1.0	-2.1	
21.1	-2.6		J	-0.2	0.5	-1.0	-2.1	
22.1	-3.1							
		q4-6	I	0.1	-0.9	-0.9	-1.8	
20.8	47.9		J	0.1	-0.9	-0.9	-1.8	
21.7	48.8							
		q4-7	I	0.1	-0.6	-1.0	-1.3	
21.3	36.4		J	0.1	-0.6	-1.0	-1.3	
22.3	37.1							
		q5 - p~1	I	-955.9	302.8	44.6	387.4	

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-942.8	4285.5		J	-970.3	315.2	44.1	383.0	
-982.0	3976.5							
751.1	-931.2	q5 - p~2	I	-582.2	-212.8	-27.2	216.1	
781.0	-710.7		J	-589.4	-228.1	-27.5	221.6	
-877.5	4051.8	q5 - p~3	I	-905.3	287.0	37.3	382.9	
-913.6	3758.8		J	-918.9	298.8	36.9	382.0	
703.8	-866.0	q5 - p~4	I	-551.8	-201.3	-27.2	164.0	
731.6	-657.5		J	-558.5	-215.7	-27.5	165.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-59.7	1220.5	q7	I	-205.4	32.6	1.3	73.9	
-61.0	1187.9		J	-205.4	32.6	1.3	73.9	
-26.9	20.5	T	I	-0.4	0.5	1.0	10.3	
-27.9	20.0		J	-0.4	0.5	1.0	10.3	
-65.2	-3192.2	M. tor~1	I	17.8	-319.2	-15.3	-31.4	
-49.9	-3155.2		J	17.8	-319.2	-15.3	-22.1	
-38.5	-1887.3	M. tor~2	I	10.5	-188.7	-9.0	-18.6	
-29.5	-1865.4		J	10.5	-188.7	-9.0	-13.0	
3109.5	5903.4	INVSLU Max	I	1347.7	437.1	3259.1	372.3	3
0762.9	5506.0		J	1361.9	454.7	3512.8	484.5	3
3049.0	-7401.5	Min	I	-1432.5	-505.1	747.8	-5623.7	
1140.0	-6932.1		J	-1460.2	-522.7	980.6	-5632.2	
3479.1	33931.1	INVSLV Max	I	1925.9	956.8	1423.2	1437.0	1
2286.1	33556.9		J	1921.3	956.8	1560.4	1437.0	1
5914.5	-34875.1	Min	I	-1975.4	-1001.4	843.5	-4218.5	
4703.1	-34456.3		J	-1979.9	-1001.4	980.7	-4218.5	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4464.5	3924.1	INVSLE	Max	I	897.7	291.9	2411.2	250.6	2
				J	906.8	303.7	2599.2	334.0	2
2723.7	3662.2		Min	I	-960.6	-342.3	556.8	-4140.5	
2319.6	-5033.8			J	-979.6	-354.0	729.2	-4147.1	
908.0	-4718.6								
802	1	52 C1-C2;~1	Max	I	29.9	48.0	1298.4	1448.7	1
3616.8	566.7			J	29.7	48.0	1350.0	1536.9	1
2983.8	585.0		Min	I	-51.6	-62.5	-513.8	-2230.1	-
6786.1	-976.9			J	-53.3	-62.5	-480.2	-2213.9	-
6965.1	-976.0								
		C3-C4;~1	Max	I	29.2	51.6	1301.6	817.5	1
3567.0	664.7			J	29.0	51.6	1353.4	879.9	1
2938.2	682.7		Min	I	-52.5	-59.1	-514.2	-2657.1	-
6975.0	-880.0			J	-54.2	-59.1	-480.5	-2667.7	-
7160.3	-878.7								
		C1-C2;~2	Max	I	16.5	25.1	760.5	834.7	
7866.3	291.1			J	16.4	25.1	789.0	891.2	
7509.3	301.2		Min	I	-30.3	-32.9	-304.8	-1278.6	-
3618.7	-499.4			J	-31.2	-32.9	-283.7	-1257.9	-
3729.7	-500.0								
		C3-C4;~2	Max	I	16.2	27.0	762.1	435.6	
7839.0	342.0			J	16.1	27.0	790.7	477.6	
7484.8	353.0		Min	I	-30.8	-30.8	-304.5	-1528.1	-
3731.1	-451.5			J	-31.6	-30.8	-283.3	-1520.9	-
3846.2	-450.1								
		SLVx (RS)		I	1568.8	-792.1	-174.0	-2332.0	
2602.6	-30032.2			J	1568.8	-792.1	-174.0	-2332.0	
2670.4	-29687.8								
		SLVy (RS)		I	-1184.3	-599.1	75.8	1600.0	
2067.7	-11751.6			J	-1184.3	-599.1	75.8	1600.0	
2087.8	-11419.7								
		SLDx (RS)		I	1104.1	-569.5	-127.3	-1624.2	
1822.4	-21030.0			J	1104.1	-569.5	-127.3	-1624.2	
1871.1	-20797.9								
		SLDy (RS)		I	-796.2	-425.4	54.2	1117.6	
1447.3	-7992.8			J	-796.2	-425.4	54.2	1117.6	
1460.2	-7749.4								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1822.8	1496.3	SLVz (RS)	I	-135.7	-102.9	-241.4	202.4	-
			J	-135.7	-102.9	-241.4	202.4	-
1600.1	1551.3							
		G1	I	-18.1	-21.2	930.9	-1109.4	
6207.8	-530.5		J	-21.4	-21.2	1031.4	-1109.4	
5226.4	-509.2							
		G2	I	-6.6	-7.8	339.9	-406.0	
2268.5	-193.5		J	-7.8	-7.8	376.6	-406.0	
1910.2	-185.7							
		G1- Imp~1	I	-3.4	4.8	-0.2	9.6	
-0.4	198.2		J	-3.4	4.8	-0.2	9.6	
-0.2	193.4							
		G2- Imp~1	I	-1.3	1.8	-0.1	3.5	
-0.2	72.5		J	-1.3	1.8	-0.1	3.5	
-0.1	70.7							
		q3	I	-199.8	33.2	-0.1	34.5	
80.7	634.2		J	-203.0	33.2	-0.1	34.5	
83.8	600.9							
		q4-1	I	116.0	-48.1	-5.2	-51.8	
4.8	-1253.0		J	116.0	-48.1	-5.2	-51.8	
10.0	-1204.9							
		q4-2	I	100.0	46.3	1.5	-44.0	
-43.3	-299.2		J	100.0	46.3	1.5	-44.0	
-44.8	-345.4							
		q4-3	I	5.6	-24.7	4.5	48.7	
-103.6	700.9		J	5.6	-24.7	4.5	48.7	
-108.2	725.6							
		q4-4	I	-0.4	5.2	0.7	17.2	
-17.3	-266.9		J	-0.4	5.2	0.7	17.2	
-18.0	-272.1							
		q4-5	I	-0.2	0.5	-1.0	-2.4	
22.0	-3.1		J	-0.2	0.5	-1.0	-2.4	
23.0	-3.6							
		q4-6	I	0.1	-0.9	-0.9	-2.1	
21.7	48.8		J	0.1	-0.9	-0.9	-2.1	
22.7	49.7							
		q4-7	I	0.0	-0.6	-1.0	-1.6	
22.3	37.1		J	0.0	-0.6	-1.0	-1.6	
23.3	37.7							
		q5 - p~1	I	-966.0	327.8	44.4	396.3	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-975.1	3976.5		J	-980.3	340.4	43.9	391.8	-
1014.2	3642.4							
783.5	-711.3	q5 - p~2	I	-592.3	-220.3	-27.5	211.2	
813.8	-483.4		J	-599.8	-235.3	-27.7	216.6	
-906.9	3758.9	q5 - p~3	I	-914.9	310.8	37.1	394.5	
-942.9	3442.1		J	-928.4	322.7	36.7	393.6	
733.4	-658.0	q5 - p~4	I	-561.3	-208.4	-27.5	155.3	
761.5	-442.5		J	-568.4	-222.6	-27.7	156.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-59.5	1187.8	q7	I	-205.0	35.3	1.4	74.9	
-60.9	1152.5		J	-205.0	35.3	1.4	74.9	
-27.8	20.1	T	I	-0.4	0.5	1.0	10.7	
-28.8	19.6		J	-0.4	0.5	1.0	10.7	
-51.6	-3155.2	M. tor~1	I	13.7	-319.4	-15.4	-21.8	
-36.1	-3117.9		J	13.7	-319.4	-15.4	-12.5	
-30.5	-1865.4	M. tor~2	I	8.1	-188.8	-9.1	-12.9	
-21.4	-1843.4		J	8.1	-188.8	-9.1	-7.4	
0722.4	5502.7	INVSLU Max	I	1355.3	472.7	3513.1	292.0	3
8095.5	5072.2		J	1369.3	490.5	3767.7	407.0	2
1128.3	-6938.7	Min	I	-1453.9	-541.2	980.3	-5979.6	
-965.9	-6433.8		J	-1481.3	-559.0	1211.4	-5989.7	
2245.4	33553.4	INVSLV Max	I	1935.4	980.3	1586.8	1370.4	1
0913.1	33148.3		J	1930.8	980.3	1724.0	1370.4	1
4705.9	-34459.7	Min	I	-1994.2	-1025.2	954.2	-4375.0	
3359.5	-34009.8		J	-1998.7	-1025.2	1091.4	-4375.0	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

2694.2	3659.7	INVSLE Max	I	902.3	315.6	2599.4	190.6	2
0745.8	3376.1		J	911.2	327.5	2788.0	276.1	2
898.9	-4723.5	Min	I	-975.3	-366.4	729.1	-4403.6	
-649.8	-4384.6		J	-994.2	-378.3	900.2	-4411.4	
803	1	52 C1-C2;~1 Max	I	29.0	48.2	1350.0	1503.4	1
2976.6	586.9		J	28.8	48.2	1402.2	1594.0	1
2274.4	607.2	Min	I	-52.8	-62.8	-480.2	-2349.3	-
6958.5	-978.6		J	-54.5	-62.8	-447.8	-2332.9	-
7137.5	-981.1							
2922.7	684.6	C3-C4;~1 Max	I	28.4	51.8	1353.4	858.2	1
2224.9	708.1		J	28.2	51.8	1405.8	922.8	1
7153.3	-881.2	Min	I	-53.5	-59.4	-480.5	-2798.2	-
7338.7	-885.5		J	-55.2	-59.4	-448.0	-2809.9	-
7506.1	302.2	C1-C2;~2 Max	I	16.1	25.2	789.0	860.2	
7111.5	313.1		J	16.0	25.2	817.6	918.1	
3726.6	-501.4	Min	I	-30.9	-33.1	-283.7	-1335.4	-
3837.6	-503.5		J	-31.7	-33.1	-263.1	-1314.2	-
7476.3	354.1	C3-C4;~2 Max	I	15.7	27.1	790.7	451.4	
7084.6	367.3		J	15.7	27.1	819.4	494.7	
3842.9	-451.4	Min	I	-31.2	-31.0	-283.3	-1599.2	-
3958.1	-452.4		J	-32.0	-31.0	-262.7	-1592.1	-
2650.2	-29687.8	SLVx (RS)	I	1579.7	-813.5	-177.2	-2368.9	
2723.6	-29313.9		J	1579.7	-813.5	-177.2	-2368.9	
2082.6	-11419.6	SLVy (RS)	I	-1192.6	-612.9	77.4	1614.3	
2102.1	-11089.7		J	-1192.6	-612.9	77.4	1614.3	
1857.1	-20798.0	SLDx (RS)	I	1111.8	-583.3	-129.7	-1650.0	
1910.1	-20545.7		J	1111.8	-583.3	-129.7	-1650.0	
1456.6	-7749.4	SLDy (RS)	I	-800.7	-435.0	55.4	1128.3	
1469.0	-7507.8		J	-800.7	-435.0	55.4	1128.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1596.6	1551.0	SLVz (RS)	I	-135.8	-102.2	-265.7	220.0	-
			J	-135.8	-102.2	-265.7	220.0	-
1353.4	1603.0							
		G1	I	-21.6	-21.4	1031.4	-1178.1	
5211.4	-511.3		J	-24.8	-21.4	1131.8	-1178.1	
4129.6	-489.9							
		G2	I	-7.9	-7.8	376.6	-431.2	
1904.7	-186.5		J	-9.1	-7.8	413.2	-431.2	
1509.7	-178.6							
		G1- Imp~1	I	-3.4	4.9	-0.2	9.6	
-0.0	193.4		J	-3.4	4.9	-0.2	9.6	
0.2	188.6							
		G2- Imp~1	I	-1.2	1.8	-0.1	3.5	
-0.0	70.7		J	-1.2	1.8	-0.1	3.5	
0.0	69.0							
		q3	I	-202.5	35.9	-0.0	33.5	
84.5	600.8		J	-205.7	35.9	-0.0	33.5	
87.6	564.9							
		q4-1	I	115.3	-49.6	-5.2	-52.1	
8.8	-1204.8		J	115.3	-49.6	-5.2	-52.1	
14.1	-1155.2							
		q4-2	I	100.6	45.0	1.5	-43.5	
-45.5	-345.4		J	100.6	45.0	1.5	-43.5	
-47.0	-390.4							
		q4-3	I	5.3	-24.8	4.5	50.2	
-107.2	725.7		J	5.3	-24.8	4.5	50.2	
-111.7	750.5							
		q4-4	I	-0.3	5.2	0.7	17.4	
-17.9	-272.1		J	-0.3	5.2	0.7	17.4	
-18.7	-277.3							
		q4-5	I	-0.2	0.5	-1.0	-2.7	
23.0	-3.6		J	-0.2	0.5	-1.0	-2.7	
23.9	-4.1							
		q4-6	I	0.1	-0.9	-0.9	-2.4	
22.7	49.6		J	0.1	-0.9	-0.9	-2.4	
23.6	50.5							
		q4-7	I	0.0	-0.6	-1.0	-1.9	
23.2	37.7		J	0.0	-0.6	-1.0	-1.9	
24.2	38.3							
		q5 - p~1	I	-975.7	353.2	44.2	405.5	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1007.4	3642.5		J	-989.8	365.9	43.7	400.9	-
1046.3	3282.8							
816.3	-484.0	q5 - p~2	I	-602.8	-227.4	-27.7	205.9	
847.0	-249.1		J	-610.5	-242.3	-28.0	211.3	
-936.2	3442.2	q5 - p~3	I	-924.1	334.8	37.0	406.4	
-972.0	3101.3		J	-937.4	346.9	36.5	405.6	
763.3	-443.1	q5 - p~4	I	-571.2	-215.1	-27.7	146.3	
791.7	-220.9		J	-578.5	-229.2	-28.0	147.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-59.4	1152.5	q7	I	-204.5	38.0	1.4	75.8	
-60.8	1114.5		J	-204.5	38.0	1.4	75.8	
-28.6	19.6	T	I	-0.4	0.5	1.0	11.1	
-29.6	19.1		J	-0.4	0.5	1.0	11.1	
-37.6	-3118.0	M. tor~1	I	9.5	-319.5	-15.5	-12.5	
-22.1	-3080.6		J	9.5	-319.5	-15.5	-3.2	
-22.3	-1843.4	M. tor~2	I	5.6	-188.9	-9.2	-7.4	
-13.1	-1821.3		J	5.6	-188.9	-9.2	-1.9	
8052.2	5070.0	INVSLU Max	I	1362.2	508.7	3768.0	247.8	2
5146.7	4606.7		J	1376.0	526.8	4023.4	366.0	2
-977.7	-6439.6	Min	I	-1474.5	-577.7	1211.2	-6305.3	
3257.0	-5900.3		J	-1501.7	-595.8	1440.6	-6316.9	-
0869.9	33145.4	INVSLV Max	I	1944.2	1005.5	1749.8	1323.1	1
9399.7	32710.7		J	1939.7	1005.5	1886.9	1323.1	
3362.0	-34012.6	Min	I	-2012.3	-1050.7	1065.6	-4515.3	
1879.2	-33532.7		J	-2016.8	-1050.7	1202.7	-4515.3	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0714.1	3374.4	INVSLE Max	I	906.4	339.6	2788.2	157.2	2
			J	915.2	351.7	2977.4	245.1	1
8559.4	3069.0	Min	I	-989.6	-390.7	900.0	-4644.3	
-659.0	-4388.9		J	-1008.2	-402.8	1069.9	-4653.2	-
2344.8	-4050.9							
804	1	52 C1-C2;~1 Max	I	28.1	48.4	1402.2	1566.2	1
2266.6	609.1		J	28.0	48.4	1455.0	1659.4	1
1496.9	632.4	Min	I	-53.9	-63.1	-447.8	-2460.4	-
7129.7	-983.7		J	-55.6	-63.1	-416.7	-2443.6	-
7309.0	-992.7							
		C3-C4;~1 Max	I	27.6	52.1	1405.8	906.8	1
2208.2	710.1		J	27.5	52.1	1458.7	973.5	1
1443.0	739.2	Min	I	-54.6	-59.7	-448.0	-2934.2	-
7330.6	-888.1		J	-56.2	-59.7	-416.9	-2945.9	-
7516.3	-898.2							
		C1-C2;~2 Max	I	15.6	25.3	817.6	890.0	
7108.0	314.1		J	15.5	25.3	846.3	949.5	
6676.9	326.2	Min	I	-31.4	-33.2	-263.1	-1386.9	-
3833.9	-505.0		J	-32.3	-33.2	-243.3	-1365.3	-
3945.0	-509.8							
		C3-C4;~2 Max	I	15.3	27.3	819.4	471.5	
7075.5	368.5		J	15.3	27.3	848.2	516.1	
6647.4	384.0	Min	I	-31.7	-31.1	-262.7	-1666.1	-
3954.1	-453.8		J	-32.5	-31.1	-242.8	-1658.7	-
4069.4	-455.4							
		SLVx (RS)	I	1590.1	-836.6	-180.4	-2407.7	
2702.7	-29313.9		J	1590.1	-836.6	-180.4	-2407.7	
2781.9	-28911.0							
		SLVy (RS)	I	-1200.9	-626.3	80.2	1629.5	
2096.2	-11089.7		J	-1200.9	-626.3	80.2	1629.5	
2115.5	-10764.2							
		SLDx (RS)	I	1119.1	-598.2	-132.1	-1677.2	
1895.7	-20545.8		J	1119.1	-598.2	-132.1	-1677.2	
1953.3	-20273.7							
		SLDy (RS)	I	-805.1	-444.2	57.6	1139.6	
1465.0	-7507.8		J	-805.1	-444.2	57.6	1139.6	
1477.1	-7269.8							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1349.7	1602.7	SLVz (RS)	I	-135.8	-101.7	-288.7	234.6	-
			J	-135.8	-101.7	-288.7	234.6	-
1092.1	1651.8							
		G1	I	-25.0	-21.6	1131.8	-1232.5	
4113.7	-491.5		J	-28.2	-21.6	1232.3	-1232.5	
2931.4	-469.9							
		G2	I	-9.1	-7.9	413.2	-451.0	
1503.9	-179.2		J	-10.3	-7.9	449.9	-451.0	
1072.2	-171.3							
		G1- Imp~1	I	-3.3	4.9	-0.2	9.6	
0.4	188.6		J	-3.3	4.9	-0.2	9.6	
0.6	183.7							
		G2- Imp~1	I	-1.2	1.8	-0.1	3.5	
0.1	68.9		J	-1.2	1.8	-0.1	3.5	
0.2	67.2							
		q3	I	-205.2	38.6	0.0	32.4	
88.3	564.8		J	-208.4	38.6	0.0	32.4	
91.3	526.2							
		q4-1	I	114.7	-51.1	-5.3	-52.5	
12.9	-1155.2		J	114.7	-51.1	-5.3	-52.5	
18.2	-1104.1							
		q4-2	I	101.2	43.7	1.5	-42.9	
-47.7	-390.3		J	101.2	43.7	1.5	-42.9	
-49.2	-434.0							
		q4-3	I	4.9	-24.9	4.5	51.8	
-110.7	750.5		J	4.9	-24.9	4.5	51.8	
-115.3	775.4							
		q4-4	I	-0.2	5.2	0.7	17.6	
-18.6	-277.3		J	-0.2	5.2	0.7	17.6	
-19.3	-282.4							
		q4-5	I	-0.2	0.5	-1.0	-3.0	
23.9	-4.1		J	-0.2	0.5	-1.0	-3.0	
24.9	-4.7							
		q4-6	I	0.0	-0.9	-0.9	-2.7	
23.6	50.5		J	0.0	-0.9	-0.9	-2.7	
24.6	51.4							
		q4-7	I	0.0	-0.6	-1.0	-2.2	
24.2	38.3		J	0.0	-0.6	-1.0	-2.2	
25.2	39.0							
		q5 - p~1	I	-984.9	378.9	44.0	415.1	-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1039.5	3282.9		J	-998.8	391.8	43.6	410.4	-
1078.4	2897.5							
849.6	-249.7	q5 - p~2	I	-613.6	-234.2	-28.0	200.1	
880.6	-8.2		J	-621.6	-248.9	-28.3	205.4	
-965.3	3101.4	q5 - p~3	I	-932.8	359.1	36.8	418.7	
1001.0	2736.1		J	-946.0	371.4	36.4	417.9	-
793.4	-221.4	q5 - p~4	I	-581.5	-221.6	-28.0	136.9	
822.0	7.1		J	-589.0	-235.4	-28.2	137.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-59.4	1114.5	q7	I	-204.0	40.7	1.5	76.8	
-60.8	1073.8		J	-204.0	40.7	1.5	76.8	
-29.5	19.1	T	I	-0.4	0.5	1.0	11.4	
-30.5	18.6		J	-0.4	0.5	1.0	11.4	
-23.5	-3080.6	M. tor~1	I	5.3	-319.6	-15.7	-3.4	
-7.8	-3043.1		J	5.3	-319.6	-15.7	5.8	
-13.9	-1821.3	M. tor~2	I	3.1	-189.0	-9.3	-2.0	
-4.6	-1799.1		J	3.1	-189.0	-9.3	3.4	
5101.1	4605.5	INVSLU Max	I	1368.5	545.1	4023.7	241.2	2
1919.2	4108.7		J	1382.1	563.5	4279.8	362.9	2
3268.7	-5905.3	Min	I	-1494.4	-614.6	1440.3	-6597.9	-
5733.6	-5332.8		J	-1521.3	-633.0	1667.9	-6609.5	-
9354.5	32708.5	INVSLV Max	I	1952.5	1032.2	1911.7	1296.6	
7748.5	32245.4		J	1948.0	1032.2	2048.8	1296.6	
1881.6	-33534.8	Min	I	-2029.7	-1077.7	1178.0	-4637.2	
260.2	-33026.3		J	-2034.1	-1077.7	1315.1	-4637.2	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8526.1	3068.1	INVSLE	Max	I	910.1	363.9	2977.6	151.8	1
				J	918.7	376.2	3167.4	242.2	1
6166.6	2740.7		Min	I	-1003.3	-415.4	1069.7	-4860.5	-
2353.9	-4054.5			J	-1021.8	-427.7	1238.3	-4869.3	-
4177.2	-3754.0								
805	1	52 C1-C2;~1	Max	I	27.3	48.6	1455.0	1637.5	1
1488.6	634.5			J	27.1	48.6	1508.2	1733.6	1
0654.1	660.3		Min	I	-55.0	-63.4	-416.7	-2561.6	-
7300.0	-995.2			J	-56.7	-63.4	-386.9	-2544.5	-
7480.7	-1009.6								
		C3-C4;~1	Max	I	26.8	52.3	1458.7	968.7	1
1425.4	741.4			J	26.7	52.3	1512.0	1037.6	1
0595.3	772.6		Min	I	-55.6	-60.0	-416.9	-3065.0	-
7506.9	-900.6			J	-57.2	-60.0	-387.0	-3076.1	-
7694.6	-903.2								
		C1-C2;~2	Max	I	15.2	25.5	846.3	924.6	
6673.2	327.3			J	15.1	25.5	875.1	985.8	
6207.3	340.4		Min	I	-31.9	-33.4	-243.3	-1432.3	-
3940.6	-511.2			J	-32.8	-33.4	-224.0	-1410.2	-
4052.3	-518.3								
		C3-C4;~2	Max	I	14.9	27.4	848.3	500.0	
6637.9	385.2			J	14.8	27.4	877.1	546.1	
6175.0	401.6		Min	I	-32.2	-31.3	-242.8	-1728.9	-
4064.7	-457.2			J	-33.0	-31.3	-223.5	-1720.8	-
4180.8	-463.7								
		SLVx (RS)		I	1599.9	-861.1	-183.6	-2448.4	
2760.3	-28911.1			J	1599.9	-861.1	-183.6	-2448.4	
2845.6	-28480.1								
		SLVy (RS)		I	-1209.1	-639.3	-84.0	1645.5	
2108.9	-10764.1			J	-1209.1	-639.3	-84.0	1645.5	
2128.4	-10445.8								
		SLDx (RS)		I	1125.9	-614.3	-134.4	-1705.6	
1938.5	-20273.8			J	1125.9	-614.3	-134.4	-1705.6	
2000.7	-19982.4								
		SLDy (RS)		I	-809.5	-453.2	-60.5	1151.5	
1472.6	-7269.8			J	-809.5	-453.2	-60.5	1151.5	
1484.8	-7037.5								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1088.4	1651.6	SLVz (RS)	I	-135.7	-101.2	-309.9	245.6	-
-828.6	1697.9		J	-135.7	-101.2	-309.9	245.6	
2915.0	-471.0	G1	I	-28.3	-21.7	1232.3	-1271.2	
1632.2	-449.3		J	-31.6	-21.7	1332.8	-1271.2	
1066.2	-171.7	G2	I	-10.3	-7.9	449.9	-465.2	
597.9	-163.8		J	-11.5	-7.9	486.6	-465.2	
0.8	183.7	G1- Imp~1	I	-3.2	4.9	-0.2	9.7	
0.9	178.7		J	-3.2	4.9	-0.2	9.7	
0.2	67.2	G2- Imp~1	I	-1.2	1.8	-0.1	3.5	
0.3	65.3		J	-1.2	1.8	-0.1	3.5	
91.9	526.1	q3	I	-207.9	41.3	0.1	31.3	
94.9	484.8		J	-211.1	41.3	0.1	31.3	
17.0	-1104.0	q4-1	I	114.0	-52.6	-5.3	-52.9	
22.3	-1051.4		J	114.0	-52.6	-5.3	-52.9	
-50.0	-433.9	q4-2	I	101.8	42.3	1.5	-42.4	
-51.5	-476.2		J	101.8	42.3	1.5	-42.4	
-114.2	775.4	q4-3	I	4.6	-24.9	4.5	53.4	
-118.8	800.3		J	4.6	-24.9	4.5	53.4	
-19.2	-282.4	q4-4	I	-0.2	5.2	0.8	17.8	
-20.0	-287.6		J	-0.2	5.2	0.8	17.8	
24.8	-4.7	q4-5	I	-0.1	0.5	-1.0	-3.4	
25.8	-5.2		J	-0.1	0.5	-1.0	-3.4	
24.5	51.4	q4-6	I	0.0	-0.9	-0.9	-3.0	
25.5	52.2		J	0.0	-0.9	-0.9	-3.0	
25.2	39.0	q4-7	I	0.0	-0.6	-1.0	-2.5	
26.1	39.6		J	0.0	-0.6	-1.0	-2.5	
		q5 - p~1	I	-993.6	404.8	43.9	424.9	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1071.7	2897.7		J	-1007.4	417.9	43.5	420.2	-
1110.4	2486.2							
883.2	-8.8	q5 - p~2	I	-624.8	-240.7	-28.3	193.8	
914.5	239.1		J	-633.0	-255.1	-28.5	199.0	
-994.3	2736.2	q5 - p~3	I	-941.0	383.7	36.7	431.3	
1029.9	2346.2		J	-954.1	396.1	36.3	430.5	-
823.8	6.5	q5 - p~4	I	-592.1	-227.7	-28.2	127.1	
852.7	241.0		J	-599.8	-241.3	-28.5	128.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-59.3	1073.8	q7	I	-203.4	43.3	1.5	77.8	
-60.9	1030.4		J	-203.4	43.3	1.5	77.8	
-30.3	18.6	T	I	-0.4	0.5	1.0	11.9	
-31.4	18.0		J	-0.4	0.5	1.0	11.9	
-9.0	-3043.2	M. tor~1	I	1.1	-319.6	-15.8	5.4	
6.8	-3005.7		J	1.1	-319.6	-15.8	14.6	
-5.3	-1799.2	M. tor~2	I	0.6	-189.0	-9.4	3.2	
4.0	-1777.0		J	0.6	-189.0	-9.4	8.6	
1872.0	4108.7	INVSLU Max	I	1374.1	582.0	4280.1	275.3	2
8417.3	3576.2		J	1387.6	600.6	4536.9	400.8	1
5744.7	-5336.8	Min	I	-1513.5	-651.9	1667.6	-6854.9	-
8397.4	-4867.9		J	-1540.1	-670.6	1893.4	-6865.8	-
7701.7	32243.9	INVSLV Max	I	1960.2	1060.3	2072.1	1292.6	
5964.0	31754.3		J	1955.8	1060.3	2209.3	1292.6	
262.7	-33027.7	Min	I	-2046.4	-1106.1	1291.8	-4738.9	
1501.4	-32492.2		J	-2050.8	-1106.1	1428.9	-4738.9	-

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

6132.0	2740.7	INVSLE Max	I	913.3	388.5	3167.6	176.4	1
			J	921.8	400.9	3357.9	269.7	1
3570.5	2389.6	Min	I	-1016.5	-440.3	1238.1	-5050.2	-
4185.9	-3756.9		J	-1034.8	-452.7	1405.4	-5058.5	-
6148.4	-3441.3							
806	1	52 C1-C2;~1 Max	I	26.5	48.8	1508.2	1726.2	1
0645.9	662.5		J	26.3	48.8	1561.9	1825.4	
9777.4	690.9	Min	I	-56.1	-63.7	-386.9	-2652.2	-
7470.8	-1012.1		J	-57.8	-63.7	-358.4	-2634.7	-
7671.5	-1032.1							
		C3-C4;~1 Max	I	26.1	52.5	1512.1	1050.2	1
0577.1	774.9		J	25.9	52.5	1565.8	1121.6	
9709.1	807.9	Min	I	-56.7	-60.3	-387.0	-3187.5	-
7684.4	-905.9		J	-58.2	-60.3	-358.5	-3198.2	-
7894.0	-922.2							
		C1-C2;~2 Max	I	14.7	25.6	875.1	970.4	
6203.7	341.5		J	14.7	25.6	903.9	1033.3	
5715.8	355.7	Min	I	-32.4	-33.6	-224.0	-1471.3	-
4047.3	-519.8		J	-33.3	-33.6	-205.5	-1448.6	-
4167.0	-529.4							
		C3-C4;~2 Max	I	14.5	27.5	877.1	541.8	
6165.2	402.9		J	14.4	27.5	906.0	589.4	
5678.8	419.9	Min	I	-32.7	-31.5	-223.5	-1785.9	-
4175.6	-465.2		J	-33.4	-31.5	-205.0	-1777.3	-
4300.5	-473.2							
		SLVx (RS)	I	1609.0	-887.0	-186.6	-2490.8	
2823.5	-28480.2		J	1609.0	-887.0	-186.6	-2490.8	
2915.0	-28022.1							
		SLVy (RS)	I	-1217.3	-652.0	-88.5	1662.3	
2121.2	-10445.7		J	-1217.3	-652.0	-88.5	1662.3	
2141.5	-10137.6							
		SLDx (RS)	I	1132.4	-631.3	-136.7	-1735.3	
1985.5	-19982.4		J	1132.4	-631.3	-136.7	-1735.3	
2052.5	-19672.4							
		SLDy (RS)	I	-814.0	-461.9	-63.8	1163.9	
1479.9	-7037.5		J	-814.0	-461.9	-63.8	1163.9	
1492.7	-6813.2							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-825.2	1697.7	SLVz (RS)	I	-135.6	100.5	-329.2	252.9
			J	-135.6	100.5	-329.2	252.9
-596.2	1741.3						
		G1	I	-31.7	-21.9	1332.8	-1292.9
1615.4	-449.8		J	-34.9	-21.9	1433.2	-1292.9
232.1	-427.9						
		G2	I	-11.6	-8.0	486.6	-473.2
591.7	-164.0		J	-12.7	-8.0	523.3	-473.2
86.6	-156.0						
		G1- Imp~1	I	-3.2	5.0	-0.2	9.7
1.2	178.7		J	-3.2	5.0	-0.2	9.7
1.3	173.7						
		G2- Imp~1	I	-1.2	1.8	-0.1	3.5
0.4	65.3		J	-1.2	1.8	-0.1	3.5
0.4	63.5						
		q3	I	-210.5	44.1	0.1	30.1
95.5	484.7		J	-213.7	44.1	0.1	30.1
98.4	440.6						
		q4-1	I	113.3	-54.1	-5.4	-53.3
21.2	-1051.4		J	113.3	-54.1	-5.4	-53.3
26.6	-997.3						
		q4-2	I	102.3	41.0	1.5	-41.8
-52.2	-476.2		J	102.3	41.0	1.5	-41.8
-53.7	-517.2						
		q4-3	I	4.3	-25.0	4.5	55.1
-117.7	800.4		J	4.3	-25.0	4.5	55.1
-122.2	825.3						
		q4-4	I	-0.1	5.2	0.8	18.0
-19.8	-287.6		J	-0.1	5.2	0.8	18.0
-20.6	-292.8						
		q4-5	I	-0.1	0.5	-1.0	-3.7
25.7	-5.2		J	-0.1	0.5	-1.0	-3.7
26.7	-5.7						
		q4-6	I	0.0	-0.9	-0.9	-3.3
25.5	52.2		J	0.0	-0.9	-0.9	-3.3
26.4	53.1						
		q4-7	I	0.0	-0.6	-1.0	-2.9
26.1	39.6		J	0.0	-0.6	-1.0	-2.9
27.1	40.2						
		q5 - p~1	I	-1001.8	431.1	43.8	435.1
							-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1103.8	2486.3		J	-1015.4	444.4	43.4	430.3	-
1142.5	2048.5							
917.1	238.5	q5 - p~2	I	-636.3	-246.8	-28.5	187.1	
948.9	492.4		J	-644.7	-261.0	-28.8	192.2	
1023.2	2346.3	q5 - p~3	I	-948.8	408.6	36.6	444.3	-
1058.7	1931.3		J	-961.6	421.2	36.2	443.4	-
854.4	240.4	q5 - p~4	I	-602.9	-233.4	-28.5	116.9	
883.5	480.6		J	-610.9	-246.9	-28.7	117.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-59.4	1030.4	q7	I	-202.8	46.0	1.6	78.7	
-61.0	984.4		J	-202.8	46.0	1.6	78.7	
-31.2	18.1	T	I	-0.4	0.5	1.0	12.3	
-32.2	17.5		J	-0.4	0.5	1.0	12.3	
5.7	-3005.7	M. tor~1	I	-3.1	-319.6	-16.0	14.0	
21.7	-2968.2		J	-3.1	-319.6	-16.0	23.1	
3.4	-1777.0	M. tor~2	I	-1.8	-189.0	-9.4	8.3	
12.8	-1754.9		J	-1.8	-189.0	-9.4	13.7	
8369.4	3577.3	INVSLU Max	I	1379.1	619.2	4537.3	364.5	1
4683.7	3069.5		J	1392.3	638.1	4794.6	494.0	1
8408.1	-4870.8	Min	I	-1531.7	-689.7	1893.1	-7069.8	-
1275.7	-4385.3		J	-1558.0	-708.6	2117.2	-7080.0	-1
5916.0	31753.6	INVSLV Max	I	1967.3	1089.7	2230.8	1312.5	
4056.9	31239.2		J	1962.9	1089.7	2368.0	1312.5	
1498.8	-32492.9	Min	I	-2062.4	-1135.8	1407.4	-4818.3	-
3415.8	-31932.4		J	-2066.9	-1135.8	1544.6	-4818.3	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

3535.5	2390.4	INVSLE Max	I	916.2	413.3	3358.1	241.8	1
0802.8	2138.3		J	924.5	425.9	3548.8	338.0	1
6156.7	-3443.5	Min	I	-1029.2	-465.5	1405.2	-5208.7	-
8278.3	-3113.0		J	-1047.3	-478.1	1571.1	-5216.6	-
807	1	52 C1-C2;~1 Max	I	25.6	49.0	1561.9	1833.9	
9772.7	693.1		J	25.5	49.0	1616.0	1936.3	
8919.7	724.0	Min	I	-57.2	-64.0	-358.4	-2731.3	-
7663.8	-1034.8		J	-58.8	-64.0	-331.3	-2713.5	-
7979.0	-1070.9							
9693.9	810.3	C3-C4;~1 Max	I	25.3	52.7	1565.9	1140.8	
8850.2	844.6		J	25.2	52.7	1620.0	1214.9	
7886.3	-924.6	Min	I	-57.7	-60.6	-358.5	-3299.8	-
8215.9	-943.9		J	-59.3	-60.6	-331.4	-3310.1	-
5713.7	356.8	C1-C2;~2 Max	I	14.3	25.7	903.9	1028.4	
5224.1	372.0		J	14.2	25.7	932.7	1093.2	
4162.8	-531.1	Min	I	-32.9	-33.7	-205.5	-1503.3	-
4328.3	-551.0		J	-33.8	-33.7	-187.7	-1480.1	-
5670.1	421.3	C3-C4;~2 Max	I	14.1	27.6	906.0	589.1	
5185.8	439.0		J	14.1	27.6	934.8	638.4	
4296.1	-474.5	Min	I	-33.1	-31.6	-205.0	-1836.3	-
4469.0	-483.8		J	-33.9	-31.6	-187.1	-1827.1	-
2892.4	-28022.1	SLVx (RS)	I	1617.6	-914.1	-189.5	-2535.0	
2990.3	-27538.1		J	1617.6	-914.1	-189.5	-2535.0	
2133.7	-10137.4	SLVy (RS)	I	-1225.6	-664.5	-93.2	1679.9	
2155.4	-9842.8		J	-1225.6	-664.5	-93.2	1679.9	
2037.0	-19672.5	SLDx (RS)	I	1138.4	-649.3	-138.8	-1766.2	
2108.8	-19344.7		J	1138.4	-649.3	-138.8	-1766.2	
1487.4	-6813.1	SLDy (RS)	I	-818.4	-470.4	-67.4	1176.8	
1501.3	-6599.3		J	-818.4	-470.4	-67.4	1176.8	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-593.8	1741.2	SLVz (RS)	I	-135.4	99.6	-346.4	256.0	
			J	-135.4	99.6	-346.4	256.0	
487.5	1782.1							
		G1	I	-34.9	-22.0	1433.2	-1296.4	
215.2	-427.8		J	-38.2	-22.0	1533.7	-1296.4	-
1268.6	-405.8							
		G2	I	-12.8	-8.0	523.3	-474.4	
80.4	-155.9		J	-13.9	-8.0	560.0	-474.4	
-461.3	-147.9							
		G1- Imp~1	I	-3.1	5.0	-0.2	9.7	
1.5	173.7		J	-3.1	5.0	-0.2	9.7	
1.7	168.7							
		G2- Imp~1	I	-1.1	1.8	-0.1	3.6	
0.5	63.5		J	-1.1	1.8	-0.1	3.6	
0.6	61.7							
		q3	I	-213.1	46.9	0.2	28.9	
99.0	440.5		J	-216.3	46.9	0.2	28.9	
101.9	393.6							
		q4-1	I	112.6	-55.6	-5.4	-53.8	
25.4	-997.3		J	112.6	-55.6	-5.4	-53.8	
30.8	-941.7							
		q4-2	I	102.8	39.6	1.5	-41.1	
-54.5	-517.1		J	102.8	39.6	1.5	-41.1	
-56.0	-556.8							
		q4-3	I	4.0	-25.0	4.5	56.8	
-121.1	825.4		J	4.0	-25.0	4.5	56.8	
-125.6	850.4							
		q4-4	I	-0.0	5.2	0.8	18.2	
-20.5	-292.8		J	-0.0	5.2	0.8	18.2	
-21.2	-298.0							
		q4-5	I	-0.1	0.5	-1.0	-4.1	
26.6	-5.7		J	-0.1	0.5	-1.0	-4.1	
27.6	-6.3							
		q4-6	I	0.0	-0.9	-0.9	-3.6	
26.4	53.1		J	0.0	-0.9	-0.9	-3.6	
27.3	54.0							
		q4-7	I	0.0	-0.6	-1.0	-3.2	
27.1	40.2		J	0.0	-0.6	-1.0	-3.2	
28.0	40.9							
		q5 - p~1	I	-1009.4	457.6	43.7	445.5	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1135.9	2048.7		J	-1022.8	471.1	43.3	440.7	-
1174.6	1584.2							
		q5 - p~2	I	-648.1	-252.5	-28.8	179.9	
951.5	491.7		J	-656.8	-266.4	-29.1	184.9	
983.6	751.3							
		q5 - p~3	I	-956.0	433.7	36.5	457.5	-
1052.0	1931.4		J	-968.7	446.5	36.1	456.6	-
1087.4	1491.3							
		q5 - p~4	I	-614.1	-238.8	-28.7	106.4	
885.2	480.0		J	-622.3	-252.1	-29.0	107.3	
914.6	725.5							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-202.2	48.6	1.6	79.7	
-59.5	984.4		J	-202.2	48.6	1.6	79.7	
-61.1	935.7							
		T	I	-0.4	0.5	1.0	12.7	
-32.0	17.5		J	-0.4	0.5	1.0	12.7	
-33.1	17.0							
		M. tor~1	I	-7.3	-319.6	-16.1	22.4	
20.7	-2968.3		J	-7.3	-319.6	-16.1	31.4	
36.8	-2930.9							
		M. tor~2	I	-4.3	-188.9	-9.5	13.2	
12.3	-1754.9		J	-4.3	-188.9	-9.5	18.6	
21.8	-1732.8							
		INVSLU Max	I	1383.5	656.9	4795.0	513.1	1
4640.4	3071.8		J	1396.5	676.1	5052.8	647.0	1
0790.2	2742.3							
		Min	I	-1549.2	-727.8	2116.8	-7237.6	-1
1290.0	-4387.4		J	-1575.2	-746.9	2339.0	-7247.1	-1
4504.7	-3889.7							
		INVSLV Max	I	1973.9	1120.1	2387.5	1358.2	
4008.3	31239.3		J	1969.5	1120.1	2524.6	1358.2	
2055.5	30702.4							
		Min	I	-2077.8	-1166.5	1525.1	-4873.3	-
3413.0	-31932.2		J	-2082.2	-1166.5	1662.2	-4873.3	-
5510.7	-31348.9							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0771.2	2140.0	INVSLE	Max	I	918.6	438.4	3549.0	351.2	1
7916.7	1926.9			J	926.8	451.2	3740.0	450.7	
8289.4	-3114.5		Min	I	-1041.3	-490.9	1570.9	-5332.3	-
0668.1	-2776.8			J	-1059.2	-503.7	1735.4	-5339.7	-1
808	1	52 C1-C2;~1	Max	I	24.9	49.2	1616.0	1953.3	
8916.8	726.4			J	24.8	49.2	1670.4	2059.2	
8058.2	758.9		Min	I	-58.3	-64.3	-331.3	-2797.7	-
7973.0	-1073.1			J	-59.9	-64.3	-305.5	-2779.5	-
8359.3	-1111.0								
8836.3	847.2	C3-C4;~1	Max	I	24.7	52.9	1620.0	1240.5	
8001.1	882.4			J	24.6	52.9	1674.5	1317.7	
8210.5	-945.8		Min	I	-58.7	-60.9	-331.4	-3400.6	-
8614.3	-967.7			J	-60.3	-60.9	-305.6	-3410.4	-
5222.8	373.2	C1-C2;~2	Max	I	13.9	25.8	932.7	1093.1	
4723.9	389.1			J	13.8	25.8	961.5	1159.9	
4324.5	-552.4		Min	I	-33.4	-33.9	-187.7	-1527.6	-
4518.5	-573.1			J	-34.2	-33.9	-170.6	-1503.8	-
5177.7	440.4	C3-C4;~2	Max	I	13.7	27.7	934.8	642.0	
4689.8	458.4			J	13.7	27.7	963.6	693.1	
4465.3	-484.8		Min	I	-33.6	-31.8	-187.1	-1879.5	-
4667.9	-495.3			J	-34.3	-31.8	-170.1	-1869.8	-
2967.2	-27538.2	SLVx (RS)		I	1625.5	-942.3	-192.2	-2580.7	
3071.4	-27029.7			J	1625.5	-942.3	-192.2	-2580.7	
2147.1	-9842.7	SLVy (RS)		I	-1233.8	-676.8	-98.0	1698.1	
2170.9	-9565.3			J	-1233.8	-676.8	-98.0	1698.1	
2093.1	-19344.7	SLDx (RS)		I	1144.0	-668.1	-140.8	-1798.3	
2169.7	-19000.0			J	1144.0	-668.1	-140.8	-1798.3	
1495.6	-6599.2	SLDy (RS)		I	-822.8	-478.7	-71.0	1190.2	
1511.1	-6398.7			J	-822.8	-478.7	-71.0	1190.2	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
487.7	1782.0	SLVz (RS)	I	-135.2	-98.3	-361.6	254.9	
606.5	1820.0		J	-135.2	-98.3	-361.6	254.9	
1285.4	-405.0	G1	I	-38.2	-22.2	1533.7	-1280.2	-
2869.7	-382.9		J	-41.4	-22.2	1634.2	-1280.2	-
-467.5	-147.6	G2	I	-13.9	-8.1	560.0	-468.6	
1045.9	-139.5		J	-15.1	-8.1	596.7	-468.6	-
1.9	168.7	G1- Imp~1	I	-3.0	5.1	-0.2	9.7	
2.1	163.6		J	-3.0	5.1	-0.2	9.7	
0.7	61.7	G2- Imp~1	I	-1.1	1.9	-0.1	3.6	
0.7	59.8		J	-1.1	1.9	-0.1	3.6	
102.4	393.5	q3	I	-215.7	49.7	0.2	27.6	
105.2	343.8		J	-218.9	49.7	0.2	27.6	
29.7	-941.7	q4-1	I	111.8	-57.0	-5.5	-54.4	
35.2	-884.6		J	111.8	-57.0	-5.5	-54.4	
-56.7	-556.7	q4-2	I	103.3	38.3	1.5	-40.5	
-58.2	-595.0		J	103.3	38.3	1.5	-40.5	
-124.5	850.5	q4-3	I	3.6	-25.1	4.5	58.6	
-129.0	875.6		J	3.6	-25.1	4.5	58.6	
-21.1	-298.0	q4-4	I	0.0	5.2	0.8	18.5	
-21.9	-303.1		J	0.0	5.2	0.8	18.5	
27.5	-6.3	q4-5	I	-0.1	0.5	-1.0	-4.4	
28.5	-6.8		J	-0.1	0.5	-1.0	-4.4	
27.3	53.9	q4-6	I	-0.0	-0.9	-0.9	-4.0	
28.3	54.8		J	-0.0	-0.9	-0.9	-4.0	
28.0	40.9	q4-7	I	-0.0	-0.6	-1.0	-3.6	
29.0	41.5		J	-0.0	-0.6	-1.0	-3.6	
		q5 - p~1	I	-1016.6	484.4	43.7	456.3	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1168.1	1584.4		J	-1029.8	498.1	43.3	451.3	-
1206.8	1093.1							
986.2	750.6	q5 - p~2	I	-660.2	-257.8	-29.1	172.1	
1018.7	1015.3		J	-669.1	-271.5	-29.4	177.1	
1080.7	1491.4	q5 - p~3	I	-962.8	459.1	36.5	471.0	-
1116.1	1025.7		J	-975.3	472.1	36.1	470.1	-
916.3	724.8	q5 - p~4	I	-625.6	-243.9	-29.0	95.5	
946.0	975.3		J	-634.0	-256.9	-29.3	96.4	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-59.7	935.7	q7	I	-201.6	51.3	1.7	80.6	
-61.4	884.4		J	-201.6	51.3	1.7	80.6	
-32.9	17.0	T	I	-0.3	0.5	1.0	13.1	
-33.9	16.5		J	-0.3	0.5	1.0	13.1	
36.0	-2930.9	M. tor~1	I	-11.5	-319.4	-16.2	30.5	
52.2	-2893.7		J	-11.5	-319.4	-16.2	39.5	
21.3	-1732.8	M. tor~2	I	-6.8	-188.8	-9.6	18.0	
30.9	-1710.8		J	-6.8	-188.8	-9.6	23.3	
0749.6	2745.9	INVSLU Max	I	1387.1	695.0	5053.2	714.1	1
6706.9	2393.0		J	1399.9	714.4	5311.5	852.6	
4522.0	-3890.3	Min	I	-1565.8	-766.3	2338.7	-7353.8	-1
8022.1	-3367.1		J	-1591.5	-785.7	2559.0	-7362.7	-1
2007.3	30703.3	INVSLV Max	I	1979.9	1151.5	2542.1	1431.1	
-8.1	30146.4		J	1975.5	1151.5	2679.3	1431.1	
5507.9	-31347.8	Min	I	-2092.5	-1198.1	1644.8	-4902.2	-
7817.4	-30744.2		J	-2096.9	-1198.1	1781.9	-4902.2	-

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

7887.0	1929.5	INVSLE Max	I	920.5	463.8	3740.3	499.4	
			J	928.6	476.8	3931.6	602.3	
4889.9	1700.8	Min	I	-1052.9	-516.6	1735.2	-5417.7	-1
0681.4	-2777.2		J	-1070.5	-529.6	1898.4	-5424.6	-1
3271.5	-2422.4							
809	1	52 C1-C2;~1 Max	I	24.1	49.4	1670.4	2085.2	
8056.5	761.3		J	24.0	49.4	1725.1	2194.8	
7234.4	795.2	Min	I	-59.3	-64.6	-305.5	-2851.4	-
8354.6	-1112.7		J	-61.0	-64.6	-281.0	-2832.8	-
8831.3	-1151.2							
		C3-C4;~1 Max	I	24.0	53.1	1674.5	1349.8	
7988.8	885.1		J	23.9	53.1	1729.2	1430.1	
7186.1	921.2	Min	I	-59.7	-61.2	-305.6	-3487.3	-
8610.7	-969.2		J	-61.3	-61.2	-281.2	-3496.8	-
9103.9	-993.6							
		C1-C2;~2 Max	I	13.4	25.9	961.5	1164.8	
4723.3	390.3		J	13.4	25.9	990.1	1233.6	
4232.4	406.7	Min	I	-33.9	-34.0	-170.6	-1544.3	-
4515.0	-574.2		J	-34.7	-34.0	-154.2	-1520.0	-
4745.1	-595.2							
		C3-C4;~2 Max	I	13.4	27.8	963.6	700.7	
4682.4	460.0		J	13.3	27.8	992.3	753.6	
4201.2	478.3	Min	I	-34.0	-31.9	-170.1	-1914.3	-
4664.8	-496.1		J	-34.8	-31.9	-153.7	-1904.0	-
4903.0	-507.7							
		SLVx (RS)	I	1632.9	-971.4	-194.7	-2628.0	
3047.9	-27029.8		J	1632.9	-971.4	-194.7	-2628.0	
3158.5	-26498.6							
		SLVy (RS)	I	-1242.0	-688.9	-102.5	1717.1	
2162.1	-9565.1		J	-1242.0	-688.9	-102.5	1717.1	
2188.7	-9308.9							
		SLDx (RS)	I	1149.2	-687.7	-142.6	-1831.4	
2153.7	-19000.0		J	1149.2	-687.7	-142.6	-1831.4	
2235.1	-18639.7							
		SLDy (RS)	I	-827.2	-487.0	-74.5	1204.1	
1505.0	-6398.7		J	-827.2	-487.0	-74.5	1204.1	
1522.6	-6214.5							


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
609.1	1820.0	SLVz (RS)	I	-135.0	-96.6	-375.0	249.3	
880.8	1855.0		J	-135.0	-96.6	-375.0	249.3	
2886.1	-381.4	G1	I	-41.4	-22.3	1634.2	-1243.1	-
4570.9	-359.1		J	-44.6	-22.3	1734.6	-1243.1	-
1051.9	-139.0	G2	I	-15.1	-8.1	596.7	-455.1	-
1667.1	-130.9		J	-16.3	-8.1	633.4	-455.1	-
2.3	163.6	G1- Imp~1	I	-3.0	5.1	-0.2	9.7	
2.5	158.5		J	-3.0	5.1	-0.2	9.7	
0.8	59.8	G2- Imp~1	I	-1.1	1.9	-0.1	3.6	
0.9	58.0		J	-1.1	1.9	-0.1	3.6	
105.7	343.7	q3	I	-218.2	52.6	0.3	26.3	
108.5	291.1		J	-221.4	52.6	0.3	26.3	
34.1	-884.6	q4-1	I	111.1	-58.5	-5.5	-55.0	
39.6	-826.1		J	111.1	-58.5	-5.5	-55.0	
-59.0	-594.9	q4-2	I	103.8	36.9	1.5	-39.8	
-60.5	-631.9		J	103.8	36.9	1.5	-39.8	
-127.8	875.6	q4-3	I	3.3	-25.1	4.5	60.4	
-132.3	900.7		J	3.3	-25.1	4.5	60.4	
-21.8	-303.1	q4-4	I	0.1	5.2	0.8	18.7	
-22.5	-308.3		J	0.1	5.2	0.8	18.7	
28.4	-6.8	q4-5	I	-0.1	0.5	-1.0	-4.8	
29.4	-7.3		J	-0.1	0.5	-1.0	-4.8	
28.2	54.8	q4-6	I	-0.0	-0.9	-0.9	-4.4	
29.2	55.7		J	-0.0	-0.9	-0.9	-4.4	
28.9	41.5	q4-7	I	-0.0	-0.6	-1.0	-3.9	
29.9	42.1		J	-0.0	-0.6	-1.0	-3.9	
		q5 - p~1	I	-1023.2	511.5	43.7	467.3	-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1200.3	1093.2		J	-1036.2	525.3	43.2	462.3	-
1239.1	574.7							
		q5 - p~2	I	-672.6	-262.8	-29.4	163.9	
1021.3	1014.6		J	-681.7	-276.3	-29.6	168.8	
1054.1	1284.2							
		q5 - p~3	I	-969.0	484.8	36.5	484.9	-
1109.4	1025.8		J	-981.4	497.9	36.1	484.0	-
1144.9	534.4							
		q5 - p~4	I	-637.3	-248.6	-29.2	84.2	
947.6	974.6		J	-646.0	-261.3	-29.5	85.1	
977.6	1229.6							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-200.9	53.9	1.7	81.6	
-59.9	884.3		J	-200.9	53.9	1.7	81.6	
-61.7	830.4							
		T	I	-0.3	0.5	1.0	13.6	
-33.7	16.5		J	-0.3	0.5	1.0	13.6	
-34.7	16.0							
		M. tor~1	I	-15.6	-319.2	-16.4	38.3	
51.5	-2893.7		J	-15.6	-319.2	-16.4	47.3	
67.9	-2856.6							
		M. tor~2	I	-9.2	-188.7	-9.7	22.6	
30.5	-1710.8		J	-9.2	-188.7	-9.7	27.9	
40.1	-1688.9							
		INVSLU Max	I	1390.1	733.4	5311.9	970.7	
6668.6	2397.9		J	1402.7	753.0	5570.5	1114.2	
2489.8	2659.8	Min	I	-1581.5	-805.1	2558.7	-7412.8	-1
8041.3	-3366.1		J	-1606.9	-824.8	2777.2	-7421.2	-2
1847.2	-3455.3							
		INVSLV Max	I	1985.4	1183.6	2694.7	1533.0	
-55.7	30148.3		J	1981.0	1183.6	2831.9	1533.0	-
2155.3	29574.3	Min	I	-2106.6	-1230.6	1766.4	-4902.8	-
7814.3	-30742.3		J	-2111.0	-1230.6	1903.6	-4902.8	-1
0314.0	-30121.3							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4862.0	1704.4	INVSLE Max	I	922.1	489.4	3931.9	688.8	
			J	930.0	502.5	4123.5	795.4	
1764.0	1885.7	Min	I	-1063.9	-542.6	1898.2	-5460.7	-1
3286.1	-2421.6		J	-1081.3	-555.7	2060.0	-5467.3	-1
6102.8	-2474.9							
810	1	52 C1-C2;~1 Max	I	23.3	49.6	1725.1	2230.5	
7234.3	797.7		J	23.3	49.6	1780.0	2343.8	
6456.1	833.0	Min	I	-60.4	-64.8	-281.0	-2890.7	-
8828.0	-1152.4		J	-62.0	-64.8	-257.9	-2871.8	-
9402.5	-1191.5							
		C3-C4;~1 Max	I	23.4	53.3	1729.2	1468.8	
7175.5	924.0		J	23.3	53.3	1784.1	1552.6	
6415.8	960.7	Min	I	-60.7	-61.4	-281.2	-3559.9	-
9102.1	-994.6		J	-62.3	-61.4	-258.2	-3569.2	-
9692.2	-1021.5							
		C1-C2;~2 Max	I	13.0	25.9	990.2	1243.8	
4232.6	408.0		J	13.0	25.9	1018.7	1314.8	
3753.6	425.0	Min	I	-34.4	-34.2	-154.2	-1552.4	-
4742.0	-595.9		J	-35.1	-34.2	-138.6	-1527.5	-
5011.2	-617.2							
		C3-C4;~2 Max	I	13.0	27.9	992.3	765.4	
4194.6	479.9		J	13.0	27.9	1020.9	820.3	
3725.0	498.5	Min	I	-34.5	-32.1	-153.7	-1940.7	-
4900.4	-508.3		J	-35.2	-32.1	-138.2	-1930.0	-
5177.5	-521.2							
		SLVx (RS)	I	1639.7	-1001.5	-197.0	-2676.7	
3134.7	-26498.6		J	1639.7	-1001.5	-197.0	-2676.7	
3251.4	-25946.8							
		SLVy (RS)	I	-1250.3	-701.0	-106.8	1736.7	
2179.4	-9308.7		J	-1250.3	-701.0	-106.8	1736.7	
2209.4	9078.1							
		SLDx (RS)	I	1153.9	-707.9	-144.3	-1865.5	
2218.9	-18639.7		J	1153.9	-707.9	-144.3	-1865.5	
2305.0	-18265.1							
		SLDy (RS)	I	-831.7	-495.2	-77.7	1218.4	
1516.3	-6214.4		J	-831.7	-495.2	-77.7	1218.4	
1536.5	-6050.1							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
884.2	1855.1	SLVz (RS)	I	-134.6	-94.4	-386.7	239.2	
			J	-134.6	-94.4	-386.7	239.2	
1219.3	1886.8							
		G1	I	-44.6	-22.4	1734.6	-1183.8	-
4586.7	-357.0		J	-47.8	-22.4	1835.1	-1183.8	-
6371.9	-334.6							
		G2	I	-16.3	-8.2	633.4	-433.4	-
1672.9	-130.1		J	-17.4	-8.2	670.0	-433.4	-
2324.7	-121.9							
		G1- Imp~1	I	-2.9	5.1	-0.2	9.7	
2.6	158.5		J	-2.9	5.1	-0.2	9.7	
2.8	153.4							
		G2- Imp~1	I	-1.1	1.9	-0.1	3.6	
0.9	58.0		J	-1.1	1.9	-0.1	3.6	
1.0	56.1							
		q3	I	-220.7	55.4	0.3	25.0	
108.9	291.0		J	-223.9	55.4	0.3	25.0	
111.6	235.5							
		q4-1	I	110.3	-59.9	-5.5	-55.7	
38.5	-826.1		J	110.3	-59.9	-5.5	-55.7	
44.1	-766.2							
		q4-2	I	104.3	35.6	1.5	-39.1	
-61.3	-631.8		J	104.3	35.6	1.5	-39.1	
-62.8	-667.4							
		q4-3	I	3.0	-25.2	4.4	62.3	
-131.1	900.8		J	3.0	-25.2	4.4	62.3	
-135.5	926.0							
		q4-4	I	0.2	5.2	0.8	18.9	
-22.4	-308.3		J	0.2	5.2	0.8	18.9	
-23.2	-313.5							
		q4-5	I	-0.1	0.5	-1.0	-5.2	
29.3	-7.4		J	-0.1	0.5	-1.0	-5.2	
30.3	-7.9							
		q4-6	I	-0.0	-0.9	-0.9	-4.7	
29.1	55.7		J	-0.0	-0.9	-0.9	-4.7	
30.1	56.5							
		q4-7	I	-0.0	-0.6	-1.0	-4.3	
29.9	42.1		J	-0.0	-0.6	-1.0	-4.3	
30.9	42.7							
		q5 - p~1	I	-1029.2	538.8	43.7	478.6	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1232.7	574.9		J	-1042.1	552.8	43.2	473.5	-
1271.5	29.0							
1056.8	1283.5	q5 - p~2	I	-685.3	-267.3	-29.6	155.2	
1089.9	1557.4		J	-694.7	-280.6	-29.9	160.0	
1138.2	534.6	q5 - p~3	I	-974.8	510.6	36.5	499.0	-
1173.6	17.2		J	-986.9	523.9	36.1	498.0	-
979.1	1229.0	q5 - p~4	I	-649.4	-252.9	-29.5	72.5	
1009.4	1488.2		J	-658.2	-265.4	-29.8	73.4	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-60.3	830.4	q7	I	-200.2	56.5	1.8	82.5	
-62.0	773.9		J	-200.2	56.5	1.8	82.5	
-34.6	16.0	T	I	-0.3	0.5	1.0	14.0	
-35.6	15.5		J	-0.3	0.5	1.0	14.0	
67.3	-2856.7	M. tor~1	I	-19.8	-319.0	-16.5	45.9	
83.8	-2819.9		J	-19.8	-319.0	-16.5	54.8	
39.8	-1688.9	M. tor~2	I	-11.7	-188.6	-9.7	27.1	
49.5	-1667.2		J	-11.7	-188.6	-9.7	32.4	
2455.0	2665.2	INVSLU Max	I	1392.5	772.2	5570.9	1286.6	
1849.7	3002.4		J	1404.8	792.1	5829.9	1435.1	-
1867.7	-3451.7	Min	I	-1596.4	-844.3	2776.8	-7412.1	-2
5989.9	-3613.9		J	-1621.6	-864.2	2993.4	-7420.0	-2
2202.2	29577.1	INVSLV Max	I	1990.3	1216.5	2845.6	1665.5	-
4412.8	28989.2		J	1986.0	1216.5	2982.8	1665.5	-
0309.7	-30118.4	Min	I	-2120.0	-1263.7	1889.9	-4873.4	-1
2972.9	-29483.3		J	-2124.3	-1263.7	2027.1	-4873.4	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1738.6	1889.7	INVSLE	Max	I	923.2	515.3	4123.8	922.0	
				J	931.0	528.5	4315.6	1032.4	-
1452.5	2121.2		Min	I	-1074.3	-568.7	2059.7	-5459.5	-1
6118.4	-2472.3			J	-1091.5	-582.0	2220.1	-5465.7	-1
9169.4	-2574.2								
811	1	52 C1-C2;~1	Max	I	22.6	49.7	1780.0	2389.7	
6457.6	835.5			J	22.5	49.7	1835.0	2507.0	
5729.4	872.4		Min	I	-61.4	-65.1	-257.9	-2916.0	-
9400.3	-1192.1			J	-63.0	-65.1	-241.6	-2896.7	-1
0076.3	-1231.9								
		C3-C4;~1	Max	I	22.8	53.5	1784.2	1598.2	
6406.9	963.5			J	22.7	53.5	1839.2	1685.6	
5696.5	1001.8		Min	I	-61.7	-61.7	-258.2	-3617.0	-
9692.1	-1022.1			J	-63.3	-61.7	-245.0	-3626.1	-1
0382.7	-1055.0								
		C1-C2;~2	Max	I	12.6	26.0	1018.7	1330.6	
3754.7	426.3			J	12.6	26.0	1047.2	1403.7	
3290.7	444.0		Min	I	-34.8	-34.3	-138.6	-1552.2	-
5008.4	-617.6			J	-35.6	-34.3	-127.8	-1526.8	-
5318.2	-639.2								
		C3-C4;~2	Max	I	12.7	28.0	1020.9	836.4	
3719.2	500.1			J	12.6	28.0	1049.3	893.2	
3264.6	519.4		Min	I	-34.9	-32.2	-138.2	-1958.0	-
5175.3	-521.5			J	-35.6	-32.2	-129.7	-1946.8	-
5492.6	-538.4								
		SLVx (RS)		I	1645.9	-1032.2	-199.0	-2726.8	
3227.3	-25946.8			J	1645.9	-1032.2	-199.0	-2726.8	
3350.2	-25376.6								
		SLVy (RS)		I	-1258.5	-713.1	-110.8	1756.9	
2199.6	9077.8			J	-1258.5	-713.1	-110.8	1756.9	
2233.5	8877.4								
		SLDx (RS)		I	1158.3	-728.7	-145.8	-1900.6	
2288.6	-18265.1			J	1158.3	-728.7	-145.8	-1900.6	
2379.2	-17877.8								
		SLDy (RS)		I	-836.1	-503.5	-80.7	1233.2	
1529.8	-6050.0			J	-836.1	-503.5	-80.7	1233.2	
1553.1	-5908.9								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1222.7	1886.9	SLVz (RS)	I	-134.1	-91.6	-397.1	224.6	
			J	-134.1	-91.6	-397.1	224.6	
1588.1	1914.9							
		G1	I	-47.7	-22.6	1835.1	-1101.0	-
6386.8	-331.8		J	-50.9	-22.6	1935.6	-1101.0	-
8272.5	-309.2							
		G2	I	-17.4	-8.2	670.0	-403.2	-
2330.1	-120.9		J	-18.6	-8.2	706.7	-403.2	-
3018.7	-112.6							
		G1- Imp~1	I	-2.8	5.2	-0.2	9.7	
3.0	153.4		J	-2.8	5.2	-0.2	9.7	
3.2	148.2							
		G2- Imp~1	I	-1.0	1.9	-0.1	3.6	
1.1	56.1		J	-1.0	1.9	-0.1	3.6	
1.1	54.2							
		q3	I	-223.2	58.4	0.4	23.5	
112.0	235.4		J	-226.4	58.4	0.4	23.5	
114.7	177.0							
		q4-1	I	109.5	-61.4	-5.6	-56.4	
43.0	-766.1		J	109.5	-61.4	-5.6	-56.4	
48.6	-704.8							
		q4-2	I	104.8	34.2	1.5	-38.4	
-63.6	-667.3		J	104.8	34.2	1.5	-38.4	
-65.0	-701.5							
		q4-3	I	2.6	-25.2	4.4	64.3	
-134.3	926.0		J	2.6	-25.2	4.4	64.3	
-138.8	951.2							
		q4-4	I	0.2	5.2	0.8	19.2	
-23.0	-313.5		J	0.2	5.2	0.8	19.2	
-23.8	-318.6							
		q4-5	I	-0.1	0.5	-1.0	-5.6	
30.2	-7.9		J	-0.1	0.5	-1.0	-5.6	
31.2	-8.4							
		q4-6	I	-0.0	-0.9	-0.9	-5.1	
30.0	56.5		J	-0.0	-0.9	-0.9	-5.1	
31.0	57.4							
		q4-7	I	-0.0	-0.6	-1.0	-4.7	
30.8	42.7		J	-0.0	-0.6	-1.0	-4.7	
31.8	43.4							
		q5 - p~1	I	-1034.8	566.4	43.7	490.1	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1265.2	29.2		J	-1047.4	580.5	43.3	485.0	-
1304.1	-544.4							
		q5 - p~2	I	-698.3	-271.4	-29.9	146.0	
1092.6	1556.7		J	-707.8	-284.4	-30.2	150.7	
1126.1	1834.7							
		q5 - p~3	I	-980.0	536.8	36.5	513.4	-
1167.0	17.3		J	-992.0	550.2	36.1	512.4	-
1202.4	-526.3							
		q5 - p~4	I	-661.6	-256.8	-29.8	60.4	
1010.9	1487.5		J	-670.7	-269.1	-30.1	61.3	
1041.4	1750.5							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-199.4	59.1	1.9	83.5	
-60.6	773.8		J	-199.4	59.1	1.9	83.5	
-62.5	714.7							
		T	I	-0.3	0.5	1.0	14.5	
-35.4	15.5		J	-0.3	0.5	1.0	14.5	
-36.4	14.9							
		M. tor~1	I	-24.0	-318.7	-16.6	53.2	
83.3	-2820.0		J	-24.0	-318.7	-16.6	62.0	
99.9	-2783.4							
		M. tor~2	I	-14.2	-188.4	-9.8	31.4	
49.3	-1667.2		J	-14.2	-188.4	-9.8	36.7	
59.1	-1645.6							
		INVSLU Max	I	1394.2	811.3	5830.3	1664.9	-
1880.5	3009.2		J	1406.3	831.4	6089.4	1818.7	-
6302.8	3351.1							
		Min	I	-1610.5	-883.9	2993.0	-7347.2	-2
6010.8	-3608.5		J	-1635.3	-904.0	3196.3	-7354.9	-3
0454.0	-3795.7							
		INVSLV Max	I	1994.7	1249.9	2995.0	1830.3	-
4458.9	28993.0		J	1990.4	1249.9	3132.1	1830.3	-
6790.3	28394.9							
		Min	I	-2132.7	-1297.4	2014.9	-4812.1	-1
2966.9	-29479.4		J	-2137.0	-1297.4	2152.1	-4812.1	-1
5783.6	-28833.7							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1474.9	2126.3	INVSLE Max	I	923.9	541.4	4315.9	1201.5	-
			J	931.5	554.8	4507.8	1315.8	-
4753.3	2361.0	Min	I	-1084.1	-595.1	2219.9	-5410.7	-1
9185.3	-2570.2		J	-1101.1	-608.5	2370.5	-5416.7	-2
2474.0	-2673.2							
812	1	52 C1-C2;~1 Max	I	22.0	49.9	1835.0	2563.5	
5732.4	874.9		J	21.9	49.9	1890.2	2684.9	
5057.1	921.6	Min	I	-62.4	-65.3	-241.6	-2925.6	-1
0074.8	-1231.9		J	-64.0	-65.3	-237.4	-2906.0	-1
0852.9	-1272.2							
		C3-C4;~1 Max	I	22.2	53.7	1839.2	1738.6	
5689.3	1004.8		J	22.1	53.7	1894.3	1829.7	
5031.1	1044.7	Min	I	-62.7	-61.9	-245.0	-3657.9	-1
0383.8	-1054.9		J	-64.2	-61.9	-241.6	-3667.0	-1
1175.4	-1095.5							
		C1-C2;~2 Max	I	12.2	26.1	1047.2	1425.3	
3292.7	445.2		J	12.2	26.1	1075.4	1500.6	
2845.7	469.8	Min	I	-35.2	-34.4	-127.9	-1542.6	-
5315.4	-639.3		J	-36.0	-34.4	-125.8	-1516.8	-
5666.0	-661.1							
		C3-C4;~2 Max	I	12.3	28.1	1049.4	913.8	
3259.7	521.1		J	12.3	28.1	1077.6	972.6	
2822.1	541.0	Min	I	-35.3	-32.3	-129.7	-1965.7	-
5490.6	-538.3		J	-36.1	-32.3	-128.4	-1954.2	-
5848.3	-560.5							
		SLVx (RS)	I	1651.6	-1063.6	-200.8	-2778.2	
3325.7	-25376.6		J	1651.6	-1063.6	-200.8	-2778.2	
3454.5	-24790.9							
		SLVy (RS)	I	-1266.8	-725.2	-114.6	1777.8	
2223.2	8877.1		J	-1266.8	-725.2	-114.6	1777.8	
2261.5	8711.8							
		SLDx (RS)	I	1162.3	-750.0	-147.1	-1936.7	
2362.6	-17877.8		J	1162.3	-750.0	-147.1	-1936.7	
2457.6	-17479.7							
		SLDy (RS)	I	-840.5	-511.7	-83.5	1248.4	
1546.1	-5908.8		J	-840.5	-511.7	-83.5	1248.4	
1572.8	5794.8							


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1591.2	1915.1	SLVz (RS)	I	-133.4	-88.5	-406.3	205.6	
			J	-133.4	-88.5	-406.3	205.6	
1974.6	1939.0							
		G1	I	-50.8	-22.7	1935.6	-993.3	-
8286.1	-305.6		J	-53.9	-22.7	2036.0	-993.3	-1
0272.4	-282.9							
		G2	I	-18.5	-8.3	706.7	-363.9	-
3023.7	-111.3		J	-19.7	-8.3	743.4	-363.9	-
3748.9	-103.0							
		G1- Imp~1	I	-2.8	5.2	-0.2	9.7	
3.4	148.2		J	-2.8	5.2	-0.2	9.7	
3.5	143.0							
		G2- Imp~1	I	-1.0	1.9	-0.1	3.5	
1.2	54.2		J	-1.0	1.9	-0.1	3.5	
1.2	52.3							
		q3	I	-225.6	61.3	0.5	22.1	
115.0	176.9		J	-228.8	61.3	0.5	22.1	
117.6	115.6							
		q4-1	I	108.7	-62.8	-5.6	-57.1	
47.6	-704.7		J	108.7	-62.8	-5.6	-57.1	
53.2	-641.9							
		q4-2	I	105.2	32.8	1.5	-37.7	
-65.8	-701.5		J	105.2	32.8	1.5	-37.7	
-67.3	-734.3							
		q4-3	I	2.3	-25.3	4.4	66.2	
-137.5	951.3		J	2.3	-25.3	4.4	66.2	
-142.0	976.5							
		q4-4	I	0.3	5.2	0.8	19.4	
-23.7	-318.6		J	0.3	5.2	0.8	19.4	
-24.5	-323.8							
		q4-5	I	-0.1	0.5	-1.0	-6.0	
31.1	-8.4		J	-0.1	0.5	-1.0	-6.0	
32.0	-9.0							
		q4-6	I	-0.1	-0.9	-0.9	-5.5	
31.0	57.4		J	-0.1	-0.9	-0.9	-5.5	
31.9	58.2							
		q4-7	I	-0.0	-0.6	-1.0	-5.1	
31.7	43.4		J	-0.0	-0.6	-1.0	-5.1	
32.7	44.0							
		q5 - p~1	I	-1039.7	594.2	43.7	501.9	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1297.9	-544.2		J	-1052.2	608.5	43.3	496.8	-
1336.9	-1145.7							
1128.7	1834.0	q5 - p~2	I	-711.5	-275.1	-30.2	136.3	
1162.6	2115.5		J	-721.3	-287.9	-30.5	140.9	
1195.8	-526.1	q5 - p~3	I	-984.7	563.1	36.5	528.0	-
1231.4	-1096.1		J	-996.5	576.7	36.2	527.0	-
1042.9	1749.8	q5 - p~4	I	-674.2	-260.3	-30.0	48.0	
1073.7	2016.2		J	-683.4	-272.4	-30.3	48.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-61.1	714.6	q7	I	-198.6	61.7	1.9	84.4	
-63.0	652.9		J	-198.6	61.7	1.9	84.4	
-36.2	14.9	T	I	-0.3	0.5	1.0	15.0	
-37.2	14.4		J	-0.3	0.5	1.0	15.0	
99.6	-2783.5	M. tor~1	I	-28.2	-318.4	-16.7	60.2	
116.3	-2747.3		J	-28.2	-318.4	-16.7	69.0	
58.9	-1645.7	M. tor~2	I	-16.7	-188.2	-9.9	35.6	
68.8	-1624.3		J	-16.7	-188.2	-9.9	40.8	
6329.2	3359.3	INVSLU Max	I	1395.2	850.8	6089.8	2108.9	-
0865.2	3705.6		J	1407.1	871.1	6349.1	2268.2	-1
0474.3	-3788.1	Min	I	-1623.7	-923.7	3195.9	-7215.0	-3
5239.2	-4184.6		J	-1648.1	-944.1	3386.0	-7222.6	-3
6835.2	28399.7	INVSLV Max	I	1998.6	1283.9	3143.0	2029.3	-
9291.2	27795.4		J	1994.3	1283.9	3280.1	2029.3	-
5775.3	-28828.8	Min	I	-2144.8	-1331.6	2141.2	-4717.1	-1
8741.8	-28176.8		J	-2149.0	-1331.6	2278.4	-4717.1	-1

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

4772.4	2367.1	INVSLE Max	I	924.1	567.7	4508.1	1529.7	-
			J	931.6	581.3	4700.2	1648.0	-
8135.0	2604.8	Min	I	-1093.3	-621.7	2370.2	-5312.0	-2
2489.4	-2667.9		J	-1110.1	-635.3	2511.0	-5317.9	-2
6016.5	-2876.6							
813	1	52 C1-C2;~1 Max	I	21.3	50.0	1890.2	2752.6	
5061.4	924.1		J	21.3	50.0	1945.4	2878.3	
4472.4	1005.9	Min	I	-63.4	-65.5	-237.4	-2919.7	-1
0851.7	-1271.7		J	-64.9	-65.5	-234.6	-2900.0	-1
1730.3	-1312.5							
		C3-C4;~1 Max	I	21.6	53.8	1894.3	1890.6	
5025.3	1047.7		J	21.5	53.8	1949.5	1985.6	
4455.4	1089.1	Min	I	-63.7	-62.1	-241.7	-3682.8	-1
1177.3	-1094.8		J	-65.2	-62.1	-239.0	-3691.9	-1
2068.5	-1136.6							
		C1-C2;~2 Max	I	11.9	26.2	1075.4	1528.3	
2848.6	471.1		J	11.9	26.2	1103.5	1605.8	
2419.7	496.3	Min	I	-35.7	-34.5	-125.9	-1524.1	-
5663.1	-660.9		J	-36.4	-34.5	-124.8	-1497.9	-
6054.0	-682.9							
		C3-C4;~2 Max	I	12.0	28.2	1077.6	998.0	
2818.0	542.7		J	12.0	28.2	1105.6	1058.9	
2398.6	563.3	Min	I	-35.7	-32.4	-128.4	-1964.2	-
5846.4	-560.0		J	-36.5	-32.4	-127.3	-1952.4	-
6243.9	-582.8							
		SLVx (RS)	I	1656.7	-1095.5	-202.3	-2830.9	
3429.8	-24790.8		J	1656.7	-1095.5	-202.3	-2830.9	
3564.2	-24192.8							
		SLVy (RS)	I	-1275.0	-737.5	-118.0	1799.2	
2250.8	8711.5		J	-1275.0	-737.5	-118.0	1799.2	
2293.9	8586.1							
		SLDx (RS)	I	1165.9	-771.7	-148.2	-1973.6	
2440.9	-17479.6		J	1165.9	-771.7	-148.2	-1973.6	
2540.1	-17073.0							
		SLDy (RS)	I	-845.0	-520.1	-86.1	1263.9	
1565.5	5794.6		J	-845.0	-520.1	-86.1	1263.9	
1595.9	5711.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1977.3	1939.3	SLVz (RS)	I	-132.5	-85.0	-414.4	182.8	
			J	-132.5	-85.0	-414.4	182.8	
2373.2	1958.6							
		G1	I	-53.8	-22.8	2036.0	-859.4	-1
0284.3	-278.6		J	-56.9	-22.8	2136.5	-859.4	-1
2371.1	-255.8							
		G2	I	-19.6	-8.3	743.4	-315.0	-
3753.3	-101.4		J	-20.8	-8.3	780.1	-315.0	-
4515.3	-93.1							
		G1- Imp~1	I	-2.7	5.3	-0.2	9.7	
3.7	143.0		J	-2.7	5.3	-0.2	9.7	
3.9	137.7							
		G2- Imp~1	I	-1.0	1.9	-0.1	3.5	
1.3	52.3		J	-1.0	1.9	-0.1	3.5	
1.4	50.3							
		q3	I	-228.0	64.3	0.6	20.5	
117.9	115.5		J	-231.2	64.3	0.6	20.5	
120.4	51.1							
		q4-1	I	107.8	-64.2	-5.7	-57.9	
52.2	-641.9		J	107.8	-64.2	-5.7	-57.9	
57.9	-577.7							
		q4-2	I	105.6	31.5	1.5	-37.0	
-68.1	-734.2		J	105.6	31.5	1.5	-37.0	
-69.6	-765.7							
		q4-3	I	2.0	-25.3	4.4	68.3	
-140.7	976.6		J	2.0	-25.3	4.4	68.3	
-145.1	1001.9							
		q4-4	I	0.4	5.2	0.8	19.7	
-24.3	-323.8		J	0.4	5.2	0.8	19.7	
-25.1	-329.0							
		q4-5	I	-0.1	0.5	-1.0	-6.4	
32.0	-9.0		J	-0.1	0.5	-1.0	-6.4	
32.9	-9.5							
		q4-6	I	-0.1	-0.9	-0.9	-5.9	
31.9	58.2		J	-0.1	-0.9	-0.9	-5.9	
32.8	59.1							
		q4-7	I	-0.0	-0.6	-1.0	-5.5	
32.7	44.0		J	-0.0	-0.6	-1.0	-5.5	
33.6	44.6							
		q5 - p~1	I	-1044.1	622.2	43.8	514.0	-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1330.8	-1145.5		J	-1056.4	636.7	43.4	508.8	-
1370.0	-1775.1							
		q5 - p~2	I	-725.0	-278.4	-30.5	126.1	
1165.2	2114.8		J	-735.0	-290.9	-30.8	130.6	
1199.4	2399.5							
		q5 - p~3	I	-988.9	589.7	36.6	542.9	-
1224.8	-1095.9		J	-1000.5	603.4	36.2	541.9	-
1260.4	-1692.6							
		q5 - p~4	I	-686.9	-263.4	-30.3	35.2	
1075.1	2015.5		J	-696.4	-275.2	-30.6	36.0	
1106.2	2284.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-197.8	64.3	2.0	85.4	
-61.6	652.8		J	-197.8	64.3	2.0	85.4	
-63.6	588.5							
		T	I	-0.3	0.5	1.0	15.5	
-37.0	14.4		J	-0.3	0.5	1.0	15.5	
-38.0	13.9							
		M. tor~1	I	-32.3	-318.0	-16.9	66.9	
116.1	-2747.4		J	-32.3	-318.0	-16.9	75.7	
132.9	-2711.6							
		M. tor~2	I	-19.1	-188.0	-10.0	39.6	
68.6	-1624.3		J	-19.1	-188.0	-10.0	44.7	
78.6	-1603.2							
		INVSLU Max	I	1395.6	890.6	6349.5	2622.0	-1
0886.7	3715.3		J	1407.3	911.2	6608.7	2787.0	-1
5491.4	4065.4	Min	I	-1635.9	-963.9	3385.6	-7013.2	-3
5257.6	-4175.2		J	-1660.1	-984.5	3574.8	-7020.8	-4
0342.3	-4576.3							
		INVSLV Max	I	2001.9	1318.3	3289.8	2264.2	-
9334.4	27801.3		J	1997.6	1318.3	3427.0	2264.2	-1
1916.8	27195.4	Min	I	-2156.1	-1366.2	2268.7	-4586.8	-1
8730.8	-28170.8		J	-2160.4	-1366.2	2405.9	-4586.8	-2
1845.5	-27517.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8150.5	2612.0	INVSLE	Max	I	923.9	594.2	4700.5	1909.0	-
				J	931.3	607.9	4892.5	2031.5	-1
1563.9	2852.4		Min	I	-1101.9	-648.5	2510.7	-5161.7	-2
6030.5	-2869.7			J	-1118.6	-662.2	2650.8	-5167.7	-2
9794.4	-3136.9								
814	1	52 C1-C2;~1	Max	I	20.7	50.1	1945.4	2957.6	
4445.5	1007.4			J	20.6	50.1	2000.5	3087.6	
3925.8	1064.0		Min	I	-64.3	-65.7	-234.7	-2897.0	-1
1728.9	-1311.4			J	-65.9	-65.7	-232.6	-2877.3	-1
2705.4	-1352.7								
		C3-C4;~1	Max	I	21.0	54.0	1949.5	2055.1	
4415.9	1092.2			J	20.9	54.0	2004.5	2154.2	
3934.0	1134.9		Min	I	-64.6	-62.3	-239.0	-3690.2	-1
2070.5	-1135.4			J	-66.1	-62.3	-236.9	-3699.5	-1
3058.5	-1178.0								
		C1-C2;~2	Max	I	11.5	26.2	1103.5	1639.7	
2423.5	497.6			J	11.5	26.2	1131.2	1719.5	
2013.5	523.3		Min	I	-36.1	-34.6	-124.8	-1495.7	-
6050.7	-682.3			J	-36.8	-34.6	-123.9	-1469.1	-
6480.7	-704.6								
		C3-C4;~2	Max	I	11.7	28.3	1105.6	1089.3	
2395.4	565.0			J	11.6	28.3	1133.3	1152.3	
2022.6	586.1		Min	I	-36.1	-32.6	-127.3	-1952.4	-
6241.9	-582.0			J	-36.9	-32.6	-126.5	-1940.4	-
6678.1	-605.1								
		SLVx (RS)		I	1661.3	-1127.8	-203.6	-2884.8	
3539.3	-24192.7			J	1661.3	-1127.8	-203.6	-2884.8	
3679.3	-23586.2								
		SLVy (RS)		I	-1283.3	-749.8	-121.1	1821.1	
2282.8	8585.7			J	-1283.3	-749.8	-121.1	1821.1	
2330.9	8505.0								
		SLDx (RS)		I	1169.2	-793.8	-149.1	-2011.4	
2523.3	-17072.9			J	1169.2	-793.8	-149.1	-2011.4	
2626.5	-16660.2								
		SLDy (RS)		I	-849.4	-528.5	-88.4	1279.9	
1588.4	5711.2			J	-849.4	-528.5	-88.4	1279.9	
1622.6	5662.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2375.5	1959.0	SLVz (RS)	I	-131.5	-81.4	-421.6	157.2	
			J	-131.5	-81.4	-421.6	157.2	
2780.8	1973.2							
		G1	I	-56.8	-22.9	2136.5	-698.2	-1
2381.1	-250.6		J	-59.9	-22.9	2237.0	-698.2	-1
4568.4	-227.7							
		G2	I	-20.7	-8.4	780.1	-256.2	-
4518.9	-91.2		J	-21.9	-8.4	816.8	-256.2	-
5317.6	-82.8							
		G1- Imp~1	I	-2.6	5.3	-0.2	9.6	
4.1	137.7		J	-2.6	5.3	-0.2	9.6	
4.2	132.4							
		G2- Imp~1	I	-1.0	1.9	-0.1	3.5	
1.4	50.3		J	-1.0	1.9	-0.1	3.5	
1.5	48.4							
		q3	I	-230.3	67.3	0.6	19.0	
120.7	51.0		J	-233.5	67.3	0.6	19.0	
123.1	-16.3							
		q4-1	I	107.0	-65.6	-5.7	-58.8	
56.9	-577.7		J	107.0	-65.6	-5.7	-58.8	
62.6	-512.1							
		q4-2	I	106.0	30.1	1.5	-36.2	
-70.3	-765.6		J	106.0	30.1	1.5	-36.2	
-71.8	-795.7							
		q4-3	I	1.7	-25.3	4.4	70.4	
-143.8	1001.9		J	1.7	-25.3	4.4	70.4	
-148.2	1027.2							
		q4-4	I	0.4	5.2	0.8	19.9	
-25.0	-328.9		J	0.4	5.2	0.8	19.9	
-25.7	-334.1							
		q4-5	I	-0.1	0.5	-1.0	-6.8	
32.8	-9.5		J	-0.1	0.5	-1.0	-6.8	
33.8	-10.1							
		q4-6	I	-0.1	-0.9	-0.9	-6.3	
32.7	59.1		J	-0.1	-0.9	-0.9	-6.3	
33.7	59.9							
		q4-7	I	-0.1	-0.6	-1.0	-6.0	
33.6	44.6		J	-0.1	-0.6	-1.0	-6.0	
34.5	45.2							
		q5 - p~1	I	-1048.0	650.4	43.9	526.3	-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1363.9	-1774.9		J	-1060.1	665.1	43.5	521.0	-
1403.2	-2432.8							
		q5 - p~2	I	-738.7	-281.3	-30.7	115.4	
1202.0	2398.7		J	-748.9	-293.5	-31.1	119.8	
1236.5	2686.2							
		q5 - p~3	I	-992.5	616.4	36.7	558.0	-
1253.9	-1692.4		J	-1004.0	630.3	36.3	557.0	-
1289.6	-2315.9							
		q5 - p~4	I	-699.9	-266.1	-30.6	22.0	
1107.5	2284.1		J	-709.6	-277.7	-30.9	22.8	
1138.9	2556.1							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-196.9	66.9	2.1	86.3	
-62.3	588.4		J	-196.9	66.9	2.1	86.3	
-64.3	521.5							
		T	I	-0.3	0.6	1.0	16.0	
-37.8	13.9		J	-0.3	0.6	1.0	16.0	
-38.9	13.3							
		M. tor~1	I	-36.5	-317.5	-17.0	73.4	
132.8	-2711.8		J	-36.5	-317.5	-17.0	82.1	
149.8	-2676.4							
		M. tor~2	I	-21.6	-187.7	-10.0	43.4	
78.5	-1603.2		J	-21.6	-187.7	-10.0	48.5	
88.6	-1582.3							
		INVSLU Max	I	1395.3	930.7	6609.2	3207.3	-1
5551.4	4076.5		J	1406.7	951.5	6868.4	3378.1	-2
0236.5	4459.8	Min	I	-1647.3	-1004.3	3574.3	-6737.6	-4
0357.5	-4564.9		J	-1671.2	-1025.1	3762.6	-6745.4	-4
5758.2	-4970.0							
		INVSLV Max	I	2004.6	1353.1	3435.4	2537.1	-1
1957.7	27202.4		J	2000.4	1353.1	3572.6	2537.1	-1
4667.5	26600.0	Min	I	-2166.9	-1401.3	2397.4	-4419.5	-2
1831.2	-27509.9		J	-2171.1	-1401.3	2534.6	-4419.5	-2
5093.0	-26859.3							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1608.0	2860.7	INVSLE Max	I	923.3	620.9	4892.9	2341.8	-1
			J	930.5	634.8	5084.9	2468.6	-1
5080.9	3103.3	Min	I	-1110.0	-675.5	2650.5	-4956.8	-2
9806.1	-3128.6		J	-1126.4	-689.4	2790.0	-4962.9	-3
3804.0	-3398.4							
815	1	52 C1-C2;~1 Max	I	20.1	50.3	2000.5	3179.1	
3924.3	1065.6		J	20.0	50.3	2055.6	3313.6	
3847.7	1122.6	Min	I	-65.3	-65.9	-232.6	-2857.6	-1
2703.2	-1351.0		J	-66.8	-65.9	-231.2	-2835.7	-1
3773.8	-1392.7							
		C3-C4;~1 Max	I	20.4	54.1	2004.6	2233.3	
3932.2	1138.1		J	20.4	54.1	2059.5	2336.5	
3919.0	1185.0	Min	I	-65.6	-62.5	-236.9	-3681.2	-1
3060.3	-1176.2		J	-67.1	-62.5	-235.5	-3691.2	-1
4141.5	-1219.5							
		C1-C2;~2 Max	I	11.2	26.3	1131.3	1759.9	
2018.2	524.6		J	11.1	26.3	1158.8	1841.9	
1958.1	550.7	Min	I	-36.5	-34.8	-124.0	-1457.6	-
6477.0	-703.7		J	-37.2	-34.8	-123.4	-1429.1	-
6944.6	-726.2							
		C3-C4;~2 Max	I	11.3	28.3	1133.3	1188.1	
2022.3	587.9		J	11.3	28.3	1160.7	1253.1	
2001.2	611.7	Min	I	-36.6	-32.7	-126.5	-1931.2	-
6675.8	-604.1		J	-37.3	-32.7	-125.9	-1919.4	-
7149.2	-627.5							
		SLVx (RS)	I	1665.4	-1160.5	-204.6	-2939.8	
3654.0	-23586.1		J	1665.4	-1160.5	-204.6	-2939.8	
3799.4	-22975.3							
		SLVy (RS)	I	-1291.5	-762.3	-123.9	1843.5	
2319.4	8504.5		J	-1291.5	-762.3	-123.9	1843.5	
2372.8	8472.9							
		SLDx (RS)	I	1172.0	-816.1	-149.9	-2050.0	
2609.5	-16660.1		J	1172.0	-816.1	-149.9	-2050.0	
2716.7	-16244.4							
		SLDy (RS)	I	-853.9	-537.0	-90.4	1296.2	
1614.9	5661.9		J	-853.9	-537.0	-90.4	1296.2	
1653.2	5650.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2782.5	1973.6	SLVz (RS)	I	-130.4	-77.9	-427.7	131.3	
			J	-130.4	-77.9	-427.7	131.3	
3195.3	1982.3							
		G1	I	-59.7	-23.1	2237.0	-508.2	-1
4576.0	-221.7		J	-62.8	-23.1	2337.5	-508.2	-1
6863.8	-198.7							
		G2	I	-21.8	-8.4	816.8	-186.9	-
5320.4	-80.6		J	-22.9	-8.4	853.5	-186.9	-
6155.8	-72.2							
		G1- Imp~1	I	-2.6	5.3	-0.2	9.6	
4.4	132.4		J	-2.6	5.3	-0.2	9.6	
4.5	127.1							
		G2- Imp~1	I	-0.9	1.9	-0.1	3.5	
1.6	48.4		J	-0.9	1.9	-0.1	3.5	
1.6	46.5							
		q3	I	-232.6	70.4	0.7	17.4	
123.3	-16.4		J	-235.8	70.4	0.7	17.4	
125.7	-86.8							
		q4-1	I	106.1	-67.0	-5.8	-59.7	
61.6	-512.1		J	106.1	-67.0	-5.8	-59.7	
67.4	-445.1							
		q4-2	I	106.4	28.7	1.4	-35.5	
-72.6	-795.6		J	106.4	28.7	1.4	-35.5	
-74.0	-824.3							
		q4-3	I	1.3	-25.3	4.4	72.5	
-146.8	1027.3		J	1.3	-25.3	4.4	72.5	
-151.2	1052.6							
		q4-4	I	0.5	5.2	0.8	20.2	
-25.6	-334.1		J	0.5	5.2	0.8	20.2	
-26.4	-339.3							
		q4-5	I	-0.1	0.5	-1.0	-7.3	
33.7	-10.1		J	-0.1	0.5	-1.0	-7.3	
34.6	-10.6							
		q4-6	I	-0.1	-0.9	-1.0	-6.8	
33.6	59.9		J	-0.1	-0.9	-1.0	-6.8	
34.6	60.8							
		q4-7	I	-0.1	-0.6	-1.0	-6.4	
34.5	45.2		J	-0.1	-0.6	-1.0	-6.4	
35.5	45.9							
		q5 - p~1	I	-1051.3	678.9	44.0	538.8	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1397.3	-2432.6		J	-1063.2	693.7	43.6	533.5	-
1436.8	-3119.0							
1239.1	2685.4	q5 - p~2	I	-752.7	-283.6	-31.0	104.2	
1274.0	2975.1		J	-763.0	-295.6	-31.3	108.5	
1283.1	-2315.7	q5 - p~3	I	-995.7	643.4	36.8	573.4	-
1319.0	-2966.3		J	-1006.9	657.4	36.4	572.4	-
1140.1	2555.3	q5 - p~4	I	-713.1	-268.3	-30.8	8.5	
1171.7	2829.4		J	-723.0	-279.7	-31.1	9.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-63.0	521.5	q7	I	-196.0	69.5	2.1	87.2	
-65.1	451.9		J	-196.0	69.5	2.1	87.2	
-38.6	13.3	T	I	-0.3	0.6	1.0	16.5	
-39.7	12.8		J	-0.3	0.6	1.0	16.5	
149.8	-2676.6	M. tor~1	I	-40.6	-317.0	-17.1	79.6	
166.9	-2641.7		J	-40.6	-317.0	-17.1	88.2	
88.6	-1582.4	M. tor~2	I	-24.0	-187.4	-10.1	47.0	
98.7	-1561.8		J	-24.0	-187.4	-10.1	52.1	
0258.3	4472.1	INVSLU Max	I	1394.2	971.0	6868.9	3868.0	-2
4455.8	5153.0		J	1405.4	992.1	7127.9	4044.7	-2
5768.9	-4956.7	Min	I	-1657.8	-1045.0	3762.2	-6387.0	-4
1480.8	-5570.3		J	-1681.3	-1066.1	3949.6	-6395.8	-5
4705.8	26608.0	INVSLV Max	I	2006.9	1388.4	3579.8	2850.3	-1
7543.6	26014.5		J	2002.7	1388.4	3717.0	2850.3	-1
5075.0	-26851.1	Min	I	-2176.9	-1436.8	2527.4	-4214.2	-2
8483.2	-26209.1		J	-2181.1	-1436.8	2664.6	-4214.2	-2

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5096.7	3112.8	INVSLE Max	I	922.1	647.8	5085.2	2830.4	-1
			J	929.2	661.9	5277.1	2961.6	-1
8208.6	3488.3	Min	I	-1117.4	-702.7	2789.6	-4696.3	-3
3812.3	-3388.6		J	-1133.6	-716.7	2928.5	-4703.1	-3
8040.8	-3797.4							
816	1	52 C1-C2;~1 Max	I	19.5	50.4	2055.6	3417.7	
3843.1	1124.2		J	19.4	50.4	2110.5	3556.6	
3951.9	1181.8	Min	I	-66.2	-66.1	-231.2	-2798.4	-1
3770.4	-1390.4		J	-67.7	-66.1	-230.3	-2814.2	-1
4930.9	-1432.6							
		C3-C4;~1 Max	I	19.8	54.3	2059.5	2426.5	
3913.7	1187.7		J	19.8	54.3	2114.3	2533.8	
4027.9	1239.0	Min	I	-66.5	-62.7	-235.5	-3656.8	-1
4142.5	-1217.1		J	-68.0	-62.7	-234.7	-3713.3	-1
5312.6	-1261.0							
		C1-C2;~2 Max	I	10.8	26.4	1158.8	1889.0	
1955.3	552.0		J	10.8	26.4	1185.9	1973.1	
2010.4	593.7	Min	I	-36.9	-34.9	-123.4	-1407.7	-
6940.1	-725.0		J	-37.6	-34.9	-123.1	-1407.2	-
7443.7	-747.7							
		C3-C4;~2 Max	I	11.0	28.4	1160.7	1295.0	
1998.1	613.0		J	11.0	28.4	1187.8	1362.0	
2055.7	639.8	Min	I	-37.0	-32.8	-125.9	-1901.5	-
7146.3	-626.1		J	-37.7	-32.8	-125.6	-1924.0	-
7655.4	-649.8							
		SLVx (RS)	I	1668.9	-1193.4	-205.4	-2996.0	
3773.9	-22975.1		J	1668.9	-1193.4	-205.4	-2996.0	
3924.4	-22365.1							
		SLVy (RS)	I	-1299.7	-775.0	-126.2	1866.5	
2361.0	8472.4		J	-1299.7	-775.0	-126.2	1866.5	
2419.7	8493.5							
		SLDx (RS)	I	1174.5	-838.7	-150.4	-2089.4	
2699.6	-16244.3		J	1174.5	-838.7	-150.4	-2089.4	
2810.6	-15828.8							
		SLDy (RS)	I	-858.3	-545.7	-92.1	1312.7	
1645.3	5650.0		J	-858.3	-545.7	-92.1	1312.7	
1687.8	5678.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3196.4	1982.8	SLVz (RS)	I	-129.3	-74.8	-432.7	-110.5	
			J	-129.3	-74.8	-432.7	-110.5	
3615.2	1985.6							
		G1	I	-62.6	-23.2	2337.5	-288.2	-1
6868.7	-191.9		J	-65.6	-23.2	2438.0	-288.2	-1
9257.1	-168.7							
		G2	I	-22.9	-8.5	853.5	-106.6	-
6157.6	-69.7		J	-24.0	-8.5	890.2	-106.6	-
7029.7	-61.3							
		G1- Imp~1	I	-2.5	5.4	-0.2	9.6	
4.7	127.1		J	-2.5	5.4	-0.2	9.6	
4.9	121.7							
		G2- Imp~1	I	-0.9	2.0	-0.1	3.5	
1.7	46.5		J	-0.9	2.0	-0.1	3.5	
1.7	44.5							
		q3	I	-234.9	73.5	0.8	15.7	
125.8	-87.0		J	-238.1	73.5	0.8	15.7	
128.1	-160.4							
		q4-1	I	105.2	-68.4	-5.8	-60.7	
66.5	-445.0		J	105.2	-68.4	-5.8	-60.7	
72.3	-376.6							
		q4-2	I	106.8	27.3	1.4	-34.7	
-74.8	-824.2		J	106.8	27.3	1.4	-34.7	
-76.3	-851.5							
		q4-3	I	1.0	-25.3	4.4	74.7	
-149.9	1052.6		J	1.0	-25.3	4.4	74.7	
-154.2	1078.0							
		q4-4	I	0.6	5.1	0.8	20.5	
-26.3	-339.2		J	0.6	5.1	0.8	20.5	
-27.0	-344.4							
		q4-5	I	-0.1	0.5	-1.0	-7.7	
34.5	-10.6		J	-0.1	0.5	-1.0	-7.7	
35.5	-11.2							
		q4-6	I	-0.1	-0.9	-1.0	-7.2	
34.5	60.8		J	-0.1	-0.9	-1.0	-7.2	
35.5	61.6							
		q4-7	I	-0.1	-0.6	-1.0	-6.9	
35.4	45.9		J	-0.1	-0.6	-1.0	-6.9	
36.4	46.5							
		q5 - p~1	I	-1054.0	707.5	44.1	551.5	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1431.0	-3118.8		J	-1065.7	722.5	43.8	546.2	-
1470.7	-3834.0							
1276.5	2974.3	q5 - p~2	I	-766.8	-285.6	-31.3	92.4	
1311.7	3265.8		J	-777.3	-297.3	-31.6	96.6	
1312.5	-2966.1	q5 - p~3	I	-998.2	670.5	36.9	589.0	-
1348.5	-3643.8		J	-1009.3	684.7	36.6	588.0	-
1172.9	2828.7	q5 - p~4	I	-726.6	-270.2	-31.1	-5.4	
1204.8	3104.5		J	-736.5	-281.2	-31.4	-4.7	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-63.8	451.9	q7	I	-195.1	72.0	2.2	88.2	
-66.0	379.8		J	-195.1	72.0	2.2	88.2	
-39.4	12.8	T	I	-0.3	0.6	1.0	17.0	
-40.5	12.2		J	-0.3	0.6	1.0	17.0	
167.0	-2641.9	M. tor~1	I	-44.8	-316.4	-17.2	85.5	
184.2	-2607.6		J	-44.8	-316.4	-17.2	94.0	
98.7	-1561.9	M. tor~2	I	-26.5	-187.1	-10.2	50.5	
108.9	-1541.7		J	-26.5	-187.1	-10.2	55.6	
4477.2	5167.0	INVSLU Max	I	1392.5	1011.7	7128.4	4607.3	-2
8687.7	6252.2		J	1403.5	1033.0	7387.2	4789.9	-2
1485.5	-5555.9	Min	I	-1667.4	-1086.0	3949.1	-5960.7	-5
7503.0	-6569.9		J	-1690.6	-1107.3	4135.7	-6032.0	-5
7578.8	26023.6	INVSLV Max	I	2008.8	1424.0	3723.0	3207.4	-1
0545.2	25445.1		J	2004.6	1424.0	3860.1	3207.4	-2
8461.0	-26199.8	Min	I	-2186.4	-1472.7	2658.6	-3970.8	-2
2015.0	-25572.5		J	-2190.6	-1472.7	2795.8	-3970.8	-3

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

8224.0	3498.7	INVSLE Max	I	920.6	674.9	5277.4	3377.1	-1
			J	927.5	689.1	5469.2	3512.8	-2
1345.5	4227.2	Min	I	-1124.2	-730.0	2928.1	-4379.7	-3
8044.7	-3786.8		J	-1140.2	-744.2	3066.4	-4432.9	-4
2499.5	-4462.5							
817	1	52 C1-C2;~1 Max	I	21.4	50.0	2110.5	3159.6	
3963.1	1176.4		J	21.3	50.0	2165.8	3306.6	
4116.2	1234.4	Min	I	-69.8	-65.4	-230.3	-2981.8	-1
4929.6	-1442.3		J	-71.3	-65.4	-230.0	-3018.6	-1
6184.4	-1485.0							
		C3-C4;~1 Max	I	21.6	53.8	2114.2	2201.1	
4040.7	1229.6		J	21.5	53.8	2169.0	2314.8	
4196.8	1282.0	Min	I	-69.9	-62.0	-234.7	-3926.8	-1
5294.5	-1270.7		J	-71.4	-62.0	-234.4	-3984.8	-1
6556.4	-1314.9							
		C1-C2;~2 Max	I	11.9	26.2	1185.9	1789.9	
2017.7	591.0		J	11.9	26.2	1213.1	1878.4	
2090.5	621.3	Min	I	-38.7	-34.5	-123.0	-1500.2	-
7452.7	-753.0		J	-39.3	-34.5	-122.9	-1514.9	-
7994.4	-775.9							
		C3-C4;~2 Max	I	12.0	28.2	1187.8	1203.4	
2063.8	635.2		J	12.0	28.2	1214.5	1273.7	
2138.2	662.4	Min	I	-38.7	-32.4	-125.6	-2046.2	-
7658.3	-655.4		J	-39.3	-32.4	-125.5	-2069.4	-
8204.4	-679.3							
		SLVx (RS)	I	1705.2	-1180.1	-205.0	-2881.9	
4030.2	-22365.4		J	1705.2	-1180.1	-205.0	-2881.9	
4183.6	-21820.4							
		SLVy (RS)	I	-1322.6	-762.9	-127.7	1819.0	
2456.6	8495.1		J	-1322.6	-762.9	-127.7	1819.0	
2520.3	8598.7							
		SLDx (RS)	I	1199.4	-829.6	-150.2	-2010.8	
2881.7	-15829.1		J	1199.4	-829.6	-150.2	-2010.8	
2994.9	-15459.2							
		SLDy (RS)	I	-873.8	-537.1	-93.1	1278.7	
1715.8	5679.2		J	-873.8	-537.1	-93.1	1278.7	
1762.0	5759.7							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3611.9	1983.7	SLVz (RS)	I	-128.2	-72.9	-436.7	221.8	
			J	-128.2	-72.9	-436.7	221.8	
4039.2	1983.3							
		G1	I	-66.3	-22.8	2438.0	-1128.9	-1
9227.1	-195.0		J	-69.5	-22.8	2539.3	-1128.9	-2
1736.7	-172.1							
		G2	I	-24.2	-8.3	890.2	-413.4	-
7018.6	-70.9		J	-25.4	-8.3	927.2	-413.4	-
7935.0	-62.5							
		G1- Imp~1	I	-2.7	5.2	-0.2	9.7	
4.3	121.7		J	-2.7	5.2	-0.2	9.7	
4.5	116.5							
		G2- Imp~1	I	-1.0	1.9	-0.1	3.6	
1.5	44.5		J	-1.0	1.9	-0.1	3.6	
1.6	42.6							
		q3	I	-241.1	63.0	0.5	21.4	
127.5	-160.1		J	-244.3	63.0	0.5	21.4	
130.0	-223.6							
		q4-1	I	108.1	-63.7	-5.7	-57.2	
75.4	-376.7		J	108.1	-63.7	-5.7	-57.2	
81.1	-312.4							
		q4-2	I	105.5	31.9	1.5	-37.3	
-73.5	-851.8		J	105.5	31.9	1.5	-37.3	
-75.0	-884.0							
		q4-3	I	2.1	-25.3	4.4	67.1	
-158.8	1077.8		J	2.1	-25.3	4.4	67.1	
-163.3	1103.3							
		q4-4	I	0.3	5.2	0.8	19.5	
-27.4	-344.4		J	0.3	5.2	0.8	19.5	
-28.2	-349.6							
		q4-5	I	-0.1	0.5	-1.0	-6.2	
35.8	-11.1		J	-0.1	0.5	-1.0	-6.2	
36.8	-11.7							
		q4-6	I	-0.1	-0.9	-0.9	-5.7	
35.7	61.7		J	-0.1	-0.9	-0.9	-5.7	
36.6	62.6							
		q4-7	I	-0.0	-0.6	-1.0	-5.3	
36.6	46.5		J	-0.0	-0.6	-1.0	-5.3	
37.5	47.2							
		q5 - p~1	I	-1096.4	675.2	42.1	484.1	-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1488.2	-3834.9		J	-1108.9	689.7	41.7	478.8	-
1525.9	-4523.1							
1301.9	3268.6	q5 - p~2	I	-763.5	-331.1	-31.7	151.6	
1337.6	3608.9		J	-773.5	-343.8	-32.0	156.1	
1368.2	-3644.6	q5 - p~3	I	-1038.4	639.9	35.0	531.0	-
1402.4	-4296.8		J	-1050.2	653.6	34.6	530.1	-
1199.7	3107.0	q5 - p~4	I	-723.5	-313.3	-31.5	45.8	
1232.3	3429.0		J	-732.9	-325.3	-31.8	46.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-70.3	380.0	q7	I	-198.1	63.4	2.0	84.9	
-72.2	316.0		J	-198.1	63.4	2.0	84.9	
-41.2	12.2	T	I	-0.3	0.5	1.0	15.2	
-42.2	11.6		J	-0.3	0.5	1.0	15.2	
183.4	-2607.1	M. tor~1	I	-30.9	-318.1	-16.8	103.9	
200.3	-2570.9		J	-30.9	-318.1	-16.8	112.7	
108.4	-1541.4	M. tor~2	I	-18.3	-188.1	-9.9	61.4	
118.4	-1519.9		J	-18.3	-188.1	-9.9	66.7	
8599.9	6198.5	INVSLU Max	I	1446.8	965.9	7385.6	2647.9	-2
2979.3	7245.8		J	1458.6	986.6	7645.9	2841.5	-3
7440.4	-6626.7	Min	I	-1737.4	-1039.1	4137.3	-7812.0	-5
3803.5	-7603.0		J	-1761.7	-1059.7	4324.7	-7885.5	-6
0389.2	25409.4	INVSLV Max	I	2046.2	1406.9	3864.4	1965.0	-2
3514.3	24919.5		J	2041.9	1406.9	4002.7	1965.0	-2
2090.6	-25608.8	Min	I	-2234.7	-1454.8	2791.4	-5023.2	-3
5817.1	-25070.5		J	-2239.0	-1454.8	2929.7	-5023.2	-3

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1281.6	4187.4	INVSLE Max	I	956.3	644.4	5468.0	1930.1	-2
			J	963.8	658.2	5660.9	2073.9	-2
4528.0	4890.6	Min	I	-1171.6	-698.6	3067.4	-5755.4	-4
2452.0	-4504.5		J	-1188.3	-712.4	3206.2	-5810.2	-4
7162.9	-5155.2							
818	1	52 C1-C2;~1 Max	I	20.6	39.6	296.1	2759.6	
4085.9	1124.8		J	20.8	39.6	296.4	2723.3	
3810.3	1094.2	Min	I	-40.8	-45.7	-2201.3	-3796.4	-1
6167.1	-1393.9		J	-40.3	-45.7	-2146.7	-3653.6	-1
4825.9	-1351.4							
		C3-C4;~1 Max	I	20.2	34.6	304.2	3677.1	
4174.7	1149.3		J	20.3	34.6	304.4	3619.7	
3889.6	1119.0	Min	I	-44.3	-39.5	-2205.6	-2742.4	-1
6557.6	-1189.9		J	-43.8	-39.5	-2151.2	-2631.4	-1
5216.7	-1155.8							
		C1-C2;~2 Max	I	10.7	20.3	157.5	1373.6	
2074.3	562.9		J	10.8	20.3	157.6	1359.1	
1924.9	548.2	Min	I	-21.5	-23.5	-1227.3	-2103.1	-
7978.7	-728.5		J	-21.3	-23.5	-1200.7	-2017.3	-
7382.8	-706.3							
		C3-C4;~2 Max	I	10.2	18.1	162.4	1898.1	
2126.6	590.9		J	10.3	18.1	162.5	1875.2	
1971.7	575.3	Min	I	-23.8	-20.3	-1229.4	-1475.5	-
8193.6	-611.3		J	-23.6	-20.3	-1202.8	-1407.0	-
7599.6	-593.8							
		SLVx (RS)	I	1329.3	903.7	328.4	1992.1	
3196.8	-22301.4		J	1329.3	903.7	328.4	1992.1	
2948.3	-22348.3							
		SLVy (RS)	I	-1180.9	422.3	181.3	1736.8	
1902.4	8548.7		J	-1180.9	422.3	181.3	1736.8	
1782.9	8580.8							
		SLDx (RS)	I	941.2	642.7	245.3	1406.4	
2334.7	-15790.9		J	941.2	642.7	245.3	1406.4	
2143.9	-15828.8							
		SLDy (RS)	I	-769.5	304.8	126.9	1206.3	
1301.0	5695.3		J	-769.5	304.8	126.9	1206.3	
1220.6	5699.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4042.4	1969.7	SLVz (RS)	I	-126.6	-84.8	368.4	-174.4	
			J	-126.6	-84.8	368.4	-174.4	
3697.4	1939.9							
		G1	I	-32.4	-8.0	-2521.9	-31.1	-2
1750.3	-149.4		J	-31.0	-8.0	-2421.2	-31.1	-1
9273.9	-141.4							
		G2	I	-11.8	-2.9	-920.9	-11.2	-
7940.1	-54.2		J	-11.3	-2.9	-884.1	-11.2	-
7035.8	-51.3							
		G1- Imp~1	I	-1.5	2.8	0.3	1.4	
7.8	118.3		J	-1.5	2.8	0.3	1.4	
7.5	115.5							
		G2- Imp~1	I	-0.5	1.0	0.1	0.5	
2.8	43.3		J	-0.5	1.0	0.1	0.5	
2.7	42.2							
		q3	I	-192.3	-64.5	28.3	-124.8	
268.9	-106.0		J	-195.5	-64.5	28.3	-124.8	
243.6	-41.4							
		q4-1	I	77.8	7.4	-2.4	32.8	
1.5	-375.1		J	77.8	7.4	-2.4	32.8	
3.9	-382.5							
		q4-2	I	110.8	13.5	-5.3	-23.3	
-69.0	-872.9		J	110.8	13.5	-5.3	-23.3	
-63.7	-886.4							
		q4-3	I	39.0	52.2	-2.5	-48.6	
-37.9	1194.2		J	39.0	52.2	-2.5	-48.6	
-35.5	1141.8							
		q4-4	I	9.5	-22.4	2.1	37.8	
-0.6	-328.9		J	9.5	-22.4	2.1	37.8	
-2.6	-306.4							
		q4-5	I	-1.5	5.2	3.0	0.4	
31.9	-15.1		J	-1.5	5.2	3.0	0.4	
28.9	-20.3							
		q4-6	I	-0.5	0.2	2.6	-17.9	
35.0	62.1		J	-0.5	0.2	2.6	-17.9	
32.4	61.8							
		q4-7	I	-0.2	-0.3	2.8	-16.0	
36.7	47.2		J	-0.2	-0.3	2.8	-16.0	
33.8	47.5							
		q5 - p~1	I	-620.0	-594.8	19.5	-12.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-191.7	-3442.2		J	-631.3	-579.5	19.6	-18.3	
-207.3	-2853.9							
1171.1	3444.6	q5 - p~2	I	-855.9	-96.9	99.6	-9.5	
1075.1	3547.2		J	-866.8	-107.9	99.8	-5.5	
-135.5	-3273.5	q5 - p~3	I	-587.2	-563.5	16.5	-121.6	
-151.3	-2716.2		J	-597.9	-548.9	16.6	-122.7	
1068.6	3275.8	q5 - p~4	I	-811.1	-91.2	89.9	24.0	
979.2	3372.4		J	-821.5	-101.6	90.0	24.7	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
82.0	532.2	q7	I	-251.8	-45.7	12.2	-150.5	
69.7	578.0		J	-251.8	-45.7	12.2	-150.5	
-40.9	11.7	T	I	-0.1	0.1	-0.6	-12.3	
-40.3	11.6		J	-0.1	0.1	-0.6	-12.3	
235.6	-2555.5	M. tor~1	I	-43.6	-350.4	17.5	-52.5	
218.1	-2487.2		J	-43.6	-350.4	17.5	-56.4	
139.3	-1510.8	M. tor~2	I	-25.8	-207.2	10.3	-31.0	
128.9	-1470.5		J	-25.8	-207.2	10.3	-33.4	
3348.5	5663.2	INVSLU Max	I	1168.7	863.3	-4146.5	4929.9	-3
9256.8	5796.5		J	1187.0	841.5	-3960.5	4857.4	-2
3504.0	-5962.3	Min	I	-1311.3	-886.5	-7714.9	-5199.9	-6
7043.5	-6067.6		J	-1324.0	-864.7	-7456.1	-5012.1	-5
4107.7	25414.9	INVSLV Max	I	1675.4	1048.8	-2921.2	2525.1	-2
1182.8	25469.6		J	1677.3	1048.8	-2783.7	2525.1	-2
5252.0	-25498.9	Min	I	-1767.9	-1062.8	-3963.7	-2605.8	-3
1416.2	-25539.5		J	-1765.9	-1062.8	-3826.2	-2605.8	-3

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4778.0	3831.8	INVSLE Max	I	775.6	576.9	-3078.1	3651.8	-2
			J	788.0	562.3	-2940.3	3597.7	-2
1740.7	3919.7	Min	I	-881.2	-594.1	-5708.2	-3851.8	-4
6964.7	-4053.3		J	-889.4	-579.5	-5516.4	-3712.3	-4
2185.4	-4120.6							
819	1	52 C1-C2;~1 Max	I	20.3	39.9	296.4	2787.1	
3806.3	1093.6		J	20.5	39.9	297.2	2783.9	
3575.4	1062.7	Min	I	-39.8	-46.0	-2146.7	-3554.5	-1
4827.7	-1353.0		J	-39.3	-46.0	-2091.9	-3416.1	-1
3632.4	-1310.4							
		C3-C4;~1 Max	I	19.9	34.8	304.4	3682.5	
3885.8	1118.2		J	19.9	34.8	305.3	3635.2	
3644.5	1087.7	Min	I	-43.2	-39.7	-2151.3	-2547.7	-1
5213.7	-1157.3		J	-42.7	-39.7	-2096.6	-2440.8	-1
4007.9	-1123.1							
		C1-C2;~2 Max	I	10.5	20.5	157.6	1392.4	
1922.3	547.9		J	10.6	20.5	158.0	1402.4	
1790.8	533.1	Min	I	-21.1	-23.6	-1200.7	-1971.0	-
7386.6	-707.1		J	-20.9	-23.6	-1173.6	-1887.3	-
6870.0	-684.8							
		C3-C4;~2 Max	I	10.0	18.2	162.5	1906.4	
1969.2	574.9		J	10.1	18.2	162.8	1890.7	
1831.9	559.2	Min	I	-23.3	-20.4	-1202.8	-1366.4	-
7601.7	-594.6		J	-23.1	-20.4	-1175.9	-1299.8	-
7079.3	-577.0							
		SLVx (RS)	I	1345.8	892.7	327.0	1959.8	
2961.6	-22348.2		J	1345.8	892.7	327.0	1959.8	
2732.6	-22391.8							
		SLVy (RS)	I	-1195.5	415.1	178.8	1716.7	
1792.0	8581.0		J	-1195.5	415.1	178.8	1716.7	
1685.2	8617.1							
		SLDx (RS)	I	952.5	635.1	244.3	1384.0	
2152.4	-15828.7		J	952.5	635.1	244.3	1384.0	
1975.6	-15863.7							
		SLDy (RS)	I	-778.5	300.2	125.0	1191.3	
1228.8	5699.6		J	-778.5	300.2	125.0	1191.3	
1157.8	5708.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3698.3	1939.7	SLVz (RS)	I	-126.4	-87.2	364.2	-151.7	
			J	-126.4	-87.2	364.2	-151.7	
3359.0	1904.1							
		G1	I	-30.8	-8.0	-2421.2	208.8	-1
9272.6	-144.7		J	-29.4	-8.0	-2320.5	208.8	-1
6897.0	-136.7							
		G2	I	-11.3	-2.9	-884.1	76.4	-
7035.3	-52.5		J	-10.8	-2.9	-847.3	76.4	-
6167.9	-49.6							
		G1- Imp~1	I	-1.5	2.8	0.3	1.2	
7.5	115.5		J	-1.5	2.8	0.3	1.2	
7.2	112.7							
		G2- Imp~1	I	-0.5	1.0	0.1	0.5	
2.7	42.2		J	-0.5	1.0	0.1	0.5	
2.6	41.2							
		q3	I	-196.3	-62.1	28.3	-127.8	
242.0	-41.3		J	-199.5	-62.1	28.3	-127.8	
216.8	20.9							
		q4-1	I	77.9	6.4	-2.4	32.7	
4.4	-382.5		J	77.9	6.4	-2.4	32.7	
6.8	-388.9							
		q4-2	I	111.0	12.1	-5.3	-22.4	
-63.8	-886.5		J	111.0	12.1	-5.3	-22.4	
-58.5	-898.6							
		q4-3	I	39.7	51.7	-2.5	-48.3	
-36.3	1141.8		J	39.7	51.7	-2.5	-48.3	
-33.8	1090.0							
		q4-4	I	9.2	-22.6	2.1	37.9	
-2.1	-306.4		J	9.2	-22.6	2.1	37.9	
-4.2	-283.8							
		q4-5	I	-1.4	5.2	3.0	0.0	
28.9	-20.2		J	-1.4	5.2	3.0	0.0	
26.0	-25.4							
		q4-6	I	-0.5	0.3	2.6	-18.3	
32.2	61.8		J	-0.5	0.3	2.6	-18.3	
29.6	61.6							
		q4-7	I	-0.2	-0.3	2.8	-16.4	
33.6	47.5		J	-0.2	-0.3	2.8	-16.4	
30.8	47.8							
		q5 - p~1	I	-638.5	-571.6	19.7	-15.4	

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name				
			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-207.0	-2853.8		J	-649.5	-556.1	19.8	-21.0
-222.8	-2288.9						
1074.3	3547.5	q5 - p~2	I	-868.1	-97.1	99.7	-19.3
978.4	3650.2		J	-879.2	-107.9	99.8	-15.4
-152.4	-2716.2	q5 - p~3	I	-604.6	-541.4	16.7	-120.5
-168.4	-2181.0		J	-615.1	-526.8	16.8	-121.5
978.9	3372.7	q5 - p~4	I	-822.7	-91.4	90.0	12.2
889.4	3469.4		J	-833.2	-101.6	90.1	12.9
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
67.7	578.0	q7	I	-252.3	-42.5	12.2	-151.4
55.5	620.7		J	-252.3	-42.5	12.2	-151.4
-40.5	11.6	T	I	-0.1	0.1	-0.6	-11.8
-39.9	11.4		J	-0.1	0.1	-0.6	-11.8
217.8	-2487.2	M. tor~1	I	-48.0	-349.8	17.5	-58.9
200.2	-2419.5		J	-48.0	-349.8	17.5	-62.8
128.8	-1470.4	M. tor~2	I	-28.4	-206.8	10.4	-34.8
118.4	-1430.4		J	-28.4	-206.8	10.4	-37.1
9259.9	5790.2	INVSLU Max	I	1188.8	830.4	-3960.5	5384.5 -2
5295.0	5923.5		J	1207.2	808.4	-3773.7	5322.2 -2
7036.5	-6075.3	Min	I	-1325.0	-853.7	-7456.0	-4437.1 -5
0944.2	-6180.6		J	-1337.9	-831.7	-7196.8	-4251.8 -5
1173.3	25465.0	INVSLV Max	I	1698.3	1036.3	-2789.0	2807.2 -2
8370.7	25515.7		J	1700.2	1036.3	-2651.6	2807.2 -1
1422.1	-25543.9	Min	I	-1786.4	-1050.4	-3820.9	-2233.4 -3
7739.4	-25580.6		J	-1784.5	-1050.4	-3683.4	-2233.4 -2

MIDAS

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1743.0	3915.1	INVSLE Max	I	789.2	554.9	-2940.3	3988.0	-2
			J	801.7	540.3	-2802.0	3941.8	-1
8799.6	4003.0	Min	I	-890.1	-572.2	-5516.4	-3286.2	-4
2180.3	-4126.3		J	-898.5	-557.5	-5324.4	-3148.8	-3
7673.9	-4193.5							
820	1	52 C1-C2;~1 Max	I	20.0	40.1	297.2	2832.8	
3571.4	1062.3		J	20.2	40.1	298.7	2852.0	
3780.0	1031.3	Min	I	-38.8	-46.3	-2091.9	-3328.7	-1
3632.7	-1311.8		J	-38.3	-46.3	-2037.0	-3194.7	-1
2527.7	-1268.9							
		C3-C4;~1 Max	I	19.5	35.1	305.3	3684.2	
3640.9	1087.1		J	19.5	35.1	306.7	3674.1	
3753.7	1056.5	Min	I	-42.1	-40.0	-2096.6	-2368.1	-1
4003.9	-1124.5		J	-41.6	-40.0	-2041.8	-2265.4	-1
2887.4	-1090.2							
		C1-C2;~2 Max	I	10.3	20.6	158.0	1428.2	
1788.1	532.9		J	10.4	20.6	158.5	1454.7	
1964.6	518.0	Min	I	-20.6	-23.8	-1173.6	-1847.2	-
6873.0	-685.7		J	-20.4	-23.8	-1146.2	-1765.6	-
6392.5	-663.2							
		C3-C4;~2 Max	I	9.8	18.3	162.8	1915.2	
1829.4	559.0		J	9.8	18.3	163.4	1927.0	
1935.2	543.2	Min	I	-22.8	-20.6	-1175.9	-1265.1	-
7080.7	-577.8		J	-22.5	-20.6	-1148.6	-1200.5	-
6594.1	-560.1							
		SLVx (RS)	I	1361.9	882.1	324.5	1927.4	
2747.1	-22391.7		J	1361.9	882.1	324.5	1927.4	
2543.0	-22430.6							
		SLVy (RS)	I	-1210.1	408.1	175.3	1696.6	
1695.4	8617.3		J	-1210.1	408.1	175.3	1696.6	
1602.9	8656.1							
		SLDx (RS)	I	963.6	627.8	242.4	1361.5	
1985.0	-15863.6		J	963.6	627.8	242.4	1361.5	
1826.2	-15895.0							
		SLDy (RS)	I	-787.6	295.6	122.3	1176.2	
1166.6	5708.4		J	-787.6	295.6	122.3	1176.2	
1106.2	5720.7							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
3359.2	1903.8	SLVz (RS)	I	-126.1	-90.1	359.3	-141.6	
			J	-126.1	-90.1	359.3	-141.6	
3026.3	1862.6							
		G1	I	-29.3	-8.0	-2320.5	419.1	-1
6892.8	-139.6		J	-27.9	-8.0	-2219.9	419.1	-1
4618.1	-131.6							
		G2	I	-10.7	-2.9	-847.3	153.1	-
6166.3	-50.6		J	-10.2	-2.9	-810.6	153.1	-
5335.7	-47.7							
		G1- Imp~1	I	-1.4	2.8	0.3	1.1	
7.2	112.7		J	-1.4	2.8	0.3	1.1	
6.9	109.8							
		G2- Imp~1	I	-0.5	1.0	0.1	0.4	
2.6	41.2		J	-0.5	1.0	0.1	0.4	
2.5	40.2							
		q3	I	-200.3	-59.6	28.2	-130.5	
215.2	21.0		J	-203.5	-59.6	28.2	-130.5	
189.9	80.7							
		q4-1	I	78.0	5.4	-2.4	32.7	
7.2	-388.9		J	78.0	5.4	-2.4	32.7	
9.6	-394.4							
		q4-2	I	111.1	10.7	-5.3	-21.6	
-58.6	-898.6		J	111.1	10.7	-5.3	-21.6	
-53.3	-909.3							
		q4-3	I	40.3	51.2	-2.5	-48.0	
-34.6	1089.9		J	40.3	51.2	-2.5	-48.0	
-32.1	1038.6							
		q4-4	I	8.9	-22.7	2.1	38.0	
-3.7	-283.8		J	8.9	-22.7	2.1	38.0	
-5.8	-261.0							
		q4-5	I	-1.4	5.2	3.0	-0.3	
26.0	-25.4		J	-1.4	5.2	3.0	-0.3	
23.0	-30.6							
		q4-6	I	-0.5	0.3	2.6	-18.7	
29.4	61.6		J	-0.5	0.3	2.6	-18.7	
26.8	61.3							
		q4-7	I	-0.2	-0.3	2.8	-16.8	
30.6	47.8		J	-0.2	-0.3	2.8	-16.8	
27.7	48.0							
		q5 - p~1	I	-656.4	-547.9	19.9	-18.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-222.6	-2288.8		J	-667.3	-532.3	20.0	-23.6	
-238.7	-1747.6							
977.4	3650.5	q5 - p~2	I	-880.5	-96.9	99.8	-27.9	
881.4	3752.8		J	-891.7	-107.4	99.9	-24.2	
-169.5	-2180.9	q5 - p~3	I	-621.7	-519.1	16.9	-119.2	
-185.8	-1668.3		J	-632.0	-504.2	17.0	-120.2	
888.9	3469.6	q5 - p~4	I	-834.4	-91.2	90.0	1.4	
799.3	3565.9		J	-845.0	-101.1	90.2	2.1	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
53.5	620.7	q7	I	-252.8	-39.4	12.2	-152.2	
41.2	660.1		J	-252.8	-39.4	12.2	-152.2	
-40.1	11.4	T	I	-0.1	0.1	-0.6	-11.3	
-39.5	11.3		J	-0.1	0.1	-0.6	-11.3	
199.8	-2419.4	M. tor~1	I	-52.4	-349.2	17.6	-65.0	
182.2	-2352.4		J	-52.4	-349.2	17.6	-68.9	
118.1	-1430.4	M. tor~2	I	-31.0	-206.4	10.4	-38.4	
107.7	-1390.8		J	-31.0	-206.4	10.4	-40.7	
5292.9	5918.3	INVSLU Max	I	1209.0	796.9	-3773.8	5781.6	-2
1000.3	6050.9		J	1227.6	774.7	-3586.2	5764.6	-2
0930.5	-6187.4	Min	I	-1339.0	-820.3	-7196.8	-3752.4	-5
5144.8	-6291.9		J	-1352.1	-798.1	-6937.3	-3568.1	-4
8357.5	25511.7	INVSLV Max	I	1720.8	1024.5	-2658.2	3052.7	-1
5674.5	25557.0		J	1722.7	1024.5	-2520.7	3052.7	-1
7741.4	-25584.4	Min	I	-1804.7	-1038.6	-3676.8	-1905.1	-2
4214.5	-25615.5		J	-1802.8	-1038.6	-3539.3	-1905.1	-2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

8798.0	3999.1	INVSLE	Max	I	802.9	532.7	-2802.0	4281.6	-1
				J	815.5	517.9	-2663.1	4269.2	-1
5611.9	4086.7		Min	I	-899.1	-550.0	-5324.3	-2778.4	-3
7663.8	-4198.5			J	-907.7	-535.2	-5132.1	-2642.1	-3
3384.5	-4265.2								
821	1	52 C1-C2;~1	Max	I	19.7	40.4	298.7	2883.7	
3778.6	1031.0			J	19.8	40.4	300.7	2903.1	
4264.2	999.8		Min	I	-37.7	-46.5	-2037.0	-3118.6	-1
2527.0	-1270.3			J	-37.2	-46.5	-1982.0	-2989.0	-1
1516.6	-1227.2								
		C3-C4;~1	Max	I	19.1	35.3	306.7	3704.8	
3761.6	1056.2			J	19.1	35.3	308.7	3695.1	
4228.2	1025.4		Min	I	-41.0	-40.2	-2041.8	-2202.0	-1
2882.9	-1091.5			J	-40.5	-40.2	-1986.9	-2103.3	-1
1860.1	-1057.1								
		C1-C2;~2	Max	I	10.1	20.7	158.5	1471.0	
1959.2	517.9			J	10.2	20.7	159.4	1497.4	
2354.1	502.8		Min	I	-20.1	-23.9	-1146.2	-1731.5	-
6394.9	-664.0			J	-19.9	-23.9	-1118.6	-1652.1	-
5952.2	-641.4								
		C3-C4;~2	Max	I	9.6	18.4	163.4	1941.2	
1936.5	543.1			J	9.6	18.4	164.2	1952.9	
2321.8	527.2		Min	I	-22.2	-20.7	-1148.6	-1171.1	-
6595.1	-560.9			J	-22.0	-20.7	-1121.0	-1108.5	-
6145.9	-543.1								
		SLVx (RS)		I	1377.6	872.0	320.8	1895.0	
2558.7	-22430.5			J	1377.6	872.0	320.8	1895.0	
2384.9	-22463.6								
		SLVy (RS)		I	-1224.6	401.1	170.8	1676.5	
1614.2	8656.2			J	-1224.6	401.1	170.8	1676.5	
1537.3	8696.6								
		SLDx (RS)		I	974.4	620.8	239.6	1338.9	
1836.5	-15894.9			J	974.4	620.8	239.6	1338.9	
1700.3	-15921.7								
		SLDy (RS)		I	-796.7	291.1	118.8	1161.2	
1115.7	5720.8			J	-796.7	291.1	118.8	1161.2	
1066.5	5736.0								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3025.7	1862.4	SLVz (RS)	I	-125.9	-93.3	353.7	-143.0	
			J	-125.9	-93.3	353.7	-143.0	
2699.7	1815.8							
		G1	I	-27.8	-8.1	-2219.9	601.0	-1
4611.6	-134.0		J	-26.4	-8.1	-2119.2	601.0	-1
2437.8	-125.9							
		G2	I	-10.1	-2.9	-810.6	219.5	-
5333.3	-48.6		J	-9.6	-2.9	-773.8	219.5	-
4539.6	-45.7							
		G1- Imp~1	I	-1.4	2.9	0.3	1.1	
6.9	109.8		J	-1.4	2.9	0.3	1.1	
6.6	107.0							
		G2- Imp~1	I	-0.5	1.0	0.1	0.4	
2.5	40.2		J	-0.5	1.0	0.1	0.4	
2.4	39.1							
		q3	I	-204.2	-57.0	28.2	-132.9	
188.3	80.7		J	-207.4	-57.0	28.2	-132.9	
163.0	137.9							
		q4-1	I	78.0	4.5	-2.4	32.6	
10.1	-394.4		J	78.0	4.5	-2.4	32.6	
12.4	-398.8							
		q4-2	I	111.3	9.3	-5.3	-20.8	
-53.4	-909.4		J	111.3	9.3	-5.3	-20.8	
-48.1	-918.7							
		q4-3	I	41.0	50.7	-2.5	-47.7	
-32.8	1038.6		J	41.0	50.7	-2.5	-47.7	
-30.3	987.7							
		q4-4	I	8.7	-22.8	2.1	38.1	
-5.2	-261.0		J	8.7	-22.8	2.1	38.1	
-7.3	-238.2							
		q4-5	I	-1.3	5.2	3.0	-0.6	
23.0	-30.6		J	-1.3	5.2	3.0	-0.6	
20.0	-35.8							
		q4-6	I	-0.5	0.3	2.6	-19.0	
26.6	61.3		J	-0.5	0.3	2.6	-19.0	
24.0	61.1							
		q4-7	I	-0.2	-0.3	2.8	-17.2	
27.5	48.0		J	-0.2	-0.3	2.8	-17.2	
24.7	48.3							
		q5 - p~1	I	-673.9	-524.0	20.0	-20.4	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-238.7	-1747.5		J	-684.6	-508.2	20.2	-26.1	
-254.9	-1230.4							
880.4	3753.1	q5 - p~2	I	-893.0	-96.2	99.8	-35.5	
784.4	3854.6		J	-904.4	-106.5	100.0	-31.9	
-187.0	-1668.2	q5 - p~3	I	-638.2	-496.3	17.0	-117.7	
-203.4	-1178.3		J	-648.3	-481.4	17.1	-118.7	
798.7	3566.2	q5 - p~4	I	-846.2	-90.5	90.1	-8.2	
709.0	3661.7		J	-857.0	-100.2	90.3	-7.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
39.2	660.2	q7	I	-253.3	-36.2	12.2	-152.7	
27.0	696.5		J	-253.3	-36.2	12.2	-152.7	
-39.6	11.3	T	I	-0.1	0.1	-0.6	-10.8	
-39.0	11.2		J	-0.1	0.1	-0.6	-10.8	
181.7	-2352.3	M. tor~1	I	-56.7	-348.5	17.6	-70.9	
164.0	-2285.9		J	-56.7	-348.5	17.6	-74.8	
107.4	-1390.7	M. tor~2	I	-33.5	-206.0	10.4	-41.9	
97.0	-1351.5		J	-33.5	-206.0	10.4	-44.2	
0990.9	6046.6	INVSLU Max	I	1229.4	763.0	-3586.3	6150.9	-2
6416.6	6178.1		J	1248.2	740.6	-3397.9	6134.4	-1
5125.8	-6297.8	Min	I	-1353.2	-786.5	-6937.3	-3140.1	-4
9652.4	-6401.0		J	-1366.5	-764.1	-6677.7	-2961.9	-3
5657.9	25553.5	INVSLV Max	I	1742.9	1013.2	-2528.9	3262.9	-1
3092.0	25591.8		J	1744.8	1013.2	-2391.4	3262.9	-1
4213.2	-25618.7	Min	I	-1822.5	-1027.4	-3531.2	-1618.9	-2
0844.7	-25642.8		J	-1820.7	-1027.4	-3393.8	-1618.9	-2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5604.9	4083.5	INVSLE Max	I	816.6	510.0	-2663.1	4554.5	-1
			J	829.3	495.1	-2523.6	4542.6	-1
2210.1	4170.2	Min	I	-908.3	-527.4	-5132.1	-2324.4	-3
3370.4	-4269.5		J	-917.0	-512.5	-4939.8	-2192.6	-2
9322.5	-4335.4							
822	1	52 C1-C2;~1 Max	I	19.3	40.6	300.7	2917.6	
4256.4	999.7		J	19.4	40.6	303.4	2937.0	
4840.6	968.3	Min	I	-36.7	-46.8	-1982.0	-2923.6	-1
1515.4	-1228.5		J	-36.2	-46.8	-1927.0	-2798.4	-1
0603.5	-1185.1							
		C3-C4;~1 Max	I	18.7	35.5	308.7	3708.6	
4230.0	1025.3		J	18.7	35.5	311.3	3699.2	
4797.1	994.4	Min	I	-39.9	-40.4	-1986.9	-2048.0	-1
1855.5	-1058.4		J	-39.4	-40.4	-1931.9	-1953.4	-1
0930.3	-1023.9							
		C1-C2;~2 Max	I	9.9	20.8	159.4	1504.2	
2349.6	502.8		J	10.0	20.8	160.4	1530.2	
2763.9	487.7	Min	I	-19.7	-24.1	-1118.6	-1624.0	-
5954.2	-642.2		J	-19.4	-24.1	-1090.7	-1546.8	-
5551.0	-619.5							
		C3-C4;~2 Max	I	9.4	18.5	164.2	1957.7	
2323.9	527.3		J	9.4	18.5	165.3	1969.2	
2728.9	511.3	Min	I	-21.7	-20.8	-1121.0	-1084.0	-
6146.7	-543.8		J	-21.5	-20.8	-1093.2	-1023.4	-
5736.5	-526.0							
		SLVx (RS)	I	1392.9	862.4	315.8	1862.5	
2402.1	-22463.4		J	1392.9	862.4	315.8	1862.5	
2264.0	-22489.5							
		SLVy (RS)	I	-1239.1	394.1	165.6	1656.4	
1549.8	8696.7		J	-1239.1	394.1	165.6	1656.4	
1488.9	8737.4							
		SLDx (RS)	I	985.0	614.1	235.8	1316.2	
1711.7	-15921.6		J	985.0	614.1	235.8	1316.2	
1602.5	-15943.2							
		SLDy (RS)	I	-805.7	286.6	114.7	1146.2	
1076.7	5736.0		J	-805.7	286.6	114.7	1146.2	
1038.8	5753.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2698.6	1815.6	SLVz (RS)	I	-125.6	-96.9	347.3	-152.5	
			J	-125.6	-96.9	347.3	-152.5	
2380.1	1764.0							
		G1	I	-26.3	-8.1	-2119.2	755.7	-1
2429.1	-128.0		J	-24.9	-8.1	-2018.5	755.7	-1
0356.2	-119.9							
		G2	I	-9.6	-2.9	-773.8	276.0	-
4536.4	-46.4		J	-9.1	-2.9	-737.0	276.0	-
3779.5	-43.5							
		G1- Imp~1	I	-1.4	2.9	0.3	1.0	
6.6	107.0		J	-1.4	2.9	0.3	1.0	
6.3	104.1							
		G2- Imp~1	I	-0.5	1.0	0.1	0.4	
2.4	39.1		J	-0.5	1.0	0.1	0.4	
2.3	38.1							
		q3	I	-208.1	-54.4	28.2	-134.9	
161.3	137.9		J	-211.3	-54.4	28.2	-134.9	
136.1	192.5							
		q4-1	I	78.1	3.5	-2.3	32.5	
12.9	-398.8		J	78.1	3.5	-2.3	32.5	
15.3	-402.3							
		q4-2	I	111.4	7.9	-5.3	-20.1	
-48.2	-918.7		J	111.4	7.9	-5.3	-20.1	
-42.9	-926.6							
		q4-3	I	41.6	50.2	-2.5	-47.4	
-31.1	987.7		J	41.6	50.2	-2.5	-47.4	
-28.6	937.4							
		q4-4	I	8.4	-22.9	2.1	38.2	
-6.8	-238.2		J	8.4	-22.9	2.1	38.2	
-8.9	-215.3							
		q4-5	I	-1.2	5.2	3.0	-0.8	
20.0	-35.8		J	-1.2	5.2	3.0	-0.8	
17.0	-41.1							
		q4-6	I	-0.5	0.3	2.6	-19.3	
23.7	61.1		J	-0.5	0.3	2.6	-19.3	
21.2	60.8							
		q4-7	I	-0.2	-0.2	2.8	-17.5	
24.5	48.3		J	-0.2	-0.2	2.8	-17.5	
21.6	48.5							
		q5 - p~1	I	-690.8	-499.6	20.2	-22.8	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name					
			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E					
-255.0	-1230.3		J	-701.3	-483.7	20.3	-28.5	
-271.6	-737.7							
783.3	3854.9	q5 - p~2	I	-905.6	-95.2	99.9	-42.0	
687.2	3955.2		J	-917.1	-105.1	100.1	-38.5	
-204.6	-1178.3	q5 - p~3	I	-654.3	-473.3	17.2	-116.1	
-221.2	-711.6		J	-664.2	-458.2	17.3	-117.1	
708.3	3662.0	q5 - p~4	I	-858.2	-89.5	90.2	-16.8	
618.6	3756.4		J	-869.1	-98.9	90.3	-16.1	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
25.0	696.5	q7	I	-253.7	-33.1	12.2	-153.1	
12.8	729.6		J	-253.7	-33.1	12.2	-153.1	
-39.2	11.2	T	I	-0.1	0.1	-0.6	-10.3	
-38.6	11.0		J	-0.1	0.1	-0.6	-10.3	
163.5	-2285.9	M. tor~1	I	-61.1	-347.8	17.7	-76.6	
145.8	-2220.3		J	-61.1	-347.8	17.7	-80.4	
96.7	-1351.4	M. tor~2	I	-36.1	-205.6	10.5	-45.3	
86.2	-1312.6		J	-36.1	-205.6	10.5	-47.5	
6412.0	6174.7	INVSLU Max	I	1249.9	728.5	-3397.9	6446.5	-1
1890.5	6304.3		J	1268.8	706.0	-3208.6	6430.5	-1
9629.3	-6406.1	Min	I	-1367.6	-752.1	-6677.6	-2597.5	-3
4473.7	-6507.3		J	-1381.1	-729.5	-6417.9	-2425.2	-3
3072.4	25588.9	INVSLV Max	I	1764.7	1002.6	-2400.9	3438.2	-1
0621.0	25618.8		J	1766.5	1002.6	-2263.4	3438.2	-1
0840.7	-25645.4	Min	I	-1840.1	-1016.9	-3384.3	-1372.1	-2
7633.1	-25661.1		J	-1838.2	-1016.9	-3246.8	-1372.1	-1

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

2206.7	4167.7	INVSLE Max	I	830.5	487.1	-2523.6	4773.1	-1
			J	843.3	472.0	-2383.4	4761.5	-
8851.0	4253.2	Min	I	-917.7	-504.5	-4939.8	-1922.0	-2
9305.5	-4339.1		J	-926.5	-489.5	-4747.4	-1794.6	-2
5492.8	-4403.6							
823	1	52 C1-C2;~1 Max	I	18.9	40.8	303.4	2935.1	
4834.0	968.3		J	19.1	40.8	306.8	2954.3	
5473.2	936.9	Min	I	-35.7	-47.1	-1927.0	-2743.3	-1
0602.2	-1186.4		J	-35.2	-47.1	-1871.9	-2622.3	-
9792.0	-1143.0							
		C3-C4;~1 Max	I	18.3	35.7	311.3	3695.2	
4800.1	994.6		J	18.3	35.7	314.7	3685.8	
5421.8	963.6	Min	I	-38.8	-40.7	-1931.9	-1905.4	-1
0926.0	-1025.1		J	-38.3	-40.7	-1876.9	-1814.8	-1
0101.5	-990.5							
		C1-C2;~2 Max	I	9.7	21.0	160.4	1527.8	
2760.2	487.7		J	9.8	21.0	161.8	1553.4	
3193.4	472.6	Min	I	-19.2	-24.2	-1090.7	-1524.2	-
5552.7	-620.2		J	-19.0	-24.2	-1062.6	-1449.3	-
5190.2	-597.5							
		C3-C4;~2 Max	I	9.2	18.7	165.3	1964.3	
2731.8	511.5		J	9.2	18.7	166.6	1975.6	
3155.7	495.5	Min	I	-21.2	-20.9	-1093.2	-1003.3	-
5737.2	-526.7		J	-21.0	-20.9	-1065.1	-944.8	-
5367.3	-508.8							
		SLVx (RS)	I	1407.9	853.4	309.4	1829.8	
2282.4	-22489.4		J	1407.9	853.4	309.4	1829.8	
2184.4	-22507.3							
		SLVy (RS)	I	-1253.6	387.3	159.9	1636.3	
1502.6	8737.6		J	-1253.6	387.3	159.9	1636.3	
1457.6	8777.5							
		SLDx (RS)	I	995.3	607.9	231.0	1293.3	
1614.9	-15943.1		J	995.3	607.9	231.0	1293.3	
1536.6	-15958.5							
		SLDy (RS)	I	-814.7	282.1	110.2	1131.2	
1049.6	5753.3		J	-814.7	282.1	110.2	1131.2	
1022.6	5771.8							


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2378.5	1763.8	SLVz (RS)	I	-125.4	100.7	340.2	-166.1	
			J	-125.4	100.7	340.2	-166.1	
2068.5	1707.6							
0345.8	-121.5	G1	I	-24.8	-8.1	-2018.5	884.5	-1
8373.7	-113.4		J	-23.4	-8.1	-1917.8	884.5	-
3775.7	-44.1	G2	I	-9.0	-3.0	-737.0	323.0	-
3055.6	-41.1		J	-8.6	-3.0	-700.3	323.0	-
6.3	104.1	G1- Imp~1	I	-1.3	2.9	0.3	0.9	
6.0	101.2		J	-1.3	2.9	0.3	0.9	
2.3	38.1	G2- Imp~1	I	-0.5	1.1	0.1	0.3	
2.2	37.0		J	-0.5	1.1	0.1	0.3	
134.4	192.5	q3	I	-212.0	-51.8	28.2	-136.6	
109.2	244.4		J	-215.2	-51.8	28.2	-136.6	
15.7	-402.3	q4-1	I	78.1	2.5	-2.3	32.4	
18.1	-404.9		J	78.1	2.5	-2.3	32.4	
-43.0	-926.7	q4-2	I	111.5	6.5	-5.3	-19.5	
-37.7	-933.2		J	111.5	6.5	-5.3	-19.5	
-29.4	937.4	q4-3	I	42.2	49.7	-2.5	-47.2	
-26.8	887.5		J	42.2	49.7	-2.5	-47.2	
-8.4	-215.3	q4-4	I	8.1	-23.0	2.1	38.3	
-10.5	-192.2		J	8.1	-23.0	2.1	38.3	
17.0	-41.1	q4-5	I	-1.2	5.2	3.0	-1.1	
14.0	-46.3		J	-1.2	5.2	3.0	-1.1	
20.9	60.8	q4-6	I	-0.5	0.3	2.6	-19.6	
18.3	60.5		J	-0.5	0.3	2.6	-19.6	
21.4	48.5	q4-7	I	-0.2	-0.2	2.8	-17.8	
18.6	48.8		J	-0.2	-0.2	2.8	-17.8	
		q5 - p~1	I	-707.3	-475.0	20.3	-25.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-271.8	-737.6		J	-717.6	-458.9	20.5	-30.8	
-288.5	-269.7							
686.0	3955.4	q5 - p~2	I	-918.4	-93.6	100.0	-47.5	
589.9	4054.1		J	-930.0	-103.3	100.1	-44.0	
-222.5	-711.5	q5 - p~3	I	-669.9	-449.9	17.3	-114.3	
-239.2	-268.3		J	-679.6	-434.7	17.4	-115.3	
617.7	3756.6	q5 - p~4	I	-870.3	-88.0	90.2	-24.2	
528.0	3849.4		J	-881.3	-97.2	90.4	-23.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
10.8	729.6	q7	I	-254.1	-29.9	12.1	-153.4	
-1.4	759.6		J	-254.1	-29.9	12.1	-153.4	
-38.7	11.0	T	I	-0.1	0.1	-0.6	-9.8	
-38.1	10.9		J	-0.1	0.1	-0.6	-9.8	
145.1	-2220.2	M. tor~1	I	-65.4	-347.0	17.8	-82.0	
127.3	-2155.4		J	-65.4	-347.0	17.8	-85.8	
85.8	-1312.6	M. tor~2	I	-38.7	-205.1	10.5	-48.5	
75.3	-1274.3		J	-38.7	-205.1	10.5	-50.7	
1881.2	6301.8	INVSLU Max	I	1270.5	693.6	-3208.7	6670.1	-1
7471.3	6428.9		J	1289.6	670.9	-3018.5	6654.3	-
4447.8	-6511.6	Min	I	-1382.2	-717.3	-6417.9	-2121.5	-3
9614.0	-6610.4		J	-1395.9	-694.5	-6158.2	-1955.0	-2
0598.9	25616.4	INVSLV Max	I	1786.0	992.7	-2274.1	3579.3	-1
8178.9	25636.7		J	1787.8	992.7	-2136.7	3579.3	-
7626.8	-25663.1	Min	I	-1857.2	-1006.9	-3236.1	-1161.9	-1
4663.4	-25669.1		J	-1855.4	-1006.9	-3098.6	-1161.9	-1


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


8844.0	4251.3	INVSLE Max	I	844.4	463.8	-2383.4	4938.3	-
			J	857.3	448.6	-2242.5	4926.8	-
5571.1	4335.2	Min	I	-927.1	-481.3	-4747.4	-1568.9	-2
5473.7	-4406.8		J	-936.1	-466.1	-4555.0	-1445.9	-2
1899.5	-4469.6							
824	1	52 C1-C2;~1 Max	I	18.6	41.1	306.8	2936.7	
5468.0	937.1		J	18.7	41.1	310.9	2955.7	
6161.8	906.4	Min	I	-34.7	-47.3	-1872.0	-2577.0	-
9791.2	-1144.2		J	-34.1	-47.3	-1817.0	-2460.1	-
9084.7	-1101.4							
		C3-C4;~1 Max	I	17.9	36.0	314.7	3665.5	
5426.3	964.0		J	17.9	36.0	318.8	3656.1	
6102.1	932.9	Min	I	-37.7	-40.9	-1876.9	-1773.4	-1
0098.2	-991.6		J	-37.1	-40.9	-1822.0	-1686.5	-
9376.4	-957.0							
		C1-C2;~2 Max	I	9.5	21.1	161.8	1542.3	
3190.5	472.7		J	9.6	21.1	163.4	1567.5	
3641.5	457.8	Min	I	-18.7	-24.4	-1062.6	-1432.2	-
5191.9	-598.1		J	-18.5	-24.4	-1034.3	-1359.4	-
4870.8	-575.6							
		C3-C4;~2 Max	I	9.0	18.8	166.6	1961.6	
3159.4	495.7		J	9.0	18.8	168.2	1972.5	
3601.2	479.6	Min	I	-20.7	-21.0	-1065.1	-928.9	-
5368.2	-509.5		J	-20.4	-21.0	-1036.9	-872.4	-
5039.4	-491.6							
		SLVx (RS)	I	1422.4	845.0	301.5	1797.1	
2203.8	-22507.2		J	1422.4	845.0	301.5	1797.1	
2147.9	-22516.1							
		SLVy (RS)	I	-1268.0	380.8	153.9	1616.0	
1472.4	8777.6		J	-1268.0	380.8	153.9	1616.0	
1442.3	8815.8							
		SLDx (RS)	I	1005.3	602.1	225.1	1270.2	
1549.8	-15958.4		J	1005.3	602.1	225.1	1270.2	
1504.5	-15967.1							
		SLDy (RS)	I	-823.7	277.8	105.4	1116.2	
1033.8	5771.9		J	-823.7	277.8	105.4	1116.2	
1016.7	5791.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2066.3	1707.5	SLVz (RS)	I	-125.3	104.5	332.7	-181.1	
			J	-125.3	104.5	332.7	-181.1	
1766.0	1647.2							
		G1	I	-23.3	-8.1	-1917.8	988.6	-
8361.9	-114.7		J	-22.0	-8.1	-1817.1	988.6	-
6490.7	-106.5							
		G2	I	-8.5	-3.0	-700.3	361.0	-
3051.3	-41.6		J	-8.0	-3.0	-663.5	361.0	-
2368.0	-38.6							
		G1- Imp~1	I	-1.3	2.9	0.3	0.8	
6.0	101.2		J	-1.3	2.9	0.3	0.8	
5.7	98.3							
		G2- Imp~1	I	-0.5	1.1	0.1	0.3	
2.2	37.0		J	-0.5	1.1	0.1	0.3	
2.1	36.0							
		q3	I	-215.8	-49.1	28.2	-138.0	
107.4	244.4		J	-219.0	-49.1	28.2	-138.0	
82.2	293.7							
		q4-1	I	78.2	1.5	-2.3	32.2	
18.5	-404.9		J	78.2	1.5	-2.3	32.2	
20.9	-406.4							
		q4-2	I	111.5	5.1	-5.3	-18.9	
-37.8	-933.2		J	111.5	5.1	-5.3	-18.9	
-32.5	-938.4							
		q4-3	I	42.8	49.2	-2.5	-46.9	
-27.6	887.5		J	42.8	49.2	-2.5	-46.9	
-25.1	838.3							
		q4-4	I	7.8	-23.1	2.1	38.5	
-10.0	-192.2		J	7.8	-23.1	2.1	38.5	
-12.1	-169.1							
		q4-5	I	-1.1	5.3	3.0	-1.2	
14.0	-46.3		J	-1.1	5.3	3.0	-1.2	
11.0	-51.6							
		q4-6	I	-0.4	0.3	2.6	-19.9	
18.1	60.5		J	-0.4	0.3	2.6	-19.9	
15.5	60.2							
		q4-7	I	-0.2	-0.2	2.8	-18.0	
18.3	48.8		J	-0.2	-0.2	2.8	-18.0	
15.5	49.0							
		q5 - p~1	I	-723.3	-450.0	20.5	-27.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-288.8	-269.6		J	-733.3	-433.8	20.6	-33.0	
-305.7	173.1							
588.6	4054.3	q5 - p~2	I	-931.2	-91.6	100.1	-51.8	
492.5	4150.8		J	-942.9	-101.0	100.2	-48.4	
-240.6	-268.2	q5 - p~3	I	-685.0	-426.2	17.4	-112.3	
-257.5	151.2		J	-694.5	-410.9	17.5	-113.4	
527.0	3849.6	q5 - p~4	I	-882.4	-86.2	90.3	-30.6	
437.2	3940.4		J	-893.5	-95.0	90.5	-30.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-3.4	759.6	q7	I	-254.5	-26.7	12.1	-153.4	
-15.6	786.4		J	-254.5	-26.7	12.1	-153.4	
-38.2	10.9	T	I	-0.1	0.1	-0.6	-9.3	
-37.7	10.8		J	-0.1	0.1	-0.6	-9.3	
126.6	-2155.3	M. tor~1	I	-69.7	-346.1	17.8	-87.1	
108.8	-2091.3		J	-69.7	-346.1	17.8	-90.9	
74.9	-1274.3	M. tor~2	I	-41.2	-204.6	10.5	-51.5	
64.3	-1236.4		J	-41.2	-204.6	10.5	-53.7	
7457.6	6427.2	INVSLU Max	I	1291.2	658.2	-3018.5	6825.2	-
3159.9	6551.2		J	1310.4	635.3	-2827.4	6809.4	-
9586.5	-6614.0	Min	I	-1396.9	-681.9	-6158.1	-1708.9	-2
5077.3	-6710.0		J	-1410.7	-659.0	-5898.6	-1548.1	-2
8139.6	25634.8	INVSLV Max	I	1806.9	983.4	-2148.3	3686.9	-
5740.5	25644.2		J	1808.7	983.4	-2010.8	3686.9	-
4670.3	-25670.7	Min	I	-1874.0	-997.7	-3087.0	-985.6	-1
1961.3	-25665.8		J	-1872.2	-997.7	-2949.6	-985.6	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

5560.8	4333.9	INVSLE	Max	I	858.4	440.2	-2242.6	5052.8	-
				J	871.4	424.9	-2101.0	5041.4	-
2371.0	4415.6		Min	I	-936.7	-457.8	-4555.0	-1263.0	-2
1879.3	-4472.2			J	-945.7	-442.5	-4362.7	-1144.2	-1
8545.5	-4533.3								
825	1	52	C1-C2;~1	Max	I	18.2	41.3	310.9	2922.7
6158.1	906.7			J	18.3	41.3	322.6	2941.4	
6904.2	876.4			Min	I	-33.6	-47.6	-1817.0	-
9084.7	-1102.5			J	-33.1	-47.6	-1762.3	-2311.3	-
8482.0	-1060.2								
			C3-C4;~1	Max	I	17.4	36.2	318.8	3619.7
6108.2	933.4			J	17.5	36.2	327.9	3610.1	
6835.6	902.3			Min	I	-36.5	-41.1	-1822.0	-
9374.4	-958.1			J	-35.9	-41.1	-1767.2	-1567.9	-
8755.4	-923.4								
			C1-C2;~2	Max	I	9.3	21.2	163.4	1547.8
3639.6	458.0			J	9.3	21.2	170.6	1572.4	
4106.7	443.2			Min	I	-18.2	-24.5	-1034.3	-
4872.7	-576.2			J	-18.0	-24.5	-1005.9	-1276.9	-
4593.1	-553.9								
			C3-C4;~2	Max	I	8.7	18.9	168.2	1949.5
3605.7	480.0			J	8.8	18.9	173.4	1960.0	
4063.6	463.9			Min	I	-20.1	-21.2	-1036.9	-
5040.6	-492.2			J	-19.8	-21.2	-1008.4	-805.9	-
4752.9	-474.3								
			SLVx (RS)	I	1436.5	837.2	292.3	1764.3	
2167.9	-22515.9			J	1436.5	837.2	292.3	1764.3	
2153.2	-22514.7								
			SLVy (RS)	I	-1282.3	374.5	147.8	1595.7	
1458.0	8815.9			J	-1282.3	374.5	147.8	1595.7	
1441.4	8851.3								
			SLDx (RS)	I	1015.0	596.7	218.2	1247.1	
1518.2	-15967.0			J	1015.0	596.7	218.2	1247.1	
1505.7	-15968.3								
			SLDy (RS)	I	-832.7	273.7	100.6	1101.2	
1028.3	5791.0			J	-832.7	273.7	100.6	1101.2	
1019.7	5809.9								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1763.3	1647.1	SLVz (RS)	I	-125.4	108.2	325.0	-195.4	
			J	-125.4	108.2	325.0	-195.4	
1474.5	1583.4							
6477.7	-107.4	G1	I	-21.9	-8.2	-1817.1	1069.2	-
4707.4	-99.3		J	-20.5	-8.2	-1716.4	1069.2	-
2363.3	-38.9	G2	I	-8.0	-3.0	-663.5	390.4	-
1716.9	-36.0		J	-7.5	-3.0	-626.7	390.4	-
5.7	98.3	G1- Imp~1	I	-1.2	2.9	0.3	0.7	
5.4	95.4		J	-1.2	2.9	0.3	0.7	
2.1	36.0	G2- Imp~1	I	-0.5	1.1	0.1	0.3	
2.0	34.9		J	-0.5	1.1	0.1	0.3	
80.4	293.7	q3	I	-219.6	-46.4	28.2	-139.0	
55.3	340.1		J	-222.8	-46.4	28.2	-139.0	
21.3	-406.4	q4-1	I	78.2	0.6	-2.3	32.0	
23.7	-407.0		J	78.2	0.6	-2.3	32.0	
-32.6	-938.4	q4-2	I	111.6	3.8	-5.2	-18.4	
-27.3	-942.2		J	111.6	3.8	-5.2	-18.4	
-25.8	838.2	q4-3	I	43.4	48.6	-2.5	-46.7	
-23.3	789.5		J	43.4	48.6	-2.5	-46.7	
-11.6	-169.1	q4-4	I	7.5	-23.2	2.1	38.7	
-13.7	-145.9		J	7.5	-23.2	2.1	38.7	
11.0	-51.6	q4-5	I	-1.0	5.3	3.0	-1.4	
8.0	-56.9		J	-1.0	5.3	3.0	-1.4	
15.2	60.2	q4-6	I	-0.4	0.3	2.6	-20.0	
12.7	59.9		J	-0.4	0.3	2.6	-20.0	
15.3	49.0	q4-7	I	-0.2	-0.2	2.8	-18.2	
12.4	49.3		J	-0.2	-0.2	2.8	-18.2	
		q5 - p~1	I	-738.7	-424.6	20.6	-29.2	

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-306.2	173.2		J	-748.6	-408.4	20.7	-35.0	
-323.3	590.5							
491.2	4151.0	q5 - p~2	I	-944.1	-89.2	100.1	-55.0	
395.0	4244.9		J	-955.9	-98.3	100.3	-51.8	
-258.9	151.2	q5 - p~3	I	-699.6	-402.2	17.5	-110.2	
-275.9	546.5		J	-709.0	-386.8	17.7	-111.3	
436.1	3940.5	q5 - p~4	I	-894.6	-83.9	90.4	-35.8	
346.3	4028.9		J	-905.8	-92.4	90.5	-35.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-17.6	786.4	q7	I	-254.8	-23.5	12.1	-153.3	
-29.7	810.0		J	-254.8	-23.5	12.1	-153.3	
-37.8	10.8	T	I	-0.1	0.1	-0.6	-8.9	
-37.2	10.7		J	-0.1	0.1	-0.6	-8.9	
108.0	-2091.3	M. tor~1	I	-74.0	-345.2	17.8	-92.0	
90.1	-2028.2		J	-74.0	-345.2	17.8	-95.7	
63.8	-1236.4	M. tor~2	I	-43.8	-204.1	10.6	-54.4	
53.3	-1199.1		J	-43.8	-204.1	10.6	-56.6	
3142.1	6550.2	INVSLU Max	I	1312.0	622.4	-2827.4	6914.2	-
1040.1	6670.5		J	1331.3	599.2	-2629.4	6898.4	
5049.5	-6712.9	Min	I	-1411.7	-646.2	-5898.5	-1356.8	-2
0865.0	-6805.4		J	-1425.7	-623.0	-5639.1	-1201.5	-2
5699.0	25642.7	INVSLV Max	I	1827.3	974.8	-2023.1	3762.2	-
3389.0	25640.2		J	1829.1	974.8	-1885.7	3762.2	-
1967.4	-25667.0	Min	I	-1890.4	-989.1	-2937.3	-841.1	-1
9444.8	-25650.1		J	-1888.6	-989.1	-2799.8	-841.1	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

2357.7	4414.9	INVSLE Max	I	872.5	416.3	-2101.0	5118.6	-
			J	885.5	400.9	-1954.4	5107.0	
746.6	4494.2	Min	I	-946.3	-433.9	-4362.6	-1002.0	-1
8525.0	-4535.4		J	-955.5	-418.5	-4170.5	-887.1	-1
5431.7	-4594.1							
826	1	52 C1-C2;~1 Max	I	17.7	41.5	322.6	2894.3	
6902.1	876.8		J	17.8	41.5	346.0	2912.6	
7694.9	847.0	Min	I	-32.6	-47.8	-1762.3	-2284.2	-
8483.2	-1061.2		J	-32.0	-47.8	-1707.7	-2175.1	-
7981.3	-1019.3							
		C3-C4;~1 Max	I	17.0	36.4	327.9	3558.1	
6843.5	903.1		J	17.0	36.4	347.3	3548.3	
7617.1	871.9	Min	I	-35.4	-41.3	-1767.2	-1538.2	-
8755.1	-924.5		J	-34.8	-41.3	-1712.6	-1458.4	-
8236.2	-889.9							
		C1-C2;~2 Max	I	9.1	21.3	170.6	1544.8	
4105.6	443.5		J	9.1	21.3	186.1	1568.9	
4585.9	428.9	Min	I	-17.7	-24.6	-1005.9	-1270.0	-
4595.3	-554.5		J	-17.5	-24.6	-977.4	-1201.5	-
4356.0	-532.3							
		C3-C4;~2 Max	I	8.5	19.0	173.4	1928.3	
4069.0	464.3		J	8.5	19.0	186.0	1938.3	
4540.0	448.2	Min	I	-19.5	-21.3	-1008.4	-797.6	-
4754.6	-474.9		J	-19.2	-21.3	-979.9	-745.1	-
4506.9	-457.0							
		SLVx (RS)	I	1450.2	830.0	281.7	1731.5	
2173.3	-22514.6		J	1450.2	830.0	281.7	1731.5	
2195.8	-22502.3							
		SLVy (RS)	I	-1296.5	368.8	141.9	1575.3	
1457.9	8851.4		J	-1296.5	368.8	141.9	1575.3	
1452.9	8883.0							
		SLDx (RS)	I	1024.4	591.8	210.3	1223.9	
1519.6	-15968.2		J	1024.4	591.8	210.3	1223.9	
1536.7	-15961.3							
		SLDy (RS)	I	-841.5	269.8	95.7	1086.1	
1031.6	5809.9		J	-841.5	269.8	95.7	1086.1	
1030.0	5828.0							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1471.4	1583.3	SLVz (RS)	I	-125.7	111.8	317.2	-208.0	
			J	-125.7	111.8	317.2	-208.0	
1197.6	1516.8							
4693.6	-99.9	G1	I	-20.4	-8.2	-1716.4	1127.6	-
			J	-19.1	-8.2	-1615.7	1127.6	-
3024.2	-91.7							
1711.8	-36.2	G2	I	-7.5	-3.0	-626.7	411.7	-
			J	-7.0	-3.0	-590.0	411.7	-
1102.2	-33.2							
5.4	95.4	G1- Imp~1	I	-1.2	2.9	0.3	0.6	
			J	-1.2	2.9	0.3	0.6	
5.1	92.4							
2.0	34.9	G2- Imp~1	I	-0.4	1.1	0.1	0.2	
			J	-0.4	1.1	0.1	0.2	
1.9	33.8							
53.5	340.2	q3	I	-223.4	-43.6	28.1	-139.8	
			J	-226.6	-43.6	28.1	-139.8	
28.3	383.8							
24.1	-407.0	q4-1	I	78.2	-0.4	-2.3	31.7	
			J	78.2	-0.4	-2.3	31.7	
26.5	-406.6							
-27.4	-942.2	q4-2	I	111.6	2.4	-5.2	-17.9	
			J	111.6	2.4	-5.2	-17.9	
-22.1	-944.6							
-24.0	789.5	q4-3	I	44.0	48.1	-2.5	-46.5	
			J	44.0	48.1	-2.5	-46.5	
-21.5	741.3							
-13.2	-145.9	q4-4	I	7.2	-23.3	2.1	38.8	
			J	7.2	-23.3	2.1	38.8	
-15.3	-122.5							
8.0	-56.9	q4-5	I	-1.0	5.3	3.0	-1.4	
			J	-1.0	5.3	3.0	-1.4	
5.0	-62.1							
12.4	59.9	q4-6	I	-0.4	0.3	2.6	-20.2	
			J	-0.4	0.3	2.6	-20.2	
9.8	59.6							
12.2	49.3	q4-7	I	-0.2	-0.2	2.8	-18.4	
			J	-0.2	-0.2	2.8	-18.4	
9.4	49.5							
		q5 - p~1	I	-753.6	-399.0	20.7	-31.1	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-323.8	590.6		J	-763.3	-382.6	20.8	-37.0	
-341.1	982.2							
393.7	4245.1	q5 - p~2	I	-957.1	-86.3	100.2	-57.2	
297.5	4336.0		J	-969.0	-95.1	100.3	-54.0	
-277.3	546.6	q5 - p~3	I	-713.7	-377.9	17.6	-107.9	
-294.4	917.5		J	-722.9	-362.4	17.8	-109.0	
345.2	4029.0	q5 - p~4	I	-906.9	-81.1	90.4	-40.0	
255.3	4114.5		J	-918.2	-89.4	90.6	-39.4	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-31.8	810.0	q7	I	-255.1	-20.4	12.1	-153.0	
-43.9	830.4		J	-255.1	-20.4	12.1	-153.0	
-37.3	10.6	T	I	-0.1	0.1	-0.6	-8.4	
-36.7	10.5		J	-0.1	0.1	-0.6	-8.4	
89.2	-2028.1	M. tor~1	I	-78.3	-344.3	17.9	-96.6	
71.3	-1966.0		J	-78.3	-344.3	17.9	-100.3	
52.7	-1199.1	M. tor~2	I	-46.3	-203.5	10.6	-57.1	
42.1	-1162.3		J	-46.3	-203.5	10.6	-59.3	
1061.7	6670.2	INVSLU Max	I	1332.9	586.1	-2629.5	6940.2	
5160.3	6786.2		J	1352.3	562.8	-2417.6	6924.1	
0837.9	-6807.6	Min	I	-1426.7	-609.9	-5639.0	-1062.1	-2
7013.5	-6896.0		J	-1440.8	-586.6	-5379.9	-912.0	-1
3345.9	25639.1	INVSLV Max	I	1847.4	967.0	-1898.5	3806.6	-
1128.5	25623.6		J	1849.2	967.0	-1761.0	3806.6	-
9450.0	-25650.8	Min	I	-1906.4	-981.4	-2787.0	-726.4	-
7110.3	-25620.9		J	-1904.6	-981.4	-2649.6	-726.4	-


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

762.7	4494.0	INVSLE Max	I	886.5	392.1	-1954.4	5137.6	
			J	899.7	376.6	-1797.5	5125.9	
3802.2	4570.4	Min	I	-956.0	-409.8	-4170.4	-783.5	-1
5411.7	-4595.7		J	-965.3	-394.3	-3978.5	-672.5	-1
2582.3	-4651.7							
827	1	52 C1-C2;~1 Max	I	17.3	41.7	346.0	2851.3	
7694.5	847.6		J	17.4	41.7	371.5	2869.3	
8525.3	818.3	Min	I	-31.5	-48.1	-1707.7	-2156.4	-
7984.0	-1020.2		J	-30.9	-48.1	-1653.4	-2051.0	-
7575.7	-979.0							
		C3-C4;~1 Max	I	16.6	36.6	347.3	3482.2	
7626.7	872.9		J	16.6	36.6	372.7	3472.0	
8436.3	841.7	Min	I	-34.2	-41.5	-1712.6	-1434.1	-
8237.9	-890.9		J	-33.5	-41.5	-1658.3	-1357.5	-
7811.7	-856.4							
		C1-C2;~2 Max	I	8.8	21.4	186.1	1533.2	
4585.7	429.2		J	8.9	21.4	203.0	1556.8	
5074.8	414.9	Min	I	-17.2	-24.7	-977.4	-1199.3	-
4358.6	-532.8		J	-17.0	-24.7	-948.7	-1132.9	-
4156.8	-510.8							
		C3-C4;~2 Max	I	8.3	19.1	186.0	1898.7	
4546.2	448.8		J	8.3	19.1	202.8	1908.2	
5025.5	432.6	Min	I	-18.9	-21.4	-979.9	-740.4	-
4509.2	-457.5		J	-18.6	-21.4	-951.2	-689.7	-
4298.7	-439.6							
		SLVx (RS)	I	1463.5	823.7	269.8	1698.9	
2215.6	-22502.2		J	1463.5	823.7	269.8	1698.9	
2269.0	-22478.0							
		SLVy (RS)	I	-1310.6	363.6	136.2	1554.8	
1470.0	8883.1		J	-1310.6	363.6	136.2	1554.8	
1474.5	8910.1							
		SLDx (RS)	I	1033.5	587.4	201.3	1200.8	
1550.4	-15961.2		J	1033.5	587.4	201.3	1200.8	
1592.1	-15945.6							
		SLDy (RS)	I	-850.3	266.3	91.0	1071.1	
1042.0	5828.0		J	-850.3	266.3	91.0	1071.1	
1045.7	5844.6							

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1194.1	1516.7	SLVz (RS)	I	-126.4	115.0	309.3	-218.2	
			J	-126.4	115.0	309.3	-218.2	
942.3	1448.1							
3009.7	-92.0	G1	I	-19.0	-8.2	-1615.7	1165.0	-
			J	-17.7	-8.2	-1515.0	1165.0	-
1441.3	-83.8							
1097.0	-33.3	G2	I	-6.9	-3.0	-590.0	425.3	-
			J	-6.5	-3.0	-553.2	425.3	
-524.2	-30.3							
5.1	92.4	G1- Imp~1	I	-1.2	3.0	0.3	0.5	
			J	-1.2	3.0	0.3	0.5	
4.8	89.4							
1.9	33.8	G2- Imp~1	I	-0.4	1.1	0.1	0.2	
			J	-0.4	1.1	0.1	0.2	
1.8	32.8							
26.5	383.9	q3	I	-227.1	-40.8	28.1	-140.1	
			J	-230.4	-40.8	28.1	-140.1	
1.4	424.7							
26.9	-406.6	q4-1	I	78.2	-1.4	-2.3	31.4	
			J	78.2	-1.4	-2.3	31.4	
29.2	-405.2							
-22.2	-944.6	q4-2	I	111.6	1.0	-5.2	-17.5	
			J	111.6	1.0	-5.2	-17.5	
-17.0	-945.6							
-22.2	741.3	q4-3	I	44.6	47.5	-2.5	-46.3	
			J	44.6	47.5	-2.5	-46.3	
-19.7	693.6							
-14.8	-122.5	q4-4	I	6.9	-23.4	2.1	39.0	
			J	6.9	-23.4	2.1	39.0	
-16.9	-99.1							
5.0	-62.1	q4-5	I	-0.9	5.3	3.0	-1.5	
			J	-0.9	5.3	3.0	-1.5	
2.0	-67.5							
9.6	59.6	q4-6	I	-0.4	0.3	2.6	-20.3	
			J	-0.4	0.3	2.6	-20.3	
7.0	59.3							
9.1	49.5	q4-7	I	-0.2	-0.2	2.8	-18.5	
			J	-0.2	-0.2	2.8	-18.5	
6.3	49.7							
		q5 - p~1	I	-768.0	-373.1	20.8	-32.8	

MIDAS

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-341.7	982.2		J	-777.5	-356.5	20.9	-38.8	
-359.1	1347.8							
296.1	4336.2	q5 - p~2	I	-970.1	-83.0	100.2	-58.2	
199.9	4423.5		J	-982.1	-91.4	100.4	-55.2	
-295.9	917.6	q5 - p~3	I	-727.4	-353.4	17.7	-105.4	
-313.1	1263.8		J	-736.3	-337.7	17.8	-106.5	
254.1	4114.6	q5 - p~4	I	-919.3	-78.0	90.5	-43.1	
164.2	4196.8		J	-930.7	-86.0	90.6	-42.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-45.9	830.4	q7	I	-255.3	-17.2	12.0	-152.5	
-58.0	847.6		J	-255.3	-17.2	12.0	-152.5	
-36.8	10.5	T	I	-0.1	0.1	-0.6	-7.9	
-36.2	10.4		J	-0.1	0.1	-0.6	-7.9	
70.4	-1966.0	M. tor~1	I	-82.6	-343.3	17.9	-100.9	
52.4	-1904.8		J	-82.6	-343.3	17.9	-104.6	
41.6	-1162.3	M. tor~2	I	-48.8	-203.0	10.6	-59.7	
31.0	-1126.2		J	-48.8	-203.0	10.6	-61.8	
5187.0	6786.6	INVSLU Max	I	1353.7	549.3	-2417.7	6907.0	
9213.9	6897.5		J	1373.3	525.9	-2197.7	6890.6	
6989.7	-6897.6	Min	I	-1441.7	-573.2	-5379.8	-821.4	-1
3539.6	-6981.3		J	-1456.0	-549.8	-5121.0	-676.4	-1
1084.9	25623.0	INVSLV Max	I	1867.0	960.1	-1774.2	3821.9	-
1035.2	25593.6		J	1868.8	960.1	-1636.7	3821.9	
7114.5	-25621.2	Min	I	-1922.1	-974.4	-2636.4	-639.8	-
4953.0	-25577.4		J	-1920.3	-974.4	-2498.9	-639.8	-

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


3821.9	4570.6	INVSLE Max	I	900.6	367.7	-1797.5	5113.0	
			J	913.8	352.0	-1634.6	5101.0	
6803.6	4643.7	Min	I	-965.8	-385.4	-3978.4	-605.1	-1
2564.7	-4652.9		J	-975.1	-369.7	-3786.7	-497.9	-1
0007.8	-4705.7							
828	1	52 C1-C2;~1 Max	I	16.9	41.9	371.5	2795.2	
8526.3	819.0		J	17.0	41.9	398.2	2812.8	
9369.3	790.4	Min	I	-30.4	-48.3	-1653.4	-2040.1	-
7579.9	-979.8		J	-29.8	-48.3	-1599.5	-1938.2	-
7267.2	-939.2							
		C3-C4;~1 Max	I	16.1	36.7	372.7	3391.8	
8447.6	842.8		J	16.2	36.7	399.4	3381.3	
9282.9	811.8	Min	I	-33.0	-41.7	-1658.3	-1338.4	-
7815.4	-857.4		J	-32.3	-41.7	-1604.2	-1264.9	-
7488.9	-823.0							
		C1-C2;~2 Max	I	8.6	21.5	203.0	1513.9	
5075.3	415.2		J	8.6	21.5	220.6	1537.0	
5562.4	401.1	Min	I	-16.7	-24.9	-948.7	-1135.2	-
4159.8	-511.3		J	-16.4	-24.9	-920.1	-1070.8	-
3996.3	-489.6							
		C3-C4;~2 Max	I	8.1	19.2	202.8	1860.5	
5032.4	433.3		J	8.1	19.2	220.4	1869.5	
5515.1	417.1	Min	I	-18.3	-21.5	-951.2	-688.4	-
4301.6	-440.2		J	-18.0	-21.5	-922.5	-639.6	-
4130.9	-422.3							
		SLVx (RS)	I	1476.2	818.1	256.5	1666.7	
2288.2	-22477.9		J	1476.2	818.1	256.5	1666.7	
2365.3	-22441.0							
		SLVy (RS)	I	-1324.5	359.1	130.8	1534.2	
1492.1	8910.1		J	-1324.5	359.1	130.8	1534.2	
1504.1	8931.8							
		SLDx (RS)	I	1042.3	583.5	191.3	-1177.8	
1605.5	-15945.5		J	1042.3	583.5	191.3	-1177.8	
1665.8	-15920.7							
		SLDy (RS)	I	-859.0	263.2	86.5	1056.1	
1057.7	5844.6		J	-859.0	263.2	86.5	1056.1	
1065.2	5859.1							

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
938.7	1448.1	SLVz (RS)	I	-127.4	117.8	301.2	-225.7	
			J	-127.4	117.8	301.2	-225.7	
724.2	1378.2							
1426.5	-83.9	G1	I	-17.6	-8.2	-1515.0	1182.7	-
41.1	-75.6		J	-16.3	-8.2	-1414.3	1182.7	
-518.8	-30.4	G2	I	-6.4	-3.0	-553.2	431.8	
17.0	-27.4		J	-6.0	-3.0	-516.4	431.8	
4.8	89.4	G1- Imp~1	I	-1.1	3.0	0.3	0.5	
4.5	86.5		J	-1.1	3.0	0.3	0.5	
1.8	32.8	G2- Imp~1	I	-0.4	1.1	0.1	0.2	
1.7	31.7		J	-0.4	1.1	0.1	0.2	
-0.5	424.7	q3	I	-230.8	-37.9	28.1	-140.2	
-25.6	462.7		J	-234.1	-37.9	28.1	-140.2	
29.7	-405.2	q4-1	I	78.1	-2.4	-2.3	31.1	
32.0	-402.8		J	78.1	-2.4	-2.3	31.1	
-17.0	-945.6	q4-2	I	111.6	-0.4	-5.2	-17.2	
-11.8	-945.2		J	111.6	-0.4	-5.2	-17.2	
-20.4	693.6	q4-3	I	45.2	47.0	-2.5	-46.2	
-17.8	646.6		J	45.2	47.0	-2.5	-46.2	
-16.4	-99.1	q4-4	I	6.6	-23.4	2.1	39.3	
-18.5	-75.6		J	6.6	-23.4	2.1	39.3	
2.0	-67.5	q4-5	I	-0.9	5.3	3.0	-1.5	
-0.9	-72.8		J	-0.9	5.3	3.0	-1.5	
6.7	59.3	q4-6	I	-0.4	0.3	2.6	-20.4	
4.2	59.0		J	-0.4	0.3	2.6	-20.4	
6.1	49.7	q4-7	I	-0.2	-0.2	2.8	-18.6	
3.2	49.9		J	-0.2	-0.2	2.8	-18.6	
		q5 - p~1	I	-781.9	-346.8	20.9	-34.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-359.8	1347.8		J	-791.1	-330.2	21.0	-40.4	
-377.4	1687.0							
198.5	4423.7	q5 - p~2	I	-983.2	-79.2	100.3	-58.2	
102.3	4507.1		J	-995.3	-87.3	100.4	-55.3	
-314.6	1263.9	q5 - p~3	I	-740.5	-328.5	17.8	-102.7	
-331.9	1585.2		J	-749.3	-312.8	17.9	-103.8	
162.9	4196.9	q5 - p~4	I	-931.7	-74.3	90.5	-45.1	
73.0	4275.3		J	-943.1	-82.1	90.7	-44.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-60.0	847.6	q7	I	-255.5	-14.0	12.0	-151.9	
-72.0	861.6		J	-255.5	-14.0	12.0	-151.9	
-36.3	10.4	T	I	-0.1	0.1	-0.6	-7.5	
-35.7	10.2		J	-0.1	0.1	-0.6	-7.5	
51.4	-1904.8	M. tor~1	I	-86.9	-342.2	18.0	-105.0	
33.4	-1844.7		J	-86.9	-342.2	18.0	-108.6	
30.4	-1126.2	M. tor~2	I	-51.4	-202.3	10.6	-62.1	
19.7	-1090.6		J	-51.4	-202.3	10.6	-64.2	
9243.2	6898.5	INVSLU Max	I	1374.6	512.2	-2197.8	6817.1	
3100.9	7003.9		J	1394.2	488.5	-1975.9	6800.2	1
3518.1	-6982.4	Min	I	-1456.9	-536.1	-5120.9	-631.5	-1
0388.6	-7060.7		J	-1471.3	-512.5	-4862.5	-491.4	-1
1078.7	25593.3	INVSLV Max	I	1886.2	954.0	-1650.4	3809.7	
3098.1	25549.2		J	1887.9	954.0	-1512.9	3809.7	
4956.2	-25577.4	Min	I	-1937.4	-968.4	-2485.3	-579.5	-
2969.4	-25518.8		J	-1935.6	-968.4	-2347.8	-579.5	-


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


6825.3	4644.4	INVSLE	Max	I	914.7	342.9	-1634.6	5046.3	
				J	928.0	327.1	-1470.3	5034.0	
9681.6	4713.7		Min	I	-975.7	-360.7	-3786.6	-464.4	-
9991.8	-4706.5			J	-985.1	-344.9	-3595.2	-360.8	-
7672.5	-4755.8								
829	1	52	C1-C2;~1	Max	I	16.5	42.1	398.2	2726.0
9377.0	791.2			J	16.5	42.1	426.3	2743.3	1
0343.6	763.5		Min	I	-29.3	-48.5	-1599.5	-1945.6	-
7278.7	-940.0			J	-28.7	-48.5	-1545.9	-1847.1	-
7174.2	-900.3								
			C3-C4;~1	Max	I	15.7	36.9	399.4	3289.3
9301.0	813.1			J	15.7	36.9	427.5	3278.3	1
0265.4	782.5		Min	I	-31.7	-41.9	-1604.2	-1252.9	-
7500.3	-824.0			J	-31.1	-41.9	-1550.5	-1182.3	-
7387.9	-790.2								
			C1-C2;~2	Max	I	8.4	21.6	220.6	1486.9
5565.7	401.5			J	8.4	21.6	238.8	1509.4	
6094.6	387.8		Min	I	-16.2	-25.0	-920.1	-1085.6	-
4002.0	-490.1			J	-15.9	-25.0	-891.4	-1023.1	-
3921.7	-468.6								
			C3-C4;~2	Max	I	7.8	19.3	220.4	1815.1
5524.9	417.9			J	7.9	19.3	238.7	1823.5	
6051.7	401.9		Min	I	-17.7	-21.6	-922.5	-643.2	-
4136.7	-422.9			J	-17.4	-21.6	-893.8	-596.1	-
4051.7	-405.2								
			SLVx (RS)	I	1488.5	813.5	242.1	-1634.8	
2383.6	-22440.9			J	1488.5	813.5	242.1	-1634.8	-
2476.9	-22390.5								
			SLVy (RS)	I	-1338.2	355.5	125.9	1513.6	
1522.0	8931.8			J	-1338.2	355.5	125.9	1513.6	
1539.7	8947.4								
			SLDx (RS)	I	1050.7	580.3	180.5	-1155.0	
1678.5	-15920.6			J	1050.7	580.3	180.5	-1155.0	-
1751.4	-15885.9								
			SLDy (RS)	I	-867.6	260.6	82.4	1041.1	
1077.3	5859.2			J	-867.6	260.6	82.4	1041.1	
1087.3	5871.2								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
720.7	1378.1	SLVz (RS)	I	-128.9	120.1	292.8	-230.1
			J	-128.9	120.1	292.8	-230.1
-576.2	1307.8						
		G1	I	-16.3	-8.3	-1414.3	1181.9
56.0	-75.5		J	-15.0	-8.3	-1313.6	1181.9
1422.7	-67.2						
		G2	I	-5.9	-3.0	-516.4	431.5
22.5	-27.3		J	-5.5	-3.0	-479.7	431.5
521.5	-24.3						
		G1- Imp~1	I	-1.1	3.0	0.3	0.4
4.5	86.5		J	-1.1	3.0	0.3	0.4
4.2	83.5						
		G2- Imp~1	I	-0.4	1.1	0.1	0.2
1.7	31.7		J	-0.4	1.1	0.1	0.2
1.6	30.6						
		q3	I	-234.5	-35.0	28.1	-139.9
-27.4	462.7		J	-237.7	-35.0	28.1	-139.9
-52.5	497.7						
		q4-1	I	78.1	-3.3	-2.3	30.8
32.4	-402.8		J	78.1	-3.3	-2.3	30.8
34.7	-399.5						
		q4-2	I	111.6	-1.8	-5.2	-16.9
-11.9	-945.2		J	111.6	-1.8	-5.2	-16.9
-6.7	-943.4						
		q4-3	I	45.8	46.4	-2.5	-46.0
-18.5	646.5		J	45.8	46.4	-2.5	-46.0
-16.0	600.0						
		q4-4	I	6.3	-23.5	2.1	39.5
-18.0	-75.6		J	6.3	-23.5	2.1	39.5
-20.2	-52.1						
		q4-5	I	-0.8	5.3	3.0	-1.5
-1.0	-72.8		J	-0.8	5.3	3.0	-1.5
-3.9	-78.1						
		q4-6	I	-0.4	0.3	2.6	-20.5
3.9	59.0		J	-0.4	0.3	2.6	-20.5
1.3	58.7						
		q4-7	I	-0.2	-0.2	2.8	-18.6
3.0	49.9		J	-0.2	-0.2	2.8	-18.6
0.2	50.2						
		q5 - p~1	I	-795.2	-320.3	20.9	-35.9

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-378.2	1687.1		J	-804.3	-303.6	21.0	-42.0	
-395.9	1999.6							
100.9	4507.2	q5 - p~2	I	-996.3	-74.9	100.3	-57.1	
4.6	4586.2		J	-1008.5	-82.8	100.5	-54.3	
-333.4	1585.2	q5 - p~3	I	-753.1	-303.4	17.9	-99.9	
-350.7	1881.3		J	-761.7	-287.5	18.0	-101.0	
71.7	4275.4	q5 - p~4	I	-944.1	-70.3	90.6	-46.0	
-18.3	4349.5		J	-955.6	-77.7	90.7	-45.4	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-74.1	861.6	q7	I	-255.7	-10.8	12.0	-151.1	
-86.1	872.5		J	-255.7	-10.8	12.0	-151.1	
-35.8	10.2	T	I	-0.1	0.1	-0.6	-7.0	
-35.3	10.1		J	-0.1	0.1	-0.6	-7.0	
32.3	-1844.7	M. tor~1	I	-91.1	-341.1	18.0	-108.8	
14.2	-1785.8		J	-91.1	-341.1	18.0	-112.4	
19.1	-1090.6	M. tor~2	I	-53.9	-201.7	10.7	-64.3	
8.4	-1055.8		J	-53.9	-201.7	10.7	-66.4	
3139.4	7005.3	INVSLU Max	I	1395.5	474.6	-1976.0	6675.8	1
6978.2	7104.7		J	1415.2	450.8	-1752.4	6658.4	1
0377.3	-7061.3	Min	I	-1472.1	-498.6	-4862.4	-504.2	-1
7722.9	-7133.7		J	-1486.6	-474.8	-4604.5	-368.7	-
3141.1	25549.2	INVSLV Max	I	1904.9	948.9	-1527.2	3771.9	
5061.7	25489.7		J	1906.7	948.9	-1389.7	3771.9	
2971.8	-25518.5	Min	I	-1952.3	-963.3	-2333.6	-544.0	-
1161.7	-25444.5		J	-1950.6	-963.3	-2196.1	-544.0	-

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9710.1	4714.8	INVSLE Max	I	928.8	317.9	-1470.4	4941.7		
			J	942.1	302.0	-1304.7	4929.0	1	
2552.4	4780.1	Min	I	-985.5	-335.7	-3595.1	-370.2	-	
7664.0	-4756.2		J	-995.0	-319.8	-3404.1	-269.9	-	
5696.6	-4801.6								
830	1	52 C1-C2;~1 Max	I	16.0	42.3	426.3	2644.8	1	
0352.9	764.4		J	16.1	42.3	455.8	2661.7	1	
1260.3	737.9	Min	I	-28.2	-48.7	-1545.9	-1865.2	-	
7185.6	-901.0		J	-27.6	-48.7	-1492.7	-1769.8	-	
7086.5	-862.4								
		C3-C4;~1 Max	I	15.3	37.1	427.5	3175.7	1	
0284.1	783.9		J	15.3	37.1	457.0	3164.2	1	
1189.0	753.9	Min	I	-30.5	-42.1	-1550.5	-1189.1	-	
7399.8	-791.2		J	-29.8	-42.1	-1497.3	-1121.0	-	
7296.2	-758.0								
		C1-C2;~2 Max	I	8.1	21.7	238.8	1452.7		
6098.6	388.3		J	8.2	21.7	257.8	1474.7		
6595.6	374.9	Min	I	-15.6	-25.1	-891.4	-1044.8	-	
3927.3	-469.1		J	-15.3	-25.1	-862.8	-984.1	-	
3849.1	-448.1								
		C3-C4;~2 Max	I	7.6	19.4	238.7	1762.7		
6061.7	402.7		J	7.6	19.4	257.7	1770.6		
6556.5	387.0	Min	I	-17.1	-21.6	-893.8	-613.2	-	
4057.5	-405.7		J	-16.7	-21.6	-865.1	-567.7	-	
3976.0	-388.3								
		SLVx (RS)	I	1500.3	809.8	226.5	-1603.7	-	
2494.2	-22390.4		J	1500.3	809.8	226.5	-1603.7	-	
2597.0	-22325.9								
		SLVy (RS)	I	-1351.8	352.8	121.6	1492.9		
1557.8	8947.4		J	-1351.8	352.8	121.6	1492.9		
1579.4	8956.4								
		SLDx (RS)	I	1058.8	577.8	168.8	-1132.7	-	
1763.4	-15885.8		J	1058.8	577.8	168.8	-1132.7	-	
1843.5	-15840.9								
		SLDy (RS)	I	-876.1	258.6	78.7	1026.2		
1099.3	5871.2		J	-876.1	258.6	78.7	1026.2		
1110.6	5880.3								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-573.7	1307.7	SLVz (RS)	I	130.7	121.9	283.8	-231.4
			J	130.7	121.9	283.8	-231.4
-546.0	1237.6						
		G1	I	-14.9	-8.3	-1313.6	1163.9
1437.5	-66.8		J	-13.7	-8.3	-1212.9	1163.9
2703.3	-58.5						
		G2	I	-5.5	-3.0	-479.7	424.9
526.9	-24.2		J	-5.0	-3.0	-442.9	424.9
989.1	-21.1						
		G1- Imp~1	I	-1.1	3.0	0.3	0.3
4.2	83.5		J	-1.1	3.0	0.3	0.3
4.0	80.5						
		G2- Imp~1	I	-0.4	1.1	0.1	0.1
1.6	30.6		J	-0.4	1.1	0.1	0.1
1.5	29.5						
		q3	I	-238.1	-32.0	28.1	-139.3
-54.3	497.7		J	-241.3	-32.0	28.1	-139.3
-79.4	529.8						
		q4-1	I	78.1	-4.3	-2.3	30.4
35.2	-399.5		J	78.1	-4.3	-2.3	30.4
37.4	-395.2						
		q4-2	I	111.6	-3.2	-5.2	-16.7
-6.7	-943.4		J	111.6	-3.2	-5.2	-16.7
-1.5	-940.2						
		q4-3	I	46.4	45.8	-2.5	-45.9
-16.7	600.0		J	46.4	45.8	-2.5	-45.9
-14.1	554.1						
		q4-4	I	6.0	-23.6	2.1	39.8
-19.7	-52.1		J	6.0	-23.6	2.1	39.8
-21.8	-28.4						
		q4-5	I	-0.7	5.3	3.0	-1.4
-3.9	-78.1		J	-0.7	5.3	3.0	-1.4
-6.9	-83.4						
		q4-6	I	-0.4	0.3	2.6	-20.5
1.0	58.7		J	-0.4	0.3	2.6	-20.5
-1.5	58.4						
		q4-7	I	-0.2	-0.2	2.8	-18.6
-0.1	50.2		J	-0.2	-0.2	2.8	-18.6
-2.9	50.4						
		q5 - p~1	I	-808.0	-293.5	21.0	-37.3

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-396.8	1999.7		J	-816.8	-276.7	21.1	-43.3	
-414.7	2285.4							
3.2	4586.4	q5 - p~2	I	-1009.5	-70.2	100.4	-54.9	
-93.0	4660.4		J	-1021.7	-77.7	100.5	-52.2	
-352.3	1881.3	q5 - p~3	I	-765.2	-278.0	17.9	-96.8	
-369.7	2151.9		J	-773.6	-262.1	18.0	-98.0	
-19.6	4349.7	q5 - p~4	I	-956.5	-65.8	90.6	-45.7	
-109.6	4419.2		J	-968.1	-73.0	90.7	-45.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-88.1	872.5	q7	I	-255.8	-7.6	11.9	-150.1	
-100.0	880.1		J	-255.8	-7.6	11.9	-150.1	
-35.3	10.1	T	I	-0.1	0.1	-0.6	-6.6	
-34.8	10.0		J	-0.1	0.1	-0.6	-6.6	
13.1	-1785.7	M. tor~1	I	-95.4	-339.9	18.1	-112.3	
-5.0	-1728.0		J	-95.4	-339.9	18.1	-115.9	
7.7	-1055.8	M. tor~2	I	-56.4	-201.0	10.7	-66.4	
-3.0	-1021.6		J	-56.4	-201.0	10.7	-68.5	
7018.7	7106.6	INVSLU Max	I	1416.4	436.6	-1752.5	6486.9	1
0591.7	7199.3		J	1436.1	412.7	-1527.0	6469.0	2
7712.6	-7133.8	Min	I	-1487.4	-460.7	-4604.4	-426.6	-
5256.1	-7199.9		J	-1502.0	-436.8	-4347.0	-295.3	-
5103.8	25490.1	INVSLV Max	I	1923.2	945.0	-1404.7	3710.3	
6932.4	25414.4		J	1925.0	945.0	-1267.2	3710.3	
1163.5	-25443.8	Min	I	-1966.9	-959.4	-2181.1	-531.7	-
463.1	-25353.7		J	-1965.1	-959.4	-2043.7	-531.7	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

2582.3	4781.6	INVSLE Max	I	942.9	292.6	-1304.8	4801.9	1
			J	956.3	276.6	-1137.8	4788.8	1
5227.8	4842.5	Min	I	-995.5	-310.4	-3404.0	-312.8	-
5688.9	-4801.7		J	-1005.0	-294.4	-3213.4	-215.7	-
3868.1	-4842.9							
831	1	52 C1-C2;~1 Max	I	15.6	42.5	455.8	2552.6	1
1269.6	738.8		J	15.6	42.5	486.5	2569.2	1
2111.5	713.6	Min	I	-27.1	-48.9	-1492.7	-1792.9	-
7097.0	-863.1		J	-27.4	-48.9	-1440.0	-1700.4	-
6998.5	-825.8							
		C3-C4;~1 Max	I	14.8	37.3	457.0	3053.1	1
1207.2	755.4		J	14.8	37.3	487.7	3041.2	1
2046.7	726.1	Min	I	-29.3	-42.2	-1497.3	-1132.2	-
7307.2	-758.9		J	-28.6	-42.2	-1444.4	-1085.8	-
7204.2	-726.5							
		C1-C2;~2 Max	I	7.9	21.8	257.8	1412.0	
6599.7	375.4		J	7.9	21.8	277.4	1433.5	
7061.6	362.6	Min	I	-15.1	-25.2	-862.8	-1008.6	-
3854.1	-448.5		J	-14.8	-25.2	-834.2	-949.6	-
3776.3	-428.0							
		C3-C4;~2 Max	I	7.4	19.4	257.7	1704.3	
6566.3	387.8		J	7.4	19.4	277.4	1711.6	
7026.3	372.3	Min	I	-16.4	-21.7	-865.1	-587.3	-
3981.3	-388.8		J	-16.1	-21.7	-836.4	-543.2	-
3900.0	-371.7							
		SLVx (RS)	I	1511.6	807.1	210.0	-1573.5	-
2613.1	-22325.8		J	1511.6	807.1	210.0	-1573.5	-
2719.6	-22246.4							
		SLVy (RS)	I	-1365.3	351.1	118.0	1472.3	
1597.7	8956.4		J	-1365.3	351.1	118.0	1472.3	
1622.1	8958.2							
		SLDx (RS)	I	1066.6	576.0	156.4	-1111.0	-
1854.7	-15840.8		J	1066.6	576.0	156.4	-1111.0	-
1937.4	-15785.2							
		SLDy (RS)	I	-884.4	257.2	75.7	1011.3	
1122.6	5880.3		J	-884.4	257.2	75.7	1011.3	
1134.2	5886.2							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-545.5	1237.6	SLVz (RS)	I	132.8	123.2	273.9	-229.5
			J	132.8	123.2	273.9	-229.5
-639.2	1168.5						
		G1	I	-13.6	-8.3	-1212.9	1130.0
2717.7	-57.9		J	-12.3	-8.3	-1112.3	1130.0
3882.6	-49.6						
		G2	I	-5.0	-3.0	-442.9	412.5
994.4	-20.9		J	-4.5	-3.0	-406.1	412.5
1419.7	-17.9						
		G1- Imp~1	I	-1.0	3.0	0.3	0.3
3.9	80.5		J	-1.0	3.0	0.3	0.3
3.7	77.5						
		G2- Imp~1	I	-0.4	1.1	0.1	0.1
1.4	29.5		J	-0.4	1.1	0.1	0.1
1.3	28.4						
		q3	I	-241.7	-29.0	28.0	-138.4
-81.2	529.8		J	-244.9	-29.0	28.0	-138.4
-106.2	558.8						
		q4-1	I	78.0	-5.3	-2.3	30.0
37.9	-395.2		J	78.0	-5.3	-2.3	30.0
40.1	-389.9						
		q4-2	I	111.6	-4.6	-5.2	-16.6
-1.6	-940.2		J	111.6	-4.6	-5.2	-16.6
3.6	-935.6						
		q4-3	I	46.9	45.3	-2.5	-45.8
-14.8	554.1		J	46.9	45.3	-2.5	-45.8
-12.3	508.7						
		q4-4	I	5.8	-23.7	2.1	40.0
-21.3	-28.4		J	5.8	-23.7	2.1	40.0
-23.4	-4.7						
		q4-5	I	-0.7	5.3	3.0	-1.3
-6.9	-83.4		J	-0.7	5.3	3.0	-1.3
-9.9	-88.8						
		q4-6	I	-0.4	0.3	2.6	-20.5
-1.8	58.4		J	-0.4	0.3	2.6	-20.5
-4.4	58.1						
		q4-7	I	-0.2	-0.2	2.8	-18.6
-3.1	50.4		J	-0.2	-0.2	2.8	-18.6
-6.0	50.6						
		q5 - p~1	I	-820.2	-266.5	21.0	-38.5

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-415.5	2285.4		J	-828.9	-249.5	21.1	-44.6	
-433.5	2543.9							
-94.4	4660.6	q5 - p~2	I	-1022.6	-65.0	100.4	-51.6	
-190.6	4729.3		J	-1034.9	-72.2	100.5	-49.0	
-371.2	2152.0	q5 - p~3	I	-776.8	-252.4	18.0	-93.6	
-388.7	2396.8		J	-785.0	-236.3	18.1	-94.7	
-110.8	4419.3	q5 - p~4	I	-969.0	-60.9	90.6	-44.4	
-200.9	4483.7		J	-980.6	-67.7	90.8	-43.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-102.0	880.1	q7	I	-255.9	-4.4	11.9	-149.0	
-114.0	884.5		J	-255.9	-4.4	11.9	-149.0	
-34.8	10.0	T	I	-0.1	0.1	-0.6	-6.2	
-34.3	9.8		J	-0.1	0.1	-0.6	-6.2	
-6.2	-1727.9	M. tor~1	I	-99.6	-338.7	18.1	-115.6	
-24.3	-1671.4		J	-99.6	-338.7	18.1	-119.1	
-3.7	-1021.6	M. tor~2	I	-58.9	-200.3	10.7	-68.3	
-14.4	-988.1		J	-58.9	-200.3	10.7	-70.4	
0631.6	7201.6	INVSLU Max	I	1437.2	398.3	-1527.2	6255.4	2
3930.3	7287.0		J	1457.0	374.2	-1299.9	6237.0	2
5245.2	-7199.5	Min	I	-1502.6	-422.4	-4346.9	-388.4	-
2975.6	-7258.7		J	-1517.3	-398.3	-4090.2	-261.2	-
6973.6	25415.1	INVSLV Max	I	1941.0	942.2	-1283.2	3626.9	
8705.4	25322.8		J	1942.7	942.2	-1145.7	3626.9	
461.3	-25352.8	Min	I	-1981.0	-956.6	-2027.7	-541.1	
1909.3	-25246.1		J	-1979.2	-956.6	-1890.3	-541.1	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

5257.3	4844.2	INVSLE	Max	I	956.9	267.0	-1137.9	4630.6	1
				J	970.3	250.9	-969.6	4617.1	1
7699.5	4900.3		Min	I	-1005.4	-284.9	-3213.3	-284.6	-
3860.0	-4842.6			J	-1015.0	-268.8	-3023.1	-190.6	-
2177.5	-4879.3								
832	1	52 C1-C2;~1	Max	I	15.1	42.6	486.5	2449.8	1
2120.5	714.6			J	15.2	42.6	518.4	2466.1	1
2894.8	691.4		Min	I	-26.9	-49.1	-1440.0	-1728.1	-
7007.9	-826.4			J	-26.4	-49.1	-1387.8	-1638.3	-
6909.5	-791.1								
		C3-C4;~1	Max	I	14.4	37.4	487.7	2924.3	1
2064.1	727.7			J	14.4	37.4	519.8	2912.1	1
2836.2	700.1		Min	I	-28.0	-42.4	-1444.4	-1082.2	-
7214.1	-727.4			J	-27.3	-42.4	-1392.1	-1043.0	-
7111.2	-696.4								
		C1-C2;~2	Max	I	7.7	21.8	277.4	1364.9	
7065.6	363.2			J	7.7	21.8	297.7	1385.9	
7491.3	351.1		Min	I	-14.5	-25.3	-834.2	-976.7	-
3780.7	-428.4			J	-14.2	-25.3	-805.7	-919.3	-
3702.8	-408.7								
		C3-C4;~2	Max	I	7.2	19.5	277.3	1641.5	
7035.6	373.2			J	7.2	19.5	297.7	1648.3	
7459.5	358.3		Min	I	-15.8	-21.8	-836.4	-565.4	-
3904.7	-372.2			J	-15.4	-21.8	-807.8	-522.7	-
3823.5	-355.6								
		SLVx (RS)		I	1522.3	805.6	192.6	-1544.4	-
2734.6	-22246.3			J	1522.3	805.6	192.6	-1544.4	-
2839.9	-22151.6								
		SLVy (RS)		I	-1378.5	350.4	115.6	1451.7	
1640.4	8958.2			J	-1378.5	350.4	115.6	1451.7	
1666.5	8952.7								
		SLDx (RS)		I	1074.0	575.0	143.4	-1090.1	-
1947.7	-15785.1			J	1074.0	575.0	143.4	-1090.1	-
2029.3	-15718.3								
		SLDy (RS)		I	-892.6	256.4	73.7	996.6	
1146.1	5886.2			J	-892.6	256.4	73.7	996.6	
1157.6	5888.5								


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-640.6	1168.5	SLVz (RS)	I	135.2	124.0	262.7	-224.5
			J	135.2	124.0	262.7	-224.5
-804.1	1101.2						
		G1	I	-12.3	-8.3	-1112.3	1081.4
3896.5	-48.9		J	-11.1	-8.3	-1011.6	1081.4
4960.6	-40.5						
		G2	I	-4.5	-3.0	-406.1	394.7
1424.8	-17.6		J	-4.0	-3.0	-369.3	394.7
1813.3	-14.6						
		G1- Imp~1	I	-1.0	3.0	0.3	0.2
3.7	77.5		J	-1.0	3.0	0.3	0.2
3.4	74.4						
		G2- Imp~1	I	-0.4	1.1	0.1	0.1
1.3	28.4		J	-0.4	1.1	0.1	0.1
1.2	27.3						
		q3	I	-245.3	-25.9	28.0	-137.1
-108.0	558.8		J	-248.5	-25.9	28.0	-137.1
-133.1	584.7						
		q4-1	I	77.9	-6.2	-2.3	29.5
40.6	-389.9		J	77.9	-6.2	-2.3	29.5
42.8	-383.6						
		q4-2	I	111.5	-6.0	-5.2	-16.5
3.5	-935.6		J	111.5	-6.0	-5.2	-16.5
8.7	-929.6						
		q4-3	I	47.5	44.7	-2.5	-45.7
-12.9	508.7		J	47.5	44.7	-2.5	-45.7
-10.4	464.0						
		q4-4	I	5.5	-23.7	2.1	40.3
-22.9	-4.7		J	5.5	-23.7	2.1	40.3
-25.1	19.1						
		q4-5	I	-0.6	5.3	3.0	-1.2
-9.9	-88.8		J	-0.6	5.3	3.0	-1.2
-12.9	-94.1						
		q4-6	I	-0.4	0.3	2.6	-20.4
-4.6	58.1		J	-0.4	0.3	2.6	-20.4
-7.2	57.7						
		q4-7	I	-0.2	-0.2	2.8	-18.5
-6.2	50.6		J	-0.2	-0.2	2.8	-18.5
-9.0	50.8						
		q5 - p~1	I	-831.9	-239.1	21.1	-39.5

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-434.5	2544.0		J	-840.3	-222.1	21.2	-45.6	
-452.6	2775.0							
-192.0	4729.4	q5 - p~2	I	-1035.7	-59.3	100.4	-47.2	
-288.2	4792.3		J	-1048.1	-66.2	100.6	-44.7	
-390.2	2396.9	q5 - p~3	I	-787.9	-226.5	18.0	-90.2	
-407.8	2615.7		J	-795.9	-210.3	18.1	-91.3	
-202.1	4483.8	q5 - p~4	I	-981.4	-55.5	90.7	-42.0	
-292.2	4542.7		J	-993.1	-62.1	90.8	-41.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-116.0	884.5	q7	I	-255.9	-1.2	11.9	-147.7	
-127.9	885.8		J	-255.9	-1.2	11.9	-147.7	
-34.3	9.8	T	I	-0.1	0.1	-0.6	-5.8	
-33.7	9.7		J	-0.1	0.1	-0.6	-5.8	
-25.6	-1671.3	M. tor~1	I	-103.8	-337.5	18.2	-118.6	
-43.7	-1616.1		J	-103.8	-337.5	18.2	-122.1	
-15.1	-988.1	M. tor~2	I	-61.4	-199.5	10.7	-70.1	
-25.9	-955.4		J	-61.4	-199.5	10.7	-72.2	
3968.9	7289.7	INVSLU Max	I	1458.0	359.6	-1300.1	5987.7	2
6990.6	7367.7		J	1477.9	335.3	-1071.1	5969.8	2
2964.2	-7257.9	Min	I	-1517.9	-383.8	-4090.1	-386.3	-
-880.8	-7309.8		J	-1532.7	-359.5	-3834.0	-263.7	
8745.2	25323.7	INVSLV Max	I	1958.3	940.7	-1162.9	3523.7	
0359.6	25214.4		J	1960.0	940.7	-1025.4	3523.7	1
1907.4	-25244.9	Min	I	-1994.6	-955.2	-1873.1	-570.9	
3197.4	-25121.1		J	-1992.9	-955.2	-1735.6	-570.9	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

7728.1	4902.2	INVSLE Max	I	971.0	241.2	-969.7	4432.5	1
			J	984.4	225.0	-800.1	4419.4	1
9965.1	4953.4	Min	I	-1015.4	-259.1	-3023.0	-283.4	-
2169.1	-4878.7		J	-1025.0	-242.9	-2833.3	-192.7	
-624.5	-4910.6							
833	1	52 C1-C2;~1 Max	I	14.7	42.8	518.4	2337.9	1
2903.3	692.5		J	14.7	42.8	551.7	2353.9	1
3608.7	671.8	Min	I	-25.8	-49.3	-1387.8	-1670.2	-
6917.8	-791.7		J	-25.3	-49.3	-1336.2	-1582.9	-
6819.4	-759.0							
		C3-C4;~1 Max	I	13.9	37.6	519.8	2788.4	1
2852.6	701.6		J	14.0	37.6	553.1	2777.2	1
3555.9	674.9	Min	I	-26.7	-42.6	-1392.1	-1038.6	-
7120.0	-697.3		J	-26.0	-42.6	-1340.4	-1007.7	-
7017.1	-667.2							
		C1-C2;~2 Max	I	7.4	21.9	297.7	1312.2	
7495.0	351.7		J	7.5	21.9	318.6	1332.8	
7883.3	340.7	Min	I	-13.9	-25.4	-805.7	-948.7	-
3706.7	-409.1		J	-13.6	-25.4	-777.3	-892.8	-
3628.8	-390.4							
		C3-C4;~2 Max	I	6.9	19.6	297.7	1573.6	
7468.3	359.1		J	6.9	19.6	318.7	1580.5	
7854.9	344.7	Min	I	-15.1	-21.9	-807.8	-547.3	-
3827.6	-356.1		J	-14.7	-21.9	-779.3	-505.9	-
3746.3	-339.8							
		SLVx (RS)	I	1532.5	805.3	174.7	-1516.8	-
2853.7	-22151.5		J	1532.5	805.3	174.7	-1516.8	-
2953.9	-22040.9							
		SLVy (RS)	I	-1391.5	350.9	114.3	1431.2	
1684.9	8952.7		J	-1391.5	350.9	114.3	1431.2	
1712.2	8939.4							
		SLDx (RS)	I	1081.0	574.8	130.0	-1070.1	-
2038.7	-15718.2		J	1081.0	574.8	130.0	-1070.1	-
2116.1	-15640.0							
		SLDy (RS)	I	-900.7	256.3	72.6	982.1	
1169.4	5888.5		J	-900.7	256.3	72.6	982.1	
1180.4	5887.2							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-806.7	1101.2	SLVz (RS)	I	137.7	124.4	249.8	-216.5
			J	137.7	124.4	249.8	-216.5
-996.4	1036.3						
		G1	I	-11.0	-8.3	-1011.6	1019.4
4973.8	-39.6		J	-9.8	-8.3	-910.9	1019.4
5936.9	-31.3						
		G2	I	-4.0	-3.0	-369.3	372.0
1818.1	-14.3		J	-3.6	-3.0	-332.6	372.0
2169.8	-11.2						
		G1- Imp~1	I	-0.9	3.0	0.3	0.2
3.4	74.4		J	-0.9	3.0	0.3	0.2
3.1	71.4						
		G2- Imp~1	I	-0.3	1.1	0.1	0.1
1.2	27.3		J	-0.3	1.1	0.1	0.1
1.1	26.2						
		q3	I	-248.8	-22.8	28.0	-135.5
-134.8	584.7		J	-252.0	-22.8	28.0	-135.5
-159.8	607.6						
		q4-1	I	77.8	-7.2	-2.2	29.0
43.2	-383.6		J	77.8	-7.2	-2.2	29.0
45.5	-376.4						
		q4-2	I	111.4	-7.4	-5.1	-16.5
8.6	-929.6		J	111.4	-7.4	-5.1	-16.5
13.8	-922.2						
		q4-3	I	48.1	44.1	-2.5	-45.6
-11.0	463.9		J	48.1	44.1	-2.5	-45.6
-8.5	419.8						
		q4-4	I	5.2	-23.8	2.1	40.6
-24.6	19.1		J	5.2	-23.8	2.1	40.6
-26.7	43.0						
		q4-5	I	-0.5	5.3	3.0	-1.0
-12.9	-94.1		J	-0.5	5.3	3.0	-1.0
-15.8	-99.5						
		q4-6	I	-0.4	0.3	2.6	-20.4
-7.5	57.7		J	-0.4	0.3	2.6	-20.4
-10.0	57.4						
		q4-7	I	-0.2	-0.2	2.8	-18.4
-9.3	50.8		J	-0.2	-0.2	2.8	-18.4
-12.1	51.0						
		q5 - p~1	I	-843.1	-211.6	21.1	-40.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-453.6	2775.1		J	-851.3	-194.4	21.2	-46.5	
-471.8	2978.5							
		q5 - p~2	I	-1048.8	-53.1	100.4	-41.7	
-289.5	4792.3		J	-1061.2	-59.8	100.6	-39.3	
-385.8	4848.9							
		q5 - p~3	I	-798.4	-200.4	18.0	-86.6	
-409.3	2615.8		J	-806.2	-184.1	18.1	-87.7	
-426.9	2808.4							
		q5 - p~4	I	-993.8	-49.7	90.7	-38.5	
-293.4	4542.7		J	-1005.5	-55.9	90.8	-38.1	
-383.5	4595.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-255.9	2.0	11.8	-146.2	
-129.8	885.7		J	-255.9	2.0	11.8	-146.2	
-141.7	883.8							
		T	I	-0.1	0.1	-0.6	-5.3	
-33.8	9.7		J	-0.1	0.1	-0.6	-5.3	
-33.2	9.6							
		M. tor~1	I	-108.0	-336.1	18.2	-121.3	
-45.0	-1616.0		J	-108.0	-336.1	18.2	-124.7	
-63.2	-1562.1							
		M. tor~2	I	-63.9	-198.7	10.8	-71.7	
-26.6	-955.4		J	-63.9	-198.7	10.8	-73.7	
-37.4	-923.5							
		INVSLU Max	I	1478.7	320.5	-1071.2	5684.5	2
7027.2	7370.5		J	1498.6	296.1	-840.5	5673.8	2
9770.0	7440.0							
		Min	I	-1533.2	-344.7	-3833.9	-417.3	
-869.3	-7308.7		J	-1548.1	-320.3	-3578.6	-303.8	
1028.0	-7353.0							
		INVSLV Max	I	1974.9	940.6	-1044.0	3402.8	1
0397.6	25215.5		J	1976.6	940.6	-906.6	3402.8	1
1877.4	25088.7							
		Min	I	-2007.6	-955.1	-1717.0	-619.4	
3195.3	-25119.8		J	-2006.0	-955.1	-1579.5	-619.4	
4344.4	-24978.5							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9992.2	4955.5	INVSLE Max	I	984.9	215.2	-800.1	4208.3	1
			J	998.3	198.9	-629.3	4200.0	2
2022.6	5001.2	Min	I	-1025.3	-233.1	-2833.3	-306.7	
-615.9	-4909.8		J	-1035.0	-216.8	-2644.1	-222.3	
790.7	-4936.7							
834	1	52 C1-C2;~1 Max	I	14.2	43.0	551.7	2218.7	1
3616.5	672.9		J	14.3	43.0	586.2	2234.6	1
4251.7	655.3	Min	I	-24.7	-49.5	-1336.2	-1619.0	-
6826.7	-759.4		J	-24.2	-49.5	-1285.2	-1533.9	-
6728.3	-729.8							
		C3-C4;~1 Max	I	13.5	37.8	553.1	2646.3	1
3571.1	676.4		J	13.5	37.8	587.6	2636.4	1
4204.3	650.6	Min	I	-25.4	-42.7	-1340.4	-1001.2	-
7024.8	-668.0		J	-24.7	-42.7	-1289.2	-978.3	-
6922.0	-638.8							
		C1-C2;~2 Max	I	7.2	22.0	318.6	1254.9	
7886.7	341.3		J	7.2	22.0	340.1	1275.1	
8236.8	331.5	Min	I	-13.3	-25.5	-777.3	-924.5	-
3632.1	-390.7		J	-13.0	-25.5	-749.0	-869.9	-
3554.3	-373.2							
		C3-C4;~2 Max	I	6.7	19.7	318.7	1501.2	
7863.1	345.5		J	6.7	19.7	340.2	1508.3	
8211.4	331.3	Min	I	-14.4	-22.0	-779.4	-532.7	-
3749.9	-340.3		J	-14.0	-22.0	-751.0	-492.6	-
3668.6	-324.4							
		SLVx (RS)	I	1542.1	806.3	156.4	-1490.9	-
2966.5	-22040.8		J	1542.1	806.3	156.4	-1490.9	-
3058.4	-21914.0							
		SLVy (RS)	I	-1404.3	352.4	114.3	1410.9	
1730.5	8939.4		J	-1404.3	352.4	114.3	1410.9	
1758.9	8918.3							
		SLDx (RS)	I	1087.6	575.6	116.3	-1051.4	-
2124.7	-15639.9		J	1087.6	575.6	116.3	-1051.4	-
2195.4	-15550.0							
		SLDy (RS)	I	-908.6	256.8	72.7	967.7	
1192.0	5887.2		J	-908.6	256.8	72.7	967.7	
1202.6	5882.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-999.5	1036.3	SLVz (RS)	I	140.3	124.5	234.9	-205.5	
			J	140.3	124.5	234.9	-205.5	-
1193.5	974.5							
		G1	I	-9.8	-8.4	-910.9	945.2	
5949.3	-30.3		J	-8.6	-8.4	-810.2	945.2	
6811.5	-21.9							
		G2	I	-3.6	-3.0	-332.6	344.9	
2174.3	-10.8		J	-3.1	-3.0	-295.8	344.9	
2489.1	-7.8							
		G1- Imp~1	I	-0.9	3.0	0.3	0.1	
3.1	71.4		J	-0.9	3.0	0.3	0.1	
2.8	68.3							
		G2- Imp~1	I	-0.3	1.1	0.1	0.1	
1.1	26.2		J	-0.3	1.1	0.1	0.1	
1.0	25.1							
		q3	I	-252.3	-19.7	27.9	-133.6	
-161.6	607.6		J	-255.5	-19.7	27.9	-133.6	
-186.6	627.3							
		q4-1	I	77.7	-8.2	-2.2	28.5	
45.9	-376.4		J	77.7	-8.2	-2.2	28.5	
48.1	-368.2							
		q4-2	I	111.3	-8.8	-5.1	-16.6	
13.7	-922.2		J	111.3	-8.8	-5.1	-16.6	
18.8	-913.4							
		q4-3	I	48.6	43.5	-2.5	-45.6	
-9.1	419.8		J	48.6	43.5	-2.5	-45.6	
-6.6	376.2							
		q4-4	I	4.9	-23.9	2.1	40.9	
-26.2	43.0		J	4.9	-23.9	2.1	40.9	
-28.4	66.9							
		q4-5	I	-0.5	5.4	3.0	-0.8	
-15.8	-99.5		J	-0.5	5.4	3.0	-0.8	
-18.8	-104.9							
		q4-6	I	-0.4	0.3	2.6	-20.2	
-10.3	57.4		J	-0.4	0.3	2.6	-20.2	
-12.9	57.1							
		q4-7	I	-0.2	-0.2	2.8	-18.3	
-12.4	51.0		J	-0.2	-0.2	2.8	-18.3	
-15.2	51.2							
		q5 - p~1	I	-853.6	-183.8	21.1	-41.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-472.8	2978.5		J	-861.6	-166.5	21.2	-47.3	
-491.1	3154.0							
		q5 - p~2	I	-1061.9	-46.5	100.5	-35.1	
-387.0	4849.0		J	-1074.3	-52.8	100.6	-32.9	
-483.2	4898.8							
		q5 - p~3	I	-808.5	-174.1	18.0	-82.8	
-428.3	2808.4		J	-816.0	-157.7	18.1	-83.9	
-445.9	2974.7							
		q5 - p~4	I	-1006.2	-43.4	90.7	-33.9	
-384.7	4595.7		J	-1017.9	-49.4	90.8	-33.5	
-474.8	4642.2							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-255.8	5.1	11.8	-144.5	
-143.7	883.8		J	-255.8	5.1	11.8	-144.5	
-155.5	878.6							
		T	I	-0.1	0.1	-0.6	-4.9	
-33.3	9.5		J	-0.1	0.1	-0.6	-4.9	
-32.7	9.4							
		M. tor~1	I	-112.2	-334.8	18.2	-123.7	
-64.6	-1562.1		J	-112.2	-334.8	18.2	-127.1	
-82.8	-1509.5							
		M. tor~2	I	-66.3	-197.9	10.8	-73.1	
-38.2	-923.5		J	-66.3	-197.9	10.8	-75.2	
-49.0	-892.4							
		INVSLU Max	I	1499.3	281.1	-840.6	5354.9	2
9804.1	7443.1		J	1519.2	256.6	-608.3	5347.1	3
2266.3	7503.6							
		Min	I	-1548.5	-305.4	-3578.5	-484.1	
1039.4	-7351.6		J	-1563.4	-280.8	-3324.0	-374.9	
2750.7	-7387.9							
		INVSLV Max	I	1990.9	942.1	-926.9	3266.2	1
1913.3	25090.0		J	1992.6	942.1	-789.5	3266.2	1
3248.6	24945.6							
		Min	I	-2020.1	-956.6	-1559.2	-685.5	
4342.2	-24977.0		J	-2018.5	-956.6	-1421.7	-685.5	
5360.2	-24818.1							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

2047.8	5003.4	INVSLE Max	I	998.8	188.9	-629.4	3964.2	2
			J	1012.2	172.5	-457.2	3958.0	2
3870.4	5043.1	Min	I	-1035.2	-206.9	-2644.1	-356.2	
799.3	-4935.6		J	-1045.0	-190.5	-2455.5	-274.9	
2068.1	-4957.3							
835	1	52 C1-C2;~1 Max	I	13.8	43.1	586.2	2095.3	1
4258.7	656.2		J	13.9	43.1	621.9	2111.0	1
4822.7	641.7	Min	I	-23.7	-49.7	-1285.2	-1575.3	-
6734.5	-730.0		J	-23.1	-49.7	-1234.9	-1492.3	-
6636.1	-703.5							
		C3-C4;~1 Max	I	13.0	37.9	587.6	2500.0	1
4218.2	652.1		J	13.1	37.9	623.4	2491.5	1
4780.2	627.2	Min	I	-24.1	-42.9	-1289.2	-970.7	-
6928.6	-639.5		J	-23.4	-42.9	-1238.8	-955.3	-
6825.7	-611.1							
		C1-C2;~2 Max	I	6.9	22.1	340.1	1194.3	
8239.8	332.0		J	7.0	22.1	362.2	1191.1	
8550.8	323.4	Min	I	-12.7	-25.6	-749.0	-904.2	-
3557.0	-373.4		J	-12.4	-25.6	-721.0	-850.8	-
3479.2	-357.2							
		C3-C4;~2 Max	I	6.5	19.8	340.2	1425.6	
8218.9	332.1		J	6.5	19.8	362.4	1433.0	
8528.3	318.3	Min	I	-13.7	-22.1	-751.0	-521.7	-
3671.6	-324.8		J	-13.3	-22.1	-722.8	-482.7	-
3590.4	-309.2							
		SLVx (RS)	I	1551.2	808.6	138.2	-1467.0	-
3069.9	-21913.9		J	1551.2	808.6	138.2	-1467.0	-
3151.1	-21770.5							
		SLVy (RS)	I	-1416.9	355.0	115.6	1390.7	
1777.2	8918.3		J	-1416.9	355.0	115.6	1390.7	
1806.8	8889.4							
		SLDx (RS)	I	1093.8	577.3	102.6	-1034.1	-
2203.3	-15549.9		J	1093.8	577.3	102.6	-1034.1	-
2265.5	-15448.1							
		SLDy (RS)	I	-916.4	257.9	73.9	953.6	
1214.1	5882.1		J	-916.4	257.9	73.9	953.6	
1224.3	5873.2							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1196.9	974.5	SLVz (RS)	I	142.8	124.4	217.7	-191.8	-
			J	142.8	124.4	217.7	-191.8	-
1384.2	916.5							
6822.8	-20.7	G1	I	-8.6	-8.4	-810.2	860.2	
			J	-7.4	-8.4	-709.5	860.2	
7584.2	-12.4							
2493.2	-7.4	G2	I	-3.1	-3.0	-295.8	313.8	
			J	-2.7	-3.0	-259.0	313.8	
2771.2	-4.3							
2.8	68.3	G1- Imp~1	I	-0.9	3.1	0.3	0.1	
			J	-0.9	3.1	0.3	0.1	
2.5	65.3							
1.0	25.1	G2- Imp~1	I	-0.3	1.1	0.1	0.0	
			J	-0.3	1.1	0.1	0.0	
0.9	24.0							
-188.3	627.2	q3	I	-255.7	-16.5	27.9	-131.3	
			J	-258.9	-16.5	27.9	-131.3	
-213.2	643.7							
48.5	-368.2	q4-1	I	77.6	-9.2	-2.2	27.9	
			J	77.6	-9.2	-2.2	27.9	
50.8	-359.0							
18.8	-913.4	q4-2	I	111.2	-10.2	-5.1	-16.7	
			J	111.2	-10.2	-5.1	-16.7	
23.9	-903.3							
-7.2	376.2	q4-3	I	49.1	42.9	-2.5	-45.5	
			J	49.1	42.9	-2.5	-45.5	
-4.7	333.3							
-27.9	66.9	q4-4	I	4.6	-23.9	2.2	41.3	
			J	4.6	-23.9	2.2	41.3	
-30.0	90.9							
-18.8	-104.9	q4-5	I	-0.4	5.4	3.0	-0.6	
			J	-0.4	5.4	3.0	-0.6	
-21.8	-110.2							
-13.1	57.0	q4-6	I	-0.4	0.3	2.6	-20.1	
			J	-0.4	0.3	2.6	-20.1	
-15.7	56.7							
-15.4	51.2	q4-7	I	-0.3	-0.2	2.8	-18.1	
			J	-0.3	-0.2	2.8	-18.1	
-18.3	51.4							
		q5 - p~1	I	-863.6	-155.7	21.1	-41.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-492.1	3154.0		J	-871.4	-138.4	21.2	-47.8	
-510.5	3301.4							
-484.4	4898.8	q5 - p~2	I	-1074.9	-39.4	100.5	-27.5	
-580.6	4941.3		J	-1087.4	-45.5	100.6	-25.3	
-447.4	2974.7	q5 - p~3	I	-817.9	-147.5	18.0	-78.7	
-465.0	3114.3		J	-825.3	-131.1	18.1	-79.9	
-475.9	4642.2	q5 - p~4	I	-1018.5	-36.7	90.7	-28.1	
-566.0	4681.8		J	-1030.3	-42.4	90.8	-27.8	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-157.4	878.6	q7	I	-255.8	8.3	11.8	-142.7	
-169.2	870.3		J	-255.8	8.3	11.8	-142.7	
-32.8	9.4	T	I	-0.1	0.1	-0.6	-4.5	
-32.2	9.3		J	-0.1	0.1	-0.6	-4.5	
-84.2	-1509.5	M. tor~1	I	-116.4	-333.3	18.3	-125.9	
-102.5	-1458.3		J	-116.4	-333.3	18.3	-129.3	
-49.8	-892.4	M. tor~2	I	-68.8	-197.1	10.8	-74.4	
-60.6	-862.2		J	-68.8	-197.1	10.8	-76.4	
2297.6	7506.6	INVSLU Max	I	1519.8	241.4	-608.4	5000.7	3
4540.8	7564.0		J	1539.7	216.7	-374.4	4994.9	3
2761.7	-7386.1	Min	I	-1563.7	-265.7	-3323.9	-582.3	
4223.9	-7413.7		J	-1578.7	-241.0	-3070.3	-475.8	
3282.0	24947.0	INVSLV Max	I	2006.2	945.2	-811.8	3115.9	1
4467.2	24784.8		J	2007.9	945.2	-674.3	3115.9	1
5357.7	-24816.4	Min	I	-2032.0	-959.7	-1399.4	-767.6	
6250.5	-24639.7		J	-2030.4	-959.7	-1261.9	-767.6	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

3893.5	5045.3	INVSLE Max	I	1012.6	162.4	-457.3	3701.8	2
			J	1026.1	146.0	-284.0	3697.1	2
5549.2	5083.4	Min	I	-1045.1	-180.4	-2455.5	-428.8	
2076.3	-4956.0		J	-1054.9	-164.0	-2267.6	-349.5	
3165.4	-4972.0							
836	1	52 C1-C2;~1 Max	I	13.3	43.3	621.9	1972.8	1
4828.7	642.6		J	13.4	43.3	658.8	1948.3	1
5320.6	628.3	Min	I	-22.5	-49.8	-1234.9	-1547.9	-
6641.3	-703.7		J	-22.0	-49.8	-1185.3	-1466.6	-
6542.9	-677.4							
		C3-C4;~1 Max	I	12.6	38.0	623.4	2352.4	1
4792.7	628.8		J	12.6	38.0	660.4	2345.5	1
5282.5	604.8	Min	I	-22.8	-43.0	-1238.8	-973.8	-
6831.3	-611.9		J	-22.1	-43.0	-1189.0	-975.7	-
6728.4	-584.3							
		C1-C2;~2 Max	I	6.7	22.2	362.2	1115.5	
8553.3	323.9		J	6.7	22.2	384.9	1164.0	
8824.5	315.4	Min	I	-12.1	-25.7	-721.0	-891.2	-
3481.4	-357.4		J	-11.8	-25.7	-693.1	-838.9	-
3403.5	-341.3							
		C3-C4;~2 Max	I	6.2	19.8	362.4	1347.9	
8535.0	319.1		J	6.2	19.8	385.2	1355.7	
8804.6	305.7	Min	I	-13.0	-22.1	-722.8	-533.3	-
3592.8	-309.6		J	-12.6	-22.1	-694.9	-512.5	-
3511.5	-294.3							
		SLVx (RS)	I	1559.7	812.5	120.6	-1445.4	-
3161.5	-21770.4		J	1559.7	812.5	120.6	-1445.4	-
3229.9	-21610.3							
		SLVy (RS)	I	-1429.3	358.5	117.9	1370.7	
1824.9	8889.4		J	-1429.3	358.5	117.9	1370.7	-
1856.1	8852.7							
		SLDx (RS)	I	1099.6	580.0	89.4	-1018.4	-
2272.5	-15448.0		J	1099.6	580.0	89.4	-1018.4	-
2324.8	-15334.1							
		SLDy (RS)	I	-924.0	259.6	75.9	939.7	
1235.7	5873.1		J	-924.0	259.6	75.9	939.7	
1246.1	5860.5							


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1387.6	916.5	SLVz (RS)	I	145.1	124.1	198.0	-175.8	-
			J	145.1	124.1	198.0	-175.8	-
1561.7	863.0							
		G1	I	-7.4	-8.4	-709.5	765.5	
7594.4	-11.1		J	-6.2	-8.4	-608.8	765.5	
8254.8	-2.7							
		G2	I	-2.7	-3.0	-259.0	279.2	
2774.9	-3.9		J	-2.3	-3.0	-222.3	279.2	
3016.0	-0.8							
		G1- Imp~1	I	-0.8	3.1	0.3	0.0	
2.5	65.3		J	-0.8	3.1	0.3	0.0	
2.2	62.2							
		G2- Imp~1	I	-0.3	1.1	0.1	0.0	
0.9	24.0		J	-0.3	1.1	0.1	0.0	
0.8	22.9							
		q3	I	-259.1	-13.2	27.9	-128.8	
-214.9	643.7		J	-262.3	-13.2	27.9	-128.8	
-239.8	657.0							
		q4-1	I	77.5	-10.1	-2.2	27.4	
51.2	-359.0		J	77.5	-10.1	-2.2	27.4	
53.4	-348.9							
		q4-2	I	111.1	-11.5	-5.1	-16.8	
23.8	-903.3		J	111.1	-11.5	-5.1	-16.8	
28.9	-891.7							
		q4-3	I	49.7	42.2	-2.5	-45.5	
-5.3	333.2		J	49.7	42.2	-2.5	-45.5	
-2.8	290.9							
		q4-4	I	4.3	-24.0	2.2	41.6	
-29.5	90.9		J	4.3	-24.0	2.2	41.6	
-31.7	114.9							
		q4-5	I	-0.3	5.4	3.0	-0.3	
-21.8	-110.2		J	-0.3	5.4	3.0	-0.3	
-24.7	-115.6							
		q4-6	I	-0.4	0.4	2.6	-19.9	
-16.0	56.7		J	-0.4	0.4	2.6	-19.9	
-18.5	56.3							
		q4-7	I	-0.3	-0.2	2.8	-17.8	
-18.5	51.4		J	-0.3	-0.2	2.8	-17.8	
-21.3	51.6							
		q5 - p~1	I	-873.1	-127.5	21.1	-41.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-511.6	3301.4		J	-880.7	-110.0	21.2	-48.2	
-530.1	3420.4							
		q5 - p~2	I	-1087.9	-31.9	100.5	-18.8	
-581.6	4941.4		J	-1100.3	-37.6	100.6	-16.7	
-677.9	4976.2							
		q5 - p~3	I	-826.9	-120.8	18.0	-74.5	
-466.4	3114.3		J	-834.1	-104.2	18.1	-75.7	
-484.1	3227.0							
		q5 - p~4	I	-1030.7	-29.5	90.7	-21.3	
-567.0	4681.9		J	-1042.6	-34.9	90.8	-20.9	
-657.2	4714.1							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-255.6	11.5	11.7	-140.7	
-171.1	870.2		J	-255.6	11.5	11.7	-140.7	
-182.9	858.7							
		T	I	-0.1	0.1	-0.6	-4.1	
-32.2	9.3		J	-0.1	0.1	-0.6	-4.1	
-31.7	9.1							
		M. tor~1	I	-120.5	-331.8	18.3	-127.8	
-103.9	-1458.3		J	-120.5	-331.8	18.3	-131.1	
-122.2	-1408.6							
		M. tor~2	I	-71.3	-196.2	10.8	-75.5	
-61.4	-862.2		J	-71.3	-196.2	10.8	-77.5	
-72.2	-832.8							
		INVSLU Max	I	1540.1	201.4	-374.5	4626.9	3
4568.6	7567.0		J	1560.1	176.5	-138.8	4623.3	3
6535.4	7613.6	Min	I	-1578.9	-225.7	-3070.2	-719.8	
4234.3	-7411.7		J	-1593.9	-200.8	-2817.5	-615.7	
5503.5	-7428.5							
		INVSLV Max	I	2020.8	950.0	-698.6	2954.2	1
4497.9	24786.4		J	2022.4	950.0	-561.1	2954.2	1
5529.1	24606.5	Min	I	-2043.2	-964.5	-1237.7	-864.5	
6247.5	-24637.9		J	-2041.6	-964.5	-1100.2	-864.5	
7018.7	-24443.5							

MIDAS

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

5569.8	5085.6	INVSLE Max	I	1026.3	135.7	-284.1	3424.8	2
7020.2	5116.5		J	1039.8	123.2	-109.5	3421.7	2
3173.1	-4970.6	Min	I	-1055.0	-153.8	-2267.5	-530.7	
4119.8	-4979.4		J	-1064.8	-137.2	-2080.4	-453.2	
837	1	52 C1-C2;~1 Max	I	12.9	43.4	658.8	1835.0	1
5325.5	629.2		J	13.0	43.4	696.8	1905.9	1
5744.3	615.1	Min	I	-21.4	-50.0	-1185.3	-1534.2	-
6547.1	-677.5		J	-20.9	-50.0	-1136.4	-1454.5	-
6448.7	-651.5							
5293.4	606.3	C3-C4;~1 Max	I	12.2	38.2	660.4	2207.6	1
5710.2	583.1		J	12.2	38.2	698.6	2202.5	1
6732.9	-585.0	Min	I	-21.5	-43.1	-1189.0	-1045.4	-
6630.1	-558.4		J	-20.8	-43.1	-1140.0	-1022.0	-
8826.4	315.9	C1-C2;~2 Max	I	6.5	22.2	384.9	1089.4	
9057.2	307.4		J	6.5	22.2	408.2	1137.4	
3405.2	-341.4	Min	I	-11.5	-25.8	-693.1	-884.4	-
3327.4	-325.4		J	-11.5	-25.8	-665.5	-833.1	-
8810.5	306.5	C3-C4;~2 Max	I	6.0	19.9	385.2	1269.9	
9039.6	293.3		J	6.0	19.9	408.5	1278.2	
3513.4	-294.7	Min	I	-12.3	-22.2	-694.9	-562.5	-
3432.2	-279.8		J	-11.9	-22.2	-667.1	-549.2	-
3239.2	-21610.2	SLVx (RS)	I	1567.6	817.8	104.3	-1426.3	-
3293.5	-21433.3		J	1567.6	817.8	104.3	-1426.3	-
1874.0	8852.7	SLVy (RS)	I	-1441.4	363.1	120.9	1351.0	-
1907.5	8808.4		J	-1441.4	363.1	120.9	1351.0	-
2331.1	-15334.1	SLDx (RS)	I	1105.0	-583.8	77.1	-1004.5	-
2372.4	-15208.1		J	1105.0	-583.8	77.1	-1004.5	-
1257.3	5860.5	SLDy (RS)	I	-931.4	261.9	78.5	926.1	
1268.5	5844.2		J	-931.4	261.9	78.5	926.1	


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1564.9	863.0	SLVz (RS)	I	147.1	123.9	175.8	-157.8	-
			J	147.1	123.9	175.8	-157.8	-
1721.2	814.6							
8263.8	-1.4	G1	I	-6.2	-8.4	-608.8	662.5	
			J	-5.0	-8.4	-508.1	662.5	
8823.4	7.0							
3019.3	-0.4	G2	I	-2.3	-3.1	-222.3	241.6	
			J	-1.8	-3.1	-185.5	241.6	
3223.6	2.7							
2.2	62.2	G1- Imp~1	I	-0.8	3.1	0.3	0.0	
			J	-0.8	3.1	0.3	0.0	
1.9	59.1							
0.8	22.9	G2- Imp~1	I	-0.3	1.1	0.1	0.0	
			J	-0.3	1.1	0.1	0.0	
0.7	21.8							
-241.5	657.0	q3	I	-262.5	-10.0	27.8	-125.8	
			J	-265.7	-10.0	27.8	-125.8	
-266.4	667.0							
53.8	-348.9	q4-1	I	77.4	-11.1	-2.2	26.7	
			J	77.4	-11.1	-2.2	26.7	
56.0	-337.7							
28.8	-891.7	q4-2	I	110.9	-12.9	-5.1	-17.1	
			J	110.9	-12.9	-5.1	-17.1	
33.9	-878.8							
-3.4	290.9	q4-3	I	50.2	41.6	-2.5	-45.5	
			J	50.2	41.6	-2.5	-45.5	
-0.9	249.2							
-31.2	114.9	q4-4	I	4.0	-24.0	2.2	42.0	
			J	4.0	-24.0	2.2	42.0	
-33.3	139.0							
-24.7	-115.6	q4-5	I	-0.3	5.4	3.0	0.0	
			J	-0.3	5.4	3.0	0.0	
-27.7	-121.0							
-18.8	56.3	q4-6	I	-0.4	0.4	2.6	-19.7	
			J	-0.4	0.4	2.6	-19.7	
-21.4	56.0							
-21.5	51.6	q4-7	I	-0.3	-0.2	2.8	-17.6	
			J	-0.3	-0.2	2.8	-17.6	
-24.4	51.8							
		q5 - p~1	I	-882.0	-99.0	21.1	-42.1	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-531.1	3420.4		J	-889.3	-81.5	21.2	-48.4	
-549.7	3510.9							
-678.8	4976.2	q5 - p~2	I	-1100.7	-23.8	100.5	-8.9	
-775.0	5002.8		J	-1113.2	-29.2	100.6	-7.0	
-485.4	3227.0	q5 - p~3	I	-835.3	-93.8	18.0	-70.1	
-503.0	3312.7		J	-842.3	-77.2	18.1	-71.3	
-658.1	4714.2	q5 - p~4	I	-1042.9	-21.9	90.7	-13.4	
-748.2	4738.7		J	-1054.8	-27.0	90.8	-13.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-184.7	858.7	q7	I	-255.5	14.7	11.7	-138.5	
-196.5	843.9		J	-255.5	14.7	11.7	-138.5	
-31.7	9.1	T	I	-0.1	0.1	-0.6	-3.7	
-31.1	9.0		J	-0.1	0.1	-0.6	-3.7	
-123.6	-1408.6	M. tor~1	I	-124.7	-330.3	18.3	-129.4	
-142.0	-1360.5		J	-124.7	-330.3	18.3	-132.7	
-73.1	-832.8	M. tor~2	I	-73.7	-195.3	10.8	-76.5	
-83.9	-804.3		J	-73.7	-195.3	10.8	-78.4	
6559.4	7616.7	INVSLU Max	I	1560.3	165.6	-139.0	4241.4	3
8241.8	7651.7		J	1580.3	149.8	98.3	4240.2	3
5513.1	-7426.3	Min	I	-1594.0	-185.3	-2817.4	-891.2	
6596.4	-7431.5		J	-1609.0	-160.4	-2565.8	-789.2	
5557.0	24608.2	INVSLV Max	I	2034.6	956.6	-587.3	2783.1	1
6431.7	24410.8		J	2036.2	956.6	-449.8	2783.1	1
7015.3	-24441.6	Min	I	-2053.7	-971.1	-1074.0	-974.8	
7667.5	-24229.6		J	-2052.1	-971.1	-936.6	-974.8	

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

7037.9	5118.8	INVSLE Max	I	1039.9	116.1	-109.6	3139.2	2
			J	1053.4	105.6	66.2	3137.9	2
8277.6	5142.0	Min	I	-1064.9	-126.9	-2080.3	-657.6	
4126.9	-4977.8		J	-1074.7	-110.2	-1893.9	-581.6	
4935.8	-4978.9							
838	1	52 C1-C2;~1 Max	I	12.5	43.5	696.8	1795.5	1
5748.1	616.0		J	12.6	43.5	736.0	1866.2	1
6093.2	602.1	Min	I	-20.3	-50.1	-1136.4	-1530.9	-
6451.9	-651.6		J	-19.8	-50.1	-1088.4	-1452.5	-
6353.5	-625.9							
		C3-C4;~1 Max	I	11.7	38.3	698.6	2075.8	1
5719.4	584.6		J	11.8	38.3	738.0	2072.7	1
6062.4	562.4	Min	I	-20.3	-43.3	-1140.0	-1112.4	-
6633.6	-559.0		J	-19.5	-43.3	-1091.8	-1092.1	-
6530.8	-533.6							
		C1-C2;~2 Max	I	6.3	22.3	408.2	1063.3	
9058.6	307.9		J	6.3	22.3	431.9	1110.9	
9248.5	299.5	Min	I	-11.2	-25.8	-665.5	-882.3	-
3328.5	-325.5		J	-10.9	-25.8	-638.1	-831.8	-
3250.7	-309.7							
		C3-C4;~2 Max	I	5.8	20.0	408.5	1195.9	
9044.6	294.1		J	5.8	20.0	432.4	1204.7	
9232.7	281.4	Min	I	-11.6	-22.3	-667.1	-615.1	-
3433.5	-280.2		J	-11.2	-22.3	-639.6	-596.9	-
3352.3	-265.8							
		SLVx (RS)	I	1574.9	-824.7	90.7	-1410.0	-
3301.8	-21433.2		J	1574.9	-824.7	90.7	-1410.0	-
3341.0	-21239.5							
		SLVy (RS)	I	-1453.2	368.5	124.2	1331.6	-
1925.2	8808.4		J	-1453.2	368.5	124.2	1331.6	-
1961.5	8756.9							
		SLDx (RS)	I	1110.0	-588.7	66.8	-992.7	-
2378.0	-15208.0		J	1110.0	-588.7	66.8	-992.7	-
2407.6	-15070.1							
		SLDy (RS)	I	-938.7	264.7	81.4	912.7	
1279.5	5844.2		J	-938.7	264.7	81.4	912.7	
1292.1	-5824.5							


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1724.2	814.6	SLVz (RS)	I	148.8	123.8	151.3	-138.3	-
			J	148.8	123.8	151.3	-138.3	-
1859.1	-772.5							
8831.0	8.3	G1	I	-5.1	-8.4	-508.1	552.4	
			J	-3.9	-8.4	-407.4	552.4	
9289.6	16.8							
3226.4	3.2	G2	I	-1.9	-3.1	-185.5	201.4	
			J	-1.4	-3.1	-148.7	201.4	
3393.8	6.3							
1.9	59.1	G1- Imp~1	I	-0.8	3.1	0.3	-0.0	
			J	-0.8	3.1	0.3	-0.0	
1.6	56.0							
0.7	21.8	G2- Imp~1	I	-0.3	1.1	0.1	-0.0	
			J	-0.3	1.1	0.1	-0.0	
0.6	20.6							
-268.0	666.9	q3	I	-265.8	-6.6	27.8	-122.6	
			J	-269.0	-6.6	27.8	-122.6	
-292.8	673.6							
56.3	-337.7	q4-1	I	77.2	-12.1	-2.2	26.1	
			J	77.2	-12.1	-2.2	26.1	
58.5	-325.7							
33.8	-878.8	q4-2	I	110.7	-14.3	-5.1	-17.4	
			J	110.7	-14.3	-5.1	-17.4	
38.9	-864.4							
-1.5	249.2	q4-3	I	50.7	41.0	-2.5	-45.5	
			J	50.7	41.0	-2.5	-45.5	
1.0	208.1							
-32.8	139.0	q4-4	I	3.7	-24.1	2.2	42.4	
			J	3.7	-24.1	2.2	42.4	
-35.0	163.2							
-27.7	-121.0	q4-5	I	-0.2	5.4	3.0	0.4	
			J	-0.2	5.4	3.0	0.4	
-30.7	-126.4							
-21.6	56.0	q4-6	I	-0.4	0.4	2.6	-19.4	
			J	-0.4	0.4	2.6	-19.4	
-24.2	55.6							
-24.6	51.8	q4-7	I	-0.3	-0.2	2.8	-17.3	
			J	-0.3	-0.2	2.8	-17.3	
-27.4	52.0							
		q5 - p~1	I	-890.3	-70.4	21.1	-42.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-550.7	3510.9		J	-897.4	-52.7	21.1	-48.4	
-569.3	3572.6							
		q5 - p~2	I	-1113.5	-15.3	100.5	2.0	
-775.8	5002.8		J	-1126.0	-20.4	100.6	3.8	
-872.0	5020.7							
		q5 - p~3	I	-843.2	-66.7	18.0	-65.4	
-504.4	3312.7		J	-849.9	-49.9	18.1	-66.6	
-522.0	3371.1							
		q5 - p~4	I	-1055.0	-13.8	90.7	-4.4	
-749.0	4738.7		J	-1066.9	-18.7	90.8	-4.0	
-839.1	4754.9							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-255.3	17.9	11.7	-136.2	
-198.3	843.9		J	-255.3	17.9	11.7	-136.2	
-210.0	826.0							
		T	I	-0.1	0.1	-0.6	-3.3	
-31.2	9.0		J	-0.1	0.1	-0.6	-3.3	
-30.6	8.8							
		M. tor~1	I	-128.8	-328.7	18.4	-130.7	
-143.4	-1360.5		J	-128.8	-328.7	18.4	-133.9	
-161.8	-1313.9							
		M. tor~2	I	-76.1	-194.4	10.9	-77.3	
-84.8	-804.3		J	-76.1	-194.4	10.9	-79.2	
-95.7	-776.8							
		INVSLU Max	I	1580.3	139.1	98.2	3860.1	3
8261.6	7654.9		J	1600.3	123.2	337.0	3861.7	3
9658.4	7677.7							
		Min	I	-1609.0	-144.7	-2565.6	-1089.3	
6605.0	-7429.2		J	-1624.1	-125.0	-2315.1	-989.1	
7502.3	-7422.3							
		INVSLV Max	I	2047.6	965.1	-477.4	2604.8	1
6456.6	24412.5		J	2049.2	965.1	-339.9	2604.8	1
7172.8	24198.0							
		Min	I	-2063.5	-979.6	-909.0	-1097.2	
7663.4	-24227.7		J	-2061.9	-979.6	-771.5	-1097.2	
8198.6	-23998.7							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8292.3	5144.4	INVSLE Max	I	1053.4	98.3	66.1	2856.8	2
			J	1066.8	87.8	243.0	2857.5	2
9320.5	5159.4	Min	I	-1074.7	-99.8	-1893.8	-804.3	
4942.2	-4977.2		J	-1084.5	-89.1	-1708.2	-729.7	
5613.4	-4970.2							
839	1	52 C1-C2;~1 Max	I	12.1	43.7	736.0	1756.4	1
6095.8	603.0		J	12.2	43.7	776.4	1827.3	1
6366.7	589.3	Min	I	-19.3	-50.3	-1088.4	-1533.9	-
6355.7	-626.0		J	-18.7	-50.3	-1041.2	-1457.1	-
6257.3	-600.5							
		C3-C4;~1 Max	I	11.3	38.4	738.0	1957.6	1
6070.0	563.8		J	11.5	38.4	778.4	1956.6	1
6338.6	542.5	Min	I	-19.0	-43.4	-1091.8	-1202.6	-
6533.2	-534.1		J	-18.3	-43.4	-1044.4	-1185.3	-
6430.4	-510.0							
		C1-C2;~2 Max	I	6.1	22.3	431.9	1036.4	
9249.1	300.0		J	6.1	22.3	456.2	1083.8	
9397.7	291.6	Min	I	-10.7	-25.9	-638.1	-883.3	-
3251.3	-309.7		J	-10.4	-25.9	-611.1	-833.5	-
3173.5	-294.0							
		C3-C4;~2 Max	I	5.6	20.1	432.4	1126.3	
9236.8	282.1		J	5.6	20.1	456.8	1135.9	
9383.5	269.8	Min	I	-10.9	-22.3	-639.6	-672.2	-
3353.0	-266.0		J	-10.5	-22.3	-612.5	-655.4	-
3271.8	-252.2							
		SLVx (RS)	I	1581.6	-833.1	-81.3	-1396.8	-
3348.2	-21239.5		J	1581.6	-833.1	-81.3	-1396.8	-
3371.7	-21029.3							
		SLVy (RS)	I	-1464.8	374.7	127.5	1312.5	-
1979.0	8756.9		J	-1464.8	374.7	127.5	1312.5	-
2018.8	8698.5							
		SLDx (RS)	I	1114.5	-594.7	-59.8	-983.0	-
2412.5	-15070.0		J	1114.5	-594.7	-59.8	-983.0	-
2429.9	-14920.2							
		SLDy (RS)	I	-945.8	267.9	84.2	899.7	-
1302.9	-5824.5		J	-945.8	267.9	84.2	899.7	-
1317.6	-5801.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1861.8	-772.4	SLVz (RS)	I	150.0	123.9	125.0	-118.3	-
			J	150.0	123.9	125.0	-118.3	-
1972.6	-737.5							
		G1	I	-4.0	-8.4	-407.4	436.6	
9295.8	18.2		J	-2.8	-8.4	-306.7	436.6	
9653.6	26.6							
		G2	I	-1.4	-3.1	-148.7	159.1	
3396.1	6.8		J	-1.0	-3.1	-111.9	159.1	
3526.7	9.8							
		G1- Imp~1	I	-0.7	3.1	0.3	-0.1	
1.6	56.0		J	-0.7	3.1	0.3	-0.1	
1.3	52.9							
		G2- Imp~1	I	-0.3	1.1	0.1	-0.0	
0.6	20.6		J	-0.3	1.1	0.1	-0.0	
0.5	19.5							
		q3	I	-269.0	-3.3	27.8	-119.0	
-294.4	673.6		J	-272.2	-3.3	27.8	-119.0	
-319.2	676.8							
		q4-1	I	77.1	-13.0	-2.2	25.4	
58.9	-325.7		J	77.1	-13.0	-2.2	25.4	
61.1	-312.6							
		q4-2	I	110.5	-15.7	-5.0	-17.7	
38.8	-864.4		J	110.5	-15.7	-5.0	-17.7	
43.8	-848.7							
		q4-3	I	51.2	40.4	-2.5	-45.6	
0.4	208.1		J	51.2	40.4	-2.5	-45.6	
2.9	167.7							
		q4-4	I	3.4	-24.1	2.2	42.8	
-34.5	163.2		J	3.4	-24.1	2.2	42.8	
-36.7	187.3							
		q4-5	I	-0.1	5.4	3.0	0.8	
-30.6	-126.4		J	-0.1	5.4	3.0	0.8	
-33.6	-131.8							
		q4-6	I	-0.4	0.4	2.6	-19.1	
-24.5	55.6		J	-0.4	0.4	2.6	-19.1	
-27.0	55.2							
		q4-7	I	-0.3	-0.2	2.8	-17.0	
-27.7	52.0		J	-0.3	-0.2	2.8	-17.0	
-30.5	52.2							
		q5 - p~1	I	-898.0	-41.5	21.0	-41.8	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-570.4	3572.6		J	-904.9	-23.8	21.1	-48.2	
-589.0	3605.4							
-872.6	5020.7	q5 - p~2	I	-1126.2	-6.4	100.4	14.0	
-968.9	5029.5		J	-1138.7	-11.1	100.6	15.7	
-523.2	3371.1	q5 - p~3	I	-850.5	-39.3	18.0	-60.6	
-540.8	3402.1		J	-857.0	-22.5	18.0	-61.8	
-839.8	4754.9	q5 - p~4	I	-1067.0	-5.3	90.7	5.8	
-929.9	4762.6		J	-1078.9	-9.9	90.8	6.1	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-211.8	826.0	q7	I	-255.0	21.1	11.6	-133.7	
-223.4	804.8		J	-255.0	21.1	11.6	-133.7	
-30.6	8.8	T	I	-0.1	0.1	-0.6	-3.0	
-30.0	8.7		J	-0.1	0.1	-0.6	-3.0	
-163.3	-1313.9	M. tor~1	I	-132.9	-327.1	18.4	-131.7	
-181.7	-1269.0		J	-132.9	-327.1	18.4	-134.9	
-96.5	-776.8	M. tor~2	I	-78.6	-193.4	10.9	-77.9	
-107.4	-750.2		J	-78.6	-193.4	10.9	-79.8	
9673.9	7680.9	INVSLU Max	I	1600.2	112.4	336.9	3486.5	3
0784.5	7690.7		J	1620.1	96.4	577.2	3491.0	4
7509.9	-7419.8	Min	I	-1624.0	-115.2	-2314.9	-1306.5	
8221.3	-7400.1		J	-1639.1	-99.2	-2065.5	-1208.5	
7194.6	24199.8	INVSLV Max	I	2059.7	975.4	-366.3	2421.6	1
7751.2	23969.0		J	2061.3	975.4	-228.9	2421.6	1
8193.7	-23996.7	Min	I	-2072.5	-989.9	-745.1	-1230.4	
8613.0	-23751.3		J	-2070.9	-989.9	-607.6	-1230.4	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9331.9	5161.8	INVSLE Max	I	1066.7	80.5	242.9	2580.0	2
			J	1080.2	69.8	420.9	2582.9	3
0148.1	5168.2	Min	I	-1084.4	-82.6	-1708.1	-965.2	
5619.0	-4968.4		J	-1094.3	-71.9	-1523.4	-892.2	
6152.4	-4952.9							
840	1	52 C1-C2;~1 Max	I	11.8	43.8	776.4	1717.3	1
6367.9	590.1		J	11.9	43.8	817.8	1788.6	1
6564.1	576.6	Min	I	-18.2	-50.4	-1041.2	-1563.6	-
6258.5	-600.5		J	-17.6	-50.4	-994.8	-1488.2	-
6160.1	-575.4							
		C3-C4;~1 Max	I	11.1	38.6	778.4	1840.9	1
6344.3	543.8		J	11.3	38.6	820.0	1842.2	1
6538.2	523.6	Min	I	-17.8	-43.5	-1044.4	-1301.2	-
6431.8	-510.4		J	-17.1	-43.5	-997.9	-1286.8	-
6329.0	-488.2							
		C1-C2;~2 Max	I	5.9	22.4	456.2	1008.8	
9397.7	292.1		J	5.9	22.4	480.9	1056.2	
9504.6	283.8	Min	I	-10.1	-26.0	-611.1	-902.9	-
3173.6	-294.1		J	-9.8	-26.0	-584.3	-853.8	-
3095.8	-278.5							
		C3-C4;~2 Max	I	5.5	20.1	456.8	1056.7	
9386.7	270.5		J	5.6	20.1	481.6	1067.1	
9491.7	258.6	Min	I	-10.3	-22.4	-612.5	-733.7	-
3272.1	-252.4		J	-9.9	-22.4	-585.6	-718.1	-
3190.9	-239.3							
		SLVx (RS)	I	1587.7	-843.1	-78.0	-1386.7	-
3378.0	-21029.3		J	1587.7	-843.1	-78.0	-1386.7	-
3385.5	-20803.1							
		SLVy (RS)	I	-1476.1	381.7	130.3	1293.9	-
2036.1	8698.4		J	-1476.1	381.7	130.3	1293.9	-
2079.9	8633.7							
		SLDx (RS)	I	1118.7	-601.7	-57.3	-975.7	-
2434.0	-14920.2		J	1118.7	-601.7	-57.3	-975.7	-
2439.1	-14758.8							
		SLDy (RS)	I	-952.6	271.6	86.6	887.1	-
1328.3	-5801.6		J	-952.6	271.6	86.6	887.1	-
1345.6	-5775.8							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1974.8	-737.5	SLVz (RS)	I	150.8	124.3	97.9	-98.9	-
			J	150.8	124.3	97.9	-98.9	-
2059.5	-711.1							
		G1	I	-2.9	-8.4	-306.7	316.2	
9658.3	28.0		J	-1.8	-8.4	-206.0	316.2	
9915.2	36.4							
		G2	I	-1.1	-3.1	-111.9	115.1	
3528.4	10.4		J	-0.6	-3.1	-75.2	115.1	
3622.1	13.4							
		G1- Imp~1	I	-0.7	3.1	0.3	-0.1	
1.3	52.9		J	-0.7	3.1	0.3	-0.1	
1.1	49.8							
		G2- Imp~1	I	-0.2	1.1	0.1	-0.0	
0.5	19.5		J	-0.2	1.1	0.1	-0.0	
0.4	18.4							
		q3	I	-272.3	0.1	27.7	-115.2	
-320.8	676.8		J	-275.5	0.1	27.7	-115.2	
-345.5	676.7							
		q4-1	I	76.9	-14.0	-2.2	24.7	
61.4	-312.6		J	76.9	-14.0	-2.2	24.7	
63.6	-298.6							
		q4-2	I	110.3	-17.1	-5.0	-18.2	
43.7	-848.7		J	110.3	-17.1	-5.0	-18.2	
48.7	-831.6							
		q4-3	I	51.7	39.7	-2.5	-45.6	
2.4	167.6		J	51.7	39.7	-2.5	-45.6	
4.9	127.9							
		q4-4	I	3.1	-24.2	2.2	43.3	
-36.2	187.3		J	3.1	-24.2	2.2	43.3	
-38.3	211.6							
		q4-5	I	-0.1	5.4	3.0	1.2	
-33.6	-131.8		J	-0.1	5.4	3.0	1.2	
-36.5	-137.2							
		q4-6	I	-0.4	0.4	2.6	-18.8	
-27.3	55.2		J	-0.4	0.4	2.6	-18.8	
-29.8	54.9							
		q4-7	I	-0.3	-0.2	2.8	-16.6	
-30.7	52.2		J	-0.3	-0.2	2.8	-16.6	
-33.5	52.4							
		q5 - p~1	I	-905.1	-12.5	21.0	-41.3	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-590.1	3605.4		J	-911.8	5.3	21.0	-47.8	
-608.7	3609.0							
-969.3	5029.5	q5 - p~2	I	-1138.8	3.1	100.4	27.0	
1065.5	5028.6		J	-1151.2	-1.4	100.6	28.6	-
-542.0	3402.1	q5 - p~3	I	-857.2	-11.8	17.9	-55.5	
-559.6	3405.5		J	-863.6	5.1	18.0	-56.7	
-930.4	4762.5	q5 - p~4	I	-1078.9	3.6	90.7	17.0	
1020.5	4761.0		J	-1090.8	-0.6	90.8	17.3	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-225.2	804.8	q7	I	-254.8	24.3	11.6	-131.0	
-236.8	780.5		J	-254.8	24.3	11.6	-131.0	
-30.1	8.7	T	I	-0.1	0.1	-0.6	-2.6	
-29.5	8.6		J	-0.1	0.1	-0.6	-2.6	
-183.2	-1269.0	M. tor~1	I	-136.9	-325.4	18.4	-132.5	
-201.6	-1225.8		J	-136.9	-325.4	18.4	-135.6	
-108.3	-750.2	M. tor~2	I	-81.0	-192.4	10.9	-78.3	
-119.2	-724.7		J	-81.0	-192.4	10.9	-80.2	
0795.3	7693.9	INVSLU Max	I	1619.8	85.4	577.1	3106.3	4
1619.1	7690.2		J	1639.7	78.9	818.9	3113.9	4
8227.6	-7397.5	Min	I	-1638.8	-89.2	-2065.4	-1567.9	
8753.0	-7364.3		J	-1654.0	-82.7	-1817.1	-1471.8	
7769.8	23970.8	INVSLV Max	I	2070.9	987.7	-235.1	2235.7	1
8166.1	23724.5		J	2072.5	987.7	-97.6	2235.7	1
8607.3	-23749.3	Min	I	-2080.7	-1002.2	-601.4	-1373.3	
8911.5	-23488.4		J	-2079.1	-1002.2	-463.9	-1373.3	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0156.1	5170.6	INVSLE	Max	I	1080.0	62.5	420.8	2298.4	3
				J	1093.4	58.1	599.9	2303.6	3
0759.9	5168.0		Min	I	-1094.1	-65.3	-1523.3	-1158.8	
6157.1	-4951.0			J	-1104.0	-60.9	-1339.4	-1087.2	
6552.8	-4926.6								
841	1	52 C1-C2;~1	Max	I	11.5	43.9	817.8	1675.5	1
6564.0	577.3			J	11.8	43.9	860.3	1747.4	1
6685.2	564.0		Min	I	-17.1	-50.6	-994.8	-1603.6	-
6160.4	-575.3			J	-16.6	-50.6	-949.4	-1529.4	-
6062.0	-566.0								
		C3-C4;~1	Max	I	10.9	38.7	820.0	1723.7	1
6542.1	524.9			J	11.1	38.7	862.6	1727.5	1
6661.5	505.9		Min	I	-16.6	-43.6	-997.9	-1404.2	-
6329.5	-488.3			J	-15.9	-43.6	-952.3	-1392.7	-
6226.7	-468.4								
		C1-C2;~2	Max	I	5.7	22.5	480.9	979.7	
9503.8	284.2			J	5.9	22.5	506.1	1027.3	
9568.8	276.0		Min	I	-9.5	-26.0	-584.3	-930.2	-
3095.4	-278.5			J	-9.2	-26.0	-557.9	-881.8	-
3017.6	-274.7								
		C3-C4;~2	Max	I	5.4	20.2	481.6	986.4	
9493.8	259.2			J	5.5	20.2	506.9	997.7	
9557.3	246.6		Min	I	-9.6	-22.4	-585.6	-797.7	-
3190.6	-239.4			J	-9.2	-22.4	-559.1	-783.4	-
3109.4	-227.2								
		SLVx (RS)		I	1593.2	-854.7	-81.7	-1379.9	-
3390.8	-20803.0			J	1593.2	-854.7	-81.7	-1379.9	-
3382.5	-20561.3								
		SLVy (RS)		I	-1487.2	389.4	132.5	1275.6	-
2096.9	8633.6			J	-1487.2	389.4	132.5	1275.6	-
2145.0	8563.1								
		SLDx (RS)		I	1122.4	-609.9	-60.1	-970.7	-
2442.6	-14758.8			J	1122.4	-609.9	-60.1	-970.7	-
2435.5	-14586.3								
		SLDy (RS)		I	-959.3	275.7	88.5	874.8	-
1356.1	-5775.8			J	-959.3	275.7	88.5	874.8	-
1376.4	-5747.5								


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2061.2	-711.0	SLVz (RS)	I	151.1	125.0	72.0	-82.4	-
			J	151.1	125.0	72.0	-82.4	-
2118.2	-694.6							
		G1	I	-1.8	-8.4	-206.0	192.6	
9918.4	37.8		J	-0.7	-8.4	-105.3	192.6	1
0074.3	46.3							
		G2	I	-0.7	-3.1	-75.2	69.9	
3623.3	13.9		J	-0.3	-3.1	-38.4	69.9	
3680.2	17.0							
		G1- Imp~1	I	-0.6	3.1	0.3	-0.1	
1.1	49.8		J	-0.6	3.1	0.3	-0.1	
0.8	46.7							
		G2- Imp~1	I	-0.2	1.1	0.1	-0.0	
0.4	18.4		J	-0.2	1.1	0.1	-0.0	
0.3	17.3							
		q3	I	-275.5	3.5	27.7	-110.9	
-347.0	676.7		J	-278.7	3.5	27.7	-110.9	
-371.7	673.1							
		q4-1	I	76.7	-14.9	-2.1	23.9	
63.9	-298.6		J	76.7	-14.9	-2.1	23.9	
66.1	-283.6							
		q4-2	I	110.1	-18.4	-5.0	-18.6	
48.6	-831.6		J	110.1	-18.4	-5.0	-18.6	
53.6	-813.2							
		q4-3	I	52.2	39.1	-2.5	-45.7	
4.3	127.8		J	52.2	39.1	-2.5	-45.7	
6.8	88.7							
		q4-4	I	2.8	-24.2	2.2	43.7	
-37.8	211.6		J	2.8	-24.2	2.2	43.7	
-40.0	235.8							
		q4-5	I	0.0	5.4	3.0	1.7	
-36.5	-137.2		J	0.0	5.4	3.0	1.7	
-39.5	-142.6							
		q4-6	I	-0.4	0.4	2.6	-18.4	
-30.1	54.8		J	-0.4	0.4	2.6	-18.4	
-32.7	54.5							
		q4-7	I	-0.3	-0.2	2.8	-16.2	
-33.7	52.4		J	-0.3	-0.2	2.8	-16.2	
-36.6	52.5							
		q5 - p~1	I	-911.7	16.7	20.9	-40.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-609.8	3609.0		J	-918.2	34.6	21.0	-47.1	
-628.4	3583.3							
1065.8	5028.6	q5 - p~2	I	-1151.2	13.0	100.4	41.2	-
1162.0	5017.7		J	-1163.6	8.8	100.5	42.7	-
-560.7	3405.5	q5 - p~3	I	-863.4	15.8	17.9	-50.2	
-578.2	3381.1		J	-869.6	32.8	17.9	-51.4	
1020.9	4761.0	q5 - p~4	I	-1090.7	13.0	90.6	29.3	-
1110.9	4750.0		J	-1102.5	9.1	90.8	29.6	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-238.5	780.5	q7	I	-254.4	27.4	11.5	-128.1	
-250.1	753.0		J	-254.4	27.4	11.5	-128.1	
-29.5	8.5	T	I	-0.1	0.1	-0.6	-2.2	
-28.9	8.4		J	-0.1	0.1	-0.6	-2.2	
-203.1	-1225.8	M. tor~1	I	-141.0	-323.7	18.4	-132.9	
-221.6	-1184.3		J	-141.0	-323.7	18.4	-136.1	
-120.1	-724.7	M. tor~2	I	-83.4	-191.4	10.9	-78.6	
-131.0	-700.2		J	-83.4	-191.4	10.9	-80.4	
1625.1	7693.3	INVSLU Max	I	1639.3	88.4	818.7	2719.9	4
2161.7	7675.3		J	1659.3	104.5	1062.0	2757.2	4
8758.0	-7361.7	Min	I	-1653.6	-93.1	-1817.0	-1849.3	
9097.5	-7330.0		J	-1668.7	-109.2	-1570.0	-1754.5	
8181.4	23726.4	INVSLV Max	I	2081.3	1001.8	-102.2	2049.7	1
8417.0	23465.8		J	2082.8	1001.8	35.3	2049.7	1
8904.9	-23486.4	Min	I	-2088.0	-1016.2	-459.4	-1524.9	
9094.2	-23211.4		J	-2086.5	-1016.2	-321.9	-1524.9	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0764.3	5170.3	INVSLE Max	I	1093.1	64.4	599.8	2012.2	3
			J	1106.6	75.1	780.0	2039.4	3
1155.4	5158.2	Min	I	-1103.7	-67.9	-1339.3	-1367.3	
6556.5	-4924.7		J	-1113.6	-78.6	-1156.3	-1296.6	
6814.4	-4902.4							
842	1	52 C1-C2;~1 Max	I	11.5	44.0	860.3	1631.4	1
6683.7	564.7		J	11.9	44.0	903.8	1704.0	1
6730.7	554.8	Min	I	-16.1	-50.7	-949.4	-1644.4	-
6061.4	-565.9		J	-15.5	-50.7	-905.0	-1571.2	-
5998.3	-563.0							
		C3-C4;~1 Max	I	10.8	38.8	862.6	1606.7	1
6662.9	507.1		J	11.0	38.8	906.3	1613.1	1
6708.6	497.8	Min	I	-15.8	-43.7	-952.3	-1510.5	-
6226.2	-468.3		J	-15.2	-43.7	-907.7	-1501.8	-
6159.4	-455.6							
		C1-C2;~2 Max	I	5.8	22.5	506.1	949.6	
9567.3	276.4		J	6.1	22.5	531.7	997.3	
9591.1	270.6	Min	I	-8.9	-26.1	-557.9	-958.5	-
3016.8	-274.6		J	-8.6	-26.1	-531.9	-910.6	-
2965.5	-275.6							
		C3-C4;~2 Max	I	5.4	20.2	506.9	915.9	
9557.9	247.0		J	5.6	20.2	532.7	928.2	
9580.5	243.7	Min	I	-8.9	-22.5	-559.1	-863.7	-
3108.7	-227.2		J	-8.6	-22.5	-532.9	-850.5	-
3054.5	-220.3							
		SLVx (RS)	I	1598.0	-867.8	91.4	-1376.5	-
3386.9	-20561.3		J	1598.0	-867.8	91.4	-1376.5	-
3363.3	-20304.8							
		SLVy (RS)	I	-1497.9	397.7	133.6	1257.9	-
2161.6	8563.0		J	-1497.9	397.7	133.6	1257.9	-
2214.1	-8487.4							
		SLDx (RS)	I	1125.7	-619.1	67.4	-968.2	-
2438.4	-14586.3		J	1125.7	-619.1	67.4	-968.2	-
2419.4	-14403.3							
		SLDy (RS)	I	-965.8	280.1	89.5	862.9	-
1386.7	-5747.5		J	-965.8	280.1	89.5	862.9	-
1410.3	-5717.1							


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2119.3	-694.6	SLVz (RS)	I	150.9	125.9	52.2	-72.2	-
			J	150.9	125.9	52.2	-72.2	-
2147.9	-689.5							
		G1	I	-0.8	-8.4	-105.3	67.0	1
0075.9	47.7		J	0.3	-8.4	-4.6	67.0	1
0131.0	56.1							
		G2	I	-0.3	-3.1	-38.4	24.1	
3680.8	17.5		J	0.1	-3.1	-1.6	24.1	
3700.8	20.6							
		G1- Imp~1	I	-0.6	3.1	0.3	-0.1	
0.8	46.7		J	-0.6	3.1	0.3	-0.1	
0.5	43.5							
		G2- Imp~1	I	-0.2	1.1	0.1	-0.0	
0.3	17.3		J	-0.2	1.1	0.1	-0.0	
0.2	16.1							
		q3	I	-278.6	7.0	27.6	-106.4	
-373.2	673.1		J	-281.8	7.0	27.6	-106.4	
-397.8	666.0							
		q4-1	I	76.5	-15.9	-2.1	23.1	
66.4	-283.6		J	76.5	-15.9	-2.1	23.1	
68.5	-267.7							
		q4-2	I	109.9	-19.8	-5.0	-19.2	
53.5	-813.2		J	109.9	-19.8	-5.0	-19.2	
58.5	-793.3							
		q4-3	I	52.7	38.4	-2.5	-45.8	
6.2	88.7		J	52.7	38.4	-2.5	-45.8	
8.7	50.2							
		q4-4	I	2.5	-24.2	2.2	44.2	
-39.5	235.8		J	2.5	-24.2	2.2	44.2	
-41.7	260.1							
		q4-5	I	0.1	5.4	3.0	2.2	
-39.4	-142.6		J	0.1	5.4	3.0	2.2	
-42.4	-148.0							
		q4-6	I	-0.4	0.4	2.6	-18.0	
-32.9	54.5		J	-0.4	0.4	2.6	-18.0	
-35.5	54.1							
		q4-7	I	-0.3	-0.2	2.8	-15.7	
-36.8	52.5		J	-0.3	-0.2	2.8	-15.7	
-39.6	52.7							
		q5 - p~1	I	-917.7	46.0	20.8	-39.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-629.5	3583.3		J	-923.9	64.0	20.9	-46.3	
-648.1	3528.2							
1162.1	5017.7	q5 - p~2	I	-1163.5	23.3	100.4	56.4	-
1258.2	4996.2		J	-1175.9	19.5	100.5	57.8	-
-579.3	3381.1	q5 - p~3	I	-869.1	43.6	17.8	-44.7	
-596.7	3328.9		J	-875.0	60.7	17.8	-45.9	
1111.1	4749.9	q5 - p~4	I	-1102.3	22.8	90.6	42.7	-
1201.1	4728.9		J	-1114.1	19.2	90.7	43.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-251.8	753.0	q7	I	-254.1	30.6	11.5	-125.1	
-263.3	722.3		J	-254.1	30.6	11.5	-125.1	
-29.0	8.4	T	I	-0.1	0.1	-0.6	-1.9	
-28.4	8.3		J	-0.1	0.1	-0.6	-1.9	
-223.1	-1184.3	M. tor~1	I	-145.0	-321.9	18.5	-133.1	
-241.6	-1144.6		J	-145.0	-321.9	18.5	-136.2	
-131.9	-700.2	M. tor~2	I	-85.7	-190.3	10.9	-78.7	
-142.8	-676.7		J	-85.7	-190.3	10.9	-80.5	
2162.8	7678.4	INVSLU Max	I	1658.8	114.0	1061.8	2377.2	4
2413.3	7648.7		J	1678.8	130.2	1306.5	2476.5	4
9101.0	-7327.4	Min	I	-1668.2	-119.7	-1569.8	-2149.3	
9205.9	-7287.2		J	-1683.4	-136.1	-1324.1	-2051.8	
8429.0	23467.7	INVSLV Max	I	2090.7	1017.6	33.4	1866.4	1
8504.4	23194.3		J	2092.2	1017.6	170.8	1866.4	1
9086.6	-23209.4	Min	I	-2094.6	-1032.1	-320.0	-1684.6	
9160.7	-22921.5		J	-2093.1	-1032.1	-182.5	-1684.6	

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1156.1	5160.5	INVSLE Max	I	1106.3	81.4	779.9	1757.2	3
			J	1119.8	92.2	961.1	1830.7	3
1335.2	5140.8	Min	I	-1113.2	-85.6	-1156.2	-1588.4	
6817.1	-4900.5		J	-1123.2	-96.4	-974.2	-1516.1	
6901.2	-4873.0							
843	1	52 C1-C2;~1 Max	I	11.7	44.1	903.8	1585.7	1
6731.2	555.2		J	12.1	44.1	948.3	1659.2	1
6707.8	546.3	Min	I	-15.1	-50.8	-905.0	-1684.7	-
6000.5	-562.9		J	-14.5	-50.8	-861.5	-1612.5	-
6123.9	-560.4							
		C3-C4;~1 Max	I	10.7	38.9	906.3	1490.8	1
6709.0	498.5		J	11.1	38.9	951.0	1499.8	1
6687.8	495.2	Min	I	-14.7	-43.8	-907.7	-1618.9	-
6161.6	-455.4		J	-14.2	-43.8	-864.1	-1612.9	-
6289.9	-451.1							
		C1-C2;~2 Max	I	6.0	22.6	531.7	918.9	
9591.4	270.8		J	6.2	22.6	557.8	967.0	
9576.6	265.7	Min	I	-8.4	-26.2	-531.9	-987.1	-
2967.0	-275.6		J	-8.1	-26.2	-506.3	-939.5	-
3055.5	-276.7							
		C3-C4;~2 Max	I	5.5	20.3	532.7	845.9	
9580.7	243.9		J	5.7	20.3	558.8	859.2	
9567.5	243.5	Min	I	-8.3	-22.5	-532.9	-930.7	-
3056.1	-220.3		J	-8.0	-22.5	-507.2	-918.6	-
3148.2	-219.6							
		SLVx (RS)	I	1602.2	-882.3	-105.3	-1376.5	-
3366.8	-20304.8		J	1602.2	-882.3	-105.3	-1376.5	-
3328.6	-20034.8							
		SLVy (RS)	I	-1508.4	406.7	133.6	1240.7	-
2230.4	-8487.4		J	-1508.4	406.7	133.6	1240.7	-
2286.9	-8407.5							
		SLDx (RS)	I	1128.5	-629.3	-77.9	-968.2	-
2421.6	-14403.3		J	1128.5	-629.3	-77.9	-968.2	-
2391.4	-14210.5							
		SLDy (RS)	I	-972.0	284.9	-89.6	851.5	-
1420.4	-5717.1		J	-972.0	284.9	-89.6	851.5	-
1447.1	-5685.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2148.5	-689.4	SLVz (RS)	I	150.2	127.0	48.0	71.8	-
			J	150.2	127.0	48.0	71.8	-
2148.6	-696.7							
		G1	I	0.2	-8.4	-4.6	-59.3	1
0131.0	57.5		J	1.3	-8.4	96.1	-59.3	1
0085.2	65.9							
		G2	I	0.1	-3.1	-1.6	-22.1	
3700.8	21.1		J	0.5	-3.1	35.1	-22.1	
3684.0	24.2							
		G1- Imp~1	I	-0.6	3.1	0.3	-0.1	
0.5	43.5		J	-0.6	3.1	0.3	-0.1	
0.2	40.4							
		G2- Imp~1	I	-0.2	1.1	0.1	-0.0	
0.2	16.1		J	-0.2	1.1	0.1	-0.0	
0.1	15.0							
		q3	I	-281.7	10.5	27.6	-101.5	
-399.2	666.0		J	-284.9	10.5	27.6	-101.5	
-423.8	655.4							
		q4-1	I	76.3	-16.8	-2.1	22.3	
68.8	-267.7		J	76.3	-16.8	-2.1	22.3	
71.0	-250.8							
		q4-2	I	109.6	-21.2	-5.0	-19.8	
58.3	-793.3		J	109.6	-21.2	-5.0	-19.8	
63.3	-772.1							
		q4-3	I	53.2	37.7	-2.5	-45.9	
8.2	50.2		J	53.2	37.7	-2.5	-45.9	
10.7	12.4							
		q4-4	I	2.2	-24.3	2.2	44.6	
-41.2	260.1		J	2.2	-24.3	2.2	44.6	
-43.3	284.4							
		q4-5	I	0.1	5.4	3.0	2.8	
-42.3	-148.0		J	0.1	5.4	3.0	2.8	
-45.3	-153.4							
		q4-6	I	-0.4	0.4	2.6	-17.6	
-35.7	54.1		J	-0.4	0.4	2.6	-17.6	
-38.3	53.7							
		q4-7	I	-0.3	-0.2	2.8	-15.2	
-39.8	52.7		J	-0.3	-0.2	2.8	-15.2	
-42.6	52.9							
		q5 - p~1	I	-923.0	75.5	20.8	-38.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-649.1	3528.2		J	-929.1	93.6	20.8	-45.2	
-667.8	3443.5							
1258.1	4996.1	q5 - p~2	I	-1175.6	34.2	100.3	72.7	-
1354.2	4963.7		J	-1188.0	30.7	100.4	74.0	-
-597.7	3328.9	q5 - p~3	I	-874.2	71.6	17.7	-38.9	
-615.1	3248.6		J	-879.9	88.7	17.8	-40.1	
1201.2	4728.8	q5 - p~4	I	-1113.8	33.1	90.5	57.3	-
1291.1	4697.3		J	-1125.5	29.8	90.7	57.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-264.9	722.3	q7	I	-253.7	33.8	11.5	-121.9	
-276.4	688.4		J	-253.7	33.8	11.5	-121.9	
-28.4	8.3	T	I	-0.1	0.1	-0.6	-1.5	
-27.8	8.1		J	-0.1	0.1	-0.6	-1.5	
-243.1	-1144.6	M. tor~1	I	-149.0	-320.1	18.5	-133.0	
-261.6	-1106.7		J	-149.0	-320.1	18.5	-136.0	
-143.7	-676.7	M. tor~2	I	-88.1	-189.2	10.9	-78.6	
-154.7	-654.3		J	-88.1	-189.2	10.9	-80.4	
2413.9	7651.4	INVSLU Max	I	1678.1	139.7	1306.3	2097.2	4
2383.2	7607.0		J	1698.1	156.0	1552.3	2197.6	4
9203.2	-7284.5	Min	I	-1682.7	-152.5	-1324.0	-2451.0	
8858.8	-7229.0		J	-1698.0	-178.2	-1079.6	-2355.1	
8513.1	23196.1	INVSLV Max	I	2099.3	1035.2	173.7	1688.7	1
8428.9	22911.5		J	2100.7	1035.2	311.2	1688.7	1
9152.1	-22919.6	Min	I	-2100.3	-1049.7	-185.4	-1851.8	
9110.3	-22620.5		J	-2098.8	-1049.7	-48.0	-1851.8	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1335.7	5142.8	INVSLE Max	I	1119.3	98.5	961.0	1548.7	3
			J	1132.8	109.3	1143.2	1623.0	3
1306.6	5113.4	Min	I	-1122.7	-105.1	-974.1	-1810.8	
6899.1	-4871.1		J	-1132.7	-122.2	-793.1	-1739.7	
6650.5	-4833.4							
844	1	52 C1-C2;~1 Max	I	11.8	44.2	948.3	1539.4	1
6710.0	546.7		J	12.2	44.2	993.7	1614.0	1
6612.2	538.1	Min	I	-14.1	-50.9	-861.5	-1723.7	-
6125.1	-560.2		J	-13.6	-50.9	-819.0	-1652.1	-
6248.5	-558.2							
		C3-C4;~1 Max	I	10.9	39.0	951.0	1376.8	1
6686.9	495.9		J	11.4	39.0	996.6	1388.7	1
6591.8	492.9	Min	I	-13.7	-43.9	-864.1	-1728.5	-
6291.1	-450.8		J	-13.2	-43.9	-821.5	-1725.0	-
6419.4	-446.8							
		C1-C2;~2 Max	I	6.1	22.6	557.8	888.3	
9578.4	265.9		J	6.4	22.6	584.2	936.9	
9522.3	260.9	Min	I	-7.8	-26.2	-506.3	-1015.2	-
3056.6	-276.7		J	-7.5	-26.2	-481.1	-967.8	-
3145.1	-278.0							
		C3-C4;~2 Max	I	5.6	20.3	558.8	776.9	
9567.1	243.6		J	5.9	20.3	585.4	791.3	
9512.9	245.5	Min	I	-7.7	-22.6	-507.2	-998.3	-
3149.3	-219.5		J	-7.4	-22.6	-481.9	-987.1	-
3241.4	-218.9							
		SLVx (RS)	I	1605.8	-898.3	-121.7	-1379.9	-
3331.3	-20034.8		J	1605.8	-898.3	-121.7	-1379.9	-
3279.9	-19752.3							
		SLVy (RS)	I	-1518.5	-416.2	-132.4	1224.2	-
2302.8	-8407.5		J	-1518.5	-416.2	-132.4	1224.2	-
2363.0	-8324.4							
		SLDx (RS)	I	1130.9	-640.6	-90.2	-970.6	-
2393.0	-14210.5		J	1130.9	-640.6	-90.2	-970.6	-
2352.4	-14008.9							
		SLDy (RS)	I	-978.0	290.0	-88.7	840.6	-
1456.9	-5685.1		J	-978.0	290.0	-88.7	840.6	-
1486.4	-5652.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2148.7	-696.6	SLVz (RS)	I	149.0	128.1	62.3	81.6	-
			J	149.0	128.1	62.3	81.6	-
2120.9	716.8							
		G1	I	1.2	-8.4	96.1	-185.0	1
0083.7	67.3		J	2.2	-8.4	196.8	-185.0	
9936.9	75.7							
		G2	I	0.4	-3.1	35.1	-68.0	
3683.5	24.7		J	0.8	-3.1	71.9	-68.0	
3629.8	27.7							
		G1- Imp~1	I	-0.5	3.1	0.3	-0.1	
0.2	40.4		J	-0.5	3.1	0.3	-0.1	
-0.1	37.3							
		G2- Imp~1	I	-0.2	1.1	0.1	-0.0	
0.1	15.0		J	-0.2	1.1	0.1	-0.0	
0.0	13.8							
		q3	I	-284.8	14.1	27.6	-96.3	
-425.1	655.4		J	-288.0	14.1	27.6	-96.3	
-449.7	641.3							
		q4-1	I	76.1	-17.8	-2.1	21.5	
71.3	-250.8		J	76.1	-17.8	-2.1	21.5	
73.4	-233.0							
		q4-2	I	109.4	-22.5	-4.9	-20.5	
63.2	-772.1		J	109.4	-22.5	-4.9	-20.5	
68.1	-749.5							
		q4-3	I	53.6	37.1	-2.5	-46.0	
10.1	12.3		J	53.6	37.1	-2.5	-46.0	
12.6	-24.8							
		q4-4	I	1.9	-24.3	2.2	45.1	
-42.8	284.4		J	1.9	-24.3	2.2	45.1	
-45.0	308.8							
		q4-5	I	0.2	5.4	3.0	3.4	
-45.3	-153.4		J	0.2	5.4	3.0	3.4	
-48.2	-158.8							
		q4-6	I	-0.4	0.4	2.6	-17.1	
-38.5	53.7		J	-0.4	0.4	2.6	-17.1	
-41.1	53.3							
		q4-7	I	-0.3	-0.2	2.8	-14.7	
-42.8	52.9		J	-0.3	-0.2	2.8	-14.7	
-45.7	53.0							
		q5 - p~1	I	-927.8	105.1	20.7	-37.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-668.8	3443.5		J	-933.6	123.3	20.7	-44.0	
-687.4	3329.0							
1353.8	4963.6	q5 - p~2	I	-1187.5	45.5	100.3	90.1	-
1449.9	4919.7		J	-1199.9	42.3	100.4	91.3	-
-615.9	3248.6	q5 - p~3	I	-878.7	99.6	17.6	-32.9	
-633.3	3140.2		J	-884.2	116.8	17.7	-34.1	
1291.0	4697.3	q5 - p~4	I	-1125.1	43.8	90.5	72.9	-
1380.9	4654.9		J	-1136.8	40.7	90.6	73.1	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-278.0	688.4	q7	I	-253.2	36.9	11.4	-118.6	
-289.4	651.4		J	-253.2	36.9	11.4	-118.6	
-27.8	8.1	T	I	-0.1	0.1	-0.6	-1.2	
-27.2	8.0		J	-0.1	0.1	-0.6	-1.2	
-263.2	-1106.7	M. tor~1	I	-153.0	-318.2	18.5	-132.6	
-281.7	-1070.8		J	-153.0	-318.2	18.5	-135.6	
-155.6	-654.3	M. tor~2	I	-90.5	-188.1	10.9	-78.4	
-166.5	-633.0		J	-90.5	-188.1	10.9	-80.2	
2383.0	7609.6	INVSLU Max	I	1697.1	170.3	1552.2	1818.5	4
2066.0	7549.0		J	1717.0	196.1	1799.4	1920.3	4
8854.6	-7226.4	Min	I	-1697.1	-194.7	-1079.4	-2757.1	
8324.3	-7154.8		J	-1712.3	-220.5	-836.5	-2753.4	
8434.2	22913.3	INVSLV Max	I	2106.9	1054.4	319.2	1518.5	1
8191.8	22619.2		J	2108.4	1054.4	456.7	1518.5	1
9100.7	-22618.7	Min	I	-2105.2	-1068.8	-56.0	-2024.7	
8941.6	-22310.1		J	-2103.7	-1068.8	81.5	-2024.7	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1306.4	5115.4	INVSLE	Max	I	1132.1	115.6	1143.1	1341.1	3
				J	1145.6	132.3	1326.3	1416.4	3
1065.2	5075.2		Min	I	-1132.1	-133.2	-792.9	-2036.4	
6647.4	-4831.5			J	-1142.1	-150.4	-612.9	-2033.6	
6261.0	-4783.2								
845	1	52 C1-C2;~1	Max	I	12.0	44.3	993.7	1493.7	1
6612.9	538.4			J	12.4	44.3	1040.1	1569.5	1
6440.2	530.5		Min	I	-13.2	-51.0	-819.0	-1760.3	-
6248.8	-558.0			J	-12.7	-51.0	-777.7	-1689.4	-
6372.2	-556.6								
		C3-C4;~1	Max	I	11.1	39.1	996.6	1265.9	1
6588.5	493.6			J	11.6	39.1	1043.1	1280.6	1
6419.0	491.1		Min	I	-12.8	-44.0	-821.5	-1838.2	-
6419.6	-446.5			J	-12.2	-44.0	-779.9	-1837.1	-
6547.9	-442.7								
		C1-C2;~2	Max	I	6.3	22.6	584.2	858.6	
9523.4	261.1			J	6.6	22.6	610.9	907.7	
9425.4	256.4		Min	I	-7.3	-26.3	-481.1	-1042.4	-
3145.7	-278.0			J	-7.0	-26.3	-456.4	-995.0	-
3234.2	-279.6								
		C3-C4;~2	Max	I	5.8	20.4	585.4	709.6	
9511.0	245.8			J	6.1	20.4	612.2	725.2	
9415.3	246.4		Min	I	-7.1	-22.6	-481.9	-1065.7	-
3241.9	-218.8			J	-6.9	-22.6	-457.1	-1055.4	-
3334.1	-218.4								
		SLVx (RS)		I	1608.7	-915.6	-139.5	-1386.6	-
3281.8	-19752.3			J	1608.7	-915.6	-139.5	-1386.6	-
3218.8	-19459.1								
		SLVy (RS)		I	-1528.3	-426.3	-130.1	1208.4	-
2378.4	-8324.3			J	-1528.3	-426.3	-130.1	1208.4	-
2441.4	-8239.0								
		SLDx (RS)		I	1132.8	-652.7	-103.5	-975.3	-
2353.5	-14008.9			J	1132.8	-652.7	-103.5	-975.3	-
2303.8	-13799.5								
		SLDy (RS)		I	-983.8	-295.5	-87.0	830.2	-
1495.9	-5652.1			J	-983.8	-295.5	-87.0	830.2	-
1527.8	-5618.6								


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2120.4	716.7	SLVz (RS)	I	147.6	129.2	85.0	98.3	-
			J	147.6	129.2	85.0	98.3	-
2066.0	749.5							
		G1	I	2.1	-8.4	196.8	-308.8	
9933.8	77.0		J	3.1	-8.4	297.5	-308.8	
9686.1	85.4							
		G2	I	0.8	-3.1	71.9	-113.2	
3628.7	28.2		J	1.1	-3.1	108.7	-113.2	
3538.2	31.3							
		G1- Imp~1	I	-0.5	3.1	0.3	-0.1	
-0.1	37.3		J	-0.5	3.1	0.3	-0.1	
-0.4	34.1							
		G2- Imp~1	I	-0.2	1.1	0.1	-0.0	
0.0	13.8		J	-0.2	1.1	0.1	-0.0	
-0.1	12.7							
		q3	I	-287.8	17.7	27.5	-90.8	
-451.0	641.2		J	-291.0	17.7	27.5	-90.8	
-475.5	623.5							
		q4-1	I	75.9	-18.7	-2.1	20.6	
73.7	-233.0		J	75.9	-18.7	-2.1	20.6	
75.7	-214.2							
		q4-2	I	109.1	-23.9	-4.9	-21.2	
68.0	-749.5		J	109.1	-23.9	-4.9	-21.2	
72.9	-725.6							
		q4-3	I	54.1	36.4	-2.5	-46.2	
12.0	-24.8		J	54.1	36.4	-2.5	-46.2	
14.5	-61.3							
		q4-4	I	1.6	-24.3	2.2	45.6	
-44.5	308.8		J	1.6	-24.3	2.2	45.6	
-46.7	333.1							
		q4-5	I	0.3	5.4	3.0	4.0	
-48.2	-158.8		J	0.3	5.4	3.0	4.0	
-51.1	-164.2							
		q4-6	I	-0.4	0.4	2.6	-16.6	
-41.3	53.3		J	-0.4	0.4	2.6	-16.6	
-43.9	52.9							
		q4-7	I	-0.3	-0.2	2.8	-14.1	
-45.9	53.0		J	-0.3	-0.2	2.8	-14.1	
-48.7	53.2							
		q5 - p~1	I	-932.0	134.9	20.6	-35.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-688.4	3329.0		J	-937.6	153.1	20.6	-42.5	
-707.0	3184.7							
1449.3	4919.6	q5 - p~2	I	-1199.3	57.2	100.2	108.6	-
1545.4	4863.7		J	-1211.6	54.3	100.3	109.7	-
-634.0	3140.1	q5 - p~3	I	-882.7	127.8	17.5	-26.7	
-651.3	3003.4		J	-887.9	145.1	17.6	-27.9	
1380.5	4654.9	q5 - p~4	I	-1136.2	54.9	90.4	89.6	-
1470.4	4601.2		J	-1147.9	52.2	90.6	89.8	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-291.0	651.4	q7	I	-252.8	40.1	11.4	-115.1	
-302.4	611.2		J	-252.8	40.1	11.4	-115.1	
-27.3	8.0	T	I	-0.1	0.1	-0.6	-0.8	
-26.7	7.8		J	-0.1	0.1	-0.6	-0.8	
-283.2	-1070.8	M. tor~1	I	-156.9	-316.2	18.5	-131.9	
-301.8	-1036.7		J	-156.9	-316.2	18.5	-134.9	
-167.4	-633.1	M. tor~2	I	-92.8	-187.0	10.9	-78.0	
-178.4	-612.9		J	-92.8	-187.0	10.9	-79.7	
2060.8	7551.5	INVSLU Max	I	1715.8	212.7	1799.3	1544.9	4
1456.6	7474.4		J	1735.6	238.5	2047.8	1648.2	4
8318.8	-7152.3	Min	I	-1711.3	-237.1	-836.3	-3149.8	
7602.6	-7064.2		J	-1726.5	-262.9	-594.7	-3149.4	
8193.9	22620.9	INVSLV Max	I	2113.7	1075.1	473.1	1356.4	1
7794.9	22319.2		J	2115.1	1075.1	610.5	1356.4	1
8931.0	-22308.4	Min	I	-2109.3	-1089.5	65.1	-2200.7	
8652.9	-21992.1		J	-2107.8	-1089.5	202.6	-2200.7	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


1061.3	5077.0	INVSLE Max	I	1144.7	143.3	1326.2	1137.2	3
			J	1158.1	160.6	1510.2	1213.6	3
0607.3	5025.9	Min	I	-1141.4	-161.4	-612.8	-2326.0	
6256.9	-4781.3		J	-1151.3	-178.7	-433.9	-2325.6	
5732.8	-4722.0							
846	1	52 C1-C2;~1 Max	I	12.1	44.4	1040.1	1452.7	1
6439.6	530.9		J	12.6	44.4	1087.3	1530.0	1
6192.1	524.7	Min	I	-12.2	-51.1	-777.7	-1793.8	-
6371.5	-556.4		J	-11.8	-51.1	-737.3	-1723.3	-
6494.8	-556.0							
		C3-C4;~1 Max	I	11.4	39.1	1043.1	1159.1	1
6413.7	491.6		J	11.8	39.1	1090.6	1176.7	1
6169.4	489.7	Min	I	-11.8	-44.1	-779.9	-1947.2	-
6547.1	-442.5		J	-11.3	-44.1	-739.5	-1948.5	-
6675.5	-439.1							
		C1-C2;~2 Max	I	6.5	22.7	610.9	832.7	
9425.7	256.6		J	6.7	22.7	638.0	882.6	
9286.0	253.0	Min	I	-6.8	-26.3	-456.4	-1067.8	-
3234.3	-279.6		J	-6.5	-26.3	-432.2	-1020.5	-
3322.8	-281.7							
		C3-C4;~2 Max	I	6.0	20.4	612.2	644.7	
9412.4	246.6		J	6.3	20.4	639.4	661.6	
9275.0	247.4	Min	I	-6.7	-22.7	-457.1	-1132.3	-
3334.1	-218.3		J	-6.4	-22.7	-432.7	-1122.9	-
3426.2	-218.1							
		SLVx (RS)	I	1611.0	-934.3	-157.9	-1396.4	-
3219.8	-19459.1		J	1611.0	-934.3	-157.9	-1396.4	-
3147.4	-19157.0							
		SLVy (RS)	I	-1537.8	-437.0	-126.9	1193.4	-
2456.4	-8239.0		J	-1537.8	-437.0	-126.9	1193.4	-
2521.4	-8152.9							
		SLDx (RS)	I	1134.4	-665.8	-117.3	-982.4	-
2304.3	-13799.5		J	1134.4	-665.8	-117.3	-982.4	-
2247.2	-13583.7							
		SLDy (RS)	I	-989.4	-301.3	-84.5	820.3	-
1537.0	-5618.6		J	-989.4	-301.3	-84.5	820.3	-
1570.5	-5585.4							

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2065.1	749.4	SLVz (RS)	I	145.8	129.9	109.3	118.4	-
			J	145.8	129.9	109.3	118.4	-
1985.7	794.0							
		G1	I	3.0	-8.4	297.5	-429.4	
9681.5	86.6		J	4.0	-8.4	398.2	-429.4	
9332.9	95.1							
		G2	I	1.1	-3.1	108.7	-157.3	
3536.5	31.7		J	1.5	-3.1	145.5	-157.3	
3409.2	34.8							
		G1- Imp~1	I	-0.4	3.1	0.3	-0.1	
-0.4	34.1		J	-0.4	3.1	0.3	-0.1	
-0.6	31.0							
		G2- Imp~1	I	-0.2	1.1	0.1	-0.0	
-0.1	12.7		J	-0.2	1.1	0.1	-0.0	
-0.2	11.5							
		q3	I	-290.7	21.3	27.5	-85.0	
-476.7	623.5		J	-293.9	21.3	27.5	-85.0	
-501.1	602.1							
		q4-1	I	75.7	-19.7	-2.1	19.7	
76.0	-214.2		J	75.7	-19.7	-2.1	19.7	
78.1	-194.5							
		q4-2	I	108.8	-25.3	-4.9	-22.0	
72.7	-725.6		J	108.8	-25.3	-4.9	-22.0	
77.6	-700.3							
		q4-3	I	54.5	35.7	-2.5	-46.4	
14.0	-61.3		J	54.5	35.7	-2.5	-46.4	
16.5	-97.1							
		q4-4	I	1.2	-24.3	2.2	46.2	
-46.2	333.1		J	1.2	-24.3	2.2	46.2	
-48.3	357.5							
		q4-5	I	0.3	5.4	3.0	4.7	
-51.0	-164.2		J	0.3	5.4	3.0	4.7	
-54.0	-169.5							
		q4-6	I	-0.4	0.4	2.6	-16.1	
-44.1	52.9		J	-0.4	0.4	2.6	-16.1	
-46.6	52.5							
		q4-7	I	-0.3	-0.2	2.8	-13.5	
-48.9	53.2		J	-0.3	-0.2	2.8	-13.5	
-51.7	53.4							
		q5 - p~1	I	-935.6	164.8	20.5	-34.1	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-707.9	3184.7		J	-940.9	183.1	20.5	-40.7	
-726.5	3010.4							
1544.5	4863.6	q5 - p~2	I	-1210.8	69.4	100.1	128.2	-
1640.5	4795.4		J	-1223.1	66.8	100.3	129.1	-
-652.0	3003.4	q5 - p~3	I	-886.1	156.1	17.4	-20.3	
-669.1	2838.3		J	-891.1	173.4	17.5	-21.5	
1469.7	4601.1	q5 - p~4	I	-1147.2	66.5	90.4	107.4	-
1559.6	4535.8		J	-1158.8	64.0	90.5	107.6	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-303.9	611.2	q7	I	-252.2	43.2	11.3	-111.4	
-315.2	567.9		J	-252.2	43.2	11.3	-111.4	
-26.7	7.8	T	I	-0.1	0.1	-0.6	-0.5	
-26.1	7.7		J	-0.1	0.1	-0.6	-0.5	
-303.3	-1036.7	M. tor~1	I	-160.9	-314.3	18.5	-130.9	
-321.9	-1004.7		J	-160.9	-314.3	18.5	-133.9	
-179.3	-612.9	M. tor~2	I	-95.1	-185.8	11.0	-77.4	
-190.3	-594.0		J	-95.1	-185.8	11.0	-79.1	
1446.4	7476.7	INVSLU Max	I	1734.2	255.2	2047.6	1284.5	4
0555.4	7383.4		J	1753.9	281.2	2297.4	1389.6	4
7595.8	-7061.8	Min	I	-1725.3	-279.6	-594.6	-3536.8	
6693.6	-6956.8		J	-1740.4	-305.6	-354.5	-3539.3	
7793.8	22320.8	INVSLV Max	I	2119.5	1097.1	635.3	1203.0	1
7240.8	22013.4		J	2121.0	1097.1	772.7	1203.0	1
8641.3	-21990.5	Min	I	-2112.6	-1111.6	177.9	-2376.9	
8241.8	-21668.6		J	-2111.2	-1111.6	315.3	-2376.9	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0599.9	5027.6	INVSLE Max	I	1157.1	171.7	1510.1	943.0	3
			J	1170.4	189.0	1695.1	1020.8	2
9933.4	4965.7	Min	I	-1150.5	-189.8	-433.8	-2611.4	
5727.7	-4720.3		J	-1160.4	-207.1	-255.9	-2613.1	
5065.9	-4649.7							
847	1	52 C1-C2;~1 Max	I	12.3	44.4	1087.3	1440.2	1
6190.2	525.0		J	12.8	44.4	1135.4	1519.0	1
5868.4	522.8	Min	I	-11.4	-51.2	-737.3	-1824.9	-
6493.2	-555.8		J	-10.9	-51.2	-698.2	-1754.6	-
6616.5	-559.4							
		C3-C4;~1 Max	I	11.6	39.2	1090.6	1058.7	1
6162.4	490.2		J	12.1	39.2	1138.8	1079.3	1
5843.7	489.1	Min	I	-11.0	-44.1	-739.5	-2056.2	-
6673.7	-438.9		J	-10.5	-44.1	-700.1	-2059.5	-
6802.0	-436.4							
		C1-C2;~2 Max	I	6.6	22.7	638.0	827.7	
9285.6	253.1		J	6.9	22.7	665.4	878.5	
9104.6	251.2	Min	I	-6.3	-26.4	-432.2	-1091.7	-
3322.4	-281.6		J	-6.0	-26.4	-408.4	-1044.2	-
3410.9	-285.4							
		C3-C4;~2 Max	I	6.3	20.5	639.4	583.4	
9271.1	247.6		J	6.5	20.5	667.0	592.0	
9092.3	248.8	Min	I	-6.2	-22.7	-432.7	-1198.3	-
3425.8	-218.0		J	-5.9	-22.7	-408.8	-1189.5	-
3517.9	-218.1							
		SLVx (RS)	I	1612.6	-954.1	-176.4	-1409.3	-
3147.6	-19157.0		J	1612.6	-954.1	-176.4	-1409.3	-
3068.4	-18848.2							
		SLVy (RS)	I	-1546.9	-448.3	-123.1	1179.3	-
2535.8	-8152.9		J	-1546.9	-448.3	-123.1	1179.3	-
2601.9	-8067.2							
		SLDx (RS)	I	1135.4	-679.6	-131.1	-991.7	-
2247.1	-13583.7		J	1135.4	-679.6	-131.1	-991.7	-
2184.5	-13363.1							
		SLDy (RS)	I	-994.7	-307.4	-81.6	811.1	-
1579.3	-5585.4		J	-994.7	-307.4	-81.6	811.1	-
1613.7	-5553.2							

MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1984.4	793.9	SLVz (RS)	I	143.9	130.3	-132.7	139.8	-
			J	143.9	130.3	-132.7	139.8	-
1882.1	848.7							
		G1	I	3.9	-8.4	398.2	-545.7	
9326.8	96.2		J	4.9	-8.4	498.9	-545.7	
8877.3	104.7							
		G2	I	1.4	-3.1	145.5	-199.8	
3406.9	35.2		J	1.8	-3.1	182.2	-199.8	
3242.7	38.3							
		G1- Imp~1	I	-0.4	3.2	0.3	-0.1	
-0.6	31.0		J	-0.4	3.2	0.3	-0.1	
-0.9	27.8							
		G2- Imp~1	I	-0.1	1.1	0.1	-0.0	
-0.2	11.5		J	-0.1	1.1	0.1	-0.0	
-0.3	10.4							
		q3	I	-293.7	25.0	27.4	-78.8	
-502.2	602.1		J	-296.9	25.0	27.4	-78.8	
-526.7	577.0							
		q4-1	I	75.4	-20.6	-2.1	18.7	
78.4	-194.5		J	75.4	-20.6	-2.1	18.7	
80.4	-173.8							
		q4-2	I	108.4	-26.6	-4.9	-22.9	
77.4	-700.3		J	108.4	-26.6	-4.9	-22.9	
82.3	-673.6							
		q4-3	I	55.0	35.1	-2.5	-46.5	
15.9	-97.2		J	55.0	35.1	-2.5	-46.5	
18.4	-132.3							
		q4-4	I	0.9	-24.3	2.2	46.7	
-47.8	357.5		J	0.9	-24.3	2.2	46.7	
-50.0	381.9							
		q4-5	I	0.4	5.4	3.0	5.4	
-53.9	-169.5		J	0.4	5.4	3.0	5.4	
-56.9	-174.9							
		q4-6	I	-0.4	0.4	2.6	-15.5	
-46.8	52.5		J	-0.4	0.4	2.6	-15.5	
-49.4	52.0							
		q4-7	I	-0.3	-0.2	2.8	-12.9	
-51.9	53.4		J	-0.3	-0.2	2.8	-12.9	
-54.7	53.5							
		q5 - p~1	I	-938.6	194.8	20.3	-32.1	


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-727.4	3010.4		J	-943.7	213.1	20.4	-38.7	
-745.9	2806.0							
1639.4	4795.3	q5 - p~2	I	-1222.2	82.1	100.1	148.8	-
1735.3	4714.2		J	-1234.4	79.8	100.2	149.6	-
-669.7	2838.2	q5 - p~3	I	-888.9	184.5	17.3	-13.6	
-686.7	2644.6		J	-893.7	201.9	17.4	-14.8	
1558.7	4535.7	q5 - p~4	I	-1157.9	78.5	90.3	126.3	-
1648.4	4458.1		J	-1169.5	76.3	90.4	126.4	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-316.7	567.8	q7	I	-251.7	46.4	11.3	-107.5	
-328.0	521.4		J	-251.7	46.4	11.3	-107.5	
-26.1	7.7	T	I	-0.1	0.1	-0.6	-0.2	
-25.5	7.5		J	-0.1	0.1	-0.6	-0.2	
-323.4	-1004.7	M. tor~1	I	-164.8	-312.2	18.5	-129.7	
-342.0	-974.7		J	-164.8	-312.2	18.5	-132.5	
-191.2	-594.0	M. tor~2	I	-97.4	-184.6	11.0	-76.7	
-202.2	-576.3		J	-97.4	-184.6	11.0	-78.4	
0540.5	7385.5	INVSLU Max	I	1752.3	297.9	2297.2	1071.7	4
9363.1	7276.2		J	1771.8	323.9	2548.0	1178.8	3
6685.7	-6954.5	Min	I	-1739.0	-322.2	-354.3	-3916.5	
5597.7	-6833.4		J	-1754.1	-348.3	-115.7	-3921.8	
7236.6	22014.9	INVSLV Max	I	2124.6	1120.5	797.1	1059.4	1
6532.5	21704.1		J	2126.0	1120.5	934.6	1059.4	1
8229.2	-21667.1	Min	I	-2115.2	-1134.9	290.9	-2550.7	
7705.3	-21341.8		J	-2113.8	-1134.9	428.4	-2550.7	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9922.4	4967.3	INVSLE	Max	I	1169.3	200.1	1695.0	783.9	2
				J	1182.5	217.5	1880.8	863.2	2
9043.8	4894.9		Min	I	-1159.5	-218.2	-255.8	-2891.2	
5059.9	-4648.0			J	-1169.4	-235.6	-79.1	-2895.0	
4260.4	-4566.9								
848	1	52 C1-C2;~1	Max	I	12.5	44.5	1135.4	1438.9	1
5865.3	523.1			J	13.0	44.5	1184.3	1519.1	1
5469.8	535.6		Min	I	-10.5	-51.2	-698.2	-1861.4	-
6613.9	-559.1			J	-10.1	-51.2	-660.1	-1790.9	-
6737.2	-576.7								
		C3-C4;~1	Max	I	11.9	39.3	1138.8	976.2	1
5834.9	489.5			J	12.4	39.3	1187.9	985.8	1
5442.3	493.9		Min	I	-10.1	-44.2	-700.1	-2173.6	-
6799.1	-436.2			J	-9.7	-44.2	-662.0	-2179.0	-
6927.5	-443.2								
		C1-C2;~2	Max	I	6.8	22.7	665.4	827.7	
9103.6	251.3			J	7.1	22.7	693.0	879.2	
8881.6	255.6		Min	I	-5.8	-26.4	-408.4	-1116.9	-
3410.0	-285.3			J	-5.5	-26.4	-385.2	-1069.1	-
3498.5	-294.8								
		C3-C4;~2	Max	I	6.5	20.5	666.9	530.7	
9087.4	249.0			J	6.7	20.5	694.7	553.5	
8867.6	252.4		Min	I	-5.7	-22.7	-408.8	-1266.7	-
3516.9	-218.0			J	-5.4	-22.7	-385.5	-1258.5	-
3609.0	-222.0								
		SLVx (RS)		I	1613.6	-975.0	-194.6	-1425.1	-
3067.9	-18848.2			J	1613.6	-975.0	-194.6	-1425.1	-
2985.0	-18535.3								
		SLVy (RS)		I	-1555.6	-460.1	-119.2	1166.2	-
2615.9	-8067.3			J	-1555.6	-460.1	-119.2	1166.2	-
2682.1	-7983.9								
		SLDx (RS)		I	1136.1	-694.3	-144.8	-1003.0	-
2183.9	-13363.1			J	1136.1	-694.3	-144.8	-1003.0	-
2118.3	-13139.5								
		SLDy (RS)		I	-999.7	-313.9	-78.5	802.5	-
1622.2	-5553.2			J	-999.7	-313.9	-78.5	802.5	-
1656.7	-5522.8								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1880.4	848.6	SLVz (RS)	I	141.9	130.2	-154.4	161.0	-
			J	141.9	130.2	-154.4	161.0	-
1757.5	-912.0							
		G1	I	4.7	-8.4	498.9	-656.3	
8869.8	105.7		J	5.7	-8.4	599.6	-656.3	
8319.4	114.1							
		G2	I	1.7	-3.1	182.2	-240.1	
3240.0	38.6		J	2.1	-3.1	219.0	-240.1	
3038.9	41.7							
		G1- Imp~1	I	-0.4	3.2	0.3	-0.1	
-0.9	27.8		J	-0.4	3.2	0.3	-0.1	
-1.2	24.6							
		G2- Imp~1	I	-0.1	1.1	0.1	-0.0	
-0.3	10.4		J	-0.1	1.1	0.1	-0.0	
-0.4	9.2							
		q3	I	-296.5	28.7	27.4	-72.3	
-527.7	577.0		J	-299.7	28.7	27.4	-72.3	
-552.1	548.3							
		q4-1	I	75.1	-21.6	-2.0	17.8	
80.7	-173.8		J	75.1	-21.6	-2.0	17.8	
82.7	-152.2							
		q4-2	I	108.1	-28.0	-4.9	-23.8	
82.1	-673.6		J	108.1	-28.0	-4.9	-23.8	
87.0	-645.6							
		q4-3	I	55.4	34.4	-2.5	-46.7	
17.8	-132.3		J	55.4	34.4	-2.5	-46.7	
20.3	-166.7							
		q4-4	I	0.6	-24.4	2.2	47.3	
-49.5	381.9		J	0.6	-24.4	2.2	47.3	
-51.7	406.3							
		q4-5	I	0.5	5.4	3.0	6.1	
-56.8	-174.9		J	0.5	5.4	3.0	6.1	
-59.8	-180.3							
		q4-6	I	-0.4	0.4	2.6	-14.9	
-49.6	52.0		J	-0.4	0.4	2.6	-14.9	
-52.2	51.6							
		q4-7	I	-0.3	-0.2	2.8	-12.2	
-54.9	53.5		J	-0.3	-0.2	2.8	-12.2	
-57.7	53.7							
		q5 - p~1	I	-941.0	224.9	20.2	-29.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-746.7	2806.0		J	-945.9	243.3	20.3	-36.5	
-765.2	2571.4							
1733.9	4714.1	q5 - p~2	I	-1233.3	95.2	100.0	170.5	-
1829.8	4619.8		J	-1245.4	93.2	100.1	171.2	-
-687.2	2644.6	q5 - p~3	I	-891.2	213.0	17.2	-6.7	
-704.1	2422.4		J	-895.8	230.5	17.2	-7.9	
1647.3	4458.1	q5 - p~4	I	-1168.4	90.9	90.2	146.3	-
1737.0	4367.9		J	-1179.9	89.0	90.3	146.4	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-329.3	521.3	q7	I	-251.1	49.5	11.2	-103.5	
-340.6	471.7		J	-251.1	49.5	11.2	-103.5	
-25.5	7.5	T	I	-0.1	0.1	-0.6	0.2	
-24.9	7.4		J	-0.1	0.1	-0.6	0.2	
-343.5	-974.7	M. tor~1	I	-168.7	-310.2	18.6	-128.1	
-362.1	-946.8		J	-168.7	-310.2	18.6	-130.9	
-203.1	-576.3	M. tor~2	I	-99.7	-183.4	11.0	-75.7	
-214.1	-559.8		J	-99.7	-183.4	11.0	-77.4	
9343.6	7278.1	INVSLU Max	I	1769.9	340.7	2547.8	885.7	3
7880.6	7158.3		J	1789.4	366.8	2799.8	994.6	3
5588.8	-6831.3	Min	I	-1752.5	-365.0	-115.6	-4298.4	
4314.8	-6699.1		J	-1767.6	-391.2	121.4	-4306.2	
6525.3	21705.5	INVSLV Max	I	2128.8	1144.9	958.2	926.7	1
5673.7	21393.8		J	2130.2	1144.9	1095.7	926.7	1
7691.8	-21340.5	Min	I	-2117.0	-1159.3	404.8	-2719.9	
7039.9	-21014.4		J	-2115.6	-1159.3	542.3	-2719.9	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9029.5	4896.3	INVSLE Max	I	1181.2	228.7	1880.7	644.7	2
7939.4	4817.6		J	1194.4	246.1	2067.3	725.3	2
4253.7	-4565.4	Min	I	-1168.4	-246.7	-79.0	-3172.6	
3316.5	-4477.5		J	-1178.2	-264.2	96.6	-3178.4	
849	1	52 C1-C2;~1 Max	I	12.8	44.5	1184.3	1450.5	1
5465.4	535.7		J	13.2	44.5	1234.0	1532.2	1
4996.8	555.6	Min	I	-9.7	-51.3	-660.1	-1903.3	-
6733.5	-576.5		J	-9.3	-51.3	-623.2	-1936.9	-
6856.9	-602.5							
5431.9	494.3	C3-C4;~1 Max	I	12.1	39.4	1187.9	929.7	1
4966.2	509.0		J	12.6	39.4	1237.7	948.0	1
6923.6	-443.0	Min	I	-9.3	-44.2	-662.0	-2316.5	-
7051.9	-460.8		J	-8.9	-44.2	-625.0	-2323.7	-
8879.9	255.6	C1-C2;~2 Max	I	7.0	22.8	693.0	833.3	
8617.5	263.2		J	7.3	22.8	720.9	885.7	
3497.1	-294.7	Min	I	-5.3	-26.4	-385.2	-1143.3	-
3585.6	-308.3		J	-5.1	-26.4	-362.5	-1094.9	-
8861.8	252.5	C3-C4;~2 Max	I	6.7	20.5	694.7	485.8	
8601.5	260.5		J	7.0	20.5	722.7	523.9	
3607.5	-221.9	Min	I	-5.3	-22.8	-385.5	-1344.1	-
3699.6	-230.1		J	-5.0	-22.8	-362.7	-1336.4	-
2983.7	-18535.4	SLVx (RS)	I	1614.0	-997.1	-212.4	-1443.6	-
2901.1	-18221.4		J	1614.0	-997.1	-212.4	-1443.6	-
2695.5	-7983.9	SLVy (RS)	I	-1564.0	-472.6	-115.6	1154.3	-
2761.3	-7904.7		J	-1564.0	-472.6	-115.6	1154.3	-
2117.2	-13139.5	SLDx (RS)	I	1136.3	-709.7	-158.1	-1016.2	-
2051.5	-12915.0		J	1136.3	-709.7	-158.1	-1016.2	-
1664.9	-5522.9	SLDy (RS)	I	-1004.5	-320.8	-75.7	794.7	-
1698.9	-5495.3		J	-1004.5	-320.8	-75.7	794.7	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1755.5	-911.9	SLVz (RS)	I	139.8	129.4	-174.1	181.4	-
			J	139.8	129.4	-174.1	181.4	-
1614.4	-982.0							
		G1	I	5.5	-8.4	599.6	-759.8	
8310.5	115.0		J	6.5	-8.4	700.3	-759.8	
7659.2	123.5							
		G2	I	2.0	-3.1	219.0	-278.0	
3035.7	42.0		J	2.4	-3.1	255.8	-278.0	
2797.8	45.1							
		G1- Imp~1	I	-0.3	3.2	0.3	-0.1	
-1.2	24.6		J	-0.3	3.2	0.3	-0.1	
-1.5	21.5							
		G2- Imp~1	I	-0.1	1.1	0.1	-0.0	
-0.4	9.2		J	-0.1	1.1	0.1	-0.0	
-0.5	8.1							
		q3	I	-299.4	32.4	27.3	-65.5	
-553.0	548.2		J	-302.6	32.4	27.3	-65.5	
-577.3	515.7							
		q4-1	I	74.9	-22.5	-2.0	16.8	
83.0	-152.2		J	74.9	-22.5	-2.0	16.8	
85.0	-129.6							
		q4-2	I	107.7	-29.3	-4.8	-24.8	
86.8	-645.6		J	107.7	-29.3	-4.8	-24.8	
91.6	-616.2							
		q4-3	I	55.8	33.7	-2.5	-47.0	
19.8	-166.7		J	55.8	33.7	-2.5	-47.0	
22.2	-200.5							
		q4-4	I	0.3	-24.4	2.2	47.8	
-51.1	406.3		J	0.3	-24.4	2.2	47.8	
-53.3	430.7							
		q4-5	I	0.5	5.4	3.0	6.9	
-59.7	-180.3		J	0.5	5.4	3.0	6.9	
-62.6	-185.7							
		q4-6	I	-0.3	0.4	2.6	-14.2	
-52.4	51.6		J	-0.3	0.4	2.6	-14.2	
-54.9	51.2							
		q4-7	I	-0.3	-0.2	2.8	-11.5	
-57.9	53.6		J	-0.3	-0.2	2.8	-11.5	
-60.7	53.8							
		q5 - p~1	I	-942.7	255.0	20.1	-27.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-766.0	2571.4		J	-947.4	273.5	20.1	-34.0	
-784.4	2306.6							
1828.1	4619.7	q5 - p~2	I	-1244.2	108.7	99.9	193.3	-
1923.9	4511.6		J	-1256.2	107.0	100.0	193.9	-
-704.5	2422.3	q5 - p~3	I	-892.8	241.6	17.1	0.5	
-721.3	2171.5		J	-897.2	259.1	17.1	-0.7	
1735.6	4367.8	q5 - p~4	I	-1178.7	103.7	90.1	167.4	-
1825.1	4264.7		J	-1190.2	102.1	90.3	167.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-341.9	471.7	q7	I	-250.5	52.6	11.2	-99.3	
-353.1	418.9		J	-250.5	52.6	11.2	-99.3	
-24.9	7.4	T	I	-0.0	0.1	-0.6	0.5	
-24.3	7.2		J	-0.0	0.1	-0.6	0.5	
-363.6	-946.8	M. tor~1	I	-172.5	-308.0	18.6	-126.3	
-382.2	-921.0		J	-172.5	-308.0	18.6	-129.0	
-214.9	-559.8	M. tor~2	I	-102.0	-182.1	11.0	-74.7	
-225.9	-544.5		J	-102.0	-182.1	11.0	-76.3	
7856.8	7160.0	INVSLU Max	I	1787.2	383.6	2799.6	731.2	3
6109.1	7025.2		J	1806.5	409.8	3052.5	842.0	3
4305.2	-6697.2	Min	I	-1765.8	-407.9	121.6	-4702.9	
2845.2	-6551.1		J	-1780.8	-434.2	357.1	-4713.1	
5663.6	21395.1	INVSLV Max	I	2132.2	1170.5	1118.3	806.3	1
4668.9	21085.6		J	2133.6	1170.5	1255.8	806.3	1
7025.6	-21013.2	Min	I	-2118.1	-1184.8	519.7	-2882.3	
6241.3	-20689.3		J	-2116.8	-1184.8	657.1	-2882.3	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

7921.9	4818.9	INVSLE Max	I	1192.9	257.3	2067.2	528.7	2
			J	1205.9	274.8	2254.5	610.8	2
6620.9	4730.5	Min	I	-1177.0	-275.3	96.7	-3470.8	
3309.2	-4476.1		J	-1186.9	-292.8	271.1	-3478.3	
2234.2	-4379.3							
850	1	52 C1-C2;~1 Max	I	13.0	44.6	1234.0	1477.7	1
4991.4	555.8		J	13.5	44.6	1284.4	1561.2	1
4450.5	581.6	Min	I	-9.0	-51.4	-623.2	-2077.2	-
6852.1	-602.3		J	-8.6	-51.4	-587.6	-2061.7	-
6975.5	-630.1							
		C3-C4;~1 Max	I	12.4	39.4	1237.7	883.5	1
4954.2	509.3		J	12.9	39.4	1288.2	941.4	1
4416.3	528.5	Min	I	-8.6	-44.3	-625.0	-2464.7	-
7046.9	-460.6		J	-8.2	-44.3	-589.2	-2473.5	-
7175.3	-480.5							
		C1-C2;~2 Max	I	7.2	22.8	720.9	845.8	
8615.2	263.3		J	7.5	22.8	749.0	899.3	
8313.0	274.8	Min	I	-4.9	-26.5	-362.5	-1171.0	-
3583.6	-308.3		J	-4.6	-26.5	-340.4	-1179.0	-
3672.1	-322.6							
		C3-C4;~2 Max	I	6.9	20.6	722.7	470.3	
8594.9	260.6		J	7.1	20.6	750.9	509.4	
8294.7	270.8	Min	I	-4.8	-22.8	-362.8	-1422.2	-
3697.5	-230.1		J	-4.6	-22.8	-340.6	-1414.9	-
3789.6	-239.4							
		SLVx (RS)	I	1613.7	-1020.1	-229.5	-1464.6	-
2899.1	-18221.5		J	1613.7	-1020.1	-229.5	-1464.6	-
2821.2	-17910.0							
		SLVy (RS)	I	-1572.1	-485.7	-112.7	1143.6	-
2774.2	-7904.7		J	-1572.1	-485.7	-112.7	1143.6	-
2838.9	-7831.8							
		SLDx (RS)	I	1136.0	-725.8	-170.9	-1031.2	-
2049.9	-12915.1		J	1136.0	-725.8	-170.9	-1031.2	-
1987.6	-12692.2							
		SLDy (RS)	I	-1009.0	-328.2	-73.4	787.6	-
1706.8	-5495.4		J	-1009.0	-328.2	-73.4	787.6	-
1739.9	-5471.8							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1612.3	-982.0	SLVz (RS)	I	137.8	127.8	-191.7	200.3	-
			J	137.8	127.8	-191.7	200.3	-
1455.5	-1056.9							
		G1	I	6.3	-8.4	700.3	-855.2	
7649.1	124.3		J	7.2	-8.4	801.0	-855.2	
6896.9	132.7							
		G2	I	2.3	-3.1	255.8	-312.8	
2794.1	45.4		J	2.6	-3.1	292.6	-312.8	
2519.3	48.5							
		G1- Imp~1	I	-0.3	3.2	0.3	-0.1	
-1.5	21.5		J	-0.3	3.2	0.3	-0.1	
-1.8	18.3							
		G2- Imp~1	I	-0.1	1.1	0.1	-0.0	
-0.5	8.1		J	-0.1	1.1	0.1	-0.0	
-0.6	6.9							
		q3	I	-302.2	36.2	27.3	-58.4	
-578.1	515.7		J	-305.4	36.2	27.3	-58.4	
-602.4	479.4							
		q4-1	I	74.6	-23.4	-2.0	15.7	
85.2	-129.6		J	74.6	-23.4	-2.0	15.7	
87.2	-106.1							
		q4-2	I	107.4	-30.7	-4.8	-25.8	
91.4	-616.2		J	107.4	-30.7	-4.8	-25.8	
96.2	-585.5							
		q4-3	I	56.3	33.0	-2.5	-47.2	
21.7	-200.5		J	56.3	33.0	-2.5	-47.2	
24.2	-233.5							
		q4-4	I	0.0	-24.4	2.2	48.4	
-52.8	430.7		J	0.0	-24.4	2.2	48.4	
-55.0	455.2							
		q4-5	I	0.6	5.3	3.0	7.7	
-62.5	-185.7		J	0.6	5.3	3.0	7.7	
-65.5	-191.0							
		q4-6	I	-0.3	0.4	2.6	-13.6	
-55.1	51.2		J	-0.3	0.4	2.6	-13.6	
-57.7	50.8							
		q4-7	I	-0.3	-0.1	2.8	-10.8	
-60.8	53.8		J	-0.3	-0.1	2.8	-10.8	
-63.7	53.9							
		q5 - p~1	I	-943.9	285.3	19.9	-24.6	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-785.1	2306.5		J	-948.3	303.8	20.0	-31.3	
-803.5	2011.4							
1921.9	4511.5	q5 - p~2	I	-1254.8	122.7	99.8	217.2	-
2017.7	4389.3		J	-1266.8	121.3	99.9	217.7	-
-721.5	2171.4	q5 - p~3	I	-893.9	270.3	16.9	7.9	
-738.2	1891.8		J	-898.1	287.8	17.0	6.7	
1823.4	4264.6	q5 - p~4	I	-1188.8	116.9	90.1	189.5	-
1912.9	4148.1		J	-1200.1	115.6	90.2	189.6	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-354.4	418.9	q7	I	-249.8	55.7	11.1	-95.0	
-365.6	363.0		J	-249.8	55.7	11.1	-95.0	
-24.3	7.2	T	I	-0.0	0.1	-0.6	0.8	
-23.8	7.1		J	-0.0	0.1	-0.6	0.8	
-383.6	-921.0	M. tor~1	I	-176.3	-305.8	18.6	-124.1	
-402.2	-897.4		J	-176.3	-305.8	18.6	-126.9	
-226.8	-544.5	M. tor~2	I	-104.3	-180.8	11.0	-73.4	
-237.8	-530.6		J	-104.3	-180.8	11.0	-75.0	
6081.3	7026.6	INVSLU Max	I	1804.0	426.6	3052.4	613.9	3
4050.0	6876.9		J	1823.2	452.9	3306.3	727.0	3
2835.0	-6549.4	Min	I	-1778.8	-450.9	357.3	-5100.3	
1189.2	-6384.1		J	-1793.7	-477.3	591.0	-5112.6	
4656.2	21086.8	INVSLV Max	I	2134.9	1197.0	1277.3	699.6	1
3535.8	20783.0		J	2136.2	1197.0	1414.8	699.6	1
6226.2	-20688.3	Min	I	-2118.5	-1211.3	635.6	-3035.9	
5292.0	-20370.2		J	-2117.2	-1211.3	773.1	-3035.9	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6600.4	4731.5	INVSLE	Max	I	1204.2	286.0	2254.4	440.3	2
				J	1217.2	303.5	2442.5	524.1	2
5089.3	4633.6		Min	I	-1185.6	-304.0	271.2	-3763.6	
2226.5	-4378.0			J	-1195.3	-321.6	444.4	-3772.7	
1013.8	-4268.5								
851	1	52 C1-C2;~1	Max	I	13.3	44.6	1284.4	1522.5	1
4444.1	581.7			J	13.8	44.6	1335.4	1608.0	1
3832.0	608.7		Min	I	-8.3	-51.4	-587.6	-2203.7	-
6969.7	-629.9			J	-7.9	-51.4	-553.1	-2188.0	-
7093.1	-658.8								
		C3-C4;~1	Max	I	12.7	39.5	1288.2	914.7	1
4402.8	528.7			J	13.2	39.5	1339.4	974.4	1
3793.6	549.6		Min	I	-7.9	-44.3	-589.2	-2612.5	-
7169.2	-480.4			J	-7.5	-44.3	-554.7	-2622.7	-
7297.5	-502.8								
		C1-C2;~2	Max	I	7.4	22.8	749.0	866.2	
8310.2	274.8			J	7.7	22.8	777.3	920.9	
7968.8	286.7		Min	I	-4.5	-26.5	-340.4	-1260.8	-
3669.5	-322.5			J	-4.2	-26.5	-318.9	-1240.7	-
3758.0	-337.3								
		C3-C4;~2	Max	I	7.1	20.6	750.9	481.1	
8287.4	270.9			J	7.3	20.6	779.3	521.4	
7948.0	281.8		Min	I	-4.4	-22.8	-340.6	-1498.7	-
3786.9	-239.3			J	-4.1	-22.8	-319.0	-1491.7	-
3879.1	-250.2								
		SLVx (RS)		I	1612.8	-1044.1	-245.8	-1487.9	-
2818.4	-17910.1			J	1612.8	-1044.1	-245.8	-1487.9	-
2750.4	-17605.0								
		SLVy (RS)		I	-1579.7	-499.4	110.8	1134.3	-
2851.2	-7831.8			J	-1579.7	-499.4	110.8	1134.3	-
2914.5	-7767.5								
		SLDx (RS)		I	1135.3	-742.5	-183.1	-1047.8	-
1985.5	-12692.3			J	1135.3	-742.5	-183.1	-1047.8	-
1930.8	-12473.9								
		SLDy (RS)		I	-1013.2	-335.9	-72.0	781.4	-
1747.3	-5471.8			J	-1013.2	-335.9	-72.0	781.4	-
1779.2	-5453.4								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1453.2	-1056.9	SLVz (RS)	I	135.8	125.5	-207.6	217.5	-
			J	135.8	125.5	-207.6	217.5	-
1283.6	-1134.9							
		G1	I	7.0	-8.4	801.0	-941.0	
6885.6	133.4		J	8.0	-8.4	901.7	-941.0	
6032.5	141.8							
		G2	I	2.6	-3.1	292.6	-344.2	
2515.2	48.7		J	2.9	-3.1	329.3	-344.2	
2203.6	51.8							
		G1- Imp~1	I	-0.2	3.2	0.3	-0.1	
-1.8	18.3		J	-0.2	3.2	0.3	-0.1	
-2.0	15.1							
		G2- Imp~1	I	-0.1	1.2	0.1	-0.0	
-0.6	6.9		J	-0.1	1.2	0.1	-0.0	
-0.7	5.8							
		q3	I	-304.9	40.0	27.2	-51.0	
-603.2	479.3		J	-308.1	40.0	27.2	-51.0	
-627.4	439.3							
		q4-1	I	74.3	-24.4	-2.0	14.6	
87.4	-106.1		J	74.3	-24.4	-2.0	14.6	
89.4	-81.7							
		q4-2	I	107.0	-32.0	-4.8	-26.9	
95.9	-585.5		J	107.0	-32.0	-4.8	-26.9	
100.7	-553.4							
		q4-3	I	56.7	32.3	-2.5	-47.5	
23.6	-233.5		J	56.7	32.3	-2.5	-47.5	
26.1	-265.9							
		q4-4	I	-0.3	-24.4	2.2	49.0	
-54.5	455.2		J	-0.3	-24.4	2.2	49.0	
-56.7	479.6							
		q4-5	I	0.7	5.3	3.0	8.5	
-65.3	-191.0		J	0.7	5.3	3.0	8.5	
-68.3	-196.4							
		q4-6	I	-0.3	0.4	2.6	-12.9	
-57.9	50.8		J	-0.3	0.4	2.6	-12.9	
-60.4	50.3							
		q4-7	I	-0.3	-0.1	2.8	-10.0	
-63.8	53.9		J	-0.3	-0.1	2.8	-10.0	
-66.6	54.1							
		q5 - p~1	I	-944.5	315.6	19.8	-21.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-804.1	2011.3		J	-948.7	334.2	19.8	-28.3	
-822.4	1685.8							
		q5 - p~2	I	-1265.2	137.1	99.7	242.1	-
2015.3	4389.2		J	-1277.1	136.0	99.8	242.5	-
2111.0	4252.4							
		q5 - p~3	I	-894.5	299.0	16.8	15.6	
-738.3	1891.8		J	-898.4	316.6	16.8	14.4	
-754.9	1583.3							
		q5 - p~4	I	-1198.6	130.6	89.9	212.8	-
1910.9	4148.0		J	-1209.9	129.5	90.1	212.9	-
2000.3	4017.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-249.1	58.9	11.1	-90.5	
-366.8	363.0		J	-249.1	58.9	11.1	-90.5	
-377.9	304.0							
		T	I	-0.0	0.1	-0.6	1.1	
-23.7	7.1		J	-0.0	0.1	-0.6	1.1	
-23.2	6.9							
		M. tor~1	I	-180.2	-303.6	18.6	-121.7	
-403.7	-897.4		J	-180.2	-303.6	18.6	-124.4	
-422.3	-876.0							
		M. tor~2	I	-106.5	-179.5	11.0	-71.9	
-238.7	-530.6		J	-106.5	-179.5	11.0	-73.5	
-249.7	-517.9							
		INVSLU Max	I	1820.4	469.7	3306.1	538.8	3
4018.4	6878.1		J	1839.4	496.1	3560.9	654.6	3
1704.8	6708.2							
		Min	I	-1791.5	-494.0	591.2	-5480.6	
1178.7	-6382.6		J	-1806.3	-520.4	823.4	-5494.8	
-653.1	-6197.3							
		INVSLV Max	I	2136.7	1224.4	1435.3	608.1	1
3531.1	20784.1		J	2138.0	1224.4	1572.8	608.1	1
2358.1	20490.3							
		Min	I	-2118.2	-1238.7	752.6	-3178.8	
5265.8	-20369.4		J	-2116.9	-1238.7	890.0	-3178.8	
4108.8	-20061.3							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

5066.1	4634.5	INVSLE Max	I	1215.3	314.7	2442.3	383.1	2
			J	1228.1	332.3	2631.1	468.8	2
3345.9	4523.1	Min	I	-1193.9	-332.7	444.6	-4043.7	
1005.8	-4267.4		J	-1203.6	-350.3	616.5	-4054.1	
-344.6	-4144.6							
852	1	52 C1-C2;~1 Max	I	13.6	44.7	1335.4	1574.8	1
3824.7	608.8		J	14.0	44.7	1387.1	1662.6	1
3142.3	636.5	Min	I	-7.7	-51.5	-553.1	-2326.1	-
7086.2	-658.6		J	-7.3	-51.5	-519.9	-2310.2	-
7209.6	-688.4							
		C3-C4;~1 Max	I	12.9	39.5	1339.4	952.7	1
3778.7	549.8		J	13.4	39.5	1391.2	1014.5	1
3099.3	572.1	Min	I	-7.3	-44.3	-554.7	-2756.6	-
7290.3	-502.7		J	-6.9	-44.3	-521.4	-2768.1	-
7418.7	-525.7							
		C1-C2;~2 Max	I	7.6	22.8	777.3	890.5	
7965.7	286.8		J	7.9	22.8	805.7	946.6	
7585.9	299.0	Min	I	-4.1	-26.5	-318.9	-1319.7	-
3754.9	-337.2		J	-3.9	-26.5	-297.9	-1299.1	-
3843.4	-352.4							
		C3-C4;~2 Max	I	7.2	20.6	779.3	495.6	
7940.0	281.9		J	7.5	20.6	807.8	537.1	
7562.4	293.3	Min	I	-4.0	-22.8	-319.0	-1572.1	-
3875.8	-250.2		J	-3.8	-22.8	-298.0	-1565.3	-
3967.9	-261.3							
		SLVx (RS)	I	1611.3	-1069.0	-261.2	-1513.4	
2746.9	-17605.2		J	1611.3	-1069.0	-261.2	-1513.4	
2694.2	-17311.1							
		SLVy (RS)	I	-1587.0	513.9	110.2	1126.4	-
2926.2	-7767.6		J	-1587.0	513.9	110.2	1126.4	-
2987.9	-7714.7							
		SLDx (RS)	I	1134.2	-759.8	-194.6	-1065.9	
1928.3	-12474.0		J	1134.2	-759.8	-194.6	-1065.9	
1885.6	-12263.1							
		SLDy (RS)	I	-1017.2	-344.2	-71.6	776.1	-
1786.3	-5453.4		J	-1017.2	-344.2	-71.6	776.1	-
1816.8	-5441.4							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1281.1	-1134.8	SLVz (RS)	I	133.8	122.4	-222.1	232.6	-
			J	133.8	122.4	-222.1	232.6	-
1102.3	-1214.2							
		G1	I	7.7	-8.4	901.7	-1016.1	
6020.2	142.4		J	8.7	-8.4	1002.4	-1016.1	
5066.2	150.8							
		G2	I	2.8	-3.1	329.3	-371.6	
2199.1	52.0		J	3.2	-3.1	366.1	-371.6	
1850.7	55.1							
		G1- Imp~1	I	-0.2	3.2	0.3	-0.1	
-2.0	15.1		J	-0.2	3.2	0.3	-0.1	
-2.3	11.9							
		G2- Imp~1	I	-0.1	1.2	0.1	-0.0	
-0.7	5.8		J	-0.1	1.2	0.1	-0.0	
-0.8	4.6							
		q3	I	-307.6	43.8	27.2	-43.2	
-628.0	439.2		J	-310.8	43.8	27.2	-43.2	
-652.2	395.3							
		q4-1	I	74.0	-25.3	-2.0	13.5	
89.6	-81.7		J	74.0	-25.3	-2.0	13.5	
91.6	-56.4							
		q4-2	I	106.6	-33.3	-4.8	-28.1	
100.5	-553.4		J	106.6	-33.3	-4.8	-28.1	
105.2	-520.0							
		q4-3	I	57.1	31.6	-2.5	-47.7	
25.5	-265.9		J	57.1	31.6	-2.5	-47.7	
28.0	-297.5							
		q4-4	I	-0.6	-24.4	2.2	49.7	
-56.1	479.6		J	-0.6	-24.4	2.2	49.7	
-58.3	504.0							
		q4-5	I	0.7	5.3	3.0	9.4	
-68.2	-196.4		J	0.7	5.3	3.0	9.4	
-71.1	-201.8							
		q4-6	I	-0.3	0.4	2.6	-12.1	
-60.6	50.3		J	-0.3	0.4	2.6	-12.1	
-63.2	49.9							
		q4-7	I	-0.3	-0.1	2.8	-9.2	
-66.8	54.1		J	-0.3	-0.1	2.8	-9.2	
-69.6	54.2							
		q5 - p~1	I	-944.4	346.0	19.6	-18.3	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-822.9	1685.7		J	-948.4	364.6	19.7	-25.0	
-841.2	1329.7							
2108.3	4252.3	q5 - p~2	I	-1275.3	151.9	99.6	268.1	-
2203.9	4100.5		J	-1287.1	151.1	99.7	268.4	-
-754.8	1583.3	q5 - p~3	I	-894.4	327.8	16.7	23.5	
-771.3	1246.0		J	-898.2	345.4	16.7	22.3	
1998.0	4017.6	q5 - p~4	I	-1208.2	144.6	89.8	237.1	-
2087.3	3873.1		J	-1219.3	143.9	89.9	237.2	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-379.0	304.0	q7	I	-248.3	62.0	11.0	-85.8	
-390.1	241.9		J	-248.3	62.0	11.0	-85.8	
-23.1	6.9	T	I	-0.0	0.1	-0.6	1.4	
-22.6	6.8		J	-0.0	0.1	-0.6	1.4	
-423.7	-876.1	M. tor~1	I	-183.9	-301.4	18.6	-119.0	
-442.3	-857.0		J	-183.9	-301.4	18.6	-121.6	
-250.5	-517.9	M. tor~2	I	-108.7	-178.2	11.0	-70.3	
-261.5	-506.6		J	-108.7	-178.2	11.0	-71.9	
1669.9	6709.1	INVSLU Max	I	1836.4	512.9	3560.7	494.8	3
9075.5	6518.3		J	1855.2	539.4	3816.3	613.6	2
-663.7	-6196.1	Min	I	-1804.0	-537.2	823.6	-5837.1	
2681.4	-5989.9		J	-1818.7	-563.7	1054.0	-5852.8	-
2351.2	20491.2	INVSLV Max	I	2137.7	1252.7	1592.3	533.4	1
1040.7	20212.1		J	2139.0	1252.7	1729.8	533.4	1
4082.0	-20060.6	Min	I	-2117.3	-1267.0	870.5	-3308.8	
2786.9	-19767.3		J	-2116.0	-1267.0	1008.0	-3308.8	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

3320.2	4523.8	INVSLE	Max	I	1226.0	343.5	2630.9	348.8	2	
				J	1238.7	361.2	2820.3	436.7	2	
1392.0	4398.5		Min	I	-1202.0	-361.5	616.7	-4306.0		
-352.6	-4143.7			J	-1211.7	-379.2	787.4	-4317.6	-	
1840.8	-4007.1									
853	1	52	C1-C2;~1	Max	I	13.9	44.7	1387.1	1633.9	1
3134.3	636.6			J	14.4	44.7	1439.3	1724.1	1	
2382.9	664.8		Min	I	-7.2	-51.5	-519.9	-2441.6	-	
7201.5	-688.2			J	-7.0	-51.5	-487.9	-2425.5	-	
7325.0	-723.5									
			C3-C4;~1	Max	I	13.2	39.6	1391.2	997.2	1
3083.3	572.2			J	13.7	39.6	1443.6	1061.2	1	
2335.0	622.4		Min	I	-6.7	-44.4	-521.4	-2895.2	-	
7410.4	-525.6			J	-6.3	-44.4	-489.3	-2907.6	-	
7538.8	-549.1									
			C1-C2;~2	Max	I	7.8	22.8	805.7	918.5	
7582.4	299.0			J	8.1	22.8	834.3	976.1		
7165.3	311.4		Min	I	-3.8	-26.5	-297.9	-1374.0	-	
3839.7	-352.3			J	-3.7	-26.5	-277.7	-1353.0	-	
3928.2	-371.4									
			C3-C4;~2	Max	I	7.4	20.6	807.8	513.7	
7553.7	293.4			J	7.7	20.6	836.5	556.5		
7138.8	305.3		Min	I	-3.6	-22.8	-298.0	-1641.3	-	
3964.0	-261.3			J	-3.4	-22.8	-277.7	-1634.5	-	
4056.2	-272.6									
			SLVx (RS)	I	1609.1	-1094.7	-275.5	-1540.9		
2690.1	-17311.2			J	1609.1	-1094.7	-275.5	-1540.9		
2658.5	-17033.1									
			SLVy (RS)	I	-1593.9	529.0	110.9	1120.2	-	
2999.1	-7714.7			J	-1593.9	529.0	110.9	1120.2	-	
3059.3	-7676.1									
			SLDx (RS)	I	1132.7	-777.7	-205.3	-1085.4		
1882.5	-12263.2			J	1132.7	-777.7	-205.3	-1085.4		
1856.5	-12063.6									
			SLDy (RS)	I	-1020.8	-353.0	-72.3	771.7	-	
1823.6	-5441.5			J	-1020.8	-353.0	-72.3	771.7	-	
1852.8	-5437.4									


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1099.8	-1214.2	SLVz (RS)	I	131.9	118.5	-235.8	245.4	-
			J	131.9	118.5	-235.8	245.4	
-917.3	-1293.5							
		G1	I	8.4	-8.4	1002.4	-1079.1	
5053.0	151.2		J	9.3	-8.4	1103.1	-1079.1	
3998.0	159.6							
		G2	I	3.1	-3.1	366.1	-394.6	
1845.9	55.2		J	3.4	-3.1	402.9	-394.6	
1460.6	58.3							
		G1- Imp~1	I	-0.2	3.2	0.3	-0.0	
-2.3	11.9		J	-0.2	3.2	0.3	-0.0	
-2.6	8.7							
		G2- Imp~1	I	-0.1	1.2	0.1	-0.0	
-0.8	4.6		J	-0.1	1.2	0.1	-0.0	
-0.9	3.5							
		q3	I	-310.2	47.7	27.1	-35.2	
-652.7	395.2		J	-313.4	47.7	27.1	-35.2	
-676.8	347.4							
		q4-1	I	73.7	-26.2	-2.0	12.4	
91.8	-56.4		J	73.7	-26.2	-2.0	12.4	
93.7	-30.1							
		q4-2	I	106.2	-34.6	-4.8	-29.3	
104.9	-520.0		J	106.2	-34.6	-4.8	-29.3	
109.7	-485.3							
		q4-3	I	57.5	30.8	-2.5	-48.0	
27.4	-297.5		J	57.5	30.8	-2.5	-48.0	
29.9	-328.4							
		q4-4	I	-0.9	-24.3	2.2	50.3	
-57.8	504.0		J	-0.9	-24.3	2.2	50.3	
-60.0	528.4							
		q4-5	I	0.8	5.3	3.0	10.3	
-71.0	-201.8		J	0.8	5.3	3.0	10.3	
-73.9	-207.1							
		q4-6	I	-0.3	0.4	2.6	-11.3	
-63.3	49.9		J	-0.3	0.4	2.6	-11.3	
-65.9	49.4							
		q4-7	I	-0.3	-0.1	2.8	-8.3	
-69.7	54.2		J	-0.3	-0.1	2.8	-8.3	
-72.5	54.3							
		q5 - p~1	I	-943.8	376.4	19.5	-14.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-841.6	1329.6		J	-947.5	395.1	19.5	-21.4	
-859.8	943.1							
2200.9	4100.4	q5 - p~2	I	-1285.1	167.1	99.4	295.1	-
2296.4	3933.2		J	-1296.7	166.6	99.6	295.3	-
-771.1	1246.0	q5 - p~3	I	-893.8	356.6	16.5	31.7	
-787.4	879.8		J	-897.3	374.3	16.5	30.4	
2084.7	3872.9	q5 - p~4	I	-1217.5	159.1	89.7	262.5	-
2173.8	3713.8		J	-1228.5	158.6	89.8	262.6	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-391.2	241.8	q7	I	-247.5	65.0	11.0	-81.0	
-402.2	176.7		J	-247.5	65.0	11.0	-81.0	
-22.5	6.8	T	I	-0.0	0.1	-0.6	1.6	
-22.0	6.6		J	-0.0	0.1	-0.6	1.6	
-443.7	-857.0	M. tor~1	I	-187.7	-299.0	18.6	-115.9	
-462.4	-840.2		J	-187.7	-299.0	18.6	-118.5	
-262.3	-506.7	M. tor~2	I	-111.0	-176.8	11.0	-68.5	
-273.4	-496.7		J	-111.0	-176.8	11.0	-70.1	
9037.7	6519.0	INVSLU Max	I	1851.9	556.2	3816.1	483.0	2
6164.1	6306.5		J	1870.5	582.7	4072.5	605.0	2
2691.7	-5988.9	Min	I	-1816.2	-580.4	1054.2	-6164.8	-
4895.4	-5766.2		J	-1830.9	-607.0	1283.0	-6181.7	-
1031.8	20212.9	INVSLV Max	I	2138.0	1281.8	1748.4	476.9	1
9587.2	19954.1		J	2139.3	1281.8	1885.9	476.9	
2759.7	-19766.9	Min	I	-2115.6	-1296.0	989.4	-3424.3	
1323.2	-19493.9		J	-2114.3	-1296.0	1126.8	-3424.3	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1364.2	4399.0	INVSLE	Max	I	1236.5	372.4	2820.1	338.2	2	
				J	1249.1	390.1	3010.1	428.6	1	
9229.2	4259.3		Min	I	-1210.0	-390.3	787.5	-4546.9	-	
1848.7	-4006.3			J	-1219.7	-408.0	956.9	-4559.5	-	
3474.6	-3859.1									
854	1	52	C1-C2;~1	Max	I	14.3	44.7	1439.3	1699.9	1
2374.4	665.0			J	14.8	44.7	1492.1	1792.8	1	
1555.4	693.7		Min	I	-6.9	-51.5	-487.9	-2548.3	-	
7315.9	-723.4			J	-6.8	-51.5	-457.2	-2531.9	-	
7439.5	-759.2									
			C3-C4;~1	Max	I	13.5	39.6	1443.6	1048.6	1
2317.9	622.5			J	14.0	39.6	1496.5	1114.7	1	
1502.1	650.0		Min	I	-6.2	-44.4	-489.3	-3028.3	-	
7529.3	-549.1			J	-5.9	-44.4	-458.6	-3040.4	-	
7657.9	-575.2									
			C1-C2;~2	Max	I	8.0	22.9	834.3	950.4	
7161.6	311.5			J	8.3	22.9	862.9	1009.6		
6708.1	324.1		Min	I	-3.6	-26.6	-277.7	-1423.0	-	
3923.9	-371.3			J	-3.5	-26.6	-258.0	-1401.5	-	
4012.5	-390.6									
			C3-C4;~2	Max	I	7.6	20.6	836.5	535.6	
7129.6	305.4			J	7.9	20.6	865.2	579.9		
6678.4	317.8		Min	I	-3.3	-22.8	-277.7	-1706.1	-	
4051.7	-272.6			J	-3.1	-22.8	-258.0	-1698.9	-	
4143.9	-285.8									
			SLVx (RS)	I	1606.2	-1121.2	-288.7	-1570.3		
2653.7	-17033.3			J	1606.2	-1121.2	-288.7	-1570.3		
2648.6	-16776.9									
			SLVy (RS)	I	-1600.4	544.8	112.9	1115.6	-	
3069.9	-7676.2			J	-1600.4	544.8	112.9	1115.6	-	
3128.7	7655.0									
			SLDx (RS)	I	1130.7	-796.1	-215.2	-1106.2		
1853.0	-12063.7			J	1130.7	-796.1	-215.2	-1106.2		
1848.0	-11879.2									
			SLDy (RS)	I	-1024.2	-362.2	74.1	768.3	-	
1859.1	-5437.5			J	-1024.2	-362.2	74.1	768.3	-	
1887.1	-5442.9									

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-914.9	-1293.4	SLVz (RS)	I	130.2	113.8	-248.9	255.6
			J	130.2	113.8	-248.9	255.6
-739.6	-1371.1						
		G1	I	9.0	-8.4	1103.1	-1128.7
3984.1	159.9		J	9.9	-8.4	1203.8	-1128.7
2828.3	168.3						
		G2	I	3.3	-3.1	402.9	-412.7
1455.5	58.4		J	3.6	-3.1	439.7	-412.7
1033.4	61.4						
		G1- Imp~1	I	-0.1	3.2	0.3	-0.0
-2.6	8.7		J	-0.1	3.2	0.3	-0.0
-2.9	5.5						
		G2- Imp~1	I	-0.0	1.2	0.1	-0.0
-0.9	3.5		J	-0.0	1.2	0.1	-0.0
-0.9	2.3						
		q3	I	-312.8	51.6	27.0	-26.8
-677.2	347.4		J	-316.0	51.6	27.0	-26.8
-701.3	295.7						
		q4-1	I	73.3	-27.1	-2.0	11.2
93.9	-30.1		J	73.3	-27.1	-2.0	11.2
95.8	-2.9						
		q4-2	I	105.7	-36.0	-4.7	-30.6
109.4	-485.3		J	105.7	-36.0	-4.7	-30.6
114.1	-449.3						
		q4-3	I	57.8	30.1	-2.5	-48.4
29.3	-328.4		J	57.8	30.1	-2.5	-48.4
31.8	-358.6						
		q4-4	I	-1.2	-24.3	2.2	51.0
-59.4	528.4		J	-1.2	-24.3	2.2	51.0
-61.6	552.8						
		q4-5	I	0.9	5.3	3.0	11.3
-73.8	-207.1		J	0.9	5.3	3.0	11.3
-76.8	-212.4						
		q4-6	I	-0.3	0.4	2.6	-10.5
-66.0	49.4		J	-0.3	0.4	2.6	-10.5
-68.6	49.0						
		q4-7	I	-0.3	-0.1	2.8	-7.4
-72.6	54.3		J	-0.3	-0.1	2.8	-7.4
-75.5	54.5						
		q5 - p~1	I	-942.5	406.8	19.3	-10.9

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-860.1	943.1		J	-946.0	425.6	19.3	-17.6	
-878.2	526.0							
2293.0	3933.0	q5 - p~2	I	-1294.6	182.8	99.3	323.3	-
2388.4	3750.0		J	-1306.1	182.6	99.4	323.4	-
-787.0	879.8	q5 - p~3	I	-892.6	385.4	16.3	40.1	
-803.2	484.7		J	-895.9	403.2	16.4	38.9	
2170.8	3713.7	q5 - p~4	I	-1226.4	173.9	89.6	289.0	-
2259.9	3539.6		J	-1237.4	173.7	89.7	289.0	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-403.2	176.6	q7	I	-246.7	68.1	10.9	-76.0	
-414.2	108.3		J	-246.7	68.1	10.9	-76.0	
-21.9	6.6	T	I	-0.0	0.1	-0.6	1.9	
-21.4	6.5		J	-0.0	0.1	-0.6	1.9	
-463.7	-840.2	M. tor~1	I	-191.4	-296.7	18.6	-112.6	
-482.3	-825.8		J	-191.4	-296.7	18.6	-115.2	
-274.2	-496.7	M. tor~2	I	-113.1	-175.4	11.0	-66.6	
-285.2	-488.2		J	-113.1	-175.4	11.0	-68.1	
6123.9	6306.9	INVSLU Max	I	1866.9	599.5	4072.3	506.1	2
2972.9	6072.2		J	1885.3	626.1	4329.4	631.7	2
4905.2	-5765.5	Min	I	-1828.2	-623.7	1283.2	-6461.5	-
7295.0	-5520.6		J	-1842.8	-650.3	1510.2	-6477.9	-
9576.6	19954.7	INVSLV Max	I	2137.5	1311.6	1903.6	440.2	
8003.1	19722.4		J	2138.8	1311.6	2041.1	440.2	
1295.8	-19493.7	Min	I	-2113.3	-1325.8	1109.1	-3523.1	
-287.3	-19247.2		J	-2112.1	-1325.8	1246.6	-3523.1	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


9199.6	4259.6	INVSLE	Max	I	1246.6	401.3	3009.9	353.5	1
				J	1259.1	419.0	3200.4	446.5	1
6859.2	4105.1		Min	I	-1217.9	-419.2	957.1	-4764.9	-
3482.1	-3858.5			J	-1227.5	-436.9	1125.2	-4777.0	-
5245.9	-3696.5								
855	1	52 C1-C2;~1	Max	I	14.7	44.7	1492.1	1773.4	1
1546.6	693.8			J	15.2	44.7	1545.3	1869.3	1
0662.2	729.1		Min	I	-6.8	-51.5	-457.2	-2644.8	-
7429.2	-759.1			J	-6.6	-51.5	-427.8	-2628.0	-
7553.7	-795.3								
		C3-C4;~1	Max	I	13.9	39.6	1496.5	1107.0	1
1484.2	650.1			J	14.4	39.6	1549.9	1175.5	1
0603.2	680.8		Min	I	-5.9	-44.4	-458.6	-3155.8	-
7647.3	-575.2			J	-5.7	-44.4	-429.2	-3167.4	-
7777.0	-605.4								
		C1-C2;~2	Max	I	8.3	22.9	862.9	986.6	
6704.2	324.1			J	8.5	22.9	891.6	1047.5	
6215.8	341.6		Min	I	-3.5	-26.6	-258.0	-1465.6	-
4007.6	-390.6			J	-3.4	-26.6	-239.1	-1443.7	-
4096.5	-410.0								
		C3-C4;~2	Max	I	7.9	20.7	865.2	561.7	
6668.8	317.8			J	8.1	20.7	893.9	607.4	
6182.8	331.9		Min	I	-3.1	-22.8	-258.0	-1766.7	-
4138.8	-285.8			J	-2.9	-22.8	-239.0	-1758.9	-
4231.5	-301.8								
		SLVx (RS)		I	1602.8	-1148.4	-300.8	-1601.4	
2643.1	-16777.1			J	1602.8	-1148.4	-300.8	-1601.4	
2668.9	-16548.6								
		SLVy (RS)		I	-1606.5	561.2	116.1	1113.0	-
3138.7	7655.2			J	-1606.5	561.2	116.1	1113.0	-
3196.6	7654.8								
		SLDx (RS)		I	1128.3	-815.0	-224.2	-1128.3	
1844.2	-11879.3			J	1128.3	-815.0	-224.2	-1128.3	
1863.8	-11714.3								
		SLDy (RS)		I	-1027.4	-371.9	76.9	766.0	-
1893.2	-5443.0			J	-1027.4	-371.9	76.9	766.0	-
1920.3	5459.7								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-737.5	-1371.1	SLVz (RS)	I	128.6	108.5	-261.8	263.3
			J	128.6	108.5	-261.8	263.3
-593.3	-1445.8						
		G1	I	9.6	-8.4	1203.8	-1163.8
2813.9	168.4		J	10.5	-8.4	1304.5	-1163.8
1557.1	176.8						
		G2	I	3.5	-3.0	439.7	-425.6
1028.1	61.5		J	3.8	-3.0	476.4	-425.6
569.1	64.5						
		G1- Imp~1	I	-0.1	3.2	0.3	0.0
-2.9	5.5		J	-0.1	3.2	0.3	0.0
-3.1	2.4						
		G2- Imp~1	I	-0.0	1.2	0.1	0.0
-0.9	2.3		J	-0.0	1.2	0.1	0.0
-1.0	1.2						
		q3	I	-315.4	55.5	27.0	-18.1
-701.6	295.6		J	-318.6	55.5	27.0	-18.1
-725.6	239.9						
		q4-1	I	73.0	-28.0	-1.9	10.1
96.0	-2.9		J	73.0	-28.0	-1.9	10.1
97.9	25.2						
		q4-2	I	105.3	-37.3	-4.7	-31.9
113.8	-449.3		J	105.3	-37.3	-4.7	-31.9
118.5	-411.9						
		q4-3	I	58.2	29.4	-2.4	-48.7
31.2	-358.6		J	58.2	29.4	-2.4	-48.7
33.7	-388.1						
		q4-4	I	-1.5	-24.3	2.2	51.6
-61.0	552.8		J	-1.5	-24.3	2.2	51.6
-63.3	577.1						
		q4-5	I	0.9	5.3	3.0	12.3
-76.6	-212.4		J	0.9	5.3	3.0	12.3
-79.5	-217.7						
		q4-6	I	-0.3	0.4	2.6	-9.7
-68.7	49.0		J	-0.3	0.4	2.6	-9.7
-71.3	48.5						
		q4-7	I	-0.3	-0.1	2.8	-6.5
-75.6	54.4		J	-0.3	-0.1	2.8	-6.5
-78.4	54.6						
		q5 - p~1	I	-940.6	437.3	19.1	-6.8

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-878.4	525.9		J	-943.9	456.1	19.2	-13.5	
-896.4	78.3							
2384.6	3749.9	q5 - p~2	I	-1303.8	198.8	99.2	352.5	-
2480.0	3550.6		J	-1315.2	198.9	99.3	352.4	-
-802.7	484.6	q5 - p~3	I	-890.8	414.3	16.2	48.8	
-818.7	60.6		J	-893.9	432.1	16.2	47.5	
2256.5	3539.4	q5 - p~4	I	-1235.1	189.1	89.5	316.6	-
2345.5	3349.9		J	-1245.9	189.2	89.6	316.6	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-415.1	108.3	q7	I	-245.8	71.2	10.9	-70.8	
-426.0	37.0		J	-245.8	71.2	10.9	-70.8	
-21.3	6.5	T	I	-0.0	0.1	-0.6	2.2	
-20.7	6.3		J	-0.0	0.1	-0.6	2.2	
-483.6	-825.8	M. tor~1	I	-195.1	-294.3	18.6	-109.0	
-502.3	-813.8		J	-195.1	-294.3	18.6	-111.5	
-285.9	-488.2	M. tor~2	I	-115.3	-174.0	11.0	-64.4	
-297.0	-481.1		J	-115.3	-174.0	11.0	-65.9	
2930.9	6072.3	INVSLU Max	I	1881.4	642.8	4329.2	567.3	2
9505.7	5821.1		J	1899.7	669.5	4586.9	696.7	1
7303.9	-5520.1	Min	I	-1839.9	-667.0	1510.4	-6724.7	-
9881.0	-5252.4		J	-1854.3	-693.6	1735.6	-6740.3	-
7991.1	19722.7	INVSLV Max	I	2139.0	1342.2	2058.0	425.0	
6297.4	19523.7		J	2140.2	1342.2	2195.4	425.0	
-314.8	-19247.2	Min	I	-2113.0	-1356.4	1229.7	-3603.6	
2053.2	-19034.0		J	-2111.7	-1356.4	1367.2	-3603.6	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6828.3	4105.2	INVSLE	Max	I	1256.4	430.2	3200.2	396.8	1
				J	1268.7	447.9	3391.1	492.7	1
4284.7	3940.2		Min	I	-1225.6	-448.0	1125.4	-4957.9	-
5252.7	-3696.2			J	-1235.1	-465.8	1292.2	-4969.5	-
7155.3	-3518.9								
856	1	52 C1-C2;~1	Max	I	15.2	44.8	1545.3	1855.2	1
0653.4	729.2			J	15.6	44.8	1599.0	1954.3	
9717.0	770.0		Min	I	-6.7	-51.5	-427.8	-2730.5	-
7542.5	-795.3			J	-6.5	-51.5	-399.7	-2713.3	-
7675.2	-831.7								
		C3-C4;~1	Max	I	14.3	39.6	1549.9	1175.6	1
0584.8	680.9			J	14.8	39.6	1603.6	1246.7	
9647.6	718.1		Min	I	-5.7	-44.4	-429.2	-3274.5	-
7765.4	-605.5			J	-5.6	-44.4	-401.1	-3285.6	-
7907.2	-636.0								
		C1-C2;~2	Max	I	8.5	22.9	891.6	1027.4	
6211.9	341.6			J	8.8	22.9	920.3	1090.2	
5694.4	363.1		Min	I	-3.4	-26.6	-239.1	-1501.9	-
4091.1	-410.0			J	-3.3	-26.6	-220.8	-1479.4	-
4183.3	-429.6								
		C3-C4;~2	Max	I	8.1	20.7	893.9	594.2	
6172.9	331.9			J	8.3	20.7	922.7	641.5	
5656.2	349.5		Min	I	-3.0	-22.8	-239.0	-1821.4	-
4225.8	-301.9			J	-2.9	-22.8	-220.7	-1813.0	-
4323.3	-318.1								
		SLVx (RS)		I	1598.7	-1176.3	-311.6	-1634.3	
2662.9	-16548.8			J	1598.7	-1176.3	-311.6	-1634.3	
2722.7	-16354.9								
		SLVy (RS)		I	-1612.3	578.3	120.2	1112.2	-
3206.0	7655.0			J	-1612.3	578.3	120.2	1112.2	-
3263.4	7679.0								
		SLDx (RS)		I	1125.5	-834.4	-232.3	-1151.5	
1859.7	-11714.5			J	1125.5	-834.4	-232.3	-1151.5	
1906.3	-11573.7								
		SLDy (RS)		I	-1030.2	-382.1	80.5	764.9	-
1926.0	5459.8			J	-1030.2	-382.1	80.5	764.9	-
1952.7	5489.4								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-591.9	-1445.9	SLVz (RS)	I	127.3	102.7	-274.6	268.1
			J	127.3	102.7	-274.6	268.1
-526.5	-1516.6						
		G1	I	10.2	-8.4	1304.5	-1183.1
1542.3	176.8		J	11.1	-8.4	1405.2	-1183.1
184.7	185.1						
		G2	I	3.7	-3.0	476.4	-432.6
563.7	64.5		J	4.0	-3.0	513.2	-432.6
67.9	67.6						
		G1- Imp~1	I	-0.1	3.2	0.3	0.1
-3.1	2.4		J	-0.1	3.2	0.3	0.1
-3.4	-0.8						
		G2- Imp~1	I	-0.0	1.2	0.1	0.0
-1.0	1.2		J	-0.0	1.2	0.1	0.0
-1.1	0.0						
		q3	I	-317.8	59.5	26.9	-9.1
-725.8	239.9		J	-321.1	59.5	26.9	-9.1
-749.7	180.2						
		q4-1	I	72.6	-28.9	-1.9	8.8
98.0	25.2		J	72.6	-28.9	-1.9	8.8
100.0	54.2						
		q4-2	I	104.8	-38.6	-4.7	-33.3
118.1	-411.9		J	104.8	-38.6	-4.7	-33.3
122.8	-373.2						
		q4-3	I	58.6	28.7	-2.4	-49.0
33.1	-388.1		J	58.6	28.7	-2.4	-49.0
35.5	-416.8						
		q4-4	I	-1.8	-24.3	2.2	52.3
-62.7	577.1		J	-1.8	-24.3	2.2	52.3
-64.9	601.5						
		q4-5	I	1.0	5.3	3.0	13.3
-79.4	-217.7		J	1.0	5.3	3.0	13.3
-82.3	-223.0						
		q4-6	I	-0.3	0.4	2.6	-8.8
-71.4	48.5		J	-0.3	0.4	2.6	-8.8
-74.0	48.1						
		q4-7	I	-0.3	-0.1	2.8	-5.5
-78.5	54.6		J	-0.3	-0.1	2.8	-5.5
-81.3	54.7						
		q5 - p~1	I	-938.2	467.8	19.0	-2.4

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-896.5	78.3		J	-941.2	486.6	19.0	-9.1	
-914.5	-399.9							
2475.8	3550.5	q5 - p~2	I	-1312.6	215.3	99.0	382.7	-
2571.0	3334.6		J	-1323.9	215.6	99.1	382.6	-
-818.1	60.5	q5 - p~3	I	-888.5	443.2	16.0	57.7	
-833.9	-392.5		J	-891.3	461.0	16.0	56.5	
2341.7	3349.8	q5 - p~4	I	-1243.5	204.7	89.3	345.2	-
2430.6	3144.5		J	-1254.2	205.0	89.4	345.2	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-426.9	36.9	q7	I	-244.9	74.3	10.9	-65.5	
-437.7	-37.5		J	-244.9	74.3	10.9	-65.5	
-20.7	6.3	T	I	-0.0	0.1	-0.6	2.4	
-20.1	6.2		J	-0.0	0.1	-0.6	2.4	
-503.5	-813.8	M. tor~1	I	-198.7	-291.8	18.6	-105.1	
-522.2	-804.3		J	-198.7	-291.8	18.6	-107.5	
-297.7	-481.2	M. tor~2	I	-117.5	-172.5	11.0	-62.1	
-308.7	-475.5		J	-117.5	-172.5	11.0	-63.6	
9462.7	5821.0	INVSLU Max	I	1895.5	686.2	4586.7	669.7	1
5781.2	5551.4		J	1913.5	712.9	4844.9	803.4	1
9888.9	-5252.3	Min	I	-1851.2	-710.3	1735.8	-6947.8	-
2668.3	-4961.1		J	-1865.5	-737.0	1959.2	-6962.6	-1
6284.3	19523.9	INVSLV Max	I	2143.9	1373.5	2211.4	432.9	
4486.2	19365.5		J	2145.1	1373.5	2348.8	432.9	
2080.6	-19034.3	Min	I	-2116.3	-1387.7	1351.3	-3664.0	-
3990.2	-18861.7		J	-2115.1	-1387.7	1488.7	-3664.0	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4253.1	3940.0	INVSLE Max	I	1265.9	459.1	3391.0	470.8	1
			J	1278.0	476.9	3582.3	569.7	1
1519.7	3763.2	Min	I	-1233.1	-476.9	1292.4	-5121.1	-
7161.5	-3518.8		J	-1242.5	-494.7	1457.9	-5132.2	-
9213.9	-3325.9							
857	1	52 C1-C2;~1 Max	I	15.6	44.8	1599.0	1956.8	
9711.9	770.1		J	16.1	44.8	1653.1	2059.2	
8875.5	811.1	Min	I	-6.6	-51.5	-399.7	-2804.4	-
7664.6	-831.8		J	-6.5	-51.5	-372.9	-2786.9	-
7988.7	-868.5							
		C3-C4;~1 Max	I	14.8	39.7	1603.7	1265.2	
9632.7	718.2		J	15.2	39.7	1657.8	1339.1	
8806.0	755.6	Min	I	-5.7	-44.4	-401.1	-3382.3	-
7897.1	-636.2		J	-5.6	-44.4	-374.3	-3392.9	-
8233.7	-667.0							
		C1-C2;~2 Max	I	8.8	22.9	920.3	1081.4	
5692.1	363.1		J	9.0	22.9	949.0	1146.1	
5206.9	384.6	Min	I	-3.3	-26.6	-220.8	-1531.1	-
4177.9	-429.6		J	-3.3	-26.6	-203.2	-1508.0	-
4346.7	-449.2							
		C3-C4;~2 Max	I	8.3	20.7	922.7	641.5	
5647.8	349.5		J	8.5	20.7	951.4	690.5	
5167.7	367.4	Min	I	-2.9	-22.8	-220.7	-1869.2	-
4318.0	-318.2		J	-2.8	-22.8	-203.1	-1860.2	-
4493.4	-334.5							
		SLVx (RS)	I	1594.0	-1204.8	-321.2	-1668.8	
2716.2	-16355.1		J	1594.0	-1204.8	-321.2	-1668.8	
2811.1	-16202.9							
		SLVy (RS)	I	-1617.7	596.0	125.2	1113.6	-
3272.2	7679.1		J	-1617.7	596.0	125.2	1113.6	-
3329.7	7731.0							
		SLDx (RS)	I	1122.2	-854.2	-239.5	-1175.9	
1901.9	-11573.8		J	1122.2	-854.2	-239.5	-1175.9	
1976.3	-11462.2							
		SLDy (RS)	I	-1032.8	-392.8	84.7	764.9	-
1958.0	5489.5		J	-1032.8	-392.8	84.7	764.9	-
1984.8	5534.0							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-526.4	-1516.6	SLVz (RS)	I	126.2	96.6	-287.3	270.1
			J	126.2	96.6	-287.3	270.1
-586.2	-1582.3						
		G1	I	10.7	-8.3	1405.2	-1185.2
169.7	185.0		J	11.6	-8.3	1505.9	-1185.2
1288.8	193.3						
		G2	I	3.9	-3.0	513.2	-433.4
62.4	67.5		J	4.2	-3.0	550.0	-433.4
-470.3	70.5						
		G1- Imp~1	I	-0.0	3.2	0.3	0.1
-3.4	-0.8		J	-0.0	3.2	0.3	0.1
-3.7	-4.0						
		G2- Imp~1	I	-0.0	1.2	0.1	0.0
-1.1	0.0		J	-0.0	1.2	0.1	0.0
-1.2	-1.1						
		q3	I	-320.3	63.5	26.9	0.2
-749.8	180.2		J	-323.5	63.5	26.9	0.2
-773.6	116.5						
		q4-1	I	72.3	-29.8	-1.9	7.6
100.0	54.2		J	72.3	-29.8	-1.9	7.6
102.0	84.1						
		q4-2	I	104.3	-39.9	-4.7	-34.8
122.4	-373.2		J	104.3	-39.9	-4.7	-34.8
127.1	-333.2						
		q4-3	I	58.9	27.9	-2.4	-49.4
35.0	-416.8		J	58.9	27.9	-2.4	-49.4
37.4	-444.8						
		q4-4	I	-2.1	-24.3	2.2	53.0
-64.3	601.5		J	-2.1	-24.3	2.2	53.0
-66.5	625.8						
		q4-5	I	1.1	5.3	3.0	14.4
-82.1	-223.1		J	1.1	5.3	3.0	14.4
-85.1	-228.3						
		q4-6	I	-0.3	0.5	2.6	-7.9
-74.1	48.1		J	-0.3	0.5	2.6	-7.9
-76.7	47.6						
		q4-7	I	-0.3	-0.1	2.8	-4.5
-81.4	54.7		J	-0.3	-0.1	2.8	-4.5
-84.2	54.8						
		q5 - p~1	I	-935.0	498.3	18.8	2.3

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-914.5	-400.0		J	-937.8	517.1	18.8	-4.4	
-932.3	-908.7							
2566.4	3334.5	q5 - p~2	I	-1321.1	232.1	98.9	414.0	-
2661.5	3101.6		J	-1332.3	232.7	99.0	413.8	-
-833.1	-392.6	q5 - p~3	I	-885.5	472.1	15.8	66.9	
-848.8	-874.5		J	-888.2	489.9	15.8	65.7	
2426.4	3144.4	q5 - p~4	I	-1251.6	220.6	89.2	374.9	-
2515.1	2923.0		J	-1262.1	221.2	89.3	374.9	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-438.5	-37.6	q7	I	-244.0	77.3	10.8	-60.1	
-449.3	-115.0		J	-244.0	77.3	10.8	-60.1	
-20.1	6.2	T	I	-0.0	0.1	-0.6	2.7	
-19.5	6.0		J	-0.0	0.1	-0.6	2.7	
-523.4	-804.3	M. tor~1	I	-202.3	-289.3	18.6	-100.9	
-542.0	-797.3		J	-202.3	-289.3	18.6	-103.3	
-309.4	-475.5	M. tor~2	I	-119.6	-171.0	11.0	-59.6	
-320.4	-471.4		J	-119.6	-171.0	11.0	-61.1	
5742.5	5551.0	INVSLU Max	I	1908.9	729.5	4844.7	831.4	1
2009.9	5257.4		J	1926.7	756.3	5103.5	969.5	1
2678.0	-4961.3	Min	I	-1862.2	-753.6	1959.5	-7125.5	-1
5906.3	-4646.1		J	-1876.3	-780.3	2181.1	-7139.7	-1
4472.6	19365.5	INVSLV Max	I	2148.3	1405.6	2363.8	465.5	
2584.9	19255.6		J	2149.5	1405.6	2501.3	465.5	
4017.4	-18862.2	Min	I	-2119.1	-1419.7	1473.8	-3702.3	-
6112.9	-18738.2		J	-2118.0	-1419.7	1611.3	-3702.3	-

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1491.4	3762.9	INVSLE Max	I	1275.0	488.0	3582.1	588.4	1
			J	1286.9	505.8	3773.8	690.7	
8720.1	3570.0	Min	I	-1240.3	-505.8	1458.0	-5250.7	-
9221.4	-3326.1		J	-1249.6	-523.6	1622.2	-5261.2	-1
1606.3	-3117.2							
858	1	52 C1-C2;~1 Max	I	16.1	44.8	1653.1	2075.2	
8873.9	811.2		J	16.6	44.8	1707.5	2181.2	
8042.4	852.5	Min	I	-6.7	-51.5	-372.9	-2865.7	-
7983.7	-868.6		J	-6.6	-51.5	-347.5	-2847.9	-
8394.0	-905.5							
		C3-C4;~1 Max	I	15.2	39.7	1657.8	1363.1	
8793.9	755.7		J	15.6	39.7	1712.2	1440.1	
7985.2	793.4	Min	I	-5.7	-44.4	-374.3	-3478.1	-
8229.2	-667.2		J	-5.6	-44.4	-348.9	-3488.3	-
8657.5	-698.2							
		C1-C2;~2 Max	I	9.0	22.9	949.0	1146.0	
5206.2	384.7		J	9.3	22.9	977.6	1212.7	
4716.0	406.3	Min	I	-3.3	-26.6	-203.2	-1552.7	-
4343.4	-449.3		J	-3.2	-26.6	-186.3	-1529.0	-
4546.6	-469.0							
		C3-C4;~2 Max	I	8.5	20.7	951.4	693.9	
5160.5	367.4		J	8.7	20.7	980.1	744.8	
4680.7	385.6	Min	I	-2.9	-22.8	-203.1	-1909.8	-
4490.2	-334.6		J	-2.8	-22.8	-186.3	-1900.3	-
4702.4	-351.1							
		SLVx (RS)	I	1588.7	-1234.0	-329.6	-1705.0	
2804.1	-16203.1		J	1588.7	-1234.0	-329.6	-1705.0	
2933.7	-16100.0							
		SLVy (RS)	I	-1622.7	614.2	130.8	1117.1	-
3337.9	7731.2		J	-1622.7	614.2	130.8	1117.1	-
3396.1	7814.3							
		SLDx (RS)	I	1118.6	-874.3	-245.8	-1201.4	
1971.6	-11462.4		J	1118.6	-874.3	-245.8	-1201.4	
2073.1	-11385.1							
		SLDy (RS)	I	-1035.1	-403.8	89.3	766.1	-
1989.7	5534.1		J	-1035.1	-403.8	89.3	766.1	-
2017.3	5595.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-587.7	-1582.3	SLVz (RS)	I	125.5	90.5	-300.0	269.1	
			J	125.5	90.5	-300.0	269.1	
757.2	-1642.2							
		G1	I	11.2	-8.3	1505.9	-1168.9	-
1303.7	193.0		J	12.0	-8.3	1606.6	-1168.9	-
2863.2	201.3							
		G2	I	4.1	-3.0	550.0	-427.4	
-475.7	70.4		J	4.4	-3.0	586.8	-427.4	-
1045.2	73.5							
		G1- Imp~1	I	0.0	3.2	0.3	0.2	
-3.7	-4.0		J	0.0	3.2	0.3	0.2	
-3.9	-7.2							
		G2- Imp~1	I	0.0	1.2	0.1	0.0	
-1.2	-1.1		J	0.0	1.2	0.1	0.0	
-1.3	-2.3							
		q3	I	-322.7	67.5	26.8	9.9	
-773.6	116.5		J	-325.9	67.5	26.8	9.9	
-797.4	48.8							
		q4-1	I	71.9	-30.7	-1.9	6.3	
102.0	84.1		J	71.9	-30.7	-1.9	6.3	
103.9	114.9							
		q4-2	I	103.8	-41.2	-4.6	-36.3	
126.7	-333.2		J	103.8	-41.2	-4.6	-36.3	
131.4	-292.0							
		q4-3	I	59.3	27.2	-2.4	-49.8	
36.8	-444.9		J	59.3	27.2	-2.4	-49.8	
39.3	-472.1							
		q4-4	I	-2.4	-24.2	2.2	53.7	
-65.9	625.8		J	-2.4	-24.2	2.2	53.7	
-68.2	650.1							
		q4-5	I	1.1	5.3	3.0	15.5	
-84.9	-228.3		J	1.1	5.3	3.0	15.5	
-87.8	-233.6							
		q4-6	I	-0.3	0.5	2.6	-6.9	
-76.8	47.6		J	-0.3	0.5	2.6	-6.9	
-79.4	47.2							
		q4-7	I	-0.3	-0.1	2.8	-3.5	
-84.3	54.8		J	-0.3	-0.1	2.8	-3.5	
-87.1	54.9							
		q5 - p~1	I	-931.3	528.8	18.6	7.3	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-932.2	-908.8		J	-933.9	547.6	18.6	0.6	
-949.9	-1448.1							
2656.5	3101.4	q5 - p~2	I	-1329.3	249.3	98.7	446.4	-
2751.5	2851.1		J	-1340.3	250.2	98.8	446.1	-
-847.8	-874.6	q5 - p~3	I	-882.0	500.9	15.6	76.4	
-863.3	-1385.5		J	-884.4	518.8	15.7	75.2	
2510.5	2922.9	q5 - p~4	I	-1259.3	237.0	89.0	405.7	-
2599.1	2685.0		J	-1269.7	237.8	89.1	405.7	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-450.0	-115.1	q7	I	-243.0	80.3	10.7	-54.4	
-460.8	-195.6		J	-243.0	80.3	10.7	-54.4	
-19.5	6.0	T	I	-0.0	0.1	-0.6	2.9	
-18.9	5.9		J	-0.0	0.1	-0.6	2.9	
-543.2	-797.3	M. tor~1	I	-205.9	-286.8	18.6	-96.4	
-561.8	-792.8		J	-205.9	-286.8	18.6	-98.7	
-321.1	-471.4	M. tor~2	I	-121.8	-169.5	11.0	-57.0	
-332.1	-468.7		J	-121.8	-169.5	11.0	-58.4	
1975.8	5256.6	INVSLU Max	I	1921.8	772.9	5103.2	1050.5	1
8063.8	4938.4		J	1939.4	799.7	5362.4	1193.3	
5923.2	-4646.6	Min	I	-1872.7	-796.9	2181.3	-7254.2	-1
9461.1	-4306.8		J	-1886.7	-823.7	2401.1	-7267.7	-1
2571.1	19255.4	INVSLV Max	I	2152.2	1438.3	2515.1	524.7	
589.6	19202.2		J	2153.4	1438.3	2652.6	524.7	
6139.8	-18739.0	Min	I	-2121.6	-1452.4	1597.4	-3717.0	-
8417.0	-18671.6		J	-2120.5	-1452.4	1734.9	-3717.0	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

8695.2	3569.4	INVSLE	Max	I	1283.7	516.8	3773.6	748.6	
				J	1295.5	534.7	3965.6	854.4	
5791.0	3360.1		Min	I	-1247.3	-534.6	1622.3	-5343.9	-1
1619.2	-3117.6			J	-1256.5	-552.5	1785.2	-5353.9	-1
4233.5	-2892.3								
859	1	52	C1-C2;~1	Max	I	16.7	44.7	1707.5	2205.2
8042.2	852.6			J	17.1	44.7	1762.1	2314.9	
7250.2	894.0		Min	I	-6.8	-51.5	-347.5	-2914.1	-
8390.4	-905.7			J	-6.7	-51.5	-323.6	-2895.8	-
8894.9	-942.9								
			C3-C4;~1	Max	I	15.6	39.7	1712.2	1469.5
7974.7	793.5			J	16.0	39.7	1766.9	1549.8	
7202.4	831.4		Min	I	-5.8	-44.4	-348.9	-3559.7	-
8655.1	-698.5			J	-5.7	-44.4	-329.0	-3569.6	-
9176.6	-729.8								
			C1-C2;~2	Max	I	9.3	22.8	977.6	1217.2
4715.9	406.3			J	9.5	22.8	1006.2	1286.0	
4235.1	428.0		Min	I	-3.3	-26.6	-186.3	-1566.6	-
4543.7	-469.1			J	-3.2	-26.6	-170.4	-1542.4	-
4784.6	-489.0								
			C3-C4;~2	Max	I	8.7	20.7	980.1	751.8
4674.1	385.6			J	8.9	20.7	1008.7	804.5	
4202.8	404.0		Min	I	-2.9	-22.8	-186.3	-1941.8	-
4699.8	-351.2			J	-2.8	-22.8	-173.2	-1931.8	-
4949.2	-367.7								
			SLVx (RS)	I	1582.8	-1263.6	-336.8	-1742.8	
2926.3	-16100.2			J	1582.8	-1263.6	-336.8	-1742.8	
3088.4	-16053.4								
			SLVy (RS)	I	-1627.3	632.8	136.8	1122.8	-
3403.6	7814.5			J	-1627.3	632.8	136.8	1122.8	-
3463.2	7932.1								
			SLDx (RS)	I	1114.5	-894.8	-251.2	-1228.1	-
2068.1	-11385.3			J	1114.5	-894.8	-251.2	-1228.1	-
2194.6	-11347.5								
			SLDy (RS)	I	-1037.2	-415.3	-94.3	768.7	-
2021.7	5595.4			J	-1037.2	-415.3	-94.3	768.7	-
2050.7	5675.0								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
759.7	-1642.2	SLVz (RS)	I	125.1	84.6	-312.4	265.1	
994.2	-1695.5		J	125.1	84.6	-312.4	265.1	
2877.8	200.8	G1	I	11.7	-8.3	1606.6	-1133.1	-
4538.2	209.2		J	12.5	-8.3	1707.3	-1133.1	-
1050.6	73.3	G2	I	4.3	-3.0	586.8	-414.4	-
1657.0	76.3		J	4.6	-3.0	623.5	-414.4	-
-3.9	-7.2	G1- Imp~1	I	0.1	3.2	0.3	0.2	
-4.2	-10.4		J	0.1	3.2	0.3	0.2	
-1.3	-2.3	G2- Imp~1	I	0.0	1.2	0.1	0.1	
-1.4	-3.5		J	0.0	1.2	0.1	0.1	
-797.2	48.7	q3	I	-325.0	71.6	26.7	19.8	
-821.0	-23.0		J	-328.2	71.6	26.7	19.8	
104.0	114.9	q4-1	I	71.5	-31.6	-1.9	5.0	
105.9	146.6		J	71.5	-31.6	-1.9	5.0	
130.9	-292.0	q4-2	I	103.3	-42.5	-4.6	-37.9	
135.6	-249.4		J	103.3	-42.5	-4.6	-37.9	
38.7	-472.1	q4-3	I	59.6	26.5	-2.4	-50.2	
41.1	-498.6		J	59.6	26.5	-2.4	-50.2	
-67.6	650.1	q4-4	I	-2.7	-24.2	2.2	54.5	
-69.8	674.4		J	-2.7	-24.2	2.2	54.5	
-87.6	-233.6	q4-5	I	1.2	5.2	3.0	16.6	
-90.6	-238.9		J	1.2	5.2	3.0	16.6	
-79.4	47.1	q4-6	I	-0.3	0.5	2.6	-5.9	
-82.0	46.7		J	-0.3	0.5	2.6	-5.9	
-87.1	54.9	q4-7	I	-0.3	-0.1	2.8	-2.4	
-90.0	55.0		J	-0.3	-0.1	2.8	-2.4	
		q5 - p~1	I	-927.0	559.2	18.4	12.6	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-949.6	-1448.2		J	-929.3	578.1	18.4	5.8	
-967.2	-2018.1							
2746.0	2851.0	q5 - p~2	I	-1337.1	266.9	98.6	479.9	-
2840.9	2582.9		J	-1348.0	268.1	98.6	479.4	-
-862.2	-1385.6	q5 - p~3	I	-877.9	529.8	15.5	86.2	
-877.5	-1925.4		J	-880.1	547.7	15.5	84.9	
2594.1	2684.9	q5 - p~4	I	-1266.7	253.6	88.9	437.6	-
2682.5	2430.2		J	-1277.0	254.7	89.0	437.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-461.4	-195.6	q7	I	-242.0	83.4	10.7	-48.7	
-472.2	-279.2		J	-242.0	83.4	10.7	-48.7	
-18.9	5.9	T	I	-0.0	0.1	-0.6	3.2	
-18.3	5.7		J	-0.0	0.1	-0.6	3.2	
-562.9	-792.9	M. tor~1	I	-209.5	-284.2	18.6	-91.6	
-581.5	-791.0		J	-209.5	-284.2	18.6	-93.9	
-332.8	-468.8	M. tor~2	I	-123.9	-168.0	11.0	-54.2	
-343.8	-467.6		J	-123.9	-168.0	11.0	-55.5	
8031.6	4937.3	INVSLU Max	I	1934.2	816.2	5362.2	1322.5	
3986.8	4593.9		J	1951.4	843.0	5621.7	1470.2	
9479.8	-4307.7	Min	I	-1882.9	-840.1	2401.4	-7328.4	-1
3329.4	-3942.8		J	-1896.7	-867.0	2613.9	-7341.4	-2
575.7	19201.8	INVSLV Max	I	2155.7	1471.8	2665.3	612.0	
1512.8	19213.3		J	2156.8	1471.8	2802.8	612.0	-
8442.9	-18672.6	Min	I	-2123.7	-1485.9	1722.2	-3706.3	-
0888.6	-18670.1		J	-2122.5	-1485.9	1859.6	-3706.3	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5767.5	3359.4	INVSLE Max	I	1292.0	545.7	3965.5	947.8	
			J	1303.6	563.6	4157.7	1057.3	
2765.0	3133.3	Min	I	-1254.0	-563.4	1785.3	-5396.6	-1
4247.6	-2892.9		J	-1263.1	-581.4	1942.7	-5406.3	-1
7092.9	-2650.9							
860	1	52 C1-C2;~1 Max	I	17.2	44.7	1762.1	2347.6	
7251.5	894.1		J	17.6	44.7	1816.9	2461.2	
6506.7	935.8	Min	I	-6.9	-51.5	-323.6	-2948.3	-
8892.8	-943.1		J	-6.8	-51.5	-311.6	-2929.6	-
9498.4	-980.5							
		C3-C4;~1 Max	I	16.0	39.7	1766.9	1585.0	
7193.7	831.5		J	16.4	39.7	1821.8	1668.8	
6467.9	869.6	Min	I	-5.9	-44.4	-329.0	-3627.0	-
9176.1	-730.1		J	-5.8	-44.4	-319.6	-3636.6	-
9798.0	-761.7							
		C1-C2;~2 Max	I	9.5	22.8	1006.2	1295.4	
4235.9	428.1		J	9.8	22.8	1034.7	1366.3	
3768.3	449.9	Min	I	-3.3	-26.6	-170.3	-1572.1	-
4782.1	-489.1		J	-3.3	-26.6	-163.0	-1547.4	-
5063.5	-509.0							
		C3-C4;~2 Max	I	8.8	20.7	1008.7	815.3	
4197.1	404.0		J	9.1	20.7	1037.2	870.0	
3738.9	422.7	Min	I	-2.9	-22.8	-173.2	-1965.5	-
4947.2	-367.9		J	-2.9	-22.8	-167.8	-1955.0	-
5236.7	-384.5							
		SLVx (RS)	I	1576.3	-1293.7	-342.9	-1782.3	
3080.6	-16053.6		J	1576.3	-1293.7	-342.9	-1782.3	
3272.1	-16070.5							
		SLVy (RS)	I	-1631.5	652.0	143.0	1130.9	-
3470.0	7932.3		J	-1631.5	652.0	143.0	1130.9	-
3531.7	8087.3							
		SLDx (RS)	I	1110.1	-915.7	-255.7	-1255.9	
2189.4	-11347.7		J	1110.1	-915.7	-255.7	-1255.9	
2338.3	-11354.5							
		SLDy (RS)	I	-1038.9	-427.0	-99.3	772.5	-
2054.7	5675.2		J	-1038.9	-427.0	-99.3	772.5	-
2085.7	5774.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
997.0	-1695.6	SLVz (RS)	I	125.2	79.3	-324.2	258.1	
			J	125.2	79.3	-324.2	258.1	
1268.9	-1741.9							
		G1	I	12.1	-8.3	1707.3	-1076.3	-
4552.2	208.5		J	12.9	-8.3	1808.0	-1076.3	-
6313.5	216.8							
		G2	I	4.4	-3.0	623.5	-393.6	-
1662.1	76.1		J	4.7	-3.0	660.3	-393.6	-
2305.3	79.1							
		G1- Imp~1	I	0.1	3.2	0.3	0.3	
-4.2	-10.4		J	0.1	3.2	0.3	0.3	
-4.5	-13.6							
		G2- Imp~1	I	0.0	1.2	0.1	0.1	
-1.4	-3.5		J	0.0	1.2	0.1	0.1	
-1.5	-4.6							
		q3	I	-327.3	75.7	26.7	30.0	
-820.7	-23.1		J	-330.5	75.7	26.7	30.0	
-844.3	-98.9							
		q4-1	I	71.1	-32.5	-1.9	3.6	
105.9	146.6		J	71.1	-32.5	-1.9	3.6	
107.8	179.2							
		q4-2	I	102.7	-43.8	-4.6	-39.5	
135.1	-249.4		J	102.7	-43.8	-4.6	-39.5	
139.7	-205.5							
		q4-3	I	59.9	25.7	-2.4	-50.6	
40.6	-498.7		J	59.9	25.7	-2.4	-50.6	
43.0	-524.4							
		q4-4	I	-3.0	-24.2	2.2	55.2	
-69.2	674.4		J	-3.0	-24.2	2.2	55.2	
-71.4	698.6							
		q4-5	I	1.3	5.2	3.0	17.8	
-90.3	-238.9		J	1.3	5.2	3.0	17.8	
-93.3	-244.1							
		q4-6	I	-0.3	0.5	2.6	-4.9	
-82.1	46.7		J	-0.3	0.5	2.6	-4.9	
-84.7	46.2							
		q4-7	I	-0.3	-0.1	2.8	-1.3	
-90.0	55.0		J	-0.3	-0.1	2.8	-1.3	
-92.8	55.1							
		q5 - p~1	I	-922.0	589.7	18.2	18.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-966.9	-2018.2		J	-924.1	608.6	18.2	11.4	
-984.4	-2618.5							
		q5 - p~2	I	-1344.5	284.9	98.4	514.4	-
2835.0	2582.8		J	-1355.2	286.4	98.5	513.8	-
2929.8	2296.6							
		q5 - p~3	I	-873.2	558.6	15.3	96.2	
-876.2	-1925.5		J	-875.2	576.5	15.3	94.9	
-891.4	-2494.2							
		q5 - p~4	I	-1273.7	270.7	88.7	470.5	-
2677.1	2430.0		J	-1283.8	272.0	88.8	470.4	-
2765.3	2158.2							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-240.9	86.4	10.6	-42.7	
-472.7	-279.2		J	-240.9	86.4	10.6	-42.7	
-483.4	-365.8							
		T	I	-0.0	0.1	-0.6	3.4	
-18.2	5.7		J	-0.0	0.1	-0.6	3.4	
-17.6	5.6							
		M. tor~1	I	-213.0	-281.5	18.6	-86.5	
-582.6	-791.0		J	-213.0	-281.5	18.6	-88.8	
-601.2	-791.8							
		M. tor~2	I	-125.9	-166.4	11.0	-51.1	
-344.4	-467.7		J	-125.9	-166.4	11.0	-52.5	
-355.4	-468.1							
		INVSLU Max	I	1945.9	859.4	5621.4	1650.6	
3957.4	4592.6		J	1962.9	886.3	5881.2	1803.5	
-209.8	4727.6							
		Min	I	-1892.6	-883.3	2614.1	-7345.8	-2
3349.2	-3944.0		J	-1906.2	-910.2	2812.3	-7358.4	-2
7520.2	-4057.6							
		INVSLV Max	I	2158.6	1506.1	2814.3	729.3	-
1526.6	19212.7		J	2159.7	1506.1	2951.8	729.3	-
3730.7	19296.9							
		Min	I	-2125.3	-1520.1	1848.2	-3668.6	-1
0913.1	-18671.3		J	-2124.2	-1520.1	1985.7	-3668.6	-1
3518.8	-18741.5							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

2743.6	3132.3	INVSLE Max	I	1299.9	574.6	4157.5	1188.6	
			J	1311.3	592.5	4349.9	1301.9	
-349.6	3225.2	Min	I	-1260.4	-592.2	1942.9	-5407.3	-1
7107.9	-2651.8		J	-1269.4	-610.2	2089.7	-5416.6	-2
0191.2	-2728.9							
861	1	52 C1-C2;~1 Max	I	17.6	44.7	1816.9	2503.1	
6509.6	935.9		J	18.1	44.7	1872.0	2620.7	
5817.3	977.9	Min	I	-7.1	-51.5	-311.6	-2968.2	-
9497.4	-980.8		J	-7.0	-51.5	-307.6	-2949.2	-1
0207.1	-1018.6							
		C3-C4;~1 Max	I	16.3	39.7	1821.8	1710.0	
6460.8	869.7		J	16.8	39.7	1876.8	1797.5	
5786.8	908.1	Min	I	-6.2	-44.3	-319.6	-3678.8	-
9799.1	-762.0		J	-6.1	-44.3	-315.6	-3688.3	-1
0524.1	-793.9							
		C1-C2;~2 Max	I	9.7	22.8	1034.7	1380.8	
3770.0	449.9		J	10.0	22.8	1063.0	1453.9	
3318.6	471.9	Min	I	-3.4	-26.5	-163.0	-1569.2	-
5061.2	-509.2		J	-3.4	-26.5	-161.4	-1544.0	-
5384.2	-529.2							
		C3-C4;~2 Max	I	9.0	20.7	1037.2	884.6	
3733.9	422.7		J	9.2	20.7	1065.5	941.4	
3291.9	457.6	Min	I	-3.0	-22.8	-167.8	-1980.1	-
5235.2	-384.7		J	-3.0	-22.8	-166.2	-1969.2	-
5566.0	-401.5							
		SLVx (RS)	I	1569.2	-1324.3	-347.8	-1823.5	
3263.9	-16070.7		J	1569.2	-1324.3	-347.8	-1823.5	
3481.3	-16157.9							
		SLVy (RS)	I	-1635.4	671.5	-149.1	1141.3	-
3537.8	8087.5		J	-1635.4	671.5	-149.1	1141.3	-
3602.4	8282.2							
		SLDx (RS)	I	1105.3	-936.7	-259.4	-1285.1	
2332.8	-11354.7		J	1105.3	-936.7	-259.4	-1285.1	
2501.0	-11410.8							
		SLDy (RS)	I	-1040.4	-439.1	-104.1	777.7	-
2089.3	5775.1		J	-1040.4	-439.1	-104.1	777.7	-
2123.1	5896.6							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1271.9	-1742.0	SLVz (RS)	I	125.6	75.0	-335.4	248.1
			J	125.6	75.0	-335.4	248.1
1568.1	-1780.9						
		G1	I	12.4	-8.3	1808.0	-997.5
6326.6	216.0		J	13.2	-8.3	1908.8	-997.5
8188.9	224.3						
		G2	I	4.5	-3.0	660.3	-364.8
2310.1	78.8		J	4.8	-3.0	697.1	-364.8
2990.2	81.8						
		G1- Imp~1	I	0.1	3.2	0.3	0.3
-4.5	-13.6		J	0.1	3.2	0.3	0.3
-4.7	-16.8						
		G2- Imp~1	I	0.1	1.2	0.1	0.1
-1.5	-4.6		J	0.1	1.2	0.1	0.1
-1.6	-5.8						
		q3	I	-329.6	79.8	26.6	40.6
-843.9	-99.0		J	-332.8	79.8	26.6	40.6
-867.5	-178.9						
		q4-1	I	70.7	-33.4	-1.8	2.3
107.8	179.2		J	70.7	-33.4	-1.8	2.3
109.6	212.7						
		q4-2	I	102.2	-45.0	-4.6	-41.2
139.2	-205.5		J	102.2	-45.0	-4.6	-41.2
143.8	-160.4						
		q4-3	I	60.2	25.0	-2.4	-51.1
42.4	-524.4		J	60.2	25.0	-2.4	-51.1
44.8	-549.5						
		q4-4	I	-3.3	-24.1	2.2	56.0
-70.8	698.6		J	-3.3	-24.1	2.2	56.0
-73.0	722.8						
		q4-5	I	1.3	5.2	3.0	19.0
-93.0	-244.1		J	1.3	5.2	3.0	19.0
-96.0	-249.4						
		q4-6	I	-0.3	0.5	2.6	-3.9
-84.7	46.2		J	-0.3	0.5	2.6	-3.9
-87.3	45.7						
		q4-7	I	-0.3	-0.1	2.8	-0.1
-92.8	55.1		J	-0.3	-0.1	2.8	-0.1
-95.7	55.2						
		q5 - p~1	I	-916.5	620.1	18.0	24.2

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-983.9	-2618.7		J	-918.3	639.0	18.0	17.3	-
1001.2	-3249.5							
2923.4	2296.4	q5 - p~2	I	-1351.6	303.2	98.2	549.9	-
3018.0	1991.7		J	-1362.1	304.9	98.3	549.3	-
-889.9	-2494.3	q5 - p~3	I	-867.9	587.4	15.1	106.5	
-904.8	-3091.9		J	-869.7	605.4	15.1	105.2	
2759.5	2158.0	q5 - p~4	I	-1280.4	288.0	88.5	504.4	-
2847.5	1868.6		J	-1290.3	289.6	88.6	504.3	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-483.8	-365.8	q7	I	-239.8	89.4	10.6	-36.6	
-494.4	-455.4		J	-239.8	89.4	10.6	-36.6	
-17.6	5.6	T	I	-0.0	0.2	-0.6	3.6	
-17.0	5.4		J	-0.0	0.2	-0.6	3.6	
-602.2	-791.8	M. tor~1	I	-216.5	-278.9	18.6	-81.1	
-620.8	-795.2		J	-216.5	-278.9	18.6	-83.3	
-356.0	-468.1	M. tor~2	I	-128.0	-164.9	11.0	-48.0	
-367.0	-470.1		J	-128.0	-164.9	11.0	-49.3	
-236.0	4726.3	INVSLU Max	I	1956.9	902.6	5881.0	2038.1	
4518.4	5661.6		J	1973.7	929.6	6140.9	2196.3	-
7540.2	-4059.4	Min	I	-1901.9	-926.4	2812.5	-7302.5	-2
2036.3	-4973.3		J	-1915.4	-953.4	3003.5	-7314.7	-3
3744.2	19296.2	INVSLV Max	I	2161.0	1541.3	2961.9	878.4	-
6068.2	19460.4		J	2162.1	1541.3	3099.4	878.4	-
3541.3	-18742.9	Min	I	-2126.6	-1555.2	1975.5	-3602.3	-1
6302.6	-18893.2		J	-2125.5	-1555.2	2113.0	-3602.3	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

-368.5	3224.2	INVSLE Max	I	1307.3	603.4	4349.8	1473.3	
			J	1318.6	621.3	4542.3	1590.5	-
3547.0	3850.6	Min	I	-1266.6	-621.0	2089.9	-5372.8	-2
0206.5	-2730.2		J	-1275.4	-638.9	2231.3	-5381.9	-2
3530.5	-3340.8							
862	1	52 C1-C2;~1 Max	I	18.1	44.7	1872.0	2672.2	
5821.7	978.0		J	18.5	44.7	1927.1	2794.0	
5219.7	1020.2	Min	I	-7.4	-51.4	-307.6	-2972.7	-1
0206.9	-1018.9		J	-7.4	-51.4	-304.2	-2953.5	-1
1020.6	-1056.8							
		C3-C4;~1 Max	I	16.7	39.6	1876.8	1845.1	
5781.3	908.2		J	17.1	39.6	1931.9	1936.4	
5200.6	946.8	Min	I	-6.5	-44.3	-315.6	-3714.7	-1
0526.5	-794.4		J	-6.5	-44.3	-312.3	-3724.1	-1
1354.6	-826.4							
		C1-C2;~2 Max	I	10.0	22.8	1063.0	1473.8	
3321.1	471.9		J	10.2	22.8	1091.2	1549.2	
2887.6	493.9	Min	I	-3.6	-26.5	-161.4	-1557.2	-
5382.1	-529.4		J	-3.5	-26.5	-160.1	-1531.6	-
5746.7	-549.4							
		C3-C4;~2 Max	I	9.1	20.7	1065.5	960.1	
3287.7	457.7		J	9.3	20.7	1093.7	1018.9	
2863.6	478.2	Min	I	-3.2	-22.8	-166.2	-1985.5	-
5564.7	-401.7		J	-3.2	-22.8	-164.9	-1974.1	-
5936.8	-418.5							
		SLVx (RS)	I	1561.5	-1355.1	-351.7	-1866.5	
3472.6	-16158.1		J	1561.5	-1355.1	-351.7	-1866.5	
3712.1	-16321.5							
		SLVy (RS)	I	-1638.8	691.4	-154.9	1154.2	-
3607.8	8282.5		J	-1638.8	691.4	-154.9	1154.2	-
3675.9	8519.0							
		SLDx (RS)	I	1100.0	-958.0	-262.4	-1315.5	
2495.2	-11410.9		J	1100.0	-958.0	-262.4	-1315.5	
2679.7	-11520.5							
		SLDy (RS)	I	-1041.6	-451.5	-108.7	784.2	-
2126.2	5896.7		J	-1041.6	-451.5	-108.7	784.2	-
2163.3	6041.2							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1571.1	-1781.0	SLVz (RS)	I	126.3	72.2	-345.5	235.4	
			J	126.3	72.2	-345.5	235.4	
1885.1	-1812.5							
		G1	I	12.8	-8.3	1908.8	-895.3	-
8200.9	223.4		J	13.6	-8.3	2009.5	-895.3	-1
0164.1	231.6							
		G2	I	4.7	-3.0	697.1	-327.5	-
2994.6	81.5		J	5.0	-3.0	733.9	-327.5	-
3711.6	84.5							
		G1- Imp~1	I	0.2	3.2	0.3	0.4	
-4.7	-16.8		J	0.2	3.2	0.3	0.4	
-5.0	-19.9							
		G2- Imp~1	I	0.1	1.2	0.1	0.1	
-1.6	-5.8		J	0.1	1.2	0.1	0.1	
-1.7	-6.9							
		q3	I	-331.8	83.9	26.5	51.4	
-866.9	-179.0		J	-335.0	83.9	26.5	51.4	
-890.4	-263.1							
		q4-1	I	70.3	-34.3	-1.8	0.8	
109.6	212.7		J	70.3	-34.3	-1.8	0.8	
111.5	247.1							
		q4-2	I	101.6	-46.3	-4.6	-43.0	
143.3	-160.4		J	101.6	-46.3	-4.6	-43.0	
147.9	-114.0							
		q4-3	I	60.5	24.2	-2.4	-51.5	
44.2	-549.5		J	60.5	24.2	-2.4	-51.5	
46.6	-573.7							
		q4-4	I	-3.6	-24.1	2.2	56.8	
-72.4	722.8		J	-3.6	-24.1	2.2	56.8	
-74.6	746.9							
		q4-5	I	1.4	5.2	3.0	20.2	
-95.7	-249.4		J	1.4	5.2	3.0	20.2	
-98.7	-254.6							
		q4-6	I	-0.3	0.5	2.6	-2.8	
-87.3	45.7		J	-0.3	0.5	2.6	-2.8	
-89.9	45.3							
		q4-7	I	-0.3	-0.1	2.8	1.1	
-95.7	55.2		J	-0.3	-0.1	2.8	1.1	
-98.5	55.3							
		q5 - p~1	I	-910.3	650.4	17.8	30.4	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1000.6	-3249.6		J	-911.9	669.4	17.8	23.6	-
1017.8	-3910.8							
3011.1	1991.6	q5 - p~2	I	-1358.2	321.9	98.0	586.5	-
3105.7	1668.1		J	-1368.6	323.9	98.1	585.8	-
-903.2	-3092.0	q5 - p~3	I	-862.0	616.1	14.9	117.0	
-918.0	-3718.4		J	-863.6	634.1	14.9	115.8	
2841.2	1868.5	q5 - p~4	I	-1286.6	305.7	88.4	539.4	-
2929.1	1561.2		J	-1296.5	307.6	88.4	539.3	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-494.8	-455.4	q7	I	-238.7	92.4	10.5	-30.4	
-505.4	-548.0		J	-238.7	92.4	10.5	-30.4	
-17.0	5.4	T	I	-0.0	0.2	-0.6	3.8	
-16.4	5.3		J	-0.0	0.2	-0.6	3.8	
-621.7	-795.2	M. tor~1	I	-220.0	-276.1	18.5	-75.4	
-640.3	-801.4		J	-220.0	-276.1	18.5	-77.6	
-367.5	-470.2	M. tor~2	I	-130.1	-163.3	11.0	-44.6	
-378.5	-473.8		J	-130.1	-163.3	11.0	-45.9	
4541.1	5660.1	INVSLU Max	I	1967.4	945.8	6140.6	2488.0	-
8887.7	6638.6		J	1983.8	972.7	6400.7	2651.8	-
2055.6	-4975.5	Min	I	-1910.9	-969.5	3003.7	-7195.5	-3
6876.7	-5932.7		J	-1924.2	-996.5	3193.7	-7207.6	-3
6081.0	19459.4	INVSLV Max	I	2162.9	1577.3	3108.1	1061.1	-
8501.9	19710.2		J	2163.9	1577.3	3245.5	1061.1	-
6322.8	-18894.9	Min	I	-2127.5	-1591.1	2104.3	-3505.7	-1
9262.7	-19131.7		J	-2126.4	-1591.1	2241.8	-3505.7	-1

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

3563.4	3849.5	INVSLE Max	I	1314.3	632.1	4542.1	1804.1	-
			J	1325.4	650.1	4734.7	1925.5	-
6789.4	4504.7	Min	I	-1272.5	-649.7	2231.5	-5291.1	-2
3545.3	-3342.3		J	-1281.3	-667.7	2372.2	-5300.1	-2
7110.1	-3981.8							
863	1	52 C1-C2;~1 Max	I	18.5	44.6	1927.1	2855.7	
5189.8	1020.2		J	18.9	44.6	1982.2	2981.8	
4665.6	1064.2	Min	I	-7.8	-51.4	-304.2	-2961.6	-1
1020.8	-1057.2		J	-7.8	-51.4	-301.6	-2942.2	-1
1936.7	-1095.1							
		C3-C4;~1 Max	I	17.0	39.6	1931.9	1991.1	
5157.5	946.8		J	17.4	39.6	1987.0	2086.4	
4653.3	985.5	Min	I	-6.8	-44.3	-312.3	-3734.4	-1
1357.8	-826.9		J	-6.8	-44.3	-309.7	-3743.9	-1
2287.0	-859.0							
		C1-C2;~2 Max	I	10.2	22.8	1091.2	1574.6	
2891.0	493.9		J	10.4	22.8	1119.1	1652.2	
2476.3	517.2	Min	I	-3.8	-26.5	-160.1	-1536.2	-
5744.5	-549.6		J	-3.7	-26.5	-159.0	-1510.1	-
6150.0	-569.8							
		C3-C4;~2 Max	I	9.2	20.7	1093.7	1041.9	
2860.3	478.2		J	9.4	20.7	1121.6	1102.8	
2455.1	498.7	Min	I	-3.4	-22.8	-164.9	-1981.5	-
5935.6	-418.8		J	-3.4	-22.8	-163.8	-1969.9	-
6348.1	-435.6							
		SLVx (RS)	I	1553.3	-1386.3	-354.7	-1911.5	
3702.9	-16321.8		J	1553.3	-1386.3	-354.7	-1911.5	
3961.1	-16566.4							
		SLVy (RS)	I	-1641.9	711.5	-160.2	1169.6	-
3680.5	8519.2		J	-1641.9	711.5	-160.2	1169.6	-
3752.7	8798.8							
		SLDx (RS)	I	1094.4	-979.5	-264.6	-1347.3	
2673.6	-11520.7		J	1094.4	-979.5	-264.6	-1347.3	
2871.7	-11687.2							
		SLDy (RS)	I	-1042.5	-464.1	-112.9	792.1	-
2166.0	6041.4		J	-1042.5	-464.1	-112.9	792.1	-
2207.0	6210.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1888.0	-1812.6	SLVz (RS)	I	127.3	71.0	-354.4	220.2	
			J	127.3	71.0	-354.4	220.2	
2215.7	-1836.6							
		G1	I	13.1	-8.2	2009.5	-768.4	-1
0174.7	230.5		J	13.8	-8.2	2110.2	-768.4	-1
2238.8	238.8							
		G2	I	4.8	-3.0	733.9	-281.2	-
3715.5	84.1		J	5.1	-3.0	770.6	-281.2	-
4469.2	87.1							
		G1- Imp~1	I	0.2	3.2	0.3	0.4	
-5.0	-19.9		J	0.2	3.2	0.3	0.4	
-5.3	-23.1							
		G2- Imp~1	I	0.1	1.2	0.1	0.1	
-1.7	-6.9		J	0.1	1.2	0.1	0.1	
-1.8	-8.1							
		q3	I	-333.9	88.1	26.5	62.6	
-889.7	-263.2		J	-337.1	88.1	26.5	62.6	
-913.2	-351.5							
		q4-1	I	69.8	-35.2	-1.8	-0.6	
111.4	247.1		J	69.8	-35.2	-1.8	-0.6	
113.3	282.3							
		q4-2	I	101.0	-47.6	-4.5	-44.8	
147.3	-114.0		J	101.0	-47.6	-4.5	-44.8	
151.9	-66.3							
		q4-3	I	60.8	23.5	-2.4	-52.0	
46.0	-573.8		J	60.8	23.5	-2.4	-52.0	
48.4	-597.3							
		q4-4	I	-3.9	-24.0	2.2	57.6	
-74.0	746.9		J	-3.9	-24.0	2.2	57.6	
-76.2	771.0							
		q4-5	I	1.5	5.2	3.0	21.5	
-98.4	-254.6		J	1.5	5.2	3.0	21.5	
-101.4	-259.8							
		q4-6	I	-0.3	0.5	2.6	-1.7	
-89.9	45.2		J	-0.3	0.5	2.6	-1.7	
-92.5	44.8							
		q4-7	I	-0.3	-0.1	2.8	2.3	
-98.5	55.3		J	-0.3	-0.1	2.8	2.3	
-101.3	55.4							
		q5 - p~1	I	-903.5	680.7	17.5	36.9	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1017.1	-3911.0		J	-904.9	699.7	17.6	30.1	-
1034.2	-4602.6							
3098.3	1667.9	q5 - p~2	I	-1364.5	340.9	97.8	624.2	-
3192.7	1325.2		J	-1374.6	343.1	97.9	623.4	-
-916.1	-3718.5	q5 - p~3	I	-855.6	644.8	14.7	127.8	
-930.7	-4373.7		J	-856.9	662.8	14.7	126.6	
2922.3	1561.1	q5 - p~4	I	-1292.6	323.7	88.2	575.5	-
3010.0	1235.7		J	-1302.2	325.8	88.2	575.3	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-505.7	-548.0	q7	I	-237.5	95.3	10.5	-24.0	
-516.2	-643.5		J	-237.5	95.3	10.5	-24.0	
-16.3	5.3	T	I	-0.0	0.2	-0.6	4.0	
-15.8	5.1		J	-0.0	0.2	-0.6	4.0	
-641.1	-801.4	M. tor~1	I	-223.4	-273.4	18.5	-69.5	
-659.7	-810.4		J	-223.4	-273.4	18.5	-71.6	
-379.0	-473.8	M. tor~2	I	-132.1	-161.6	11.0	-41.1	
-390.0	-479.1		J	-132.1	-161.6	11.0	-42.3	
8954.2	6636.8	INVSLU Max	I	1977.1	988.8	6400.4	3003.6	-
3382.1	7660.2		J	1993.2	1015.8	6660.5	3173.1	-1
6894.0	-5935.2	Min	I	-1919.4	-1012.5	3194.0	-7022.3	-3
2037.5	-6935.6		J	-1932.4	-1039.4	3383.0	-7034.4	-4
8523.4	19709.0	INVSLV Max	I	2164.2	1614.2	3252.8	1279.4	-
0963.4	20051.7		J	2165.3	1614.2	3390.3	1279.4	-1
9270.3	-19133.6	Min	I	-2127.9	-1628.0	2234.6	-3377.5	-1
2466.6	-19462.4		J	-2126.9	-1628.0	2372.1	-3377.5	-2

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

6838.2	4503.3	INVSLE Max	I	1320.9	660.8	4734.6	2183.5	-
0124.4	5188.6		J	1331.8	678.8	4927.2	2309.1	-1
7123.4	-3983.6	Min	I	-1278.1	-678.3	2372.4	-5160.4	-2
0927.1	-4651.9		J	-1286.7	-696.3	2512.4	-5169.4	-3
864	1	52 C1-C2;~1 Max	I	18.9	44.6	1982.2	3054.0	
4664.0	1064.3		J	19.3	44.6	2037.3	3184.5	
4165.1	1108.9	Min	I	-8.2	-51.3	-301.6	-2934.2	-1
1936.6	-1095.6		J	-8.2	-51.3	-299.6	-2914.8	-1
2951.5	-1133.6							
4642.2	985.6	C3-C4;~1 Max	I	17.3	39.6	1987.0	2148.8	
4207.8	1024.3		J	17.6	39.6	2042.0	2248.2	
2290.5	-859.6	Min	I	-7.2	-44.2	-309.7	-3737.1	-1
3317.7	-891.8		J	-7.2	-44.2	-307.7	-3746.8	-1
2480.6	517.3	C1-C2;~2 Max	I	10.3	22.7	1119.1	1683.5	
2107.8	541.1		J	10.5	22.7	1146.8	1763.3	
6147.5	-570.0	Min	I	-4.0	-26.5	-159.0	-1505.7	-
6592.6	-590.1		J	-4.0	-26.5	-158.2	-1479.3	-
2452.5	498.8	C3-C4;~2 Max	I	9.3	20.6	1121.6	1130.5	
2126.8	519.3		J	9.5	20.6	1149.2	1193.5	
6346.9	-435.9	Min	I	-3.6	-22.7	-163.8	-1967.6	-
6798.6	-452.8		J	-3.6	-22.7	-163.1	-1955.8	-
3951.3	-16566.7	SLVx (RS)	I	1544.5	-1417.7	-356.9	-1958.5	
4225.0	-16896.3		J	1544.5	-1417.7	-356.9	-1958.5	
3756.5	8799.1	SLVy (RS)	I	-1644.6	732.0	-164.7	1187.4	-
3833.2	9122.7		J	-1644.6	732.0	-164.7	1187.4	-
2865.2	-11687.3	SLDx (RS)	I	1088.5	-1001.1	-266.2	-1380.7	
3074.5	-11913.4		J	1088.5	-1001.1	-266.2	-1380.7	
2209.2	6210.2	SLDy (RS)	I	-1043.1	476.8	-116.4	801.4	-
2254.5	6404.0		J	-1043.1	476.8	-116.4	801.4	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2218.4	-1836.7	SLVz (RS)	I	128.5	-71.6	-362.0	203.2	
			J	128.5	-71.6	-362.0	203.2	
2557.2	-1853.6							
		G1	I	13.4	-8.2	2110.2	-615.8	-1
2247.7	237.5		J	14.1	-8.2	2210.9	-615.8	-1
4412.6	245.8							
		G2	I	4.9	-3.0	770.6	-225.5	-
4472.5	86.6		J	5.1	-3.0	807.4	-225.5	-
5263.2	89.6							
		G1- Imp~1	I	0.3	3.2	0.3	0.5	
-5.2	-23.1		J	0.3	3.2	0.3	0.5	
-5.5	-26.3							
		G2- Imp~1	I	0.1	1.2	0.1	0.2	
-1.8	-8.1		J	0.1	1.2	0.1	0.2	
-1.9	-9.2							
		q3	I	-336.0	92.3	26.4	74.0	
-912.3	-351.5		J	-339.2	92.3	26.4	74.0	
-935.7	-444.0							
		q4-1	I	69.4	-36.0	-1.8	-2.0	
113.2	282.3		J	69.4	-36.0	-1.8	-2.0	
115.0	318.4							
		q4-2	I	100.4	-48.8	-4.5	-46.7	
151.3	-66.3		J	100.4	-48.8	-4.5	-46.7	
155.8	-17.3							
		q4-3	I	61.1	22.7	-2.4	-52.5	
47.8	-597.3		J	61.1	22.7	-2.4	-52.5	
50.2	-620.0							
		q4-4	I	-4.2	-24.0	2.2	58.4	
-75.6	771.0		J	-4.2	-24.0	2.2	58.4	
-77.8	795.1							
		q4-5	I	1.5	5.2	3.0	22.8	
-101.1	-259.8		J	1.5	5.2	3.0	22.8	
-104.0	-265.0							
		q4-6	I	-0.3	0.5	2.6	-0.5	
-92.5	44.8		J	-0.3	0.5	2.6	-0.5	
-95.1	44.3							
		q4-7	I	-0.3	-0.1	2.8	3.5	
-101.3	55.4		J	-0.3	-0.1	2.8	3.5	
-104.1	55.4							
		q5 - p~1	I	-896.1	710.9	17.3	43.8	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1033.3	-4602.7		J	-897.2	729.9	17.3	37.0	-
1050.3	-5324.6							
3184.8	1325.1	q5 - p~2	I	-1370.3	360.2	97.6	662.9	-
3279.0	962.8		J	-1380.3	362.7	97.7	662.0	-
-928.6	-4373.8	q5 - p~3	I	-848.6	673.5	14.5	139.0	
-943.1	-5057.6		J	-849.7	691.5	14.5	137.7	
3002.8	1235.5	q5 - p~4	I	-1298.1	342.0	88.0	612.6	-
3090.3	891.6		J	-1307.5	344.4	88.0	612.4	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-516.4	-643.6	q7	I	-236.3	98.3	10.4	-17.4	
-526.9	-742.0		J	-236.3	98.3	10.4	-17.4	
-15.7	5.1	T	I	-0.0	0.2	-0.6	4.2	
-15.1	5.0		J	-0.0	0.2	-0.6	4.2	
-660.4	-810.4	M. tor~1	I	-226.8	-270.6	18.5	-63.2	
-679.0	-822.2		J	-226.8	-270.6	18.5	-65.2	
-390.5	-479.1	M. tor~2	I	-134.1	-160.0	10.9	-37.4	
-401.4	-486.1		J	-134.1	-160.0	10.9	-38.6	
3407.8	7658.2	INVSLU Max	I	1986.2	1031.7	6660.2	3587.8	-1
7929.8	8725.2		J	2002.0	1058.7	6920.2	3763.2	-1
2051.6	-6938.4	Min	I	-1927.4	-1055.3	3383.3	-6779.4	-4
7513.2	-7981.9		J	-1940.2	-1082.3	3571.4	-6791.7	-4
0983.5	20050.4	INVSLV Max	I	2165.1	1651.9	3399.7	1535.1	-1
3541.1	20489.0		J	2166.1	1651.9	3537.1	1535.1	-1
2471.0	-19464.5	Min	I	-2127.9	-1665.7	2362.7	-3216.2	-2
5825.3	-19889.3		J	-2126.9	-1665.7	2500.1	-3216.2	-2

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

0142.9	5187.1	INVSLE Max	I	1327.0	689.4	4927.0	2613.7	-1
			J	1337.7	707.4	5119.6	2743.7	-1
3498.9	5901.5	Min	I	-1283.4	-706.9	2512.6	-4977.8	-3
0938.1	-4653.9		J	-1291.9	-724.9	2652.0	-4987.0	-3
4977.4	-5350.9							
865	1	52 C1-C2;~1 Max	I	19.3	44.5	2037.3	3267.9	
4167.1	1109.0		J	19.7	44.5	2092.4	3402.9	
4168.7	1153.7	Min	I	-8.7	-51.3	-299.6	-2889.8	-1
2950.9	-1134.1		J	-8.6	-51.3	-298.2	-2874.6	-1
4060.8	-1172.2							
		C3-C4;~1 Max	I	17.5	39.6	2042.0	2319.2	
4207.6	1024.3		J	17.8	39.6	2096.9	2422.8	
4255.4	1063.1	Min	I	-7.6	-44.1	-307.7	-3723.2	-1
3321.1	-892.4		J	-7.5	-44.1	-306.4	-3742.6	-1
4442.4	-924.7							
		C1-C2;~2 Max	I	10.5	22.7	1146.8	1800.5	
2091.3	541.2		J	10.7	22.7	1174.3	1882.6	
2084.0	564.9	Min	I	-4.2	-26.5	-158.2	-1465.5	-
6589.6	-590.4		J	-4.2	-26.5	-157.7	-1441.9	-
7072.7	-610.5							
		C3-C4;~2 Max	I	9.4	20.6	1149.2	1226.2	
2127.2	519.4		J	9.6	20.6	1176.5	1291.3	
2133.9	539.9	Min	I	-3.8	-22.7	-163.1	-1944.2	-
6797.0	-453.1		J	-3.8	-22.7	-162.5	-1939.3	-
7286.4	-470.0							
		SLVx (RS)	I	1535.1	-1449.3	-358.3	-2007.6	
4214.6	-16896.5		J	1535.1	-1449.3	-358.3	-2007.6	
4501.2	-17313.5							
		SLVy (RS)	I	-1646.9	752.6	-168.3	1207.7	-
3836.3	9122.9		J	-1646.9	752.6	-168.3	1207.7	-
3917.8	9490.8							
		SLDx (RS)	I	1082.1	-1022.8	-267.3	-1415.6	
3067.5	-11913.6		J	1082.1	-1022.8	-267.3	-1415.6	
3285.9	-12200.9							
		SLDy (RS)	I	-1043.5	489.8	-119.2	812.2	-
2256.1	6404.2		J	-1043.5	489.8	-119.2	812.2	-
2306.0	6623.7							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2559.4	-1853.7	SLVz (RS)	I	129.7	-73.8	-368.4	185.6	
			J	129.7	-73.8	-368.4	185.6	
2907.2	-1863.9							
		G1	I	13.6	-8.2	2210.9	-436.0	-1
4419.5	244.4		J	14.3	-8.2	2311.6	-436.0	-1
6685.4	252.6							
		G2	I	5.0	-3.0	807.4	-159.8	-
5265.7	89.1		J	5.2	-3.0	844.2	-159.8	-
6093.2	92.1							
		G1- Imp~1	I	0.3	3.2	0.3	0.6	
-5.5	-26.3		J	0.3	3.2	0.3	0.6	
-5.8	-29.5							
		G2- Imp~1	I	0.1	1.1	0.1	0.2	
-1.9	-9.2		J	0.1	1.1	0.1	0.2	
-2.0	-10.4							
		q3	I	-338.0	96.5	26.3	85.7	
-934.7	-444.1		J	-341.2	96.5	26.3	85.7	
-958.0	-540.8							
		q4-1	I	68.9	-36.9	-1.8	-3.5	
114.9	318.4		J	68.9	-36.9	-1.8	-3.5	
116.7	355.4							
		q4-2	I	99.8	-50.1	-4.5	-48.6	
155.2	-17.3		J	99.8	-50.1	-4.5	-48.6	
159.7	32.9							
		q4-3	I	61.4	21.9	-2.4	-53.0	
49.6	-620.0		J	61.4	21.9	-2.4	-53.0	
52.0	-642.0							
		q4-4	I	-4.5	-23.9	2.2	59.2	
-77.2	795.1		J	-4.5	-23.9	2.2	59.2	
-79.4	819.1							
		q4-5	I	1.6	5.1	3.0	24.1	
-103.7	-265.0		J	1.6	5.1	3.0	24.1	
-106.7	-270.1							
		q4-6	I	-0.3	0.5	2.6	0.6	
-95.1	44.3		J	-0.3	0.5	2.6	0.6	
-97.7	43.8							
		q4-7	I	-0.3	-0.1	2.8	4.8	
-104.1	55.4		J	-0.3	-0.1	2.8	4.8	
-106.9	55.5							
		q5 - p~1	I	-888.1	741.0	17.1	51.0	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1049.2	-5324.7		J	-889.0	760.1	17.1	44.2	-
1066.1	-6076.8							
		q5 - p~2	I	-1375.7	379.9	97.4	702.6	-
3270.6	962.7		J	-1385.5	382.6	97.5	701.7	-
3364.7	580.7							
		q5 - p~3	I	-841.0	702.0	14.3	150.4	
-940.8	-5057.7		J	-841.8	720.0	14.3	149.1	
-955.0	-5770.2							
		q5 - p~4	I	-1303.2	360.7	87.8	650.7	-
3082.5	891.5		J	-1312.5	363.2	87.8	650.5	-
3169.9	528.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-235.1	101.2	10.4	-10.7	
-527.0	-742.1		J	-235.1	101.2	10.4	-10.7	
-537.4	-843.5							
		T	I	-0.0	0.2	-0.6	4.4	
-15.1	5.0		J	-0.0	0.2	-0.6	4.4	
-14.5	4.8							
		M. tor~1	I	-230.2	-267.7	18.5	-56.6	
-679.7	-822.2		J	-230.2	-267.7	18.5	-58.6	
-698.2	-836.8							
		M. tor~2	I	-136.1	-158.3	10.9	-33.5	
-401.8	-486.1		J	-136.1	-158.3	10.9	-34.7	
-412.8	-494.7							
		INVSLU Max	I	1994.5	1074.5	6919.9	4243.9	-1
7950.3	8722.9		J	2010.1	1101.6	7179.8	4425.3	-2
1978.1	9832.9	Min	I	-1934.8	-1098.0	3571.7	-6465.1	-4
7522.9	-7985.0		J	-1947.5	-1125.1	3759.0	-6490.5	-5
3297.4	-9071.5							
		INVSLV Max	I	2165.3	1690.4	3545.0	1830.5	-1
3559.2	20487.4		J	2166.3	1690.4	3682.5	1830.5	-1
6237.7	21024.7	Min	I	-2127.4	-1704.0	2492.3	-3020.6	-2
5825.9	-19891.6		J	-2126.4	-1704.0	2629.7	-3020.6	-2
9335.0	-20415.1							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

3513.6	5899.8	INVSLE Max	I	1332.6	718.0	5119.4	3097.1	-1
			J	1343.1	736.0	5311.9	3231.5	-1
6503.4	6642.8	Min	I	-1288.4	-735.4	2652.2	-4742.4	-3
4985.1	-5353.2		J	-1296.7	-753.4	2790.9	-4761.3	-3
9256.2	-6078.8							
866	1	52 C1-C2;~1 Max	I	19.7	44.5	2092.4	3497.8	
4165.7	1153.8		J	20.0	44.5	2147.3	3637.3	
4324.2	1198.5	Min	I	-9.1	-51.2	-298.2	-2833.1	-1
4059.0	-1172.7		J	-9.1	-51.2	-297.4	-2853.4	-1
5259.6	-1210.8							
		C3-C4;~1 Max	I	17.7	39.5	2096.9	2503.6	
4251.9	1063.2		J	18.1	39.5	2151.7	2611.5	
4417.4	1101.9	Min	I	-8.0	-44.1	-306.4	-3703.3	-1
4445.2	-925.3		J	-7.9	-44.1	-305.6	-3760.1	-1
5656.2	-957.6							
		C1-C2;~2 Max	I	10.7	22.7	1174.3	1926.1	
2081.9	565.0		J	10.8	22.7	1201.4	2010.4	
2156.6	588.8	Min	I	-4.5	-26.4	-157.7	-1419.0	-
7069.1	-610.8		J	-4.5	-26.4	-157.3	-1421.7	-
7588.5	-630.9							
		C3-C4;~2 Max	I	9.5	20.6	1176.5	1329.5	
2131.5	539.9		J	9.6	20.6	1203.5	1396.6	
2209.4	560.5	Min	I	-4.0	-22.7	-162.5	-1919.3	-
7284.4	-470.3		J	-4.0	-22.7	-162.2	-1942.0	-
7809.6	-487.2							
		SLVx (RS)	I	1525.2	-1481.0	-359.3	-2059.0	
4490.1	-17313.7		J	1525.2	-1481.0	-359.3	-2059.0	
4787.2	-17819.2							
		SLVy (RS)	I	-1648.8	773.4	-170.8	1230.5	-
3920.1	9491.1		J	-1648.8	773.4	-170.8	1230.5	-
4006.6	9903.2							
		SLDx (RS)	I	1075.4	-1044.6	-268.0	-1452.3	
3278.4	-12201.0		J	1075.4	-1044.6	-268.0	-1452.3	
3504.3	12550.4							
		SLDy (RS)	I	-1043.6	502.8	-121.1	824.3	-
2307.2	6623.8		J	-1043.6	502.8	-121.1	824.3	-
2361.7	6869.4							


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2909.0	-1864.0	SLVz (RS)	I	130.9	-77.2	-373.7	169.3	
			J	130.9	-77.2	-373.7	169.3	
3264.1	-1867.9							
		G1	I	13.8	-8.2	2311.6	-228.0	-1
6689.9	251.1		J	14.5	-8.2	2412.3	-228.0	-1
9056.7	259.2							
		G2	I	5.0	-3.0	844.2	-83.8	-
6094.8	91.5		J	5.3	-3.0	881.0	-83.8	-
6959.1	94.5							
		G1- Imp~1	I	0.3	3.2	0.3	0.7	
-5.8	-29.5		J	0.3	3.2	0.3	0.7	
-6.0	-32.7							
		G2- Imp~1	I	0.1	1.1	0.1	0.2	
-2.0	-10.4		J	0.1	1.1	0.1	0.2	
-2.1	-11.5							
		q3	I	-340.0	100.8	26.3	97.8	
-956.8	-540.9		J	-343.2	100.8	26.3	97.8	
-980.1	-641.9							
		q4-1	I	68.5	-37.7	-1.8	-5.1	
116.6	355.4		J	68.5	-37.7	-1.8	-5.1	
118.4	393.2							
		q4-2	I	99.2	-51.3	-4.5	-50.6	
159.1	32.9		J	99.2	-51.3	-4.5	-50.6	
163.6	84.3							
		q4-3	I	61.7	21.2	-2.4	-53.5	
51.4	-642.0		J	61.7	21.2	-2.4	-53.5	
53.7	-663.2							
		q4-4	I	-4.8	-23.9	2.2	60.0	
-78.7	819.1		J	-4.8	-23.9	2.2	60.0	
-81.0	843.0							
		q4-5	I	1.6	5.1	3.0	25.5	
-106.3	-270.2		J	1.6	5.1	3.0	25.5	
-109.3	-275.3							
		q4-6	I	-0.3	0.5	2.6	1.8	
-97.7	43.8		J	-0.3	0.5	2.6	1.8	
-100.2	43.3							
		q4-7	I	-0.3	-0.1	2.8	6.1	
-106.8	55.5		J	-0.3	-0.1	2.8	6.1	
-109.7	55.6							
		q5 - p~1	I	-879.4	771.1	16.9	58.6	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1064.9	-6076.9		J	-880.1	790.1	16.9	51.7	-
1081.6	-6859.1							
3355.8	580.5	q5 - p~2	I	-1380.6	399.9	97.2	743.4	-
3449.7	178.4		J	-1390.2	402.8	97.2	742.4	-
-952.6	-5770.3	q5 - p~3	I	-832.8	730.4	14.0	162.0	
-966.6	-6511.3		J	-833.4	748.5	14.0	160.8	
3161.6	528.7	q5 - p~4	I	-1307.8	379.6	87.6	689.9	-
3248.7	146.9		J	-1317.0	382.4	87.6	689.7	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-537.4	-843.6	q7	I	-233.8	104.1	10.3	-3.9	
-547.8	-947.9		J	-233.8	104.1	10.3	-3.9	
-14.4	4.8	T	I	-0.0	0.2	-0.6	4.6	
-13.8	4.7		J	-0.0	0.2	-0.6	4.6	
-698.8	-836.8	M. tor~1	I	-233.5	-264.8	18.5	-49.8	
-717.3	-854.3		J	-233.5	-264.8	18.5	-51.7	
-413.2	-494.7	M. tor~2	I	-138.0	-156.6	10.9	-29.4	
-424.1	-505.1		J	-138.0	-156.6	10.9	-30.6	
1999.2	9830.4	INVSLU Max	I	2002.2	1117.2	7179.5	4974.7	-2
6054.1	10983.0		J	2017.4	1144.2	7439.1	5162.1	-2
3301.3	-9074.8	Min	I	-1941.8	-1140.6	3759.3	-6091.5	-5
9382.8	-10204.1		J	-1954.1	-1167.7	3945.9	-6167.2	-5
6253.6	21023.0	INVSLV Max	I	2164.9	1729.4	3688.9	2168.0	-1
9055.5	21660.1		J	2165.9	1729.4	3826.4	2168.0	-1
9331.2	-20417.5	Min	I	-2126.3	-1743.0	2623.4	-2789.8	-2
2992.3	-21041.0		J	-2125.4	-1743.0	2760.9	-2789.8	-3

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

6518.4	6640.9	INVSLE	Max	I	1337.8	746.4	5311.7	3635.7	-1
				J	1348.0	764.4	5504.0	3774.6	-1
9528.4	7412.4		Min	I	-1293.0	-763.8	2791.1	-4462.9	-3
9259.7	-6081.2			J	-1301.2	-781.8	2929.3	-4519.1	-4
3758.2	-6835.5								
867	1	52 C1-C2;~1	Max	I	20.2	43.6	2147.3	4620.0	
4269.5	1199.2			J	20.4	43.6	2195.5	4741.6	
4478.3	1238.0		Min	I	-13.7	-50.2	-297.4	-2338.6	-1
5136.8	-1214.8			J	-13.6	-50.2	-297.2	-2370.4	-1
6356.6	-1247.8								
		C3-C4;~1	Max	I	17.8	38.9	2151.7	3635.2	
4359.7	1102.3			J	18.1	38.9	2200.5	3710.7	
4575.0	1135.8		Min	I	-11.9	-43.2	-305.6	-3346.8	-1
5577.9	-962.3			J	-11.9	-43.2	-305.4	-3397.3	-1
6852.7	-990.4								
		C1-C2;~2	Max	I	10.7	22.2	1201.4	2465.9	
2123.1	589.4			J	10.9	22.2	1224.8	2538.6	
2226.8	610.1		Min	I	-6.9	-25.9	-157.3	-1149.8	-
7500.5	-633.0			J	-6.9	-25.9	-157.3	-1162.6	-
8050.8	-650.4								
		C3-C4;~2	Max	I	9.3	20.2	1203.5	1880.6	
2174.4	560.8			J	9.5	20.2	1227.4	1924.6	
2281.0	578.6		Min	I	-6.1	-22.2	-162.2	-1743.6	-
7737.3	-489.4			J	-6.1	-22.2	-162.2	-1763.7	-
8326.9	-504.1								
		SLVx (RS)		I	1405.4	-1613.9	-359.6	-2380.2	
4642.2	-17821.5			J	1405.4	-1613.9	-359.6	-2380.2	
4915.8	18331.6								
		SLVy (RS)		I	-1576.4	931.6	-171.1	1478.4	-
3927.2	9905.2			J	-1576.4	931.6	-171.1	1478.4	-
4005.4	10357.6								
		SLDx (RS)		I	993.2	-1136.0	-268.3	1684.6	
3403.4	12552.0			J	993.2	-1136.0	-268.3	1684.6	
3610.8	12905.1								
		SLDy (RS)		I	-998.8	597.2	-121.6	950.0	-
2316.5	6870.7			J	-998.8	597.2	-121.6	950.0	-
2367.1	7132.2								


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
3252.7	-1868.8	SLVz (RS)	I	132.3	-80.2	-378.3	-325.9	
			J	132.3	-80.2	-378.3	-325.9	
3573.9	-1866.0							
8955.8	247.4	G1	I	9.3	-7.8	2412.3	2004.3	-1
			J	9.7	-7.8	2501.9	2004.3	-2
1145.5	254.4							
6922.4	90.2	G2	I	3.4	-2.9	881.0	731.3	-
			J	3.6	-2.9	913.7	731.3	-
7722.0	92.7							
-5.9	-32.7	G1- Imp~1	I	0.7	3.1	0.3	1.4	
			J	0.7	3.1	0.3	1.4	
-6.1	-35.4							
-2.0	-11.5	G2- Imp~1	I	0.3	1.1	0.1	0.5	
			J	0.3	1.1	0.1	0.5	
-2.1	-12.5							
-961.4	-642.3	q3	I	-329.1	140.3	25.6	212.9	
			J	-332.0	140.3	25.6	212.9	
-981.5	-767.3							
116.7	393.3	q4-1	I	63.6	-45.5	-1.6	-19.6	
			J	63.6	-45.5	-1.6	-19.6	
118.1	433.9							
156.5	84.3	q4-2	I	92.5	-62.6	-4.3	-69.6	
			J	92.5	-62.6	-4.3	-69.6	
160.2	140.1							
47.6	-663.4	q4-3	I	63.7	13.8	-2.3	-58.3	
			J	63.7	13.8	-2.3	-58.3	
49.6	-675.7							
-74.1	843.1	q4-4	I	-7.6	-23.2	2.2	67.6	
			J	-7.6	-23.2	2.2	67.6	
-76.1	863.7							
-105.3	-275.3	q4-5	I	2.2	4.9	3.0	38.6	
			J	2.2	4.9	3.0	38.6	
-108.0	-279.7							
-99.4	43.2	q4-6	I	-0.2	0.5	2.6	13.5	
			J	-0.2	0.5	2.6	13.5	
-101.7	42.8							
-108.3	55.5	q4-7	I	-0.3	-0.0	2.8	18.8	
			J	-0.3	-0.0	2.8	18.8	
-110.8	55.6							
		q5 - p~1	I	-781.6	887.7	14.8	189.7	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1062.6	-6860.3		J	-780.2	904.5	14.8	183.6	-
1076.3	-7658.9							
3339.4	177.7	q5 - p~2	I	-1333.7	562.8	94.5	1140.6	-
3421.3	-325.8		J	-1340.4	567.2	94.5	1139.0	-
-936.0	-6512.2	q5 - p~3	I	-740.2	840.9	12.1	284.0	
-946.8	-7268.7		J	-738.8	856.8	12.1	282.8	
3145.9	146.3	q5 - p~4	I	-1263.3	533.9	85.0	1064.9	-
3221.3	-331.4		J	-1269.6	538.1	85.1	1064.6	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-543.7	-948.3	q7	I	-220.0	130.8	9.9	61.9	
-552.5	-1064.8		J	-220.0	130.8	9.9	61.9	
-13.2	4.7	T	I	0.0	0.2	-0.6	6.1	
-12.7	4.5		J	0.0	0.2	-0.6	6.1	
-717.8	-854.4	M. tor~1	I	-262.9	-235.7	18.2	34.0	
-734.0	-895.9		J	-262.9	-235.7	18.2	32.8	
-424.4	-505.1	M. tor~2	I	-155.4	-139.3	10.8	20.1	
-434.0	-529.7		J	-155.4	-139.3	10.8	19.4	
6045.6	10963.4	INVSLU Max	I	1927.8	1282.6	7436.7	10963.7	-2
9717.6	12133.7		J	1938.4	1306.6	7667.6	11126.4	-2
8991.2	-10230.1	Min	I	-1885.9	-1305.1	3948.4	-1853.5	-5
4821.6	-11380.5		J	-1894.5	-1329.1	4113.6	-1920.2	-6
9089.9	21647.1	INVSLV Max	I	2051.3	1910.9	3831.1	5659.1	-1
1686.2	22297.9		J	2052.0	1910.9	3953.4	5659.1	-2
2682.2	-21060.4	Min	I	-2024.1	-1923.9	2756.2	-184.0	-3
6065.3	-21699.6		J	-2023.4	-1923.9	2878.4	-184.0	-3

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

9514.8	7397.8	INVSLE	Max	I	1287.7	856.7	5502.4	8045.6	-1
				J	1294.8	872.7	5673.4	8166.2	-2
2240.3	8180.6		Min	I	-1256.6	-873.3	2931.0	-1297.3	-4
3475.5	-6854.6			J	-1262.3	-889.3	3053.4	-1346.8	-4
7788.8	-7622.7								
868	1	52 C1-C2;~1	Max	I	11.1	64.1	297.9	2810.9	
4508.1	1148.8			J	11.2	64.1	298.2	2774.3	
4298.2	1116.7		Min	I	-74.2	-56.5	-2197.2	-3827.2	-1
6430.2	-1203.7			J	-72.5	-56.5	-2142.4	-3682.5	-1
5099.4	-1166.3								
		C3-C4;~1	Max	I	12.7	57.8	306.0	3732.3	
4609.2	1058.2			J	12.7	57.8	306.2	3674.4	
4390.6	1026.0		Min	I	-76.4	-51.2	-2200.8	-2765.9	-1
6809.9	-953.8			J	-74.7	-51.2	-2146.2	-2653.5	-1
5474.8	-924.4								
		C1-C2;~2	Max	I	5.8	33.0	157.7	1398.2	
2239.0	555.3			J	5.9	33.0	157.8	1383.6	
2140.3	541.0		Min	I	-41.0	-27.9	-1225.7	-2119.5	-
8091.8	-627.6			J	-40.2	-27.9	-1198.9	-2032.5	-
7503.9	-608.7								
		C3-C4;~2	Max	I	6.6	29.7	162.5	1925.9	
2295.8	524.2			J	6.7	29.7	162.7	1902.8	
2192.3	510.2		Min	I	-42.3	-25.2	-1227.3	-1488.0	-
8301.8	-488.6			J	-41.5	-25.2	-1200.7	-1418.4	-
7711.9	-474.7								
		SLVx (RS)		I	1639.4	939.4	418.6	2895.6	
5321.5	13710.0			J	1639.4	939.4	418.6	2895.6	
4946.5	13977.1								
		SLVy (RS)		I	1619.1	625.0	-136.0	1198.8	
4005.3	8745.0			J	1619.1	625.0	-136.0	1198.8	
3911.1	8340.4								
		SLDx (RS)		I	1156.1	678.5	311.6	2025.1	
3888.8	9755.5			J	1156.1	678.5	311.6	2025.1	
3607.3	9939.0								
		SLDy (RS)		I	1031.3	403.1	-94.2	821.0	
2374.3	5846.6			J	1031.3	403.1	-94.2	821.0	
2314.1	5610.9								


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
3595.9	-1846.0	SLVz (RS)	I	120.7	-92.3	379.9	163.1	
			J	120.7	-92.3	379.9	163.1	
3248.7	-1855.6							
		G1	I	-86.4	2.5	-2505.7	32.2	-2
1320.1	280.7		J	-83.0	2.5	-2404.7	32.2	-1
8850.8	278.2							
		G2	I	-31.5	0.9	-915.0	11.0	-
7785.8	102.7		J	-30.3	0.9	-878.1	11.0	-
6884.1	101.8							
		G1- Imp~1	I	0.4	0.3	-0.3	0.4	
-6.2	-27.8		J	0.4	0.3	-0.3	0.4	
-5.9	-28.1							
		G2- Imp~1	I	0.1	0.1	-0.1	0.0	
-2.1	-9.7		J	0.1	0.1	-0.1	0.0	
-2.1	-9.7							
		q3	I	350.3	103.6	29.9	143.8	
1009.3	392.0		J	347.1	103.6	29.9	143.8	
982.3	287.9							
		q4-1	I	-1.5	2.5	-2.1	2.6	
-82.0	223.9		J	-1.5	2.5	-2.1	2.6	
-79.9	221.4							
		q4-2	I	0.2	-3.9	-3.0	-3.4	
-118.1	-49.0		J	0.2	-3.9	-3.0	-3.4	
-115.1	-45.1							
		q4-3	I	3.5	-10.7	-3.0	-35.9	
-113.7	-559.9		J	3.5	-10.7	-3.0	-35.9	
-110.7	-549.1							
		q4-4	I	-5.6	28.3	-2.0	-66.2	
-68.5	895.0		J	-5.6	28.3	-2.0	-66.2	
-66.5	866.6							
		q4-5	I	63.4	-5.1	2.2	48.2	
69.1	-305.0		J	63.4	-5.1	2.2	48.2	
66.9	-299.8							
		q4-6	I	96.5	37.0	5.7	27.9	
175.1	209.4		J	96.5	37.0	5.7	27.9	
169.4	172.2							
		q4-7	I	85.1	28.3	2.9	19.5	
133.3	203.7		J	85.1	28.3	2.9	19.5	
130.3	175.3							
		q5 - p~1	I	-867.7	-782.6	-29.0	-334.7	-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1019.2	-6622.4		J	-867.6	-763.5	-29.0	-341.6	
-990.0	-5844.9							
		q5 - p~2	I	977.8	211.6	88.3	559.5	
3338.2	2737.2		J	968.7	215.3	88.6	558.2	
3252.5	2522.6							
		q5 - p~3	I	-822.3	-741.7	-25.7	-432.3	
-909.7	-6289.0		J	-822.2	-723.6	-25.7	-433.5	
-883.9	-5552.1							
		q5 - p~4	I	926.3	200.4	82.6	488.5	
3182.4	2579.5		J	917.7	203.9	82.9	488.3	
3099.7	2376.2							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	139.8	59.2	12.7	13.4	
518.0	-69.5		J	139.8	59.2	12.7	13.4	
505.2	-129.1							
		T	I	0.0	0.5	-0.3	-11.1	
-13.5	7.7		J	0.0	0.5	-0.3	-11.1	
-13.2	7.2							
		M. tor~1	I	238.7	-210.1	19.2	400.0	
668.0	689.8		J	238.7	-210.1	19.2	390.6	
648.6	617.3							
		M. tor~2	I	141.1	-124.2	11.4	236.5	
394.9	407.8		J	141.1	-124.2	11.4	230.9	
383.5	365.0							
		INVSLU Max	I	1240.0	1162.6	-4125.6	5609.1	-3
0067.5	10655.7		J	1233.4	1135.4	-3938.8	5529.8	-2
5888.9	9525.7							
		Min	I	-1605.1	-1145.5	-7669.2	-5619.4	-6
5011.6	-9819.3		J	-1585.0	-1118.4	-7409.6	-5422.9	-5
8580.6	-8693.2							
		INVSLV Max	I	2044.0	1158.4	-2847.7	3347.9	-2
1512.3	17233.3		J	2048.6	1158.4	-2709.7	3347.9	-1
8648.4	17378.1							
		Min	I	-2278.8	-1150.8	-3994.4	-3260.6	-3
6716.0	-16541.4		J	-2274.2	-1150.8	-3856.5	-3260.6	-3
2837.4	-16693.8							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

2493.9	7194.9	INVSLE Max	I	826.2	778.8	-3061.9	4118.3	-2
			J	822.2	760.7	-2923.5	4059.7	-1
9392.9	6439.6	Min	I	-1086.0	-766.2	-5675.0	-4126.0	-4
7935.1	-6575.3		J	-1072.1	-748.1	-5482.7	-3980.5	-4
3177.1	-5823.0							
869	1	52 C1-C2;~1 Max	I	11.6	64.1	298.1	2831.9	
4301.7	1115.8		J	11.8	64.1	299.0	2813.9	
4146.5	1086.6	Min	I	-73.9	-56.5	-2142.4	-3572.7	-1
5103.6	-1169.2		J	-72.1	-56.5	-2087.4	-3432.4	-1
3906.8	-1134.6							
		C3-C4;~1 Max	I	13.3	57.8	306.2	3730.5	
4394.6	1025.9		J	13.3	57.8	307.0	3673.6	
4232.8	997.0	Min	I	-75.9	-51.2	-2146.2	-2559.5	-1
5474.1	-928.4		J	-74.1	-51.2	-2091.4	-2451.1	-1
4267.9	-902.3							
		C1-C2;~2 Max	I	6.1	33.0	157.8	1414.6	
2142.7	540.4		J	6.2	33.0	158.1	1413.5	
2069.4	527.3	Min	I	-40.9	-27.9	-1198.9	-1981.5	-
7508.9	-610.0		J	-40.1	-27.9	-1171.8	-1896.5	-
6991.2	-592.2							
		C3-C4;~2 Max	I	7.0	29.7	162.6	1931.3	
2194.9	509.4		J	7.0	29.7	163.0	1908.5	
2118.5	497.5	Min	I	-42.2	-25.2	-1200.7	-1373.4	-
7715.2	-476.8		J	-41.3	-25.2	-1173.7	-1305.7	-
7192.2	-464.2							
		SLVx (RS)	I	1647.9	899.0	417.0	2829.7	
4971.4	13976.9		J	1647.9	899.0	417.0	2829.7	
4606.2	-14264.5							
		SLVy (RS)	I	1612.9	613.5	-134.7	1164.1	
3909.4	8341.2		J	1612.9	613.5	-134.7	1164.1	
3818.2	7965.0							
		SLDx (RS)	I	1162.2	650.9	310.5	1978.3	
3624.4	9938.8		J	1162.2	650.9	310.5	1978.3	
3349.9	10138.1							
		SLDy (RS)	I	1027.6	397.9	-93.2	800.7	
2313.9	5611.2		J	1027.6	397.9	-93.2	800.7	
2256.3	5392.2							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3247.8	-1856.2	SLVz (RS)	I	121.2	-94.1	372.5	170.7	
			J	121.2	-94.1	372.5	170.7	
2910.5	-1861.9							
		G1	I	-84.1	2.5	-2404.7	277.8	-1
8849.8	269.9		J	-80.7	2.5	-2303.7	277.8	-1
6482.2	267.4							
		G2	I	-30.7	0.9	-878.1	100.7	-
6883.8	98.7		J	-29.5	0.9	-841.2	100.7	-
6019.2	97.8							
		G1 - Imp~1	I	0.4	0.3	-0.3	0.5	
-5.9	-28.1		J	0.4	0.3	-0.3	0.5	
-5.6	-28.3							
		G2 - Imp~1	I	0.1	0.1	-0.1	0.0	
-2.1	-9.7		J	0.1	0.1	-0.1	0.0	
-2.0	-9.8							
		q3	I	348.4	99.1	29.7	131.2	
983.9	288.1		J	345.2	99.1	29.7	131.2	
957.1	188.5							
		q4-1	I	-1.4	2.5	-2.1	3.7	
-80.0	221.3		J	-1.4	2.5	-2.1	3.7	
-77.9	218.8							
		q4-2	I	0.2	-3.9	-3.0	-1.9	
-115.1	-45.2		J	0.2	-3.9	-3.0	-1.9	
-112.1	-41.2							
		q4-3	I	3.3	-10.8	-3.0	-34.7	
-110.9	-549.1		J	3.3	-10.8	-3.0	-34.7	
-107.9	-538.3							
		q4-4	I	-5.3	28.4	-2.0	-64.9	
-67.7	866.6		J	-5.3	28.4	-2.0	-64.9	
-65.7	838.1							
		q4-5	I	63.4	-6.0	2.1	47.2	
67.7	-299.8		J	63.4	-6.0	2.1	47.2	
65.5	-293.8							
		q4-6	I	97.0	35.7	5.7	25.8	
169.7	172.2		J	97.0	35.7	5.7	25.8	
164.0	136.3							
		q4-7	I	85.5	27.2	2.9	17.8	
130.5	175.3		J	85.5	27.2	2.9	17.8	
127.6	148.0							
		q5 - p~1	I	-877.5	-752.1	-28.3	-331.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-991.9	-5845.2		J	-877.2	-733.0	-28.3	-338.4	
-963.6	-5098.4							
3258.4	2523.5	q5 - p~2	I	971.5	202.6	88.1	516.9	
3172.9	2317.8		J	962.7	206.5	88.4	515.5	
-887.1	-5552.3	q5 - p~3	I	-831.6	-712.9	-25.0	-424.7	
-862.0	-4844.5		J	-831.3	-694.8	-25.0	-425.9	
3104.9	2377.1	q5 - p~4	I	920.4	191.9	82.4	448.9	
3022.5	2182.2		J	912.0	195.6	82.6	448.7	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
505.4	-128.9	q7	I	140.6	57.4	12.6	6.7	
492.7	-186.7		J	140.6	57.4	12.6	6.7	
-13.3	7.2	T	I	0.0	0.5	-0.3	-11.0	
-13.0	6.7		J	0.0	0.5	-0.3	-11.0	
653.4	617.3	M. tor~1	I	235.9	-213.2	19.2	382.4	
634.1	547.9		J	235.9	-213.2	19.2	372.8	
386.3	364.9	M. tor~2	I	139.5	-126.0	11.4	226.1	
374.9	323.9		J	139.5	-126.0	11.4	220.4	
5876.1	9509.9	INVSLU Max	I	1235.7	1119.3	-3939.3	6020.9	-2
1807.9	8424.9		J	1229.4	1092.2	-3751.7	5942.8	-2
8583.2	-8710.5	Min	I	-1591.8	-1102.2	-7409.0	-4784.7	-5
2513.8	-7629.6		J	-1571.9	-1075.0	-7149.1	-4594.1	-5
8623.0	17367.0	INVSLV Max	I	2053.8	1115.0	-2713.9	3609.1	-1
5884.3	17539.6		J	2058.4	1115.0	-2576.0	3609.1	-1
2860.0	-16705.3	Min	I	-2282.4	-1107.4	-3852.3	-2851.2	-3
9133.8	-16885.6		J	-2277.8	-1107.4	-3714.4	-2851.2	-2

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

9383.8	6427.9	INVSLE Max	I	824.0	750.0	-2923.8	4426.2	-1
			J	820.1	731.9	-2784.9	4368.5	-1
6364.7	5702.8	Min	I	-1076.9	-737.3	-5482.3	-3510.5	-4
3178.6	-5835.8		J	-1063.0	-719.1	-5289.7	-3369.4	-3
8688.4	-5113.7							
870	1	52 C1-C2;~1 Max	I	12.2	64.2	298.9	2857.1	
4149.9	1086.2		J	12.3	64.2	300.4	2877.0	
4193.6	1057.6	Min	I	-72.8	-56.5	-2087.4	-3334.9	-1
3909.1	-1137.7		J	-71.1	-56.5	-2032.3	-3199.1	-1
2803.0	-1103.7							
		C3-C4;~1 Max	I	13.8	57.9	307.0	3714.1	
4236.8	997.3		J	13.8	57.9	308.4	3700.7	
4206.5	952.0	Min	I	-74.7	-51.2	-2091.3	-2369.1	-1
4265.6	-906.5		J	-72.9	-51.2	-2036.4	-2264.9	-1
3149.2	-881.4							
		C1-C2;~2 Max	I	6.4	33.0	158.1	1437.4	
2071.7	527.1		J	6.5	33.0	158.7	1464.5	
2130.2	514.2	Min	I	-40.4	-27.9	-1171.7	-1852.1	-
6995.2	-593.7		J	-39.6	-27.9	-1144.3	-1769.3	-
6513.8	-576.1							
		C3-C4;~2 Max	I	7.3	29.7	163.0	1928.9	
2121.1	497.2		J	7.3	29.7	163.5	1938.5	
2126.4	486.7	Min	I	-41.6	-25.2	-1173.6	-1267.1	-
7194.6	-466.4		J	-40.7	-25.2	-1146.3	-1201.5	-
6707.5	-454.3							
		SLVx (RS)	I	1655.5	858.6	414.9	2766.7	
4630.5	-14264.3		J	1655.5	858.6	414.9	2766.7	
4277.2	-14563.3							
		SLVy (RS)	I	1606.3	602.3	-133.1	1129.7	
3816.0	7965.8		J	1606.3	602.3	-133.1	1129.7	
3727.0	7619.8							
		SLDx (RS)	I	1167.7	-623.3	308.8	1933.7	
3366.6	10137.9		J	1167.7	-623.3	308.8	1933.7	
3100.7	10346.5							
		SLDy (RS)	I	1023.5	392.9	-92.0	780.5	
2255.8	5392.7		J	1023.5	392.9	-92.0	780.5	
2200.3	5191.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2908.8	-1862.4	SLVz (RS)	I	121.3	-95.7	363.8	-184.5	
			J	121.3	-95.7	363.8	-184.5	
2582.5	-1864.6							
6477.6	260.1	G1	I	-81.1	2.6	-2303.6	492.3	-1
			J	-77.7	2.6	-2202.6	492.3	-1
4211.7	257.5							
6017.5	95.1	G2	I	-29.6	0.9	-841.2	179.0	-
			J	-28.4	0.9	-804.3	179.0	-
5190.1	94.2							
-5.6	-28.3	G1 - Imp~1	I	0.4	0.3	-0.3	0.5	
			J	0.4	0.3	-0.3	0.5	
-5.4	-28.6							
-2.0	-9.8	G2 - Imp~1	I	0.1	0.1	-0.1	0.1	
			J	0.1	0.1	-0.1	0.1	
-1.9	-9.9							
958.7	188.8	q3	I	346.4	94.6	29.6	118.7	
			J	343.2	94.6	29.6	118.7	
932.0	93.7							
-78.0	218.8	q4-1	I	-1.4	2.6	-2.1	4.8	
			J	-1.4	2.6	-2.1	4.8	
-75.9	216.2							
-112.1	-41.3	q4-2	I	0.1	-3.9	-3.0	-0.5	
			J	0.1	-3.9	-3.0	-0.5	
-109.1	-37.3							
-108.1	-538.3	q4-3	I	3.2	-10.8	-3.0	-33.4	
			J	3.2	-10.8	-3.0	-33.4	
-105.1	-527.4							
-67.0	838.0	q4-4	I	-4.9	28.4	-2.0	-63.9	
			J	-4.9	28.4	-2.0	-63.9	
-64.9	809.5							
66.3	-293.8	q4-5	I	63.3	-6.8	2.1	46.3	
			J	63.3	-6.8	2.1	46.3	
64.1	-287.0							
164.2	136.4	q4-6	I	97.5	34.4	5.6	23.7	
			J	97.5	34.4	5.6	23.7	
158.6	101.8							
127.8	148.0	q4-7	I	85.8	26.1	2.9	16.2	
			J	85.8	26.1	2.9	16.2	
124.9	121.8							
		q5 - p~1	I	-886.7	-721.5	-27.8	-326.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-965.7	-5098.6		J	-886.2	-702.4	-27.8	-333.6	
-937.9	-4382.6							
3178.3	2318.8	q5 - p~2	I	965.3	194.0	88.1	474.5	
3092.7	2121.6		J	956.8	198.1	88.4	473.0	
-865.3	-4844.6	q5 - p~3	I	-840.3	-683.8	-24.5	-415.5	
-840.7	-4166.0		J	-839.8	-665.7	-24.6	-416.8	
3027.1	2183.2	q5 - p~4	I	914.5	183.7	82.4	409.6	
2944.7	1996.5		J	906.4	187.7	82.7	409.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
492.8	-186.5	q7	I	141.3	55.6	12.6	0.3	
480.2	-242.4		J	141.3	55.6	12.6	0.3	
-13.1	6.7	T	I	0.0	0.5	-0.3	-10.8	
-12.8	6.2		J	0.0	0.5	-0.3	-10.8	
638.6	548.0	M. tor~1	I	233.1	-216.3	19.3	364.6	
619.2	481.8		J	233.1	-216.3	19.3	355.0	
377.6	324.0	M. tor~2	I	137.8	-127.9	11.4	215.6	
366.1	284.8		J	137.8	-127.9	11.4	209.9	
1789.0	8411.3	INVSLU Max	I	1232.9	1075.9	-3752.0	6356.0	-2
7730.8	7370.4		J	1227.0	1048.7	-3563.7	6336.7	-1
2507.3	-7645.2	Min	I	-1576.7	-1058.6	-7148.8	-4029.7	-5
6746.3	-6608.4		J	-1557.0	-1031.5	-6888.6	-3845.1	-4
5854.7	17529.7	INVSLV Max	I	2063.6	1071.8	-2581.2	3832.9	-1
3239.0	17721.8		J	2068.3	1071.8	-2443.3	3832.9	-1
9150.7	-16895.7	Min	I	-2283.9	-1064.1	-3709.1	-2489.0	-2
5579.1	-17095.5		J	-2279.3	-1064.1	-3571.2	-2489.0	-2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

6351.0	5692.7	INVSLE	Max	I	822.8	721.0	-2785.1	4677.2	-1
				J	819.1	702.9	-2645.6	4663.0	-1
3339.2	4997.0		Min	I	-1066.3	-708.2	-5289.5	-2954.1	-3
8683.3	-5125.3			J	-1052.6	-690.1	-5096.8	-2817.4	-3
4421.6	-4432.7								
871	1	52 C1-C2;~1	Max	I	12.8	64.2	300.3	2902.0	
4193.8	1057.5			J	12.9	64.2	302.4	2922.0	
4693.6	1029.7		Min	I	-71.7	-56.6	-2032.3	-3113.7	-1
2804.1	-1106.6			J	-69.9	-56.6	-1977.1	-2982.4	-1
1793.1	-1073.3								
		C3-C4;~1	Max	I	14.3	57.9	308.4	3724.5	
4207.0	951.2			J	14.3	57.9	310.4	3715.2	
4685.3	938.3		Min	I	-73.4	-51.2	-2036.3	-2193.0	-1
3146.3	-885.3			J	-71.6	-51.2	-1981.2	-2093.0	-1
2123.9	-861.8								
		C1-C2;~2	Max	I	6.7	33.0	158.7	1478.2	
2130.0	514.1			J	6.8	33.0	159.5	1505.0	
2494.4	501.6		Min	I	-39.9	-27.9	-1144.3	-1731.3	-
6517.1	-577.5			J	-39.1	-27.9	-1116.5	-1650.8	-
6073.8	-560.1								
		C3-C4;~2	Max	I	7.6	29.7	163.5	1949.9	
2126.1	486.5			J	7.6	29.7	164.3	1962.0	
2475.7	478.4		Min	I	-41.0	-25.2	-1146.3	-1168.5	-
6709.3	-456.3			J	-40.1	-25.2	-1118.6	-1104.9	-
6259.9	-444.8								
		SLVx (RS)		I	1662.3	-818.5	411.8	2705.7	
4301.3	-14563.1			J	1662.3	-818.5	411.8	2705.7	
3962.7	-14865.5								
		SLVy (RS)		I	1599.2	591.3	-131.2	1096.6	
3724.4	7620.5			J	1599.2	591.3	-131.2	1096.6	
3637.6	7306.3								
		SLDx (RS)		I	1172.6	-595.8	306.5	1890.6	
3117.2	10346.4			J	1172.6	-595.8	306.5	1890.6	
2862.0	-10558.7								
		SLDy (RS)		I	1019.3	388.0	-90.4	760.9	
2199.5	5192.0			J	1019.3	388.0	-90.4	760.9	
2146.0	5010.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2580.4	-1865.0	SLVz (RS)	I	121.3	96.7	353.8	-200.6	
			J	121.3	96.7	353.8	-200.6	
2265.9	-1864.2							
		G1	I	-78.0	2.6	-2202.6	677.3	-1
4204.4	251.1		J	-74.6	2.6	-2101.6	677.3	-1
2040.1	248.5							
		G2	I	-28.5	1.0	-804.3	246.6	-
5187.5	91.8		J	-27.2	1.0	-767.4	246.6	-
4397.2	90.9							
		G1- Imp~1	I	0.4	0.3	-0.3	0.6	
-5.3	-28.6		J	0.4	0.3	-0.3	0.6	
-5.1	-28.9							
		G2- Imp~1	I	0.1	0.1	-0.1	0.1	
-1.9	-9.9		J	0.1	0.1	-0.1	0.1	
-1.8	-10.0							
		q3	I	344.4	90.1	29.5	106.5	
933.4	94.0		J	341.2	90.1	29.5	106.5	
906.8	3.4							
		q4-1	I	-1.4	2.6	-2.1	5.8	
-75.9	216.2		J	-1.4	2.6	-2.1	5.8	
-73.8	213.6							
		q4-2	I	0.1	-3.9	-3.0	1.0	
-109.1	-37.4		J	0.1	-3.9	-3.0	1.0	
-106.1	-33.4							
		q4-3	I	3.0	-10.9	-3.0	-32.1	
-105.3	-527.4		J	3.0	-10.9	-3.0	-32.1	
-102.3	-516.5							
		q4-4	I	-4.5	28.5	-2.0	-62.9	
-66.1	809.4		J	-4.5	28.5	-2.0	-62.9	
-64.1	780.8							
		q4-5	I	63.2	-7.6	2.1	45.4	
64.9	-287.0		J	63.2	-7.6	2.1	45.4	
62.7	-279.3							
		q4-6	I	97.9	33.2	5.6	21.6	
158.8	101.8		J	97.9	33.2	5.6	21.6	
153.2	68.5							
		q4-7	I	86.1	24.9	2.8	14.6	
125.0	121.8		J	86.1	24.9	2.8	14.6	
122.2	96.8							
		q5 - p~1	I	-895.3	-690.8	-27.3	-322.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-940.3	-4382.8		J	-894.5	-671.7	-27.4	-328.9	
-913.0	-3697.7							
3097.7	2122.6	q5 - p~2	I	959.3	185.6	88.2	433.0	
3011.9	1933.7		J	951.0	190.0	88.4	431.4	
-844.2	-4166.1	q5 - p~3	I	-848.5	-654.7	-24.1	-406.5	
-820.0	-3516.7		J	-847.7	-636.6	-24.2	-407.8	
2948.9	1997.4	q5 - p~4	I	908.8	175.8	82.4	371.2	
2866.4	1818.5		J	900.9	180.0	82.7	370.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
480.2	-242.2	q7	I	142.0	53.7	12.5	-6.0	
467.6	-296.3		J	142.0	53.7	12.5	-6.0	
-13.0	6.2	T	I	0.1	0.5	-0.3	-10.6	
-12.7	5.7		J	0.1	0.5	-0.3	-10.6	
623.6	481.9	M. tor~1	I	230.3	-219.3	19.3	346.9	
604.2	418.7		J	230.3	-219.3	19.3	337.3	
368.7	284.9	M. tor~2	I	136.1	-129.6	11.4	205.1	
357.2	247.5		J	136.1	-129.6	11.4	199.4	
7712.1	7358.6	INVSLU Max	I	1230.4	1032.3	-3563.9	6673.6	-1
3143.4	6362.0		J	1224.9	1005.2	-3374.7	6659.6	-1
6733.5	-6622.2	Min	I	-1561.6	-1014.9	-6888.4	-3352.6	-4
1286.7	-5629.7		J	-1542.2	-987.8	-6628.1	-3174.0	-4
3206.4	17713.1	INVSLV Max	I	2072.5	1028.8	-2450.0	4019.4	-1
0710.4	17917.2		J	2077.2	1028.8	-2312.1	4019.4	-1
5591.9	-17104.3	Min	I	-2284.4	-1021.0	-3564.5	-2170.3	-2
2177.8	-17316.2		J	-2279.7	-1021.0	-3426.6	-2170.3	-2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3325.7	4988.3	INVSLE Max	I	821.6	691.9	-2645.8	4915.2	-1
			J	818.1	673.9	-2505.7	4905.0	-
9935.8	4322.2	Min	I	-1055.8	-679.1	-5096.6	-2455.3	-3
4411.8	-4442.8		J	-1042.3	-661.0	-4903.8	-2323.0	-3
0382.8	-3779.8							
872	1	52 C1-C2;~1 Max	I	13.4	64.2	302.4	2929.7	
4695.5	1029.7		J	13.5	64.2	305.1	2949.7	
5246.8	1002.7	Min	I	-70.6	-56.6	-1977.0	-2908.5	-1
1793.4	-1075.9		J	-68.7	-56.6	-1921.8	-2781.6	-1
0881.4	-1043.3							
		C3-C4;~1 Max	I	14.8	57.9	310.4	3721.6	
4697.0	937.7		J	14.9	57.9	313.1	3712.5	
5231.5	927.8	Min	I	-72.1	-51.2	-1981.2	-2029.9	-1
2120.7	-865.3		J	-70.2	-51.2	-1926.0	-1934.0	-1
1196.3	-843.3							
		C1-C2;~2 Max	I	7.1	33.0	159.5	1509.2	
2512.7	501.6		J	7.1	33.0	160.6	1535.7	
2904.4	489.4	Min	I	-39.4	-27.9	-1116.5	-1619.0	-
6076.5	-561.4		J	-38.5	-27.9	-1088.5	-1540.7	-
5672.7	-544.3							
		C3-C4;~2 Max	I	7.9	29.7	164.3	1963.9	
2502.2	478.3		J	7.9	29.7	165.4	1975.9	
2882.7	471.8	Min	I	-40.3	-25.2	-1118.6	-1077.1	-
6261.4	-446.7		J	-39.4	-25.2	-1090.7	-1015.6	-
5851.1	-435.7							
		SLVx (RS)	I	1668.3	-778.7	407.6	2646.5	
3986.7	-14865.3		J	1668.3	-778.7	407.6	2646.5	
3666.2	-15164.0							
		SLVy (RS)	I	1591.9	580.3	-128.9	1064.9	
3634.5	7307.0		J	1591.9	580.3	-128.9	1064.9	
3549.5	7026.5							
		SLDx (RS)	I	1177.0	-568.5	303.4	1848.9	
2878.3	-10558.6		J	1177.0	-568.5	303.4	1848.9	
2636.4	-10769.6							
		SLDy (RS)	I	1014.7	382.9	-88.6	741.9	
2145.0	5010.4		J	1014.7	382.9	-88.6	741.9	
2093.3	4848.9							


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
2263.4	-1864.6	SLVz (RS)	I	121.1	97.2	343.1	-216.8	
			J	121.1	97.2	343.1	-216.8	
1961.9	-1860.9							
		G1	I	-74.9	2.6	-2101.6	833.9	-1
2030.6	243.0		J	-71.4	2.6	-2000.6	833.9	-
9967.8	240.4							
		G2	I	-27.4	1.0	-767.4	303.8	-
4393.7	88.9		J	-26.1	1.0	-730.5	303.8	-
3640.5	87.9							
		G1- Imp~1	I	0.4	0.3	-0.3	0.7	
-5.1	-28.9		J	0.4	0.3	-0.3	0.7	
-4.8	-29.2							
		G2- Imp~1	I	0.1	0.1	-0.1	0.1	
-1.8	-10.0		J	0.1	0.1	-0.1	0.1	
-1.7	-10.0							
		q3	I	342.4	85.6	29.4	94.7	
908.1	3.7		J	339.2	85.6	29.4	94.7	
881.6	-82.4							
		q4-1	I	-1.3	2.6	-2.1	6.8	
-73.9	213.5		J	-1.3	2.6	-2.1	6.8	
-71.8	210.9							
		q4-2	I	0.0	-3.9	-3.0	2.3	
-106.0	-33.5		J	0.0	-3.9	-3.0	2.3	
-103.0	-29.5							
		q4-3	I	2.9	-10.9	-3.0	-30.9	
-102.5	-516.6		J	2.9	-10.9	-3.0	-30.9	
-99.5	-505.6							
		q4-4	I	-4.1	28.5	-2.0	-61.9	
-65.3	780.8		J	-4.1	28.5	-2.0	-61.9	
-63.3	752.1							
		q4-5	I	63.1	-8.4	2.1	44.5	
63.5	-279.3		J	63.1	-8.4	2.1	44.5	
61.3	-270.8							
		q4-6	I	98.3	31.9	5.6	19.7	
153.4	68.5		J	98.3	31.9	5.6	19.7	
147.8	36.4							
		q4-7	I	86.5	23.8	2.8	13.0	
122.3	96.8		J	86.5	23.8	2.8	13.0	
119.5	72.9							
		q5 - p~1	I	-903.2	-659.9	-26.9	-317.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-915.6	-3697.8		J	-902.2	-640.8	-27.0	-324.5	
-888.9	-3043.7							
3016.4	1934.7	q5 - p~2	I	953.4	177.6	88.2	392.4	
2930.5	1753.8		J	945.3	182.2	88.5	390.7	
-823.7	-3516.8	q5 - p~3	I	-855.9	-625.5	-23.7	-397.6	
-799.8	-2896.8		J	-854.9	-607.4	-23.8	-398.9	
2870.2	1819.5	q5 - p~4	I	903.2	168.2	82.5	333.7	
2787.7	1648.1		J	895.5	172.5	82.7	333.4	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
467.6	-296.1	q7	I	142.7	51.9	12.5	-12.2	
455.1	-348.3		J	142.7	51.9	12.5	-12.2	
-12.8	5.7	T	I	0.1	0.5	-0.3	-10.4	
-12.5	5.2		J	0.1	0.5	-0.3	-10.4	
608.3	418.8	M. tor~1	I	227.4	-222.3	19.4	329.4	
588.8	358.6		J	227.4	-222.3	19.4	319.7	
359.7	247.6	M. tor~2	I	134.4	-131.4	11.5	194.8	
348.1	212.0		J	134.4	-131.4	11.5	189.0	
3117.1	6352.1	INVSLU Max	I	1228.1	988.5	-3374.9	6921.6	-1
8650.4	5399.9		J	1223.0	961.4	-3184.9	6907.9	-
1269.0	-5641.6	Min	I	-1546.5	-971.0	-6627.8	-2750.3	-4
6141.5	-4693.6		J	-1527.4	-943.9	-6367.4	-2577.5	-3
0675.1	17909.8	INVSLV Max	I	2080.5	985.9	-2320.1	4169.4	-1
8295.2	18119.3		J	2085.2	985.9	-2182.2	4169.4	-
2187.2	-17323.8	Min	I	-2283.9	-978.0	-3418.6	-1892.5	-2
8934.4	-17541.2		J	-2279.2	-978.0	-3280.7	-1892.5	-1

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

9916.6	4314.9	INVSLE Max	I	820.6	662.8	-2505.8	5101.7	-
			J	817.3	644.7	-2365.1	5091.6	-
6602.2	3678.4	Min	I	-1045.2	-649.8	-4903.6	-2011.8	-3
0369.4	-3788.6		J	-1031.9	-631.7	-4710.7	-1883.9	-2
6576.9	-3155.2							
873	1	52 C1-C2;~1 Max	I	14.1	64.2	305.1	2940.2	
5250.7	1003.0		J	14.1	64.2	308.4	2960.0	
5836.4	976.9	Min	I	-69.4	-56.6	-1921.8	-2718.9	-1
0881.5	-1045.6		J	-67.5	-56.6	-1866.6	-2596.3	-1
0071.5	-1014.0							
		C3-C4;~1 Max	I	15.4	57.9	313.1	3700.7	
5245.2	927.8		J	15.4	57.9	316.4	3691.7	
5809.6	919.3	Min	I	-70.7	-51.1	-1926.0	-1878.8	-1
1193.3	-846.4		J	-68.9	-51.1	-1870.9	-1786.8	-1
0369.9	-827.7							
		C1-C2;~2 Max	I	7.4	33.0	160.6	1530.2	
2901.0	489.6		J	7.5	33.0	161.9	1556.3	
3334.1	477.8	Min	I	-38.8	-27.9	-1088.5	-1515.0	-
5675.1	-545.5		J	-37.9	-27.9	-1060.3	-1439.0	-
5312.2	-528.8							
		C3-C4;~2 Max	I	8.1	29.7	165.4	1967.5	
2886.3	472.0		J	8.2	29.7	166.7	1979.1	
3309.5	466.0	Min	I	-39.6	-25.2	-1090.7	-992.6	-
5852.5	-437.5		J	-38.7	-25.2	-1062.5	-933.2	-
5482.6	-427.9							
		SLVx (RS)	I	1673.5	-739.6	402.4	2588.9	
3690.1	-15163.9		J	1673.5	-739.6	402.4	2588.9	
3391.7	-15452.8							
		SLVy (RS)	I	1584.2	569.2	-126.6	1034.6	
3546.1	7027.2		J	1584.2	569.2	-126.6	1034.6	
3462.7	6781.9							
		SLDx (RS)	I	1180.9	-541.6	299.5	1808.5	
2652.7	-10769.5		J	1180.9	-541.6	299.5	1808.5	
2427.2	-10974.8							
		SLDy (RS)	I	1009.9	377.7	-86.7	723.6	
2092.1	4849.2		J	1009.9	377.7	-86.7	723.6	
2042.0	4709.2							


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1959.1	-1861.2	SLVz (RS)	I	120.9	97.0	331.9	-231.6
			J	120.9	97.0	331.9	-231.6
1671.7	-1854.7						
		G1	I	-71.7	2.7	-2000.6	963.4
9956.4	235.8		J	-68.2	2.7	-1899.6	963.4
7995.3	233.1						
		G2	I	-26.2	1.0	-730.5	351.1
3636.4	86.2		J	-24.9	1.0	-693.6	351.1
2920.3	85.2						
		G1- Imp~1	I	0.4	0.3	-0.3	0.7
-4.8	-29.2		J	0.4	0.3	-0.3	0.7
-4.5	-29.4						
		G2- Imp~1	I	0.1	0.1	-0.1	0.1
-1.7	-10.0		J	0.1	0.1	-0.1	0.1
-1.6	-10.1						
		q3	I	340.3	81.2	29.3	83.1
882.8	-82.1		J	337.0	81.2	29.3	83.1
856.4	-163.8						
		q4-1	I	-1.3	2.6	-2.1	7.8
-71.8	210.9		J	-1.3	2.6	-2.1	7.8
-69.7	208.3						
		q4-2	I	-0.0	-3.9	-3.0	3.7
-103.0	-29.6		J	-0.0	-3.9	-3.0	3.7
-100.0	-25.7						
		q4-3	I	2.7	-11.0	-3.0	-29.7
-99.7	-505.6		J	2.7	-11.0	-3.0	-29.7
-96.7	-494.6						
		q4-4	I	-3.8	28.6	-2.0	-61.0
-64.4	752.1		J	-3.8	28.6	-2.0	-61.0
-62.3	723.3						
		q4-5	I	63.0	-9.3	2.1	43.7
62.0	-270.8		J	63.0	-9.3	2.1	43.7
59.9	-261.5						
		q4-6	I	98.7	30.6	5.5	17.7
148.0	36.5		J	98.7	30.6	5.5	17.7
142.4	5.7						
		q4-7	I	86.8	22.7	2.8	11.5
119.7	72.9		J	86.8	22.7	2.8	11.5
116.9	50.1						
		q5 - p~1	I	-910.5	-629.0	-26.5	-313.3

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-891.7	-3043.8		J	-909.2	-610.0	-26.6	-320.2	
-865.5	-2420.8							
2934.5	1754.8	q5 - p~2	I	947.6	169.8	88.2	352.7	
2848.5	1581.6		J	939.8	174.6	88.5	351.0	
-803.7	-2896.9	q5 - p~3	I	-862.8	-596.2	-23.4	-388.9	
-780.3	-2306.4		J	-861.6	-578.2	-23.4	-390.1	
2791.1	1649.0	q5 - p~4	I	897.7	160.9	82.5	297.3	
2708.5	1485.0		J	890.3	165.4	82.8	297.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
455.0	-348.1	q7	I	143.4	50.0	12.5	-18.2	
442.5	-398.4		J	143.4	50.0	12.5	-18.2	
-12.7	5.2	T	I	0.1	0.5	-0.3	-10.3	
-12.4	4.7		J	0.1	0.5	-0.3	-10.3	
592.8	358.7	M. tor~1	I	224.5	-225.2	19.5	312.0	
573.2	301.4		J	224.5	-225.2	19.5	302.3	
350.5	212.1	M. tor~2	I	132.7	-133.1	11.5	184.5	
338.9	178.2		J	132.7	-133.1	11.5	178.7	
8620.4	5391.8	INVSLU Max	I	1226.2	944.7	-3185.1	7096.4	-
4292.5	4484.3		J	1221.5	917.6	-2994.2	7082.7	-
6120.2	-4703.7	Min	I	-1531.6	-927.1	-6367.2	-2219.6	-3
1316.2	-3800.5		J	-1512.8	-900.0	-6106.8	-2052.6	-3
8257.6	18113.1	INVSLV Max	I	2087.6	943.4	-2191.5	4284.1	-
5940.0	18322.5		J	2092.4	943.4	-2053.6	4284.1	-
8940.9	-17547.6	Min	I	-2282.4	-935.4	-3271.3	-1653.4	-1
5903.4	-17765.0		J	-2277.6	-935.4	-3133.4	-1653.4	-1

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6580.3	3672.4	INVSLE Max	I	819.6	633.5	-2365.2	5233.8	-
			J	816.5	615.5	-2223.8	5223.8	-
3368.7	3065.7	Min	I	-1034.7	-620.5	-4710.6	-1621.3	-2
6560.9	-3162.7		J	-1021.7	-602.4	-4517.7	-1497.7	-2
3008.1	-2559.2							
874	1	52 C1-C2;~1 Max	I	14.7	64.2	308.4	2934.7	
5860.0	977.4		J	14.8	64.2	312.7	2954.3	
6524.2	954.2	Min	I	-68.1	-56.6	-1866.6	-2544.1	-1
0071.9	-1016.0		J	-66.3	-56.6	-1811.5	-2425.7	-
9365.8	-987.2							
		C3-C4;~1 Max	I	15.9	57.8	316.4	3663.3	
5847.4	919.7		J	16.0	57.8	320.5	3654.3	
6488.7	912.7	Min	I	-69.3	-51.1	-1870.9	-1738.8	-1
0367.8	-830.4		J	-67.5	-51.1	-1815.8	-1650.6	-
9647.3	-815.0							
		C1-C2;~2 Max	I	7.8	33.0	161.9	1542.0	
3331.6	478.1		J	7.8	33.0	163.6	1567.7	
3782.5	467.4	Min	I	-38.2	-27.9	-1060.3	-1419.1	-
5314.5	-529.8		J	-37.3	-27.9	-1031.9	-1345.3	-
4993.1	-514.3							
		C3-C4;~2 Max	I	8.5	29.7	166.7	1961.6	
3313.9	466.5		J	8.5	29.7	168.3	1972.9	
3754.9	461.2	Min	I	-38.9	-25.1	-1062.5	-914.6	-
5484.0	-429.4		J	-38.0	-25.1	-1034.1	-857.3	-
5155.3	-421.1							
		SLVx (RS)	I	1677.9	-701.3	395.9	2532.9	
3415.6	-15452.7		J	1677.9	-701.3	395.9	2532.9	
3143.9	-15726.4							
		SLVy (RS)	I	1576.1	557.8	-124.2	1005.6	
3458.9	6782.5		J	1576.1	557.8	-124.2	1005.6	
3376.9	6573.7							
		SLDx (RS)	I	1184.2	-515.3	294.7	1769.1	
2443.5	-10974.6		J	1184.2	-515.3	294.7	1769.1	
2238.1	-11170.3							
		SLDy (RS)	I	1005.0	372.1	-84.8	705.9	
2040.6	4709.5		J	1005.0	372.1	-84.8	705.9	
1992.0	4591.7							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1668.6	-1854.9	SLVz (RS)	I	120.7	96.0	320.9	-244.3	
			J	120.7	96.0	320.9	-244.3	
1397.1	-1845.6							
		G1	I	-68.5	2.7	-1899.5	1067.2	-
7982.4	229.4		J	-65.0	2.7	-1798.5	1067.2	-
6122.8	226.7							
		G2	I	-25.0	1.0	-693.6	389.0	-
2915.5	83.8		J	-23.7	1.0	-656.7	389.0	-
2236.5	82.8							
		G1- Imp~1	I	0.4	0.3	-0.3	0.8	
-4.5	-29.4		J	0.4	0.3	-0.3	0.8	
-4.2	-29.7							
		G2- Imp~1	I	0.1	0.1	-0.1	0.2	
-1.6	-10.1		J	0.1	0.1	-0.1	0.2	
-1.5	-10.2							
		q3	I	338.1	76.8	29.2	71.9	
857.5	-163.5		J	334.9	76.8	29.2	71.9	
831.2	-240.7							
		q4-1	I	-1.3	2.6	-2.1	8.7	
-69.7	208.3		J	-1.3	2.6	-2.1	8.7	
-67.6	205.6							
		q4-2	I	-0.1	-3.9	-3.0	5.0	
-99.9	-25.7		J	-0.1	-3.9	-3.0	5.0	
-96.9	-21.8							
		q4-3	I	2.6	-11.0	-3.0	-28.5	
-96.8	-494.6		J	2.6	-11.0	-3.0	-28.5	
-93.8	-483.6							
		q4-4	I	-3.4	28.6	-2.0	-60.1	
-63.5	723.3		J	-3.4	28.6	-2.0	-60.1	
-61.4	694.5							
		q4-5	I	62.8	-10.1	2.1	42.8	
60.6	-261.5		J	62.8	-10.1	2.1	42.8	
58.5	-251.4							
		q4-6	I	99.1	29.3	5.5	15.9	
142.7	5.8		J	99.1	29.3	5.5	15.9	
137.1	-23.7							
		q4-7	I	87.1	21.5	2.8	9.9	
117.0	50.1		J	87.1	21.5	2.8	9.9	
114.2	28.4							
		q5 - p~1	I	-917.1	-598.0	-26.2	-309.2	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-868.5	-2420.9		J	-915.5	-579.0	-26.2	-316.1	
-842.7	-1829.1							
		q5 - p~2	I	942.0	162.4	88.3	314.0	
2852.1	1582.5		J	934.4	167.3	88.6	312.2	
2765.9	1416.7							
		q5 - p~3	I	-869.1	-566.9	-23.0	-380.3	
-784.3	-2306.4		J	-867.6	-548.8	-23.1	-381.6	
-761.2	-1745.4							
		q5 - p~4	I	892.4	153.8	82.6	261.8	
2711.4	1485.9		J	885.2	158.5	82.8	261.5	
2628.8	1328.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	144.0	48.2	12.4	-24.0	
442.4	-398.3		J	144.0	48.2	12.4	-24.0	
429.9	-446.7							
		T	I	0.1	0.5	-0.3	-10.1	
-12.5	4.7		J	0.1	0.5	-0.3	-10.1	
-12.2	4.2							
		M. tor~1	I	221.5	-228.1	19.5	294.8	
577.0	301.6		J	221.5	-228.1	19.5	285.0	
557.4	247.2							
		M. tor~2	I	131.0	-134.9	11.5	174.3	
341.1	178.3		J	131.0	-134.9	11.5	168.5	
329.5	146.2							
		INVSLU Max	I	1224.6	900.7	-2994.4	7202.4	-
4233.4	4477.9		J	1220.3	873.6	-2802.5	7192.1	
12.9	3616.1							
		Min	I	-1516.7	-883.0	-6106.6	-1757.3	-3
1292.8	-3808.8		J	-1498.2	-855.9	-5846.3	-1599.4	-2
6814.8	-2951.4							
		INVSLV Max	I	2094.0	901.4	-2064.0	4365.0	-
5919.8	18317.5		J	2098.7	901.4	-1926.2	4365.0	-
3625.9	18521.8							
		Min	I	-2279.9	-893.4	-3123.0	-1450.8	-1
5888.2	-17770.2		J	-2275.1	-893.4	-2985.1	-1450.8	-1
3104.3	-17982.6							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

3325.2	3061.0	INVSLE Max	I	818.8	604.2	-2223.9	5314.8	-
			J	815.8	586.2	-2081.8	5307.1	
-174.1	2531.5	Min	I	-1024.3	-591.1	-4517.5	-1281.5	-2
2990.5	-2565.4		J	-1011.4	-573.1	-4324.7	-1164.3	-1
9679.2	-1992.6							
875	1	52 C1-C2;~1 Max	I	15.4	64.2	312.6	2913.0	
6521.6	954.9		J	15.5	64.2	325.1	2932.3	
7265.6	935.3	Min	I	-66.9	-56.5	-1811.5	-2383.6	-
9366.9	-989.0		J	-65.0	-56.5	-1756.5	-2269.2	-
8764.8	-963.7							
		C3-C4;~1 Max	I	16.5	57.8	320.5	3609.1	
6496.4	913.6		J	16.6	57.8	330.2	3599.9	
7220.9	908.1	Min	I	-67.9	-51.1	-1815.8	-1609.2	-
9646.3	-817.5		J	-66.1	-51.1	-1760.8	-1524.7	-
9028.7	-805.2							
		C1-C2;~2 Max	I	8.2	33.0	163.6	1544.2	
3780.9	467.9		J	8.2	33.0	171.3	1569.4	
4247.8	458.7	Min	I	-37.6	-27.9	-1031.9	-1331.0	-
4995.5	-515.2		J	-36.6	-27.9	-1003.4	-1259.4	-
4715.7	-501.1							
		C3-C4;~2 Max	I	8.8	29.6	168.3	1946.0	
3760.1	461.9		J	8.8	29.6	173.9	1956.9	
4217.1	457.2	Min	I	-38.2	-25.1	-1034.1	-842.9	-
5157.0	-422.6		J	-37.3	-25.1	-1005.6	-787.6	-
4869.5	-415.6							
		SLVx (RS)	I	1681.4	-664.1	388.2	2478.3	
3167.9	-15726.3		J	1681.4	-664.1	388.2	2478.3	
2927.8	-15980.3							
		SLVy (RS)	I	1567.8	545.9	121.9	977.9	
3372.8	6574.1		J	1567.8	545.9	121.9	977.9	
3291.9	6402.4							
		SLDx (RS)	I	1186.9	-489.7	288.9	1730.9	
2254.5	-11170.3		J	1186.9	-489.7	288.9	1730.9	
2073.0	-11353.1							
		SLDy (RS)	I	999.8	365.9	-82.8	688.7	
1990.4	4592.0		J	999.8	365.9	-82.8	688.7	
1943.0	4496.9							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1393.8	-1845.8	SLVz (RS)	I	120.7	94.4	310.2	-254.5
			J	120.7	94.4	310.2	-254.5
1141.6	-1833.3						
6108.7	223.7	G1	I	-65.2	2.7	-1798.5	1146.5
			J	-61.7	2.7	-1697.5	1146.5
4350.7	221.0						
2231.4	81.8	G2	I	-23.8	1.0	-656.7	417.9
			J	-22.5	1.0	-619.8	417.9
1589.5	80.8						
		G1 - Imp~1	I	0.4	0.2	-0.3	0.8
-4.2	-29.7		J	0.4	0.2	-0.3	0.8
-4.0	-30.0						
		G2 - Imp~1	I	0.1	0.1	-0.1	0.2
-1.5	-10.2		J	0.1	0.1	-0.1	0.2
-1.4	-10.2						
		q3	I	335.8	72.4	29.1	61.0
832.2	-240.5		J	332.6	72.4	29.1	61.0
806.0	-313.3						
		q4-1	I	-1.2	2.6	-2.1	9.7
-67.6	205.6		J	-1.2	2.6	-2.1	9.7
-65.5	202.9						
		q4-2	I	-0.1	-3.9	-3.0	6.2
-96.8	-21.8		J	-0.1	-3.9	-3.0	6.2
-93.8	-17.9						
		q4-3	I	2.5	-11.0	-3.0	-27.3
-94.0	-483.6		J	2.5	-11.0	-3.0	-27.3
-91.0	-472.5						
		q4-4	I	-3.0	28.7	-2.1	-59.1
-62.5	694.5		J	-3.0	28.7	-2.1	-59.1
-60.4	665.7						
		q4-5	I	62.7	-10.9	2.1	42.0
59.2	-251.4		J	62.7	-10.9	2.1	42.0
57.1	-240.4						
		q4-6	I	99.5	28.0	5.5	14.1
137.3	-23.7		J	99.5	28.0	5.5	14.1
131.8	-51.8						
		q4-7	I	87.3	20.4	2.7	8.5
114.3	28.5		J	87.3	20.4	2.7	8.5
111.6	7.9						
		q5 - p~1	I	-923.0	-567.0	-25.8	-305.3

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-845.9	-1829.2		J	-921.2	-548.0	-25.9	-312.2	
-820.6	-1268.5							
2769.1	1417.7	q5 - p~2	I	936.5	155.1	88.3	276.3	
2682.8	1259.0		J	929.2	160.3	88.6	274.5	
-765.3	-1745.5	q5 - p~3	I	-874.7	-537.5	-22.7	-371.8	
-742.6	-1214.0		J	-873.0	-519.4	-22.7	-373.1	
2631.4	1329.7	q5 - p~4	I	887.2	147.0	82.6	227.3	
2548.7	1179.5		J	880.3	151.9	82.9	227.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
429.8	-446.5	q7	I	144.7	46.3	12.4	-29.7	
417.3	-493.1		J	144.7	46.3	12.4	-29.7	
-12.3	4.2	T	I	0.1	0.5	-0.3	-10.0	
-12.0	3.7		J	0.1	0.5	-0.3	-10.0	
560.9	247.3	M. tor~1	I	218.5	-231.0	19.6	277.7	
541.2	195.9		J	218.5	-231.0	19.6	267.9	
331.6	146.2	M. tor~2	I	129.2	-136.6	11.6	164.2	
320.0	115.8		J	129.2	-136.6	11.6	158.4	
38.5	3611.4	INVSLU Max	I	1223.3	856.6	-2802.7	7267.6	
4205.1	3015.3		J	1219.4	829.6	-2603.2	7261.4	
6790.4	-2958.1	Min	I	-1502.0	-838.8	-5846.0	-1386.4	-2
2638.5	-2147.0		J	-1483.8	-811.7	-5585.9	-1238.2	-2
3604.4	18517.9	INVSLV Max	I	2099.5	860.3	-1937.7	4413.5	-
1432.9	18712.6		J	2104.3	860.3	-1799.8	4413.5	-
3087.1	-17986.7	Min	I	-2276.5	-852.2	-2973.5	-1282.6	-1
0458.3	-18189.5		J	-2271.7	-852.2	-2835.6	-1282.6	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

-155.3	2528.0	INVSLE Max	I	818.1	574.8	-2081.9	5363.7	
			J	815.3	556.8	-1934.2	5358.7	
2936.9	2149.2	Min	I	-1014.0	-561.6	-4324.5	-1007.3	-1
9661.0	-1997.5		J	-1001.3	-543.6	-4131.8	-897.0	-1
6591.2	-1475.4							
876	1	52 C1-C2;~1 Max	I	16.1	64.2	325.1	2876.6	
7264.6	936.2		J	16.3	64.2	349.4	2895.5	
8055.2	919.7	Min	I	-65.6	-56.5	-1756.5	-2236.7	-
8767.1	-965.3		J	-63.7	-56.5	-1701.8	-2126.1	-
8265.7	-943.0							
		C3-C4;~1 Max	I	17.1	57.8	330.2	3539.0	
7230.2	909.4		J	17.3	57.8	351.0	3529.5	
8000.7	905.8	Min	I	-66.5	-51.0	-1760.8	-1489.5	-
9029.5	-807.5		J	-64.6	-51.0	-1706.0	-1408.5	-
8511.8	-798.7							
		C1-C2;~2 Max	I	8.5	33.0	171.3	1537.9	
4247.1	459.2		J	8.6	33.0	187.5	1562.5	
4726.9	451.4	Min	I	-36.9	-27.9	-1003.4	-1250.4	-
4718.3	-501.9		J	-36.0	-27.9	-974.7	-1181.0	-
4478.9	-488.9							
		C3-C4;~2 Max	I	9.1	29.6	173.9	1921.0	
4223.2	458.1		J	9.2	29.6	187.6	1931.4	
4693.2	454.3	Min	I	-37.5	-25.1	-1005.6	-777.2	-
4871.7	-416.9		J	-36.5	-25.1	-976.9	-723.8	-
4624.1	-411.3							
		SLVx (RS)	I	1684.1	-628.6	379.3	2425.1	
2951.8	-15980.3		J	1684.1	-628.6	379.3	2425.1	
2748.2	-16210.7							
		SLVy (RS)	I	1559.3	533.4	119.7	951.5	
3287.5	6402.8		J	1559.3	533.4	119.7	951.5	
3207.5	6268.1							
		SLDx (RS)	I	1189.1	-465.1	282.2	1693.6	
2089.5	-11353.0		J	1189.1	-465.1	282.2	1693.6	
1936.2	-11520.0							
		SLDy (RS)	I	994.5	359.2	-80.9	672.0	
1941.2	4497.1		J	994.5	359.2	-80.9	672.0	
1894.8	4424.7							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1138.3	-1833.4	SLVz (RS)	I	-121.1	92.4	299.8	-261.9	
			J	-121.1	92.4	299.8	-261.9	
912.3	-1817.4							
4335.7	218.9	G1	I	-61.9	2.8	-1697.5	1202.7	-
			J	-58.4	2.8	-1596.5	1202.7	-
2679.3	216.1							
1584.0	80.0	G2	I	-22.6	1.0	-619.8	438.5	-
			J	-21.3	1.0	-583.0	438.5	
-979.2	78.9							
		G1- Imp~1	I	0.4	0.2	-0.3	0.9	
-3.9	-30.0		J	0.4	0.2	-0.3	0.9	
-3.7	-30.2							
		G2- Imp~1	I	0.1	0.1	-0.1	0.2	
-1.4	-10.2		J	0.1	0.1	-0.1	0.2	
-1.3	-10.3							
		q3	I	333.5	68.1	29.0	50.5	
806.8	-313.1		J	330.3	68.1	29.0	50.5	
780.7	-381.6							
		q4-1	I	-1.2	2.6	-2.1	10.5	
-65.5	202.9		J	-1.2	2.6	-2.1	10.5	
-63.4	200.3							
		q4-2	I	-0.2	-3.9	-3.0	7.5	
-93.7	-17.9		J	-0.2	-3.9	-3.0	7.5	
-90.7	-14.0							
		q4-3	I	2.3	-11.1	-3.0	-26.2	
-91.2	-472.6		J	2.3	-11.1	-3.0	-26.2	
-88.2	-461.4							
		q4-4	I	-2.6	28.7	-2.1	-58.3	
-61.5	665.6		J	-2.6	28.7	-2.1	-58.3	
-59.4	636.8							
		q4-5	I	62.6	-11.7	2.1	41.2	
57.7	-240.4		J	62.6	-11.7	2.1	41.2	
55.6	-228.6							
		q4-6	I	99.9	26.7	5.5	12.3	
132.0	-51.8		J	99.9	26.7	5.5	12.3	
126.5	-78.7							
		q4-7	I	87.6	19.3	2.7	7.0	
111.7	8.0		J	87.6	19.3	2.7	7.0	
108.9	-11.4							
		q5 - p~1	I	-928.3	-535.9	-25.5	-301.6	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-824.0	-1268.6		J	-926.2	-516.9	-25.6	-308.5	
-799.1	-739.2							
2685.6	1259.9	q5 - p~2	I	931.2	148.2	88.4	239.6	
2599.1	1108.2		J	924.2	153.6	88.6	237.7	
-746.9	-1214.1	q5 - p~3	I	-879.7	-508.0	-22.4	-363.6	
-724.5	-712.2		J	-877.8	-490.0	-22.5	-364.8	
2550.9	1180.3	q5 - p~4	I	882.2	140.4	82.7	193.9	
2468.1	1036.6		J	875.5	145.5	82.9	193.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
417.1	-492.9	q7	I	145.3	44.4	12.3	-35.2	
404.7	-537.6		J	145.3	44.4	12.3	-35.2	
-12.1	3.7	T	I	0.1	0.5	-0.3	-9.8	
-11.8	3.2		J	0.1	0.5	-0.3	-9.8	
544.6	196.0	M. tor~1	I	215.5	-233.8	19.7	260.8	
524.8	147.4		J	215.5	-233.8	19.7	250.9	
322.0	115.9	M. tor~2	I	127.4	-138.2	11.6	154.2	
310.3	87.1		J	127.4	-138.2	11.6	148.4	
4234.2	3012.1	INVSLU Max	I	1222.3	812.4	-2603.4	7273.2	
8276.4	2816.2		J	1222.2	785.4	-2388.9	7266.6	
2614.3	-2152.1	Min	I	-1487.4	-794.5	-5585.7	-1081.0	-2
8784.4	-1939.1		J	-1472.9	-767.5	-5325.8	-937.9	-1
1410.5	18709.8	INVSLV Max	I	2104.3	820.4	-1812.5	4431.4	-
642.1	18890.8		J	2109.1	820.4	-1674.6	4431.4	
0439.5	-18192.6	Min	I	-2272.2	-812.2	-2822.9	-1146.9	-1
7969.2	-18381.8		J	-2267.4	-812.2	-2685.0	-1146.9	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

2958.2	2146.9	INVSLE Max	I	817.5	545.4	-1934.3	5368.1	
			J	816.1	527.4	-1775.4	5362.8	
5958.2	2012.4	Min	I	-1003.7	-532.1	-4131.7	-781.3	-1
6573.1	-1479.2		J	-993.5	-514.1	-3939.2	-674.9	-1
3741.9	-1362.7							
877	1	52 C1-C2;~1 Max	I	16.9	64.1	349.3	2825.3	
8055.8	920.8		J	17.1	64.1	374.9	2843.8	
8884.2	907.7	Min	I	-64.3	-56.5	-1701.7	-2102.6	-
8269.5	-944.4		J	-62.4	-56.5	-1647.3	-1995.9	-
7861.8	-925.4							
		C3-C4;~1 Max	I	17.8	57.7	351.0	3454.0	
8011.8	907.5		J	18.0	57.7	376.5	3444.2	
8818.0	906.0	Min	I	-65.1	-50.9	-1706.0	-1379.2	-
8514.5	-800.8		J	-63.2	-50.9	-1651.5	-1301.4	-
8089.6	-795.4							
		C1-C2;~2 Max	I	8.9	32.9	187.5	1522.6	
4727.1	452.0		J	9.0	32.9	204.4	1546.7	
5215.7	445.5	Min	I	-36.3	-27.9	-974.7	-1177.1	-
4481.9	-489.7		J	-35.3	-27.9	-946.0	-1109.7	-
4279.9	-478.1							
		C3-C4;~2 Max	I	9.5	29.6	187.6	1887.4	
4700.1	455.4		J	9.5	29.6	204.5	1897.3	
5178.1	452.6	Min	I	-36.8	-25.0	-976.9	-717.3	-
4626.8	-412.6		J	-35.8	-25.0	-948.2	-665.8	-
4416.4	-408.3							
		SLVx (RS)	I	1686.0	-595.0	369.0	2373.1	
2772.1	-16210.7		J	1686.0	-595.0	369.0	2373.1	
2609.2	-16414.1							
		SLVy (RS)	I	1550.5	520.1	117.6	926.3	
3202.7	6268.4		J	1550.5	520.1	117.6	926.3	
3123.4	6169.6							
		SLDx (RS)	I	1190.7	-441.7	274.5	1657.2	
1952.6	-11520.0		J	1190.7	-441.7	274.5	1657.2	
1831.2	-11668.8							
		SLDy (RS)	I	989.1	351.8	79.1	655.9	
1892.8	4424.8		J	989.1	351.8	79.1	655.9	
1847.3	4374.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
909.2	-1817.5	SLVz (RS)	I	-121.9	90.1	289.9	-266.6	
			J	-121.9	90.1	289.9	-266.6	
-723.4	-1797.5							
2663.7	214.7	G1	I	-58.6	2.8	-1596.5	1237.1	-
1108.9	211.9		J	-55.1	2.8	-1495.5	1237.1	-
-973.5	78.4	G2	I	-21.4	1.0	-582.9	451.0	
			J	-20.1	1.0	-546.1	451.0	
-405.8	77.4							
		G1 - Imp~1	I	0.4	0.2	-0.3	0.9	
-3.7	-30.2		J	0.4	0.2	-0.3	0.9	
-3.4	-30.4							
		G2 - Imp~1	I	0.1	0.1	-0.1	0.2	
-1.3	-10.3		J	0.1	0.1	-0.1	0.2	
-1.2	-10.4							
		q3	I	331.2	63.8	29.0	40.2	
781.4	-381.3		J	328.0	63.8	29.0	40.2	
755.4	-445.5							
		q4-1	I	-1.2	2.7	-2.1	11.4	
-63.3	200.2		J	-1.2	2.7	-2.1	11.4	
-61.3	197.5							
		q4-2	I	-0.3	-3.9	-3.0	8.6	
-90.6	-14.0		J	-0.3	-3.9	-3.0	8.6	
-87.6	-10.1							
		q4-3	I	2.2	-11.1	-3.0	-25.1	
-88.3	-461.5		J	2.2	-11.1	-3.0	-25.1	
-85.3	-450.3							
		q4-4	I	-2.3	28.7	-2.1	-57.4	
-60.5	636.8		J	-2.3	28.7	-2.1	-57.4	
-58.4	607.8							
		q4-5	I	62.4	-12.5	2.1	40.5	
56.3	-228.6		J	62.4	-12.5	2.1	40.5	
54.2	-216.0							
		q4-6	I	100.2	25.4	5.4	10.7	
126.7	-78.6		J	100.2	25.4	5.4	10.7	
121.2	-104.2							
		q4-7	I	87.8	18.1	2.7	5.6	
109.0	-11.4		J	87.8	18.1	2.7	5.6	
106.3	-29.6							
		q5 - p~1	I	-932.9	-504.8	-25.2	-298.1	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-802.7	-739.3		J	-930.6	-485.8	-25.3	-305.0	
-778.1	-241.2							
2601.5	1109.0	q5 - p~2	I	926.1	141.5	88.4	203.9	
2514.9	963.9		J	919.4	147.0	88.7	201.9	
-728.9	-712.3	q5 - p~3	I	-884.1	-478.5	-22.1	-355.4	
-706.7	-240.1		J	-881.9	-460.5	-22.2	-356.7	
2470.0	1037.4	q5 - p~4	I	877.4	134.0	82.7	161.4	
2387.1	899.9		J	871.0	139.3	82.9	161.1	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
404.5	-537.4	q7	I	145.8	42.5	12.3	-40.6	
392.1	-580.1		J	145.8	42.5	12.3	-40.6	
-12.0	3.2	T	I	0.1	0.5	-0.3	-9.6	
-11.7	2.7		J	0.1	0.5	-0.3	-9.6	
528.0	147.5	M. tor~1	I	212.4	-236.6	19.8	244.1	
508.1	101.7		J	212.4	-236.6	19.8	234.2	
312.1	87.2	M. tor~2	I	125.6	-139.9	11.7	144.3	
300.4	60.1		J	125.6	-139.9	11.7	138.4	
8308.5	2815.9	INVSLU Max	I	1231.8	768.2	-2389.1	7218.7	
2214.4	2636.4		J	1235.1	741.2	-2168.2	7211.6	1
8761.4	-1943.5	Min	I	-1483.1	-750.2	-5325.6	-833.3	-1
5243.8	-1787.4		J	-1472.0	-723.2	-5066.1	-695.3	-1
665.1	18889.1	INVSLV Max	I	2108.3	782.2	-1688.5	4420.2	
2603.9	19052.7		J	2113.2	782.2	-1550.6	4420.2	
7949.3	-18383.9	Min	I	-2267.2	-773.9	-2671.1	-1041.7	-
5642.5	-18555.8		J	-2262.3	-773.9	-2533.2	-1041.7	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5981.8	2012.1	INVSLE Max	I	821.0	515.9	-1775.6	5327.9	
			J	821.3	497.9	-1612.0	5322.3	
8880.8	1888.8	Min	I	-1000.3	-502.6	-3939.0	-598.0	-1
3724.7	-1365.9		J	-992.4	-484.6	-3746.8	-495.3	-1
1124.8	-1259.9							
878	1	52 C1-C2;~1 Max	I	17.6	64.1	374.9	2760.6	
8886.3	909.0		J	17.9	64.1	401.8	2778.8	
9719.1	899.5	Min	I	-63.0	-56.4	-1647.2	-1980.8	-
7867.0	-926.6		J	-61.1	-56.4	-1593.1	-1877.6	-
7545.2	-911.1							
		C3-C4;~1 Max	I	18.5	57.6	376.5	3354.4	
8830.8	908.1		J	18.7	57.6	403.4	3344.3	
9653.4	908.6	Min	I	-63.7	-50.9	-1651.4	-1277.8	-
8094.3	-797.5		J	-61.8	-50.9	-1597.2	-1203.1	-
7758.8	-795.3							
		C1-C2;~2 Max	I	9.3	32.9	204.4	1499.6	
5216.6	446.3		J	9.5	32.9	222.1	1523.1	
5699.9	441.3	Min	I	-35.6	-27.9	-946.0	-1110.7	-
4283.3	-478.7		J	-34.6	-27.9	-917.2	-1045.3	-
4115.7	-468.5							
		C3-C4;~2 Max	I	9.8	29.5	204.5	1845.0	
5185.7	453.8		J	9.9	29.5	222.1	1854.3	
5663.5	451.9	Min	I	-36.0	-25.0	-948.2	-663.0	-
4419.7	-409.6		J	-35.0	-25.0	-919.4	-613.4	-
4245.0	-406.6							
		SLVx (RS)	I	1687.1	-563.9	357.4	2322.3	
2632.9	-16414.2		J	1687.1	-563.9	357.4	2322.3	
2513.4	-16587.8							
		SLVy (RS)	I	1541.6	506.1	115.6	902.5	
3118.4	6169.9		J	1541.6	506.1	115.6	902.5	
3039.5	6105.1							
		SLDx (RS)	I	1191.8	-420.0	265.8	1621.6	
1847.5	-11668.9		J	1191.8	-420.0	265.8	1621.6	
1760.4	-11797.4							
		SLDy (RS)	I	983.6	343.6	77.2	640.3	
1845.1	4374.5		J	983.6	343.6	77.2	640.3	
1800.2	4344.7							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-721.0	-1797.6	SLVz (RS)	I	-123.1	87.9	280.1	-268.3	
			J	-123.1	87.9	280.1	-268.3	
-601.0	-1773.1							
1092.9	211.2	G1	I	-55.2	2.9	-1495.5	1251.0	-
360.2	208.4		J	-51.7	2.9	-1394.5	1251.0	
-399.9	77.2	G2	I	-20.2	1.1	-546.1	456.1	
130.7	76.1		J	-18.9	1.1	-509.2	456.1	
-3.4	-30.4	G1- Imp~1	I	0.4	0.2	-0.3	1.0	
-3.1	-30.7		J	0.4	0.2	-0.3	1.0	
-1.2	-10.4	G2- Imp~1	I	0.1	0.1	-0.1	0.2	
-1.1	-10.4		J	0.1	0.1	-0.1	0.2	
756.0	-445.2	q3	I	328.8	59.5	28.9	30.3	
730.0	-505.1		J	325.6	59.5	28.9	30.3	
-61.2	197.5	q4-1	I	-1.1	2.7	-2.1	12.2	
-59.1	194.8		J	-1.1	2.7	-2.1	12.2	
-87.5	-10.1	q4-2	I	-0.3	-3.9	-3.0	9.8	
-84.5	-6.2		J	-0.3	-3.9	-3.0	9.8	
-85.4	-450.4	q4-3	I	2.0	-11.1	-2.9	-24.0	
-82.5	-439.2		J	2.0	-11.1	-2.9	-24.0	
-59.4	607.8	q4-4	I	-1.9	28.8	-2.1	-56.5	
-57.3	578.9		J	-1.9	28.8	-2.1	-56.5	
54.8	-216.0	q4-5	I	62.2	-13.4	2.1	39.7	
52.7	-202.6		J	62.2	-13.4	2.1	39.7	
121.4	-104.2	q4-6	I	100.5	24.1	5.4	9.1	
116.0	-128.4		J	100.5	24.1	5.4	9.1	
106.4	-29.6	q4-7	I	88.1	17.0	2.7	4.2	
103.7	-46.7		J	88.1	17.0	2.7	4.2	
		q5 - p~1	I	-936.9	-473.6	-25.0	-294.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-782.0	-241.3		J	-934.4	-454.7	-25.0	-301.6	
-757.7	225.5							
2516.9	964.8	q5 - p~2	I	921.2	135.1	88.5	169.2	
2430.1	826.1		J	914.7	140.8	88.7	167.1	
-711.2	-240.1	q5 - p~3	I	-887.9	-449.0	-21.9	-347.5	
-689.4	202.4		J	-885.5	-431.0	-21.9	-348.7	
2388.6	900.7	q5 - p~4	I	872.7	127.9	82.8	130.0	
2305.7	769.3		J	866.6	133.4	83.0	129.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
391.8	-580.0	q7	I	146.4	40.6	12.2	-45.8	
379.5	-620.8		J	146.4	40.6	12.2	-45.8	
-11.8	2.7	T	I	0.1	0.5	-0.3	-9.5	
-11.5	2.2		J	0.1	0.5	-0.3	-9.5	
511.1	101.8	M. tor~1	I	209.3	-239.3	19.8	227.5	
491.1	58.8		J	209.3	-239.3	19.8	217.6	
302.1	60.2	M. tor~2	I	123.7	-141.5	11.7	134.5	
290.4	34.8		J	123.7	-141.5	11.7	128.6	
2248.6	2637.6	INVSLU Max	I	1244.2	723.9	-2168.4	7106.8	1
5973.1	2465.1		J	1247.2	697.0	-1945.7	7099.3	1
5222.5	-1790.3	Min	I	-1481.5	-705.8	-5065.9	-640.0	-1
2012.8	-1730.8		J	-1470.0	-678.9	-4806.7	-506.8	-1
2627.1	19052.0	INVSLV Max	I	2111.7	746.3	-1565.7	4381.9	
4460.5	19194.6		J	2116.5	746.3	-1427.8	4381.9	
5622.0	-18556.9	Min	I	-2261.3	-737.9	-2518.1	-965.2	-
3487.2	-18707.9		J	-2256.4	-737.9	-2380.2	-965.2	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

8906.0	1889.7	INVSLE Max	I	826.0	486.4	-1612.1	5245.3	
			J	826.2	468.4	-1447.2	5239.2	1
1670.7	1771.1	Min	I	-998.7	-473.0	-3746.6	-455.1	-1
1108.9	-1262.0		J	-990.5	-455.0	-3554.6	-355.9	-
8737.1	-1227.2							
879	1	52 C1-C2;~1 Max	I	18.4	64.0	401.8	2682.6	
9725.4	901.1		J	18.8	64.0	430.0	2700.4	1
0667.3	895.1	Min	I	-61.7	-56.4	-1593.1	-1873.6	-
7555.8	-912.1		J	-59.8	-56.4	-1539.3	-1773.7	-
7429.2	-900.0							
		C3-C4;~1 Max	I	19.2	57.6	403.4	3242.8	
9671.4	911.1		J	19.5	57.6	431.6	3232.2	1
0609.7	913.6	Min	I	-62.2	-50.8	-1597.2	-1185.2	-
7769.6	-797.4		J	-60.4	-50.8	-1543.3	-1113.3	-
7634.6	-798.1							
		C1-C2;~2 Max	I	9.7	32.9	222.1	1468.5	
5702.7	442.2		J	10.0	32.9	240.5	1491.5	
6221.9	438.6	Min	I	-34.9	-27.9	-917.2	-1053.1	-
4121.0	-469.1		J	-33.9	-27.9	-888.5	-989.7	-
4031.5	-460.2							
		C3-C4;~2 Max	I	10.2	29.5	222.1	1795.3	
5673.2	453.4		J	10.3	29.5	240.5	1804.0	
6189.6	452.4	Min	I	-35.2	-25.0	-919.4	-614.2	-
4250.5	-407.9		J	-34.3	-25.0	-890.6	-566.2	-
4156.1	-406.0							
		SLVx (RS)	I	1687.3	-535.9	344.5	2272.6	
2536.6	-16587.9		J	1687.3	-535.9	344.5	2272.6	
2460.9	-16729.4							
		SLVy (RS)	I	1532.5	491.2	113.6	880.0	
3034.2	6105.3		J	1532.5	491.2	113.6	880.0	
2955.5	6071.7							
		SLDx (RS)	I	1192.3	-400.3	256.1	1586.8	
1776.3	-11797.5		J	1192.3	-400.3	256.1	1586.8	
1723.9	-11903.9							
		SLDy (RS)	I	977.9	-334.7	75.4	625.3	
1798.0	4344.8		J	977.9	-334.7	75.4	625.3	
1753.4	4333.9							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-599.8	-1773.1	SLVz (RS)	I	-124.6	86.2	270.5	-267.3
			J	-124.6	86.2	270.5	-267.3
-575.6	-1743.5						
		G1	I	-51.8	2.9	-1394.5	1245.7
376.3	208.4		J	-48.2	2.9	-1293.5	1245.7
1727.9	205.5						
		G2	I	-18.9	1.1	-509.2	454.2
136.5	76.1		J	-17.6	1.1	-472.3	454.2
630.0	75.0						
		G1 - Imp~1	I	0.4	0.2	-0.3	1.0
-3.1	-30.7		J	0.4	0.2	-0.3	1.0
-2.8	-30.9						
		G2 - Imp~1	I	0.1	0.1	-0.1	0.2
-1.1	-10.4		J	0.1	0.1	-0.1	0.2
-1.0	-10.5						
		q3	I	326.3	55.3	28.8	20.7
730.6	-504.8		J	323.1	55.3	28.8	20.7
704.6	-560.4						
		q4-1	I	-1.1	2.7	-2.1	13.0
-59.0	194.8		J	-1.1	2.7	-2.1	13.0
-57.0	192.1						
		q4-2	I	-0.4	-3.9	-3.0	10.9
-84.4	-6.2		J	-0.4	-3.9	-3.0	10.9
-81.4	-2.3						
		q4-3	I	1.9	-11.1	-2.9	-23.0
-82.6	-439.2		J	1.9	-11.1	-2.9	-23.0
-79.6	-428.0						
		q4-4	I	-1.5	28.8	-2.1	-55.7
-58.3	578.9		J	-1.5	28.8	-2.1	-55.7
-56.2	549.9						
		q4-5	I	62.1	-14.2	2.1	39.0
53.3	-202.6		J	62.1	-14.2	2.1	39.0
51.3	-188.3						
		q4-6	I	100.8	22.8	5.4	7.6
116.1	-128.4		J	100.8	22.8	5.4	7.6
110.7	-151.3						
		q4-7	I	88.3	15.8	2.7	2.8
103.8	-46.6		J	88.3	15.8	2.7	2.8
101.1	-62.6						
		q5 - p~1	I	-940.2	-442.4	-24.7	-291.7

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-761.7	225.5		J	-937.4	-423.5	-24.8	-298.5	
-737.8	660.9							
2431.7	826.9	q5 - p~2	I	916.5	128.8	88.6	135.5	
2344.8	694.3		J	910.3	134.7	88.8	133.4	
-694.0	202.4	q5 - p~3	I	-891.0	-419.4	-21.6	-339.7	
-672.3	615.2		J	-888.4	-401.5	-21.7	-340.9	
2306.8	770.1	q5 - p~4	I	868.2	122.1	82.8	99.6	
2223.9	644.6		J	862.3	127.6	83.0	99.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
379.2	-620.7	q7	I	146.9	38.7	12.2	-50.8	
366.9	-659.6		J	146.9	38.7	12.2	-50.8	
-11.6	2.2	T	I	0.1	0.5	-0.3	-9.3	
-11.3	1.7		J	0.1	0.5	-0.3	-9.3	
493.9	58.9	M. tor~1	I	206.2	-242.0	19.9	211.1	
473.9	18.6		J	206.2	-242.0	19.9	201.1	
292.0	34.8	M. tor~2	I	121.9	-143.1	11.8	124.8	
280.1	11.0		J	121.9	-143.1	11.8	118.9	
6012.9	2467.9	INVSLU Max	I	1255.7	679.6	-1945.9	6943.6	1
9697.2	2302.0		J	1258.4	652.8	-1721.4	6935.4	1
1999.1	-1732.0	Min	I	-1478.9	-661.4	-4806.5	-502.0	-1
9247.2	-1681.1		J	-1467.0	-634.6	-4547.9	-373.2	-
4483.8	19194.8	INVSLV Max	I	2114.3	713.3	-1444.2	4318.0	
6220.5	19313.1		J	2119.1	713.3	-1306.3	4318.0	
3466.5	-18708.1	Min	I	-2254.6	-704.8	-2363.8	-915.7	-
1512.4	-18834.9		J	-2249.7	-704.8	-2225.9	-915.7	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1700.1	1773.1	INVSLE Max	I	831.1	456.8	-1447.3	5124.6	1
			J	833.4	438.9	-1281.0	5118.1	1
4435.0	1659.0	Min	I	-996.5	-443.4	-3554.5	-353.0	-
8726.9	-1228.0		J	-988.0	-425.5	-3362.9	-257.2	-
6694.2	-1199.1							
880	1	52 C1-C2;~1 Max	I	19.3	63.9	430.0	2592.5	1
0676.1	896.9		J	19.8	63.9	459.6	2610.0	1
1558.9	894.2	Min	I	-60.3	-56.3	-1539.3	-1789.7	-
7440.0	-901.1		J	-58.5	-56.3	-1485.9	-1692.9	-
7319.0	-893.8							
		C3-C4;~1 Max	I	20.0	57.5	431.6	3120.2	1
0628.4	916.5		J	20.3	57.5	461.2	3109.2	1
1507.1	920.9	Min	I	-60.8	-50.7	-1543.3	-1112.9	-
7645.9	-800.2		J	-59.0	-50.7	-1489.9	-1043.6	-
7520.3	-803.2							
		C1-C2;~2 Max	I	10.2	32.8	240.4	1430.2	
6225.7	439.7		J	10.5	32.8	259.5	1452.6	
6713.0	437.4	Min	I	-34.2	-27.8	-888.5	-1011.3	-
4036.7	-460.9		J	-33.2	-27.8	-859.7	-949.6	-
3949.4	-454.4							
		C3-C4;~2 Max	I	10.6	29.5	240.5	1738.6	
6199.6	454.1		J	10.7	29.5	259.6	1746.8	
6684.0	453.9	Min	I	-34.5	-24.9	-890.5	-579.5	-
4161.6	-407.3		J	-33.5	-24.9	-861.7	-533.1	-
4070.9	-406.4							
		SLVx (RS)	I	1686.7	-511.5	330.3	2224.1	
2483.2	-16729.6		J	1686.7	-511.5	330.3	2224.1	
2448.6	-16837.1							
		SLVy (RS)	I	1523.2	475.5	111.6	858.9	
2949.9	6071.9		J	1523.2	475.5	111.6	858.9	
2871.1	6065.9							
		SLDx (RS)	I	1192.2	-383.0	245.4	1552.9	
1739.2	-11904.1		J	1192.2	-383.0	245.4	1552.9	
1719.5	-11987.0							
		SLDy (RS)	I	972.3	-325.1	73.6	610.9	
1751.0	4334.0		J	972.3	-325.1	73.6	610.9	
1706.6	4339.8							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-576.0	-1743.5	SLVz (RS)	I	-126.4	85.3	261.0	-263.6
			J	-126.4	85.3	261.0	-263.6
-647.2	-1708.2						
		G1	I	-48.4	2.9	-1293.5	1222.6
1743.8	206.2		J	-44.8	2.9	-1192.5	1222.6
2993.8	203.2						
		G2	I	-17.7	1.1	-472.3	445.8
635.8	75.3		J	-16.4	1.1	-435.4	445.8
1092.3	74.2						
		G1- Imp~1	I	0.4	0.2	-0.3	1.0
-2.8	-30.9		J	0.4	0.2	-0.3	1.0
-2.6	-31.1						
		G2- Imp~1	I	0.1	0.1	-0.1	0.2
-1.0	-10.5		J	0.1	0.1	-0.1	0.2
-0.9	-10.6						
		q3	I	323.8	51.1	28.8	11.4
705.1	-560.2		J	320.6	51.1	28.8	11.4
679.2	-611.5						
		q4-1	I	-1.1	2.7	-2.1	13.8
-56.9	192.1		J	-1.1	2.7	-2.1	13.8
-54.8	189.3						
		q4-2	I	-0.4	-3.9	-3.0	11.9
-81.2	-2.3		J	-0.4	-3.9	-3.0	11.9
-78.3	1.6						
		q4-3	I	1.7	-11.2	-2.9	-22.0
-79.7	-428.1		J	1.7	-11.2	-2.9	-22.0
-76.8	-416.8						
		q4-4	I	-1.1	28.8	-2.1	-54.9
-57.1	549.9		J	-1.1	28.8	-2.1	-54.9
-55.0	520.9						
		q4-5	I	61.9	-15.0	2.1	38.3
51.8	-188.3		J	61.9	-15.0	2.1	38.3
49.8	-173.3						
		q4-6	I	101.1	21.5	5.4	6.1
110.9	-151.3		J	101.1	21.5	5.4	6.1
105.5	-172.8						
		q4-7	I	88.5	14.7	2.6	1.5
101.2	-62.5		J	88.5	14.7	2.6	1.5
98.5	-77.3						
		q5 - p~1	I	-942.9	-411.3	-24.5	-288.7

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-742.0	660.9		J	-939.9	-392.4	-24.6	-295.5	
-718.3	1065.0							
2346.0	695.1	q5 - p~2	I	912.0	122.9	88.6	102.8	
2258.9	568.5		J	906.0	128.9	88.8	100.7	
-677.0	615.2	q5 - p~3	I	-893.6	-389.9	-21.4	-332.0	
-655.6	998.3		J	-890.7	-372.0	-21.5	-333.3	
2224.7	645.3	q5 - p~4	I	864.0	116.4	82.9	70.3	
2141.6	525.4		J	858.3	122.1	83.1	69.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
366.5	-659.4	q7	I	147.4	36.8	12.2	-55.7	
354.3	-696.4		J	147.4	36.8	12.2	-55.7	
-11.4	1.7	T	I	0.1	0.5	-0.3	-9.2	
-11.1	1.2		J	0.1	0.5	-0.3	-9.2	
476.4	18.7	M. tor~1	I	203.0	-244.7	20.0	194.9	
456.3	-19.0		J	203.0	-244.7	20.0	184.9	
281.7	11.0	M. tor~2	I	120.0	-144.7	11.8	115.2	
269.8	-11.2		J	120.0	-144.7	11.8	109.3	
9739.7	2306.2	INVSLU Max	I	1266.4	635.3	-1721.6	6732.9	1
3157.0	2593.6		J	1268.8	608.5	-1495.3	6724.1	2
9234.3	-1681.2	Min	I	-1475.3	-617.0	-4547.7	-428.5	-
6682.0	-2080.2		J	-1463.1	-590.2	-4289.6	-303.9	-
6243.5	19314.2	INVSLV Max	I	2116.1	684.0	-1324.0	4230.6	
7882.4	19405.0		J	2121.0	684.0	-1186.1	4230.6	
1491.9	-18834.2	Min	I	-2247.0	-675.5	-2208.2	-891.2	-
282.7	-18933.6		J	-2242.1	-675.5	-2070.3	-891.2	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4466.4	1662.1	INVSLE Max	I	838.8	427.3	-1281.1	4968.7	1
7003.5	1850.3		J	840.9	409.4	-1113.5	4961.7	1
6684.6	-1199.1	Min	I	-993.5	-413.8	-3362.8	-298.7	-
4799.8	-1469.9		J	-984.8	-395.9	-3171.6	-206.1	-
881	1	52 C1-C2;~1 Max	I	20.2	63.9	459.6	2491.2	1
1567.6	896.3		J	20.8	63.9	490.4	2508.3	1
2384.4	896.8	Min	I	-59.0	-56.3	-1485.9	-1714.5	-
7328.7	-895.2		J	-57.1	-56.3	-1433.1	-1620.6	-
7208.3	-890.6							
1525.1	924.2	C3-C4;~1 Max	I	20.8	57.4	461.2	2989.0	1
2337.9	930.3		J	21.2	57.4	492.1	2977.4	1
7530.5	-805.4	Min	I	-59.4	-50.6	-1489.9	-1053.0	-
7405.6	-810.2		J	-57.6	-50.6	-1436.9	-985.9	-
6716.8	438.6	C1-C2;~2 Max	I	10.7	32.8	259.5	1385.1	
7168.8	437.9		J	11.0	32.8	279.2	1407.0	
3954.0	-455.4	Min	I	-33.4	-27.8	-859.7	-974.3	-
3867.0	-450.1		J	-32.4	-27.8	-831.0	-914.4	-
6693.7	455.8	C3-C4;~2 Max	I	11.0	29.4	259.6	1675.9	
7142.9	456.5		J	11.2	29.4	279.4	1683.5	
4075.8	-407.7	Min	I	-33.7	-24.9	-861.7	-552.8	-
3985.4	-407.5		J	-32.7	-24.9	-833.0	-507.9	-
2469.8	-16837.3	SLVx (RS)	I	1685.2	-491.5	314.8	2176.8	
2471.2	-16909.1		J	1685.2	-491.5	314.8	2176.8	
2865.3	6066.0	SLVy (RS)	I	1513.9	459.0	109.7	839.3	
2786.1	6083.5		J	1513.9	459.0	109.7	839.3	
1734.0	-11987.2	SLDx (RS)	I	1191.6	-368.5	233.8	1519.8	
1742.5	-12045.4		J	1191.6	-368.5	233.8	1519.8	
1704.1	4339.8	SLDy (RS)	I	966.6	-314.7	71.8	597.2	
1659.5	4359.5		J	966.6	-314.7	71.8	597.2	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-648.9	-1708.2	SLVz (RS)	I	-128.1	85.5	251.4	-257.2
			J	-128.1	85.5	251.4	-257.2
-780.6	-1667.0						
		G1	I	-44.9	3.0	-1192.5	1183.0
3009.3	204.5		J	-41.3	3.0	-1091.5	1183.0
4157.7	201.5						
		G2	I	-16.4	1.1	-435.4	431.3
1097.9	74.7		J	-15.1	1.1	-398.5	431.3
1517.2	73.6						
		G1- Imp~1	I	0.4	0.2	-0.3	1.1
-2.5	-31.1		J	0.4	0.2	-0.3	1.1
-2.3	-31.3						
		G2- Imp~1	I	0.1	0.1	-0.1	0.3
-0.9	-10.6		J	0.1	0.1	-0.1	0.3
-0.8	-10.6						
		q3	I	321.2	46.9	28.7	2.5
679.6	-611.3		J	318.0	46.9	28.7	2.5
653.8	-658.5						
		q4-1	I	-1.0	2.7	-2.1	14.5
-54.7	189.3		J	-1.0	2.7	-2.1	14.5
-52.6	186.6						
		q4-2	I	-0.5	-3.9	-3.0	13.0
-78.1	1.6		J	-0.5	-3.9	-3.0	13.0
-75.1	5.5						
		q4-3	I	1.6	-11.2	-2.9	-21.1
-76.9	-416.9		J	1.6	-11.2	-2.9	-21.1
-73.9	-405.6						
		q4-4	I	-0.8	28.8	-2.1	-54.1
-56.0	520.9		J	-0.8	28.8	-2.1	-54.1
-53.8	491.9						
		q4-5	I	61.7	-15.8	2.1	37.6
50.3	-173.3		J	61.7	-15.8	2.1	37.6
48.2	-157.4						
		q4-6	I	101.4	20.1	5.3	4.7
105.6	-172.8		J	101.4	20.1	5.3	4.7
100.2	-193.1						
		q4-7	I	88.7	13.5	2.6	0.2
98.6	-77.3		J	88.7	13.5	2.6	0.2
96.0	-90.9						
		q5 - p~1	I	-944.9	-380.1	-24.3	-286.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-722.6	1065.0		J	-941.6	-361.3	-24.4	-292.8	
-699.3	1437.7							
2259.8	569.3	q5 - p~2	I	907.7	117.1	88.7	71.2	
2172.6	448.4		J	902.0	123.3	88.9	69.0	
-660.4	998.3	q5 - p~3	I	-895.5	-360.4	-21.3	-324.6	
-639.1	1351.8		J	-892.4	-342.5	-21.4	-325.8	
2142.1	526.1	q5 - p~4	I	859.9	110.9	82.9	42.0	
2059.0	411.6		J	854.5	116.8	83.1	41.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
353.8	-696.3	q7	I	147.8	34.8	12.1	-60.4	
341.6	-731.3		J	147.8	34.8	12.1	-60.4	
-11.2	1.2	T	I	0.1	0.5	-0.3	-9.0	
-10.9	0.7		J	0.1	0.5	-0.3	-9.0	
458.7	-18.9	M. tor~1	I	199.8	-247.3	20.1	178.9	
438.5	-53.8		J	199.8	-247.3	20.1	168.9	
271.2	-11.1	M. tor~2	I	118.1	-146.2	11.9	105.8	
259.2	-31.8		J	118.1	-146.2	11.9	99.8	
3198.3	2598.5	INVSLU Max	I	1276.2	591.0	-1495.5	6480.2	2
6339.0	2959.1		J	1278.4	564.2	-1267.4	6470.6	2
6668.0	-2078.8	Min	I	-1470.7	-572.6	-4289.4	-397.3	-
4303.7	-2476.3		J	-1458.1	-545.9	-4031.9	-276.7	-
7904.7	19407.0	INVSLV Max	I	2117.1	659.2	-1205.1	4121.4	
9433.5	19467.4		J	2122.0	659.2	-1067.2	4121.4	
302.8	-18932.1	Min	I	-2238.5	-650.5	-2051.3	-890.1	
1910.2	-19001.2		J	-2233.6	-650.5	-1913.5	-890.1	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

7034.0	1853.9	INVSLE Max	I	845.8	397.8	-1113.6	4781.7	1
			J	847.8	379.9	-944.7	4774.2	1
9366.3	2044.6	Min	I	-989.9	-384.2	-3171.4	-275.8	-
4789.3	-1468.9		J	-981.0	-366.3	-2980.7	-186.0	-
3043.9	-1738.5							
882	1	52 C1-C2;~1 Max	I	21.2	63.8	490.4	2379.2	1
2392.6	898.8		J	21.8	63.8	522.6	2396.1	1
3141.3	905.0	Min	I	-57.6	-56.2	-1433.0	-1647.3	-
7216.7	-892.1		J	-55.8	-56.2	-1380.7	-1556.1	-
7096.4	-889.7							
		C3-C4;~1 Max	I	21.7	57.3	492.1	2851.5	1
2354.9	934.0		J	22.2	57.3	524.3	2840.0	1
3099.9	941.5	Min	I	-58.0	-50.5	-1436.9	-1000.5	-
7414.5	-812.5		J	-56.2	-50.5	-1384.4	-935.6	-
7289.6	-818.5							
		C1-C2;~2 Max	I	11.2	32.7	279.2	1333.5	
7172.4	438.9		J	11.5	32.7	299.6	1355.0	
7587.7	441.7	Min	I	-32.7	-27.8	-831.0	-941.8	-
3870.9	-451.0		J	-31.7	-27.8	-802.4	-883.5	-
3783.9	-446.7							
		C3-C4;~2 Max	I	11.4	29.3	279.3	1608.6	
7152.1	458.6		J	11.7	29.3	299.8	1615.9	
7564.9	460.0	Min	I	-32.9	-24.8	-832.9	-530.4	-
3989.6	-408.8		J	-32.0	-24.8	-804.3	-486.8	-
3899.2	-409.1							
		SLVx (RS)	I	1682.8	-476.5	298.2	2130.6	
2491.1	-16909.4		J	1682.8	-476.5	298.2	2130.6	
2521.4	-16944.4							
		SLVy (RS)	I	1504.5	441.8	108.0	821.2	
2780.0	6083.6		J	1504.5	441.8	108.0	821.2	
2700.1	6119.9							
		SLDx (RS)	I	1190.3	-357.2	221.3	1487.5	
1756.1	-12045.6		J	1190.3	-357.2	221.3	1487.5	
1787.0	-12078.2							
		SLDy (RS)	I	960.8	-303.7	70.1	584.3	
1656.8	4359.5		J	960.8	-303.7	70.1	584.3	
1611.9	4390.3							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-783.0	-1667.0	SLVz (RS)	I	-129.6	87.1	241.6	-248.5
			J	-129.6	87.1	241.6	-248.5
-942.5	-1619.6						
		G1	I	-41.4	3.0	-1091.5	1128.2
4172.6	203.3		J	-37.8	3.0	-990.4	1128.2
5219.4	200.3						
		G2	I	-15.1	1.1	-398.5	411.4
1522.7	74.2		J	-13.8	1.1	-361.6	411.4
1904.9	73.1						
		G1- Imp~1	I	0.4	0.2	-0.3	1.1
-2.2	-31.3		J	0.4	0.2	-0.3	1.1
-2.0	-31.6						
		G2- Imp~1	I	0.1	0.1	-0.1	0.3
-0.8	-10.6		J	0.1	0.1	-0.1	0.3
-0.8	-10.7						
		q3	I	318.6	42.7	28.7	-6.1
654.1	-658.3		J	315.4	42.7	28.7	-6.1
628.3	-701.2						
		q4-1	I	-1.0	2.7	-2.1	15.2
-52.5	186.6		J	-1.0	2.7	-2.1	15.2
-50.4	183.8						
		q4-2	I	-0.5	-3.9	-3.0	13.9
-74.9	5.5		J	-0.5	-3.9	-3.0	13.9
-72.0	9.4						
		q4-3	I	1.4	-11.2	-2.9	-20.2
-74.0	-405.6		J	1.4	-11.2	-2.9	-20.2
-71.1	-394.4						
		q4-4	I	-0.4	28.8	-2.1	-53.4
-54.8	491.9		J	-0.4	28.8	-2.1	-53.4
-52.6	462.9						
		q4-5	I	61.4	-16.6	2.1	37.0
48.8	-157.4		J	61.4	-16.6	2.1	37.0
46.7	-140.7						
		q4-6	I	101.7	18.8	5.3	3.4
100.4	-193.1		J	101.7	18.8	5.3	3.4
95.0	-212.0						
		q4-7	I	88.8	12.4	2.6	-1.1
96.0	-90.8		J	88.8	12.4	2.6	-1.1
93.4	-103.3						
		q5 - p~1	I	-946.3	-348.9	-24.2	-283.5

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-703.7	1437.7		J	-942.8	-330.2	-24.3	-290.2	
-680.6	1779.2							
2173.1	449.1	q5 - p~2	I	903.6	111.5	88.7	40.7	
2085.7	333.8		J	898.2	117.8	88.9	38.4	
-644.0	1351.8	q5 - p~3	I	-896.8	-330.9	-21.1	-317.3	
-622.9	1675.5		J	-893.4	-313.1	-21.3	-318.6	
2059.2	412.3	q5 - p~4	I	856.0	105.6	83.0	14.7	
1976.1	303.0		J	850.9	111.6	83.1	14.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
341.1	-731.2	q7	I	148.3	32.9	12.1	-64.9	
329.0	-764.3		J	148.3	32.9	12.1	-64.9	
-11.1	0.7	T	I	0.1	0.5	-0.3	-8.9	
-10.8	0.2		J	0.1	0.5	-0.3	-8.9	
440.7	-53.7	M. tor~1	I	196.5	-249.9	20.2	163.1	
420.4	-86.1		J	196.5	-249.9	20.2	153.0	
260.5	-31.8	M. tor~2	I	116.2	-147.7	11.9	96.4	
248.5	-50.9		J	116.2	-147.7	11.9	90.5	
6378.3	2965.3	INVSLU Max	I	1285.2	546.7	-1267.6	6191.3	2
9239.8	3446.6		J	1287.2	520.0	-1037.8	6181.9	2
4288.8	-2473.9	Min	I	-1465.2	-528.2	-4031.7	-405.1	-
2111.8	-2838.9		J	-1452.2	-501.6	-3774.9	-288.1	-
9454.5	19470.2	INVSLV Max	I	2117.2	639.5	-1087.3	3992.5	
0860.9	19497.5		J	2122.1	639.5	-949.4	3992.5	1
1930.0	-18999.0	Min	I	-2229.0	-630.8	-1893.3	-910.6	
3382.3	-19035.1		J	-2224.0	-630.8	-1755.5	-910.6	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9395.3	2049.2	INVSLE	Max	I	852.3	368.2	-944.8	4567.9	1
				J	854.2	350.4	-774.6	4560.4	2
1520.8	2366.9		Min	I	-985.7	-354.6	-2980.6	-281.8	-
3032.7	-1736.7			J	-976.4	-336.8	-2790.3	-194.7	-
1425.9	-1984.3								
883	1	52 C1-C2;~1	Max	I	22.3	63.7	522.6	2258.6	1
3148.9	906.7			J	23.0	63.7	556.0	2275.1	1
3828.1	915.1		Min	I	-56.3	-56.1	-1380.7	-1587.7	-
7103.7	-891.2			J	-54.5	-56.1	-1328.9	-1498.9	-
6983.3	-890.7								
		C3-C4;~1	Max	I	22.7	57.2	524.3	2706.9	1
3115.7	945.6			J	23.3	57.2	557.8	2696.6	1
3791.3	957.3		Min	I	-56.6	-50.4	-1384.4	-954.9	-
7297.3	-820.8			J	-54.8	-50.4	-1332.5	-892.2	-
7172.5	-827.9								
		C1-C2;~2	Max	I	11.8	32.7	299.6	1276.5	
7591.1	442.5			J	12.2	32.7	320.6	1297.5	
7968.8	446.3		Min	I	-32.0	-27.7	-802.4	-913.6	-
3787.2	-447.6			J	-31.0	-27.7	-773.9	-856.7	-
3700.2	-444.0								
		C3-C4;~2	Max	I	11.9	29.3	299.8	1536.3	
7573.5	462.3			J	12.3	29.3	320.9	1543.8	
7948.7	466.6		Min	I	-32.2	-24.7	-804.2	-511.9	-
3902.8	-410.4			J	-31.2	-24.7	-775.7	-469.7	-
3812.4	-411.2								
		SLVx (RS)		I	1679.7	-467.0	280.5	2085.7	
2539.8	-16944.7			J	1679.7	-467.0	280.5	2085.7	
2591.2	-16942.0								
		SLVy (RS)		I	1495.0	-424.1	106.6	804.8	
2693.8	6119.9			J	1495.0	-424.1	106.6	804.8	
2612.8	6170.5								
		SLDx (RS)		I	1188.5	-349.5	208.0	1456.0	
1799.5	-12078.5			J	1188.5	-349.5	208.0	1456.0	
1846.4	-12084.7								
		SLDy (RS)		I	955.1	-292.2	-68.8	572.2	
1609.1	4390.3			J	955.1	-292.2	-68.8	572.2	
1563.4	4429.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-945.2	-1619.6	SLVz (RS)	I	-130.8	90.0	231.3	-237.5	
			J	-130.8	90.0	231.3	-237.5	-
1113.8	-1566.1							
		G1	I	-37.8	3.0	-990.4	1059.6	
5233.6	202.7		J	-34.2	3.0	-889.4	1059.6	
6178.8	199.6							
		G2	I	-13.8	1.1	-361.6	386.3	
1910.0	74.0		J	-12.5	1.1	-324.8	386.3	
2255.2	72.8							
		G1- Imp~1	I	0.5	0.2	-0.3	1.1	
-2.0	-31.6		J	0.5	0.2	-0.3	1.1	
-1.7	-31.8							
		G2- Imp~1	I	0.1	0.1	-0.1	0.3	
-0.7	-10.7		J	0.1	0.1	-0.1	0.3	
-0.7	-10.7							
		q3	I	315.9	38.6	28.6	-14.4	
628.5	-701.1		J	312.7	38.6	28.6	-14.4	
602.8	-739.9							
		q4-1	I	-1.0	2.7	-2.1	15.9	
-50.3	183.8		J	-1.0	2.7	-2.1	15.9	
-48.2	181.0							
		q4-2	I	-0.6	-3.9	-3.0	14.9	
-71.8	9.4		J	-0.6	-3.9	-3.0	14.9	
-68.8	13.3							
		q4-3	I	1.3	-11.2	-2.9	-19.3	
-71.1	-394.4		J	1.3	-11.2	-2.9	-19.3	
-68.2	-383.1							
		q4-4	I	-0.0	28.8	-2.2	-52.6	
-53.5	462.9		J	-0.0	28.8	-2.2	-52.6	
-51.3	433.9							
		q4-5	I	61.2	-17.4	2.1	36.4	
47.3	-140.7		J	61.2	-17.4	2.1	36.4	
45.2	-123.2							
		q4-6	I	101.9	17.5	5.3	2.1	
95.2	-212.0		J	101.9	17.5	5.3	2.1	
89.8	-229.6							
		q4-7	I	89.0	11.2	2.6	-2.3	
93.4	-103.2		J	89.0	11.2	2.6	-2.3	
90.8	-114.5							
		q5 - p~1	I	-947.0	-317.8	-24.1	-281.1	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-685.2	1779.2		J	-943.2	-299.1	-24.2	-287.9	
-662.3	2089.4							
2085.9	334.5	q5 - p~2	I	899.7	106.1	88.8	11.2	
1998.4	224.5		J	894.6	112.6	88.9	8.9	
-627.8	1675.6	q5 - p~3	I	-897.4	-301.4	-21.0	-310.2	
-606.8	1969.7		J	-893.9	-283.6	-21.2	-311.5	
1975.9	303.6	q5 - p~4	I	852.3	100.5	83.0	-11.5	
1892.7	199.5		J	847.5	106.7	83.2	-11.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
328.4	-764.2	q7	I	148.7	31.0	12.1	-69.3	
316.3	-795.3		J	148.7	31.0	12.1	-69.3	
-10.9	0.2	T	I	0.1	0.5	-0.3	-8.8	
-10.6	-0.3		J	0.1	0.5	-0.3	-8.8	
422.4	-86.0	M. tor~1	I	193.3	-252.4	20.3	147.5	
402.0	-115.9		J	193.3	-252.4	20.3	137.4	
249.7	-50.9	M. tor~2	I	114.3	-149.2	12.0	87.2	
237.7	-68.5		J	114.3	-149.2	12.0	81.2	
9276.4	3454.0	INVSLU Max	I	1293.4	502.4	-1037.9	5867.6	2
1856.8	3895.2		J	1295.2	475.8	-806.4	5859.6	3
2096.2	-2835.6	Min	I	-1458.6	-483.9	-3774.8	-448.8	-
-106.3	-3243.8		J	-1445.3	-457.3	-3518.7	-335.1	
0880.1	19501.0	INVSLV Max	I	2116.3	625.6	-970.6	3845.7	1
2155.9	19493.0		J	2121.2	625.6	-832.7	3845.7	1
3401.7	-19032.2	Min	I	-2218.4	-616.8	-1734.3	-951.1	
4707.4	-19033.0		J	-2213.5	-616.8	-1596.4	-951.1	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1547.9	2372.4	INVSLE	Max	I	858.4	338.7	-774.7	4328.2	2
				J	860.1	321.0	-603.2	4321.8	2
3465.1	2666.5		Min	I	-980.8	-325.0	-2790.2	-314.3	-
1414.4	-1981.9			J	-971.3	-307.3	-2600.6	-229.6	
53.8	-2207.8								
884	1	52 C1-C2;~1	Max	I	23.4	63.5	556.0	2131.9	1
3834.9	917.1			J	24.5	63.5	590.6	2148.3	1
4443.4	927.1		Min	I	-55.0	-56.0	-1328.9	-1535.9	-
6989.4	-892.3			J	-53.1	-56.0	-1277.8	-1449.4	-
6869.1	-893.4								
		C3-C4;~1	Max	I	23.7	57.1	557.7	2556.6	1
3805.8	961.7			J	24.6	57.1	592.5	2547.5	1
4410.8	978.7		Min	I	-55.2	-50.2	-1332.5	-916.4	-
7178.9	-830.2			J	-53.4	-50.2	-1281.2	-855.7	-
7054.1	-838.1								
		C1-C2;~2	Max	I	12.3	32.6	320.6	1215.3	
7971.7	447.2			J	13.0	32.6	342.2	1236.0	
8310.9	451.6		Min	I	-31.2	-27.7	-773.9	-889.5	-
3702.9	-445.0			J	-30.2	-27.7	-745.6	-834.0	-
3615.8	-442.1								
		C3-C4;~2	Max	I	12.5	29.2	320.9	1459.7	
7956.6	469.0			J	13.0	29.2	342.6	1467.3	
8293.3	477.0		Min	I	-31.4	-24.7	-775.7	-497.4	-
3815.3	-412.5			J	-30.4	-24.7	-747.2	-456.4	-
3724.9	-413.5								
		SLVx (RS)		I	1675.6	-463.4	262.0	2042.2	
2608.0	-16942.4			J	1675.6	-463.4	262.0	2042.2	
2672.7	-16901.3								
		SLVy (RS)		I	1485.4	-405.9	105.8	790.1	
2606.2	6170.4			J	1485.4	-405.9	105.8	790.1	
2523.8	6230.4								
		SLDx (RS)		I	1186.1	-345.8	194.1	1425.6	
1857.8	-12085.0			J	1186.1	-345.8	194.1	1425.6	
1914.4	-12064.4								
		SLDy (RS)		I	949.4	-280.3	-67.9	561.1	
1560.4	4429.1			J	949.4	-280.3	-67.9	561.1	
1513.8	4472.9								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1116.6	-1566.0	SLVz (RS)	I	-131.5	94.1	219.7	-224.5	-
			J	-131.5	94.1	219.7	-224.5	-
1284.5	-1506.6							
		G1	I	-34.3	3.1	-889.4	978.5	
6192.0	202.4		J	-30.7	3.1	-788.4	978.5	
7035.6	199.4							
		G2	I	-12.5	1.1	-324.8	356.7	
2260.0	73.9		J	-11.2	1.1	-287.9	356.7	
2568.0	72.7							
		G1- Imp~1	I	0.5	0.2	-0.3	1.1	
-1.7	-31.8		J	0.5	0.2	-0.3	1.1	
-1.4	-32.0							
		G2- Imp~1	I	0.1	0.0	-0.1	0.3	
-0.6	-10.7		J	0.1	0.0	-0.1	0.3	
-0.6	-10.8							
		q3	I	313.2	34.5	28.6	-22.3	
602.9	-739.7		J	309.9	34.5	28.6	-22.3	
577.2	-774.4							
		q4-1	I	-0.9	2.8	-2.1	16.5	
-48.1	181.0		J	-0.9	2.8	-2.1	16.5	
-46.0	178.2							
		q4-2	I	-0.6	-3.9	-3.0	15.8	
-68.6	13.3		J	-0.6	-3.9	-3.0	15.8	
-65.6	17.2							
		q4-3	I	1.1	-11.3	-2.9	-18.4	
-68.3	-383.1		J	1.1	-11.3	-2.9	-18.4	
-65.3	-371.8							
		q4-4	I	0.4	28.8	-2.2	-51.9	
-52.2	433.9		J	0.4	28.8	-2.2	-51.9	
-50.0	404.9							
		q4-5	I	61.0	-18.2	2.1	35.8	
45.7	-123.2		J	61.0	-18.2	2.1	35.8	
43.6	-104.9							
		q4-6	I	102.1	16.2	5.3	0.9	
90.0	-229.5		J	102.1	16.2	5.3	0.9	
84.6	-245.8							
		q4-7	I	89.1	10.0	2.6	-3.5	
90.8	-114.5		J	89.1	10.0	2.6	-3.5	
88.2	-124.6							
		q5 - p~1	I	-947.1	-286.8	-24.0	-279.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-666.9	2089.5		J	-943.0	-268.1	-24.1	-285.7	
-644.2	2368.4							
1998.2	225.1	q5 - p~2	I	896.0	100.9	88.8	-17.2	
1910.5	120.3		J	891.3	107.5	89.0	-19.5	
-611.8	1969.8	q5 - p~3	I	-897.5	-271.9	-20.9	-303.3	
-590.9	2234.3		J	-893.7	-254.2	-21.1	-304.6	
1892.3	200.1	q5 - p~4	I	848.8	95.6	83.1	-36.6	
1809.0	100.8		J	844.3	101.9	83.2	-37.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
315.7	-795.2	q7	I	149.1	29.0	12.1	-73.5	
303.6	-824.4		J	149.1	29.0	12.1	-73.5	
-10.7	-0.3	T	I	0.1	0.5	-0.3	-8.6	
-10.4	-0.8		J	0.1	0.5	-0.3	-8.6	
403.8	-115.8	M. tor~1	I	189.9	-254.9	20.4	132.1	
383.3	-143.1		J	189.9	-254.9	20.4	122.0	
238.7	-68.5	M. tor~2	I	112.3	-150.7	12.1	78.1	
226.6	-84.6		J	112.3	-150.7	12.1	72.1	
1890.1	3903.7	INVSLU Max	I	1300.8	458.2	-806.5	5513.1	3
4187.8	4305.7		J	1302.5	431.7	-573.3	5506.9	3
-90.6	-3240.0	Min	I	-1451.1	-439.6	-3518.6	-526.4	
1712.3	-3639.3		J	-1437.4	-413.1	-3263.4	-415.6	
2174.5	19497.1	INVSLV Max	I	2114.5	617.8	-854.8	3683.2	1
3416.8	19451.8		J	2119.4	617.8	-717.0	3683.2	1
4724.8	-19029.5	Min	I	-2206.9	-609.0	-1574.2	-1010.0	
5786.5	-18993.0		J	-2202.0	-609.0	-1436.3	-1010.0	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

3489.8	2672.8	INVSLE	Max	I	863.9	309.3	-603.3	4065.7	2
				J	865.5	291.6	-430.6	4060.7	2
5197.6	2941.2		Min	I	-975.2	-295.5	-2600.5	-371.9	
65.4	-2204.8			J	-965.5	-277.8	-2411.4	-289.4	
1395.0	-2447.6								
885	1	52 C1-C2;~1	Max	I	24.8	63.4	590.6	2003.4	1
4449.2	929.4			J	25.9	63.4	626.5	2019.8	1
4985.9	944.3		Min	I	-53.6	-55.9	-1277.8	-1497.5	-
6873.9	-895.2			J	-51.8	-55.9	-1227.3	-1412.9	-
6753.6	-904.6								
		C3-C4;~1	Max	I	24.9	56.9	592.5	2403.6	1
4423.7	983.4			J	26.0	56.9	628.5	2396.1	1
4957.0	1001.4		Min	I	-53.9	-50.1	-1281.2	-903.7	-
7059.3	-840.5			J	-52.1	-50.1	-1230.6	-885.7	-
6934.4	-859.3								
		C1-C2;~2	Max	I	13.1	32.5	342.2	1151.8	
8313.3	452.6			J	13.9	32.5	364.5	1155.7	
8613.1	458.5		Min	I	-30.5	-27.6	-745.5	-871.8	-
3617.9	-443.2			J	-29.5	-27.6	-717.4	-817.4	-
3530.8	-446.2								
		C3-C4;~2	Max	I	13.1	29.1	342.6	1380.2	
8300.4	479.6			J	13.8	29.1	364.9	1388.2	
8597.7	488.2		Min	I	-30.6	-24.6	-747.2	-499.8	-
3727.1	-414.9			J	-29.7	-24.6	-718.9	-459.9	-
3636.7	-423.3								
		SLVx (RS)		I	1670.7	466.0	243.0	2000.1	
2688.1	-16901.7			J	1670.7	466.0	243.0	2000.1	
2758.9	-16822.0								
		SLVy (RS)		I	1475.9	-387.7	105.8	777.3	
2517.0	6230.3			J	1475.9	-387.7	105.8	777.3	
2433.1	6295.3								
		SLDx (RS)		I	1183.1	346.2	179.8	1396.1	
1924.7	-12064.7			J	1183.1	346.2	179.8	1396.1	
1985.4	-12016.9								
		SLDy (RS)		I	943.7	-268.1	-67.6	551.1	
1510.6	4472.9			J	943.7	-268.1	-67.6	551.1	
1462.8	4518.8								


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1287.2	-1506.5	SLVz (RS)	I	-131.9	-99.0	206.2	-209.6	-
			J	-131.9	-99.0	206.2	-209.6	-
1448.4	-1441.7							
		G1	I	-30.7	3.1	-788.4	886.2	
7047.7	202.6		J	-27.1	3.1	-687.4	886.2	
7789.8	199.5							
		G2	I	-11.2	1.1	-287.9	323.0	
2572.4	73.9		J	-9.9	1.1	-251.0	323.0	
2843.3	72.8							
		G1- Imp~1	I	0.5	0.2	-0.3	1.1	
-1.4	-32.0		J	0.5	0.2	-0.3	1.1	
-1.1	-32.1							
		G2- Imp~1	I	0.1	0.0	-0.1	0.3	
-0.6	-10.8		J	0.1	0.0	-0.1	0.3	
-0.5	-10.8							
		q3	I	310.4	30.5	28.5	-29.9	
577.3	-774.3		J	307.2	30.5	28.5	-29.9	
551.7	-804.9							
		q4-1	I	-0.9	2.8	-2.1	17.2	
-45.9	178.2		J	-0.9	2.8	-2.1	17.2	
-43.8	175.4							
		q4-2	I	-0.7	-3.9	-3.0	16.6	
-65.4	17.1		J	-0.7	-3.9	-3.0	16.6	
-62.4	21.0							
		q4-3	I	1.0	-11.3	-2.9	-17.6	
-65.4	-371.8		J	1.0	-11.3	-2.9	-17.6	
-62.5	-360.5							
		q4-4	I	0.7	28.8	-2.2	-51.2	
-50.9	404.9		J	0.7	28.8	-2.2	-51.2	
-48.7	375.9							
		q4-5	I	60.8	-19.0	2.1	35.2	
44.1	-105.0		J	60.8	-19.0	2.1	35.2	
42.0	-85.9							
		q4-6	I	102.3	14.8	5.3	-0.2	
84.8	-245.8		J	102.3	14.8	5.3	-0.2	
79.5	-260.7							
		q4-7	I	89.2	8.9	2.6	-4.7	
88.2	-124.6		J	89.2	8.9	2.6	-4.7	
85.7	-133.5							
		q5 - p~1	I	-946.5	-255.7	-23.9	-277.1	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-649.0	2368.5		J	-942.2	-237.1	-24.1	-283.8	
-626.4	2616.3							
1910.1	120.9	q5 - p~2	I	892.6	95.9	88.8	-44.5	
1822.2	21.1		J	888.2	102.6	89.0	-46.9	
-595.9	2234.4	q5 - p~3	I	-896.9	-242.5	-20.9	-296.6	
-575.1	2469.4		J	-892.9	-224.9	-21.0	-297.9	
1808.3	101.3	q5 - p~4	I	845.6	90.9	83.1	-60.6	
1725.0	6.8		J	841.4	97.2	83.2	-61.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
303.0	-824.3	q7	I	149.5	27.1	12.0	-77.5	
290.9	-851.5		J	149.5	27.1	12.0	-77.5	
-10.5	-0.8	T	I	0.1	0.5	-0.3	-8.5	
-10.2	-1.3		J	0.1	0.5	-0.3	-8.5	
384.9	-143.1	M. tor~1	I	186.6	-257.4	20.5	116.9	
364.3	-167.9		J	186.6	-257.4	20.5	106.8	
227.6	-84.6	M. tor~2	I	110.3	-152.2	12.1	69.1	
215.4	-99.3		J	110.3	-152.2	12.1	63.1	
4217.4	4315.2	INVSLU Max	I	1307.5	414.1	-573.4	5134.8	3
6230.8	4673.7		J	1309.1	387.6	-338.5	5130.7	3
1727.9	-3634.8	Min	I	-1442.6	-395.4	-3263.2	-642.7	
3343.7	-3997.8		J	-1428.6	-369.0	-3008.9	-534.5	
3447.4	19456.6	INVSLV Max	I	2111.7	616.4	-740.0	3506.8	1
4554.8	19372.4		J	2116.7	616.4	-602.1	3506.8	1
5788.8	-18989.0	Min	I	-2194.4	-607.5	-1413.3	-1085.5	
6708.1	-18913.9		J	-2189.4	-607.5	-1275.4	-1085.5	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

5219.6	2948.2	INVSLE	Max	I	868.9	279.8	-430.7	3785.6	2
6716.8	3187.7			J	870.5	262.2	-256.7	3782.2	2
1406.5	-2444.2		Min	I	-969.0	-266.0	-2411.3	-458.2	
2597.6	-2687.1			J	-959.0	-248.4	-2222.9	-377.6	
886	1	52 C1-C2;~1	Max	I	26.3	63.3	626.5	1879.5	1
4990.5	947.5			J	27.4	63.3	663.6	1878.7	1
5454.6	973.0		Min	I	-52.3	-55.7	-1227.3	-1481.8	-
6757.3	-906.2			J	-50.5	-55.7	-1177.6	-1398.9	-
6637.0	-916.9								
4968.3	1006.4	C3-C4;~1	Max	I	26.4	56.8	628.5	2255.8	1
5428.8	1025.3			J	27.5	56.8	665.7	2250.0	1
6938.4	-861.4		Min	I	-52.5	-50.0	-1230.6	-932.5	-
6813.6	-888.2			J	-50.8	-50.0	-1180.7	-925.8	-
8614.9	459.9	C1-C2;~2	Max	I	14.0	32.5	364.5	1080.5	
8874.6	473.8			J	14.7	32.5	387.3	1129.6	
3532.3	-447.0		Min	I	-29.7	-27.6	-717.4	-864.0	-
3445.3	-450.7			J	-28.8	-27.6	-689.4	-810.7	-
8603.9	490.9	C3-C4;~2	Max	I	14.0	29.1	364.9	1301.4	
8861.2	500.1			J	14.7	29.1	387.7	1309.8	
3638.4	-424.3		Min	I	-29.9	-24.5	-718.9	-525.1	-
3547.9	-439.4			J	-28.9	-24.5	-690.9	-501.1	-
2772.9	-16822.5	SLVx (RS)		I	1665.0	474.5	223.8	1959.6	
2843.9	-16704.2			J	1665.0	474.5	223.8	1959.6	
2425.9	6295.2	SLVy (RS)		I	1466.3	-369.5	-106.5	766.3	
2340.3	6361.0			J	1466.3	-369.5	-106.5	766.3	
1994.8	-12017.2	SLDx (RS)		I	1179.6	350.6	165.4	1367.8	
2055.0	-11942.2			J	1179.6	350.6	165.4	1367.8	
1459.5	4518.7	SLDy (RS)		I	938.0	-256.0	-68.0	542.1	
1410.5	4564.0			J	938.0	-256.0	-68.0	542.1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1451.1	-1441.7	SLVz (RS)	I	-131.8	-104.4	190.0	-193.3	-
			J	-131.8	-104.4	190.0	-193.3	-
1600.9	-1372.4							
		G1	I	-27.1	3.1	-687.4	784.1	
7800.5	203.1		J	-23.5	3.1	-586.4	784.1	
8441.1	200.0							
		G2	I	-9.9	1.2	-251.0	285.8	
2847.3	74.1		J	-8.6	1.2	-214.1	285.8	
3081.1	72.9							
		G1- Imp~1	I	0.5	0.2	-0.3	1.2	
-1.1	-32.2		J	0.5	0.2	-0.3	1.2	
-0.8	-32.3							
		G2- Imp~1	I	0.1	0.0	-0.1	0.3	
-0.5	-10.8		J	0.1	0.0	-0.1	0.3	
-0.4	-10.9							
		q3	I	307.5	26.5	28.5	-37.2	
551.6	-804.8		J	304.3	26.5	28.5	-37.2	
526.0	-831.4							
		q4-1	I	-0.9	2.8	-2.1	17.7	
-43.6	175.4		J	-0.9	2.8	-2.1	17.7	
-41.5	172.6							
		q4-2	I	-0.7	-3.9	-3.0	17.5	
-62.2	21.0		J	-0.7	-3.9	-3.0	17.5	
-59.3	24.9							
		q4-3	I	0.9	-11.3	-2.9	-16.8	
-62.5	-360.5		J	0.9	-11.3	-2.9	-16.8	
-59.6	-349.2							
		q4-4	I	1.1	28.8	-2.2	-50.5	
-49.5	375.9		J	1.1	28.8	-2.2	-50.5	
-47.3	347.0							
		q4-5	I	60.5	-19.8	2.1	34.6	
42.5	-85.9		J	60.5	-19.8	2.1	34.6	
40.4	-66.0							
		q4-6	I	102.5	13.5	5.3	-1.3	
79.6	-260.7		J	102.5	13.5	5.3	-1.3	
74.3	-274.3							
		q4-7	I	89.4	7.7	2.5	-5.8	
85.7	-133.5		J	89.4	7.7	2.5	-5.8	
83.1	-141.2							
		q5 - p~1	I	-945.2	-224.8	-23.9	-275.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-631.3	2616.3		J	-940.7	-206.2	-24.0	-282.0	
-608.8	2833.0							
1821.5	21.7	q5 - p~2	I	889.4	91.0	88.9	-70.6	
1733.5	-73.3		J	885.3	97.8	89.0	-73.1	
-580.1	2469.5	q5 - p~3	I	-895.8	-213.2	-20.8	-290.1	
-559.3	2675.1		J	-891.5	-195.6	-21.0	-291.3	
1724.1	7.3	q5 - p~4	I	842.6	86.2	83.1	-83.5	
1640.7	-82.7		J	838.7	92.7	83.3	-84.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
290.3	-851.5	q7	I	149.8	25.1	12.0	-81.4	
278.2	-876.7		J	149.8	25.1	12.0	-81.4	
-10.3	-1.3	T	I	0.2	0.5	-0.3	-8.3	
-10.0	-1.8		J	0.2	0.5	-0.3	-8.3	
365.7	-167.8	M. tor~1	I	183.2	-259.8	20.6	102.0	
345.0	-190.3		J	183.2	-259.8	20.6	91.8	
216.2	-99.2	M. tor~2	I	108.3	-153.6	12.2	60.3	
204.0	-112.5		J	108.3	-153.6	12.2	54.3	
6256.4	4684.1	INVSLU Max	I	1313.5	370.1	-338.7	4745.5	3
7984.3	4999.1		J	1314.8	343.7	-102.2	4743.7	3
3358.8	-3992.5	Min	I	-1433.2	-351.3	-3008.8	-807.9	
4787.6	-4312.3		J	-1418.8	-324.9	-2755.4	-702.1	
4582.2	19377.7	INVSLV Max	I	2108.1	621.2	-626.0	3318.8	1
5547.2	19253.8		J	2113.0	621.2	-488.1	3318.8	1
6710.3	-18909.3	Min	I	-2180.8	-612.2	-1251.6	-1176.1	
7494.7	-18794.5		J	-2175.8	-612.2	-1113.7	-1176.1	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6735.8	3195.4	INVSLE	Max	I	873.5	250.5	-256.8	3497.4	2
				J	874.9	232.9	-81.6	3495.6	2
8021.6	3405.9		Min	I	-962.1	-236.6	-2222.8	-580.7	
2608.8	-2683.1			J	-951.9	-219.0	-2035.2	-501.8	
3661.3	-2897.2								
887	1	52 C1-C2;~1	Max	I	27.8	63.1	663.6	1770.5	1
5458.0	976.4			J	29.0	63.1	701.9	1842.1	1
5848.5	1003.6		Min	I	-51.0	-55.6	-1177.6	-1480.8	-
6639.5	-918.7			J	-49.2	-55.6	-1128.6	-1399.4	-
6519.2	-940.4								
		C3-C4;~1	Max	I	27.9	56.6	665.7	2126.4	1
5438.3	1030.6			J	29.1	56.6	704.1	2122.5	1
5825.3	1050.4		Min	I	-51.2	-49.8	-1180.7	-1020.7	-
6816.4	-890.2			J	-49.5	-49.8	-1131.5	-997.4	-
6691.6	-921.5								
		C1-C2;~2	Max	I	14.8	32.4	387.2	1055.8	
8875.8	475.2			J	15.6	32.4	410.6	1104.4	
9094.9	490.3		Min	I	-29.0	-27.5	-689.4	-862.9	-
3446.1	-451.7			J	-28.0	-27.5	-661.7	-810.4	-
3359.1	-463.5								
		C3-C4;~2	Max	I	14.8	29.0	387.7	1228.5	
8866.5	503.0			J	15.6	29.0	411.2	1237.4	
9083.0	512.8		Min	I	-29.1	-24.4	-690.9	-561.1	-
3549.0	-440.3			J	-28.2	-24.4	-663.0	-549.0	-
3458.5	-458.5								
		SLVx (RS)		I	1658.5	488.8	204.8	1920.7	
2856.5	-16704.6			J	1658.5	488.8	204.8	1920.7	-
2922.7	-16548.0								
		SLVy (RS)		I	1456.7	-351.8	-108.1	757.3	
2332.9	6360.8			J	1456.7	-351.8	-108.1	757.3	
2245.7	6423.6								
		SLDx (RS)		I	1175.5	359.0	151.0	1340.8	
2063.4	-11942.6			J	1175.5	359.0	151.0	1340.8	-
2119.3	-11840.5								
		SLDy (RS)		I	932.5	-244.2	-69.0	534.4	
1407.0	4563.9			J	932.5	-244.2	-69.0	534.4	
1356.7	4606.0								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1603.4	-1372.3	SLVz (RS)	I	-131.3	-109.9	170.6	-176.0	-
			J	-131.3	-109.9	170.6	-176.0	-
1737.9	-1299.6							
		G1	I	-23.5	3.1	-586.4	673.6	
8450.5	203.9		J	-19.8	3.1	-485.4	673.6	
8989.4	200.7							
		G2	I	-8.6	1.2	-214.1	245.4	
3084.5	74.3		J	-7.2	1.2	-177.2	245.4	
3281.3	73.2							
		G1- Imp~1	I	0.5	0.2	-0.3	1.2	
-0.8	-32.3		J	0.5	0.2	-0.3	1.2	
-0.6	-32.5							
		G2- Imp~1	I	0.1	0.0	-0.1	0.3	
-0.4	-10.9		J	0.1	0.0	-0.1	0.3	
-0.3	-10.9							
		q3	I	304.6	22.5	28.4	-44.1	
525.9	-831.3		J	301.4	22.5	28.4	-44.1	
500.3	-853.9							
		q4-1	I	-0.8	2.8	-2.1	18.3	
-41.4	172.6		J	-0.8	2.8	-2.1	18.3	
-39.3	169.8							
		q4-2	I	-0.8	-3.9	-3.0	18.2	
-59.0	24.9		J	-0.8	-3.9	-3.0	18.2	
-56.1	28.8							
		q4-3	I	0.7	-11.3	-2.9	-16.1	
-59.6	-349.2		J	0.7	-11.3	-2.9	-16.1	
-56.7	-337.9							
		q4-4	I	1.5	28.8	-2.2	-49.9	
-48.1	346.9		J	1.5	28.8	-2.2	-49.9	
-45.9	318.0							
		q4-5	I	60.2	-20.6	2.1	34.1	
40.9	-66.0		J	60.2	-20.6	2.1	34.1	
38.8	-45.3							
		q4-6	I	102.7	12.1	5.2	-2.3	
74.4	-274.3		J	102.7	12.1	5.2	-2.3	
69.1	-286.5							
		q4-7	I	89.4	6.5	2.5	-6.9	
83.1	-141.2		J	89.4	6.5	2.5	-6.9	
80.5	-147.8							
		q5 - p~1	I	-943.3	-193.9	-23.9	-273.9	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-613.8	2833.1		J	-938.6	-175.4	-24.0	-280.5	
-591.4	3018.8							
1732.4	-72.8	q5 - p~2	I	886.5	86.3	88.9	-95.7	
1644.3	-163.1		J	882.6	93.2	89.1	-98.2	
-564.4	2675.1	q5 - p~3	I	-894.0	-184.0	-20.8	-283.8	
-543.6	2851.3		J	-889.5	-166.4	-21.0	-285.0	
1639.5	-82.2	q5 - p~4	I	839.8	81.8	83.2	-105.4	
1556.0	-167.7		J	836.2	88.3	83.3	-105.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
277.5	-876.6	q7	I	150.1	23.2	12.0	-85.1	
265.5	-900.0		J	150.1	23.2	12.0	-85.1	
-10.1	-1.8	T	I	0.2	0.5	-0.3	-8.2	
-9.8	-2.3		J	0.2	0.5	-0.3	-8.2	
346.3	-190.2	M. tor~1	I	179.8	-262.2	20.7	87.3	
325.5	-210.3		J	179.8	-262.2	20.7	77.0	
204.7	-112.5	M. tor~2	I	106.3	-155.0	12.2	51.6	
192.4	-124.3		J	106.3	-155.0	12.2	45.5	
8005.4	5010.3	INVSLU Max	I	1318.7	326.1	-102.3	4365.6	3
9446.7	5282.1		J	1319.7	299.8	135.8	4366.4	3
4802.1	-4306.5	Min	I	-1422.8	-307.3	-2755.3	-1008.9	
6043.8	-4593.2		J	-1408.1	-281.0	-2503.0	-905.0	
5571.2	19259.6	INVSLV Max	I	2103.4	631.8	-512.5	3121.2	1
6387.6	19095.4		J	2108.4	631.8	-374.7	3121.2	1
7496.4	-18789.5	Min	I	-2166.3	-622.7	-1089.2	-1280.3	
8152.1	-18634.4		J	-2161.3	-622.7	-951.3	-1280.3	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8037.3	3414.2	INVSLE Max	I	877.5	221.2	-81.7	3216.1	2
			J	878.7	203.6	94.7	3216.2	2
9110.8	3596.0	Min	I	-954.6	-207.2	-2035.1	-729.6	
3671.9	-2892.9		J	-944.2	-189.7	-1848.1	-652.2	
4585.8	-3085.7							
888	1	52 C1-C2;~1 Max	I	29.3	63.0	701.9	1739.5	1
5850.5	1007.1		J	30.6	63.0	741.3	1810.9	1
6166.8	1034.4	Min	I	-49.7	-55.5	-1128.6	-1492.9	-
6520.6	-942.1		J	-48.0	-55.5	-1080.4	-1412.9	-
6400.2	-974.6							
		C3-C4;~1 Max	I	29.4	56.5	704.1	2011.9	1
5833.0	1055.9		J	30.6	56.5	743.6	2010.1	1
6145.6	1076.6	Min	I	-49.9	-49.6	-1131.5	-1114.9	-
6693.2	-923.6		J	-48.2	-49.6	-1083.2	-1094.6	-
6568.4	-955.1							
		C1-C2;~2 Max	I	15.7	32.3	410.6	1032.1	
9095.3	491.8		J	16.5	32.3	434.5	1080.3	
9273.1	506.9	Min	I	-28.2	-27.4	-661.7	-867.4	-
3359.3	-464.3		J	-27.3	-27.4	-634.3	-815.8	-
3272.3	-484.2							
		C3-C4;~2 Max	I	15.7	28.9	411.2	1160.3	
9087.3	515.8		J	16.4	28.9	435.2	1170.0	
9262.6	526.2	Min	I	-28.4	-24.4	-663.0	-627.2	-
3458.9	-459.5		J	-27.4	-24.4	-635.5	-608.8	-
3368.5	-477.9							
		SLVx (RS)	I	1651.1	508.2	186.3	1883.8	-
2934.1	-16548.5		J	1651.1	508.2	186.3	1883.8	-
2991.3	-16354.1							
		SLVy (RS)	I	1447.1	-335.0	-110.1	750.2	
2238.0	6423.4		J	1447.1	-335.0	-110.1	750.2	
2149.2	6479.7							
		SLDx (RS)	I	1170.8	371.1	137.1	1315.1	-
2126.9	-11840.9		J	1170.8	371.1	137.1	1315.1	-
2175.5	-11712.1							
		SLDy (RS)	I	926.9	-232.9	-70.4	527.9	
1353.0	4605.9		J	926.9	-232.9	-70.4	527.9	
1301.6	4642.6							


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1740.1	-1299.5	SLVz (RS)	I	-130.6	-115.1	147.6	-158.2	-
			J	-130.6	-115.1	147.6	-158.2	-
1855.3	-1224.8							
		G1	I	-19.8	3.2	-485.4	555.9	
8997.3	204.9		J	-16.2	3.2	-384.4	555.9	
9434.7	201.7							
		G2	I	-7.2	1.2	-177.2	202.4	
3284.2	74.7		J	-5.9	1.2	-140.3	202.4	
3443.8	73.5							
		G1- Imp~1	I	0.5	0.2	-0.3	1.2	
-0.5	-32.5		J	0.5	0.2	-0.3	1.2	
-0.3	-32.7							
		G2- Imp~1	I	0.1	0.0	-0.1	0.3	
-0.3	-10.9		J	0.1	0.0	-0.1	0.3	
-0.2	-10.9							
		q3	I	301.7	18.6	28.4	-50.7	
500.1	-853.8		J	298.5	18.6	28.4	-50.7	
474.6	-872.5							
		q4-1	I	-0.8	2.8	-2.1	18.8	
-39.1	169.8		J	-0.8	2.8	-2.1	18.8	
-37.0	167.0							
		q4-2	I	-0.8	-3.9	-3.0	19.0	
-55.8	28.7		J	-0.8	-3.9	-3.0	19.0	
-52.9	32.6							
		q4-3	I	0.6	-11.3	-2.9	-15.3	
-56.8	-337.9		J	0.6	-11.3	-2.9	-15.3	
-53.9	-326.5							
		q4-4	I	1.9	28.8	-2.2	-49.3	
-46.7	318.0		J	1.9	28.8	-2.2	-49.3	
-44.5	289.1							
		q4-5	I	60.0	-21.3	2.1	33.6	
39.3	-45.3		J	60.0	-21.3	2.1	33.6	
37.2	-23.9							
		q4-6	I	102.8	10.8	5.2	-3.2	
69.2	-286.5		J	102.8	10.8	5.2	-3.2	
63.9	-297.3							
		q4-7	I	89.5	5.4	2.5	-7.9	
80.5	-147.8		J	89.5	5.4	2.5	-7.9	
77.9	-153.2							
		q5 - p~1	I	-940.8	-163.2	-23.9	-272.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-596.4	3018.9		J	-935.8	-144.7	-24.1	-279.2	
-574.1	3173.7							
1643.0	-162.6	q5 - p~2	I	883.8	81.7	89.0	-119.7	
1554.7	-248.3		J	880.2	88.7	89.1	-122.2	
-548.7	2851.4	q5 - p~3	I	-891.6	-154.8	-20.9	-277.7	
-527.9	2998.3		J	-886.9	-137.3	-21.0	-278.9	
1554.6	-167.3	q5 - p~4	I	837.2	77.4	83.2	-126.2	
1471.1	-248.5		J	833.9	84.1	83.3	-126.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
264.8	-899.9	q7	I	150.4	21.2	12.0	-88.6	
252.7	-921.2		J	150.4	21.2	12.0	-88.6	
-9.9	-2.3	T	I	0.2	0.5	-0.3	-8.1	
-9.6	-2.7		J	0.2	0.5	-0.3	-8.1	
326.5	-210.2	M. tor~1	I	176.4	-264.5	20.8	72.8	
305.6	-228.0		J	176.4	-264.5	20.8	62.5	
193.1	-124.3	M. tor~2	I	104.3	-156.4	12.3	43.0	
180.7	-134.8		J	104.3	-156.4	12.3	37.0	
9462.9	5293.9	INVSLU Max	I	1323.0	282.3	135.7	3993.0	3
0616.7	5522.5		J	1323.7	256.1	375.4	3996.5	4
6057.3	-4586.7	Min	I	-1411.5	-263.4	-2502.9	-1240.8	
7112.0	-4840.3		J	-1396.4	-237.2	-2251.6	-1138.7	
6408.2	19101.5	INVSLV Max	I	2098.0	647.7	-399.4	2916.1	1
7070.8	18897.1		J	2102.9	647.7	-261.5	2916.1	1
8153.2	-18629.1	Min	I	-2150.8	-638.6	-926.6	-1396.5	
8685.4	-18433.8		J	-2145.9	-638.6	-788.7	-1396.5	

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

9122.9	3604.8	INVSLE Max	I	880.9	192.0	94.6	2940.1	2
			J	882.0	174.5	272.2	2942.3	2
9983.5	3757.8	Min	I	-946.5	-178.0	-1848.1	-901.5	
4595.8	-3080.9		J	-935.8	-160.5	-1661.9	-825.4	
5371.1	-3252.5							
889	1	52 C1-C2;~1 Max	I	30.9	62.8	741.3	1705.7	1
6167.4	1038.1		J	32.2	62.8	781.8	1777.5	1
6408.9	1065.4	Min	I	-48.4	-55.3	-1080.4	-1528.9	-
6400.5	-976.5		J	-46.7	-55.3	-1033.1	-1450.4	-
6280.2	-1009.4							
		C3-C4;~1 Max	I	31.0	56.3	743.6	1898.5	1
6151.4	1082.3		J	32.2	56.3	784.3	1899.0	1
6389.2	1104.0	Min	I	-48.6	-49.5	-1083.2	-1219.5	-
6568.9	-957.3		J	-46.9	-49.5	-1035.7	-1202.3	-
6444.0	-989.0							
		C1-C2;~2 Max	I	16.6	32.2	434.5	1006.3	
9272.9	508.4		J	17.3	32.2	458.8	1054.5	
9409.1	523.6	Min	I	-27.5	-27.4	-634.3	-889.3	-
3272.0	-485.0		J	-26.5	-27.4	-607.2	-838.5	-
3184.9	-505.0							
		C3-C4;~2 Max	I	16.6	28.8	435.2	1091.7	
9265.8	529.3		J	17.3	28.8	459.7	1102.0	
9399.4	540.3	Min	I	-27.6	-24.3	-635.5	-691.3	-
3368.4	-478.9		J	-26.7	-24.3	-608.2	-674.2	-
3277.9	-497.4							
		SLVx (RS)	I	1642.9	532.0	169.0	1848.8	-
3001.6	-16354.6		J	1642.9	532.0	169.0	1848.8	-
3046.7	-16123.6							
		SLVy (RS)	I	1437.6	-319.4	-112.4	745.2	
2141.3	6479.5		J	1437.6	-319.4	-112.4	745.2	
2051.3	6526.5							
		SLDx (RS)	I	1165.6	386.4	124.0	1290.8	-
2182.3	-11712.5		J	1165.6	386.4	124.0	1290.8	-
2221.2	-11557.6							
		SLDy (RS)	I	921.5	-222.6	-72.0	522.8	
1297.8	4642.5		J	921.5	-222.6	-72.0	522.8	
1245.5	4671.8							


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1857.1	-1224.7	SLVz (RS)	I	-129.6	-119.7	121.5	-140.7	-
			J	-129.6	-119.7	121.5	-140.7	-
1949.5	-1149.8							
		G1	I	-16.2	3.2	-384.4	432.4	
9441.0	206.2		J	-12.5	3.2	-283.4	432.4	
9776.9	202.9							
		G2	I	-5.9	1.2	-140.3	157.4	
3446.2	75.1		J	-4.6	1.2	-103.5	157.4	
3568.7	73.9							
		G1- Imp~1	I	0.5	0.2	-0.3	1.2	
-0.2	-32.7		J	0.5	0.2	-0.3	1.2	
0.0	-32.9							
		G2- Imp~1	I	0.1	0.0	-0.1	0.3	
-0.2	-10.9		J	0.1	0.0	-0.1	0.3	
-0.1	-11.0							
		q3	I	298.7	14.7	28.4	-56.9	
474.3	-872.4		J	295.5	14.7	28.4	-56.9	
448.8	-887.2							
		q4-1	I	-0.7	2.8	-2.1	19.3	
-36.9	167.0		J	-0.7	2.8	-2.1	19.3	
-34.8	164.1							
		q4-2	I	-0.9	-3.8	-3.0	19.6	
-52.6	32.6		J	-0.9	-3.8	-3.0	19.6	
-49.7	36.5							
		q4-3	I	0.4	-11.3	-2.9	-14.7	
-53.9	-326.5		J	0.4	-11.3	-2.9	-14.7	
-51.0	-315.2							
		q4-4	I	2.2	28.7	-2.2	-48.7	
-45.2	289.0		J	2.2	28.7	-2.2	-48.7	
-43.0	260.2							
		q4-5	I	59.7	-22.1	2.1	33.1	
37.6	-23.9		J	59.7	-22.1	2.1	33.1	
35.5	-1.6							
		q4-6	I	102.9	9.5	5.2	-4.0	
64.0	-297.3		J	102.9	9.5	5.2	-4.0	
58.8	-306.9							
		q4-7	I	89.6	4.2	2.5	-9.0	
77.9	-153.2		J	89.6	4.2	2.5	-9.0	
75.4	-157.4							
		q5 - p~1	I	-937.6	-132.5	-24.0	-271.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-579.2	3173.7		J	-932.4	-114.1	-24.1	-278.1	
-556.9	3297.7							
1553.1	-247.9	q5 - p~2	I	881.3	77.3	89.0	-142.5	
1464.8	-329.1		J	878.1	84.4	89.1	-145.0	
-532.9	2998.4	q5 - p~3	I	-888.6	-125.8	-20.9	-271.8	
-512.2	3116.1		J	-883.6	-108.3	-21.1	-273.0	
1469.4	-248.1	q5 - p~4	I	834.9	73.2	83.2	-145.8	
1385.9	-325.1		J	831.9	80.0	83.3	-146.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
252.0	-921.1	q7	I	150.7	19.3	11.9	-91.9	
240.0	-940.5		J	150.7	19.3	11.9	-91.9	
-9.7	-2.7	T	I	0.2	0.5	-0.3	-8.0	
-9.4	-3.2		J	0.2	0.5	-0.3	-8.0	
306.5	-227.9	M. tor~1	I	172.9	-266.7	20.9	58.5	
285.4	-243.4		J	172.9	-266.7	20.9	48.3	
181.2	-134.7	M. tor~2	I	102.2	-157.7	12.4	34.6	
168.8	-143.9		J	102.2	-157.7	12.4	28.5	
0628.0	5534.9	INVSLU Max	I	1326.4	238.6	375.3	3611.2	4
1493.5	5720.5		J	1326.7	212.5	616.5	3617.8	4
7124.4	-4833.5	Min	I	-1399.2	-219.7	-2251.5	-1515.8	
7992.0	-5043.6		J	-1383.8	-193.6	-2001.4	-1415.9	
7087.9	18903.6	INVSLV Max	I	2091.6	668.3	-286.0	2705.9	1
7592.5	18659.5		J	2096.6	668.3	-148.1	2705.9	1
8685.7	-18428.2	Min	I	-2134.5	-659.1	-764.3	-1523.3	
9098.6	-18193.4		J	-2129.5	-659.1	-626.4	-1523.3	

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9991.9	3767.0	INVSLE Max	I	883.8	162.8	272.1	2657.4	2
0638.9	3891.4		J	884.6	145.4	450.7	2661.9	3
5380.2	-3247.4	Min	I	-937.7	-148.8	-1661.9	-1105.3	
6017.0	-3390.0		J	-926.9	-131.4	-1476.6	-1030.8	
890	1	52 C1-C2;~1 Max	I	32.5	62.6	781.8	1668.0	1
6408.1	1069.2		J	33.8	62.6	823.5	1740.2	1
6574.4	1096.6	Min	I	-47.3	-55.2	-1033.1	-1576.2	-
6279.4	-1011.4		J	-45.5	-55.2	-986.7	-1499.1	-
6159.1	-1044.8							
6393.0	1109.8	C3-C4;~1 Max	I	32.6	56.1	784.3	1783.5	1
6555.5	1132.3		J	33.9	56.1	826.1	1786.4	1
6443.4	-991.3	Min	I	-47.4	-49.3	-1035.7	-1329.3	-
6318.5	-1023.3		J	-45.7	-49.3	-989.1	-1315.1	-
9408.0	525.2	C1-C2;~2 Max	I	17.4	32.1	458.8	978.4	
9502.3	540.3		J	18.2	32.1	483.7	1026.6	
3184.1	-506.0	Min	I	-26.8	-27.3	-607.1	-919.7	-
3097.0	-526.2		J	-25.8	-27.3	-580.3	-869.6	-
9401.6	543.4	C3-C4;~2 Max	I	17.4	28.7	459.7	1021.7	
9493.2	555.1		J	18.1	28.7	484.6	1032.9	
3277.2	-498.5	Min	I	-26.9	-24.2	-608.2	-758.4	-
3186.8	-517.0		J	-26.0	-24.2	-581.3	-742.6	-
3055.9	-16124.1	SLVx (RS)	I	1633.9	559.5	153.5	1816.0	-
3086.4	-15857.6		J	1633.9	559.5	153.5	1816.0	-
2043.1	6526.3	SLVy (RS)	I	1428.2	-305.7	114.6	742.0	
1952.2	6561.4		J	1428.2	-305.7	114.6	742.0	
2227.3	-11558.0	SLDx (RS)	I	1159.8	404.4	112.2	1268.1	-
2254.7	-11377.8		J	1159.8	404.4	112.2	1268.1	-
1241.5	4671.7	SLDy (RS)	I	916.1	-213.5	-73.6	519.0	
1188.5	4692.0		J	916.1	-213.5	-73.6	519.0	


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1950.9	-1149.8	SLVz (RS)	I	-128.3	-123.5	-93.5	-124.6	-
			J	-128.3	-123.5	-93.5	-124.6	-
2017.3	-1076.6							
		G1	I	-12.5	3.2	-283.4	304.5	
9781.6	207.5		J	-8.8	3.2	-182.4	304.5	1
0015.8	204.3							
		G2	I	-4.6	1.2	-103.5	110.7	
3570.5	75.6		J	-3.2	1.2	-66.6	110.7	
3655.9	74.4							
		G1- Imp~1	I	0.5	0.2	-0.3	1.2	
0.0	-32.9		J	0.5	0.2	-0.3	1.2	
0.3	-33.0							
		G2- Imp~1	I	0.1	0.0	-0.1	0.3	
-0.1	-11.0		J	0.1	0.0	-0.1	0.3	
0.0	-11.0							
		q3	I	295.6	10.9	28.4	-62.8	
448.4	-887.1		J	292.4	10.9	28.4	-62.8	
423.0	-898.0							
		q4-1	I	-0.7	2.8	-2.1	19.8	
-34.6	164.1		J	-0.7	2.8	-2.1	19.8	
-32.5	161.3							
		q4-2	I	-0.9	-3.8	-3.0	20.3	
-49.4	36.4		J	-0.9	-3.8	-3.0	20.3	
-46.4	40.3							
		q4-3	I	0.3	-11.3	-2.9	-14.0	
-51.0	-315.2		J	0.3	-11.3	-2.9	-14.0	
-48.1	-303.8							
		q4-4	I	2.6	28.7	-2.3	-48.1	
-43.7	260.1		J	2.6	28.7	-2.3	-48.1	
-41.5	231.3							
		q4-5	I	59.4	-22.9	2.1	32.6	
35.9	-1.6		J	59.4	-22.9	2.1	32.6	
33.8	21.4							
		q4-6	I	103.1	8.1	5.2	-4.8	
58.9	-306.9		J	103.1	8.1	5.2	-4.8	
53.6	-315.0							
		q4-7	I	89.6	3.0	2.5	-10.0	
75.3	-157.4		J	89.6	3.0	2.5	-10.0	
72.8	-160.4							
		q5 - p~1	I	-933.8	-101.9	-24.0	-270.6	

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-562.0	3297.8		J	-928.4	-83.6	-24.2	-277.2	
-539.7	3391.1							
1462.9	-328.7	q5 - p~2	I	879.1	72.9	89.0	-164.2	
1374.4	-405.7		J	876.2	80.1	89.1	-166.7	
-517.2	3116.1	q5 - p~3	I	-885.0	-96.8	-21.0	-266.1	
-496.3	3204.8		J	-879.8	-79.5	-21.2	-267.4	
1384.0	-324.7	q5 - p~4	I	832.8	69.1	83.3	-164.4	
1300.4	-397.7		J	830.1	75.9	83.4	-164.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
239.2	-940.4	q7	I	150.9	17.3	11.9	-95.1	
227.2	-957.8		J	150.9	17.3	11.9	-95.1	
-9.5	-3.2	T	I	0.2	0.5	-0.3	-7.8	
-9.2	-3.7		J	0.2	0.5	-0.3	-7.8	
286.2	-243.3	M. tor~1	I	169.4	-269.0	21.1	44.5	
265.0	-256.5		J	169.4	-269.0	21.1	34.2	
169.2	-143.8	M. tor~2	I	100.2	-159.0	12.4	26.3	
156.7	-151.7		J	100.2	-159.0	12.4	20.2	
1499.5	5733.3	INVSLU Max	I	1329.0	195.1	616.4	3219.5	4
2076.3	5876.0		J	1329.0	169.1	859.1	3229.4	4
8003.2	-5036.5	Min	I	-1386.0	-176.1	-2001.3	-1814.4	
8683.7	-5203.3		J	-1370.3	-150.1	-1752.4	-1716.3	
7606.1	18666.2	INVSLV Max	I	2084.4	692.9	-171.3	2492.7	1
7949.3	18383.7		J	2089.4	692.9	-33.5	2492.7	1
9097.9	-18187.5	Min	I	-2117.2	-683.7	-603.1	-1659.2	
9394.8	-17914.3		J	-2112.2	-683.7	-465.3	-1659.2	

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0643.5	3900.8	INVSLE	Max	I	886.1	133.8	450.7	2367.3	3
				J	886.7	117.7	630.4	2374.2	3
1076.6	3996.7		Min	I	-928.4	-119.7	-1476.5	-1326.5	
6025.2	-3384.7			J	-917.3	-102.4	-1292.1	-1253.3	
6523.4	-3498.4								
891	1	52 C1-C2;~1	Max	I	34.1	62.4	823.4	1626.8	1
6572.0	1100.6			J	35.5	62.4	866.2	1699.7	1
6662.9	1128.0		Min	I	-46.1	-55.0	-986.7	-1625.1	-
6157.2	-1046.9			J	-44.4	-55.0	-941.2	-1549.2	-
6036.8	-1080.6								
		C3-C4;~1	Max	I	34.2	56.0	826.1	1667.9	1
6557.2	1138.2			J	35.5	56.0	869.0	1673.3	1
6645.0	1161.6		Min	I	-46.1	-49.1	-989.1	-1443.1	-
6316.8	-1025.7			J	-44.5	-49.1	-943.4	-1431.7	-
6192.0	-1057.8								
		C1-C2;~2	Max	I	18.4	32.0	483.7	948.8	
9500.4	542.0			J	19.2	32.0	509.0	997.1	
9552.5	557.1		Min	I	-26.0	-27.2	-580.3	-951.8	-
3095.7	-527.2			J	-25.1	-27.2	-553.9	-902.1	-
3008.6	-547.5								
		C3-C4;~2	Max	I	18.3	28.6	484.6	951.0	
9494.2	558.2			J	19.1	28.6	510.1	963.2	
9544.3	570.3		Min	I	-26.2	-24.1	-581.3	-827.9	-
3185.5	-518.2			J	-25.2	-24.1	-554.7	-813.3	-
3095.0	-536.0								
		SLVx (RS)		I	1624.1	590.1	140.5	1785.4	-
3094.7	-15858.1			J	1624.1	590.1	140.5	1785.4	-
3108.6	-15558.0								
		SLVy (RS)		I	1418.8	-294.4	116.5	740.8	
1943.8	6561.2			J	1418.8	-294.4	116.5	740.8	
1852.3	6582.3								
		SLDx (RS)		I	1153.5	424.7	102.3	1247.0	-
2260.1	-11378.2			J	1153.5	424.7	102.3	1247.0	-
2274.7	-11174.0								
		SLDy (RS)		I	910.8	-206.2	75.0	516.5	
1184.4	4691.9			J	910.8	-206.2	75.0	516.5	
1131.1	4701.6								


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2018.1	-1076.6	SLVz (RS)	I	-126.8	-126.3	-66.9	-111.3	-
			J	-126.8	-126.3	-66.9	-111.3	-
2056.1	-1007.3							
		G1	I	-8.8	3.3	-182.4	173.6	1
0018.8	209.0		J	-5.1	3.3	-81.4	173.6	1
0151.5	205.7							
		G2	I	-3.2	1.2	-66.6	62.9	
3657.0	76.2		J	-1.9	1.2	-29.7	62.9	
3705.4	74.9							
		G1- Imp~1	I	0.5	0.2	-0.3	1.2	
0.3	-33.0		J	0.5	0.2	-0.3	1.2	
0.6	-33.2							
		G2- Imp~1	I	0.1	0.0	-0.1	0.3	
0.0	-11.0		J	0.1	0.0	-0.1	0.3	
0.1	-11.0							
		q3	I	292.5	7.1	28.3	-68.4	
422.5	-897.9		J	289.3	7.1	28.3	-68.4	
397.1	-905.0							
		q4-1	I	-0.7	2.8	-2.1	20.2	
-32.3	161.3		J	-0.7	2.8	-2.1	20.2	
-30.2	158.4							
		q4-2	I	-1.0	-3.8	-2.9	20.9	
-46.2	40.3		J	-1.0	-3.8	-2.9	20.9	
-43.2	44.1							
		q4-3	I	0.1	-11.3	-2.9	-13.4	
-48.2	-303.8		J	0.1	-11.3	-2.9	-13.4	
-45.3	-292.5							
		q4-4	I	3.0	28.7	-2.3	-47.5	
-42.2	231.3		J	3.0	28.7	-2.3	-47.5	
-39.9	202.4							
		q4-5	I	59.1	-23.7	2.1	32.2	
34.2	21.4		J	59.1	-23.7	2.1	32.2	
32.1	45.2							
		q4-6	I	103.2	6.8	5.2	-5.5	
53.7	-315.1		J	103.2	6.8	5.2	-5.5	
48.5	-321.9							
		q4-7	I	89.7	1.9	2.5	-10.9	
72.7	-160.4		J	89.7	1.9	2.5	-10.9	
70.2	-162.3							
		q5 - p~1	I	-929.4	-71.5	-24.2	-269.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-544.9	3391.2		J	-923.7	-53.2	-24.4	-276.5	
-522.6	3453.9							
1372.3	-405.3	q5 - p~2	I	877.2	68.7	89.0	-184.7	
1283.6	-478.0		J	874.6	75.9	89.1	-187.3	
-501.3	3204.8	q5 - p~3	I	-880.8	-68.0	-21.1	-260.7	
-480.3	3264.5		J	-875.4	-50.7	-21.3	-261.9	
1298.4	-397.3	q5 - p~4	I	831.0	65.1	83.3	-181.8	
1214.7	-466.2		J	828.5	72.0	83.4	-182.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
226.4	-957.8	q7	I	151.1	15.3	11.9	-98.1	
214.4	-973.2		J	151.1	15.3	11.9	-98.1	
-9.3	-3.7	T	I	0.2	0.5	-0.3	-7.7	
-9.0	-4.2		J	0.2	0.5	-0.3	-7.7	
265.5	-256.5	M. tor~1	I	165.9	-271.2	21.2	30.8	
244.2	-267.5		J	165.9	-271.2	21.2	20.5	
157.0	-151.6	M. tor~2	I	98.1	-160.3	12.5	18.2	
144.4	-158.1		J	98.1	-160.3	12.5	12.1	
2076.9	5889.1	INVSLU Max	I	1330.7	155.2	859.0	2821.4	4
2364.5	5989.0		J	1330.5	159.3	1103.1	2870.2	4
8693.5	-5196.1	Min	I	-1371.9	-132.7	-1752.3	-2121.2	
9187.0	-5319.6		J	-1355.8	-138.7	-1504.6	-2024.5	
7959.5	18390.6	INVSLV Max	I	2076.4	720.9	-53.8	2279.0	1
8138.8	18071.3		J	2081.4	720.9	84.1	2279.0	1
9393.0	-17908.3	Min	I	-2099.1	-711.6	-444.9	-1803.1	
9576.5	-17598.4		J	-2094.1	-711.6	-307.0	-1803.1	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1077.2	4006.4	INVSLE Max	I	887.9	110.3	630.4	2072.4	3
			J	888.3	112.9	811.2	2108.2	3
1296.1	4073.8	Min	I	-918.4	-93.5	-1292.1	-1553.8	
6530.5	-3493.1		J	-907.1	-96.2	-1108.6	-1481.7	
6890.2	-3578.0							
892	1	52 C1-C2;~1 Max	I	35.8	62.2	866.1	1583.3	1
6659.0	1132.0		J	37.3	62.2	909.9	1656.9	1
6675.8	1159.5	Min	I	-44.9	-54.8	-941.2	-1674.4	-
6033.9	-1082.8		J	-43.2	-54.8	-896.6	-1599.4	-
5921.6	-1116.9							
		C3-C4;~1 Max	I	35.8	55.8	869.0	1552.4	1
6643.8	1167.6		J	37.2	55.8	912.9	1560.6	1
6657.9	1192.3	Min	I	-44.9	-48.9	-943.4	-1559.7	-
6189.2	-1060.3		J	-43.3	-48.9	-898.7	-1551.1	-
6075.7	-1090.6							
		C1-C2;~2 Max	I	19.4	31.9	509.0	918.0	
9549.8	558.8		J	20.2	31.9	534.8	966.6	
9560.8	573.9	Min	I	-25.3	-27.1	-553.9	-984.6	-
3006.7	-548.6		J	-24.3	-27.1	-527.8	-935.4	-
2925.7	-569.0							
		C3-C4;~2 Max	I	19.2	28.5	510.1	880.2	
9543.5	573.5		J	20.0	28.5	536.0	893.4	
9552.7	586.7	Min	I	-25.5	-24.0	-554.7	-899.0	-
3093.2	-537.1		J	-24.5	-24.0	-528.5	-885.6	-
3011.3	-556.5							
		SLVx (RS)	I	1613.5	622.9	131.1	1757.2	-
3116.0	-15558.5		J	1613.5	622.9	131.1	1757.2	-
3111.9	-15226.9							
		SLVy (RS)	I	1409.5	-286.1	118.0	741.3	
1843.8	6582.1		J	1409.5	-286.1	118.0	741.3	
1752.1	6587.8							
		SLDx (RS)	I	1146.7	446.8	95.1	1227.7	-
2279.5	-11174.4		J	1146.7	446.8	95.1	1227.7	-
2280.2	-10947.4							
		SLDy (RS)	I	905.7	-201.1	76.0	515.4	
1126.9	4701.5		J	905.7	-201.1	76.0	515.4	
1073.6	4699.8							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2056.3	-1007.3	SLVz (RS)	I	-125.0	-128.0	50.3	102.7	-
			J	-125.0	-128.0	50.3	102.7	-
2064.7	-944.1							
		G1	I	-5.1	3.3	-81.5	40.9	1
0152.8	210.6		J	-1.4	3.3	19.5	40.9	1
0183.9	207.2							
		G2	I	-1.9	1.2	-29.7	14.5	
3705.9	76.7		J	-0.5	1.2	7.2	14.5	
3717.2	75.5							
		G1- Imp~1	I	0.5	0.1	-0.3	1.2	
0.6	-33.2		J	0.5	0.1	-0.3	1.2	
0.9	-33.3							
		G2- Imp~1	I	0.1	0.0	-0.1	0.3	
0.1	-11.0		J	0.1	0.0	-0.1	0.3	
0.2	-11.1							
		q3	I	289.4	3.3	28.3	-73.6	
396.6	-904.9		J	286.2	3.3	28.3	-73.6	
371.2	-908.2							
		q4-1	I	-0.6	2.8	-2.1	20.6	
-30.0	158.4		J	-0.6	2.8	-2.1	20.6	
-27.9	155.6							
		q4-2	I	-1.0	-3.8	-2.9	21.5	
-43.0	44.1		J	-1.0	-3.8	-2.9	21.5	
-40.0	48.0							
		q4-3	I	-0.0	-11.3	-2.9	-12.8	
-45.3	-292.5		J	-0.0	-11.3	-2.9	-12.8	
-42.4	-281.1							
		q4-4	I	3.4	28.6	-2.3	-47.0	
-40.6	202.4		J	3.4	28.6	-2.3	-47.0	
-38.3	173.6							
		q4-5	I	58.8	-24.4	2.1	31.8	
32.5	45.2		J	58.8	-24.4	2.1	31.8	
30.3	69.8							
		q4-6	I	103.2	5.4	5.2	-6.2	
48.6	-321.9		J	103.2	5.4	5.2	-6.2	
43.3	-327.3							
		q4-7	I	89.7	0.7	2.5	-11.8	
70.1	-162.3		J	89.7	0.7	2.5	-11.8	
67.6	-163.0							
		q5 - p~1	I	-924.3	-41.2	-24.3	-269.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-527.8	3454.0		J	-918.4	-23.0	-24.5	-276.0	
-505.4	3486.2							
1281.3	-477.7	q5 - p~2	I	875.5	64.5	89.1	-204.0	
1192.5	-546.3		J	873.2	71.9	89.2	-206.7	
-485.3	3264.6	q5 - p~3	I	-875.9	-39.3	-21.2	-255.4	
-464.2	3295.4		J	-870.3	-22.0	-21.4	-256.6	
1212.5	-465.9	q5 - p~4	I	829.4	61.2	83.3	-198.2	
1128.8	-530.9		J	827.2	68.1	83.4	-198.7	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
213.6	-973.1	q7	I	151.3	13.4	11.9	-101.0	
201.6	-986.6		J	151.3	13.4	11.9	-101.0	
-9.1	-4.2	T	I	0.2	0.5	-0.3	-7.6	
-8.7	-4.6		J	0.2	0.5	-0.3	-7.6	
244.6	-267.4	M. tor~1	I	162.3	-273.3	21.3	17.3	
223.2	-276.3		J	162.3	-273.3	21.3	7.0	
144.6	-158.1	M. tor~2	I	96.0	-161.6	12.6	10.2	
132.0	-163.4		J	96.0	-161.6	12.6	4.1	
2359.6	6002.3	INVSLU Max	I	1331.7	148.8	1103.0	2462.1	4
2359.9	6060.2		J	1331.1	155.3	1348.5	2567.4	4
9195.3	-5312.4	Min	I	-1356.9	-126.1	-1504.5	-2431.7	
9486.3	-5392.9		J	-1340.5	-132.8	-1258.1	-2336.4	
8145.5	18078.4	INVSLV Max	I	2067.6	751.9	70.1	2067.2	1
8159.2	17724.8		J	2072.6	751.9	208.0	2067.2	1
9573.5	-17592.3	Min	I	-2080.2	-742.5	-293.1	-1953.5	
9645.3	-17248.1		J	-2075.2	-742.5	-155.2	-1953.5	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1292.7	4083.7	INVSLE Max	I	889.1	105.9	811.1	1806.3	3
			J	889.3	110.3	992.9	1883.9	3
1298.8	4123.2	Min	I	-907.8	-89.1	-1108.5	-1783.8	
6896.1	-3572.6		J	-896.3	-93.5	-926.0	-1712.8	
7105.8	-3628.9							
893	1	52 C1-C2;~1 Max	I	37.6	62.0	909.9	1538.3	1
6673.7	1163.5		J	39.1	62.0	954.6	1612.8	1
6619.1	1191.1	Min	I	-43.7	-54.6	-896.6	-1722.9	-
5921.5	-1119.2		J	-42.1	-54.6	-853.1	-1648.7	-
6022.8	-1153.7							
		C3-C4;~1 Max	I	37.4	55.5	912.9	1438.3	1
6655.7	1197.7		J	38.8	55.5	957.8	1449.2	1
6602.2	1223.9	Min	I	-43.7	-48.7	-898.7	-1678.2	-
6075.5	-1093.0		J	-42.1	-48.7	-855.0	-1672.4	-
6181.5	-1126.5							
		C1-C2;~2 Max	I	20.3	31.8	534.8	886.9	
9559.8	575.6		J	21.2	31.8	560.9	935.9	
9531.8	590.7	Min	I	-24.5	-27.0	-527.8	-1017.4	-
2926.1	-570.2		J	-23.6	-27.0	-502.1	-968.4	-
3005.3	-590.8							
		C3-C4;~2 Max	I	20.1	28.4	535.9	810.0	
9551.6	589.3		J	21.0	28.4	562.2	824.4	
9524.6	603.5	Min	I	-24.7	-23.9	-528.5	-971.1	-
3011.7	-557.7		J	-23.8	-23.9	-502.7	-958.7	-
3094.4	-577.2							
		SLVx (RS)	I	1602.3	657.5	126.0	1731.4	-
3118.5	-15227.4		J	1602.3	657.5	126.0	1731.4	-
3095.4	-14866.9							
		SLVy (RS)	I	1400.2	-281.2	119.1	743.5	
1743.3	6587.6		J	1400.2	-281.2	119.1	743.5	
1651.7	6576.6							
		SLDx (RS)	I	1139.3	470.3	91.2	1210.2	-
2284.5	-10947.9		J	1139.3	470.3	91.2	1210.2	-
2270.6	-10700.0							
		SLDy (RS)	I	900.6	-198.5	76.8	515.6	
1069.2	4699.7		J	900.6	-198.5	76.8	515.6	
1016.1	4685.7							


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2064.3	-944.2	SLVz (RS)	I	-123.0	-128.6	56.1	100.1	-
			J	-123.0	-128.6	56.1	100.1	-
2042.7	-889.3							
		G1	I	-1.4	3.3	19.5	-92.2	1
0183.5	212.1		J	2.3	3.3	120.5	-92.2	1
0113.1	208.7							
		G2	I	-0.5	1.2	7.2	-34.1	
3717.1	77.2		J	0.8	1.2	44.1	-34.1	
3691.3	76.0							
		G1- Imp~1	I	0.5	0.1	-0.3	1.1	
0.9	-33.3		J	0.5	0.1	-0.3	1.1	
1.2	-33.5							
		G2- Imp~1	I	0.2	0.0	-0.1	0.3	
0.2	-11.1		J	0.2	0.0	-0.1	0.3	
0.3	-11.1							
		q3	I	286.2	-0.4	28.3	-78.5	
370.6	-908.1		J	283.0	-0.4	28.3	-78.5	
345.2	-907.7							
		q4-1	I	-0.6	2.8	-2.1	21.0	
-27.7	155.6		J	-0.6	2.8	-2.1	21.0	
-25.6	152.7							
		q4-2	I	-1.1	-3.8	-2.9	22.0	
-39.7	47.9		J	-1.1	-3.8	-2.9	22.0	
-36.8	51.8							
		q4-3	I	-0.2	-11.3	-2.9	-12.3	
-42.4	-281.1		J	-0.2	-11.3	-2.9	-12.3	
-39.6	-269.7							
		q4-4	I	3.7	28.6	-2.3	-46.5	
-39.0	173.6		J	3.7	28.6	-2.3	-46.5	
-36.7	144.9							
		q4-5	I	58.4	-25.2	2.1	31.4	
30.7	69.8		J	58.4	-25.2	2.1	31.4	
28.6	95.1							
		q4-6	I	103.3	4.1	5.2	-6.8	
43.4	-327.4		J	103.3	4.1	5.2	-6.8	
38.2	-331.5							
		q4-7	I	89.7	-0.5	2.5	-12.7	
67.5	-163.0		J	89.7	-0.5	2.5	-12.7	
65.0	-162.5							
		q5 - p~1	I	-918.6	-11.0	-24.5	-269.3	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-510.6	3486.3		J	-912.4	7.0	-24.7	-275.8	
-488.1	3488.3							
1190.0	-546.1	q5 - p~2	I	874.0	60.5	89.1	-222.2	
1101.1	-610.6		J	872.0	67.8	89.2	-224.9	
-469.1	3295.5	q5 - p~3	I	-870.5	-10.7	-21.4	-250.4	
-447.8	3297.6		J	-864.7	6.4	-21.6	-251.6	
1126.4	-530.7	q5 - p~4	I	828.0	57.3	83.3	-213.4	
1042.7	-591.9		J	826.1	64.3	83.4	-213.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
200.8	-986.5	q7	I	151.5	11.4	11.9	-103.6	
188.8	-998.0		J	151.5	11.4	11.9	-103.6	
-8.8	-4.6	T	I	0.2	0.5	-0.3	-7.5	
-8.5	-5.1		J	0.2	0.5	-0.3	-7.5	
223.4	-276.3	M. tor~1	I	158.7	-275.4	21.4	4.1	
201.9	-283.0		J	158.7	-275.4	21.4	-6.3	
132.1	-163.3	M. tor~2	I	93.8	-162.8	12.7	2.4	
119.3	-167.3		J	93.8	-162.8	12.7	-3.7	
2354.1	6072.9	INVSLU Max	I	1331.7	144.9	1348.4	2155.8	4
2070.8	6089.1		J	1330.9	151.5	1595.2	2262.4	4
9488.0	-5385.7	Min	I	-1341.0	-122.2	-1258.0	-2742.1	
9295.8	-5423.5		J	-1324.2	-128.8	-1013.0	-2679.8	
8162.5	17731.9	INVSLV Max	I	2058.0	785.2	205.0	1859.6	1
8009.5	17346.8		J	2063.0	785.2	342.8	1859.6	1
9641.0	-17242.0	Min	I	-2060.5	-775.8	-152.2	-2109.3	
9602.2	-16866.5		J	-2055.4	-775.8	-14.3	-2109.3	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1294.7	4132.6	INVSLE Max	I	889.7	103.3	992.9	1579.5	3
			J	889.8	107.7	1175.7	1657.9	3
1090.7	4144.4	Min	I	-896.6	-86.5	-926.0	-2013.8	
7106.9	-3623.5		J	-884.8	-90.9	-744.4	-1967.1	
6958.6	-3651.3							
894	1	52 C1-C2;~1 Max	I	39.5	61.8	954.6	1493.3	1
6618.8	1195.1		J	41.0	61.8	1000.3	1569.0	1
6489.0	1222.7	Min	I	-42.5	-54.4	-853.1	-1770.0	-
6021.6	-1156.1		J	-40.9	-54.4	-810.6	-1696.5	-
6122.9	-1191.0							
		C3-C4;~1 Max	I	39.1	55.3	957.8	1326.9	1
6598.6	1228.5		J	40.6	55.3	1003.6	1340.7	1
6470.3	1255.7	Min	I	-42.6	-48.5	-855.0	-1797.9	-
6180.2	-1129.0		J	-41.0	-48.5	-812.4	-1794.7	-
6286.2	-1162.8							
		C1-C2;~2 Max	I	21.3	31.7	560.9	856.2	
9532.5	592.4		J	22.2	31.7	587.4	905.7	
9462.5	607.6	Min	I	-23.8	-26.9	-502.1	-1049.8	-
3005.2	-592.0		J	-22.9	-26.9	-476.9	-1001.0	-
3084.4	-612.8							
		C3-C4;~2 Max	I	21.1	28.3	562.2	741.2	
9522.9	605.6		J	22.0	28.3	588.9	756.8	
9454.3	620.3	Min	I	-24.0	-23.8	-502.7	-1043.7	-
3094.3	-578.5		J	-23.1	-23.8	-477.4	-1032.3	-
3177.0	-598.0							
		SLVx (RS)	I	1590.2	-693.4	125.9	1708.0	-
3101.1	-14867.4		J	1590.2	-693.4	125.9	1708.0	-
3058.3	-14481.2							
		SLVy (RS)	I	1391.0	-280.1	120.0	747.2	
1642.9	6576.5		J	1391.0	-280.1	120.0	747.2	
1551.5	6548.2							
		SLDx (RS)	I	1131.5	494.8	91.2	1194.5	-
2274.3	-10700.4		J	1131.5	494.8	91.2	1194.5	-
2245.3	-10433.8							
		SLDy (RS)	I	895.7	-198.7	77.3	516.9	
1011.7	4685.6		J	895.7	-198.7	77.3	516.9	
-958.9	4658.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2041.6	-889.4	SLVz (RS)	I	-120.9	-128.0	-79.0	103.8	-
			J	-120.9	-128.0	-79.0	103.8	-
1991.0	-844.6							
		G1	I	2.4	3.3	120.5	-224.3	1
0110.9	213.6		J	6.0	3.3	221.5	-224.3	
9938.9	210.2							
		G2	I	0.9	1.2	44.1	-82.3	
3690.5	77.8		J	2.2	1.2	80.9	-82.3	
3627.6	76.5							
		G1- Imp~1	I	0.5	0.1	-0.3	1.1	
1.2	-33.5		J	0.5	0.1	-0.3	1.1	
1.5	-33.6							
		G2- Imp~1	I	0.2	0.0	-0.1	0.3	
0.3	-11.1		J	0.2	0.0	-0.1	0.3	
0.4	-11.1							
		q3	I	282.9	-4.1	28.3	-83.0	
344.6	-907.6		J	279.7	-4.1	28.3	-83.0	
319.1	-903.5							
		q4-1	I	-0.6	2.8	-2.1	21.3	
-25.4	152.7		J	-0.6	2.8	-2.1	21.3	
-23.3	149.9							
		q4-2	I	-1.1	-3.8	-2.9	22.5	
-36.5	51.7		J	-1.1	-3.8	-2.9	22.5	
-33.6	55.6							
		q4-3	I	-0.3	-11.3	-2.9	-11.8	
-39.6	-269.8		J	-0.3	-11.3	-2.9	-11.8	
-36.7	-258.4							
		q4-4	I	4.1	28.5	-2.3	-46.0	
-37.4	144.9		J	4.1	28.5	-2.3	-46.0	
-35.1	116.2							
		q4-5	I	58.1	-26.0	2.1	31.0	
28.9	95.1		J	58.1	-26.0	2.1	31.0	
26.8	121.2							
		q4-6	I	103.3	2.7	5.2	-7.3	
38.3	-331.5		J	103.3	2.7	5.2	-7.3	
33.0	-334.2							
		q4-7	I	89.7	-1.7	2.5	-13.6	
64.9	-162.5		J	89.7	-1.7	2.5	-13.6	
62.4	-160.8							
		q5 - p~1	I	-912.2	19.0	-24.7	-269.3	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-493.3	3488.4		J	-905.8	37.0	-24.9	-275.7	
-470.7	3460.3							
1098.3	-610.4	q5 - p~2	I	872.9	56.5	89.1	-239.2	
1009.3	-670.9		J	871.1	63.9	89.2	-241.9	
-452.7	3297.7	q5 - p~3	I	-864.5	17.7	-21.6	-245.6	
-431.3	3271.3		J	-858.4	34.8	-21.8	-246.8	
1040.1	-591.6	q5 - p~4	I	826.9	53.5	83.3	-227.5	
956.4	-649.0		J	825.3	60.6	83.4	-228.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
187.9	-997.9	q7	I	151.6	9.4	11.9	-106.1	
176.0	-1007.4		J	151.6	9.4	11.9	-106.1	
-8.6	-5.1	T	I	0.2	0.5	-0.3	-7.4	
-8.3	-5.6		J	0.2	0.5	-0.3	-7.4	
201.9	-283.0	M. tor~1	I	155.1	-277.4	21.5	-8.9	
180.2	-287.7		J	155.1	-277.4	21.5	-19.2	
119.4	-167.3	M. tor~2	I	91.7	-164.0	12.7	-5.3	
106.6	-170.1		J	91.7	-164.0	12.7	-11.4	
2064.1	6101.0	INVSLU Max	I	1330.9	141.0	1595.2	1851.7	4
1491.9	6075.2		J	1329.7	147.7	1843.3	1959.7	4
9295.9	-5416.4	Min	I	-1324.2	-118.3	-1012.9	-3086.8	
8916.6	-5411.6		J	-1307.1	-124.9	-769.3	-3088.3	
8009.4	17353.9	INVSLV Max	I	2047.7	820.6	349.8	1658.2	1
7689.4	16941.0		J	2052.7	820.6	487.7	1658.2	1
9596.4	-16860.4	Min	I	-2040.0	-811.1	-21.3	-2268.5	
9447.4	-16457.1		J	-2035.0	-811.1	116.6	-2268.5	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1085.9	4153.2	INVSLE Max	I	889.8	100.7	1175.7	1354.1	3
			J	889.6	105.2	1359.5	1433.7	3
0668.0	4137.0	Min	I	-884.8	-83.9	-744.4	-2269.1	
6958.5	-3646.1		J	-872.8	-88.3	-563.9	-2269.7	
6671.6	-3645.5							
895	1	52 C1-C2;~1 Max	I	41.4	61.6	1000.3	1453.6	1
6487.2	1226.8		J	42.9	61.6	1046.9	1530.6	1
6282.0	1254.5	Min	I	-41.4	-54.2	-810.6	-1817.5	-
6120.7	-1193.5		J	-39.8	-54.2	-769.2	-1744.4	-
6222.0	-1228.8							
		C3-C4;~1 Max	I	40.9	55.1	1003.6	1221.2	1
6464.0	1259.9		J	42.4	55.1	1050.4	1238.0	1
6260.9	1287.7	Min	I	-41.4	-48.3	-812.4	-1919.9	-
6283.9	-1165.4		J	-39.8	-48.3	-770.8	-1919.1	-
6389.8	-1199.4							
		C1-C2;~2 Max	I	22.3	31.5	587.4	828.9	
9462.3	609.2		J	23.3	31.5	614.3	879.0	
9350.2	624.4	Min	I	-23.1	-26.8	-476.9	-1082.1	-
3083.8	-614.0		J	-22.2	-26.8	-452.1	-1033.3	-
3163.0	-634.9							
		C3-C4;~2 Max	I	22.1	28.1	588.9	675.4	
9450.9	622.2		J	22.9	28.1	615.9	692.2	
9340.6	637.3	Min	I	-23.4	-23.7	-477.4	-1116.9	-
3176.3	-599.3		J	-22.5	-23.7	-452.5	-1106.4	-
3259.0	-619.0							
		SLVx (RS)	I	1577.5	-730.0	130.7	1687.2	-
3063.3	-14481.8		J	1577.5	-730.0	130.7	1687.2	-
3000.4	-14073.7							
		SLVy (RS)	I	1382.0	-283.0	120.8	752.2	
1542.7	6548.0		J	1382.0	-283.0	120.8	752.2	
1451.9	6502.3							
		SLDx (RS)	I	1123.2	-520.0	94.9	1180.6	-
2248.6	-10434.2		J	1123.2	-520.0	94.9	1180.6	-
2204.2	-10151.4							
		SLDy (RS)	I	890.8	-201.7	77.9	519.3	
-954.4	4658.8		J	890.8	-201.7	77.9	519.3	
-902.3	4619.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1989.4	-844.8	SLVz (RS)	I	-118.9	-126.3	-106.6	112.9	-
			J	-118.9	-126.3	-106.6	112.9	-
1911.6	-811.2							
		G1	I	6.1	3.4	221.5	-354.0	
9935.0	214.9		J	9.8	3.4	322.5	-354.0	
9661.5	211.5							
		G2	I	2.2	1.2	80.9	-129.7	
3626.2	78.2		J	3.6	1.2	117.8	-129.7	
3526.3	77.0							
		G1- Imp~1	I	0.5	0.1	-0.3	1.1	
1.5	-33.6		J	0.5	0.1	-0.3	1.1	
1.7	-33.7							
		G2- Imp~1	I	0.2	0.0	-0.1	0.3	
0.4	-11.1		J	0.2	0.0	-0.1	0.3	
0.5	-11.2							
		q3	I	279.7	-7.8	28.3	-87.2	
318.5	-903.4		J	276.4	-7.8	28.3	-87.2	
293.1	-895.6							
		q4-1	I	-0.5	2.8	-2.1	21.6	
-23.1	149.8		J	-0.5	2.8	-2.1	21.6	
-21.0	147.0							
		q4-2	I	-1.2	-3.8	-2.9	22.9	
-33.3	55.5		J	-1.2	-3.8	-2.9	22.9	
-30.3	59.3							
		q4-3	I	-0.5	-11.3	-2.9	-11.3	
-36.7	-258.4		J	-0.5	-11.3	-2.9	-11.3	
-33.9	-247.0							
		q4-4	I	4.5	28.5	-2.3	-45.5	
-35.7	116.2		J	4.5	28.5	-2.3	-45.5	
-33.4	87.6							
		q4-5	I	57.8	-26.7	2.2	30.6	
27.1	121.2		J	57.8	-26.7	2.2	30.6	
24.9	148.1							
		q4-6	I	103.4	1.4	5.2	-7.7	
33.1	-334.3		J	103.4	1.4	5.2	-7.7	
27.9	-335.7							
		q4-7	I	89.6	-2.8	2.5	-14.4	
62.3	-160.8		J	89.6	-2.8	2.5	-14.4	
59.8	-158.0							
		q5 - p~1	I	-905.3	48.8	-24.9	-269.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-475.9	3460.4		J	-898.6	66.7	-25.1	-275.9	
-453.1	3402.4							
1006.4	-670.7	q5 - p~2	I	871.9	52.5	89.1	-255.1	
917.2	-727.3		J	870.5	60.0	89.2	-257.7	
-436.0	3271.5	q5 - p~3	I	-857.9	46.0	-21.8	-241.1	
-414.4	3216.7		J	-851.6	63.0	-22.0	-242.3	
953.6	-648.9	q5 - p~4	I	826.0	49.8	83.4	-240.4	
869.9	-702.5		J	824.6	56.9	83.4	-240.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
175.1	-1007.4	q7	I	151.7	7.4	11.9	-108.4	
163.1	-1014.8		J	151.7	7.4	11.9	-108.4	
-8.4	-5.6	T	I	0.2	0.5	-0.3	-7.3	
-8.1	-6.0		J	0.2	0.5	-0.3	-7.3	
180.1	-287.7	M. tor~1	I	151.5	-279.4	21.7	-21.6	
158.3	-290.4		J	151.5	-279.4	21.7	-31.9	
106.5	-170.1	M. tor~2	I	89.6	-165.2	12.8	-12.8	
93.6	-171.7		J	89.6	-165.2	12.8	-18.9	
1479.7	6086.6	INVSLU Max	I	1329.2	137.2	1843.2	1559.0	4
0618.5	6018.6		J	1327.8	149.9	2092.5	1668.7	4
8915.2	-5404.7	Min	I	-1306.5	-114.4	-769.2	-3490.8	
8348.9	-5357.6		J	-1289.0	-127.1	-527.0	-3495.5	
7686.1	16948.0	INVSLV Max	I	2036.7	857.6	501.1	1464.4	1
7199.4	16511.4		J	2041.7	857.6	638.9	1464.4	1
9440.2	-16451.2	Min	I	-2018.9	-848.1	103.2	-2429.1	
9180.6	-16024.1		J	-2013.8	-848.1	241.1	-2429.1	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0659.2	4145.5	INVSLE Max	I	889.3	98.1	1359.4	1137.3	3
0027.2	4101.2		J	888.9	106.6	1544.1	1218.2	3
6670.4	-3640.3	Min	I	-872.5	-81.3	-563.9	-2568.3	
6245.0	-3611.6		J	-860.2	-89.7	-384.5	-2571.4	
896	1	52 C1-C2;~1 Max	I	43.3	61.3	1046.9	1447.6	1
6278.7	1258.5		J	44.8	61.3	1094.4	1526.1	1
5998.4	1286.5	Min	I	-40.3	-54.0	-769.2	-1864.5	-
6218.7	-1231.3		J	-38.7	-54.0	-728.9	-1791.7	-
6320.0	-1267.5							
6252.6	1291.9	C3-C4;~1 Max	I	42.7	54.9	1050.4	1126.1	1
5974.3	1319.9		J	44.3	54.9	1098.1	1146.0	1
6386.4	-1202.1	Min	I	-40.3	-48.1	-770.8	-2046.7	-
6492.3	-1236.4		J	-38.7	-48.1	-730.3	-2048.1	-
9349.2	626.1	C1-C2;~2 Max	I	23.4	31.4	614.3	826.0	
9195.3	641.3		J	24.3	31.4	641.5	876.9	
3161.9	-636.2	Min	I	-22.4	-26.7	-452.1	-1113.8	-
3241.0	-657.4		J	-21.4	-26.7	-427.9	-1064.9	-
9336.2	639.2	C3-C4;~2 Max	I	23.0	28.0	615.9	614.7	
9184.0	654.3		J	23.9	28.0	643.2	632.9	
3257.7	-620.3	Min	I	-22.7	-23.6	-452.5	-1191.5	-
3340.4	-640.1		J	-21.8	-23.6	-428.1	-1181.7	-
3004.7	-14074.3	SLVx (RS)	I	1564.1	-767.1	140.0	1668.9	-
2921.6	-13649.0		J	1564.1	-767.1	140.0	1668.9	-
1443.1	6502.1	SLVy (RS)	I	1373.0	289.8	121.6	758.3	
1353.3	6439.2		J	1373.0	289.8	121.6	758.3	
2207.0	-10151.8	SLDx (RS)	I	1114.4	-545.7	102.0	1168.7	-
2147.3	-9855.8		J	1114.4	-545.7	102.0	1168.7	-
-897.8	4619.2	SLDy (RS)	I	886.1	-207.5	78.4	522.7	
-846.5	4567.2		J	886.1	-207.5	78.4	522.7	


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1909.6	-811.4	SLVz (RS)	I	-117.0	-123.8	-133.6	125.4	-
			J	-117.0	-123.8	-133.6	125.4	-
1807.4	-789.3							
		G1	I	9.8	3.4	322.5	-480.2	
9655.9	216.1		J	13.5	3.4	423.5	-480.2	
9280.8	212.7							
		G2	I	3.6	1.3	117.8	-175.7	
3524.2	78.7		J	4.9	1.3	154.7	-175.7	
3387.2	77.4							
		G1- Imp~1	I	0.5	0.1	-0.3	1.1	
1.8	-33.7		J	0.5	0.1	-0.3	1.1	
2.0	-33.8							
		G2- Imp~1	I	0.2	0.0	-0.1	0.3	
0.5	-11.2		J	0.2	0.0	-0.1	0.3	
0.6	-11.2							
		q3	I	276.3	-11.4	28.3	-91.0	
292.3	-895.6		J	273.1	-11.4	28.3	-91.0	
266.9	-884.2							
		q4-1	I	-0.5	2.9	-2.1	21.9	
-20.8	147.0		J	-0.5	2.9	-2.1	21.9	
-18.7	144.1							
		q4-2	I	-1.2	-3.8	-2.9	23.3	
-30.1	59.3		J	-1.2	-3.8	-2.9	23.3	
-27.1	63.1							
		q4-3	I	-0.6	-11.3	-2.9	-10.9	
-33.9	-247.0		J	-0.6	-11.3	-2.9	-10.9	
-31.0	-235.7							
		q4-4	I	4.9	28.4	-2.3	-45.1	
-34.0	87.5		J	4.9	28.4	-2.3	-45.1	
-31.7	59.0							
		q4-5	I	57.4	-27.5	2.2	30.3	
25.3	148.1		J	57.4	-27.5	2.2	30.3	
23.1	175.7							
		q4-6	I	103.4	0.0	5.2	-8.1	
28.0	-335.7		J	103.4	0.0	5.2	-8.1	
22.7	-335.7							
		q4-7	I	89.6	-4.0	2.5	-15.2	
59.7	-158.0		J	89.6	-4.0	2.5	-15.2	
57.2	-153.9							
		q5 - p~1	I	-897.7	78.4	-25.2	-269.9	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-458.3	3402.5		J	-890.8	96.2	-25.4	-276.3	
-435.4	3314.7							
914.1	-727.2	q5 - p~2	I	871.2	48.6	89.1	-269.7	
824.9	-779.8		J	870.0	56.1	89.2	-272.4	
-419.0	3216.8	q5 - p~3	I	-850.7	74.1	-22.1	-236.8	
-397.2	3133.8		J	-844.2	91.0	-22.3	-238.0	
867.0	-702.4	q5 - p~4	I	825.3	46.1	83.4	-252.3	
783.2	-752.3		J	824.2	53.2	83.4	-252.8	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
162.2	-1014.8	q7	I	151.8	5.5	11.9	-110.6	
150.3	-1020.3		J	151.8	5.5	11.9	-110.6	
-8.2	-6.0	T	I	0.2	0.5	-0.3	-7.2	
-7.9	-6.5		J	0.2	0.5	-0.3	-7.2	
158.0	-290.4	M. tor~1	I	147.8	-281.4	21.8	-34.0	
136.1	-291.2		J	147.8	-281.4	21.8	-44.3	
93.4	-171.7	M. tor~2	I	87.4	-166.3	12.9	-20.1	
80.5	-172.1		J	87.4	-166.3	12.9	-26.2	
0601.1	6029.8	INVSLU Max	I	1326.7	160.3	2092.5	1318.8	4
9451.3	5919.6		J	1324.9	185.6	2343.0	1430.5	3
8346.1	-5351.0	Min	I	-1287.9	-141.0	-527.0	-3894.6	
7592.7	-5262.0		J	-1270.1	-166.4	-286.3	-3902.4	
7193.0	16518.3	INVSLV Max	I	2025.1	896.0	656.5	1279.5	1
6540.4	16062.6		J	2030.2	896.0	794.4	1279.5	1
9171.9	-16018.4	Min	I	-1997.1	-886.4	223.5	-2588.5	
8800.9	-15572.4		J	-1992.1	-886.4	361.4	-2588.5	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0014.5	4109.5	INVSLE Max	I	888.2	113.4	1544.1	959.4	3
			J	887.7	127.4	1729.6	1041.7	2
9168.7	4037.1	Min	I	-859.5	-96.7	-384.4	-2867.4	
6242.7	-3606.7		J	-847.1	-113.2	-206.1	-2872.7	
5678.7	-3550.0							
897	1	52 C1-C2;~1 Max	I	45.2	61.1	1094.3	1448.6	1
5993.6	1290.4		J	46.8	61.1	1142.7	1528.3	1
5638.7	1318.6	Min	I	-39.1	-53.8	-728.8	-1913.6	-
6315.5	-1270.1		J	-37.6	-53.8	-689.7	-1840.6	-
6416.8	-1307.1							
		C3-C4;~1 Max	I	44.6	54.6	1098.1	1054.7	1
5964.0	1324.5		J	46.1	54.6	1146.6	1077.7	1
5611.0	1352.5	Min	I	-39.2	-47.8	-730.3	-2188.9	-
6487.7	-1239.1		J	-37.7	-47.8	-691.0	-2192.5	-
6593.7	-1273.8							
		C1-C2;~2 Max	I	24.4	31.3	641.5	826.2	
9193.6	643.0		J	25.4	31.3	669.0	877.9	
8998.1	658.3	Min	I	-21.6	-26.6	-427.9	-1145.5	-
3239.3	-658.8		J	-20.7	-26.6	-404.1	-1096.3	-
3318.5	-680.3							
		C3-C4;~2 Max	I	24.0	27.9	643.2	564.9	
9178.5	656.5		J	24.9	27.9	670.8	584.4	
8984.7	671.4	Min	I	-22.0	-23.4	-428.1	-1271.4	-
3338.6	-641.4		J	-21.1	-23.4	-404.2	-1262.3	-
3421.3	-661.3							
		SLVx (RS)	I	1550.1	-804.4	152.7	1653.1	-
2925.3	-13649.5		J	1550.1	-804.4	152.7	1653.1	-
2822.2	-13212.4							
		SLVy (RS)	I	1364.1	300.1	122.7	765.3	
1344.5	6439.1		J	1364.1	300.1	122.7	765.3	-
1256.3	6359.9							
		SLDx (RS)	I	1105.2	-571.6	111.8	1158.5	-
2149.7	-9856.2		J	1105.2	-571.6	111.8	1158.5	-
2074.9	-9550.8							
		SLDy (RS)	I	881.5	-215.7	79.2	527.0	
-842.2	4567.1		J	881.5	-215.7	79.2	527.0	
-792.2	4503.2							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1805.1	-789.6	SLVz (RS)	I	-115.3	-120.6	-158.1	139.6	-
			J	-115.3	-120.6	-158.1	139.6	-
1681.9	-778.3							
		G1	I	13.5	3.4	423.5	-601.2	
9273.6	217.1		J	17.2	3.4	524.5	-601.2	
8797.0	213.7							
		G2	I	4.9	1.3	154.7	-219.9	
3384.6	79.0		J	6.3	1.3	191.6	-219.9	
3210.5	77.8							
		G1- Imp~1	I	0.5	0.1	-0.3	1.1	
2.1	-33.8		J	0.5	0.1	-0.3	1.1	
2.3	-34.0							
		G2- Imp~1	I	0.2	0.0	-0.1	0.3	
0.6	-11.2		J	0.2	0.0	-0.1	0.3	
0.7	-11.2							
		q3	I	272.9	-14.9	28.3	-94.5	
266.1	-884.1		J	269.7	-14.9	28.3	-94.5	
240.7	-869.1							
		q4-1	I	-0.5	2.9	-2.1	22.1	
-18.5	144.1		J	-0.5	2.9	-2.1	22.1	
-16.4	141.2							
		q4-2	I	-1.3	-3.7	-2.9	23.7	
-26.8	63.1		J	-1.3	-3.7	-2.9	23.7	
-23.9	66.9							
		q4-3	I	-0.8	-11.3	-2.8	-10.5	
-31.0	-235.7		J	-0.8	-11.3	-2.8	-10.5	
-28.2	-224.3							
		q4-4	I	5.2	28.3	-2.4	-44.7	
-32.3	59.0		J	5.2	28.3	-2.4	-44.7	
-29.9	30.5							
		q4-5	I	57.0	-28.2	2.2	30.0	
23.4	175.7		J	57.0	-28.2	2.2	30.0	
21.2	204.1							
		q4-6	I	103.4	-1.3	5.2	-8.4	
22.8	-335.7		J	103.4	-1.3	5.2	-8.4	
17.6	-334.4							
		q4-7	I	89.5	-5.2	2.5	-15.9	
57.0	-153.9		J	89.5	-5.2	2.5	-15.9	
54.5	-148.7							
		q5 - p~1	I	-889.5	107.9	-25.4	-270.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-440.5	3314.8		J	-882.3	125.6	-25.7	-276.9	
-417.4	3197.4							
821.7	-779.7	q5 - p~2	I	870.7	44.8	89.1	-283.1	
732.3	-828.5		J	869.8	52.3	89.2	-285.8	
-401.8	3133.9	q5 - p~3	I	-842.9	102.0	-22.3	-232.7	
-379.7	3023.0		J	-836.2	118.8	-22.6	-233.9	
780.2	-752.2	q5 - p~4	I	824.8	42.5	83.4	-263.0	
696.4	-798.5		J	824.0	49.6	83.4	-263.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
149.3	-1020.3	q7	I	151.9	3.5	11.9	-112.5	
137.4	-1023.8		J	151.9	3.5	11.9	-112.5	
-8.0	-6.5	T	I	0.2	0.4	-0.3	-7.1	
-7.7	-6.9		J	0.2	0.4	-0.3	-7.1	
135.6	-291.2	M. tor~1	I	144.1	-283.3	21.9	-46.1	
113.6	-290.0		J	144.1	-283.3	21.9	-56.4	
80.2	-172.1	M. tor~2	I	85.2	-167.5	13.0	-27.2	
67.2	-171.5		J	85.2	-167.5	13.0	-33.4	
9428.8	5930.8	INVSLU Max	I	1323.3	202.0	2343.0	1108.8	3
7991.0	5778.3		J	1321.3	227.2	2594.6	1218.8	3
7588.5	-5255.9	Min	I	-1268.4	-182.7	-286.2	-4321.7	
6648.0	-5125.4		J	-1250.4	-207.9	-47.0	-4328.9	
6531.1	16069.2	INVSLV Max	I	2013.0	935.4	818.6	1104.8	1
5714.1	15600.1		J	2018.1	935.4	956.4	1104.8	1
8790.7	-15567.0	Min	I	-1974.8	-925.8	337.2	-2744.4	
8306.8	-15107.5		J	-1969.8	-925.8	475.1	-2744.4	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9152.3	4045.4	INVSLE Max	I	886.6	138.3	1729.6	802.9	2
			J	885.8	155.1	1916.0	884.2	2
8093.2	3944.8	Min	I	-845.9	-124.0	-206.1	-3182.8	
5675.4	-3545.5		J	-833.3	-140.8	-28.9	-3188.0	
4972.8	-3461.1							
898	1	52 C1-C2;~1 Max	I	47.2	60.8	1142.7	1463.1	1
5632.6	1322.4		J	48.8	60.8	1191.8	1544.2	1
5203.6	1350.9	Min	I	-38.0	-53.6	-689.7	-1969.8	-
6411.3	-1309.7		J	-36.5	-53.6	-651.6	-1984.4	-
6512.5	-1347.6							
		C3-C4;~1 Max	I	46.4	54.4	1146.6	1005.5	1
5598.8	1357.7		J	48.0	54.4	1195.9	1031.6	1
5171.7	1385.5	Min	I	-38.1	-47.6	-691.0	-2343.8	-
6588.0	-1276.6		J	-36.6	-47.6	-652.9	-2349.3	-
6693.9	-1311.7							
		C1-C2;~2 Max	I	25.5	31.1	669.0	832.2	
8995.6	659.9		J	26.4	31.1	696.8	884.8	
8759.1	675.3	Min	I	-20.9	-26.5	-404.1	-1179.2	-
3316.2	-681.7		J	-20.0	-26.5	-380.9	-1129.5	-
3395.4	-703.5							
		C3-C4;~2 Max	I	25.0	27.7	670.8	525.3	
8978.1	674.1		J	25.9	27.7	698.7	540.4	
8743.2	688.8	Min	I	-21.3	-23.3	-404.2	-1355.4	-
3418.9	-662.7		J	-20.5	-23.3	-380.9	-1346.8	-
3501.5	-682.7							
		SLVx (RS)	I	1535.4	-841.7	168.0	1639.7	-
2825.4	-13212.9		J	1535.4	-841.7	168.0	1639.7	-
2703.0	-12770.4							
		SLVy (RS)	I	1355.3	313.4	123.9	773.0	-
1247.8	6359.8		J	1355.3	313.4	123.9	773.0	-
1161.8	6265.7							
		SLDx (RS)	I	1095.6	-597.6	123.4	1150.1	-
2076.9	-9551.1		J	1095.6	-597.6	123.4	1150.1	-
1987.4	-9240.5							
		SLDy (RS)	I	877.0	225.9	80.1	531.8	
-788.0	4503.2		J	877.0	225.9	80.1	531.8	
-739.9	4428.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1679.4	-778.5	SLVz (RS)	I	-113.9	-116.9	-179.3	154.2	-
			J	-113.9	-116.9	-179.3	154.2	-
1539.0	-776.6							
		G1	I	17.3	3.4	524.5	-716.0	
8788.3	217.9		J	20.9	3.4	625.5	-716.0	
8210.0	214.4							
		G2	I	6.3	1.3	191.6	-261.8	
3207.3	79.3		J	7.7	1.3	228.5	-261.8	
2996.1	78.0							
		G1- Imp~1	I	0.5	0.1	-0.3	1.0	
2.3	-34.0		J	0.5	0.1	-0.3	1.0	
2.6	-34.1							
		G2- Imp~1	I	0.2	0.0	-0.1	0.3	
0.7	-11.2		J	0.2	0.0	-0.1	0.3	
0.8	-11.2							
		q3	I	269.5	-18.4	28.3	-97.6	
239.9	-869.1		J	266.3	-18.4	28.3	-97.6	
214.5	-850.6							
		q4-1	I	-0.4	2.9	-2.1	22.3	
-16.1	141.2		J	-0.4	2.9	-2.1	22.3	
-14.0	138.3							
		q4-2	I	-1.3	-3.7	-2.9	24.0	
-23.6	66.9		J	-1.3	-3.7	-2.9	24.0	
-20.6	70.6							
		q4-3	I	-0.9	-11.3	-2.8	-10.1	
-28.2	-224.3		J	-0.9	-11.3	-2.8	-10.1	
-25.3	-213.0							
		q4-4	I	5.6	28.3	-2.4	-44.3	
-30.5	30.5		J	5.6	28.3	-2.4	-44.3	
-28.1	2.0							
		q4-5	I	56.7	-29.0	2.2	29.7	
21.5	204.0		J	56.7	-29.0	2.2	29.7	
19.3	233.2							
		q4-6	I	103.4	-2.7	5.2	-8.6	
17.6	-334.5		J	103.4	-2.7	5.2	-8.6	
12.4	-331.8							
		q4-7	I	89.5	-6.3	2.5	-16.6	
54.4	-148.8		J	89.5	-6.3	2.5	-16.6	
51.9	-142.4							
		q5 - p~1	I	-880.6	137.1	-25.8	-271.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-422.5	3197.5		J	-873.3	154.7	-26.0	-277.8	
-399.1	3050.8							
728.9	-828.5	q5 - p~2	I	870.4	40.9	89.1	-295.3	
639.6	-873.5		J	869.7	48.5	89.2	-298.0	
-384.1	3023.1	q5 - p~3	I	-834.6	129.7	-22.6	-228.9	
-361.7	2884.3		J	-827.6	146.4	-22.9	-230.0	
693.3	-798.5	q5 - p~4	I	824.6	38.8	83.4	-272.5	
609.5	-841.1		J	823.9	46.0	83.4	-273.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
136.4	-1023.7	q7	I	151.9	1.5	11.9	-114.3	
124.5	-1025.3		J	151.9	1.5	11.9	-114.3	
-7.8	-6.9	T	I	0.2	0.4	-0.3	-7.0	
-7.5	-7.4		J	0.2	0.4	-0.3	-7.0	
113.0	-290.0	M. tor~1	I	140.4	-285.1	22.1	-57.9	
90.8	-287.0		J	140.4	-285.1	22.1	-68.2	
66.8	-171.5	M. tor~2	I	83.0	-168.6	13.0	-34.2	
53.7	-169.7		J	83.0	-168.6	13.0	-40.3	
7963.7	5789.8	INVSLU Max	I	1319.1	243.4	2594.6	927.8	3
6238.7	5595.2		J	1316.7	268.4	2847.3	1039.8	3
6642.7	-5119.7	Min	I	-1248.1	-224.1	-47.0	-4753.1	
5515.1	-4947.9		J	-1229.7	-249.1	190.6	-4763.0	
5702.1	15606.4	INVSLV Max	I	2000.4	975.6	982.6	941.4	1
4722.7	15130.2		J	2005.4	975.6	1120.5	941.4	1
8295.0	-15102.4	Min	I	-1952.0	-965.9	448.9	-2894.3	
7696.2	-14635.9		J	-1947.0	-965.9	586.8	-2894.3	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8073.2	3953.3	INVSLE	Max	I	884.4	165.9	1916.0	668.0	2
				J	883.4	182.6	2103.2	750.8	2
6801.3	3824.6		Min	I	-831.8	-151.6	-28.9	-3501.6	
4968.6	-3456.9			J	-819.0	-168.3	147.1	-3508.7	
4127.4	-3345.1								
899	1	52 C1-C2;~1	Max	I	49.2	60.5	1191.8	1494.2	1
5196.2	1354.6			J	50.9	60.5	1241.7	1577.0	1
4693.9	1383.3		Min	I	-37.0	-53.3	-651.6	-2135.1	-
6505.9	-1350.2			J	-35.4	-53.3	-614.8	-2118.3	-
6607.2	-1388.7								
		C3-C4;~1	Max	I	48.3	54.1	1195.9	979.9	1
5157.7	1391.2			J	49.9	54.1	1245.9	990.6	1
4657.2	1419.9		Min	I	-37.0	-47.3	-652.8	-2500.8	-
6687.0	-1314.5			J	-35.6	-47.3	-615.9	-2508.0	-
6792.9	-1349.9								
		C1-C2;~2	Max	I	26.5	31.0	696.8	845.5	
8756.0	676.8			J	27.5	31.0	724.7	899.0	
8478.9	692.3		Min	I	-20.2	-26.4	-380.8	-1215.1	-
3392.5	-704.9			J	-19.3	-26.4	-358.2	-1164.8	-
3471.7	-727.0								
		C3-C4;~2	Max	I	26.0	27.6	698.7	486.9	
8735.7	691.8			J	26.9	27.6	726.8	526.1	
8460.2	706.9		Min	I	-20.7	-23.2	-380.9	-1438.9	-
3498.5	-684.2			J	-19.8	-23.2	-358.1	-1430.8	-
3581.2	-704.3								
		SLVx (RS)		I	1520.2	-878.8	185.0	1628.6	-
2705.7	-12770.9			J	1520.2	-878.8	185.0	1628.6	-
2565.0	-12330.6								
		SLVy (RS)		I	1346.7	329.1	125.3	781.1	-
1153.7	6265.7			J	1346.7	329.1	125.3	781.1	-
1071.2	6158.5								
		SLDx (RS)		I	1085.6	-623.6	136.3	1143.4	-
1989.1	-9240.8			J	1085.6	-623.6	136.3	1143.4	-
1885.9	8930.1								
		SLDy (RS)		I	872.6	237.8	81.1	537.1	
-736.1	4428.5			J	872.6	237.8	81.1	537.1	
-690.5	4344.5								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1536.5	-776.9	SLVz (RS)	I	-112.9	-113.1	-197.2	168.4	-
			J	-112.9	-113.1	-197.2	168.4	-
1382.8	-782.2							
		G1	I	21.0	3.5	625.5	-823.0	
8199.9	218.3		J	24.7	3.5	726.5	-823.0	
7520.1	214.8							
		G2	I	7.7	1.3	228.5	-300.8	
2992.4	79.4		J	9.0	1.3	265.4	-300.8	
2744.1	78.1							
		G1- Imp~1	I	0.5	0.1	-0.3	1.0	
2.6	-34.1		J	0.5	0.1	-0.3	1.0	
2.9	-34.2							
		G2- Imp~1	I	0.2	0.0	-0.1	0.3	
0.8	-11.2		J	0.2	0.0	-0.1	0.3	
0.9	-11.3							
		q3	I	266.0	-21.9	28.3	-100.4	
213.6	-850.6		J	262.8	-21.9	28.3	-100.4	
188.1	-828.6							
		q4-1	I	-0.4	2.9	-2.1	22.5	
-13.8	138.3		J	-0.4	2.9	-2.1	22.5	
-11.7	135.4							
		q4-2	I	-1.4	-3.7	-2.9	24.2	
-20.4	70.6		J	-1.4	-3.7	-2.9	24.2	
-17.4	74.3							
		q4-3	I	-1.1	-11.3	-2.8	-9.8	
-25.4	-213.0		J	-1.1	-11.3	-2.8	-9.8	
-22.5	-201.6							
		q4-4	I	6.0	28.2	-2.4	-43.9	
-28.7	2.0		J	6.0	28.2	-2.4	-43.9	
-26.3	-26.3							
		q4-5	I	56.3	-29.7	2.2	29.5	
19.6	233.2		J	56.3	-29.7	2.2	29.5	
17.3	263.0							
		q4-6	I	103.3	-4.0	5.2	-8.8	
12.5	-331.8		J	103.3	-4.0	5.2	-8.8	
7.3	-327.8							
		q4-7	I	89.4	-7.5	2.5	-17.3	
51.7	-142.4		J	89.4	-7.5	2.5	-17.3	
49.2	-134.8							
		q5 - p~1	I	-871.2	166.1	-26.1	-272.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-404.1	3050.9		J	-863.6	183.7	-26.4	-278.9	
-380.5	2875.1							
636.0	-873.5	q5 - p~2	I	870.2	37.1	89.1	-306.3	
546.6	-914.6		J	869.6	44.6	89.2	-309.0	
-366.1	2884.4	q5 - p~3	I	-825.6	157.2	-23.0	-225.3	
-343.4	2718.0		J	-818.4	173.8	-23.2	-226.5	
606.3	-841.1	q5 - p~4	I	824.4	35.2	83.4	-280.9	
522.4	-880.1		J	823.8	42.3	83.4	-281.4	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
123.4	-1025.2	q7	I	151.9	-0.5	11.9	-116.0	
111.5	-1024.8		J	151.9	-0.5	11.9	-116.0	
-7.5	-7.4	T	I	0.2	0.4	-0.3	-6.9	
-7.2	-7.8		J	0.2	0.4	-0.3	-6.9	
90.0	-287.0	M. tor~1	I	136.7	-286.9	22.2	-69.4	
67.7	-282.2		J	136.7	-286.9	22.2	-79.8	
53.2	-169.7	M. tor~2	I	80.8	-169.6	13.1	-41.0	
40.0	-166.8		J	80.8	-169.6	13.1	-47.1	
6206.9	5606.7	INVSLU Max	I	1314.0	284.5	2847.3	782.4	3
4195.6	5371.2		J	1319.4	309.4	3101.0	896.6	3
5508.8	-4942.8	Min	I	-1226.9	-265.1	190.6	-5172.1	
4194.1	-4729.9		J	-1216.3	-290.0	426.6	-5184.3	
4708.4	15136.0	INVSLV Max	I	1987.3	1016.3	1143.9	790.9	1
3569.1	14660.4		J	1992.3	1016.3	1281.8	790.9	1
7682.9	-14631.2	Min	I	-1928.7	-1006.6	563.3	-3035.9	
6966.7	-14165.3		J	-1923.7	-1006.6	701.2	-3035.9	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6778.0	3833.1	INVSLE	Max	I	881.6	193.3	2103.2	559.6	2
				J	885.8	209.9	2291.1	644.0	2
5294.1	3677.2		Min	I	-817.1	-178.9	147.1	-3811.2	
4122.5	-3341.3			J	-809.4	-195.6	321.9	-3820.1	
3142.7	-3202.2								
900	1	52 C1-C2;~1	Max	I	51.2	60.2	1241.7	1533.3	1
4685.3	1386.9			J	53.0	60.2	1292.3	1618.0	1
4110.6	1415.7		Min	I	-35.9	-53.1	-614.8	-2269.1	-
6599.4	-1391.4			J	-34.4	-53.1	-579.1	-2252.2	-
6700.6	-1430.6								
		C3-C4;~1	Max	I	50.2	53.8	1245.9	1001.2	1
4641.6	1425.3			J	51.9	53.8	1296.7	1019.8	1
4068.6	1454.5		Min	I	-36.0	-47.1	-615.9	-2655.7	-
6784.9	-1352.7			J	-34.5	-47.1	-580.1	-2664.5	-
6890.8	-1388.6								
		C1-C2;~2	Max	I	27.6	30.8	724.7	862.7	
8475.1	693.8			J	28.6	30.8	752.9	917.4	
8158.2	709.3		Min	I	-19.5	-26.3	-358.2	-1248.8	-
3468.2	-728.4			J	-18.6	-26.3	-336.1	-1275.9	-
3547.3	-750.8								
		C3-C4;~2	Max	I	27.0	27.5	726.8	508.4	
8451.8	709.9			J	28.0	27.5	755.1	535.6	
8136.4	725.2		Min	I	-20.0	-23.1	-358.1	-1520.2	-
3577.5	-705.8			J	-19.2	-23.1	-335.9	-1512.4	-
3660.2	-726.0								
		SLVx (RS)		I	1504.3	-915.6	202.9	1619.7	-
2567.2	-12331.1			J	1504.3	-915.6	202.9	1619.7	-
2410.0	11902.2								
		SLVy (RS)		I	1338.1	346.6	126.7	789.3	-
1063.7	6158.5			J	1338.1	346.6	126.7	789.3	-
-986.2	6041.0								
		SLDx (RS)		I	1075.2	-649.4	149.8	1138.3	-
1887.2	8930.4			J	1075.2	-649.4	149.8	1138.3	-
1771.4	8625.6								
		SLDy (RS)		I	868.4	250.9	82.1	542.7	-
-687.2	4344.5			J	868.4	250.9	82.1	542.7	-
-645.4	4253.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1380.3	-782.5	SLVz (RS)	I	-112.1	-109.5	-212.3	181.3	-
			J	-112.1	-109.5	-212.3	181.3	-
1217.8	-793.0							
		G1	I	24.7	3.5	726.5	-920.9	
7508.6	218.4		J	28.4	3.5	827.5	-920.9	
6727.2	214.9							
		G2	I	9.0	1.3	265.4	-336.6	
2739.9	79.4		J	10.4	1.3	302.2	-336.6	
2454.5	78.1							
		G1- Imp~1	I	0.5	0.1	-0.3	1.0	
2.9	-34.2		J	0.5	0.1	-0.3	1.0	
3.2	-34.3							
		G2- Imp~1	I	0.2	0.0	-0.1	0.2	
0.9	-11.3		J	0.2	0.0	-0.1	0.2	
1.0	-11.3							
		q3	I	262.5	-25.3	28.3	-102.9	
187.2	-828.6		J	259.3	-25.3	28.3	-102.9	
161.8	-803.1							
		q4-1	I	-0.3	2.9	-2.1	22.7	
-11.5	135.4		J	-0.3	2.9	-2.1	22.7	
-9.4	132.6							
		q4-2	I	-1.4	-3.7	-2.9	24.5	
-17.1	74.3		J	-1.4	-3.7	-2.9	24.5	
-14.2	78.0							
		q4-3	I	-1.2	-11.3	-2.8	-9.5	
-22.5	-201.6		J	-1.2	-11.3	-2.8	-9.5	
-19.7	-190.3							
		q4-4	I	6.3	28.1	-2.4	-43.6	
-26.9	-26.3		J	6.3	28.1	-2.4	-43.6	
-24.5	-54.6							
		q4-5	I	55.9	-30.4	2.2	29.3	
17.6	263.0		J	55.9	-30.4	2.2	29.3	
15.4	293.6							
		q4-6	I	103.2	-5.4	5.2	-8.9	
7.3	-327.8		J	103.2	-5.4	5.2	-8.9	
2.1	-322.4							
		q4-7	I	89.3	-8.7	2.5	-18.0	
49.0	-134.8		J	89.3	-8.7	2.5	-18.0	
46.5	-126.1							
		q5 - p~1	I	-861.1	194.9	-26.5	-273.9	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-385.5	2875.2		J	-853.3	212.4	-26.8	-280.1	
-361.5	2670.4							
542.9	-914.6	q5 - p~2	I	870.1	33.3	89.1	-316.1	
453.5	-951.9		J	869.5	40.8	89.2	-318.8	
-347.6	2718.1	q5 - p~3	I	-816.1	184.5	-23.3	-222.0	
-324.5	2524.3		J	-808.7	201.0	-23.6	-223.1	
519.1	-880.2	q5 - p~4	I	824.3	31.6	83.4	-288.2	
435.3	-915.5		J	823.7	38.7	83.4	-288.7	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
110.5	-1024.8	q7	I	151.9	-2.5	11.9	-117.4	
98.6	-1022.3		J	151.9	-2.5	11.9	-117.4	
-7.3	-7.8	T	I	0.2	0.4	-0.3	-6.8	
-7.0	-8.3		J	0.2	0.4	-0.3	-6.8	
66.8	-282.2	M. tor~1	I	132.9	-288.7	22.3	-80.6	
44.3	-275.6		J	132.9	-288.7	22.3	-91.0	
39.5	-166.9	M. tor~2	I	78.6	-170.7	13.2	-47.7	
26.2	-163.0		J	78.6	-170.7	13.2	-53.8	
4159.6	5381.9	INVSLU Max	I	1320.3	325.2	3101.0	663.4	3
1863.3	5105.6		J	1327.7	350.0	3355.7	780.2	3
4187.0	-4725.5	Min	I	-1217.2	-305.8	426.7	-5570.6	
2685.1	-4471.9		J	-1208.5	-330.6	661.0	-5584.9	
3552.7	14665.8	INVSLV Max	I	1973.8	1057.4	1302.7	654.6	1
2257.1	14199.9		J	1978.8	1057.4	1440.6	654.6	1
6951.8	-14161.0	Min	I	-1905.0	-1047.6	680.3	-3167.1	
6114.6	-13704.9		J	-1900.0	-1047.6	818.2	-3167.1	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

5267.7	3685.1	INVSLE Max	I	886.5	220.4	2291.1	470.8	2
			J	891.9	237.0	2479.8	557.1	2
3572.7	3502.0	Min	I	-810.1	-206.1	322.0	-4105.7	
3137.2	-3198.8		J	-803.6	-222.6	495.6	-4116.2	
2018.8	-3032.6							
901	1	52 C1-C2;~1 Max	I	53.3	59.9	1292.3	1578.5	1
4100.9	1419.2		J	55.1	59.9	1343.5	1665.4	1
3454.7	1448.2	Min	I	-34.8	-52.8	-579.1	-2399.8	-
6691.7	-1433.4		J	-33.3	-52.8	-544.7	-2382.7	-
6792.9	-1473.3							
		C3-C4;~1 Max	I	52.1	53.6	1296.7	1028.5	1
4051.4	1459.7		J	53.8	53.6	1348.1	1055.0	1
3407.0	1489.4	Min	I	-35.0	-46.8	-580.1	-2806.8	-
6881.6	-1391.4		J	-33.5	-46.8	-545.7	-2817.0	-
6987.5	-1427.6							
		C1-C2;~2 Max	I	28.7	30.7	752.9	883.2	
8153.9	710.7		J	29.8	30.7	781.3	939.2	
7797.8	726.2	Min	I	-18.8	-26.1	-336.1	-1360.9	-
3543.3	-752.3		J	-17.9	-26.1	-314.6	-1339.6	-
3622.4	-774.9							
		C3-C4;~2 Max	I	28.0	27.3	755.1	519.2	
8127.2	728.0		J	29.0	27.3	783.6	548.5	
7772.6	743.7	Min	I	-19.4	-22.9	-335.9	-1598.4	-
3655.9	-727.5		J	-18.5	-22.9	-314.3	-1590.8	-
3738.6	-747.8							
		SLVx (RS)	I	1487.9	-952.2	221.2	1612.9	-
2411.8	11902.6		J	1487.9	-952.2	221.2	1612.9	-
2240.4	11495.7							
		SLVy (RS)	I	1329.7	365.2	128.0	797.4	
-979.7	6041.0		J	1329.7	365.2	128.0	797.4	
-909.2	5916.3							
		SLDx (RS)	I	1064.4	-675.1	163.6	1134.7	-
1772.5	8625.9		J	1064.4	-675.1	163.6	1134.7	-
1645.9	8334.1							
		SLDy (RS)	I	864.2	264.7	83.0	548.4	
-642.7	4253.2		J	864.2	264.7	83.0	548.4	
-605.8	4156.8							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1215.5	-793.2	SLVz (RS)	I	-111.5	-106.3	-225.2	192.7	-
			J	-111.5	-106.3	-225.2	192.7	-
1049.7	-807.0							
		G1	I	28.4	3.5	827.5	-1008.4	
6714.5	218.1		J	32.1	3.5	928.5	-1008.4	
5831.6	214.5							
		G2	I	10.4	1.3	302.2	-368.5	
2449.8	79.3		J	11.7	1.3	339.1	-368.5	
2127.4	78.0							
		G1- Imp~1	I	0.5	0.1	-0.3	0.9	
3.2	-34.3		J	0.5	0.1	-0.3	0.9	
3.5	-34.4							
		G2- Imp~1	I	0.2	0.0	-0.1	0.2	
1.0	-11.3		J	0.2	0.0	-0.1	0.2	
1.1	-11.3							
		q3	I	258.9	-28.7	28.4	-105.0	
160.8	-803.1		J	255.7	-28.7	28.4	-105.0	
135.3	-774.3							
		q4-1	I	-0.3	2.9	-2.1	22.8	
-9.1	132.6		J	-0.3	2.9	-2.1	22.8	
-7.0	129.7							
		q4-2	I	-1.5	-3.7	-2.9	24.6	
-13.9	78.0		J	-1.5	-3.7	-2.9	24.6	
-10.9	81.7							
		q4-3	I	-1.4	-11.2	-2.8	-9.2	
-19.7	-190.3		J	-1.4	-11.2	-2.8	-9.2	
-16.9	-179.0							
		q4-4	I	6.7	28.0	-2.4	-43.2	
-25.0	-54.6		J	6.7	28.0	-2.4	-43.2	
-22.6	-82.8							
		q4-5	I	55.5	-31.2	2.2	29.1	
15.6	293.6		J	55.5	-31.2	2.2	29.1	
13.3	324.9							
		q4-6	I	103.2	-6.7	5.2	-8.9	
2.1	-322.5		J	103.2	-6.7	5.2	-8.9	
-3.1	-315.7							
		q4-7	I	89.1	-9.8	2.5	-18.6	
46.3	-126.1		J	89.1	-9.8	2.5	-18.6	
43.8	-116.2							
		q5 - p~1	I	-850.5	223.5	-26.9	-275.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-366.4	2670.5		J	-842.5	240.8	-27.2	-281.7	
-342.1	2437.1							
449.7	-952.0	q5 - p~2	I	870.0	29.5	89.2	-324.7	
360.3	-985.5		J	869.4	37.0	89.2	-327.4	
-328.6	2524.5	q5 - p~3	I	-806.0	211.5	-23.7	-218.9	
-305.2	2303.5		J	-798.4	227.9	-24.0	-220.0	
431.9	-915.6	q5 - p~4	I	824.2	28.0	83.4	-294.3	
348.1	-947.4		J	823.6	35.2	83.4	-294.8	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
97.5	-1022.3	q7	I	151.9	-4.4	11.9	-118.7	
85.6	-1017.8		J	151.9	-4.4	11.9	-118.7	
-7.1	-8.3	T	I	0.2	0.4	-0.3	-6.7	
-6.8	-8.7		J	0.2	0.4	-0.3	-6.7	
43.2	-275.7	M. tor~1	I	129.1	-290.4	22.5	-91.5	
20.6	-267.4		J	129.1	-290.4	22.5	-101.9	
25.6	-163.0	M. tor~2	I	76.3	-171.7	13.3	-54.1	
12.2	-158.1		J	76.3	-171.7	13.3	-60.2	
1823.6	5115.5	INVSLU Max	I	1328.5	365.6	3355.7	570.8	3
9243.6	4798.8		J	1335.8	390.3	3611.3	690.4	2
2677.5	-4468.2	Min	I	-1209.3	-346.2	661.0	-5943.6	
988.5	-4174.3		J	-1200.5	-370.9	893.7	-5959.7	
2238.9	14204.7	INVSLV Max	I	1959.8	1098.5	1459.3	534.1	1
0791.5	13759.5		J	1964.8	1098.5	1597.2	534.1	1
6098.1	-13701.1	Min	I	-1880.8	-1088.7	799.4	-3285.7	
5135.4	-13265.8		J	-1875.8	-1088.7	937.3	-3285.7	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

3543.5	3509.3	INVSLE Max	I	892.5	247.4	2479.8	401.6	2
			J	898.0	263.8	2669.1	490.0	2
1638.4	3299.3	Min	I	-804.2	-233.0	495.6	-4381.4	
2012.8	-3029.9		J	-797.8	-249.4	667.9	-4393.2	
755.8	-2836.7							
902	1	52 C1-C2;~1 Max	I	55.4	59.6	1343.5	1629.6	1
3444.2	1451.4		J	57.2	59.6	1395.4	1718.8	1
2727.6	1480.6	Min	I	-33.8	-52.5	-544.7	-2523.6	-
6782.8	-1476.1		J	-32.3	-52.5	-511.6	-2506.2	-
6884.0	-1516.8							
		C3-C4;~1 Max	I	54.1	53.3	1348.1	1061.9	1
3388.3	1494.3		J	55.8	53.3	1400.1	1096.4	1
2673.6	1524.3	Min	I	-33.9	-46.5	-545.6	-2952.5	-
6977.1	-1430.5		J	-32.5	-46.5	-512.4	-2963.7	-
7082.9	-1467.0							
		C1-C2;~2 Max	I	29.9	30.5	781.3	907.0	
7793.0	727.6		J	30.9	30.5	809.8	964.5	
7398.6	743.2	Min	I	-18.1	-26.0	-314.6	-1420.5	-
3617.7	-776.4		J	-17.2	-26.0	-293.7	-1398.7	-
3696.8	-799.2							
		C3-C4;~2 Max	I	29.1	27.2	783.6	533.1	
7762.7	746.3		J	30.0	27.2	812.2	564.8	
7369.9	762.0	Min	I	-18.7	-22.8	-314.3	-1672.4	-
3733.7	-749.4		J	-17.9	-22.8	-293.4	-1665.0	-
3816.3	-769.8							
		SLVx (RS)	I	1471.0	-988.3	239.4	1608.0	-
2241.8	11496.1		J	1471.0	-988.3	239.4	1608.0	-
2059.5	11123.3							
		SLVy (RS)	I	1321.4	384.4	129.0	805.3	
-904.1	5916.3		J	1321.4	384.4	129.0	805.3	
-843.0	5788.1							
		SLDx (RS)	I	1053.2	-700.6	177.3	1132.4	-
1646.7	8334.4		J	1053.2	-700.6	177.3	1132.4	-
1511.9	8063.9							
		SLDy (RS)	I	860.3	278.9	83.7	554.1	
-604.0	4156.8		J	860.3	278.9	83.7	554.1	
-573.4	4058.4							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1047.6	-807.2	SLVz (RS)	I	-111.1	-103.8	-236.6	202.0	-
			J	-111.1	-103.8	-236.6	202.0	
-886.7	-822.7							
		G1	I	32.1	3.5	928.5	-1084.2	
5817.8	217.3		J	35.8	3.5	1029.5	-1084.2	
4833.3	213.7							
		G2	I	11.7	1.3	339.1	-396.1	
2122.3	79.0		J	13.1	1.3	376.0	-396.1	
1762.8	77.7							
		G1- Imp~1	I	0.5	0.1	-0.3	0.9	
3.5	-34.4		J	0.5	0.1	-0.3	0.9	
3.8	-34.4							
		G2- Imp~1	I	0.2	0.0	-0.1	0.2	
1.1	-11.3		J	0.2	0.0	-0.1	0.2	
1.2	-11.3							
		q3	I	255.3	-32.0	28.4	-106.7	
134.3	-774.3		J	252.1	-32.0	28.4	-106.7	
108.9	-742.1							
		q4-1	I	-0.3	2.9	-2.1	22.9	
-6.8	129.7		J	-0.3	2.9	-2.1	22.9	
-4.7	126.8							
		q4-2	I	-1.5	-3.7	-2.9	24.8	
-10.7	81.7		J	-1.5	-3.7	-2.9	24.8	
-7.7	85.4							
		q4-3	I	-1.5	-11.2	-2.8	-9.0	
-16.9	-179.0		J	-1.5	-11.2	-2.8	-9.0	
-14.1	-167.7							
		q4-4	I	7.1	27.9	-2.4	-42.9	
-23.1	-82.8		J	7.1	27.9	-2.4	-42.9	
-20.7	-110.9							
		q4-5	I	55.1	-31.9	2.3	28.9	
13.6	324.9		J	55.1	-31.9	2.3	28.9	
11.3	357.0							
		q4-6	I	103.1	-8.0	5.2	-8.8	
-3.0	-315.8		J	103.1	-8.0	5.2	-8.8	
-8.3	-307.7							
		q4-7	I	89.0	-11.0	2.5	-19.1	
43.6	-116.3		J	89.0	-11.0	2.5	-19.1	
41.1	-105.2							
		q5 - p~1	I	-839.2	251.8	-27.3	-277.2	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-346.9	2437.2		J	-831.0	269.0	-27.6	-283.4	
-322.3	2175.4							
356.4	-985.6	q5 - p~2	I	869.8	25.7	89.2	-332.0	
267.0	-1015.3		J	869.1	33.3	89.2	-334.8	
-309.2	2303.6	q5 - p~3	I	-795.3	238.3	-24.1	-216.1	
-285.3	2055.8		J	-787.5	254.7	-24.4	-217.2	
344.7	-947.5	q5 - p~4	I	824.0	24.4	83.4	-299.3	
260.8	-975.7		J	823.4	31.6	83.4	-299.8	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
84.5	-1017.8	q7	I	151.8	-6.4	11.9	-119.7	
72.6	-1011.4		J	151.8	-6.4	11.9	-119.7	
-6.9	-8.7	T	I	0.2	0.4	-0.3	-6.6	
-6.6	-9.2		J	0.2	0.4	-0.3	-6.6	
19.4	-267.4	M. tor~1	I	125.3	-292.0	22.6	-102.1	
-3.3	-257.5		J	125.3	-292.0	22.6	-112.4	
11.5	-158.1	M. tor~2	I	74.1	-172.6	13.4	-60.4	
-2.0	-152.2		J	74.1	-172.6	13.4	-66.5	
9200.7	4807.5	INVSLU Max	I	1336.6	405.7	3611.2	506.5	2
6388.3	4450.6		J	1343.9	430.2	3867.6	629.4	2
980.5	-4171.5	Min	I	-1201.3	-386.3	893.7	-6286.5	
-945.4	-3837.6		J	-1192.5	-410.7	1124.7	-6304.1	
0772.0	13763.8	INVSLV Max	I	1945.3	1139.7	1616.4	430.9	1
9179.4	13352.2		J	1950.4	1139.7	1754.2	430.9	
5117.4	-13262.5	Min	I	-1856.3	-1129.8	918.2	-3389.4	
4022.6	-12860.9		J	-1851.3	-1129.8	1056.1	-3389.4	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1606.8	3305.8	INVSLE Max	I	898.5	274.0	2669.1	353.5	2
			J	904.0	290.4	2859.0	444.4	1
9525.8	3080.7	Min	I	-798.3	-259.7	667.9	-4634.9	
749.6	-2834.6		J	-791.8	-276.0	839.0	-4647.8	
-679.3	-2614.8							
903	1	52 C1-C2;~1 Max	I	57.5	59.3	1395.4	1686.8	1
2716.3	1483.6		J	59.4	59.3	1447.9	1778.7	1
1930.6	1512.9	Min	I	-32.7	-52.3	-511.5	-2638.6	-
6872.7	-1519.5		J	-31.3	-52.3	-479.7	-2620.9	-
6973.9	-1560.9							
		C3-C4;~1 Max	I	56.1	53.0	1400.1	1104.5	1
2653.7	1528.9		J	57.8	53.0	1452.7	1144.0	1
1870.0	1559.5	Min	I	-32.9	-46.3	-512.4	-3093.2	-
7071.3	-1469.9		J	-31.5	-46.3	-480.5	-3103.9	-
7177.2	-1506.7							
		C1-C2;~2 Max	I	31.0	30.3	809.8	934.4	
7393.5	744.5		J	32.1	30.3	838.5	993.5	
6961.7	760.0	Min	I	-17.3	-25.9	-293.7	-1474.8	-
3691.5	-800.8		J	-16.4	-25.9	-273.4	-1452.6	-
3770.6	-823.9							
		C3-C4;~2 Max	I	30.1	27.0	812.2	551.4	
7359.2	764.5		J	31.1	27.0	841.0	584.8	
6929.2	780.5	Min	I	-18.1	-22.6	-293.4	-1742.4	-
3810.8	-771.4		J	-17.2	-22.6	-273.1	-1734.4	-
3893.4	-791.9							
		SLVx (RS)	I	1453.7	-1024.0	257.2	1604.8	-
2060.6	11123.7		J	1453.7	-1024.0	257.2	1604.8	-
1872.2	10798.9							
		SLVy (RS)	I	1313.2	403.8	129.8	812.6	
-839.6	5788.2		J	1313.2	403.8	129.8	812.6	
-790.7	5661.0							
		SLDx (RS)	I	1041.8	-725.9	190.6	1131.4	-
1512.5	8064.2		J	1041.8	-725.9	190.6	1131.4	-
1373.0	7824.2							
		SLDy (RS)	I	856.4	293.0	84.3	559.5	
-572.7	4058.4		J	856.4	293.0	84.3	559.5	
-549.6	3961.3							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-885.1	-822.9	SLVz (RS)	I	-110.9	-102.2	-247.0	209.1
			J	-110.9	-102.2	-247.0	209.1
-743.4	-839.2						
		G1	I	35.8	3.6	1029.5	-1146.9
4818.6	216.0		J	39.5	3.6	1130.5	-1146.9
3732.5	212.4						
		G2	I	13.1	1.3	376.0	-419.0
1757.4	78.5		J	14.4	1.3	412.9	-419.0
1360.7	77.2						
		G1 - Imp~1	I	0.5	0.1	-0.3	0.8
3.8	-34.4		J	0.5	0.1	-0.3	0.8
4.0	-34.5						
		G2 - Imp~1	I	0.2	0.0	-0.1	0.2
1.2	-11.3		J	0.2	0.0	-0.1	0.2
1.3	-11.3						
		q3	I	251.6	-35.3	28.4	-108.1
107.8	-742.2		J	248.4	-35.3	28.4	-108.1
82.3	-706.7						
		q4-1	I	-0.2	2.9	-2.1	22.9
-4.4	126.8		J	-0.2	2.9	-2.1	22.9
-2.3	123.9						
		q4-2	I	-1.6	-3.6	-2.9	24.9
-7.4	85.4		J	-1.6	-3.6	-2.9	24.9
-4.5	89.1						
		q4-3	I	-1.7	-11.2	-2.8	-8.8
-14.1	-167.7		J	-1.7	-11.2	-2.8	-8.8
-11.3	-156.5						
		q4-4	I	7.4	27.8	-2.4	-42.7
-21.2	-110.9		J	7.4	27.8	-2.4	-42.7
-18.7	-138.9						
		q4-5	I	54.7	-32.6	2.3	28.7
11.5	357.0		J	54.7	-32.6	2.3	28.7
9.2	389.8						
		q4-6	I	103.0	-9.4	5.2	-8.7
-8.2	-307.7		J	103.0	-9.4	5.2	-8.7
-13.5	-298.3						
		q4-7	I	88.9	-12.2	2.5	-19.7
40.9	-105.2		J	88.9	-12.2	2.5	-19.7
38.3	-93.0						
		q5 - p~1	I	-827.4	279.8	-27.7	-279.2

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-327.0	2175.5		J	-818.9	297.0	-28.1	-285.4	
-302.0	1885.5							
263.1	-1015.5	q5 - p~2	I	869.5	21.9	89.2	-338.2	
173.6	-1041.3		J	868.7	29.5	89.2	-340.9	
-289.1	2055.9	q5 - p~3	I	-784.1	264.9	-24.5	-213.5	
-264.9	1781.3		J	-776.1	281.1	-24.8	-214.7	
257.4	-975.9	q5 - p~4	I	823.7	20.9	83.4	-303.1	
173.5	-1000.4		J	823.0	28.0	83.5	-303.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
71.5	-1011.4	q7	I	151.7	-8.4	11.9	-120.7	
59.6	-1003.0		J	151.7	-8.4	11.9	-120.7	
-6.6	-9.2	T	I	0.3	0.4	-0.3	-6.5	
-6.3	-9.6		J	0.3	0.4	-0.3	-6.5	
-4.7	-257.5	M. tor~1	I	121.5	-293.6	22.8	-112.4	
-27.6	-246.0		J	121.5	-293.6	22.8	-122.7	
-2.8	-152.2	M. tor~2	I	71.8	-173.6	13.5	-66.4	
-16.3	-145.4		J	71.8	-173.6	13.5	-72.5	
6350.3	4458.3	INVSLU Max	I	1344.5	445.3	3867.6	473.6	2
3265.7	4138.2		J	1351.7	469.7	4124.8	600.1	2
-961.1	-3835.7	Min	I	-1193.2	-425.9	1124.7	-6597.4	
3082.5	-3482.0		J	-1184.2	-450.2	1353.9	-6614.4	-
9159.0	13355.7	INVSLV Max	I	1930.5	1180.8	1775.4	346.4	
7431.1	12992.7		J	1935.5	1180.8	1913.2	346.4	
4002.9	-12858.3	Min	I	-1831.3	-1170.9	1034.9	-3476.3	
2766.1	-12505.2		J	-1826.3	-1170.9	1172.8	-3476.3	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9497.4	3088.4	INVSLE	Max	I	904.4	300.5	2859.0	328.7	1
				J	909.8	316.7	3049.5	422.2	1
7214.2	2940.2		Min	I	-792.4	-286.1	839.0	-4864.9	
-690.6	-2613.4			J	-785.8	-302.3	1008.8	-4877.3	-
2263.6	-2454.2								
904	1	52 C1-C2;~1	Max	I	59.7	59.0	1447.9	1750.9	1
1918.8	1515.7			J	61.6	59.0	1500.8	1845.7	1
1065.4	1545.0		Min	I	-31.7	-52.0	-479.7	-2743.2	-
6961.5	-1563.7			J	-30.3	-52.0	-449.1	-2725.1	-
7062.8	-1605.7								
		C3-C4;~1	Max	I	58.1	52.7	1452.7	1153.9	1
1849.1	1563.5			J	59.9	52.7	1505.8	1198.7	1
0997.9	1594.5		Min	I	-31.9	-46.0	-480.5	-3228.5	-
7164.4	-1509.6			J	-30.5	-46.0	-449.9	-3238.7	-
7270.3	-1546.8								
		C1-C2;~2	Max	I	32.2	30.2	838.5	965.8	
6956.4	761.3			J	33.3	30.2	867.2	1026.5	
6488.3	776.8		Min	I	-16.6	-25.7	-273.4	-1522.8	-
3764.7	-825.4			J	-15.7	-25.7	-253.8	-1500.0	-
3843.8	-848.7								
		C3-C4;~2	Max	I	31.1	26.8	841.0	572.7	
6918.0	782.7			J	32.2	26.8	869.7	608.8	
6451.8	798.9		Min	I	-17.4	-22.5	-273.1	-1808.2	-
3887.2	-793.5			J	-16.6	-22.5	-253.5	-1799.6	-
3969.9	-814.1								
		SLVx (RS)		I	1435.8	-1059.3	274.2	1603.3	-
1873.3	10799.2			J	1435.8	-1059.3	274.2	1603.3	-
1686.0	10537.7								
		SLVy (RS)		I	1305.2	422.9	130.4	819.2	
-789.3	5661.2			J	1305.2	422.9	130.4	819.2	
-755.3	5540.0								
		SLDx (RS)		I	1030.0	-750.9	203.4	1131.6	-
1373.7	7824.5			J	1030.0	-750.9	203.4	1131.6	-
1234.9	7625.5								
		SLDy (RS)		I	852.7	306.8	84.7	564.5	
-550.2	3961.4			J	852.7	306.8	84.7	564.5	
-535.8	3869.3								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-742.6	-839.3	SLVz (RS)	I	-110.8	-101.4	-256.8	213.8
			J	-110.8	-101.4	-256.8	213.8
-644.9	-855.7						
		G1	I	39.5	3.6	1130.5	-1195.2
3717.1	214.1		J	43.2	3.6	1231.5	-1195.2
2529.5	210.5						
		G2	I	14.4	1.3	412.9	-436.6
1355.1	77.8		J	15.8	1.3	449.8	-436.6
921.4	76.5						
		G1- Imp~1	I	0.5	0.1	-0.3	0.8
4.1	-34.5		J	0.5	0.1	-0.3	0.8
4.3	-34.6						
		G2- Imp~1	I	0.2	0.0	-0.1	0.2
1.3	-11.3		J	0.2	0.0	-0.1	0.2
1.4	-11.3						
		q3	I	247.9	-38.5	28.4	-109.1
81.2	-706.7		J	244.7	-38.5	28.4	-109.1
55.7	-668.0						
		q4-1	I	-0.2	2.9	-2.1	23.0
-2.1	123.9		J	-0.2	2.9	-2.1	23.0
0.1	121.0						
		q4-2	I	-1.6	-3.6	-2.9	24.9
-4.2	89.1		J	-1.6	-3.6	-2.9	24.9
-1.3	92.7						
		q4-3	I	-1.8	-11.2	-2.8	-8.6
-11.3	-156.5		J	-1.8	-11.2	-2.8	-8.6
-8.5	-145.2						
		q4-4	I	7.8	27.7	-2.4	-42.4
-19.2	-138.9		J	7.8	27.7	-2.4	-42.4
-16.8	-166.8						
		q4-5	I	54.2	-33.3	2.3	28.6
9.4	389.7		J	54.2	-33.3	2.3	28.6
7.1	423.2						
		q4-6	I	102.8	-10.7	5.2	-8.5
-13.4	-298.3		J	102.8	-10.7	5.2	-8.5
-18.7	-287.5						
		q4-7	I	88.7	-13.3	2.5	-20.2
38.1	-93.0		J	88.7	-13.3	2.5	-20.2
35.6	-79.6						
		q5 - p~1	I	-815.0	307.6	-28.2	-281.5


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-306.6	1885.6		J	-806.3	324.6	-28.5	-287.6	
-281.2	1567.7							
169.6	-1041.6	q5 - p~2	I	869.1	18.2	89.3	-343.1	
80.2	-1063.7		J	868.2	25.8	89.3	-345.8	
-268.5	1781.5	q5 - p~3	I	-772.4	291.2	-25.0	-211.2	
-243.8	1480.5		J	-764.1	307.3	-25.3	-212.4	
170.0	-1000.6	q5 - p~4	I	823.3	17.3	83.5	-305.8	
86.1	-1021.6		J	822.5	24.5	83.5	-306.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
58.5	-1003.0	q7	I	151.6	-10.4	11.9	-121.4	
46.5	-992.6		J	151.6	-10.4	11.9	-121.4	
-6.4	-9.6	T	I	0.3	0.4	-0.3	-6.4	
-6.1	-10.0		J	0.3	0.4	-0.3	-6.4	
-29.1	-246.0	M. tor~1	I	117.7	-295.2	22.9	-122.3	
-52.1	-232.9		J	117.7	-295.2	22.9	-132.6	
-17.2	-145.4	M. tor~2	I	69.6	-174.5	13.5	-72.3	
-30.8	-137.7		J	69.6	-174.5	13.5	-78.4	
3225.6	4146.9	INVSLU Max	I	1352.3	484.6	4124.8	475.5	2
9862.1	3896.3		J	1359.3	508.8	4382.7	605.8	1
3097.8	-3482.7	Min	I	-1184.9	-465.2	1353.9	-6873.6	-
5406.1	-3260.4		J	-1175.8	-489.3	1581.3	-6889.8	-
7410.4	12995.5	INVSLV Max	I	1915.3	1221.6	1933.4	282.3	
5562.6	12697.5		J	1920.3	1221.6	2071.3	282.3	
2744.7	-12503.3	Min	I	-1806.0	-1211.6	1152.6	-3544.1	
1350.6	-12215.4		J	-1801.0	-1211.6	1290.5	-3544.1	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

7184.1	2946.7	INVSLE Max	I	910.2	326.6	3049.5	329.7	1
			J	915.5	342.8	3240.5	426.1	1
4694.4	2782.3	Min	I	-786.3	-312.2	1008.8	-5069.1	-
2274.6	-2454.7		J	-779.6	-328.4	1177.3	-5080.9	-
3986.2	-2311.3							
905	1	52 C1-C2;~1 Max	I	61.9	58.7	1500.8	1822.7	1
1053.3	1547.6		J	63.9	58.7	1554.3	1920.5	1
0134.9	1577.1	Min	I	-30.7	-51.7	-449.1	-2836.3	-
7049.1	-1608.5		J	-29.4	-51.7	-419.8	-2817.8	-
7151.6	-1651.3							
		C3-C4;~1 Max	I	60.1	52.3	1505.8	1209.9	1
0976.1	1598.2		J	62.0	52.3	1559.4	1260.2	1
0060.1	1629.6	Min	I	-30.9	-45.7	-449.9	-3355.5	-
7256.3	-1549.8		J	-29.5	-45.7	-420.6	-3365.1	-
7363.7	-1587.3							
		C1-C2;~2 Max	I	33.3	30.0	867.2	1001.5	
6482.8	777.9		J	34.5	30.0	895.9	1064.1	
5980.1	793.5	Min	I	-15.9	-25.6	-253.8	-1564.0	-
3837.2	-850.3		J	-15.1	-25.6	-234.9	-1540.6	-
3916.9	-873.9							
		C3-C4;~2 Max	I	32.2	26.7	869.7	597.2	
6440.2	800.9		J	33.3	26.7	898.6	636.9	
5939.4	817.3	Min	I	-16.8	-22.3	-253.4	-1868.3	-
3963.0	-815.7		J	-15.9	-22.3	-234.5	-1859.0	-
4046.3	-836.5							
		SLVx (RS)	I	1417.6	-1094.2	290.3	1603.2	-
1686.9	10538.0		J	1417.6	-1094.2	290.3	1603.2	-
1511.3	10355.6							
		SLVy (RS)	I	1297.3	441.3	130.9	825.0	
-756.4	5540.2		J	1297.3	441.3	130.9	825.0	
-739.3	5430.6							
		SLDx (RS)	I	1017.9	-775.7	215.5	1132.6	-
1235.5	7625.7		J	1017.9	-775.7	215.5	1132.6	-
1105.6	7478.7							
		SLDy (RS)	I	849.0	320.2	85.0	569.1	
-537.7	3869.4		J	849.0	320.2	85.0	569.1	
-532.5	3786.8							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-645.3	-855.8	SLVz (RS)	I	-111.0	-101.3	-266.3	215.9
			J	-111.0	-101.3	-266.3	215.9
-624.8	-872.2						
		G1	I	43.2	3.6	1231.5	-1227.7
2513.5	211.6		J	46.9	3.6	1332.5	-1227.7
1224.4	208.0						
		G2	I	15.8	1.3	449.8	-448.5
915.5	76.9		J	17.1	1.3	486.6	-448.5
444.7	75.6						
		G1- Imp~1	I	0.5	0.1	-0.3	0.7
4.3	-34.6		J	0.5	0.1	-0.3	0.7
4.6	-34.6						
		G2- Imp~1	I	0.2	0.0	-0.1	0.2
1.4	-11.3		J	0.2	0.0	-0.1	0.2
1.5	-11.3						
		q3	I	244.2	-41.7	28.4	-109.8
54.6	-668.1		J	241.0	-41.7	28.4	-109.8
29.0	-626.2						
		q4-1	I	-0.2	2.9	-2.1	23.0
0.3	121.0		J	-0.2	2.9	-2.1	23.0
2.4	118.1						
		q4-2	I	-1.6	-3.6	-2.9	24.9
-1.0	92.7		J	-1.6	-3.6	-2.9	24.9
2.0	96.4						
		q4-3	I	-2.0	-11.2	-2.8	-8.5
-8.5	-145.2		J	-2.0	-11.2	-2.8	-8.5
-5.7	-134.0						
		q4-4	I	8.2	27.6	-2.5	-42.2
-17.2	-166.8		J	8.2	27.6	-2.5	-42.2
-14.8	-194.6						
		q4-5	I	53.8	-34.0	2.3	28.5
7.3	423.2		J	53.8	-34.0	2.3	28.5
5.0	457.4						
		q4-6	I	102.7	-12.1	5.2	-8.3
-18.6	-287.6		J	102.7	-12.1	5.2	-8.3
-23.9	-275.4						
		q4-7	I	88.5	-14.5	2.5	-20.6
35.3	-79.6		J	88.5	-14.5	2.5	-20.6
32.8	-65.1						
		q5 - p~1	I	-802.0	335.1	-28.7	-284.0

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-285.7	1567.9		J	-793.0	352.0	-29.1	-290.1	
-259.8	1222.4							
76.1	-1064.0	q5 - p~2	I	868.5	14.5	89.3	-346.7	
-13.3	-1082.3		J	867.5	22.0	89.3	-349.5	
-247.3	1480.6	q5 - p~3	I	-760.0	317.3	-25.4	-209.2	
-222.2	1153.5		J	-751.6	333.3	-25.7	-210.3	
82.5	-1021.9	q5 - p~4	I	822.7	13.8	83.5	-307.4	
-1.4	-1039.4		J	821.8	21.0	83.6	-307.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
45.4	-992.6	q7	I	151.4	-12.3	11.9	-122.0	
33.4	-980.2		J	151.4	-12.3	11.9	-122.0	
-6.2	-10.0	T	I	0.3	0.4	-0.3	-6.3	
-5.9	-10.5		J	0.3	0.4	-0.3	-6.3	
-53.7	-233.0	M. tor~1	I	113.8	-296.7	23.1	-131.9	
-76.9	-218.3		J	113.8	-296.7	23.1	-142.2	
-31.8	-137.7	M. tor~2	I	67.3	-175.4	13.6	-78.0	
-45.5	-129.1		J	67.3	-175.4	13.6	-84.1	
9820.4	3903.4	INVSLU Max	I	1359.8	523.5	4382.7	515.6	1
6181.7	3628.5		J	1366.7	547.5	4641.2	650.1	1
5420.6	-3262.3	Min	I	-1176.4	-504.0	1581.3	-7108.2	-
7917.6	-3016.1		J	-1167.2	-528.0	1806.9	-7123.6	-
5542.2	12699.4	INVSLV Max	I	1899.7	1261.9	2090.4	240.1	
3595.7	12484.0		J	1904.7	1261.9	2228.3	240.1	
1327.4	-12214.2	Min	I	-1780.4	-1251.9	1271.4	-3590.8	
-245.4	-12008.8		J	-1775.4	-1251.9	1409.3	-3590.8	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4663.2	2787.5	INVSLE	Max	I	915.9	352.5	3240.5	359.2	1
				J	921.1	368.5	3432.0	458.7	1
1969.5	2606.9		Min	I	-780.0	-338.1	1177.3	-5242.6	-
3996.6	-2312.6			J	-773.3	-354.1	1344.4	-5253.9	-
5848.0	-2153.4								
906	1	52 C1-C2;~1	Max	I	64.2	58.3	1554.3	1902.9	1
0122.9	1579.4			J	66.2	58.3	1608.1	2004.0	
9184.5	1608.9		Min	I	-29.9	-51.4	-419.8	-2917.8	-
7137.1	-1654.1			J	-29.1	-51.4	-391.8	-2898.8	-
7283.1	-1697.7								
		C3-C4;~1	Max	I	62.2	52.0	1559.4	1284.1	1
0037.9	1632.8			J	64.1	52.0	1613.3	1336.6	
9100.8	1664.3		Min	I	-29.9	-45.4	-420.6	-3471.3	-
7348.8	-1590.3			J	-28.5	-45.4	-392.6	-3480.4	-
7504.4	-1627.9								
		C1-C2;~2	Max	I	34.6	29.8	895.9	1042.1	
5974.7	794.5			J	35.7	29.8	924.7	1106.6	
5455.7	810.1		Min	I	-15.3	-25.4	-234.9	-1598.2	-
3909.7	-875.5			J	-14.7	-25.4	-216.7	-1574.3	-
4006.7	-899.3								
		C3-C4;~2	Max	I	33.3	26.5	898.6	634.2	
5927.6	819.0			J	34.4	26.5	927.4	675.3	
5410.3	835.4		Min	I	-16.1	-22.2	-234.5	-1921.3	-
4038.9	-838.1			J	-15.3	-22.2	-216.3	-1911.4	-
4141.4	-858.8								
		SLVx (RS)		I	1398.9	-1128.5	305.3	1604.3	-
1512.4	10355.9			J	1398.9	-1128.5	305.3	1604.3	-
1364.2	10268.0								
		SLVy (RS)		I	1289.5	458.9	131.5	829.8	
-743.0	5430.8			J	1289.5	458.9	131.5	829.8	
-743.9	5338.6								
		SLDx (RS)		I	1005.6	-800.1	226.8	1134.6	-
1106.3	7478.9			J	1005.6	-800.1	226.8	1134.6	
-997.1	7394.9								
		SLDy (RS)		I	845.5	332.8	85.4	573.1	
-535.8	3786.9			J	845.5	332.8	85.4	573.1	
-539.9	3718.0								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-626.6	-872.2	SLVz (RS)	I	-111.6	-101.8	-275.6	215.3
			J	-111.6	-101.8	-275.6	215.3
-700.0	-888.8						
		G1	I	46.9	3.6	1332.5	-1243.2
1208.1	208.5		J	50.5	3.6	1433.5	-1243.2
-182.7	204.9						
		G2	I	17.1	1.3	486.6	-454.1
438.8	75.7		J	18.5	1.3	523.5	-454.1
-69.1	74.4						
		G1- Imp~1	I	0.5	0.1	-0.3	0.7
4.6	-34.6		J	0.5	0.1	-0.3	0.7
4.9	-34.7						
		G2- Imp~1	I	0.2	0.0	-0.1	0.2
1.5	-11.3		J	0.2	0.0	-0.1	0.2
1.5	-11.3						
		q3	I	240.4	-44.8	28.5	-110.1
27.9	-626.2		J	237.2	-44.8	28.5	-110.1
2.3	-581.1						
		q4-1	I	-0.1	2.9	-2.1	22.9
2.7	118.1		J	-0.1	2.9	-2.1	22.9
4.8	115.2						
		q4-2	I	-1.7	-3.6	-2.9	24.9
2.2	96.4		J	-1.7	-3.6	-2.9	24.9
5.2	100.0						
		q4-3	I	-2.1	-11.1	-2.8	-8.5
-5.8	-134.0		J	-2.1	-11.1	-2.8	-8.5
-3.0	-122.8						
		q4-4	I	8.5	27.5	-2.5	-42.0
-15.2	-194.6		J	8.5	27.5	-2.5	-42.0
-12.7	-222.2						
		q4-5	I	53.3	-34.7	2.3	28.4
5.1	457.4		J	53.3	-34.7	2.3	28.4
2.8	492.3						
		q4-6	I	102.5	-13.4	5.2	-8.0
-23.9	-275.5		J	102.5	-13.4	5.2	-8.0
-29.1	-262.0						
		q4-7	I	88.3	-15.6	2.6	-21.0
32.5	-65.1		J	88.3	-15.6	2.6	-21.0
29.9	-49.4						
		q5 - p~1	I	-788.4	362.3	-29.3	-286.7

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-264.2	1222.5		J	-779.2	379.1	-29.6	-292.7	
-237.9	849.7							
-17.4	-1082.6	q5 - p~2	I	867.7	10.7	89.4	-349.2	
-106.9	-1097.3		J	866.6	18.4	89.4	-351.9	
-225.4	1153.7	q5 - p~3	I	-747.1	343.1	-25.9	-207.5	
-199.8	800.7		J	-738.5	359.0	-26.3	-208.6	
		q5 - p~4	I	822.0	10.3	83.6	-307.7	
-5.0	-1039.7		J	821.0	17.5	83.6	-308.2	
-89.0	-1053.6							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	151.2	-14.3	11.9	-122.3	
32.3	-980.2		J	151.2	-14.3	11.9	-122.3	
20.3	-965.8							
		T	I	0.3	0.4	-0.3	-6.3	
-5.9	-10.5		J	0.3	0.4	-0.3	-6.3	
-5.6	-10.9							
		M. tor~1	I	109.9	-298.1	23.2	-141.2	
-78.6	-218.4		J	109.9	-298.1	23.2	-151.5	
-102.0	-202.3							
		M. tor~2	I	65.0	-176.2	13.7	-83.5	
-46.5	-129.1		J	65.0	-176.2	13.7	-89.6	
-60.3	-119.6							
		INVSLU Max	I	1367.1	561.9	4641.2	597.5	1
6139.5	3633.8		J	1373.9	585.8	4900.2	736.5	1
2286.0	3557.1	Min	I	-1167.7	-542.5	1806.9	-7295.2	-
7931.5	-3019.2		J	-1158.3	-566.3	2030.8	-7309.9	-1
0680.4	-2972.4							
		INVSLV Max	I	1883.9	1301.7	2246.3	221.4	
3576.2	12485.0		J	1888.9	1301.7	2384.1	221.4	
1552.0	12369.5	Min	I	-1754.6	-1291.7	1391.3	-3614.3	
-270.3	-12008.4		J	-1749.6	-1291.7	1529.2	-3614.3	-
2042.8	-11903.0							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1937.9	2610.9	INVSLE Max	I	921.4	378.2	3432.0	419.7	1
			J	926.5	394.0	3623.8	522.5	
9085.2	2562.5	Min	I	-773.7	-363.7	1344.4	-5381.0	-
5857.9	-2155.6		J	-766.8	-379.6	1510.2	-5391.7	-
7895.9	-2129.4							
907	1	52 C1-C2;~1 Max	I	66.5	58.0	1608.1	2009.2	
9180.5	1611.0		J	68.6	58.0	1662.4	2113.9	
8349.6	1640.7	Min	I	-29.6	-51.1	-391.8	-2985.9	-
7275.9	-1700.6		J	-28.9	-51.1	-365.2	-2966.5	-
7630.1	-1745.2							
		C3-C4;~1 Max	I	64.3	51.7	1613.3	1377.7	
9086.2	1667.0		J	66.3	51.7	1667.6	1429.6	
8269.3	1698.6	Min	I	-29.0	-45.0	-392.6	-3574.8	-
7497.6	-1630.9		J	-28.0	-45.0	-366.0	-3583.3	-
7869.8	-1668.6							
		C1-C2;~2 Max	I	35.8	29.6	924.7	1100.5	
5453.7	811.0		J	37.0	29.6	953.4	1167.1	
4970.2	826.6	Min	I	-14.9	-25.3	-216.7	-1624.5	-
4002.3	-901.0		J	-14.8	-25.3	-199.2	-1600.0	-
4182.7	-925.2							
		C3-C4;~2 Max	I	34.4	26.3	927.4	684.9	
5401.6	836.9		J	35.5	26.3	956.2	725.2	
4925.0	853.3	Min	I	-15.5	-22.0	-216.3	-1967.0	-
4137.0	-860.5		J	-14.9	-22.0	-198.8	-1956.5	-
4326.2	-881.2							
		SLVx (RS)	I	1379.9	-1162.3	319.2	1606.5	-
1365.5	10268.2		J	1379.9	-1162.3	319.2	1606.5	-
1265.9	10288.7							
		SLVy (RS)	I	1281.8	475.4	132.3	833.5	
-750.2	5338.8		J	1281.8	475.4	132.3	833.5	
768.8	5270.1							
		SLDx (RS)	I	993.1	-824.2	237.1	1137.2	
-998.0	7395.0		J	993.1	-824.2	237.1	1137.2	
-925.7	7384.1							
		SLDy (RS)	I	842.1	344.6	86.0	576.5	
-544.5	3718.2		J	842.1	344.6	86.0	576.5	
557.5	3667.7							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-702.8	-888.7	SLVz (RS)	I	-112.5	-102.7	-284.8	212.2
			J	-112.5	-102.7	-284.8	212.2
853.4	-905.8						
		G1	I	50.5	3.6	1433.5	-1240.2
-199.0	204.7		J	54.2	3.6	1534.5	-1240.2
1691.4	201.0						
		G2	I	18.5	1.3	523.5	-452.9
-75.1	74.3		J	19.8	1.3	560.4	-452.9
-620.1	73.0						
		G1 - Imp~1	I	0.5	0.1	-0.3	0.6
4.9	-34.7		J	0.5	0.1	-0.3	0.6
5.2	-34.7						
		G2 - Imp~1	I	0.2	0.0	-0.1	0.1
1.6	-11.3		J	0.2	0.0	-0.1	0.1
1.6	-11.3						
		q3	I	236.6	-47.9	28.5	-110.1
1.2	-581.2		J	233.4	-47.9	28.5	-110.1
-24.5	-533.1						
		q4-1	I	-0.1	2.9	-2.1	22.8
5.0	115.2		J	-0.1	2.9	-2.1	22.8
7.1	112.3						
		q4-2	I	-1.7	-3.6	-2.9	24.8
5.4	100.0		J	-1.7	-3.6	-2.9	24.8
8.4	103.6						
		q4-3	I	-2.2	-11.1	-2.8	-8.4
-3.0	-122.8		J	-2.2	-11.1	-2.8	-8.4
-0.2	-111.6						
		q4-4	I	8.9	27.4	-2.5	-41.8
-13.2	-222.3		J	8.9	27.4	-2.5	-41.8
-10.7	-249.8						
		q4-5	I	52.9	-35.4	2.3	28.3
2.9	492.3		J	52.9	-35.4	2.3	28.3
0.6	527.9						
		q4-6	I	102.3	-14.7	5.2	-7.6
-29.1	-262.1		J	102.3	-14.7	5.2	-7.6
-34.3	-247.2						
		q4-7	I	88.1	-16.8	2.6	-21.4
29.7	-49.4		J	88.1	-16.8	2.6	-21.4
27.1	-32.5						
		q5 - p~1	I	-774.2	389.2	-29.8	-289.7

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-242.1	849.9		J	-764.8	405.9	-30.1	-295.6	
-215.3	450.1							
		q5 - p~2	I	866.8	7.1	89.5	-350.4	
-111.0	-1097.7		J	865.6	14.7	89.5	-353.2	
-200.5	-1108.6							
		q5 - p~3	I	-733.7	368.6	-26.5	-206.0	
-202.9	800.8		J	-724.8	384.3	-26.8	-207.1	
-176.7	422.2							
		q5 - p~4	I	821.2	6.8	83.7	-307.0	
-92.5	-1054.0		J	820.0	14.0	83.7	-307.5	
-176.6	-1064.4							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	151.0	-16.3	11.9	-122.5	
19.2	-965.9		J	151.0	-16.3	11.9	-122.5	
7.2	-949.5							
		T	I	0.3	0.4	-0.3	-6.2	
-5.7	-10.9		J	0.3	0.4	-0.3	-6.2	
-5.4	-11.3							
		M. tor~1	I	106.0	-299.5	23.3	-150.1	
-103.9	-202.4		J	106.0	-299.5	23.3	-160.4	
-127.3	-184.9							
		M. tor~2	I	62.7	-177.1	13.8	-88.8	
-61.4	-119.7		J	62.7	-177.1	13.8	-94.8	
-75.3	-109.3							
		INVSLU Max	I	1374.2	599.9	4900.2	747.5	1
2254.3	3560.8		J	1380.9	623.6	5159.7	891.3	
8358.3	3606.7	Min	I	-1158.9	-580.5	2030.8	-7430.5	-1
0705.2	-2977.0		J	-1149.7	-604.2	2252.7	-7444.5	-1
3933.3	-3054.2							
		INVSLV Max	I	1867.8	1340.8	2401.0	227.8	
1533.7	12369.5		J	1872.8	1340.8	2538.9	227.8	
-552.1	12369.5	Min	I	-1728.6	-1330.7	1512.3	-3612.6	-
2069.1	-11903.5		J	-1723.6	-1330.7	1650.2	-3612.6	-
4057.2	-11913.6							

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

9061.5	2565.2	INVSLE Max	I	926.7	403.5	3623.9	530.7	
			J	931.8	419.3	3816.1	637.1	
6177.4	2598.5	Min	I	-767.2	-389.1	1510.2	-5481.1	-
7914.0	-2132.7		J	-760.5	-404.8	1674.6	-5491.3	-1
0306.9	-2189.2							
908	1	52 C1-C2;~1 Max	I	68.9	57.6	1662.4	2127.2	
8347.3	1642.4		J	71.0	57.6	1716.9	2235.5	
7528.3	1672.5	Min	I	-29.4	-50.7	-365.2	-3040.7	-
7624.6	-1748.1		J	-28.7	-50.7	-339.9	-3020.8	-
8058.6	-1794.3							
		C3-C4;~1 Max	I	66.4	51.3	1667.6	1477.0	
8256.2	1700.7		J	68.5	51.3	1722.2	1530.9	
7457.0	1732.5	Min	I	-28.4	-44.7	-366.0	-3663.4	-
7865.2	-1671.7		J	-28.3	-44.7	-340.8	-3671.5	-
8317.1	-1709.4							
		C1-C2;~2 Max	I	37.0	29.4	953.4	1165.8	
4968.9	827.4		J	38.3	29.4	982.1	1234.5	
4483.3	843.1	Min	I	-15.1	-25.1	-199.2	-1643.0	-
4178.7	-926.9		J	-14.7	-25.1	-182.4	-1617.8	-
4391.0	-951.7							
		C3-C4;~2 Max	I	35.5	26.1	956.2	739.4	
4917.0	854.5		J	36.7	26.1	984.9	780.5	
4440.7	871.0	Min	I	-15.2	-21.9	-198.8	-2003.8	-
4322.5	-882.9		J	-14.6	-21.9	-182.0	-1992.7	-
4543.5	-903.6							
		SLVx (RS)	I	1360.6	-1195.6	331.8	1609.6	-
1267.5	10288.9		J	1360.6	-1195.6	331.8	1609.6	
1239.3	10428.3							
		SLVy (RS)	I	1274.2	490.7	133.4	836.2	
777.2	5270.4		J	1274.2	490.7	133.4	836.2	
812.1	5230.8							
		SLDx (RS)	I	-980.3	-848.0	246.6	1140.4	
-926.9	7384.2		J	-980.3	-848.0	246.6	1140.4	
-908.7	7454.7							
		SLDy (RS)	I	838.7	355.4	86.8	579.2	
563.3	3667.9		J	838.7	355.4	86.8	579.2	
584.4	3640.2							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
856.5	-905.6	SLVz (RS)	I	-113.9	-103.7	-294.1	206.4	
1057.6	-923.6		J	-113.9	-103.7	-294.1	206.4	
1707.6	200.2	G1	I	54.1	3.7	1534.5	-1217.4	-
3301.5	196.5		J	57.8	3.7	1635.5	-1217.4	-
-626.0	72.7	G2	I	19.8	1.4	560.4	-444.6	
1208.1	71.3		J	21.1	1.4	597.3	-444.6	-
5.2	-34.7	G1- Imp~1	I	0.5	0.0	-0.3	0.5	
5.5	-34.8		J	0.5	0.0	-0.3	0.5	
1.6	-11.3	G2- Imp~1	I	0.2	0.0	-0.1	0.1	
1.7	-11.3		J	0.2	0.0	-0.1	0.1	
-25.6	-533.2	q3	I	232.7	-50.9	28.5	-109.8	
-51.3	-481.9		J	229.5	-50.9	28.5	-109.8	
7.4	112.3	q4-1	I	-0.0	2.9	-2.1	22.7	
9.5	109.4		J	-0.0	2.9	-2.1	22.7	
8.7	103.6	q4-2	I	-1.8	-3.5	-2.9	24.7	
11.6	107.1		J	-1.8	-3.5	-2.9	24.7	
-0.3	-111.6	q4-3	I	-2.4	-11.1	-2.8	-8.4	
2.5	-100.4		J	-2.4	-11.1	-2.8	-8.4	
-11.1	-249.8	q4-4	I	9.2	27.3	-2.5	-41.6	
-8.6	-277.3		J	9.2	27.3	-2.5	-41.6	
0.7	527.9	q4-5	I	52.4	-36.1	2.4	28.3	
-1.7	564.2		J	52.4	-36.1	2.4	28.3	
-34.3	-247.3	q4-6	I	102.1	-16.1	5.2	-7.1	
-39.6	-231.1		J	102.1	-16.1	5.2	-7.1	
26.8	-32.5	q4-7	I	87.9	-17.9	2.6	-21.8	
24.2	-14.5		J	87.9	-17.9	2.6	-21.8	
		q5 - p~1	I	-759.5	415.8	-30.4	-292.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-219.4	450.2		J	-749.9	432.4	-30.7	-298.8	
-192.1	23.7							
-204.6	-1109.0	q5 - p~2	I	865.7	3.4	89.5	-350.4	
-294.2	-1116.4		J	864.4	11.1	89.6	-353.2	
-179.6	422.4	q5 - p~3	I	-719.8	393.8	-27.0	-204.8	
-152.9	18.5		J	-710.7	409.4	-27.3	-205.9	
-180.1	-1064.8	q5 - p~4	I	820.2	3.3	83.7	-305.1	
-264.2	-1071.8		J	818.9	10.6	83.8	-305.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
6.1	-949.5	q7	I	150.8	-18.3	11.9	-122.6	
-5.9	-931.2		J	150.8	-18.3	11.9	-122.6	
-5.5	-11.3	T	I	0.3	0.4	-0.3	-6.1	
-5.2	-11.7		J	0.3	0.4	-0.3	-6.1	
-129.3	-185.0	M. tor~1	I	102.1	-300.9	23.5	-158.7	
-153.0	-166.2		J	102.1	-300.9	23.5	-169.0	
-76.5	-109.4	M. tor~2	I	60.3	-177.9	13.9	-93.8	
-90.4	-98.2		J	60.3	-177.9	13.9	-99.9	
8329.0	3608.4	INVSLU Max	I	1381.1	637.5	5159.8	948.6	
4353.4	3651.2		J	1387.6	661.0	5419.6	1097.4	
3960.6	-3060.2	Min	I	-1150.2	-618.1	2252.7	-7508.3	-1
7574.8	-3136.3		J	-1141.0	-641.5	2472.9	-7521.7	-1
-569.2	12368.4	INVSLV Max	I	1851.6	1378.9	2554.6	261.0	
2702.2	12496.2		J	1856.6	1378.9	2692.5	261.0	-
4084.4	-11914.9	Min	I	-1702.5	-1368.8	1634.5	-3583.8	-
6302.6	-12052.9		J	-1697.5	-1368.8	1772.3	-3583.8	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

6155.4	2599.7	INVSLE	Max	I	931.9	428.5	3816.1	679.7	
				J	936.9	444.2	4008.6	789.7	
3205.5	2631.0		Min	I	-760.9	-414.1	1674.6	-5538.7	-1
0326.9	-2193.6			J	-754.2	-429.8	1837.7	-5548.5	-1
2999.1	-2249.5								
909	1	52 C1-C2;~1	Max	I	71.3	57.2	1716.9	2257.2	
7527.8	1673.9			J	73.5	57.2	1771.7	2369.5	
6747.5	1704.4		Min	I	-29.1	-50.4	-339.9	-3080.9	-
8054.8	-1797.4			J	-28.5	-50.4	-318.3	-3060.4	-
8584.0	-1845.4								
		C3-C4;~1	Max	I	68.6	51.0	1722.2	1582.3	
7445.9	1734.1			J	70.7	51.0	1777.1	1640.9	
6685.0	1765.8		Min	I	-28.8	-44.4	-340.8	-3736.9	-
8314.7	-1712.5			J	-28.1	-44.4	-323.1	-3744.7	-
8861.4	-1750.3								
		C1-C2;~2	Max	I	38.3	29.2	982.1	1237.9	
4483.0	843.8			J	39.6	29.2	1010.8	1308.8	
4006.8	859.6		Min	I	-14.9	-25.0	-182.4	-1652.8	-
4387.5	-953.4			J	-14.5	-25.0	-168.1	-1627.0	-
4637.9	-978.9								
		C3-C4;~2	Max	I	36.7	25.9	984.9	797.9	
4433.6	871.9			J	37.9	25.9	1013.6	841.4	
3966.6	888.4		Min	I	-14.8	-21.7	-182.0	-2031.9	-
4540.6	-905.4			J	-14.6	-21.7	-170.7	-2020.2	-
4799.5	-926.0								
		SLVx (RS)		I	1341.0	-1228.2	-343.2	1613.6	
1241.3	10428.4			J	1341.0	-1228.2	-343.2	1613.6	-
1298.5	10692.9								
		SLVy (RS)		I	1266.7	504.7	135.0	837.7	
822.2	5231.1			J	1266.7	504.7	135.0	837.7	
871.5	5225.9								
		SLDx (RS)		I	-967.3	-871.4	-255.1	1144.1	
-910.2	7454.8			J	-967.3	-871.4	-255.1	1144.1	
-956.2	7612.3								
		SLDy (RS)		I	835.4	365.2	88.0	581.2	
591.1	3640.3			J	835.4	365.2	88.0	581.2	
619.7	3639.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1060.7	-923.3	SLVz (RS)	I	-115.5	-104.7	-303.7	198.3	
			J	-115.5	-104.7	-303.7	198.3	
1294.0	-942.4							
		G1	I	57.7	3.7	1635.5	-1173.6	-
3317.2	194.8		J	61.4	3.7	1736.5	-1173.6	-
5012.7	191.1							
		G2	I	21.1	1.4	597.3	-428.6	-
1213.9	70.7		J	22.4	1.4	634.2	-428.6	-
1833.1	69.3							
		G1- Imp~1	I	0.5	0.0	-0.3	0.5	
5.5	-34.8		J	0.5	0.0	-0.3	0.5	
5.7	-34.8							
		G2- Imp~1	I	0.2	-0.0	-0.1	0.1	
1.7	-11.3		J	0.2	-0.0	-0.1	0.1	
1.8	-11.3							
		q3	I	228.8	-53.9	28.6	-109.0	
-52.5	-482.0		J	225.6	-53.9	28.6	-109.0	
-78.2	-427.8							
		q4-1	I	-0.0	2.9	-2.1	22.6	
9.7	109.4		J	-0.0	2.9	-2.1	22.6	
11.9	106.5							
		q4-2	I	-1.8	-3.5	-2.9	24.5	
11.9	107.1		J	-1.8	-3.5	-2.9	24.5	
14.8	110.7							
		q4-3	I	-2.5	-11.1	-2.8	-8.4	
2.5	-100.4		J	-2.5	-11.1	-2.8	-8.4	
5.3	-89.3							
		q4-4	I	9.6	27.2	-2.5	-41.5	
-9.0	-277.3		J	9.6	27.2	-2.5	-41.5	
-6.5	-304.6							
		q4-5	I	51.9	-36.8	2.4	28.3	
-1.6	564.2		J	51.9	-36.8	2.4	28.3	
-4.0	601.1							
		q4-6	I	101.9	-17.4	5.3	-6.6	
-39.6	-231.2		J	101.9	-17.4	5.3	-6.6	
-44.9	-213.7							
		q4-7	I	87.6	-19.1	2.6	-22.1	
24.0	-14.5		J	87.6	-19.1	2.6	-22.1	
21.4	4.7							
		q5 - p~1	I	-744.2	442.1	-31.0	-296.3	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-196.0	23.9		J	-734.4	458.5	-31.3	-302.2	
-168.2	-429.0							
		q5 - p~2	I	864.5	-0.1	89.6	-349.2	
-298.3	-1116.8		J	863.1	7.6	89.7	-352.0	
-387.9	-1120.6							
		q5 - p~3	I	-705.3	418.7	-27.6	-203.9	
-155.6	18.7		J	-696.0	434.2	-27.9	-205.0	
-128.4	-410.1							
		q5 - p~4	I	819.0	-0.0	83.8	-302.0	
-267.7	-1072.3		J	817.6	7.3	83.9	-302.5	
-351.9	-1075.9							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	150.6	-20.2	12.0	-122.4	
-7.1	-931.2		J	150.6	-20.2	12.0	-122.4	
-19.1	-910.9							
		T	I	0.3	0.4	-0.3	-6.0	
-5.2	-11.7		J	0.3	0.4	-0.3	-6.0	
-4.9	-12.1							
		M. tor~1	I	98.1	-302.2	23.6	-167.0	
-155.1	-166.3		J	98.1	-302.2	23.6	-177.2	
-178.9	-146.1							
		M. tor~2	I	58.0	-178.6	14.0	-98.7	
-91.7	-98.3		J	58.0	-178.6	14.0	-104.8	
-105.7	-86.4							
		INVSLU Max	I	1387.8	674.6	5419.7	1203.7	
4327.4	3650.8		J	1394.2	697.9	5679.9	1357.7	
230.2	3690.4	Min	I	-1141.5	-655.2	2472.8	-7525.7	-1
7604.4	-3143.9		J	-1132.4	-678.5	2682.8	-7538.7	-2
1547.2	-3219.3							
		INVSLV Max	I	1835.2	1416.1	2707.2	322.7	-
2717.8	12494.1		J	1840.1	1416.1	2845.1	322.7	-
4890.1	12757.7	Min	I	-1676.2	-1405.9	1757.6	-3526.0	-
6330.1	-12055.3		J	-1671.2	-1405.9	1895.5	-3526.0	-
8786.3	-12329.1							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3185.9	2630.7	INVSLE	Max	I	937.0	453.2	4008.6	868.7	
				J	941.9	468.7	4201.4	982.6	
145.0	2659.7		Min	I	-754.6	-438.8	1837.7	-5551.7	-1
3020.7	-2255.1			J	-748.0	-454.3	1993.2	-5561.1	-1
5935.3	-2310.8								
910	1	52 C1-C2;~1	Max	I	73.8	56.8	1771.7	2400.0	
6749.0	1705.5			J	76.1	56.8	1826.7	2516.3	
6016.3	1735.7		Min	I	-28.9	-50.1	-318.3	-3106.0	-
8581.9	-1848.5			J	-28.7	-50.1	-307.6	-3085.2	-
9212.7	-1896.3								
		C3-C4;~1	Max	I	70.9	50.6	1777.1	1693.4	
6676.0	1766.9			J	73.1	50.6	1832.1	1760.0	
5962.2	1798.6		Min	I	-28.5	-44.1	-323.1	-3794.3	-
8861.2	-1753.4			J	-27.9	-44.1	-315.1	-3801.7	-
9508.6	-1791.3								
		C1-C2;~2	Max	I	39.7	29.0	1010.8	1317.3	
4007.5	860.2			J	41.0	29.0	1039.3	1390.4	
3544.8	875.9		Min	I	-14.8	-24.8	-168.1	-1653.8	-
4634.9	-980.7			J	-14.6	-24.8	-161.7	-1627.4	-
4925.8	-1006.1								
		C3-C4;~2	Max	I	37.9	25.8	1013.6	860.3	
3960.5	889.0			J	39.1	25.8	1042.1	907.9	
3507.2	905.5		Min	I	-14.8	-21.5	-170.7	-2050.6	-
4797.2	-927.8			J	-14.5	-21.5	-166.3	-2038.4	-
5096.4	-948.5								
		SLVx (RS)		I	1321.2	-1260.2	-353.2	1618.2	-
1300.7	10693.0			J	1321.2	-1260.2	-353.2	1618.2	-
1440.6	11084.2								
		SLVy (RS)		I	1259.2	517.3	137.0	838.1	
882.9	5226.1			J	1259.2	517.3	137.0	838.1	
944.6	5259.5								
		SLDx (RS)		I	-954.2	-894.4	-262.7	1148.3	
-958.0	7612.4			J	-954.2	-894.4	-262.7	1148.3	-
1065.5	7859.1								
		SLDy (RS)		I	832.2	374.0	89.5	582.4	
627.0	3639.3			J	832.2	374.0	89.5	582.4	
662.5	3667.7								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1296.8	-942.1	SLVz (RS)	I	-117.4	-105.3	-313.8	188.2	
			J	-117.4	-105.3	-313.8	188.2	
1552.7	-962.6							
		G1	I	61.3	3.7	1736.5	-1107.4	-
5027.8	188.6		J	65.0	3.7	1837.5	-1107.4	-
6824.8	184.9							
		G2	I	22.4	1.4	634.2	-404.4	-
1838.6	68.4		J	23.7	1.4	671.1	-404.4	-
2494.9	67.0							
		G1- Imp~1	I	0.5	0.0	-0.3	0.4	
5.8	-34.8		J	0.5	0.0	-0.3	0.4	
6.0	-34.9							
		G2- Imp~1	I	0.2	-0.0	-0.1	0.1	
1.8	-11.3		J	0.2	-0.0	-0.1	0.1	
1.9	-11.3							
		q3	I	224.9	-56.9	28.6	-108.0	
-79.4	-427.9		J	221.6	-56.9	28.6	-108.0	
-105.1	-370.8							
		q4-1	I	0.0	2.9	-2.1	22.4	
12.1	106.5		J	0.0	2.9	-2.1	22.4	
14.2	103.6							
		q4-2	I	-1.9	-3.5	-2.9	24.3	
15.1	110.7		J	-1.9	-3.5	-2.9	24.3	
18.0	114.2							
		q4-3	I	-2.7	-11.0	-2.8	-8.5	
5.2	-89.3		J	-2.7	-11.0	-2.8	-8.5	
8.0	-78.2							
		q4-4	I	9.9	27.0	-2.5	-41.4	
-6.9	-304.6		J	9.9	27.0	-2.5	-41.4	
-4.4	-331.8							
		q4-5	I	51.5	-37.4	2.4	28.3	
-3.9	601.1		J	51.5	-37.4	2.4	28.3	
-6.3	638.8							
		q4-6	I	101.7	-18.7	5.3	-6.0	
-44.9	-213.7		J	101.7	-18.7	5.3	-6.0	
-50.2	-194.9							
		q4-7	I	87.4	-20.2	2.6	-22.4	
21.1	4.6		J	87.4	-20.2	2.6	-22.4	
18.4	25.0							
		q5 - p~1	I	-728.3	468.0	-31.6	-299.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-171.9	-428.8		J	-718.3	484.3	-32.0	-305.8	
-143.6	-907.7							
		q5 - p~2	I	863.1	-3.7	89.7	-346.8	
-392.0	-1121.1		J	861.6	4.1	89.8	-349.6	
-481.7	-1121.3							
		q5 - p~3	I	-690.3	443.2	-28.2	-203.3	
-130.8	-410.0		J	-680.8	458.7	-28.5	-204.3	
-103.0	-863.5							
		q5 - p~4	I	817.7	-3.4	83.9	-297.8	
-355.4	-1076.4		J	816.2	3.9	84.0	-298.3	
-439.7	-1076.6							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	150.3	-22.2	12.0	-122.1	
-20.3	-911.0		J	150.3	-22.2	12.0	-122.1	
-32.3	-888.7							
		T	I	0.3	0.4	-0.3	-6.0	
-5.0	-12.1		J	0.3	0.4	-0.3	-6.0	
-4.7	-12.5							
		M. tor~1	I	94.2	-303.4	23.8	-174.8	
-181.1	-146.2		J	94.2	-303.4	23.8	-185.1	
-205.0	-124.8							
		M. tor~2	I	55.7	-179.4	14.1	-103.4	
-107.1	-86.4		J	55.7	-179.4	14.1	-109.4	
-121.2	-73.8							
		INVSLU Max	I	1394.2	711.2	5679.9	1516.1	
208.1	3687.8		J	1400.4	734.3	5940.4	1675.7	-
4011.9	3724.1	Min	I	-1132.8	-691.8	2682.7	-7479.0	-2
1578.3	-3228.5		J	-1123.7	-714.9	2879.6	-7491.5	-2
5844.4	-3300.4							
		INVSLV Max	I	1818.5	1452.1	2858.8	414.8	-
4904.1	12754.4		J	1823.5	1452.1	2996.7	414.8	-
7043.5	13156.6	Min	I	-1649.8	-1441.9	1881.8	-3437.4	-
8813.4	-12332.6		J	-1644.8	-1441.9	2019.7	-3437.4	-1
1580.0	-12745.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

128.4	2657.8	INVSLE Max	I	941.9	477.6	4201.4	1100.3	
			J	946.7	493.0	4394.3	1218.3	-
3003.6	2684.7	Min	I	-748.3	-463.2	1993.2	-5517.3	-1
5958.2	-2317.5		J	-741.7	-478.6	2139.0	-5526.4	-1
9112.2	-2370.8							
911	1	52 C1-C2;~1 Max	I	76.3	56.4	1826.7	2556.2	
6019.7	1736.4		J	78.7	56.4	1881.8	2676.7	
5339.5	1766.5	Min	I	-29.2	-49.7	-307.6	-3115.0	-
9211.8	-1899.5		J	-29.0	-49.7	-303.6	-3093.8	-
9946.3	-1947.0							
		C3-C4;~1 Max	I	73.2	50.2	1832.1	1810.7	
5955.1	1799.1		J	75.4	50.2	1887.2	1888.8	
5293.2	1830.7	Min	I	-28.3	-43.7	-315.1	-3834.6	-
9510.2	-1794.5		J	-27.7	-43.7	-311.2	-3841.9	-1
0260.4	-1832.5							
		C1-C2;~2 Max	I	41.0	28.8	1039.3	1404.1	
3546.6	876.3		J	42.4	28.8	1067.6	1479.5	
3100.3	891.5	Min	I	-14.9	-24.6	-161.7	-1645.4	-
4923.1	-1007.9		J	-14.8	-24.6	-160.1	-1618.4	-
5255.6	-1033.1							
		C3-C4;~2 Max	I	39.1	25.6	1042.1	926.7	
3502.0	905.8		J	40.4	25.6	1070.4	980.5	
3065.1	922.2	Min	I	-14.7	-21.3	-166.3	-2059.4	-
5094.6	-950.2		J	-14.3	-21.3	-164.7	-2046.7	-
5434.9	-970.9							
		SLVx (RS)	I	-1301.1	-1291.5	-362.0	1623.5	-
1442.9	11084.3		J	-1301.1	-1291.5	-362.0	1623.5	-
1650.0	11599.2							
		SLVy (RS)	I	1251.7	528.6	139.4	837.4	
956.9	5259.7		J	1251.7	528.6	139.4	837.4	-
1029.4	5334.4							
		SLDx (RS)	I	-941.0	-916.9	-269.2	1152.8	-
1067.3	7859.2		J	-941.0	-916.9	-269.2	1152.8	-
1224.3	8194.3							
		SLDy (RS)	I	828.9	381.8	91.4	583.0	
670.2	3667.8		J	828.9	381.8	91.4	583.0	
712.0	3727.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1555.1	-962.2	SLVz (RS)	I	-119.3	-105.6	-324.4	176.9	
			J	-119.3	-105.6	-324.4	176.9	
1828.7	-984.1							
		G1	I	64.9	3.7	1837.5	-1017.5	-
6838.9	181.6		J	68.5	3.7	1938.5	-1017.5	-
8737.5	177.9							
		G2	I	23.7	1.4	671.1	-371.5	-
2500.0	65.8		J	25.0	1.4	707.9	-371.5	-
3193.4	64.5							
		G1- Imp~1	I	0.5	0.0	-0.3	0.3	
6.0	-34.8		J	0.5	0.0	-0.3	0.3	
6.3	-34.9							
		G2- Imp~1	I	0.2	-0.0	-0.1	0.0	
1.9	-11.3		J	0.2	-0.0	-0.1	0.0	
2.0	-11.3							
		q3	I	220.9	-59.7	28.7	-106.6	
-106.4	-370.9		J	217.7	-59.7	28.7	-106.6	
-132.1	-310.8							
		q4-1	I	0.1	2.9	-2.1	22.3	
14.5	103.6		J	0.1	2.9	-2.1	22.3	
16.6	100.7							
		q4-2	I	-1.9	-3.5	-2.9	24.1	
18.3	114.2		J	-1.9	-3.5	-2.9	24.1	
21.2	117.7							
		q4-3	I	-2.8	-11.0	-2.8	-8.6	
7.9	-78.2		J	-2.8	-11.0	-2.8	-8.6	
10.7	-67.2							
		q4-4	I	10.3	26.9	-2.5	-41.3	
-4.7	-331.8		J	10.3	26.9	-2.5	-41.3	
-2.2	-358.8							
		q4-5	I	51.0	-38.1	2.4	28.3	
-6.3	638.8		J	51.0	-38.1	2.4	28.3	
-8.7	677.1							
		q4-6	I	101.4	-20.1	5.3	-5.3	
-50.1	-194.9		J	101.4	-20.1	5.3	-5.3	
-55.5	-174.8							
		q4-7	I	87.1	-21.4	2.6	-22.6	
18.1	24.9		J	87.1	-21.4	2.6	-22.6	
15.5	46.4							
		q5 - p~1	I	-711.9	493.7	-32.2	-303.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-147.1	-907.6		J	-701.7	509.8	-32.6	-309.6	
-118.2	-1412.1							
		q5 - p~2	I	861.5	-7.1	89.9	-343.2	
-485.7	-1121.8		J	859.9	0.6	89.9	-346.0	
-575.5	-1118.6							
		q5 - p~3	I	-674.7	467.5	-28.8	-202.9	
-105.3	-863.3		J	-665.0	482.8	-29.1	-204.0	
-76.8	-1341.2							
		q5 - p~4	I	816.2	-6.7	84.1	-292.4	
-443.1	-1077.2		J	814.6	0.7	84.1	-293.0	
-527.5	-1074.1							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	150.0	-24.1	12.0	-121.6	
-33.5	-888.7		J	150.0	-24.1	12.0	-121.6	
-45.6	-864.5							
		T	I	0.3	0.4	-0.3	-5.9	
-4.7	-12.6		J	0.3	0.4	-0.3	-5.9	
-4.4	-13.0							
		M. tor~1	I	90.2	-304.6	23.9	-182.4	
-207.4	-124.9		J	90.2	-304.6	23.9	-192.6	
-231.4	-102.3							
		M. tor~2	I	53.3	-180.1	14.2	-107.8	
-122.6	-73.9		J	53.3	-180.1	14.2	-113.8	
-136.8	-60.5							
		INVSLU Max	I	1400.3	747.3	5940.5	1889.3	-
4029.6	3719.2		J	1406.5	770.3	6201.1	2054.5	-
8366.0	4016.5	Min	I	-1124.1	-727.9	2879.6	-7364.5	-2
5876.0	-3311.3		J	-1115.0	-750.9	3070.9	-7376.9	-3
0468.1	-3643.8							
		INVSLV Max	I	1801.7	1486.9	3009.3	539.1	-
7055.9	13152.1		J	1806.6	1486.9	3147.2	539.1	-
9290.0	13690.9	Min	I	-1623.2	-1476.7	2007.0	-3316.4	-1
1606.0	-12749.5		J	-1618.3	-1476.7	2144.9	-3316.4	-1
4555.0	-13298.6							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

3017.0	2681.0	INVSLE Max	I	946.6	501.7	4394.4	1377.0	-
			J	951.4	517.0	4587.4	1499.2	-
6235.1	2881.9	Min	I	-742.0	-487.3	2139.0	-5432.7	-1
9135.4	-2378.8		J	-735.4	-502.6	2280.8	-5441.7	-2
2530.9	-2605.9							
912	1	52 C1-C2;~1 Max	I	78.9	56.0	1881.8	2726.5	
5344.6	1766.8		J	81.4	56.0	1937.0	2851.4	
4718.7	1802.5	Min	I	-29.4	-49.4	-303.6	-3107.8	-
9946.3	-1950.2		J	-29.3	-49.4	-300.4	-3086.2	-1
0784.0	-1997.4							
		C3-C4;~1 Max	I	75.6	49.9	1887.2	1933.6	
5288.0	1830.6		J	77.9	49.9	1942.4	2027.8	
4680.0	1862.4	Min	I	-28.2	-43.4	-311.2	-3857.9	-1
0263.3	-1835.7		J	-27.9	-43.4	-308.0	-3865.1	-1
1115.8	-1873.9							
		C1-C2;~2 Max	I	42.4	28.6	1067.6	1498.8	
3103.1	891.8		J	43.8	28.6	1095.8	1576.5	
2674.7	910.2	Min	I	-15.0	-24.5	-160.1	-1627.6	-
5253.0	-1034.9		J	-15.0	-24.5	-158.8	-1600.1	-
5626.7	-1060.0							
		C3-C4;~2 Max	I	40.4	25.4	1070.4	998.2	
3060.8	922.2		J	41.7	25.4	1098.5	1059.3	
2641.9	938.7	Min	I	-14.5	-21.2	-164.7	-2058.4	-
5433.4	-972.7		J	-14.4	-21.2	-163.4	-2045.4	-
5814.6	-993.4							
		SLVx (RS)	I	-1280.9	-1322.1	-369.5	1629.4	-
1652.4	11599.3		J	-1280.9	-1322.1	-369.5	1629.4	-
1909.0	12231.7							
		SLVy (RS)	I	1244.3	538.6	142.2	835.6	-
1042.2	5334.6		J	1244.3	538.6	142.2	835.6	-
1124.3	5452.0							
		SLDx (RS)	I	-927.6	-939.0	-274.8	1157.7	-
1226.2	8194.4		J	-927.6	-939.0	-274.8	1157.7	-
1419.3	8614.4							
		SLDy (RS)	I	825.7	388.5	93.5	582.9	
720.0	3727.7		J	825.7	388.5	93.5	582.9	
-767.7	3819.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1830.6	-983.6	SLVz (RS)	I	-121.2	105.4	-335.2	165.4	
			J	-121.2	105.4	-335.2	165.4	
2119.3	-1006.6							
		G1	I	68.4	3.7	1938.5	-902.6	-
8750.2	173.7		J	72.0	3.7	2039.5	-902.6	-1
0750.4	169.9							
		G2	I	25.0	1.4	707.9	-329.5	-
3198.0	62.9		J	26.3	1.4	744.8	-329.5	-
3928.5	61.5							
		G1- Imp~1	I	0.5	0.0	-0.3	0.2	
6.3	-34.9		J	0.5	0.0	-0.3	0.2	
6.6	-34.9							
		G2- Imp~1	I	0.2	-0.0	-0.1	0.0	
2.0	-11.3		J	0.2	-0.0	-0.1	0.0	
2.1	-11.3							
		q3	I	216.9	-62.6	28.7	-104.8	
-133.4	-311.0		J	213.6	-62.6	28.7	-104.8	
-159.2	-248.1							
		q4-1	I	0.1	2.9	-2.1	22.0	
16.8	100.7		J	0.1	2.9	-2.1	22.0	
19.0	97.8							
		q4-2	I	-2.0	-3.5	-2.9	23.8	
21.5	117.7		J	-2.0	-3.5	-2.9	23.8	
24.4	121.2							
		q4-3	I	-3.0	-11.0	-2.8	-8.7	
10.6	-67.2		J	-3.0	-11.0	-2.8	-8.7	
13.4	-56.2							
		q4-4	I	10.6	26.8	-2.5	-41.3	
-2.6	-358.8		J	10.6	26.8	-2.5	-41.3	
-0.0	-385.7							
		q4-5	I	50.5	-38.8	2.5	28.4	
-8.7	677.1		J	50.5	-38.8	2.5	28.4	
-11.1	716.1							
		q4-6	I	101.1	-21.4	5.3	-4.6	
-55.5	-174.8		J	101.1	-21.4	5.3	-4.6	
-60.8	-153.3							
		q4-7	I	86.8	-22.5	2.6	-22.8	
15.2	46.4		J	86.8	-22.5	2.6	-22.8	
12.5	69.0							
		q5 - p~1	I	-695.0	518.9	-32.9	-308.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-121.6	-1412.0		J	-684.5	534.9	-33.3	-313.7	
-92.0	-1941.8							
		q5 - p~2	I	859.8	-10.6	90.0	-338.3	
-579.4	-1119.2		J	858.0	-2.7	90.1	-341.1	
-669.3	-1112.5							
		q5 - p~3	I	-658.7	491.4	-29.4	-202.9	
-78.9	-1341.0		J	-648.8	506.6	-29.8	-204.0	
-49.8	-1842.8							
		q5 - p~4	I	814.6	-9.9	84.2	-285.9	
-530.8	-1074.7		J	812.9	-2.5	84.2	-286.4	
-615.4	-1068.5							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	149.6	-26.1	12.0	-120.9	
-46.7	-864.6		J	149.6	-26.1	12.0	-120.9	
-58.8	-838.3							
		T	I	0.3	0.4	-0.3	-5.9	
-4.5	-13.0		J	0.3	0.4	-0.3	-5.9	
-4.2	-13.4							
		M. tor~1	I	86.2	-305.7	24.1	-189.5	
-233.9	-102.5		J	86.2	-305.7	24.1	-199.7	
-258.1	-78.7							
		M. tor~2	I	51.0	-180.8	14.2	-112.0	
-138.3	-60.6		J	51.0	-180.8	14.2	-118.1	
-152.6	-46.5							
		INVSLU Max	I	1406.3	782.9	6201.1	2326.4	-
8379.0	4008.5		J	1412.3	805.7	6461.8	2497.6	-1
2829.0	4521.6	Min	I	-1115.4	-763.5	3070.9	-7179.9	-3
0499.1	-3655.9		J	-1106.1	-786.3	3261.3	-7192.1	-3
5416.5	-4203.7							
		INVSLV Max	I	1784.6	1520.5	3158.8	697.8	-
9300.9	13685.1		J	1789.6	1520.5	3296.6	697.8	-1
1640.9	14354.5	Min	I	-1596.5	-1510.2	2133.4	-3161.5	-1
4578.9	-13304.3		J	-1591.6	-1510.2	2271.3	-3161.5	-1
7699.5	-13984.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6245.0	2876.0	INVSLE	Max	I	951.2	525.4	4587.5	1701.1	-
				J	955.9	540.5	4780.5	1827.7	-
9547.3	3220.7		Min	I	-735.7	-511.0	2280.7	-5296.3	-2
2553.6	-2614.8			J	-729.0	-526.2	2421.8	-5305.1	-2
6190.1	-2985.3								
913	1	52 C1-C2;~1	Max	I	81.6	55.6	1937.0	2911.5	
4725.3	1802.8			J	84.2	55.6	1992.2	3040.9	
4154.1	1839.6		Min	I	-29.7	-49.0	-300.4	-3083.1	-1
0784.3	-2000.7			J	-29.6	-49.0	-297.8	-3061.4	-1
1723.0	-2047.6								
		C3-C4;~1	Max	I	78.0	49.5	1942.4	2079.3	
4676.4	1861.7			J	80.4	49.5	1997.5	2177.8	
4122.6	1893.4		Min	I	-28.3	-43.0	-308.0	-3863.0	-1
1119.5	-1877.2			J	-28.1	-43.0	-305.5	-3870.3	-1
2072.0	-1915.6								
		C1-C2;~2	Max	I	43.9	28.4	1095.8	1601.5	
2678.5	910.4			J	45.3	28.4	1123.7	1681.6	
2269.0	928.7		Min	I	-15.2	-24.3	-158.8	-1599.6	-
5624.0	-1061.8			J	-15.1	-24.3	-157.8	-1571.8	-
6038.2	-1086.7								
		C3-C4;~2	Max	I	41.7	25.2	1098.5	1081.3	
2638.6	938.4			J	43.0	25.2	1126.4	1144.6	
2238.8	954.8		Min	I	-14.6	-21.0	-163.4	-2047.0	-
5813.2	-995.3			J	-14.5	-21.0	-162.4	-2033.6	-
6234.5	-1016.0								
		SLVx (RS)		I	-1260.6	-1352.0	-375.6	1635.8	-
1911.3	12231.7			J	-1260.6	-1352.0	-375.6	1635.8	-
2203.0	12973.0								
		SLVy (RS)		I	1236.8	547.4	145.0	833.0	-
1137.3	5452.2			J	1236.8	547.4	145.0	833.0	-
1228.1	5612.0								
		SLDx (RS)		I	-914.2	-960.6	-279.4	1162.9	-
1421.1	8614.4			J	-914.2	-960.6	-279.4	1162.9	-
1639.8	9114.0								
		SLDy (RS)		I	822.5	394.4	95.6	582.3	
-775.8	3819.6			J	822.5	394.4	95.6	582.3	
-829.2	3942.7								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2120.7	-1006.0	SLVz (RS)	I	-123.0	104.8	-345.8	155.5	
			J	-123.0	104.8	-345.8	155.5	
2423.1	-1029.7							
		G1	I	71.9	3.7	2039.5	-761.3	-1
0761.5	164.8		J	75.5	3.7	2140.5	-761.3	-1
2863.2	161.0							
		G2	I	26.3	1.4	744.8	-277.9	-
3932.5	59.7		J	27.6	1.4	781.7	-277.9	-
4700.1	58.3							
		G1- Imp~1	I	0.5	0.0	-0.3	0.1	
6.6	-34.9		J	0.5	0.0	-0.3	0.1	
6.8	-34.9							
		G2- Imp~1	I	0.2	-0.0	-0.1	-0.0	
2.1	-11.3		J	0.2	-0.0	-0.1	-0.0	
2.2	-11.3							
		q3	I	212.8	-65.3	28.8	-102.7	
-160.4	-248.2		J	209.6	-65.3	28.8	-102.7	
-186.3	-182.5							
		q4-1	I	0.1	2.9	-2.1	21.8	
19.2	97.9		J	0.1	2.9	-2.1	21.8	
21.3	95.0							
		q4-2	I	-2.0	-3.4	-2.9	23.5	
24.6	121.2		J	-2.0	-3.4	-2.9	23.5	
27.6	124.7							
		q4-3	I	-3.1	-10.9	-2.8	-8.9	
13.3	-56.2		J	-3.1	-10.9	-2.8	-8.9	
16.1	-45.2							
		q4-4	I	11.0	26.6	-2.6	-41.2	
-0.4	-385.7		J	11.0	26.6	-2.6	-41.2	
2.2	-412.5							
		q4-5	I	49.9	-39.4	2.5	28.5	
-11.1	716.0		J	49.9	-39.4	2.5	28.5	
-13.6	755.7							
		q4-6	I	100.9	-22.7	5.3	-3.7	
-60.8	-153.4		J	100.9	-22.7	5.3	-3.7	
-66.1	-130.6							
		q4-7	I	86.5	-23.6	2.7	-23.0	
12.2	69.0		J	86.5	-23.6	2.7	-23.0	
9.5	92.7							
		q5 - p~1	I	-677.5	543.8	-33.6	-312.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-95.2	-1941.7		J	-666.8	559.7	-34.0	-318.1	
-65.1	-2496.5							
		q5 - p~2	I	857.9	-13.9	90.1	-332.2	
-673.2	-1113.1		J	856.0	-6.0	90.2	-335.0	
-763.2	-1103.1							
		q5 - p~3	I	-642.1	515.0	-30.1	-203.1	
-51.6	-1842.7		J	-632.0	530.0	-30.4	-204.2	
-21.9	-2368.1							
		q5 - p~4	I	812.8	-13.1	84.3	-278.3	
-618.5	-1069.1		J	811.0	-5.6	84.4	-278.8	
-703.2	-1059.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	149.3	-28.0	12.0	-120.1	
-60.0	-838.4		J	149.3	-28.0	12.0	-120.1	
-72.1	-810.2							
		T	I	0.3	0.4	-0.3	-5.8	
-4.3	-13.4		J	0.3	0.4	-0.3	-5.8	
-4.0	-13.8							
		M. tor~1	I	82.2	-306.8	24.2	-196.3	
-260.7	-78.9		J	82.2	-306.8	24.2	-206.5	
-285.0	-54.0							
		M. tor~2	I	48.6	-181.4	14.3	-116.0	
-154.1	-46.6		J	48.6	-181.4	14.3	-122.1	
-168.5	-31.9							
		INVSLU Max	I	1412.0	818.0	6461.9	2830.9	-1
2837.0	4511.1		J	1418.0	840.6	6722.6	3008.2	-1
7400.4	5084.8	Min	I	-1106.5	-798.7	3261.3	-6921.0	-3
5445.4	-4217.5		J	-1097.0	-821.2	3450.7	-6933.3	-4
0685.1	-4795.5							
		INVSLV Max	I	1767.4	1552.8	3306.8	893.3	-1
1650.0	14347.4		J	1772.3	1552.8	3444.7	893.3	-1
4101.9	15138.7	Min	I	-1569.7	-1542.6	2261.1	-2971.4	-1
7720.6	-13990.9		J	-1564.8	-1542.6	2399.0	-2971.4	-2
1006.7	-14792.4							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9553.5	3213.0	INVSLE Max	I	955.7	548.8	4780.6	2075.2	-
			J	960.3	563.8	4973.7	2206.4	-1
2939.8	3572.7	Min	I	-729.3	-534.4	2421.7	-5104.9	-2
6211.3	-2995.5		J	-722.5	-549.4	2562.1	-5113.9	-3
0086.5	-3380.7							
914	1	52 C1-C2;~1 Max	I	84.4	55.2	1992.2	3111.9	
4162.1	1839.5		J	87.0	55.2	2047.4	3245.9	
3690.9	1876.1	Min	I	-30.1	-48.6	-297.8	-3041.1	-1
1723.1	-2051.0		J	-29.9	-48.6	-295.9	-3019.4	-1
2759.5	-2097.5							
		C3-C4;~1 Max	I	80.5	49.1	1997.5	2236.8	
4120.4	1892.1		J	83.0	49.1	2052.6	2339.5	
3668.5	1923.8	Min	I	-28.5	-42.6	-305.4	-3850.4	-1
2076.0	-1919.0		J	-28.4	-42.6	-303.6	-3857.9	-1
3125.1	-1957.8							
		C1-C2;~2 Max	I	45.4	28.2	1123.7	1712.6	
2273.7	928.8		J	46.9	28.2	1151.4	1795.0	
1883.7	946.8	Min	I	-15.4	-24.1	-157.8	-1561.9	-
6035.2	-1088.6		J	-15.3	-24.1	-157.0	-1533.7	-
6488.4	-1113.3							
		C3-C4;~2 Max	I	43.0	24.9	1126.4	1171.2	
2236.4	954.2		J	44.4	24.9	1154.0	1236.7	
1856.2	970.6	Min	I	-14.7	-20.8	-162.4	-2025.5	-
6232.9	-1017.9		J	-14.7	-20.8	-161.7	-2011.9	-
6692.8	-1038.8							
		SLVx (RS)	I	-1240.2	-1381.2	-380.4	1643.0	-
2205.0	12973.0		J	-1240.2	-1381.2	-380.4	1643.0	-
2521.5	13813.7							
		SLVy (RS)	I	1229.3	555.0	147.8	829.5	-
1241.2	5612.2		J	1229.3	555.0	147.8	829.5	-
1340.0	5813.0							
		SLDx (RS)	I	-900.7	-981.8	-283.0	1168.5	-
1641.3	9114.0		J	-900.7	-981.8	-283.0	1168.5	-
1878.1	9686.6							
		SLDy (RS)	I	819.2	399.4	97.7	581.2	
-837.3	3942.8		J	819.2	399.4	97.7	581.2	
-896.3	4095.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2424.0	-1029.1	SLVz (RS)	I	-124.7	103.7	-355.7	150.0	
			J	-124.7	103.7	-355.7	150.0	
2738.9	-1052.9							
		G1	I	75.4	3.8	2140.5	-592.4	-1
2872.3	154.9		J	79.0	3.8	2241.5	-592.4	-1
5075.6	151.1							
		G2	I	27.5	1.4	781.7	-216.2	-
4703.4	56.0		J	28.9	1.4	818.6	-216.2	-
5508.1	54.6							
		G1- Imp~1	I	0.5	0.0	-0.3	0.1	
6.9	-34.9		J	0.5	0.0	-0.3	0.1	
7.1	-34.9							
		G2- Imp~1	I	0.2	-0.0	-0.1	-0.0	
2.2	-11.3		J	0.2	-0.0	-0.1	-0.0	
2.3	-11.3							
		q3	I	208.7	-68.0	28.8	-100.2	
-187.5	-182.7		J	205.5	-68.0	28.8	-100.2	
-213.5	-114.3							
		q4-1	I	0.2	2.9	-2.1	21.5	
21.6	95.0		J	0.2	2.9	-2.1	21.5	
23.7	92.1							
		q4-2	I	-2.1	-3.4	-2.9	23.1	
27.8	124.7		J	-2.1	-3.4	-2.9	23.1	
30.7	128.1							
		q4-3	I	-3.2	-10.9	-2.8	-9.1	
16.0	-45.2		J	-3.2	-10.9	-2.8	-9.1	
18.8	-34.2							
		q4-4	I	11.3	26.5	-2.6	-41.2	
1.9	-412.5		J	11.3	26.5	-2.6	-41.2	
4.4	-439.1							
		q4-5	I	49.4	-40.1	2.5	28.6	
-13.6	755.7		J	49.4	-40.1	2.5	28.6	
-16.1	796.0							
		q4-6	I	100.6	-24.0	5.4	-2.9	
-66.1	-130.6		J	100.6	-24.0	5.4	-2.9	
-71.5	-106.5							
		q4-7	I	86.2	-24.7	2.7	-23.1	
9.2	92.7		J	86.2	-24.7	2.7	-23.1	
6.5	117.6							
		q5 - p~1	I	-659.5	568.3	-34.3	-317.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-68.0	-2496.4		J	-648.6	584.0	-34.7	-322.7	
-37.3	-3075.8							
		q5 - p~2	I	855.9	-17.2	90.3	-324.9	
-767.0	-1103.8		J	853.9	-9.3	90.4	-327.8	
-857.1	-1090.5							
		q5 - p~3	I	-625.0	538.2	-30.7	-203.7	
-23.5	-2368.0		J	-614.8	553.1	-31.1	-204.7	
6.9	-2916.7							
		q5 - p~4	I	810.8	-16.2	84.5	-269.4	
-706.3	-1060.3		J	808.9	-8.7	84.5	-270.0	
-791.2	-1047.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	148.9	-30.0	12.1	-119.1	
-73.3	-810.3		J	148.9	-30.0	12.1	-119.1	
-85.4	-780.2							
		T	I	0.3	0.4	-0.3	-5.7	
-4.0	-13.8		J	0.3	0.4	-0.3	-5.7	
-3.7	-14.1							
		M. tor~1	I	78.2	-307.9	24.4	-202.7	
-287.7	-54.2		J	78.2	-307.9	24.4	-212.8	
-312.2	-28.3							
		M. tor~2	I	46.2	-182.0	14.4	-119.8	
-170.1	-32.0		J	46.2	-182.0	14.4	-125.8	
-184.6	-16.7							
		INVSLU Max	I	1417.5	852.6	6722.7	3406.0	-1
7402.9	5072.5		J	1423.3	874.9	6983.3	3589.5	-2
2018.4	5911.1	Min	I	-1097.4	-833.2	3450.7	-6586.2	-4
0710.7	-4809.1		J	-1087.8	-855.6	3639.3	-6598.8	-4
6268.3	-5672.8							
		INVSLV Max	I	1749.9	1584.0	3453.3	1128.3	-1
4108.8	15130.2		J	1754.9	1584.0	3591.2	1128.3	-1
6676.9	16033.1	Min	I	-1542.8	-1573.7	2390.4	-2745.4	-2
1024.4	-14800.7		J	-1537.9	-1573.7	2528.3	-2745.4	-2
4471.6	-15713.9							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

2941.9	3563.0	INVSLE Max	I	960.0	571.8	4973.8	2501.7	-1
			J	964.5	586.7	5166.8	2637.4	-1
6366.8	4055.4	Min	I	-722.8	-557.4	2562.1	-4857.4	-3
0105.2	-3392.3		J	-715.9	-572.3	2701.8	-4866.6	-3
4215.9	-3878.9							
915	1	52 C1-C2;~1 Max	I	87.2	54.8	2047.4	3328.3	
3653.7	1875.7		J	89.9	54.8	2102.5	3467.0	
3644.3	1911.9	Min	I	-30.4	-48.3	-295.9	-2980.9	-1
2758.8	-2101.1		J	-30.3	-48.3	-294.6	-2958.3	-1
3888.9	-2147.3							
		C3-C4;~1 Max	I	83.1	48.7	2052.6	2406.8	
3660.0	1921.9		J	85.6	48.7	2107.6	2514.0	
3716.4	1953.7	Min	I	-28.8	-42.3	-303.6	-3818.7	-1
3128.9	-1961.2		J	-28.7	-42.3	-302.3	-3843.7	-1
4270.8	-2000.9							
		C1-C2;~2 Max	I	46.9	27.9	1151.4	1832.1	
1889.4	946.8		J	48.5	27.9	1178.8	1916.9	
1828.3	964.7	Min	I	-15.6	-23.9	-157.0	-1513.7	-
6484.9	-1115.3		J	-15.5	-23.9	-156.5	-1484.5	-
6975.5	-1139.8							
		C3-C4;~2 Max	I	44.4	24.7	1154.0	1268.2	
1854.7	969.6		J	45.8	24.7	1181.3	1335.9	
1870.7	986.0	Min	I	-14.9	-20.6	-161.7	-1993.0	-
6690.9	-1040.7		J	-14.9	-20.6	-161.2	-1992.2	-
7187.9	-1061.8							
		SLVx (RS)	I	-1219.8	-1409.6	-383.9	1650.9	-
2523.3	13813.7		J	-1219.8	-1409.6	-383.9	1650.9	-
2857.5	14744.1							
		SLVy (RS)	I	1221.7	561.7	150.3	825.5	-
1352.9	5813.2		J	1221.7	561.7	150.3	825.5	-
1459.2	6052.4							
		SLDx (RS)	I	-887.2	-1002.4	-285.6	1174.7	-
1879.4	9686.6		J	-887.2	-1002.4	-285.6	1174.7	-
2128.9	10325.5							
		SLDy (RS)	I	815.9	403.6	99.5	579.7	
-904.2	4095.9		J	815.9	403.6	99.5	579.7	
-968.7	4276.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2739.3	-1052.3	SLVz (RS)	I	-126.3	102.3	-364.3	152.0	
			J	-126.3	102.3	-364.3	152.0	
3065.6	-1075.4							
		G1	I	78.8	3.8	2241.5	-394.6	-1
5082.3	144.0		J	82.4	3.8	2342.5	-394.6	-1
7387.2	140.2							
		G2	I	28.8	1.4	818.6	-143.9	-
5510.5	52.1		J	30.1	1.4	855.5	-143.9	-
6352.2	50.7							
		G1- Imp~1	I	0.5	-0.0	-0.3	-0.0	
7.1	-34.9		J	0.5	-0.0	-0.3	-0.0	
7.4	-34.9							
		G2- Imp~1	I	0.2	-0.0	-0.1	-0.1	
2.3	-11.3		J	0.2	-0.0	-0.1	-0.1	
2.4	-11.3							
		q3	I	204.6	-70.7	28.9	-97.4	
-214.7	-114.4		J	201.4	-70.7	28.9	-97.4	
-240.7	-43.3							
		q4-1	I	0.2	2.9	-2.1	21.2	
23.9	92.1		J	0.2	2.9	-2.1	21.2	
26.1	89.2							
		q4-2	I	-2.1	-3.4	-2.9	22.7	
31.0	128.1		J	-2.1	-3.4	-2.9	22.7	
33.9	131.5							
		q4-3	I	-3.4	-10.8	-2.8	-9.3	
18.7	-34.2		J	-3.4	-10.8	-2.8	-9.3	
21.5	-23.3							
		q4-4	I	11.7	26.3	-2.6	-41.2	
4.1	-439.1		J	11.7	26.3	-2.6	-41.2	
6.7	-465.6							
		q4-5	I	48.9	-40.7	2.5	28.7	
-16.1	796.0		J	48.9	-40.7	2.5	28.7	
-18.6	836.9							
		q4-6	I	100.2	-25.3	5.4	-1.9	
-71.5	-106.6		J	100.2	-25.3	5.4	-1.9	
-76.9	-81.1							
		q4-7	I	85.9	-25.9	2.7	-23.2	
6.1	117.6		J	85.9	-25.9	2.7	-23.2	
3.4	143.6							
		q5 - p~1	I	-640.9	592.4	-35.0	-321.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-40.0	-3075.7		J	-629.9	608.0	-35.4	-327.5	
-8.6	-3679.3							
		q5 - p~2	I	853.7	-20.4	90.4	-316.4	
-860.8	-1091.2		J	851.5	-12.4	90.5	-319.3	
-951.0	-1074.8							
		q5 - p~3	I	-607.5	561.1	-31.4	-204.5	
5.6	-2916.6		J	-597.0	575.9	-31.8	-205.6	
36.6	-3488.3							
		q5 - p~4	I	808.7	-19.2	84.6	-259.5	
-794.1	-1048.5		J	806.7	-11.6	84.7	-260.0	
-879.1	-1033.0							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	148.5	-31.9	12.1	-117.9	
-86.6	-780.3		J	148.5	-31.9	12.1	-117.9	
-98.8	-748.2							
		T	I	0.3	0.4	-0.3	-5.7	
-3.8	-14.1		J	0.3	0.4	-0.3	-5.7	
-3.5	-14.5							
		M. tor~1	I	74.1	-308.8	24.5	-208.7	
-315.0	-28.5		J	74.1	-308.8	24.5	-218.8	
-339.7	-1.6							
		M. tor~2	I	43.8	-182.6	14.5	-123.4	
-186.2	-16.8		J	43.8	-182.6	14.5	-129.4	
-200.8	-1.0							
		INVSLU Max	I	1422.8	886.6	6983.3	4059.8	-2
2069.1	5896.5		J	1428.5	908.7	7243.8	4252.2	-2
6159.5	6769.4	Min	I	-1088.2	-867.3	3639.2	-6176.2	-4
6289.0	-5688.3		J	-1078.5	-889.4	3827.0	-6215.0	-5
2159.0	-6586.2							
		INVSLV Max	I	1733.8	1614.0	3598.1	1405.5	-1
6681.3	16023.3		J	1738.7	1614.0	3735.9	1405.5	-1
9369.0	17027.1	Min	I	-1517.3	-1603.7	2521.5	-2482.7	-2
4485.5	-15723.4		J	-1512.4	-1603.7	2659.3	-2482.7	-2
8090.3	-16737.7							

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

6404.6	4044.6	INVSLE Max	I	964.1	594.4	5166.8	2986.2	-1
			J	968.5	609.2	5359.7	3128.3	-1
9440.6	4627.8	Min	I	-716.2	-580.1	2701.7	-4553.9	-3
4231.0	-3890.5		J	-709.2	-594.9	2840.8	-4582.2	-3
8573.1	-4492.1							
916	1	52 C1-C2;~1 Max	I	90.1	54.3	2102.5	3561.3	
3648.6	1911.2		J	92.8	54.3	2157.4	3704.7	
3889.3	1947.1	Min	I	-30.8	-47.9	-294.6	-2901.0	-1
3887.0	-2150.9		J	-30.7	-47.9	-293.9	-2924.9	-1
5106.3	-2196.7							
		C3-C4;~1 Max	I	85.7	48.3	2107.6	2590.8	
3720.3	1951.2		J	88.3	48.3	2162.4	2702.4	
3971.3	1983.3	Min	I	-29.1	-41.9	-302.3	-3777.1	-1
4273.8	-2004.5		J	-29.0	-41.9	-301.6	-3834.2	-1
5504.0	-2045.7							
		C1-C2;~2 Max	I	48.5	27.7	1178.8	1960.4	
1831.2	964.6		J	50.1	27.7	1205.8	2047.5	
1966.3	982.3	Min	I	-15.7	-23.7	-156.5	-1454.1	-
6971.3	-1141.8		J	-15.7	-23.7	-156.2	-1459.4	-
7497.6	-1166.1							
		C3-C4;~2 Max	I	45.8	24.5	1181.3	1372.9	
1873.4	984.8		J	47.3	24.5	1208.2	1442.7	
2014.3	1001.3	Min	I	-15.1	-20.4	-161.2	-1956.5	-
7185.4	-1063.9		J	-15.0	-20.4	-160.9	-1979.3	-
7717.8	-1085.6							
		SLVx (RS)	I	-1199.3	-1437.4	-386.2	1659.6	-
2858.9	14744.1		J	-1199.3	-1437.4	-386.2	1659.6	-
3205.8	15754.9							
		SLVy (RS)	I	1214.1	567.5	152.4	821.0	-
1471.8	6052.5		J	1214.1	567.5	152.4	821.0	-
1585.1	6326.9							
		SLDx (RS)	I	-873.7	-1022.6	-287.3	1181.4	-
2130.0	10325.5		J	-873.7	-1022.6	-287.3	1181.4	-
2388.8	11024.2							
		SLDy (RS)	I	812.5	407.2	101.1	577.9	-
-976.3	4276.6		J	812.5	407.2	101.1	577.9	-
1046.0	4482.1							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3065.4	-1074.8	SLVz (RS)	I	-128.0	100.6	-371.4	164.1	
			J	-128.0	100.6	-371.4	164.1	
3402.0	1096.5							
		G1	I	82.2	3.8	2342.5	-166.6	-1
7391.1	132.1		J	85.8	3.8	2443.5	-166.6	-1
9797.6	128.3							
		G2	I	30.0	1.4	855.5	-60.6	-
6353.7	47.7		J	31.3	1.4	892.4	-60.6	-
7232.5	46.3							
		G1- Imp~1	I	0.5	-0.0	-0.3	-0.1	
7.4	-34.9		J	0.5	-0.0	-0.3	-0.1	
7.7	-34.9							
		G2- Imp~1	I	0.2	-0.0	-0.1	-0.1	
2.4	-11.3		J	0.2	-0.0	-0.1	-0.1	
2.5	-11.2							
		q3	I	200.4	-73.3	28.9	-94.2	
-241.9	-43.5		J	197.2	-73.3	28.9	-94.2	
-267.9	30.2							
		q4-1	I	0.3	2.9	-2.1	20.8	
26.3	89.2		J	0.3	2.9	-2.1	20.8	
28.4	86.4							
		q4-2	I	-2.1	-3.3	-2.9	22.2	
34.1	131.5		J	-2.1	-3.3	-2.9	22.2	
37.1	134.9							
		q4-3	I	-3.5	-10.8	-2.8	-9.6	
21.4	-23.3		J	-3.5	-10.8	-2.8	-9.6	
24.1	-12.5							
		q4-4	I	12.0	26.2	-2.6	-41.3	
6.4	-465.6		J	12.0	26.2	-2.6	-41.3	
9.0	-491.9							
		q4-5	I	48.4	-41.4	2.5	28.9	
-18.6	836.9		J	48.4	-41.4	2.5	28.9	
-21.2	878.5							
		q4-6	I	99.9	-26.6	5.4	-0.9	
-76.9	-81.2		J	99.9	-26.6	5.4	-0.9	
-82.3	-54.4							
		q4-7	I	85.5	-27.0	2.7	-23.3	
3.0	143.6		J	85.5	-27.0	2.7	-23.3	
0.3	170.7							
		q5 - p~1	I	-621.9	616.2	-35.8	-327.0	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-11.2	-3679.2		J	-610.6	631.6	-36.2	-332.5	
21.0	-4306.6							
		q5 - p~2	I	851.3	-23.5	90.6	-306.7	
-954.6	-1075.5		J	849.1	-15.5	90.7	-309.6	-
1045.0	-1056.0							
		q5 - p~3	I	-589.4	583.6	-32.1	-205.7	
35.6	-3488.1		J	-578.8	598.2	-32.5	-206.7	
67.3	-4082.4							
		q5 - p~4	I	806.5	-22.1	84.8	-248.4	
-882.0	-1033.7		J	804.4	-14.5	84.8	-248.9	
-967.1	-1015.2							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	148.1	-33.8	12.1	-116.5	
-100.0	-748.3		J	148.1	-33.8	12.1	-116.5	
-112.2	-714.2							
		T	I	0.3	0.4	-0.3	-5.6	
-3.5	-14.5		J	0.3	0.4	-0.3	-5.6	
-3.2	-14.9							
		M. tor~1	I	70.1	-309.8	24.7	-214.4	
-342.5	-1.8		J	70.1	-309.8	24.7	-224.4	
-367.3	26.0							
		M. tor~2	I	41.4	-183.1	14.6	-126.7	
-202.5	-1.1		J	41.4	-183.1	14.6	-132.7	
-217.2	15.4							
		INVSLU Max	I	1427.9	920.0	7243.9	4799.0	-2
6158.2	6752.5		J	1433.4	942.0	7504.0	4997.7	-3
0173.0	7659.4							
		Min	I	-1078.8	-900.7	3826.9	-5704.4	-5
2173.5	-6603.7		J	-1068.9	-922.7	4013.9	-5786.5	-5
8350.2	-7535.2							
		INVSLV Max	I	1725.2	1643.0	3741.0	1727.8	-1
9370.4	17015.9		J	1730.1	1643.0	3878.9	1727.8	-2
2180.7	18110.4							
		Min	I	-1499.4	-1632.7	2654.3	-2182.6	-2
8099.6	-16748.6		J	-1494.5	-1632.7	2792.2	-2182.6	-3
1859.3	-17853.5							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

9439.8	4615.2	INVSLE Max	I	968.1	616.7	5359.8	3533.4	-1
			J	972.4	631.3	5552.5	3680.2	-2
2419.8	5221.0	Min	I	-709.5	-602.4	2840.8	-4204.1	-3
8583.6	-4505.0		J	-702.5	-617.0	2979.3	-4264.5	-4
3152.9	-5129.0							
917	1	52 C1-C2;~1 Max	I	92.6	54.6	2157.4	3630.1	
3886.1	1947.8		J	94.7	54.6	2198.3	3741.3	
4093.8	1974.9	Min	I	-30.3	-48.1	-293.9	-2975.1	-1
5107.3	-2194.1		J	-30.3	-48.1	-293.7	-3002.6	-1
6147.7	-2228.6							
		C3-C4;~1 Max	I	88.3	48.6	2162.4	2642.0	
3968.1	1985.4		J	90.2	48.6	2203.0	2728.9	
4182.6	2009.6	Min	I	-28.7	-42.1	-301.6	-3891.3	-1
5501.3	-2043.0		J	-28.7	-42.1	-301.5	-3934.6	-1
6538.5	-2074.1							
		C1-C2;~2 Max	I	50.0	27.9	1205.8	2012.5	
1964.2	982.5		J	51.2	27.9	1225.8	2079.7	
2076.3	995.8	Min	I	-15.5	-23.9	-156.2	-1485.8	-
7500.5	-1164.7		J	-15.5	-23.9	-156.2	-1496.7	-
7972.0	-1182.9							
		C3-C4;~2 Max	I	47.3	24.7	1208.2	1413.1	
2012.2	1002.4		J	48.4	24.7	1228.1	1467.1	
2128.2	1014.8	Min	I	-14.9	-20.6	-160.9	-2009.5	-
7719.3	-1084.1		J	-14.9	-20.6	-160.8	-2026.8	-
8187.2	-1100.4							
		SLVx (RS)	I	-1199.5	-1446.2	-387.1	1673.6	-
3204.5	15755.0		J	-1199.5	-1446.2	-387.1	1673.6	-
3469.5	16546.9							
		SLVy (RS)	I	1206.5	573.8	153.8	831.7	-
1588.1	6326.8		J	1206.5	573.8	153.8	831.7	-
1677.1	6556.8							
		SLDx (RS)	I	-874.1	-1029.6	-288.0	1192.8	-
2387.5	11024.2		J	-874.1	-1029.6	-288.0	1192.8	-
2585.1	11574.3							
		SLDy (RS)	I	808.2	412.4	102.1	585.3	-
1047.2	4482.1		J	808.2	412.4	102.1	585.3	-
1102.6	4652.8							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3401.9	1096.9	SLVz (RS)	I	-129.7	98.7	-376.3	160.6	
			J	-129.7	98.7	-376.3	160.6	
3659.0	1112.9							
		G1	I	86.0	3.8	2443.5	-347.3	-1
9795.1	134.7		J	88.6	3.8	2518.9	-347.3	-2
1656.5	131.9							
		G2	I	31.4	1.4	892.4	-126.6	-
7231.6	48.6		J	32.4	1.4	919.9	-126.6	-
7911.3	47.6							
		G1- Imp~1	I	0.5	-0.0	-0.3	-0.1	
7.7	-34.9		J	0.5	-0.0	-0.3	-0.1	
7.9	-34.9							
		G2- Imp~1	I	0.2	-0.0	-0.1	-0.1	
2.5	-11.2		J	0.2	-0.0	-0.1	-0.1	
2.5	-11.2							
		q3	I	197.9	-71.5	28.9	-96.7	
-267.0	30.4		J	195.5	-71.5	28.9	-96.7	
-286.4	84.0							
		q4-1	I	0.2	2.9	-2.1	21.1	
28.3	86.3		J	0.2	2.9	-2.1	21.1	
29.9	84.2							
		q4-2	I	-2.1	-3.4	-2.9	22.6	
36.9	134.9		J	-2.1	-3.4	-2.9	22.6	
39.1	137.4							
		q4-3	I	-3.4	-10.8	-2.8	-9.4	
24.2	-12.5		J	-3.4	-10.8	-2.8	-9.4	
26.3	-4.4							
		q4-4	I	11.8	26.3	-2.6	-41.2	
9.2	-491.9		J	11.8	26.3	-2.6	-41.2	
11.1	-511.6							
		q4-5	I	48.7	-40.9	2.5	28.8	
-21.1	878.5		J	48.7	-40.9	2.5	28.8	
-23.0	909.2							
		q4-6	I	100.1	-25.7	5.4	-1.7	
-82.3	-54.3		J	100.1	-25.7	5.4	-1.7	
-86.3	-35.0							
		q4-7	I	85.8	-26.2	2.7	-23.2	
0.5	170.7		J	85.8	-26.2	2.7	-23.2	
-1.5	190.4							
		q5 - p~1	I	-616.4	626.0	-35.9	-332.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
22.6	-4306.7		J	-608.1	637.6	-36.2	-336.8	
46.7	-4780.7							
1042.5	-1055.4	q5 - p~2	I	849.2	-7.8	90.6	-319.2	-
1109.9	-1051.8		J	847.6	-1.8	90.7	-321.3	-
67.9	-4082.5	q5 - p~3	I	-584.2	592.9	-32.3	-206.4	
91.6	-4531.4		J	-576.3	603.9	-32.5	-207.2	
-965.1	-1014.7	q5 - p~4	I	804.5	-7.2	84.8	-257.8	
1028.6	-1011.4		J	802.9	-1.6	84.8	-258.2	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-111.3	-714.2	q7	I	148.4	-32.5	12.1	-117.5	
-120.4	-689.8		J	148.4	-32.5	12.1	-117.5	
-3.2	-14.9	T	I	0.3	0.4	-0.3	-5.7	
-2.9	-15.2		J	0.3	0.4	-0.3	-5.7	
-365.3	26.2	M. tor~1	I	72.9	-309.1	24.6	-227.8	
-383.7	46.4		J	72.9	-309.1	24.6	-235.3	
-215.9	15.5	M. tor~2	I	43.1	-182.8	14.5	-134.7	
-226.9	27.4		J	43.1	-182.8	14.5	-139.1	
0174.9	7672.9	INVSLU Max	I	1433.8	934.3	7504.0	4564.1	-3
3255.0	8358.1		J	1438.0	950.7	7697.7	4718.0	-3
8339.6	-7521.5	Min	I	-1068.6	-914.9	4014.0	-6196.7	-5
3230.6	-8225.0		J	-1061.3	-931.4	4153.0	-6258.9	-6
2176.9	18119.3	INVSLV Max	I	1723.3	1653.1	3881.6	1497.2	-2
4354.5	18981.1		J	1727.0	1653.1	3984.5	1497.2	-2
1856.3	-17844.8	Min	I	-1487.3	-1642.8	2789.4	-2445.3	-3
4760.4	-18714.4		J	-1483.6	-1642.8	2892.3	-2445.3	-3

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

2421.1	5231.0	INVSLE Max	I	972.7	626.2	5552.5	3359.0	-2
4707.2	5688.7		J	976.0	637.2	5696.0	3472.7	-2
3145.2	-5118.9	Min	I	-702.2	-611.9	2979.3	-4568.3	-4
6763.7	-5590.1		J	-697.0	-622.9	3082.3	-4614.2	-4
918	1	52 C1-C2;~1 Max	I	37.0	157.9	237.3	2746.0	
4176.6	2122.3		J	37.1	157.9	237.6	2709.4	
4017.7	1970.5	Min	I	-81.9	-137.8	-2167.8	-3779.5	-1
6267.1	-2294.0		J	-80.6	-137.8	-2112.8	-3635.6	-1
5012.4	-2160.2							
4257.6	2082.9	C3-C4;~1 Max	I	37.7	160.6	241.7	3668.2	
4094.7	1924.0		J	37.8	160.6	242.0	3610.3	
6649.3	-2173.2	Min	I	-81.1	-139.9	-2171.3	-2707.4	-1
5386.2	-2040.2		J	-79.8	-139.9	-2116.6	-2595.9	-1
2113.0	1072.2	C1-C2;~2 Max	I	20.5	83.1	127.0	1366.9	
2037.8	991.7		J	20.5	83.1	127.1	1352.2	
8024.2	-1220.1	Min	I	-44.4	-73.9	-1213.9	-2100.1	-
7482.4	-1148.1		J	-43.9	-73.9	-1187.0	-2013.8	-
2160.2	1055.8	C3-C4;~2 Max	I	20.9	84.3	129.6	1896.2	
2083.0	972.3		J	20.9	84.3	129.7	1873.0	
8236.4	-1156.2	Min	I	-43.8	-75.0	-1215.5	-1463.5	-
7689.7	-1084.3		J	-43.3	-75.0	-1188.7	-1394.8	-
3677.4	17886.6	SLVx (RS)	I	1808.0	1192.5	-286.6	1396.5	-
3475.1	17342.1		J	1808.0	1192.5	-286.6	1396.5	-
1503.2	6937.7	SLVy (RS)	I	1281.0	-455.7	-226.5	-565.6	-
1366.0	6785.4		J	1281.0	-455.7	-226.5	-565.6	-
2730.9	12499.4	SLDx (RS)	I	1301.2	874.7	-214.0	1022.9	-
2579.1	12131.7		J	1301.2	874.7	-214.0	1022.9	-
-998.1	4932.8	SLDy (RS)	I	851.3	-328.2	-166.0	-404.3	
-892.7	4821.7		J	851.3	-328.2	-166.0	-404.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3743.9	1044.8	SLVz (RS)	I	-173.5	-173.3	405.5	-163.7	
			J	-173.5	-173.3	405.5	-163.7	
3361.2	1158.3							
		G1	I	-69.6	39.4	-2532.3	63.4	-2
1756.1	145.6		J	-66.4	39.4	-2431.5	63.4	-1
9263.7	106.1							
		G2	I	-25.4	14.4	-925.0	23.0	-
7947.7	52.6		J	-24.2	14.4	-888.2	23.0	-
7037.3	38.1							
		G1- Imp~1	I	-2.1	-7.6	0.3	-4.7	
0.7	-40.8		J	-2.1	-7.6	0.3	-4.7	
0.5	-33.1							
		G2- Imp~1	I	-0.7	-2.4	0.1	-1.5	
0.3	-13.1		J	-0.7	-2.4	0.1	-1.5	
0.2	-10.7							
		q3	I	238.3	58.4	1.1	-4.0	
-163.0	187.7		J	235.1	58.4	1.1	-4.0	
-161.1	129.0							
		q4-1	I	-0.0	1.6	0.7	5.1	
29.0	83.8		J	-0.0	1.6	0.7	5.1	
28.3	82.1							
		q4-2	I	-0.1	2.5	1.1	9.9	
44.8	142.5		J	-0.1	2.5	1.1	9.9	
43.7	140.0							
		q4-3	I	-0.3	-0.9	1.0	8.5	
35.5	2.8		J	-0.3	-0.9	1.0	8.5	
34.6	3.7							
		q4-4	I	-0.2	-11.8	-0.5	-16.3	
-23.9	-542.4		J	-0.2	-11.8	-0.5	-16.3	
-23.4	-530.5							
		q4-5	I	3.6	28.8	-4.4	-60.9	
-141.1	804.8		J	3.6	28.8	-4.4	-60.9	
-136.6	775.9							
		q4-6	I	116.3	22.2	-2.5	31.7	
-39.2	3.9		J	116.3	22.2	-2.5	31.7	
-36.7	-18.4							
		q4-7	I	110.0	44.9	5.1	13.7	
66.4	247.1		J	110.0	44.9	5.1	13.7	
61.3	202.1							
		q5 - p~1	I	-1019.9	-612.4	-42.5	-354.9	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1129.8	-5783.0		J	-1008.4	-597.2	-42.8	-360.4	-
1091.1	-5175.7							
		q5 - p~2	I	859.0	22.9	-28.3	-45.2	-
1071.7	-1024.7		J	856.7	31.0	-28.2	-48.1	-
1042.5	-1051.8							
		q5 - p~3	I	-966.4	-580.4	-35.3	-411.1	-
1023.6	-5474.7		J	-955.5	-565.9	-35.7	-412.1	
-988.7	-4899.1							
		q5 - p~4	I	813.6	21.2	-27.9	-102.1	
-993.8	-982.6		J	811.4	28.9	-27.8	-102.7	
-965.6	-1007.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	127.4	20.2	3.5	45.4	
27.6	-511.5		J	127.4	20.2	3.5	45.4	
24.1	-531.9							
		T	I	-0.8	-3.0	-0.8	-8.8	
-6.3	-17.8		J	-0.8	-3.0	-0.8	-8.8	
-5.5	-14.8							
		M. tor~1	I	73.7	-280.2	-13.5	211.0	
-353.9	56.4		J	73.7	-280.2	-13.5	202.0	
-340.4	54.5							
		M. tor~2	I	43.6	-165.7	-8.0	124.8	
-209.3	33.4		J	43.6	-165.7	-8.0	119.4	
-201.2	32.2							
		INVSLU Max	I	1346.4	1045.6	-4301.8	5386.0	-3
3329.5	9867.2		J	1336.0	1024.0	-4115.2	5312.8	-2
8991.6	8833.7	Min	I	-1642.2	-914.9	-7637.0	-5319.8	-6
3596.6	-9677.0		J	-1619.2	-893.3	-7377.5	-5130.6	-5
7262.8	-8773.6							
		INVSLV Max	I	2146.6	1424.9	-2897.5	1695.4	-2
4404.7	20425.8		J	2150.9	1424.9	-2759.8	1695.4	-2
1407.1	19825.6	Min	I	-2342.1	-1337.4	-4016.4	-1535.2	-3
5000.8	-20137.0		J	-2337.7	-1337.4	-3878.7	-1535.2	-3
1193.6	-19624.7							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4763.4	6701.9	INVSLE Max	I	890.0	710.2	-3189.3	3966.5	-2
			J	883.5	695.8	-3051.1	3911.9	-2
1547.6	6000.1	Min	I	-1109.1	-613.4	-5654.3	-3917.5	-4
7033.7	-6561.0		J	-1093.3	-599.0	-5462.0	-3777.0	-4
2344.5	-5955.6							
919	1	52 C1-C2;~1 Max	I	39.1	157.5	237.5	2759.5	
4022.4	1969.7		J	39.1	157.5	238.4	2740.0	
3908.3	1818.5	Min	I	-82.4	-137.4	-2112.8	-3518.0	-1
5017.6	-2163.3		J	-81.1	-137.4	-2057.6	-3378.6	-1
3848.9	-2030.2							
		C3-C4;~1 Max	I	39.8	160.1	241.9	3658.4	
4099.9	1922.8		J	39.9	160.1	242.7	3601.5	
3981.0	1772.8	Min	I	-81.5	-139.5	-2116.5	-2491.9	-1
5386.4	-2043.7		J	-80.2	-139.5	-2061.5	-2384.5	-1
4208.4	-1911.3							
		C1-C2;~2 Max	I	21.6	82.9	127.1	1379.8	
2040.6	991.5		J	21.6	82.9	127.4	1377.8	
1983.4	911.4	Min	I	-44.7	-73.7	-1186.9	-1959.5	-
7487.8	-1149.9		J	-44.2	-73.7	-1159.7	-1875.3	-
6980.5	-1078.3							
		C3-C4;~2 Max	I	22.0	84.0	129.7	1898.1	
2086.1	972.0		J	22.0	84.0	130.0	1875.3	
2026.5	895.0	Min	I	-44.1	-74.8	-1188.7	-1345.6	-
7693.3	-1086.2		J	-43.6	-74.8	-1161.6	-1278.7	-
7180.6	-1014.6							
		SLVx (RS)	I	1807.9	1144.7	-285.1	1360.9	-
3471.1	17342.2		J	1807.9	1144.7	-285.1	1360.9	
3281.4	16876.7							
		SLVy (RS)	I	1274.8	-438.5	-222.9	-546.5	-
1374.2	6785.5		J	1274.8	-438.5	-222.9	-546.5	-
1264.4	6655.0							
		SLDx (RS)	I	1301.7	839.6	-212.9	996.4	-
2576.3	12131.8		J	1301.7	839.6	-212.9	996.4	
2433.9	11825.0							
		SLDy (RS)	I	848.3	-316.1	-163.5	-391.6	
-897.1	4821.8		J	848.3	-316.1	-163.5	-391.6	
-813.4	4726.4							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3360.8	1157.7	SLVz (RS)	I	-175.9	-166.8	400.2	-155.2	
			J	-175.9	-166.8	400.2	-155.2	
2986.2	1273.1							
		G1	I	-66.5	39.3	-2431.5	313.3	-1
9261.8	98.0		J	-63.3	39.3	-2330.6	313.3	-1
6870.7	58.6							
		G2	I	-24.3	14.4	-888.2	114.3	-
7036.6	35.2		J	-23.1	14.4	-851.3	114.3	-
6163.2	20.8							
		G1- Imp~1	I	-2.2	-7.6	0.3	-4.8	
0.4	-33.1		J	-2.2	-7.6	0.3	-4.8	
0.1	-25.4							
		G2- Imp~1	I	-0.7	-2.4	0.1	-1.5	
0.2	-10.7		J	-0.7	-2.4	0.1	-1.5	
0.1	-8.2							
		q3	I	235.8	55.4	1.0	-1.9	
-161.2	128.8		J	232.6	55.4	1.0	-1.9	
-159.1	73.2							
		q4-1	I	0.0	1.6	0.7	4.8	
28.3	82.2		J	0.0	1.6	0.7	4.8	
27.6	80.5							
		q4-2	I	-0.0	2.5	1.1	9.3	
43.8	140.0		J	-0.0	2.5	1.1	9.3	
42.6	137.4							
		q4-3	I	-0.3	-0.9	1.0	8.0	
34.7	3.8		J	-0.3	-0.9	1.0	8.0	
33.7	4.7							
		q4-4	I	-0.4	-11.8	-0.5	-16.1	
-23.4	-530.6		J	-0.4	-11.8	-0.5	-16.1	
-22.9	-518.7							
		q4-5	I	4.0	28.7	-4.4	-58.9	
-137.7	775.8		J	4.0	28.7	-4.4	-58.9	
-133.3	747.0							
		q4-6	I	116.5	20.6	-2.5	32.2	
-36.2	-18.4		J	116.5	20.6	-2.5	32.2	
-33.7	-39.2							
		q4-7	I	110.5	43.4	5.0	13.0	
61.3	202.1		J	110.5	43.4	5.0	13.0	
56.3	158.4							
		q5 - p~1	I	-1016.1	-584.0	-42.3	-347.4	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1093.6	-5175.8		J	-1004.4	-568.9	-42.7	-352.9	-
1055.1	-4597.0							
		q5 - p~2	I	857.0	19.8	-28.4	-34.8	-
1042.6	-1052.4		J	854.5	28.0	-28.3	-37.8	-
1013.2	-1076.4							
		q5 - p~3	I	-962.8	-553.5	-35.2	-400.4	
-992.0	-4899.2		J	-951.7	-539.2	-35.6	-401.4	
-957.2	-4350.6							
		q5 - p~4	I	811.7	18.3	-28.0	-90.3	
-966.5	-1008.4		J	809.3	26.1	-28.0	-90.9	
-938.2	-1030.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	127.6	18.6	3.4	45.0	
24.9	-531.9		J	127.6	18.6	3.4	45.0	
21.5	-550.5							
		T	I	-0.9	-3.0	-0.8	-8.7	
-5.6	-14.8		J	-0.9	-3.0	-0.8	-8.7	
-4.8	-11.7							
		M. tor~1	I	70.0	-281.1	-13.4	206.4	
-337.8	54.2		J	70.0	-281.1	-13.4	197.3	
-324.3	53.2							
		M. tor~2	I	41.4	-166.2	-7.9	122.0	
-199.7	32.0		J	41.4	-166.2	-7.9	116.7	
-191.7	31.4							
		INVSLU Max	I	1348.1	1004.7	-4115.7	5826.7	-2
8978.8	8818.8		J	1337.5	983.3	-3928.3	5754.8	-2
4768.1	7826.4	Min	I	-1631.7	-874.5	-7377.0	-4499.5	-5
7261.9	-8791.0		J	-1608.3	-853.1	-7117.2	-4316.1	-5
1229.9	-7928.4							
		INVSLV Max	I	2149.4	1370.0	-2766.6	1992.8	-2
1406.2	19814.7		J	2153.9	1370.0	-2628.9	1992.8	-1
8477.1	19300.8	Min	I	-2336.7	-1282.8	-3871.9	-1150.0	-3
1189.3	-19635.7		J	-2332.3	-1282.8	-3734.2	-1150.0	-2
7590.2	-19209.4							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1538.3	5989.1	INVSLE Max	I	891.7	682.9	-3051.4	4293.5	-2
			J	885.0	668.7	-2912.7	4239.8	-1
8416.8	5314.7	Min	I	-1101.7	-586.5	-5461.7	-3310.3	-4
2343.7	-5968.5		J	-1085.7	-572.2	-5269.2	-3174.2	-3
7878.0	-5390.3							
920	1	52 C1-C2;~1 Max	I	41.2	156.9	238.3	2777.1	
3913.0	1817.7		J	41.2	156.9	239.8	2796.2	
3966.5	1667.2	Min	I	-82.8	-136.9	-2057.6	-3274.1	-1
3852.4	-2032.8		J	-81.5	-136.9	-2002.3	-3139.2	-1
2774.2	-1900.2							
		C3-C4;~1 Max	I	42.0	159.6	242.7	3634.4	
3986.2	1770.5		J	42.0	159.6	244.1	3619.7	
3984.6	1628.7	Min	I	-82.0	-139.1	-2061.5	-2293.9	-1
4207.4	-1914.2		J	-80.7	-139.1	-2006.3	-2190.6	-1
3119.0	-1782.5							
		C1-C2;~2 Max	I	22.7	82.6	127.4	1399.0	
1986.1	911.2		J	22.7	82.6	128.0	1425.6	
2021.7	831.5	Min	I	-45.1	-73.5	-1159.6	-1828.0	-
6984.9	-1079.8		J	-44.5	-73.5	-1132.0	-1745.9	-
6513.7	-1008.6							
		C3-C4;~2 Max	I	23.1	83.7	130.0	1892.2	
2029.5	893.8		J	23.1	83.7	130.5	1900.8	
2040.9	822.9	Min	I	-44.5	-74.6	-1161.5	-1236.6	-
7183.5	-1016.3		J	-44.0	-74.6	-1134.0	-1171.7	-
6706.6	-945.0							
		SLVx (RS)	I	1807.0	1096.7	-282.6	1325.0	
3276.9	16876.8		J	1807.0	1096.7	-282.6	1325.0	
3101.2	16486.0							
		SLVy (RS)	I	1268.3	-421.3	-217.3	-527.6	-
1272.5	6655.2		J	1268.3	-421.3	-217.3	-527.6	-
1195.4	6543.8							
		SLDx (RS)	I	1301.7	804.1	-210.9	969.7	
2430.8	11825.2		J	1301.7	804.1	-210.9	969.7	
2298.8	11575.6							
		SLDy (RS)	I	845.1	-303.9	-159.3	-378.9	
-817.6	4726.5		J	845.1	-303.9	-159.3	-378.9	
-760.8	4644.8							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2985.1	1272.6	SLVz (RS)	I	-178.1	-160.3	393.5	-158.6	
			J	-178.1	-160.3	393.5	-158.6	
2619.9	1386.9							
6865.7	51.4	G1	I	-63.3	39.1	-2330.6	532.2	-1
			J	-60.1	39.1	-2229.7	532.2	-1
4575.9	12.2							
6161.4	18.2	G2	I	-23.1	14.3	-851.3	194.2	-
			J	-21.9	14.3	-814.5	194.2	-
5325.0	3.8							
0.1	-25.4	G1- Imp~1	I	-2.3	-7.6	0.3	-4.8	
			J	-2.3	-7.6	0.3	-4.8	
-0.2	-17.8							
0.1	-8.2	G2- Imp~1	I	-0.7	-2.4	0.1	-1.5	
			J	-0.7	-2.4	0.1	-1.5	
0.0	-5.8							
-159.1	73.1	q3	I	233.3	52.4	0.9	0.2	
			J	230.1	52.4	0.9	0.2	
-157.0	20.5							
27.6	80.5	q4-1	I	0.0	1.6	0.7	4.5	
			J	0.0	1.6	0.7	4.5	
26.8	78.9							
42.7	137.5	q4-2	I	-0.0	2.5	1.1	8.8	
			J	-0.0	2.5	1.1	8.8	
41.5	134.9							
33.8	4.7	q4-3	I	-0.3	-0.9	1.0	7.6	
			J	-0.3	-0.9	1.0	7.6	
32.8	5.6							
-22.9	-518.7	q4-4	I	-0.5	-11.8	-0.5	-16.0	
			J	-0.5	-11.8	-0.5	-16.0	
-22.4	-506.9							
-134.3	746.9	q4-5	I	4.4	28.7	-4.4	-57.0	
			J	4.4	28.7	-4.4	-57.0	
-129.9	718.1							
-33.3	-39.2	q4-6	I	116.8	19.1	-2.6	32.6	
			J	116.8	19.1	-2.6	32.6	
-30.7	-58.4							
56.4	158.4	q4-7	I	111.1	42.0	5.0	12.3	
			J	111.1	42.0	5.0	12.3	
51.4	116.3							
		q5 - p~1	I	-1011.7	-555.8	-42.2	-340.2	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1057.7	-4597.1		J	-999.8	-540.9	-42.6	-345.6	-
1019.4	-4046.4							
		q5 - p~2	I	854.8	16.8	-28.5	-24.9	-
1013.2	-1077.1		J	852.2	25.1	-28.5	-27.8	
-983.6	-1098.2							
		q5 - p~3	I	-958.7	-526.8	-35.1	-390.0	
-960.5	-4350.7		J	-947.4	-512.7	-35.5	-391.0	
-925.8	-3828.8							
		q5 - p~4	I	809.6	15.5	-28.2	-78.9	
-938.9	-1031.3		J	807.1	23.3	-28.1	-79.5	
-910.5	-1050.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	127.8	16.9	3.4	44.5	
22.3	-550.6		J	127.8	16.9	3.4	44.5	
18.9	-567.6							
		T	I	-0.9	-3.0	-0.8	-8.7	
-4.9	-11.7		J	-0.9	-3.0	-0.8	-8.7	
-4.0	-8.7							
		M. tor~1	I	66.4	-282.0	-13.3	201.5	
-321.7	52.9		J	66.4	-282.0	-13.3	192.4	
-308.4	52.8							
		M. tor~2	I	39.2	-166.7	-7.9	119.2	
-190.2	31.3		J	39.2	-166.7	-7.9	113.7	
-182.3	31.2							
		INVSLU Max	I	1349.2	964.1	-3928.8	6191.0	-2
4749.4	7813.1		J	1338.3	942.9	-3740.7	6176.1	-2
0567.0	6861.5	Min	I	-1620.2	-834.4	-7116.7	-3760.3	-5
1221.7	-7943.7		J	-1596.6	-813.2	-6856.7	-3583.0	-4
5497.4	-7121.4							
		INVSLV Max	I	2151.5	1314.7	-2638.1	2250.9	-1
8472.6	19291.1		J	2156.0	1314.7	-2500.4	2250.9	-1
5655.3	18857.5	Min	I	-2330.4	-1227.8	-3725.0	-810.7	-2
7581.1	-19219.3		J	-2325.9	-1227.8	-3587.3	-810.7	-2
4146.9	-18872.9							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

8403.1	5304.8	INVSLE Max	I	892.9	655.8	-2913.0	4563.9	-1
			J	886.1	641.7	-2773.7	4552.4	-1
5302.5	4657.8	Min	I	-1093.7	-559.7	-5268.9	-2763.3	-3
7871.8	-5401.6		J	-1077.4	-545.6	-5076.2	-2631.6	-3
3634.1	-4850.3							
921	1	52 C1-C2;~1 Max	I	43.2	156.4	239.7	2815.5	
3967.9	1666.3		J	43.2	156.4	241.8	2834.8	
4508.2	1516.6	Min	I	-83.3	-136.5	-2002.3	-3047.3	-1
2776.5	-1902.3		J	-82.0	-136.5	-1946.9	-2916.8	-1
1792.9	-1770.5							
		C3-C4;~1 Max	I	44.1	159.1	244.1	3637.8	
3986.4	1626.4		J	44.1	159.1	246.1	3627.8	
4495.2	1485.5	Min	I	-82.5	-138.6	-2006.3	-2111.2	-1
3117.2	-1784.9		J	-81.1	-138.6	-1951.0	-2012.1	-1
2122.4	-1653.7							
		C1-C2;~2 Max	I	23.8	82.3	127.9	1436.9	
2037.5	831.3		J	23.8	82.3	128.8	1463.2	
2425.7	752.0	Min	I	-45.4	-73.2	-1132.0	-1705.2	-
6517.5	-1009.8		J	-44.9	-73.2	-1104.1	-1625.3	-
6084.1	-939.0							
		C3-C4;~2 Max	I	24.2	83.5	130.5	1909.9	
2041.2	821.8		J	24.2	83.5	131.3	1921.4	
2406.5	751.3	Min	I	-44.9	-74.3	-1134.0	-1135.6	-
6708.9	-946.4		J	-44.3	-74.3	-1106.2	-1072.8	-
6269.4	-875.5							
		SLVx (RS)	I	1805.4	1048.4	-278.9	1288.6	
3096.5	16486.2		J	1805.4	1048.4	-278.9	1288.6	
2936.0	16164.6							
		SLVy (RS)	I	1261.5	-404.3	-209.5	-508.7	-
1203.2	6544.1		J	1261.5	-404.3	-209.5	-508.7	-
1161.3	6448.9							
		SLDx (RS)	I	1301.1	768.4	-208.1	942.6	
2295.5	11575.8		J	1301.1	768.4	-208.1	942.6	
2174.9	11379.0							
		SLDy (RS)	I	841.7	-291.8	-153.6	-366.1	
-764.9	4644.9		J	841.7	-291.8	-153.6	-366.1	
-738.0	4574.9							


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2618.2	1386.5	SLVz (RS)	I	-180.0	-153.8	385.2	-169.7	
			J	-180.0	-153.8	385.2	-169.7	
2264.2	1497.5							
4568.2	5.9	G1	I	-60.1	38.9	-2229.7	721.1	-1
			J	-56.8	38.9	-2128.9	721.1	-1
2379.7	-33.2							
5322.1	1.5	G2	I	-21.9	14.3	-814.5	263.3	-
			J	-20.7	14.3	-777.7	263.3	-
4522.7	-12.8							
		G1- Imp~1	I	-2.4	-7.6	0.3	-4.8	
-0.3	-17.8		J	-2.4	-7.6	0.3	-4.8	
-0.6	-10.2							
		G2- Imp~1	I	-0.7	-2.4	0.1	-1.5	
-0.0	-5.8		J	-0.7	-2.4	0.1	-1.5	
-0.1	-3.4							
		q3	I	230.8	49.4	0.8	2.3	
-157.0	20.4		J	227.5	49.4	0.8	2.3	
-154.8	-29.2							
		q4-1	I	0.1	1.6	0.7	4.1	
26.9	78.9		J	0.1	1.6	0.7	4.1	
26.1	77.2							
		q4-2	I	0.0	2.5	1.1	8.3	
41.6	134.9		J	0.0	2.5	1.1	8.3	
40.4	132.4							
		q4-3	I	-0.3	-0.9	1.0	7.2	
32.9	5.6		J	-0.3	-0.9	1.0	7.2	
32.0	6.6							
		q4-4	I	-0.7	-11.8	-0.5	-15.8	
-22.3	-506.9		J	-0.7	-11.8	-0.5	-15.8	
-21.8	-495.0							
		q4-5	I	4.8	28.6	-4.5	-55.1	
-130.9	718.1		J	4.8	28.6	-4.5	-55.1	
-126.4	689.4							
		q4-6	I	117.0	17.6	-2.6	33.0	
-30.2	-58.5		J	117.0	17.6	-2.6	33.0	
-27.6	-76.1							
		q4-7	I	111.6	40.5	4.9	11.6	
51.5	116.3		J	111.6	40.5	4.9	11.6	
46.5	75.5							
		q5 - p~1	I	-1006.8	-527.9	-42.2	-333.3	-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1022.1	-4046.5		J	-994.7	-513.1	-42.6	-338.6	
-983.9	-3523.8							
		q5 - p~2	I	852.4	14.0	-28.7	-15.3	
-983.5	-1098.8		J	849.7	22.3	-28.6	-18.3	
-953.7	-1117.0							
		q5 - p~3	I	-954.0	-500.3	-35.0	-379.8	
-929.3	-3828.8		J	-942.5	-486.3	-35.4	-380.8	
-894.7	-3333.4							
		q5 - p~4	I	807.3	12.8	-28.3	-67.9	
-911.0	-1051.5		J	804.8	20.7	-28.2	-68.4	
-882.4	-1068.3							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	128.0	15.2	3.4	44.2	
19.7	-567.6		J	128.0	15.2	3.4	44.2	
16.3	-582.9							
		T	I	-1.0	-3.0	-0.8	-8.6	
-4.2	-8.7		J	-1.0	-3.0	-0.8	-8.6	
-3.3	-5.7							
		M. tor~1	I	62.7	-282.9	-13.2	196.4	
-305.9	52.5		J	62.7	-282.9	-13.2	187.1	
-292.6	53.3							
		M. tor~2	I	37.1	-167.2	-7.8	116.1	
-180.8	31.1		J	37.1	-167.2	-7.8	110.6	
-173.0	31.5							
		INVSLU Max	I	1349.5	923.7	-3741.2	6537.7	-2
0547.8	6849.8		J	1338.4	902.7	-3552.1	6528.9	-1
5845.2	5938.9	Min	I	-1607.9	-794.6	-6856.2	-3099.6	-4
5483.3	-7134.7		J	-1583.9	-773.6	-6596.0	-2928.1	-4
0072.4	-6352.5							
		INVSLV Max	I	2152.8	1259.1	-2512.2	2470.3	-1
5647.7	18849.1		J	2157.3	1259.1	-2374.5	2470.3	-1
2939.5	18488.8	Min	I	-2323.0	-1172.6	-3575.5	-514.0	-2
4133.4	-18881.6		J	-2318.5	-1172.6	-3437.8	-514.0	-2
0866.8	-18608.2							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

5288.5	4649.1	INVSLE Max	I	893.7	628.8	-2774.0	4821.1	-1
			J	886.7	614.9	-2634.0	4814.2	-1
1802.6	4029.2	Min	I	-1085.1	-533.2	-5075.9	-2274.3	-3
3623.5	-4860.1		J	-1068.6	-519.2	-4883.2	-2147.0	-2
9617.9	-4335.6							
922	1	52 C1-C2;~1 Max	I	45.3	155.8	241.7	2837.6	
4511.4	1515.8		J	45.3	155.8	244.5	2856.9	
5102.2	1368.5	Min	I	-83.7	-136.1	-1946.8	-2837.0	-1
1794.4	-1772.0		J	-82.4	-136.1	-1891.4	-2710.9	-1
0909.1	-1641.0							
		C3-C4;~1 Max	I	46.2	158.5	246.1	3628.4	
4508.2	1483.2		J	46.2	158.5	248.8	3618.6	
5083.9	1343.1	Min	I	-82.9	-138.2	-1951.0	-1942.4	-1
2120.4	-1655.6		J	-81.6	-138.2	-1895.6	-1847.3	-1
1222.8	-1525.2							
		C1-C2;~2 Max	I	24.9	82.0	128.7	1465.3	
2421.9	751.8		J	24.9	82.0	129.8	1491.3	
2849.4	674.2	Min	I	-45.8	-73.0	-1104.1	-1591.1	-
6087.4	-939.9		J	-45.3	-73.0	-1075.9	-1513.5	-
5693.3	-869.6							
		C3-C4;~2 Max	I	25.3	83.2	131.3	1920.7	
2425.4	750.1		J	25.3	83.2	132.4	1932.1	
2827.9	680.1	Min	I	-45.2	-74.1	-1106.2	-1042.3	-
6271.4	-876.6		J	-44.7	-74.1	-1078.1	-981.5	-
5870.8	-806.1							
		SLVx (RS)	I	1803.1	1000.0	-274.0	1251.7	
2931.0	16164.8		J	1803.1	1000.0	-274.0	1251.7	
2786.9	15906.0							
		SLVy (RS)	I	1254.5	-387.7	-199.6	-490.0	-
1168.8	6449.1		J	1254.5	-387.7	-199.6	-490.0	-
1160.6	6367.2							
		SLDx (RS)	I	1300.0	732.5	-204.4	915.1	
2171.4	11379.1		J	1300.0	732.5	-204.4	915.1	
2063.0	11229.6							
		SLDy (RS)	I	838.0	-280.0	-146.3	-353.4	
-741.8	4575.1		J	838.0	-280.0	-146.3	-353.4	
-743.6	4514.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2262.0	1497.2	SLVz (RS)	I	-181.7	-147.3	375.5	-184.4	
			J	-181.7	-147.3	375.5	-184.4	
1921.2	1603.7							
2369.6	-38.7	G1	I	-56.8	38.8	-2128.9	881.5	-1
0282.5	-77.6		J	-53.5	38.8	-2028.0	881.5	-1
4519.1	-14.8	G2	I	-20.7	14.2	-777.7	321.9	-
3756.6	-29.1		J	-19.5	14.2	-740.8	321.9	-
-0.6	-10.2	G1- Imp~1	I	-2.5	-7.5	0.3	-4.8	
-0.9	-2.6		J	-2.5	-7.5	0.3	-4.8	
-0.1	-3.4	G2- Imp~1	I	-0.8	-2.4	0.1	-1.5	
-0.2	-1.1		J	-0.8	-2.4	0.1	-1.5	
-154.7	-29.3	q3	I	228.2	46.4	0.8	4.3	
-152.5	-75.9		J	224.9	46.4	0.8	4.3	
26.2	77.2	q4-1	I	0.1	1.6	0.7	3.8	
25.4	75.6		J	0.1	1.6	0.7	3.8	
40.5	132.4	q4-2	I	0.1	2.5	1.1	7.8	
39.3	129.8		J	0.1	2.5	1.1	7.8	
32.1	6.6	q4-3	I	-0.3	-0.9	1.0	6.8	
31.1	7.5		J	-0.3	-0.9	1.0	6.8	
-21.8	-495.0	q4-4	I	-0.8	-11.8	-0.5	-15.6	
-21.3	-483.2		J	-0.8	-11.8	-0.5	-15.6	
-127.4	689.3	q4-5	I	5.1	28.6	-4.5	-53.3	
-122.9	660.6		J	5.1	28.6	-4.5	-53.3	
-27.2	-76.2	q4-6	I	117.2	16.1	-2.6	33.4	
-24.5	-92.3		J	117.2	16.1	-2.6	33.4	
46.6	75.5	q4-7	I	112.2	39.1	4.9	11.0	
41.7	36.3		J	112.2	39.1	4.9	11.0	
		q5 - p~1	I	-1001.3	-500.2	-42.1	-326.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-986.7	-3524.0		J	-989.0	-485.6	-42.5	-331.9	
-948.7	-3029.0							
		q5 - p~2	I	849.9	11.2	-28.8	-6.1	
-953.4	-1117.7		J	847.1	19.5	-28.7	-9.1	
-923.5	-1133.1							
		q5 - p~3	I	-948.8	-474.1	-35.0	-369.9	
-898.1	-3333.5		J	-937.1	-460.2	-35.4	-370.9	
-863.6	-2864.4							
		q5 - p~4	I	805.0	10.2	-28.4	-57.2	
-882.8	-1068.9		J	802.3	18.1	-28.3	-57.8	
-854.2	-1083.1							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	128.2	13.6	3.3	43.8	
17.1	-582.9		J	128.2	13.6	3.3	43.8	
13.8	-596.6							
		T	I	-1.0	-3.0	-0.8	-8.6	
-3.4	-5.7		J	-1.0	-3.0	-0.8	-8.6	
-2.6	-2.7							
		M. tor~1	I	59.0	-283.7	-13.1	190.9	
-290.2	53.0		J	59.0	-283.7	-13.1	181.6	
-277.1	54.5							
		M. tor~2	I	34.9	-167.7	-7.7	112.9	
-171.6	31.3		J	34.9	-167.7	-7.7	107.4	
-163.8	32.2							
		INVSLU Max	I	1349.1	883.6	-3552.6	6814.5	-1
5819.8	5928.7		J	1337.8	862.9	-3362.7	6806.0	-1
1210.7	5067.7	Min	I	-1594.7	-755.1	-6595.6	-2514.0	-4
0053.8	-6363.8		J	-1570.4	-734.4	-6335.3	-2348.4	-3
4960.9	-5621.5							
		INVSLV Max	I	2153.2	1203.5	-2388.5	2651.1	-1
2929.2	18481.6		J	2157.7	1203.5	-2250.8	2651.1	-1
0328.9	18186.9	Min	I	-2314.7	-1117.4	-3423.8	-257.0	-2
0849.7	-18615.8		J	-2310.2	-1117.4	-3286.1	-257.0	-1
7751.7	-18407.6							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1784.0	4021.6	INVSLE Max	I	894.0	602.1	-2634.3	5026.6	-1
			J	886.9	588.2	-2493.7	5019.9	-
8367.3	3435.7	Min	I	-1075.9	-506.9	-4882.9	-1841.0	-2
9603.9	-4343.9		J	-1059.2	-493.0	-4690.1	-1718.0	-2
5833.9	-3846.0							
923	1	52 C1-C2;~1 Max	I	47.3	155.3	244.4	2843.3	
5107.3	1366.9		J	47.3	155.3	247.9	2862.5	
5742.9	1230.6	Min	I	-84.2	-135.6	-1891.4	-2642.8	-1
0910.3	-1642.0		J	-82.8	-135.6	-1836.0	-2520.9	-1
0126.0	-1511.9							
		C3-C4;~1 Max	I	48.3	157.9	248.7	3602.2	
5098.9	1340.8		J	48.3	157.9	252.1	3592.5	
5715.1	1201.7	Min	I	-83.4	-137.7	-1895.6	-1786.4	-1
1221.0	-1526.5		J	-82.0	-137.7	-1840.3	-1695.2	-1
0423.5	-1397.0							
		C1-C2;~2 Max	I	26.0	81.7	129.8	1484.1	
2846.5	673.4		J	26.0	81.7	131.2	1509.7	
3291.9	603.9	Min	I	-46.2	-72.7	-1075.9	-1485.5	-
5696.2	-870.2		J	-45.6	-72.7	-1047.5	-1410.1	-
5342.5	-800.4							
		C3-C4;~2 Max	I	26.4	82.8	132.4	1921.8	
2831.9	678.9		J	26.4	82.8	133.7	1932.9	
3268.2	609.4	Min	I	-45.6	-73.8	-1078.0	-956.1	-
5872.7	-806.9		J	-45.1	-73.8	-1049.7	-897.3	-
5512.1	-737.0							
		SLVx (RS)	I	1800.0	951.4	-268.2	1214.3	
2781.7	15906.2		J	1800.0	951.4	-268.2	1214.3	
2654.6	15702.9							
		SLVy (RS)	I	1247.3	-371.8	-188.0	-471.2	-
1167.5	6367.5		J	1247.3	-371.8	-188.0	-471.2	-
1187.4	6295.8							
		SLDx (RS)	I	1298.3	696.5	-200.0	887.1	
2059.4	11229.8		J	1298.3	696.5	-200.0	887.1	
1963.6	11121.6							
		SLDy (RS)	I	834.2	-268.7	-137.7	-340.6	
-747.1	4514.7		J	834.2	-268.7	-137.7	-340.6	
-772.2	4461.4							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1918.6	1603.5	SLVz (RS)	I	-183.0	-140.6	364.9	-199.8	
			J	-183.0	-140.6	364.9	-199.8	
1593.7	1704.4							
		G1	I	-53.4	38.6	-2028.0	1014.6	-1
0270.5	-82.2		J	-50.1	38.6	-1927.1	1014.6	-
8284.6	-120.9							
		G2	I	-19.5	14.1	-740.8	370.5	-
3752.3	-30.8		J	-18.3	14.1	-704.0	370.5	-
3026.8	-44.9							
		G1- Imp~1	I	-2.6	-7.5	0.3	-4.8	
-1.0	-2.6		J	-2.6	-7.5	0.3	-4.8	
-1.3	4.9							
		G2- Imp~1	I	-0.8	-2.4	0.1	-1.5	
-0.2	-1.1		J	-0.8	-2.4	0.1	-1.5	
-0.3	1.3							
		q3	I	225.5	43.5	0.7	6.2	
-152.4	-76.0		J	222.3	43.5	0.7	6.2	
-150.0	-119.7							
		q4-1	I	0.1	1.6	0.7	3.5	
25.4	75.6		J	0.1	1.6	0.7	3.5	
24.7	74.0							
		q4-2	I	0.1	2.5	1.1	7.3	
39.4	129.8		J	0.1	2.5	1.1	7.3	
38.2	127.3							
		q4-3	I	-0.3	-0.9	1.0	6.3	
31.2	7.5		J	-0.3	-0.9	1.0	6.3	
30.2	8.4							
		q4-4	I	-1.0	-11.8	-0.5	-15.5	
-21.3	-483.2		J	-1.0	-11.8	-0.5	-15.5	
-20.9	-471.4							
		q4-5	I	5.5	28.5	-4.5	-51.5	
-123.9	660.6		J	5.5	28.5	-4.5	-51.5	
-119.4	632.0							
		q4-6	I	117.4	14.5	-2.7	33.7	
-24.1	-92.4		J	117.4	14.5	-2.7	33.7	
-21.4	-107.0							
		q4-7	I	112.7	37.6	4.9	10.5	
41.8	36.3		J	112.7	37.6	4.9	10.5	
36.9	-1.5							
		q5 - p~1	I	-995.3	-472.7	-42.1	-320.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-951.6	-3029.1		J	-982.8	-458.3	-42.5	-325.4	
-913.6	-2561.7							
		q5 - p~2	I	847.2	8.5	-28.9	2.6	
-923.1	-1133.8		J	844.3	16.9	-28.8	-0.4	
-893.1	-1146.5							
		q5 - p~3	I	-943.1	-448.0	-35.0	-360.3	
-867.2	-2864.5		J	-931.2	-434.3	-35.4	-361.2	
-832.7	-2421.5							
		q5 - p~4	I	802.4	7.6	-28.5	-46.9	
-854.4	-1083.7		J	799.7	15.6	-28.4	-47.4	
-825.6	-1095.4							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	128.4	11.9	3.3	43.5	
14.6	-596.6		J	128.4	11.9	3.3	43.5	
11.3	-608.6							
		T	I	-1.0	-3.0	-0.8	-8.5	
-2.7	-2.7		J	-1.0	-3.0	-0.8	-8.5	
-1.9	0.3							
		M. tor~1	I	55.3	-284.4	-13.0	185.2	
-274.7	54.3		J	55.3	-284.4	-13.0	175.8	
-261.7	56.6							
		M. tor~2	I	32.7	-168.1	-7.7	109.5	
-162.4	32.1		J	32.7	-168.1	-7.7	104.0	
-154.7	33.5							
		INVSLU Max	I	1348.0	843.9	-3363.1	7018.7	-1
1179.0	5057.7		J	1336.5	823.4	-3172.3	7010.3	-
6696.1	4239.5	Min	I	-1580.6	-715.9	-6334.9	-2000.6	-3
4939.2	-5630.9		J	-1556.0	-695.4	-6074.7	-1840.7	-3
0168.0	-4928.5							
		INVSLV Max	I	2152.8	1148.0	-2266.7	2794.4	-1
0316.4	18180.9		J	2157.4	1148.0	-2129.0	2794.4	-
7824.2	17943.3	Min	I	-2305.4	-1062.2	-3270.2	-36.8	-1
7731.5	-18414.1		J	-2300.8	-1062.2	-3132.5	-36.8	-1
4802.0	-18262.7							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8344.0	3428.4	INVSLE Max	I	893.8	575.5	-2494.0	5178.3	-
			J	886.6	561.8	-2352.6	5171.7	-
5020.8	2871.3	Min	I	-1066.1	-480.7	-4689.8	-1461.2	-2
5817.6	-3852.9		J	-1049.2	-467.1	-4497.0	-1342.4	-2
2285.9	-3381.7							
924	1	52 C1-C2;~1 Max	I	49.3	154.6	247.8	2833.4	
5740.1	1228.9		J	49.3	154.6	262.0	2852.4	
6462.7	1101.7	Min	I	-84.6	-135.1	-1836.0	-2463.9	-1
0127.5	-1512.3		J	-83.2	-135.1	-1780.7	-2346.1	-
9445.6	-1383.3							
		C3-C4;~1 Max	I	50.3	157.3	252.1	3560.2	
5742.2	1199.5		J	50.3	157.3	262.2	3550.5	
6428.0	1061.6	Min	I	-83.8	-137.2	-1840.2	-1642.2	-1
0422.4	-1397.7		J	-82.4	-137.2	-1785.0	-1554.7	-
9726.3	-1269.2							
		C1-C2;~2 Max	I	27.0	81.4	131.1	1493.8	
3289.9	603.1		J	27.0	81.4	140.3	1518.9	
3752.1	540.2	Min	I	-46.5	-72.5	-1047.5	-1388.2	-
5345.3	-800.6		J	-46.0	-72.5	-1018.9	-1314.9	-
5032.6	-731.5							
		C3-C4;~2 Max	I	27.5	82.5	133.7	1913.7	
3273.0	608.2		J	27.5	82.5	139.9	1924.5	
3726.1	539.4	Min	I	-46.0	-73.5	-1049.7	-876.7	-
5514.0	-737.5		J	-45.4	-73.5	-1021.1	-820.0	-
5194.0	-668.1							
		SLVx (RS)	I	1796.2	902.7	-261.4	1176.1	
2649.4	15703.1		J	1796.2	902.7	-261.4	1176.1	
2539.5	15547.4							
		SLVy (RS)	I	1239.8	-357.0	-174.8	-452.6	-
1193.7	6296.2		J	1239.8	-357.0	-174.8	-452.6	-
1233.6	6232.1							
		SLDx (RS)	I	1296.1	660.4	-194.8	858.6	
1960.0	11121.7		J	1296.1	660.4	-194.8	858.6	
1877.1	11048.3							
		SLDy (RS)	I	830.2	-258.2	-128.0	-327.7	
-775.3	4461.7		J	830.2	-258.2	-128.0	-327.7	
-816.3	4413.7							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1590.7	1704.2	SLVz (RS)	I	-183.9	-133.9	353.7	-214.0	
			J	-183.9	-133.9	353.7	-214.0	
1285.8	1798.9							
		G1	I	-50.0	38.4	-1927.2	1121.7	-
8271.0	-124.7		J	-46.6	38.4	-1826.3	1121.7	-
6386.5	-163.3							
		G2	I	-18.2	14.1	-704.0	409.6	-
3021.9	-46.3		J	-17.0	14.1	-667.2	409.6	-
2333.4	-60.4							
		G1- Imp~1	I	-2.7	-7.5	0.3	-4.7	
-1.3	4.9		J	-2.7	-7.5	0.3	-4.7	
-1.6	12.4							
		G2- Imp~1	I	-0.8	-2.4	0.1	-1.5	
-0.4	1.3		J	-0.8	-2.4	0.1	-1.5	
-0.5	3.7							
		q3	I	222.9	40.6	0.6	8.2	
-149.9	-119.8		J	219.7	40.6	0.6	8.2	
-147.4	-160.5							
		q4-1	I	0.1	1.6	0.7	3.2	
24.7	74.0		J	0.1	1.6	0.7	3.2	
24.0	72.3							
		q4-2	I	0.1	2.5	1.1	6.9	
38.3	127.3		J	0.1	2.5	1.1	6.9	
37.1	124.8							
		q4-3	I	-0.3	-0.9	1.0	6.0	
30.3	8.4		J	-0.3	-0.9	1.0	6.0	
29.3	9.3							
		q4-4	I	-1.1	-11.8	-0.5	-15.3	
-20.9	-471.4		J	-1.1	-11.8	-0.5	-15.3	
-20.4	-459.6							
		q4-5	I	5.9	28.4	-4.5	-49.8	
-120.3	632.0		J	5.9	28.4	-4.5	-49.8	
-115.8	603.4							
		q4-6	I	117.6	13.0	-2.7	33.9	
-20.9	-107.0		J	117.6	13.0	-2.7	33.9	
-18.2	-120.1							
		q4-7	I	113.1	36.2	4.8	10.0	
37.1	-1.5		J	113.1	36.2	4.8	10.0	
32.2	-37.9							
		q5 - p~1	I	-988.7	-445.4	-42.1	-314.0	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-916.7	-2561.8		J	-976.0	-431.2	-42.5	-319.2	
-878.8	-2121.7							
		q5 - p~2	I	844.4	5.9	-29.0	10.9	
-892.5	-1147.2		J	841.4	14.5	-28.9	7.9	
-862.4	-1157.4							
		q5 - p~3	I	-936.8	-422.2	-35.0	-350.9	
-836.3	-2421.5		J	-924.8	-408.7	-35.4	-351.9	
-801.8	-2004.3							
		q5 - p~4	I	799.8	5.2	-28.6	-36.9	
-825.7	-1096.0		J	796.9	13.3	-28.5	-37.5	
-796.9	-1105.3							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	128.5	10.2	3.3	43.2	
12.2	-608.6		J	128.5	10.2	3.3	43.2	
8.9	-618.9							
		T	I	-1.1	-3.0	-0.8	-8.5	
-2.0	0.3		J	-1.1	-3.0	-0.8	-8.5	
-1.2	3.3							
		M. tor~1	I	51.6	-285.1	-12.9	179.2	
-259.4	56.4		J	51.6	-285.1	-12.9	169.8	
-246.5	59.4							
		M. tor~2	I	30.5	-168.6	-7.6	106.0	
-153.3	33.3		J	30.5	-168.6	-7.6	100.4	
-145.7	35.1							
		INVSLU Max	I	1346.3	804.4	-3172.7	7153.8	-
6669.2	4231.0		J	1334.5	784.1	-2972.7	7145.3	-
2258.2	3457.8	Min	I	-1565.7	-677.1	-6074.3	-1556.2	-3
0144.4	-4935.9		J	-1540.7	-656.8	-5814.2	-1401.8	-2
5696.9	-4276.8							
		INVSLV Max	I	2151.6	1092.7	-2146.2	2901.2	-
7809.8	17938.4		J	2156.2	1092.7	-2008.5	2901.2	-
5426.6	17749.0	Min	I	-2295.1	-1007.3	-3115.3	148.9	-1
4779.3	-18268.1		J	-2290.5	-1007.3	-2977.6	148.9	-1
2017.4	-18164.4							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

5001.1	2865.0	INVSLE Max	I	893.2	549.1	-2352.9	5278.8	-
			J	885.8	535.6	-2204.8	5272.1	-
1731.3	2338.8	Min	I	-1055.7	-454.8	-4496.7	-1132.3	-2
2268.2	-3387.2		J	-1038.6	-441.3	-4304.0	-1017.6	-1
8976.2	-2945.5							
925	1	52 C1-C2;~1 Max	I	51.4	154.0	262.0	2808.4	
6461.3	1100.0		J	51.4	154.0	285.2	2827.1	
7233.2	993.0	Min	I	-85.0	-134.5	-1780.7	-2299.7	-
9447.8	-1383.2		J	-83.6	-134.5	-1725.6	-2185.9	-
8867.5	-1255.5							
		C3-C4;~1 Max	I	52.4	156.6	262.2	3501.9	
6436.9	1059.4		J	52.4	156.6	285.4	3492.0	
7191.2	923.2	Min	I	-84.2	-136.6	-1784.9	-1509.2	-
9726.4	-1269.4		J	-82.8	-136.6	-1729.8	-1425.3	-
9130.9	-1142.1							
		C1-C2;~2 Max	I	28.1	81.0	140.3	1494.5	
3751.0	539.3		J	28.1	81.0	156.0	1519.2	
4227.8	491.4	Min	I	-46.9	-72.2	-1018.9	-1298.8	-
5035.4	-731.5		J	-46.3	-72.2	-990.2	-1227.7	-
4763.4	-663.1							
		C3-C4;~2 Max	I	28.6	82.2	139.9	1895.9	
3731.8	538.2		J	28.6	82.2	155.5	1906.3	
4199.5	470.3	Min	I	-46.3	-73.2	-1021.1	-803.9	-
5196.1	-668.3		J	-45.8	-73.2	-992.4	-749.1	-
4916.3	-599.6							
		SLVx (RS)	I	1791.6	854.2	-253.9	1137.4	
2534.4	15547.6		J	1791.6	854.2	-253.9	1137.4	
2441.5	15431.2							
		SLVy (RS)	I	1232.1	-343.5	-160.4	-434.0	-
1239.2	6232.5		J	1232.1	-343.5	-160.4	-434.0	-
1290.8	6173.3							
		SLDx (RS)	I	1293.3	624.2	-189.1	829.6	
1873.5	11048.5		J	1293.3	624.2	-189.1	829.6	
1803.2	-11003.3							
		SLDy (RS)	I	825.9	248.7	-117.2	-314.8	
-818.9	4414.0		J	825.9	248.7	-117.2	-314.8	
-868.2	4369.4							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1282.5	1798.8	SLVz (RS)	I	-184.6	-126.9	342.3	-226.0	
			J	-184.6	-126.9	342.3	-226.0	
1005.8	1886.5							
		G1	I	-46.5	38.2	-1826.3	1204.1	-
6371.5	-166.3		J	-43.1	38.2	-1725.4	1204.1	-
4588.3	-204.7							
		G2	I	-17.0	14.0	-667.2	439.7	-
2328.0	-61.5		J	-15.7	14.0	-630.3	439.7	-
1676.5	-75.6							
		G1- Imp~1	I	-2.8	-7.4	0.3	-4.7	
-1.7	12.4		J	-2.8	-7.4	0.3	-4.7	
-2.0	19.8							
		G2- Imp~1	I	-0.9	-2.3	0.1	-1.5	
-0.5	3.7		J	-0.9	-2.3	0.1	-1.5	
-0.6	6.0							
		q3	I	220.2	37.7	0.6	10.0	
-147.3	-160.7		J	217.0	37.7	0.6	10.0	
-144.8	-198.5							
		q4-1	I	0.2	1.6	0.7	2.9	
24.0	72.3		J	0.2	1.6	0.7	2.9	
23.3	70.7							
		q4-2	I	0.2	2.5	1.1	6.4	
37.1	124.8		J	0.2	2.5	1.1	6.4	
36.0	122.2							
		q4-3	I	-0.4	-0.9	1.0	5.6	
29.4	9.3		J	-0.4	-0.9	1.0	5.6	
28.4	10.2							
		q4-4	I	-1.3	-11.7	-0.5	-15.1	
-20.4	-459.6		J	-1.3	-11.7	-0.5	-15.1	
-19.9	-447.8							
		q4-5	I	6.2	28.3	-4.5	-48.2	
-116.7	603.4		J	6.2	28.3	-4.5	-48.2	
-112.2	574.9							
		q4-6	I	117.8	11.5	-2.7	34.1	
-17.7	-120.1		J	117.8	11.5	-2.7	34.1	
-15.0	-131.7							
		q4-7	I	113.6	34.7	4.8	9.6	
32.4	-37.9		J	113.6	34.7	4.8	9.6	
27.6	-72.7							
		q5 - p~1	I	-981.5	-418.5	-42.1	-308.2	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-881.9	-2121.7		J	-968.7	-404.4	-42.5	-313.3	
-844.1	-1708.6							
		q5 - p~2	I	841.5	3.5	-29.1	18.8	
-861.7	-1158.1		J	838.4	12.1	-29.0	15.7	
-831.5	-1165.9							
		q5 - p~3	I	-930.1	-396.6	-35.0	-341.9	
-805.4	-2004.4		J	-917.9	-383.3	-35.4	-342.8	
-770.9	-1612.8							
		q5 - p~4	I	797.0	2.9	-28.6	-27.4	
-796.8	-1105.9		J	794.0	11.1	-28.5	-28.0	
-767.9	-1112.9							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	128.7	8.6	3.2	42.9	
9.7	-619.0		J	128.7	8.6	3.2	42.9	
6.5	-627.6							
		T	I	-1.1	-2.9	-0.8	-8.5	
-1.3	3.3		J	-1.1	-2.9	-0.8	-8.5	
-0.5	6.2							
		M. tor~1	I	47.9	-285.8	-12.8	173.0	
-244.3	59.2		J	47.9	-285.8	-12.8	163.5	
-231.4	62.8							
		M. tor~2	I	28.3	-168.9	-7.5	102.3	
-144.4	35.0		J	28.3	-168.9	-7.5	96.7	
-136.8	37.1							
		INVSLU Max	I	1343.9	765.3	-2973.1	7221.8	-
2229.8	3451.1		J	1331.9	745.3	-2755.6	7213.0	
2063.8	2743.6	Min	I	-1549.8	-638.6	-5813.8	-1177.4	-2
5672.6	-4282.3		J	-1524.6	-618.6	-5553.8	-1028.3	-2
1547.7	-3662.4							
		INVSLV Max	I	2149.5	1037.8	-2026.5	2973.0	-
5410.8	17745.2		J	2154.1	1037.8	-1888.8	2973.0	-
3137.0	17594.8	Min	I	-2283.8	-952.9	-2959.6	302.2	-1
1992.6	-18168.8		J	-2279.2	-952.9	-2821.9	302.2	-
9397.9	-18103.6							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1710.4	2333.9	INVSLE Max	I	892.2	523.0	-2205.1	5329.5	-
			J	884.6	509.7	-2044.0	5322.7	
1472.5	1853.5	Min	I	-1044.8	-429.2	-4303.7	-852.1	-1
8958.0	-2949.6		J	-1027.4	-415.8	-4111.2	-741.4	-1
5905.1	-2538.9							
926	1	52 C1-C2;~1 Max	I	53.4	153.3	285.2	2769.0	
7233.4	991.3		J	53.4	153.3	309.8	2787.3	
8047.7	885.8	Min	I	-85.4	-134.0	-1725.5	-2149.7	-
8870.7	-1254.8		J	-84.0	-134.0	-1670.6	-2039.7	-
8388.1	-1129.3							
		C3-C4;~1 Max	I	54.4	155.9	285.4	3429.1	
7201.8	921.0		J	54.4	155.9	309.9	3419.0	
7998.2	793.7	Min	I	-84.6	-136.1	-1729.8	-1386.8	-
9132.6	-1141.7		J	-83.2	-136.1	-1674.8	-1306.3	-
8634.0	-1016.5							
		C1-C2;~2 Max	I	29.2	80.7	156.0	1486.7	
4227.6	490.5		J	29.2	80.7	172.5	1510.8	
4715.6	443.2	Min	I	-47.2	-71.9	-990.2	-1217.2	-
4766.4	-662.7		J	-46.7	-71.9	-961.4	-1148.2	-
4533.4	-595.6							
		C3-C4;~2 Max	I	29.7	81.8	155.5	1869.8	
4206.0	469.2		J	29.7	81.8	171.9	1879.7	
4685.0	407.4	Min	I	-46.7	-72.9	-992.4	-737.3	-
4918.9	-599.5		J	-46.1	-72.9	-963.6	-684.5	-
4677.9	-531.9							
		SLVx (RS)	I	1786.3	805.9	-245.9	1098.0	
2436.4	15431.4		J	1786.3	805.9	-245.9	1098.0	
2359.6	-15346.1							
		SLVy (RS)	I	1224.2	331.6	-145.1	-415.6	-
1295.7	6173.8		J	1224.2	331.6	-145.1	-415.6	-
1351.3	6117.3							
		SLDx (RS)	I	1289.9	588.2	-183.0	800.0	
1799.6	-11003.4		J	1289.9	588.2	-183.0	800.0	
1741.3	-10979.7							
		SLDy (RS)	I	821.6	240.4	-105.8	-301.9	
-870.5	4369.7		J	821.6	240.4	-105.8	-301.9	
-921.7	4326.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1002.4	1886.4	SLVz (RS)	I	-185.1	-119.7	330.7	-235.2	
			J	-185.1	-119.7	330.7	-235.2	
771.1	1966.6							
4572.4	-206.9	G1	I	-43.0	38.0	-1725.4	1263.1	-
			J	-39.6	38.0	-1624.6	1263.1	-
2890.4	-245.1							
1670.7	-76.4	G2	I	-15.7	13.9	-630.3	461.3	-
			J	-14.5	13.9	-593.5	461.3	-
1056.3	-90.4							
		G1- Imp~1	I	-2.9	-7.4	0.3	-4.7	
-2.1	19.8		J	-2.9	-7.4	0.3	-4.7	
-2.4	27.3							
		G2- Imp~1	I	-0.9	-2.3	0.1	-1.5	
-0.6	6.0		J	-0.9	-2.3	0.1	-1.5	
-0.7	8.4							
		q3	I	217.4	34.9	0.5	11.9	
-144.5	-198.7		J	214.2	34.9	0.5	11.9	
-142.0	-233.7							
		q4-1	I	0.2	1.6	0.7	2.6	
23.3	70.7		J	0.2	1.6	0.7	2.6	
22.5	69.1							
		q4-2	I	0.2	2.5	1.1	6.0	
36.0	122.2		J	0.2	2.5	1.1	6.0	
34.9	119.7							
		q4-3	I	-0.4	-0.9	1.0	5.2	
28.5	10.3		J	-0.4	-0.9	1.0	5.2	
27.5	11.1							
		q4-4	I	-1.5	-11.7	-0.5	-15.0	
-19.9	-447.8		J	-1.5	-11.7	-0.5	-15.0	
-19.4	-436.0							
		q4-5	I	6.6	28.2	-4.5	-46.6	
-113.1	574.9		J	6.6	28.2	-4.5	-46.6	
-108.5	546.5							
		q4-6	I	117.9	9.9	-2.8	34.3	
-14.5	-131.7		J	117.9	9.9	-2.8	34.3	
-11.7	-141.7							
		q4-7	I	114.0	33.2	4.7	9.2	
27.7	-72.7		J	114.0	33.2	4.7	9.2	
23.0	-106.1							
		q5 - p~1	I	-973.9	-391.7	-42.2	-302.6	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-847.3	-1708.7		J	-960.9	-377.8	-42.6	-307.6	
-809.5	-1322.3							
		q5 - p~2	I	838.5	1.2	-29.1	26.3	
-830.7	-1166.6		J	835.2	9.8	-29.0	23.2	
-800.3	-1172.1							
		q5 - p~3	I	-922.8	-371.3	-35.1	-333.1	
-774.6	-1612.8		J	-910.5	-358.1	-35.5	-334.0	
-740.1	-1246.6							
		q5 - p~4	I	794.1	0.7	-28.7	-18.2	
-767.7	-1113.5		J	791.0	8.9	-28.6	-18.8	
-738.7	-1118.3							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	128.8	6.9	3.2	42.7	
7.3	-627.6		J	128.8	6.9	3.2	42.7	
4.1	-634.5							
		T	I	-1.2	-2.9	-0.8	-8.5	
-0.6	6.2		J	-1.2	-2.9	-0.8	-8.5	
0.2	9.2							
		M. tor~1	I	44.1	-286.4	-12.6	166.5	
-229.3	62.6		J	44.1	-286.4	-12.6	157.0	
-216.6	66.9							
		M. tor~2	I	26.1	-169.3	-7.5	98.5	
-135.6	37.0		J	26.1	-169.3	-7.5	92.8	
-128.1	39.5							
		INVSLU Max	I	1340.8	726.5	-2756.0	7227.3	
2096.2	2738.3		J	1328.5	706.7	-2536.6	7218.2	
6260.8	2128.0	Min	I	-1533.2	-600.5	-5553.5	-861.0	-2
1523.9	-3666.0		J	-1507.6	-580.7	-5293.8	-717.0	-1
7716.7	-3126.1							
		INVSLV Max	I	2146.7	983.5	-1907.3	3011.4	-
3120.0	17592.0		J	2151.3	983.5	-1769.7	3011.4	
-953.5	17471.4	Min	I	-2271.6	-899.0	-2803.4	425.0	-
9371.6	-18107.0		J	-2266.9	-899.0	-2665.7	425.0	-
6946.2	-18071.2							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1496.3	1849.6	INVSLE Max	I	890.7	497.1	-2044.2	5334.0	
			J	883.0	483.9	-1881.7	5326.9	
4583.7	1488.7	Min	I	-1033.2	-403.8	-4110.9	-618.2	-1
5887.2	-2541.2		J	-1015.7	-390.6	-3918.6	-511.2	-1
3069.6	-2228.1							
927	1	52 C1-C2;~1 Max	I	55.4	152.6	309.8	2715.7	
8049.5	884.1		J	55.4	152.6	335.8	2733.7	
8894.8	783.5	Min	I	-85.7	-133.4	-1670.6	-2013.1	-
8392.6	-1127.9		J	-84.3	-133.4	-1616.0	-1906.8	-
7999.1	-1008.1							
		C3-C4;~1 Max	I	56.4	155.2	309.9	3341.6	
8010.4	791.0		J	56.4	155.2	335.8	3331.2	
8837.4	675.3	Min	I	-85.0	-135.5	-1674.8	-1274.4	-
8637.4	-1015.5		J	-83.6	-135.5	-1620.1	-1197.2	-
8227.5	-896.0							
		C1-C2;~2 Max	I	30.2	80.3	172.5	1470.5	
4716.1	442.3		J	30.2	80.3	189.7	1494.2	
5210.0	397.0	Min	I	-47.6	-71.6	-961.4	-1143.0	-
4536.7	-594.8		J	-47.0	-71.6	-932.5	-1076.1	-
4339.3	-530.2							
		C3-C4;~2 Max	I	30.7	81.4	171.9	1834.7	
4692.3	405.9		J	30.7	81.4	189.1	1844.1	
5177.1	350.8	Min	I	-47.0	-72.6	-963.6	-676.8	-
4680.9	-531.4		J	-46.5	-72.6	-934.6	-625.8	-
4475.4	-466.4							
		SLVx (RS)	I	1780.3	758.0	-237.5	1058.0	
2354.6	-15346.3		J	1780.3	758.0	-237.5	1058.0	
2292.6	-15283.8							
		SLVy (RS)	I	1216.2	321.5	-129.2	-397.4	-
1355.6	6117.8		J	1216.2	321.5	-129.2	-397.4	-
1408.9	6062.2							
		SLDx (RS)	I	1286.0	552.5	-176.6	770.0	
1737.8	-10979.9		J	1286.0	552.5	-176.6	770.0	
1690.3	-10971.2							
		SLDy (RS)	I	817.1	233.4	-93.9	-289.1	
-923.6	4327.3		J	817.1	233.4	-93.9	-289.1	
972.0	4284.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
768.1	1966.6	SLVz (RS)	I	-185.3	-112.5	319.0	-241.2	
-618.2	2038.8		J	-185.3	-112.5	319.0	-241.2	
2873.9	-246.6	G1	I	-39.4	37.8	-1624.6	1300.0	-
1293.2	-284.6		J	-36.0	37.8	-1523.7	1300.0	-
1050.2	-90.9	G2	I	-14.4	13.9	-593.5	474.8	-
-472.8	-104.9		J	-13.1	13.9	-556.7	474.8	
-2.5	27.3	G1- Imp~1	I	-3.0	-7.4	0.3	-4.6	
-2.8	34.6		J	-3.0	-7.4	0.3	-4.6	
-0.7	8.4	G2- Imp~1	I	-0.9	-2.3	0.1	-1.5	
-0.8	10.7		J	-0.9	-2.3	0.1	-1.5	
-141.7	-233.8	q3	I	214.6	32.1	0.4	13.7	
-139.1	-266.0		J	211.4	32.1	0.4	13.7	
22.5	69.1	q4-1	I	0.2	1.6	0.7	2.3	
21.8	67.4		J	0.2	1.6	0.7	2.3	
34.9	119.7	q4-2	I	0.2	2.5	1.1	5.5	
33.8	117.2		J	0.2	2.5	1.1	5.5	
27.6	11.2	q4-3	I	-0.4	-0.9	1.0	4.9	
26.6	12.1		J	-0.4	-0.9	1.0	4.9	
-19.4	-436.0	q4-4	I	-1.6	-11.7	-0.5	-14.8	
-19.0	-424.3		J	-1.6	-11.7	-0.5	-14.8	
-109.4	546.5	q4-5	I	7.0	28.2	-4.5	-45.1	
-104.8	518.2		J	7.0	28.2	-4.5	-45.1	
-11.2	-141.8	q4-6	I	118.0	8.4	-2.8	34.4	
-8.4	-150.2		J	118.0	8.4	-2.8	34.4	
23.1	-106.1	q4-7	I	114.5	31.7	4.7	8.9	
18.4	-138.0		J	114.5	31.7	4.7	8.9	
		q5 - p~1	I	-965.7	-365.3	-42.3	-297.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-812.8	-1322.3		J	-952.5	-351.5	-42.7	-302.3	
-774.9	-962.5							
		q5 - p~2	I	835.3	-1.0	-29.2	33.4	
-799.4	-1172.7		J	831.9	7.7	-29.1	30.2	
-769.0	-1176.1							
		q5 - p~3	I	-915.1	-346.2	-35.1	-324.6	
-743.8	-1246.6		J	-902.5	-333.2	-35.6	-325.5	
-709.2	-905.5							
		q5 - p~4	I	791.1	-1.4	-28.8	-9.4	
-738.4	-1118.9		J	787.9	6.9	-28.7	-10.0	
-709.4	-1121.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	128.8	5.2	3.2	42.5	
5.0	-634.6		J	128.8	5.2	3.2	42.5	
1.8	-639.8							
		T	I	-1.2	-2.9	-0.8	-8.5	
0.1	9.2		J	-1.2	-2.9	-0.8	-8.5	
0.9	12.1							
		M. tor~1	I	40.4	-286.9	-12.5	159.8	
-214.6	66.7		J	40.4	-286.9	-12.5	150.2	
-202.0	71.5							
		M. tor~2	I	23.9	-169.6	-7.4	94.5	
-126.9	39.4		J	23.9	-169.6	-7.4	88.8	
-119.4	42.3							
		INVSLU Max	I	1337.0	688.1	-2536.9	7172.6	
6296.5	2124.0		J	1324.6	668.6	-2315.6	7163.0	1
0317.2	1838.1	Min	I	-1515.6	-562.8	-5293.4	-603.6	-1
7694.0	-3127.1		J	-1489.8	-543.3	-5034.2	-464.6	-1
4194.2	-2892.7							
		INVSLV Max	I	2143.0	930.1	-1788.7	3018.3	
-935.6	17469.7		J	2147.7	930.1	-1651.0	3018.3	
1131.2	17369.9	Min	I	-2258.4	-846.1	-2646.7	519.1	-
6919.0	-18073.6		J	-2253.7	-846.1	-2509.0	519.1	-
4670.3	-18058.2							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


4609.9	1485.8	INVSLE Max	I	888.8	471.4	-1882.0	5293.8	
			J	881.0	458.4	-1718.1	5286.4	
7590.7	1284.0	Min	I	-1021.1	-378.6	-3918.3	-427.9	-1
3052.5	-2228.8		J	-1003.3	-365.6	-3726.2	-324.5	-1
0462.6	-2065.2							
928	1	52 C1-C2;~1 Max	I	57.4	151.9	335.8	2649.6	
8897.9	781.8		J	57.4	151.9	363.1	2667.3	
9743.4	693.9	Min	I	-86.1	-132.8	-1615.9	-1889.1	-
8004.9	-1006.1		J	-84.6	-132.8	-1561.6	-1786.3	-
7681.6	-900.0							
		C3-C4;~1 Max	I	58.5	154.5	335.8	3240.9	
8851.0	672.7		J	58.5	154.5	363.1	3230.1	
9684.7	575.2	Min	I	-85.3	-134.9	-1620.1	-1171.8	-
8232.7	-894.4		J	-83.9	-134.9	-1565.7	-1097.5	-
7893.4	-790.4							
		C1-C2;~2 Max	I	31.3	79.9	189.7	1446.7	
5211.3	396.1		J	31.3	79.9	207.6	1469.9	
5697.9	355.9	Min	I	-47.9	-71.3	-932.5	-1075.8	-
4343.0	-529.1		J	-47.3	-71.3	-903.5	-1010.9	-
4173.7	-470.5							
		C3-C4;~2 Max	I	31.8	81.0	189.1	1791.7	
5185.0	349.3		J	31.8	81.0	207.0	1800.6	
5665.4	303.0	Min	I	-47.4	-72.3	-934.6	-622.2	-
4478.9	-465.6		J	-46.8	-72.3	-905.7	-573.0	-
4301.6	-407.8							
		SLVx (RS)	I	1773.4	710.7	-229.0	1017.6	
2287.8	-15283.9		J	1773.4	710.7	-229.0	1017.6	
2238.7	-15236.3							
		SLVy (RS)	I	1207.9	313.2	-113.3	-379.5	-
1412.6	6062.7		J	1207.9	313.2	-113.3	-379.5	
1459.0	6006.4							
		SLDx (RS)	I	1281.5	517.2	-170.2	739.7	
1687.0	-10971.4		J	1281.5	517.2	-170.2	739.7	
1649.0	-10971.7							
		SLDy (RS)	I	812.4	227.7	-81.9	-276.3	
973.6	4285.3		J	812.4	227.7	-81.9	-276.3	
1015.6	4242.2							

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-616.3	2038.9	SLVz (RS)	I	-185.4	-105.1	306.8	-243.9	
			J	-185.4	-105.1	306.8	-243.9	
-594.5	2102.6							
1276.3	-285.4	G1	I	-35.8	37.6	-1523.7	1316.2	-
			J	-32.4	37.6	-1422.9	1316.2	
203.1	-323.2							
-466.6	-105.2	G2	I	-13.1	13.8	-556.7	480.7	
			J	-11.8	13.8	-519.8	480.7	
73.9	-119.0							
-2.8	34.6	G1- Imp~1	I	-3.1	-7.3	0.3	-4.6	
			J	-3.1	-7.3	0.3	-4.6	
-3.2	42.0							
-0.9	10.7	G2- Imp~1	I	-1.0	-2.3	0.1	-1.5	
			J	-1.0	-2.3	0.1	-1.5	
-1.0	13.0							
-138.8	-266.1	q3	I	211.8	29.3	0.4	15.4	
			J	208.6	29.3	0.4	15.4	
-136.2	-295.6							
21.8	67.4	q4-1	I	0.2	1.6	0.7	2.0	
			J	0.2	1.6	0.7	2.0	
21.1	65.8							
33.8	117.2	q4-2	I	0.3	2.5	1.1	5.1	
			J	0.3	2.5	1.1	5.1	
32.6	114.6							
26.6	12.1	q4-3	I	-0.4	-0.9	1.0	4.5	
			J	-0.4	-0.9	1.0	4.5	
25.7	12.9							
-19.0	-424.3	q4-4	I	-1.8	-11.7	-0.5	-14.6	
			J	-1.8	-11.7	-0.5	-14.6	
-18.5	-412.6							
-105.6	518.2	q4-5	I	7.3	28.1	-4.6	-43.6	
			J	7.3	28.1	-4.6	-43.6	
-101.0	490.0							
-7.9	-150.2	q4-6	I	118.1	6.9	-2.8	34.5	
			J	118.1	6.9	-2.8	34.5	
-5.1	-157.1							
18.6	-138.0	q4-7	I	114.9	30.2	4.7	8.6	
			J	114.9	30.2	4.7	8.6	
13.9	-168.4							
		q5 - p~1	I	-957.0	-339.1	-42.4	-292.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-778.4	-962.5		J	-943.6	-325.5	-42.8	-297.3	
-740.4	-628.8							
		q5 - p~2	I	831.9	-3.1	-29.2	40.0	
-768.0	-1176.7		J	828.5	5.7	-29.1	36.8	
-737.5	-1178.0							
		q5 - p~3	I	-906.8	-321.5	-35.2	-316.4	
-713.0	-905.5		J	-894.1	-308.6	-35.7	-317.4	
-678.3	-589.2							
		q5 - p~4	I	787.9	-3.3	-28.8	-1.0	
-708.9	-1122.3		J	784.7	5.0	-28.7	-1.6	
-679.8	-1123.1							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	128.9	3.5	3.1	42.4	
2.6	-639.9		J	128.9	3.5	3.1	42.4	
-0.5	-643.4							
		T	I	-1.2	-2.9	-0.8	-8.5	
0.8	12.1		J	-1.2	-2.9	-0.8	-8.5	
1.6	15.0							
		M. tor~1	I	36.7	-287.4	-12.4	152.8	
-200.1	71.3		J	36.7	-287.4	-12.4	143.1	
-187.7	76.6							
		M. tor~2	I	21.7	-169.9	-7.3	90.3	
-118.3	42.2		J	21.7	-169.9	-7.3	84.6	
-110.9	45.3							
		INVSLU Max	I	1332.6	650.1	-2316.0	7062.1	1
0355.4	1836.0		J	1319.9	630.8	-2092.8	7052.0	1
4189.6	1690.3	Min	I	-1497.2	-525.5	-5033.8	-402.0	-1
4173.2	-2892.1		J	-1471.1	-506.2	-4775.0	-267.5	-1
0955.1	-2853.4							
		INVSLV Max	I	2138.5	878.0	-1670.5	2995.5	
1149.9	17369.2		J	2143.2	878.0	-1532.8	2995.5	
3127.7	17281.8	Min	I	-2244.3	-794.4	-2489.5	586.2	-
4643.0	-18059.7		J	-2239.6	-794.4	-2351.8	586.2	-
2581.8	-18056.2							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

7618.8	1282.4	INVSLE Max	I	886.5	446.0	-1718.3	5212.3	
			J	878.5	433.1	-1553.0	5204.4	1
0461.5	1174.5	Min	I	-1008.4	-353.7	-3726.0	-278.8	-1
0446.8	-2064.6		J	-990.4	-340.9	-3534.2	-178.9	-
8065.7	-2003.0							
929	1	52 C1-C2;~1 Max	I	59.3	151.2	363.1	2570.9	
9747.7	692.2		J	59.3	151.2	391.8	2588.2	1
0609.6	623.1	Min	I	-86.4	-132.2	-1561.6	-1777.0	-
7688.4	-897.4		J	-84.9	-132.2	-1507.7	-1677.5	-
7471.5	-811.4							
		C3-C4;~1 Max	I	60.5	153.7	363.1	3129.1	
9699.2	573.2		J	60.5	153.7	391.8	3117.9	1
0557.2	498.3	Min	I	-85.6	-134.3	-1565.7	-1078.7	-
7900.1	-788.3		J	-84.2	-134.3	-1511.7	-1007.1	-
7672.9	-720.3							
		C1-C2;~2 Max	I	32.3	79.5	207.6	1415.2	
5699.8	355.1		J	32.3	79.5	226.3	1437.9	
6185.1	322.5	Min	I	-48.3	-70.9	-903.5	-1015.4	-
4177.6	-468.9		J	-47.7	-70.9	-874.6	-952.3	-
4050.8	-418.9							
		C3-C4;~2 Max	I	32.9	80.6	207.0	1741.8	
5673.7	302.0		J	32.9	80.6	225.7	1750.1	
6156.0	265.7	Min	I	-47.7	-72.0	-905.6	-573.4	-
4305.5	-406.7		J	-47.2	-72.0	-876.7	-525.8	-
4173.1	-369.5							
		SLVx (RS)	I	1765.9	664.5	-220.7	976.9	
2234.0	-15236.5		J	1765.9	664.5	-220.7	976.9	
2195.9	-15196.3							
		SLVy (RS)	I	1199.5	306.9	-98.0	-361.9	
1462.1	6007.0		J	1199.5	306.9	-98.0	-361.9	
1497.9	5948.8							
		SLDx (RS)	I	1276.5	482.5	-164.0	709.1	
1645.7	-10971.8		J	1276.5	482.5	-164.0	709.1	
1615.7	-10975.3							
		SLDy (RS)	I	807.6	223.5	-70.2	-263.7	
1016.9	4242.6		J	807.6	223.5	-70.2	-263.7	
1049.9	4198.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-594.6	2102.7	SLVz (RS)	I	-185.3	-97.8	293.9	-243.3
			J	-185.3	-97.8	293.9	-243.3
-697.4	2157.4						
		G1	I	-32.2	37.4	-1422.9	1312.9
220.2	-323.3		J	-28.7	37.4	-1322.0	1312.9
1598.3	-360.9						
		G2	I	-11.7	13.7	-519.8	479.5
80.1	-119.0		J	-10.5	13.7	-483.0	479.5
583.6	-132.8						
		G1- Imp~1	I	-3.1	-7.3	0.3	-4.6
-3.2	42.0		J	-3.1	-7.3	0.3	-4.6
-3.6	49.3						
		G2- Imp~1	I	-1.0	-2.3	0.1	-1.4
-1.0	13.0		J	-1.0	-2.3	0.1	-1.4
-1.1	15.3						
		q3	I	209.0	26.6	0.3	17.2
-135.8	-295.7		J	205.8	26.6	0.3	17.2
-133.1	-322.4						
		q4-1	I	0.2	1.6	0.7	1.8
21.1	65.8		J	0.2	1.6	0.7	1.8
20.3	64.2						
		q4-2	I	0.3	2.5	1.1	4.7
32.6	114.6		J	0.3	2.5	1.1	4.7
31.5	112.1						
		q4-3	I	-0.4	-0.9	1.0	4.2
25.7	13.0		J	-0.4	-0.9	1.0	4.2
24.8	13.8						
		q4-4	I	-1.9	-11.7	-0.5	-14.5
-18.5	-412.6		J	-1.9	-11.7	-0.5	-14.5
-18.0	-400.9						
		q4-5	I	7.7	28.0	-4.6	-42.2
-101.8	490.0		J	7.7	28.0	-4.6	-42.2
-97.2	461.9						
		q4-6	I	118.2	5.3	-2.8	34.5
-4.6	-157.2		J	118.2	5.3	-2.8	34.5
-1.7	-162.5						
		q4-7	I	115.3	28.7	4.6	8.4
14.1	-168.4		J	115.3	28.7	4.6	8.4
9.4	-197.2						
		q5 - p~1	I	-947.8	-313.2	-42.5	-287.8

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-744.0	-628.8		J	-934.2	-299.8	-43.0	-292.6	
-705.9	-321.0							
		q5 - p~2	I	828.5	-5.1	-29.3	46.1	
-736.4	-1178.6		J	825.0	3.9	-29.2	42.9	
-705.8	-1178.0							
		q5 - p~3	I	-898.1	-296.9	-35.4	-308.6	
-682.1	-589.1		J	-885.2	-284.2	-35.8	-309.5	
-647.3	-297.4							
		q5 - p~4	I	784.7	-5.2	-28.9	7.1	
-679.3	-1123.7		J	781.3	3.3	-28.7	6.5	
-650.1	-1122.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	128.9	1.9	3.1	42.3	
0.3	-643.5		J	128.9	1.9	3.1	42.3	
-2.8	-645.3							
		T	I	-1.3	-2.9	-0.8	-8.5	
1.5	15.0		J	-1.3	-2.9	-0.8	-8.5	
2.3	17.9							
		M. tor~1	I	32.9	-287.9	-12.3	145.6	
-185.8	76.5		J	32.9	-287.9	-12.3	135.9	
-173.5	82.2							
		M. tor~2	I	19.5	-170.2	-7.3	86.1	
-109.9	45.2		J	19.5	-170.2	-7.3	80.3	
-102.6	48.6							
		INVSLU Max	I	1327.5	612.4	-2093.1	6901.0	1
4229.8	1689.4		J	1314.6	593.4	-1868.1	6890.2	1
7899.3	1553.0							
		Min	I	-1478.0	-488.6	-4774.6	-252.5	-1
0936.0	-2852.4		J	-1451.6	-469.5	-4516.3	-122.5	-
8056.0	-2841.9							
		INVSLV Max	I	2133.3	827.4	-1552.8	2944.9	
3147.2	17282.0		J	2138.0	827.4	-1415.1	2944.9	
5031.8	17199.1							
		Min	I	-2229.4	-744.4	-2331.8	627.9	-
2555.0	-18056.8		J	-2224.6	-744.4	-2194.1	627.9	
-677.1	-18057.3							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0491.1	1173.8	INVSLE Max	I	883.7	420.8	-1553.2	5093.2	1
			J	875.5	408.1	-1386.6	5084.9	1
3211.8	1072.8	Min	I	-995.1	-329.1	-3534.0	-168.4	-
8051.2	-2001.0		J	-977.0	-316.4	-3342.6	-71.8	-
5920.5	-1981.5							
930	1	52 C1-C2;~1 Max	I	61.3	150.4	391.7	2481.1	1
0617.3	621.5		J	61.3	150.4	421.7	2498.1	1
1451.9	572.9	Min	I	-86.7	-131.5	-1507.7	-1679.5	-
7480.9	-808.1		J	-85.2	-131.5	-1454.2	-1583.0	-
7301.1	-745.5							
		C3-C4;~1 Max	I	62.5	152.9	391.8	3007.2	1
0574.7	496.4		J	62.5	152.9	421.8	2995.6	1
1404.8	471.0	Min	I	-86.0	-133.6	-1511.7	-995.0	-
7682.7	-717.7		J	-84.5	-133.6	-1458.1	-925.9	-
7496.4	-670.9							
		C1-C2;~2 Max	I	33.4	79.1	226.3	1377.1	
6188.4	321.7		J	33.4	79.1	245.6	1399.2	
6654.3	297.5	Min	I	-48.6	-70.6	-874.6	-963.8	-
4055.6	-417.0		J	-48.0	-70.6	-845.7	-902.5	-
3943.7	-377.5							
		C3-C4;~2 Max	I	33.9	80.2	225.7	1685.2	
6165.5	264.7		J	33.9	80.2	245.1	1693.0	
6628.3	237.0	Min	I	-48.1	-71.6	-876.6	-530.2	-
4178.0	-368.0		J	-47.5	-71.6	-847.7	-484.1	-
4061.9	-339.8							
		SLVx (RS)	I	1757.6	619.7	-212.8	936.2	
2191.3	-15196.4		J	1757.6	619.7	-212.8	936.2	
2161.9	-15156.8							
		SLVy (RS)	I	1190.9	302.4	-84.3	-344.7	
1500.5	5949.4		J	1190.9	302.4	-84.3	-344.7	
1523.0	5888.5							
		SLDx (RS)	I	1270.9	448.9	-158.1	678.4	
1612.5	-10975.4		J	1270.9	448.9	-158.1	678.4	
1588.7	-10976.9							
		SLDy (RS)	I	802.6	220.7	-59.8	-251.3	
1050.9	4198.3		J	802.6	220.7	-59.8	-251.3	
1073.1	4151.6							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-699.3	2157.6	SLVz (RS)	I	-185.0	-90.9	280.0	-239.3
			J	-185.0	-90.9	280.0	-239.3
-870.2	2203.0						
		G1	I	-28.5	37.2	-1322.1	1291.5
1615.3	-360.4		J	-25.0	37.2	-1221.2	1291.5
2892.1	-397.8						
		G2	I	-10.4	13.6	-483.0	471.7
589.8	-132.6		J	-9.1	13.6	-446.2	471.7
1056.3	-146.3						
		G1- Imp~1	I	-3.2	-7.2	0.3	-4.5
-3.6	49.3		J	-3.2	-7.2	0.3	-4.5
-4.0	56.5						
		G2- Imp~1	I	-1.0	-2.3	0.1	-1.4
-1.1	15.3		J	-1.0	-2.3	0.1	-1.4
-1.2	17.6						
		q3	I	206.1	23.9	0.3	18.8
-132.7	-322.6		J	202.9	23.9	0.3	18.8
-130.0	-346.6						
		q4-1	I	0.3	1.6	0.7	1.5
20.3	64.2		J	0.3	1.6	0.7	1.5
19.6	62.5						
		q4-2	I	0.3	2.5	1.1	4.3
31.5	112.1		J	0.3	2.5	1.1	4.3
30.4	109.6						
		q4-3	I	-0.4	-0.9	1.0	3.9
24.8	13.9		J	-0.4	-0.9	1.0	3.9
23.8	14.7						
		q4-4	I	-2.1	-11.6	-0.4	-14.3
-18.1	-400.9		J	-2.1	-11.6	-0.4	-14.3
-17.6	-389.2						
		q4-5	I	8.1	27.9	-4.6	-40.9
-98.0	461.9		J	8.1	27.9	-4.6	-40.9
-93.4	433.9						
		q4-6	I	118.3	3.8	-2.9	34.5
-1.2	-162.6		J	118.3	3.8	-2.9	34.5
1.7	-166.4						
		q4-7	I	115.6	27.2	4.6	8.3
9.6	-197.3		J	115.6	27.2	4.6	8.3
5.0	-224.6						
		q5 - p~1	I	-938.0	-287.7	-42.7	-283.5

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-709.5	-321.0		J	-924.3	-274.4	-43.1	-288.2	
-671.4	-38.8							
		q5 - p~2	I	825.0	-6.9	-29.3	51.9	
-704.7	-1178.6		J	821.3	2.2	-29.2	48.6	
-674.0	-1176.3							
		q5 - p~3	I	-888.9	-272.7	-35.5	-301.1	
-651.1	-297.3		J	-875.8	-260.2	-36.0	-302.0	
-616.1	-29.8							
		q5 - p~4	I	781.3	-6.9	-28.9	14.7	
-649.5	-1123.3		J	777.9	1.7	-28.8	14.1	
-620.3	-1120.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	129.0	0.2	3.1	42.2	
-2.0	-645.4		J	129.0	0.2	3.1	42.2	
-5.1	-645.6							
		T	I	-1.3	-2.9	-0.8	-8.5	
2.2	17.9		J	-1.3	-2.9	-0.8	-8.5	
3.0	20.8							
		M. tor~1	I	29.2	-288.3	-12.2	138.1	
-171.7	82.1		J	29.2	-288.3	-12.2	128.3	
-159.5	88.3							
		M. tor~2	I	17.2	-170.4	-7.2	81.7	
-101.5	48.5		J	17.2	-170.4	-7.2	75.9	
-94.3	52.2							
		INVSLU Max	I	1321.8	575.2	-1868.4	6693.3	1
7944.0	1553.7		J	1308.7	556.4	-1641.6	6681.8	2
1392.2	1463.2	Min	I	-1458.0	-452.1	-4516.0	-156.3	-
8041.4	-2839.1		J	-1431.2	-433.3	-4258.2	-30.4	-
5405.4	-2840.0							
		INVSLV Max	I	2127.3	778.9	-1435.5	2868.6	
5051.6	17200.1		J	2132.0	778.9	-1297.8	2868.6	
6823.2	17114.4	Min	I	-2213.5	-696.3	-2173.8	645.8	
-651.0	-18057.0		J	-2208.7	-696.3	-2036.1	645.8	
1063.4	-18054.2							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


3244.7	1073.0	INVSLE	Max	I	880.5	395.9	-1386.8	4939.6	1
				J	872.2	383.4	-1218.8	4930.9	1
5801.3	979.7		Min	I	-981.3	-304.7	-3342.4	-97.5	-
5909.4	-1979.4			J	-963.0	-292.2	-3151.4	-3.9	-
3959.2	-1980.6								
931	1	52 C1-C2;~1	Max	I	63.3	149.6	421.7	2380.5	1
1459.6	571.5			J	63.3	149.6	453.0	2397.2	1
2228.0	539.2		Min	I	-87.0	-130.9	-1454.2	-1604.1	-
7309.4	-742.4			J	-85.4	-130.9	-1401.2	-1510.4	-
7130.4	-733.3								
		C3-C4;~1	Max	I	64.5	152.1	421.8	2878.2	1
1421.7	469.6			J	64.5	152.1	453.1	2866.1	1
2185.8	437.2		Min	I	-86.3	-132.9	-1458.1	-932.5	-
7505.1	-667.8			J	-84.8	-132.9	-1405.0	-865.7	-
7319.7	-644.8								
		C1-C2;~2	Max	I	34.4	78.7	245.6	1332.3	
6657.6	296.8			J	34.4	78.7	265.6	1353.9	
7088.0	279.2		Min	I	-48.9	-70.2	-845.7	-926.9	-
3947.7	-375.7			J	-48.3	-70.2	-816.8	-867.2	-
3836.2	-370.9								
		C3-C4;~2	Max	I	35.0	79.8	245.1	1623.4	
6637.4	236.2			J	35.0	79.8	265.1	1630.7	
7064.9	216.7		Min	I	-48.4	-71.3	-847.6	-501.3	-
4066.2	-338.0			J	-47.8	-71.3	-818.7	-456.7	-
3950.5	-322.7								
		SLVx (RS)		I	1748.6	576.8	-205.8	895.7	
2157.5	-15156.9			J	1748.6	576.8	-205.8	895.7	
2134.7	-15111.5								
		SLVy (RS)		I	1182.2	299.6	73.9	-328.1	
1525.2	5889.1			J	1182.2	299.6	73.9	-328.1	
1532.7	-5825.1								
		SLDx (RS)		I	1264.8	416.8	-152.8	647.8	
1585.7	-10977.0			J	1264.8	416.8	-152.8	647.8	
1566.6	-10971.8								
		SLDy (RS)		I	797.6	219.1	51.8	-239.1	
1073.9	4152.0			J	797.6	219.1	51.8	-239.1	
1084.2	4102.9								

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-873.2	2203.2	SLVz (RS)	I	-184.5	-84.5	265.1	-232.1	
1068.1	2238.9		J	-184.5	-84.5	265.1	-232.1	-
2908.7	-396.7	G1	I	-24.7	37.0	-1221.2	1253.2	
4084.3	-433.8		J	-21.2	37.0	-1120.4	1253.2	
1062.4	-145.9	G2	I	-9.0	13.5	-446.2	457.7	
1491.9	-159.5		J	-7.7	13.5	-409.4	457.7	
-4.1	56.5	G1- Imp~1	I	-3.3	-7.2	0.3	-4.4	
-4.4	63.8		J	-3.3	-7.2	0.3	-4.4	
-1.2	17.6	G2- Imp~1	I	-1.0	-2.3	0.1	-1.4	
-1.4	19.9		J	-1.0	-2.3	0.1	-1.4	
-129.6	-346.7	q3	I	203.2	21.3	0.2	20.5	
-126.8	-368.1		J	200.0	21.3	0.2	20.5	
19.6	62.6	q4-1	I	0.3	1.6	0.7	1.3	
18.9	60.9		J	0.3	1.6	0.7	1.3	
30.4	109.6	q4-2	I	0.4	2.5	1.1	4.0	
29.2	107.0		J	0.4	2.5	1.1	4.0	
23.9	14.7	q4-3	I	-0.4	-0.9	1.0	3.5	
22.9	15.6		J	-0.4	-0.9	1.0	3.5	
-17.6	-389.2	q4-4	I	-2.2	-11.6	-0.4	-14.1	
-17.2	-377.5		J	-2.2	-11.6	-0.4	-14.1	
-94.1	433.9	q4-5	I	8.4	27.7	-4.6	-39.6	
-89.5	406.0		J	8.4	27.7	-4.6	-39.6	
2.2	-166.4	q4-6	I	118.3	2.2	-2.9	34.4	
5.1	-168.7		J	118.3	2.2	-2.9	34.4	
5.2	-224.7	q4-7	I	116.0	25.7	4.6	8.2	
0.6	-250.5		J	116.0	25.7	4.6	8.2	
		q5 - p~1	I	-927.8	-262.4	-42.8	-279.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-675.1	-38.8		J	-913.9	-249.3	-43.3	-284.2	
-636.9	218.2							
		q5 - p~2	I	821.3	-8.5	-29.3	57.2	
-672.8	-1176.8		J	817.6	0.6	-29.2	53.9	
-642.0	-1172.8							
		q5 - p~3	I	-879.2	-248.8	-35.7	-294.0	
-620.0	-29.8		J	-866.0	-236.4	-36.1	-294.8	
-584.9	213.8							
		q5 - p~4	I	777.8	-8.5	-28.9	22.0	
-619.6	-1121.2		J	774.3	0.2	-28.8	21.4	
-590.4	-1117.0							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	128.9	-1.5	3.1	42.1	
-4.2	-645.6		J	128.9	-1.5	3.1	42.1	
-7.3	-644.1							
		T	I	-1.3	-2.9	-0.8	-8.6	
2.8	20.8		J	-1.3	-2.9	-0.8	-8.6	
3.6	23.7							
		M. tor~1	I	25.4	-288.7	-12.0	130.4	
-157.9	88.1		J	25.4	-288.7	-12.0	120.6	
-145.8	94.7							
		M. tor~2	I	15.0	-170.7	-7.1	77.1	
-93.3	52.1		J	15.0	-170.7	-7.1	71.3	
-86.2	56.0							
		INVSLU Max	I	1315.5	538.3	-1641.9	6445.2	2
1433.9	1465.1		J	1302.1	519.8	-1413.3	6433.1	2
4608.4	1381.5	Min	I	-1437.2	-416.0	-4257.9	-121.3	-
5387.7	-2836.4		J	-1410.1	-397.4	-4000.9	0.8	-
2941.8	-2881.3							
		INVSLV Max	I	2120.5	733.1	-1318.0	2768.9	
6842.8	17116.2		J	2125.3	733.1	-1180.3	2768.9	
8485.5	17021.1	Min	I	-2196.7	-651.0	-2015.9	641.3	
1088.8	-18053.0		J	-2192.0	-651.0	-1878.3	641.3	
2655.6	-18040.3							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

5832.1	980.8	INVSLE	Max	I	876.8	371.3	-1219.0	4756.1	1
				J	868.4	358.9	-1049.7	4746.9	1
8185.9	900.8		Min	I	-967.0	-280.7	-3151.2	-71.8	-
3946.1	-1977.8			J	-948.4	-268.3	-2960.8	19.0	-
2136.6	-2011.7								
932	1	52 C1-C2;~1	Max	I	65.2	148.8	453.0	2270.2	1
2235.1	538.0			J	65.2	148.8	485.6	2286.7	1
2935.1	514.0		Min	I	-87.2	-130.2	-1401.2	-1537.3	-
7137.5	-730.6			J	-85.6	-130.2	-1348.8	-1446.3	-
6958.5	-732.8								
		C3-C4;~1	Max	I	66.4	151.3	453.1	2742.8	1
2201.6	436.0			J	66.4	151.3	485.8	2731.4	1
2897.4	415.7		Min	I	-86.9	-132.2	-1405.0	-882.0	-
7327.1	-641.7			J	-85.4	-132.2	-1352.4	-817.4	-
7141.7	-707.1								
		C1-C2;~2	Max	I	35.4	78.3	265.6	1281.5	
7091.1	278.6			J	35.4	78.3	286.3	1302.7	
7484.6	264.5		Min	I	-49.2	-69.9	-816.8	-894.8	-
3839.6	-369.4			J	-48.5	-69.9	-788.1	-836.7	-
3728.0	-370.3								
		C3-C4;~2	Max	I	36.0	79.4	265.1	1557.0	
7073.5	216.0			J	36.0	79.4	285.8	1564.2	
7464.2	209.1		Min	I	-48.7	-70.9	-818.7	-479.9	-
3954.1	-320.9			J	-48.1	-70.9	-789.9	-436.6	-
3838.4	-361.5								
		SLVx (RS)		I	1738.9	536.7	-199.7	855.7	
2130.4	-15111.6			J	1738.9	536.7	-199.7	855.7	
2112.4	-15054.7								
		SLVy (RS)		I	1173.4	298.3	69.0	-312.2	
1534.4	-5825.7			J	1173.4	298.3	69.0	-312.2	
1525.9	-5758.3								
		SLDx (RS)		I	1258.1	386.6	-148.4	617.6	
1563.7	-10971.8			J	1258.1	386.6	-148.4	617.6	
1548.0	-10955.7								
		SLDy (RS)		I	792.5	218.6	48.0	-227.4	
1084.7	4103.3			J	792.5	218.6	48.0	-227.4	
1082.4	4051.7								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1071.5	2239.2	SLVz (RS)	I	-183.8	79.1	248.9	-222.0	-
			J	-183.8	79.1	248.9	-222.0	-
1268.8	2265.0							
		G1	I	-20.9	36.7	-1120.4	1199.5	
4100.3	-432.1		J	-17.4	36.7	-1019.5	1199.5	
5174.7	-469.0							
		G2	I	-7.6	13.4	-409.4	438.1	
1497.8	-158.9		J	-6.3	13.4	-372.5	438.1	
1890.4	-172.4							
		G1- Imp~1	I	-3.4	-7.1	0.3	-4.4	
-4.5	63.8		J	-3.4	-7.1	0.3	-4.4	
-4.8	70.9							
		G2- Imp~1	I	-1.1	-2.3	0.1	-1.4	
-1.4	19.9		J	-1.1	-2.3	0.1	-1.4	
-1.5	22.1							
		q3	I	200.2	18.7	0.2	22.0	
-126.3	-368.2		J	197.0	18.7	0.2	22.0	
-123.5	-387.0							
		q4-1	I	0.3	1.6	0.7	1.1	
18.9	60.9		J	0.3	1.6	0.7	1.1	
18.1	59.3							
		q4-2	I	0.4	2.5	1.1	3.6	
29.2	107.1		J	0.4	2.5	1.1	3.6	
28.1	104.5							
		q4-3	I	-0.4	-0.9	1.0	3.3	
22.9	15.6		J	-0.4	-0.9	1.0	3.3	
22.0	16.5							
		q4-4	I	-2.4	-11.6	-0.4	-14.0	
-17.2	-377.5		J	-2.4	-11.6	-0.4	-14.0	
-16.7	-365.9							
		q4-5	I	8.8	27.6	-4.6	-38.3	
-90.2	406.0		J	8.8	27.6	-4.6	-38.3	
-85.5	378.2							
		q4-6	I	118.3	0.7	-2.9	34.3	
5.6	-168.7		J	118.3	0.7	-2.9	34.3	
8.5	-169.4							
		q4-7	I	116.3	24.2	4.5	8.1	
0.8	-250.5		J	116.3	24.2	4.5	8.1	
-3.7	-274.9							
		q5 - p~1	I	-917.1	-237.4	-43.1	-275.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-640.6	218.2		J	-903.0	-224.6	-43.5	-280.5	
-602.2	450.1							
-640.8	-1173.4	q5 - p~2	I	817.5	-10.1	-29.3	62.0	
-610.0	-1167.9		J	813.7	-0.8	-29.2	58.7	
-588.7	213.9	q5 - p~3	I	-869.0	-225.1	-35.9	-287.2	
-553.4	433.8		J	-855.7	-212.9	-36.4	-288.0	
-589.5	-1117.6	q5 - p~4	I	774.2	-9.9	-28.9	28.8	
-560.3	-1112.0		J	770.6	-1.2	-28.8	28.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-6.5	-644.2	q7	I	128.9	-3.2	3.0	42.1	
-9.5	-641.0		J	128.9	-3.2	3.0	42.1	
3.5	23.7	T	I	-1.4	-2.8	-0.8	-8.6	
4.3	26.5		J	-1.4	-2.8	-0.8	-8.6	
-144.3	94.6	M. tor~1	I	21.6	-289.0	-11.9	122.5	
-132.3	101.4		J	21.6	-289.0	-11.9	112.6	
-85.3	55.9	M. tor~2	I	12.8	-170.8	-7.0	72.4	
-78.2	60.0		J	12.8	-170.8	-7.0	66.6	
4646.2	1384.6	INVSLU Max	I	1308.4	501.9	-1413.5	6160.2	2
7543.8	1304.0		J	1294.9	483.6	-1183.1	6149.0	2
2921.3	-2877.1	Min	I	-1415.5	-380.4	-4000.6	-126.9	-
-664.1	-2927.2		J	-1388.2	-362.1	-3744.2	-8.2	
8504.5	17023.6	INVSLV Max	I	2112.9	690.7	-1199.8	2647.7	
0009.5	16913.3		J	2117.7	690.7	-1062.1	2647.7	1
2680.1	-18038.4	Min	I	-2179.1	-609.1	-1858.8	615.9	
4108.0	-18010.0		J	-2174.3	-609.1	-1721.1	615.9	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8214.0	903.0	INVSLE Max	I	872.8	347.0	-1049.9	4545.3	1
			J	864.2	334.8	-879.2	4536.7	2
0362.5	844.1	Min	I	-952.1	-256.9	-2960.6	-76.2	-
2121.4	-2008.6		J	-933.3	-244.7	-2770.7	12.1	
-451.5	-2046.5							
933	1	52 C1-C2;~1 Max	I	67.1	147.9	485.6	2152.6	1
2941.6	513.2		J	67.1	147.9	519.5	2168.9	1
3571.8	504.2	Min	I	-87.4	-129.5	-1348.8	-1478.9	-
6964.3	-730.5		J	-85.8	-129.5	-1297.0	-1390.3	-
6785.3	-792.6							
		C3-C4;~1 Max	I	68.4	150.4	485.8	2600.9	1
2912.1	415.0		J	68.4	150.4	519.7	2590.6	1
3538.2	414.0	Min	I	-87.1	-131.5	-1352.4	-839.2	-
7147.9	-706.9		J	-85.7	-131.5	-1300.4	-776.8	-
6962.4	-800.2							
		C1-C2;~2 Max	I	36.4	77.8	286.3	1225.9	
7487.4	264.1		J	36.4	77.8	307.6	1246.7	
7842.9	257.3	Min	I	-49.4	-69.5	-788.0	-867.2	-
3730.8	-369.1		J	-48.8	-69.5	-759.4	-810.5	-
3619.2	-411.0							
		C3-C4;~2 Max	I	37.0	78.9	285.8	1485.8	
7472.2	208.9		J	37.0	78.9	307.2	1493.1	
7825.0	208.7	Min	I	-49.0	-70.5	-789.9	-462.8	-
3841.3	-361.5		J	-48.4	-70.5	-761.2	-420.8	-
3725.6	-416.5							
		SLVx (RS)	I	1728.4	500.0	-194.8	816.5	
2108.2	-15054.7		J	1728.4	500.0	-194.8	816.5	
2093.5	-14981.4							
		SLVy (RS)	I	1164.5	298.3	70.8	-297.1	
1527.2	-5758.9		J	1164.5	298.3	70.8	-297.1	
1502.2	-5688.2							
		SLDx (RS)	I	1250.9	359.1	-144.9	588.0	
1545.1	-10955.8		J	1250.9	359.1	-144.9	588.0	
1531.7	-10925.1							
		SLDy (RS)	I	787.3	219.1	49.5	-216.1	
1082.6	4052.1		J	787.3	219.1	49.5	-216.1	
1067.7	3998.1							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1272.4	2265.2	SLVz (RS)	I	-182.7	75.1	231.7	-209.0	-
			J	-182.7	75.1	231.7	-209.0	-
1461.6	2280.9							
		G1	I	-17.1	36.5	-1019.5	1131.6	
5189.9	-466.8		J	-13.6	36.5	-918.7	1131.6	
6163.0	-503.5							
		G2	I	-6.2	13.4	-372.5	413.3	
1895.9	-171.6		J	-4.9	13.4	-335.7	413.3	
2251.5	-185.0							
		G1- Imp~1	I	-3.5	-7.1	0.3	-4.3	
-4.9	70.9		J	-3.5	-7.1	0.3	-4.3	
-5.2	78.1							
		G2- Imp~1	I	-1.1	-2.2	0.1	-1.4	
-1.5	22.1		J	-1.1	-2.2	0.1	-1.4	
-1.6	24.4							
		q3	I	197.2	16.1	0.2	23.6	
-123.0	-387.1		J	194.0	16.1	0.2	23.6	
-120.1	-403.3							
		q4-1	I	0.3	1.6	0.7	0.8	
18.1	59.3		J	0.3	1.6	0.7	0.8	
17.4	57.7							
		q4-2	I	0.4	2.5	1.1	3.2	
28.1	104.5		J	0.4	2.5	1.1	3.2	
27.0	102.0							
		q4-3	I	-0.4	-0.9	1.0	3.0	
22.0	16.5		J	-0.4	-0.9	1.0	3.0	
21.0	17.3							
		q4-4	I	-2.5	-11.5	-0.4	-13.8	
-16.8	-365.9		J	-2.5	-11.5	-0.4	-13.8	
-16.3	-354.3							
		q4-5	I	9.1	27.5	-4.6	-37.1	
-86.2	378.2		J	9.1	27.5	-4.6	-37.1	
-81.6	350.6							
		q4-6	I	118.3	-0.8	-2.9	34.2	
9.0	-169.5		J	118.3	-0.8	-2.9	34.2	
12.0	-168.6							
		q4-7	I	116.6	22.7	4.5	8.1	
-3.5	-274.9		J	116.6	22.7	4.5	8.1	
-8.0	-297.7							
		q5 - p~1	I	-905.9	-212.8	-43.3	-272.5	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-606.0	450.2		J	-891.6	-200.1	-43.8	-277.1	
-567.4	657.5							
-608.7	-1168.5	q5 - p~2	I	813.6	-11.4	-29.3	66.4	
-577.9	-1161.7		J	809.7	-2.1	-29.2	63.1	
-557.3	433.9	q5 - p~3	I	-858.4	-201.8	-36.1	-280.7	
-521.7	630.4		J	-844.9	-189.8	-36.6	-281.6	
-559.4	-1112.5	q5 - p~4	I	770.6	-11.2	-28.9	35.3	
-530.2	-1105.7		J	766.9	-2.4	-28.8	34.7	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-8.7	-641.0	q7	I	128.9	-4.8	3.0	42.1	
-11.7	-636.2		J	128.9	-4.8	3.0	42.1	
4.2	26.5	T	I	-1.4	-2.8	-0.8	-8.7	
5.0	29.4		J	-1.4	-2.8	-0.8	-8.7	
-130.9	101.3	M. tor~1	I	17.9	-289.2	-11.8	114.4	
-119.1	108.5		J	17.9	-289.2	-11.8	104.4	
-77.4	59.9	M. tor~2	I	10.6	-171.0	-7.0	67.6	
-70.4	64.1		J	10.6	-171.0	-7.0	61.7	
7579.3	1308.2	INVSLU Max	I	1300.8	465.9	-1183.4	5840.6	2
0195.9	1235.9		J	1287.1	447.9	-951.2	5831.0	3
-643.2	-2922.4	Min	I	-1393.1	-345.2	-3744.0	-170.1	
1427.5	-3033.1		J	-1365.5	-327.2	-3488.4	-54.6	
0027.5	16916.6	INVSLV Max	I	2104.6	652.6	-1080.3	2507.6	1
1390.3	16786.1		J	2109.4	652.6	-942.6	2507.6	1
4131.4	-18007.3	Min	I	-2160.6	-571.5	-1703.0	570.9	
5425.1	-17958.2		J	-2155.7	-571.5	-1565.3	570.9	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0388.8	847.2	INVSLE Max	I	868.3	322.9	-879.4	4308.8	2
			J	859.6	312.7	-707.5	4301.3	2
2329.2	794.6	Min	I	-936.6	-233.5	-2770.5	-108.4	
-436.1	-2042.9		J	-917.7	-221.4	-2581.2	-22.6	
1095.6	-2125.8							
934	1	52 C1-C2;~1 Max	I	69.1	147.1	519.5	2030.1	1
3577.4	504.5		J	69.1	147.1	554.6	2046.3	1
4136.6	535.8	Min	I	-87.5	-128.8	-1296.9	-1429.7	-
6789.9	-791.6		J	-85.9	-128.8	-1245.8	-1343.2	-
6610.8	-872.2							
		C3-C4;~1 Max	I	70.4	149.5	519.7	2454.1	1
3551.5	414.6		J	70.4	149.5	554.9	2445.3	1
4106.7	467.8	Min	I	-87.4	-130.8	-1300.4	-817.9	-
6967.3	-800.3		J	-85.9	-130.8	-1249.1	-757.4	-
6781.8	-900.5							
		C1-C2;~2 Max	I	37.5	77.4	307.6	1166.7	
7845.3	257.5		J	37.5	77.4	329.5	1142.4	
8162.0	275.2	Min	I	-49.7	-69.1	-759.4	-844.4	-
3621.3	-410.6		J	-49.0	-69.1	-731.0	-789.0	-
3509.7	-460.6							
		C3-C4;~2 Max	I	38.1	78.4	307.2	1410.7	
7832.3	208.8		J	38.1	78.4	329.2	1418.3	
8146.3	237.3	Min	I	-49.3	-70.1	-761.1	-460.0	-
3727.9	-416.6		J	-48.7	-70.1	-732.6	-419.2	-
3612.1	-474.5							
		SLVx (RS)	I	1717.3	468.0	-191.2	778.6	
2089.4	-14981.4		J	1717.3	468.0	-191.2	778.6	
2076.9	-14887.2							
		SLVy (RS)	I	1155.5	299.3	78.6	-283.0	
1503.1	-5688.8		J	1155.5	299.3	78.6	-283.0	
1462.1	-5615.1							
		SLDx (RS)	I	1243.2	335.1	-142.4	559.3	
1528.8	-10925.1		J	1243.2	335.1	-142.4	559.3	
1517.0	-10876.7							
		SLDy (RS)	I	782.0	220.3	55.6	-205.4	
1067.6	3998.5		J	782.0	220.3	55.6	-205.4	
1040.3	3942.4							


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1465.1	2281.1	SLVz (RS)	I	-181.3	-72.8	213.4	-193.7	-
			J	-181.3	-72.8	213.4	-193.7	-
1640.4	2286.5							
		G1	I	-13.3	36.2	-918.7	1050.9	
6177.4	-500.8		J	-9.7	36.2	-817.8	1050.9	
7049.2	-537.2							
		G2	I	-4.8	13.3	-335.7	383.8	
2256.7	-184.0		J	-3.5	13.3	-298.9	383.8	
2575.4	-197.3							
		G1- Imp~1	I	-3.6	-7.1	0.3	-4.2	
-5.3	78.1		J	-3.6	-7.1	0.3	-4.2	
-5.7	85.1							
		G2- Imp~1	I	-1.1	-2.2	0.1	-1.3	
-1.7	24.4		J	-1.1	-2.2	0.1	-1.3	
-1.8	26.6							
		q3	I	194.2	13.6	0.1	25.1	
-119.6	-403.4		J	191.0	13.6	0.1	25.1	
-116.7	-417.0							
		q4-1	I	0.3	1.6	0.7	0.6	
17.4	57.7		J	0.3	1.6	0.7	0.6	
16.6	56.1							
		q4-2	I	0.5	2.5	1.1	2.9	
27.0	102.0		J	0.5	2.5	1.1	2.9	
25.8	99.5							
		q4-3	I	-0.5	-0.8	1.0	2.7	
21.1	17.4		J	-0.5	-0.8	1.0	2.7	
20.1	18.2							
		q4-4	I	-2.7	-11.5	-0.4	-13.7	
-16.3	-354.3		J	-2.7	-11.5	-0.4	-13.7	
-15.9	-342.8							
		q4-5	I	9.5	27.4	-4.6	-36.0	
-82.2	350.6		J	9.5	27.4	-4.6	-36.0	
-77.5	323.1							
		q4-6	I	118.3	-2.4	-2.9	34.0	
12.5	-168.7		J	118.3	-2.4	-2.9	34.0	
15.4	-166.3							
		q4-7	I	116.9	21.2	4.5	8.2	
-7.8	-297.8		J	116.9	21.2	4.5	8.2	
-12.3	-319.0							
		q5 - p~1	I	-894.2	-188.5	-43.6	-269.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-571.3	657.6		J	-879.7	-176.0	-44.1	-274.1	
-532.5	840.6							
-576.5	-1162.2	q5 - p~2	I	809.6	-12.7	-29.3	70.4	
-545.7	-1154.3		J	805.7	-3.2	-29.2	67.0	
-525.7	630.5	q5 - p~3	I	-847.3	-178.8	-36.4	-274.7	
-489.8	804.1		J	-833.6	-166.9	-36.9	-275.5	
-529.2	-1106.2	q5 - p~4	I	766.8	-12.4	-28.9	41.4	
-499.9	-1098.3		J	763.0	-3.4	-28.8	40.8	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-10.9	-636.2	q7	I	128.8	-6.5	3.0	42.2	
-13.9	-629.7		J	128.8	-6.5	3.0	42.2	
4.9	29.4	T	I	-1.5	-2.8	-0.8	-8.7	
5.7	32.2		J	-1.5	-2.8	-0.8	-8.7	
-117.7	108.3	M. tor~1	I	14.1	-289.4	-11.6	106.0	
-106.1	115.7		J	14.1	-289.4	-11.6	96.0	
-69.6	64.1	M. tor~2	I	8.3	-171.1	-6.9	62.7	
-62.7	68.4		J	8.3	-171.1	-6.9	56.8	
0228.5	1241.9	INVSLU Max	I	1292.5	430.4	-951.5	5491.3	3
2562.7	1201.3		J	1278.6	416.6	-717.6	5483.5	3
1448.4	-3029.1	Min	I	-1369.9	-310.5	-3488.2	-249.7	
3332.5	-3152.0		J	-1341.9	-292.7	-3233.5	-137.0	
1407.0	16790.0	INVSLV Max	I	2095.5	619.8	-959.6	2350.7	1
2624.8	16634.9		J	2100.4	619.8	-822.0	2350.7	1
5447.3	-17954.8	Min	I	-2141.2	-539.4	-1548.3	507.5	
6609.5	-17880.6		J	-2136.4	-539.4	-1410.6	507.5	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

2353.3	798.9	INVSLE	Max	I	863.4	304.6	-707.6	4050.3	2	
4084.5	769.9			J	854.6	297.1	-534.4	4044.1	2	
1111.0	-2122.8		Min	I	-920.7	-210.3	-2581.0	-167.6		
2504.5	-2235.2			J	-901.5	-198.5	-2392.3	-83.8		
935	1	52	C1-C2;~1	Max	I	71.0	146.2	554.6	1908.8	1
4141.2	537.0			J	71.0	146.2	591.0	1924.9	1	
4628.4	581.8			Min	I	-87.6	-128.0	-1245.7	-1400.7	-
6614.3	-871.9			J	-86.0	-128.0	-1195.3	-1316.1	-	
6435.1	-965.5									
			C3-C4;~1	Max	I	72.3	148.6	554.9	2307.3	1
4118.5	469.8			J	72.3	148.6	591.4	2300.0	1	
4601.7	541.5			Min	I	-87.6	-130.0	-1249.1	-824.5	-
6785.5	-901.0			J	-86.1	-130.0	-1198.5	-802.4	-	
6599.9	-1009.5									
			C1-C2;~2	Max	I	38.5	76.9	329.5	1068.1	
8163.9	275.7			J	38.5	76.9	352.0	1117.3		
8441.0	299.0			Min	I	-49.9	-68.7	-731.0	-830.6	-
3511.2	-460.5			J	-49.2	-68.7	-702.7	-776.3	-	
3399.6	-515.8									
			C3-C4;~2	Max	I	39.1	77.9	329.2	1334.0	
8152.9	238.3			J	39.1	77.9	351.8	1342.0		
8427.3	277.7			Min	I	-49.6	-69.7	-732.6	-474.4	-
3613.7	-474.8			J	-48.9	-69.7	-704.2	-434.7	-	
3497.9	-536.2									
			SLVx (RS)	I	1705.5	441.6	-188.7	742.4		
2072.9	-14887.2			J	1705.5	441.6	-188.7	742.4		
2062.0	-14768.5									
			SLVy (RS)	I	1146.5	301.2	90.4	-270.1		
1462.6	-5615.7			J	1146.5	301.2	90.4	-270.1		
1406.6	-5539.4									
			SLDx (RS)	I	1235.0	315.4	-140.8	531.8		
1514.2	-10876.7			J	1235.0	315.4	-140.8	531.8		
1503.5	-10808.0									
			SLDy (RS)	I	776.7	222.1	64.5	-195.4		
1040.0	3942.8			J	776.7	222.1	64.5	-195.4		
1001.2	3885.0									

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1643.8	2286.8	SLVz (RS)	I	-179.6	-72.4	194.2	-176.4	-
			J	-179.6	-72.4	194.2	-176.4	-
1801.6	2281.9							
		G1	I	-9.4	36.0	-817.9	958.7	
7062.4	-534.1		J	-5.8	36.0	-717.0	958.7	
7833.0	-570.3							
		G2	I	-3.4	13.2	-298.9	350.1	
2580.2	-196.2		J	-2.1	13.2	-262.1	350.1	
2861.8	-209.4							
		G1- Imp~1	I	-3.7	-7.0	0.3	-4.1	
-5.8	85.1		J	-3.7	-7.0	0.3	-4.1	
-6.1	92.2							
		G2- Imp~1	I	-1.2	-2.2	0.1	-1.3	
-1.8	26.6		J	-1.2	-2.2	0.1	-1.3	
-1.9	28.8							
		q3	I	191.2	11.1	0.1	26.5	
-116.1	-417.2		J	188.0	11.1	0.1	26.5	
-113.2	-428.3							
		q4-1	I	0.4	1.6	0.7	0.4	
16.6	56.1		J	0.4	1.6	0.7	0.4	
15.9	54.5							
		q4-2	I	0.5	2.5	1.1	2.6	
25.8	99.5		J	0.5	2.5	1.1	2.6	
24.7	97.0							
		q4-3	I	-0.5	-0.8	1.0	2.4	
20.1	18.2		J	-0.5	-0.8	1.0	2.4	
19.1	19.1							
		q4-4	I	-2.8	-11.5	-0.4	-13.5	
-15.9	-342.8		J	-2.8	-11.5	-0.4	-13.5	
-15.5	-331.3							
		q4-5	I	9.9	27.3	-4.7	-35.0	
-78.2	323.0		J	9.9	27.3	-4.7	-35.0	
-73.5	295.7							
		q4-6	I	118.3	-3.9	-3.0	33.8	
16.0	-166.3		J	118.3	-3.9	-3.0	33.8	
18.9	-162.4							
		q4-7	I	117.1	19.7	4.5	8.3	
-12.0	-319.1		J	117.1	19.7	4.5	8.3	
-16.5	-338.8							
		q5 - p~1	I	-882.0	-164.6	-43.9	-267.0	


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-536.4	840.7		J	-867.4	-152.3	-44.4	-271.5	
-497.3	999.7							
-544.2	-1154.8	q5 - p~2	I	805.6	-13.7	-29.3	73.9	
-513.4	-1145.8		J	801.5	-4.2	-29.2	70.5	
-493.8	804.2	q5 - p~3	I	-835.7	-156.1	-36.6	-269.0	
-457.7	955.0		J	-821.9	-144.4	-37.1	-269.8	
-498.9	-1098.8	q5 - p~4	I	762.9	-13.4	-28.9	47.1	
-469.7	-1089.9		J	759.1	-4.3	-28.8	46.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-13.1	-629.7	q7	I	128.7	-8.2	3.0	42.2	
-16.1	-621.5		J	128.7	-8.2	3.0	42.2	
5.6	32.2	T	I	-1.5	-2.8	-0.8	-8.8	
6.4	35.0		J	-1.5	-2.8	-0.8	-8.8	
-104.8	115.6	M. tor~1	I	10.3	-289.6	-11.5	97.4	
-93.3	123.1		J	10.3	-289.6	-11.5	87.4	
-62.0	68.3	M. tor~2	I	6.1	-171.2	-6.8	57.6	
-55.2	72.8		J	6.1	-171.2	-6.8	51.7	
2591.8	1208.5	INVSLU Max	I	1283.6	404.7	-717.8	5121.0	3
4642.1	1174.4		J	1269.5	393.6	-482.3	5115.2	3
3353.1	-3147.5	Min	I	-1345.9	-276.3	-3233.3	-378.1	
5050.7	-3308.6		J	-1317.7	-260.6	-2979.6	-267.9	
2639.9	16639.4	INVSLV Max	I	2085.7	593.7	-838.4	2179.7	1
3711.3	16456.2		J	2090.6	593.7	-700.7	2179.7	1
6630.3	-17876.6	Min	I	-2121.0	-513.7	-1394.3	427.0	
7662.4	-17773.7		J	-2116.1	-513.7	-1256.6	427.0	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4106.2	775.2	INVSLE	Max	I	858.1	289.0	-534.6	3776.1	2	
				J	849.1	281.6	-360.1	3771.5	2	
5627.0	751.1		Min	I	-904.2	-190.5	-2392.2	-262.8		
2519.7	-2231.8			J	-884.8	-183.1	-2204.2	-180.9		
3775.1	-2376.7									
936	1	52	C1-C2;~1	Max	I	72.9	145.2	591.0	1738.5	1
4631.9	583.8			J	72.9	145.2	628.5	1809.7	1	
5046.1	639.7		Min	I	-87.7	-127.2	-1195.2	-1393.0	-	
6437.4	-965.8			J	-86.0	-127.2	-1145.5	-1310.2	-	
6258.2	-1066.8									
			C3-C4;~1	Max	I	74.2	147.7	591.4	2172.3	1
4611.9	544.2			J	74.2	147.7	629.1	2166.8	1	
5022.1	638.7		Min	I	-87.8	-129.2	-1198.4	-866.3	-	
6602.4	-1010.5			J	-86.2	-129.2	-1148.5	-855.3	-	
6416.8	-1125.3									
			C1-C2;~2	Max	I	39.5	76.4	352.0	1046.4	
8442.3	299.9			J	39.5	76.4	375.1	1095.1		
8679.2	327.7		Min	I	-50.1	-68.3	-702.7	-826.2	-	
3400.4	-516.0			J	-49.4	-68.3	-674.7	-772.9	-	
3288.8	-575.3									
			C3-C4;~2	Max	I	40.1	77.5	351.8	1260.5	
8433.0	279.1			J	40.1	77.5	374.9	1269.0		
8667.2	333.4		Min	I	-49.8	-69.3	-704.2	-504.9	-	
3498.9	-536.6			J	-49.3	-69.3	-676.1	-466.1	-	
3383.1	-600.6									
			SLVx (RS)	I	1693.1	422.1	187.4	708.4		
2058.0	-14768.5			J	1693.1	422.1	187.4	708.4		
2048.5	-14622.2									
			SLVy (RS)	I	1137.4	303.5	103.8	-258.6		
1406.7	-5540.0			J	1137.4	303.5	103.8	-258.6		
1337.5	-5461.8									
			SLDx (RS)	I	1226.3	301.1	140.0	506.0		
1500.8	-10808.0			J	1226.3	301.1	140.0	506.0		
1491.2	-10716.7									
			SLDy (RS)	I	771.3	224.2	74.7	-186.3		
1000.6	3885.4			J	771.3	224.2	74.7	-186.3		
951.7	-3826.5									


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1804.8	2282.2	SLVz (RS)	I	-177.5	-74.1	174.3	-157.6	-
			J	-177.5	-74.1	174.3	-157.6	-
1942.5	2267.0							
		G1	I	-5.4	35.7	-717.0	856.3	
7845.0	-566.8		J	-1.9	35.7	-616.2	856.3	
8514.3	-602.7							
		G2	I	-2.0	13.1	-262.1	312.7	
2866.2	-208.2		J	-0.7	13.1	-225.3	312.7	
3110.9	-221.3							
		G1- Imp~1	I	-3.8	-7.0	0.3	-4.0	
-6.2	92.2		J	-3.8	-7.0	0.3	-4.0	
-6.5	99.1							
		G2- Imp~1	I	-1.2	-2.2	0.1	-1.3	
-1.9	28.8		J	-1.2	-2.2	0.1	-1.3	
-2.1	31.0							
		q3	I	188.1	8.7	0.1	27.9	
-112.6	-428.4		J	184.9	8.7	0.1	27.9	
-109.6	-437.1							
		q4-1	I	0.4	1.6	0.7	0.2	
15.9	54.5		J	0.4	1.6	0.7	0.2	
15.2	52.9							
		q4-2	I	0.5	2.5	1.1	2.3	
24.7	97.0		J	0.5	2.5	1.1	2.3	
23.5	94.5							
		q4-3	I	-0.5	-0.8	1.0	2.2	
19.2	19.1		J	-0.5	-0.8	1.0	2.2	
18.2	19.9							
		q4-4	I	-3.0	-11.4	-0.4	-13.4	
-15.5	-331.3		J	-3.0	-11.4	-0.4	-13.4	
-15.1	-319.8							
		q4-5	I	10.2	27.1	-4.7	-34.0	
-74.1	295.6		J	10.2	27.1	-4.7	-34.0	
-69.4	268.4							
		q4-6	I	118.2	-5.5	-3.0	33.5	
19.4	-162.4		J	118.2	-5.5	-3.0	33.5	
22.4	-156.9							
		q4-7	I	117.4	18.1	4.4	8.4	
-16.2	-338.9		J	117.4	18.1	4.4	8.4	
-20.7	-357.1							
		q5 - p~1	I	-869.3	-141.0	-44.2	-264.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-501.3	999.8		J	-854.6	-128.9	-44.7	-269.2	
-462.0	1135.3							
		q5 - p~2	I	801.4	-14.7	-29.3	76.9	
-511.9	-1146.3		J	797.3	-5.0	-29.1	73.5	
-481.1	-1136.4							
		q5 - p~3	I	-823.7	-133.7	-36.9	-263.7	
-461.6	955.1		J	-809.8	-122.3	-37.4	-264.5	
-425.2	1083.6							
		q5 - p~4	I	759.0	-14.2	-28.9	52.4	
-468.5	-1090.4		J	755.1	-5.1	-28.7	51.8	
-439.3	-1080.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	128.6	-9.9	3.0	42.4	
-15.2	-621.6		J	128.6	-9.9	3.0	42.4	
-18.2	-611.7							
		T	I	-1.5	-2.8	-0.8	-8.9	
6.2	35.0		J	-1.5	-2.8	-0.8	-8.9	
7.0	37.7							
		M. tor~1	I	6.6	-289.7	-11.4	88.6	
-92.2	123.0		J	6.6	-289.7	-11.4	78.6	
-80.8	130.7							
		M. tor~2	I	3.9	-171.3	-6.7	52.4	
-54.5	72.7		J	3.9	-171.3	-6.7	46.5	
-47.8	77.3							
		INVSLU Max	I	1274.1	381.8	-482.5	4748.2	3
4667.4	1182.8		J	1259.8	370.9	-245.3	4744.8	3
6432.7	1166.1	Min	I	-1321.1	-249.8	-2979.4	-554.4	
5070.7	-3303.9		J	-1292.6	-238.9	-2726.7	-446.4	
6581.7	-3505.8							
		INVSLV Max	I	2075.2	575.1	-707.8	1996.9	1
3724.5	16461.2		J	2080.1	575.1	-570.2	1996.9	1
4649.1	16247.0	Min	I	-2100.0	-495.8	-1249.5	330.4	
7681.6	-17769.2		J	-2095.1	-495.8	-1111.8	330.4	
8584.2	-17634.7							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

5645.9	757.3	INVSLE	Max	I	852.4	273.6	-360.3	3500.1	2	
				J	843.3	266.3	-184.6	3497.3	2	
6955.6	745.9		Min	I	-887.2	-175.8	-2204.0	-393.6		
3789.8	-2373.3			J	-867.6	-168.5	-2016.8	-313.3		
4907.0	-2523.7									
937	1	52	C1-C2;~1	Max	I	74.8	144.3	628.5	1716.8	1
5048.5	642.6			J	74.8	144.3	667.2	1787.8	1	
5389.0	707.6		Min	I	-87.7	-126.4	-1145.5	-1406.0	-	
6259.3	-1068.3			J	-86.0	-126.4	-1096.6	-1324.5	-	
6080.1	-1195.7									
			C3-C4;~1	Max	I	76.2	146.7	629.1	2064.4	1
5030.6	642.4			J	76.2	146.7	667.9	2060.8	1	
5367.1	743.7		Min	I	-87.9	-128.4	-1148.5	-970.2	-	
6418.2	-1126.7			J	-86.3	-128.4	-1099.4	-947.5	-	
6232.4	-1247.3									
			C1-C2;~2	Max	I	40.5	75.9	375.1	1027.9	
8679.8	329.1			J	40.5	75.9	398.7	1076.2		
8875.8	357.9		Min	I	-50.3	-67.8	-674.6	-830.7	-	
3289.0	-576.0			J	-49.5	-67.8	-646.9	-778.3	-	
3177.4	-644.8									
			C3-C4;~2	Max	I	41.1	76.9	375.0	1196.5	
8671.9	335.3			J	41.1	76.9	398.7	1205.5		
8865.2	392.7		Min	I	-50.2	-68.8	-676.0	-546.9	-	
3383.5	-601.2			J	-49.5	-68.8	-648.2	-535.2	-	
3267.6	-667.4									
			SLVx (RS)	I	1680.1	410.5	186.8	677.2		
2044.6	-14622.1			J	1680.1	410.5	186.8	677.2		
2036.3	-14445.7									
			SLVy (RS)	I	1128.4	-306.3	117.4	-248.7		
1337.2	-5462.3			J	1128.4	-306.3	117.4	-248.7	-	
1257.2	-5383.0									
			SLDx (RS)	I	1217.1	292.9	139.8	482.3		
1488.4	-10716.7			J	1217.1	292.9	139.8	482.3		
1480.0	-10601.2									
			SLDy (RS)	I	765.9	-226.5	85.0	-178.2		
950.8	-3826.8			J	765.9	-226.5	85.0	-178.2		
893.7	-3767.4									


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1945.4	2267.3	SLVz (RS)	I	-175.2	-77.5	153.9	-138.0	-
			J	-175.2	-77.5	153.9	-138.0	-
2061.0	2242.1							
		G1	I	-1.5	35.5	-616.2	745.1	
8525.0	-598.8		J	2.1	35.5	-515.3	745.1	
9093.1	-634.5							
		G2	I	-0.5	13.0	-225.3	272.0	
3114.8	-219.9		J	0.8	13.0	-188.4	272.0	
3322.5	-233.0							
		G1- Imp~1	I	-3.9	-6.9	0.4	-3.9	
-6.6	99.1		J	-3.9	-6.9	0.4	-3.9	
-7.0	106.1							
		G2- Imp~1	I	-1.2	-2.2	0.1	-1.2	
-2.1	31.0		J	-1.2	-2.2	0.1	-1.2	
-2.2	33.2							
		q3	I	185.0	6.2	0.0	29.3	
-109.0	-437.2		J	181.8	6.2	0.0	29.3	
-106.0	-443.5							
		q4-1	I	0.4	1.6	0.7	0.0	
15.1	52.9		J	0.4	1.6	0.7	0.0	
14.4	51.3							
		q4-2	I	0.5	2.5	1.1	2.0	
23.5	94.5		J	0.5	2.5	1.1	2.0	
22.4	92.0							
		q4-3	I	-0.5	-0.8	1.0	2.0	
18.2	19.9		J	-0.5	-0.8	1.0	2.0	
17.2	20.7							
		q4-4	I	-3.1	-11.4	-0.4	-13.2	
-15.1	-319.8		J	-3.1	-11.4	-0.4	-13.2	
-14.7	-308.3							
		q4-5	I	10.6	27.0	-4.7	-33.0	
-69.9	268.4		J	10.6	27.0	-4.7	-33.0	
-65.2	241.3							
		q4-6	I	118.1	-7.0	-3.0	33.2	
22.9	-157.0		J	118.1	-7.0	-3.0	33.2	
25.9	-149.9							
		q4-7	I	117.6	16.6	4.4	8.7	
-20.4	-357.1		J	117.6	16.6	4.4	8.7	
-24.8	-373.8							
		q5 - p~1	I	-856.2	-117.7	-44.5	-263.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-466.0	1135.4		J	-841.3	-105.8	-45.0	-267.3	
-426.4	1247.7							
-479.6	-1136.9	q5 - p~2	I	797.1	-15.4	-29.3	79.6	
-448.8	-1126.3		J	792.9	-5.7	-29.1	76.0	
-429.1	1083.8	q5 - p~3	I	-811.3	-111.7	-37.3	-258.8	
-392.5	1190.3		J	-797.2	-100.4	-37.8	-259.6	
-438.1	-1081.2	q5 - p~4	I	754.9	-14.9	-28.8	57.3	
-409.0	-1070.8		J	751.0	-5.7	-28.7	56.7	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-17.4	-611.7	q7	I	128.4	-11.5	3.0	42.5	
-20.3	-600.1		J	128.4	-11.5	3.0	42.5	
6.9	37.7	T	I	-1.6	-2.7	-0.8	-9.0	
7.7	40.5		J	-1.6	-2.7	-0.8	-9.0	
-79.8	130.6	M. tor~1	I	2.8	-289.8	-11.2	79.6	
-68.5	138.3		J	2.8	-289.8	-11.2	69.5	
-47.2	77.2	M. tor~2	I	1.6	-171.3	-6.7	47.1	
-40.5	81.8		J	1.6	-171.3	-6.7	41.1	
6453.9	1175.9	INVSLU Max	I	1264.0	359.2	-245.5	4396.1	3
7933.1	1361.7		J	1249.5	348.5	-6.7	4395.2	3
6600.8	-3501.0	Min	I	-1295.6	-228.2	-2726.5	-775.1	
7925.3	-3818.9		J	-1266.8	-217.4	-2474.8	-669.0	
4660.3	16252.4	INVSLV Max	I	2064.0	565.0	-572.8	1805.1	1
5455.4	16005.0		J	2068.9	565.0	-435.1	1805.1	1
8601.7	-17629.6	Min	I	-2078.3	-486.2	-1109.2	218.7	
9357.2	-17461.3		J	-2073.4	-486.2	-971.5	218.7	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6971.3	753.1	INVSLE	Max	I	846.3	258.4	-184.7	3239.5	2
				J	837.1	251.2	-7.9	3238.5	2
8069.2	879.1		Min	I	-869.7	-161.3	-2016.7	-557.2	
4921.0	-2520.1			J	-849.9	-154.2	-1830.2	-478.3	
5900.0	-2748.3								
938	1	52 C1-C2;~1	Max	I	76.6	143.3	667.2	1694.6	1
5390.0	711.1			J	76.6	143.3	707.1	1765.7	1
5656.2	794.2		Min	I	-87.6	-125.6	-1096.5	-1437.4	-
6080.1	-1197.5			J	-86.0	-125.6	-1048.5	-1357.4	-
5900.8	-1328.0								
		C3-C4;~1	Max	I	78.1	145.7	667.9	1960.0	1
5373.8	748.1			J	78.1	145.7	707.9	1958.6	1
5635.9	856.0		Min	I	-88.0	-127.6	-1099.4	-1073.8	-
6232.7	-1248.9			J	-86.4	-127.6	-1051.1	-1054.1	-
6046.9	-1375.6								
		C1-C2;~2	Max	I	41.5	75.4	398.7	1008.2	
8875.8	359.8			J	41.5	75.4	422.8	1056.3	
9030.5	416.8		Min	I	-50.4	-67.4	-646.9	-847.2	-
3177.0	-645.6			J	-49.5	-67.4	-619.4	-795.7	-
3065.3	-715.7								
		C3-C4;~2	Max	I	42.1	76.4	398.7	1132.9	
8869.0	395.0			J	42.1	76.4	422.9	1142.6	
9020.9	455.1		Min	I	-50.4	-68.4	-648.1	-616.7	-
3267.4	-668.2			J	-49.7	-68.4	-620.5	-598.6	-
3151.5	-736.7								
		SLVx (RS)		I	1666.5	407.3	186.7	649.2	
2032.5	-14445.6			J	1666.5	407.3	186.7	649.2	
2025.9	-14237.1								
		SLVy (RS)		I	1119.3	-309.1	130.2	-240.5	-
1256.5	-5383.4			J	1119.3	-309.1	130.2	-240.5	-
1169.1	-5303.7								
		SLDx (RS)		I	1207.5	291.3	140.0	461.0	
1477.3	-10601.1			J	1207.5	291.3	140.0	461.0	
1470.4	-10460.0								
		SLDy (RS)		I	760.6	-228.9	94.6	-171.2	
892.5	-3767.7			J	760.6	-228.9	94.6	-171.2	
-829.6	-3708.5								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2063.6	2242.4	SLVz (RS)	I	-172.7	-82.2	133.4	-118.6	-
			J	-172.7	-82.2	133.4	-118.6	-
2155.4	2207.4							
		G1	I	2.5	35.2	-515.4	626.3	
9102.2	-630.3		J	6.1	35.2	-414.5	626.3	
9569.1	-665.7							
		G2	I	0.9	12.9	-188.4	228.7	
3325.8	-231.4		J	2.2	12.9	-151.6	228.7	
3496.5	-244.4							
		G1- Imp~1	I	-4.0	-6.9	0.4	-3.8	
-7.1	106.1		J	-4.0	-6.9	0.4	-3.8	
-7.4	113.0							
		G2- Imp~1	I	-1.3	-2.2	0.1	-1.2	
-2.2	33.2		J	-1.3	-2.2	0.1	-1.2	
-2.3	35.4							
		q3	I	181.8	3.9	-0.0	30.6	
-105.4	-443.6		J	178.6	3.9	-0.0	30.6	
-102.4	-447.5							
		q4-1	I	0.4	1.6	0.7	-0.2	
14.4	51.3		J	0.4	1.6	0.7	-0.2	
13.7	49.7							
		q4-2	I	0.6	2.5	1.1	1.7	
22.4	92.0		J	0.6	2.5	1.1	1.7	
21.2	89.5							
		q4-3	I	-0.5	-0.8	1.0	1.7	
17.2	20.8		J	-0.5	-0.8	1.0	1.7	
16.3	21.6							
		q4-4	I	-3.3	-11.4	-0.4	-13.1	
-14.8	-308.3		J	-3.3	-11.4	-0.4	-13.1	
-14.4	-296.9							
		q4-5	I	10.9	26.8	-4.7	-32.1	
-65.8	241.2		J	10.9	26.8	-4.7	-32.1	
-61.1	214.3							
		q4-6	I	118.0	-8.5	-3.0	32.8	
26.4	-150.0		J	118.0	-8.5	-3.0	32.8	
29.4	-141.4							
		q4-7	I	117.8	15.1	4.4	8.9	
-24.5	-373.9		J	117.8	15.1	4.4	8.9	
-28.9	-389.0							
		q5 - p~1	I	-842.6	-94.9	-44.9	-261.6	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-430.4	1247.8		J	-827.6	-83.1	-45.4	-265.8	
-390.5	1337.2							
-447.2	-1126.8	q5 - p~2	I	792.8	-16.0	-29.2	81.7	
-416.4	-1115.7		J	788.5	-6.2	-29.1	78.2	
-396.4	1190.4	q5 - p~3	I	-798.5	-90.1	-37.6	-254.3	
-359.3	1275.2		J	-784.2	-78.9	-38.1	-255.1	
-407.7	-1071.2	q5 - p~4	I	750.8	-15.5	-28.8	61.8	
-378.6	-1060.4		J	746.8	-6.2	-28.6	61.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-19.5	-600.2	q7	I	128.3	-13.2	2.9	42.7	
-22.5	-586.9		J	128.3	-13.2	2.9	42.7	
7.5	40.5	T	I	-1.6	-2.7	-0.8	-9.0	
8.3	43.2		J	-1.6	-2.7	-0.8	-9.0	
-67.7	138.2	M. tor~1	I	-1.0	-289.8	-11.1	70.5	
-56.5	145.9		J	-1.0	-289.8	-11.1	60.3	
-40.0	81.7	M. tor~2	I	-0.6	-171.3	-6.6	41.7	
-33.4	86.3		J	-0.6	-171.3	-6.6	35.7	
7949.7	1372.6	INVSLU Max	I	1253.3	336.9	-6.8	4035.5	3
9142.0	1530.0		J	1238.6	326.3	233.5	4037.3	3
7943.2	-3813.6	Min	I	-1269.4	-206.8	-2474.6	-1034.9	
9081.2	-4119.9		J	-1240.3	-196.3	-2224.1	-930.8	
5469.0	16010.9	INVSLV Max	I	2052.3	563.8	-437.5	1606.9	1
6169.7	15728.7		J	2057.2	563.8	-299.9	1606.9	1
9368.4	-17455.9	Min	I	-2055.9	-485.6	-969.1	93.0	
9941.9	-17252.1		J	-2051.0	-485.6	-831.5	93.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8081.6	887.2	INVSLE	Max	I	839.7	243.4	-8.0	2972.4	2
				J	830.4	236.3	170.0	2973.5	2
8966.9	994.5		Min	I	-851.6	-147.1	-1830.1	-749.7	
5913.2	-2744.4			J	-831.7	-140.0	-1644.5	-672.4	
6754.0	-2965.5								
939	1	52 C1-C2;~1	Max	I	78.5	142.3	707.1	1668.2	1
5655.9	799.3			J	78.5	142.3	748.1	1739.7	1
5847.4	912.7		Min	I	-87.7	-124.8	-1048.4	-1486.5	-
5899.8	-1330.0			J	-85.9	-124.8	-1001.2	-1408.1	-
5720.4	-1462.1								
		C3-C4;~1	Max	I	80.0	144.7	707.9	1854.7	1
5640.7	860.9			J	80.0	144.7	749.1	1855.6	1
5828.0	972.5		Min	I	-88.0	-126.7	-1051.1	-1185.2	-
6046.0	-1377.5			J	-86.3	-126.7	-1003.7	-1168.5	-
5860.2	-1507.4								
		C1-C2;~2	Max	I	42.4	74.9	422.8	986.0	
9029.8	419.4			J	42.4	74.9	447.5	1034.1	
9142.8	481.3		Min	I	-50.5	-66.9	-619.4	-876.8	-
3064.5	-716.6			J	-49.7	-66.9	-592.2	-826.1	-
2952.7	-787.2								
		C3-C4;~2	Max	I	43.1	75.9	422.9	1067.9	
9023.7	457.7			J	43.1	75.9	447.7	1078.4	
9133.9	519.2		Min	I	-50.6	-67.9	-620.5	-683.1	-
3150.7	-737.6			J	-49.8	-67.9	-593.2	-666.3	-
3034.8	-807.5								
		SLVx (RS)		I	1652.3	412.5	186.9	625.0	
2022.1	-14237.0			J	1652.3	412.5	186.9	625.0	
2017.3	-13995.1								
		SLVy (RS)		I	1110.4	-312.0	141.4	-234.2	-
1168.0	-5304.2			J	1110.4	-312.0	141.4	-234.2	-
1077.2	-5224.9								
		SLDx (RS)		I	-1197.5	296.1	140.4	442.7	
1467.7	-10459.9			J	-1197.5	296.1	140.4	442.7	
1462.6	-10292.4								
		SLDy (RS)		I	755.3	-231.2	102.9	-165.5	
-828.2	-3708.8			J	755.3	-231.2	102.9	-165.5	
-762.6	-3650.5								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2157.6	2207.7	SLVz (RS)	I	-169.9	-88.0	-113.9	-100.9	-
			J	-169.9	-88.0	-113.9	-100.9	-
2224.1	2163.2							
		G1	I	6.5	34.9	-414.5	501.5	
9576.7	-661.3		J	10.1	34.9	-313.7	501.5	
9942.3	-696.4							
		G2	I	2.4	12.8	-151.6	183.0	
3499.3	-242.8		J	3.7	12.8	-114.8	183.0	
3633.1	-255.6							
		G1- Imp~1	I	-4.1	-6.8	0.4	-3.7	
-7.5	113.0		J	-4.1	-6.8	0.4	-3.7	
-7.9	119.8							
		G2- Imp~1	I	-1.3	-2.1	0.1	-1.2	
-2.4	35.4		J	-1.3	-2.1	0.1	-1.2	
-2.5	37.5							
		q3	I	178.6	1.6	-0.0	31.9	
-101.8	-447.6		J	175.4	1.6	-0.0	31.9	
-98.7	-449.2							
		q4-1	I	0.4	1.6	0.7	-0.3	
13.6	49.7		J	0.4	1.6	0.7	-0.3	
12.9	48.1							
		q4-2	I	0.6	2.5	1.1	1.5	
21.2	89.5		J	0.6	2.5	1.1	1.5	
20.1	87.1							
		q4-3	I	-0.5	-0.8	1.0	1.5	
16.3	21.6		J	-0.5	-0.8	1.0	1.5	
15.3	22.4							
		q4-4	I	-3.4	-11.3	-0.4	-12.9	
-14.4	-296.9		J	-3.4	-11.3	-0.4	-12.9	
-14.0	-285.6							
		q4-5	I	11.3	26.7	-4.7	-31.3	
-61.6	214.2		J	11.3	26.7	-4.7	-31.3	
-56.9	187.4							
		q4-6	I	117.9	-10.1	-3.0	32.4	
29.9	-141.4		J	117.9	-10.1	-3.0	32.4	
32.9	-131.3							
		q4-7	I	118.0	13.6	4.4	9.3	
-28.6	-389.1		J	118.0	13.6	4.4	9.3	
-33.0	-402.7							
		q5 - p~1	I	-828.6	-72.4	-45.3	-260.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-394.5	1337.3		J	-813.4	-60.9	-45.8	-264.7	
-354.3	1404.2							
-414.9	-1116.2	q5 - p~2	I	788.4	-16.4	-29.2	83.4	
-384.1	-1104.7		J	784.1	-6.5	-29.0	79.8	
-363.2	1275.3	q5 - p~3	I	-785.2	-68.7	-38.0	-250.2	
-325.8	1338.9		J	-770.8	-57.8	-38.5	-251.0	
-377.3	-1060.8	q5 - p~4	I	746.6	-15.9	-28.7	65.9	
-348.2	-1049.6		J	742.5	-6.5	-28.6	65.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-21.6	-587.0	q7	I	128.1	-14.9	2.9	42.9	
-24.6	-572.1		J	128.1	-14.9	2.9	42.9	
8.2	43.2	T	I	-1.6	-2.7	-0.8	-9.1	
9.0	46.0		J	-1.6	-2.7	-0.8	-9.1	
-55.8	145.9	M. tor~1	I	-4.8	-289.8	-11.0	61.1	
-44.8	153.6		J	-4.8	-289.8	-11.0	50.9	
-33.0	86.2	M. tor~2	I	-2.8	-171.3	-6.5	36.1	
-26.5	90.8		J	-2.8	-171.3	-6.5	30.1	
9153.9	1541.7	INVSLU Max	I	1242.0	314.8	233.4	3662.5	3
0058.8	1669.6		J	1227.0	304.4	475.2	3667.3	4
9097.7	-4114.5	Min	I	-1242.5	-185.9	-2224.0	-1330.4	
0049.2	-4404.7		J	-1213.2	-175.5	-1974.7	-1228.3	1
6180.7	15734.8	INVSLV Max	I	2040.0	571.3	-302.2	1405.2	1
6717.4	15416.8		J	2044.9	571.3	-164.6	1405.2	1
9951.4	-17246.3	Min	I	-2032.9	-493.7	-829.1	-45.9	
0412.5	-17006.2		J	-2027.9	-493.7	-691.5	-45.9	1


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


8975.8	1003.2	INVSLE Max	I	832.8	228.6	169.9	2696.2	2
			J	823.4	221.6	349.0	2699.5	2
9648.1	1091.0	Min	I	-833.2	-133.0	-1644.4	-968.7	
6766.2	-2961.5		J	-813.1	-126.1	-1459.7	-892.8	
7468.8	-3172.2							
940	1	52 C1-C2;~1 Max	I	80.3	141.3	748.1	1638.0	1
5845.6	918.2		J	80.3	141.3	790.2	1710.1	1
5962.0	1032.8	Min	I	-87.5	-123.9	-1001.2	-1538.8	-
5718.3	-1464.2		J	-85.7	-123.9	-954.9	-1461.7	-
5538.9	-1597.1							
		C3-C4;~1 Max	I	81.8	143.7	749.1	1748.1	1
5830.8	977.9		J	81.8	143.7	791.3	1751.4	1
5943.2	1091.7	Min	I	-88.0	-125.9	-1003.7	-1301.6	-
5858.3	-1509.5		J	-86.2	-125.9	-957.2	-1287.8	-
5672.4	-1641.4							
		C1-C2;~2 Max	I	43.4	74.3	447.5	961.8	
9141.3	484.2		J	43.4	74.3	472.6	1009.9	
9212.5	546.5	Min	I	-50.5	-66.5	-592.2	-908.8	-
2951.4	-788.1		J	-49.7	-66.5	-565.4	-858.7	-
2839.6	-858.9							
		C3-C4;~2 Max	I	44.1	75.3	447.7	1001.9	
9135.6	522.1		J	44.1	75.3	472.9	1013.2	
9204.0	584.5	Min	I	-50.7	-67.5	-593.2	-752.4	-
3033.5	-808.4		J	-49.9	-67.5	-566.3	-736.9	-
2917.5	-878.9							
		SLVx (RS)	I	1637.6	425.5	187.0	605.0	
2013.6	-13995.0		J	1637.6	425.5	187.0	605.0	
2011.0	-13718.9							
		SLVy (RS)	I	1101.5	-314.6	150.6	-229.9	-
1075.8	-5225.3		J	1101.5	-314.6	150.6	-229.9	
-986.6	-5147.5							
		SLDx (RS)	I	-1187.1	-307.0	140.7	427.6	
1459.9	-10292.3		J	-1187.1	-307.0	140.7	427.6	
1457.0	-10097.7							
		SLDy (RS)	I	750.0	-233.2	109.9	161.2	
-760.9	-3650.8		J	750.0	-233.2	109.9	161.2	
-696.4	-3594.2							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2225.9	2163.5	SLVz (RS)	I	-167.1	-94.4	-97.0	-87.3	-
			J	-167.1	-94.4	-97.0	-87.3	-
2265.9	2109.8							
		G1	I	10.5	34.7	-313.7	371.8	
9948.3	-691.8		J	14.2	34.7	-212.9	371.8	1
0212.6	-726.6							
		G2	I	3.9	12.7	-114.8	135.7	
3635.2	-253.9		J	5.2	12.7	-78.0	135.7	
3732.0	-266.7							
		G1- Imp~1	I	-4.2	-6.7	0.4	-3.6	
-8.0	119.8		J	-4.2	-6.7	0.4	-3.6	
-8.4	126.6							
		G2- Imp~1	I	-1.3	-2.1	0.1	-1.1	
-2.5	37.5		J	-1.3	-2.1	0.1	-1.1	
-2.7	39.7							
		q3	I	175.4	-0.7	-0.0	33.1	
-98.0	-449.3		J	172.2	-0.7	-0.0	33.1	
-94.9	-448.6							
		q4-1	I	0.5	1.6	0.7	-0.5	
12.9	48.1		J	0.5	1.6	0.7	-0.5	
12.2	46.5							
		q4-2	I	0.6	2.5	1.1	1.2	
20.1	87.1		J	0.6	2.5	1.1	1.2	
18.9	84.6							
		q4-3	I	-0.5	-0.8	1.0	1.3	
15.3	22.4		J	-0.5	-0.8	1.0	1.3	
14.3	23.2							
		q4-4	I	-3.6	-11.3	-0.4	-12.8	
-14.0	-285.6		J	-3.6	-11.3	-0.4	-12.8	
-13.6	-274.3							
		q4-5	I	11.6	26.6	-4.7	-30.5	
-57.3	187.4		J	11.6	26.6	-4.7	-30.5	
-52.6	160.7							
		q4-6	I	117.8	-11.6	-3.0	32.0	
33.4	-131.3		J	117.8	-11.6	-3.0	32.0	
36.4	-119.7							
		q4-7	I	118.2	12.0	4.3	9.6	
-32.7	-402.8		J	118.2	12.0	4.3	9.6	
-37.0	-414.8							
		q5 - p~1	I	-814.2	-50.3	-45.7	-259.9	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-358.3	1404.3		J	-798.8	-38.9	-46.2	-264.0	
-317.7	1449.1							
-382.5	-1105.2	q5 - p~2	I	783.9	-16.7	-29.1	84.7	
-351.8	-1093.5		J	779.5	-6.6	-28.9	81.0	
-329.7	1339.0	q5 - p~3	I	-771.5	-47.8	-38.4	-246.6	
-291.9	1381.6		J	-757.0	-37.1	-38.9	-247.3	
-346.8	-1050.0	q5 - p~4	I	742.4	-16.1	-28.7	69.7	
-317.8	-1038.6		J	738.2	-6.6	-28.5	69.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-23.7	-572.1	q7	I	127.9	-16.5	2.9	43.1	
-26.7	-555.5		J	127.9	-16.5	2.9	43.1	
8.9	46.0	T	I	-1.7	-2.7	-0.8	-9.3	
9.6	48.6		J	-1.7	-2.7	-0.8	-9.3	
-44.2	153.5	M. tor~1	I	-8.5	-289.7	-10.8	51.5	
-33.3	161.1		J	-8.5	-289.7	-10.8	41.3	
-26.1	90.8	M. tor~2	I	-5.0	-171.3	-6.4	30.4	
-19.7	95.3		J	-5.0	-171.3	-6.4	24.4	
0065.7	1682.1	INVSLU Max	I	1230.1	293.1	475.1	3279.2	4
0682.6	1780.1		J	1215.0	282.9	718.5	3287.3	4
0064.2	-4399.1	Min	I	-1214.8	-165.2	-1974.5	-1639.2	1
0829.1	-4671.6		J	-1185.2	-155.0	-1726.5	-1538.8	1
6725.7	15423.2	INVSLV Max	I	2027.1	586.7	-166.7	1202.9	1
7098.8	15069.1		J	2032.1	586.7	-29.1	1202.9	1
0420.2	-17000.0	Min	I	-2009.3	-509.8	-689.3	-197.5	1
0768.4	-16723.1		J	-2004.3	-509.8	-551.7	-197.5	1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9653.4	1100.3	INVSLE	Max	I	825.5	213.9	348.9	2412.4	2
0112.4	1168.3			J	816.0	207.1	529.2	2418.1	3
7479.8	-3168.0		Min	I	-814.3	-119.2	-1459.6	-1197.5	
8044.3	-3367.0			J	-793.9	-112.4	-1275.8	-1122.9	
941	1	52 C1-C2;~1	Max	I	82.2	140.3	790.2	1604.9	1
5958.8	1038.6			J	82.2	140.3	833.3	1677.7	1
5999.8	1154.1		Min	I	-87.3	-123.0	-954.9	-1592.7	-
5535.8	-1599.2			J	-85.4	-123.0	-909.5	-1516.7	-
5356.4	-1732.5								
5943.8	1097.4	C3-C4;~1	Max	I	83.7	142.6	791.3	1641.2	1
5981.6	1212.5			J	83.7	142.6	834.6	1647.0	1
5669.4	-1643.5		Min	I	-87.9	-125.0	-957.2	-1422.0	-
5483.5	-1776.4			J	-86.0	-125.0	-911.7	-1411.1	-
9210.2	549.6	C1-C2;~2	Max	I	44.4	73.8	472.6	936.1	
9239.3	612.3			J	44.4	73.8	498.1	984.4	
2837.7	-860.0		Min	I	-50.5	-66.0	-565.3	-942.3	-
2725.9	-930.8			J	-49.6	-66.0	-538.9	-892.7	-
9204.4	587.5	C3-C4;~2	Max	I	45.1	74.8	472.9	935.3	
9231.4	650.4			J	45.1	74.8	498.6	947.6	
2915.7	-879.9		Min	I	-50.8	-67.0	-566.2	-824.0	-
2799.7	-950.7			J	-49.9	-67.0	-539.7	-809.6	-
2007.4	-13718.8	SLVx (RS)		I	1622.5	-445.4	187.0	589.7	
2007.2	-13408.2			J	1622.5	-445.4	187.0	589.7	
-984.8	-5147.9	SLVy (RS)		I	1092.7	-316.9	157.7	227.6	
-903.2	-5072.3			J	1092.7	-316.9	157.7	227.6	
1454.4	-10097.7	SLDx (RS)		I	-1176.4	-323.1	140.9	416.1	
1453.8	-9876.1			J	-1176.4	-323.1	140.9	416.1	
-694.5	-3594.4	SLDy (RS)		I	744.8	-235.0	115.2	158.3	
-635.8	-3540.2			J	744.8	-235.0	115.2	158.3	


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2267.3	2110.1	SLVz (RS)	I	-164.1	-101.1	-85.6	-80.6	-
			J	-164.1	-101.1	-85.6	-80.6	-
2279.9	2047.7							
		G1	I	14.6	34.4	-212.9	238.6	1
0216.9	-721.8		J	18.2	34.4	-112.0	238.6	1
0380.0	-756.3							
		G2	I	5.3	12.6	-78.0	87.0	
3733.6	-264.9		J	6.7	12.6	-41.2	87.0	
3793.4	-277.6							
		G1- Imp~1	I	-4.2	-6.7	0.4	-3.5	
-8.5	126.6		J	-4.2	-6.7	0.4	-3.5	
-8.8	133.3							
		G2- Imp~1	I	-1.3	-2.1	0.1	-1.1	
-2.7	39.7		J	-1.3	-2.1	0.1	-1.1	
-2.8	41.8							
		q3	I	172.2	-3.0	-0.1	34.3	
-94.3	-448.7		J	169.0	-3.0	-0.1	34.3	
-91.2	-445.7							
		q4-1	I	0.5	1.6	0.7	-0.6	
12.1	46.5		J	0.5	1.6	0.7	-0.6	
11.4	44.9							
		q4-2	I	0.7	2.5	1.1	1.0	
18.9	84.6		J	0.7	2.5	1.1	1.0	
17.8	82.1							
		q4-3	I	-0.5	-0.8	1.0	1.2	
14.3	23.2		J	-0.5	-0.8	1.0	1.2	
13.4	24.0							
		q4-4	I	-3.7	-11.2	-0.4	-12.6	
-13.7	-274.3		J	-3.7	-11.2	-0.4	-12.6	
-13.3	-263.0							
		q4-5	I	11.9	26.4	-4.7	-29.8	
-53.1	160.7		J	11.9	26.4	-4.7	-29.8	
-48.3	134.2							
		q4-6	I	117.6	-13.1	-3.0	31.5	
36.9	-119.7		J	117.6	-13.1	-3.0	31.5	
40.0	-106.5							
		q4-7	I	118.3	10.5	4.3	10.1	
-36.7	-414.9		J	118.3	10.5	4.3	10.1	
-41.0	-425.4							
		q5 - p~1	I	-799.3	-28.6	-46.1	-259.6	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-321.8	1449.3		J	-783.8	-17.4	-46.7	-263.6	
-280.8	1472.4							
-350.2	-1093.9	q5 - p~2	I	779.4	-16.8	-29.0	85.5	
-319.5	-1082.2		J	774.9	-6.6	-28.9	81.8	
-295.7	1381.8	q5 - p~3	I	-757.4	-27.2	-38.8	-243.3	
-257.5	1403.8		J	-742.7	-16.7	-39.3	-244.1	
-316.4	-1039.1	q5 - p~4	I	738.1	-16.2	-28.6	73.0	
-287.5	-1027.6		J	733.9	-6.5	-28.5	72.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-25.9	-555.6	q7	I	127.7	-18.2	2.9	43.4	
-28.8	-537.3		J	127.7	-18.2	2.9	43.4	
9.5	48.7	T	I	-1.7	-2.7	-0.8	-9.4	
10.3	51.3		J	-1.7	-2.7	-0.8	-9.4	
-32.8	161.1	M. tor~1	I	-12.3	-289.6	-10.7	41.7	
-22.1	168.6		J	-12.3	-289.6	-10.7	31.5	
-19.4	95.2	M. tor~2	I	-7.3	-171.2	-6.3	24.7	
-13.0	99.7		J	-7.3	-171.2	-6.3	18.6	
0684.5	1793.2	INVSLU Max	I	1217.6	271.7	718.3	2889.4	4
1013.2	1861.4		J	1202.3	261.6	963.1	2942.4	4
0842.3	-4665.8	Min	I	-1186.5	-144.9	-1726.3	-1957.1	1
1420.7	-4919.7		J	-1156.5	-134.8	-1479.6	-1858.1	1
7104.3	15075.6	INVSLV Max	I	2013.9	608.9	-30.4	1003.3	1
7314.8	14685.4		J	2018.9	608.9	107.3	1003.3	1
0774.3	-16716.7	Min	I	-1985.2	-532.7	-550.4	-361.1	1
1008.8	-16403.1		J	-1980.2	-532.7	-412.7	-361.1	1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0113.9	1178.0	INVSLE	Max	I	817.9	199.5	529.1	2123.6	3
				J	808.2	192.8	710.4	2162.6	3
0359.5	1267.9		Min	I	-794.8	-105.6	-1275.7	-1433.0	
8054.1	-3362.8			J	-774.3	-98.9	-1092.9	-1359.5	
8480.4	-3549.5								
942	1	52 C1-C2;~1	Max	I	84.0	139.2	833.3	1569.9	1
5995.1	1160.2			J	84.0	139.2	877.4	1643.5	1
5963.4	1275.9		Min	I	-87.0	-122.1	-909.5	-1647.0	-
5352.3	-1734.7			J	-85.0	-122.1	-865.2	-1572.0	-
5172.8	-1867.9								
		C3-C4;~1	Max	I	85.6	141.5	834.6	1534.8	1
5979.4	1218.6			J	85.6	141.5	878.9	1543.3	1
5944.7	1334.4		Min	I	-87.6	-124.1	-911.7	-1545.5	-
5479.5	-1778.6			J	-85.7	-124.1	-867.2	-1537.3	-
5293.5	-1912.0								
		C1-C2;~2	Max	I	45.3	73.2	498.1	909.5	
9236.2	615.6			J	45.3	73.2	524.1	958.1	
9225.1	678.3		Min	I	-50.5	-65.5	-538.9	-976.5	-
2723.5	-931.9			J	-49.5	-65.5	-512.8	-927.3	-
2611.7	-1002.6								
		C3-C4;~2	Max	I	46.1	74.2	498.6	868.9	
9230.1	653.7			J	46.1	74.2	524.7	882.2	
9217.1	716.8		Min	I	-50.8	-66.5	-539.7	-897.3	-
2797.3	-951.8			J	-49.8	-66.5	-513.5	-884.0	-
2681.3	-1022.7								
		SLVx (RS)		I	1607.0	-470.8	186.8	579.3	
2003.7	-13408.1			J	1607.0	-470.8	186.8	579.3	
2006.0	-13063.4								
		SLVy (RS)		I	1084.0	-318.7	162.5	227.1	
-901.0	-5072.6			J	1084.0	-318.7	162.5	227.1	
-833.9	-5000.0								
		SLDx (RS)		I	-1165.3	-343.3	140.8	408.4	
1451.3	-9876.0			J	-1165.3	-343.3	140.8	408.4	
1453.2	-9627.6								
		SLDy (RS)		I	739.7	-236.3	118.8	156.8	
-633.5	-3540.3			J	739.7	-236.3	118.8	156.8	
-586.0	-3489.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2280.9	2048.0	SLVz (RS)	I	-161.2	107.9	-83.2	-83.1	-
			J	-161.2	107.9	-83.2	-83.1	-
2265.4	1977.4							
		G1	I	18.7	34.1	-112.1	103.3	1
0382.6	-751.4		J	22.3	34.1	-11.2	103.3	1
0444.5	-785.6							
		G2	I	6.8	12.5	-41.2	37.6	
3794.3	-275.8		J	8.2	12.5	-4.3	37.6	
3817.2	-288.3							
		G1- Imp~1	I	-4.3	-6.6	0.4	-3.3	
-9.0	133.3		J	-4.3	-6.6	0.4	-3.3	
-9.3	139.9							
		G2- Imp~1	I	-1.4	-2.1	0.1	-1.1	
-2.8	41.8		J	-1.4	-2.1	0.1	-1.1	
-3.0	43.9							
		q3	I	168.9	-5.2	-0.1	35.4	
-90.5	-445.8		J	165.7	-5.2	-0.1	35.4	
-87.4	-440.6							
		q4-1	I	0.5	1.6	0.7	-0.8	
11.4	44.9		J	0.5	1.6	0.7	-0.8	
10.7	43.4							
		q4-2	I	0.7	2.5	1.1	0.7	
17.8	82.1		J	0.7	2.5	1.1	0.7	
16.6	79.7							
		q4-3	I	-0.5	-0.8	1.0	1.0	
13.4	24.0		J	-0.5	-0.8	1.0	1.0	
12.4	24.8							
		q4-4	I	-3.8	-11.2	-0.4	-12.5	
-13.3	-263.0		J	-3.8	-11.2	-0.4	-12.5	
-12.9	-251.8							
		q4-5	I	12.3	26.2	-4.7	-29.2	
-48.8	134.2		J	12.3	26.2	-4.7	-29.2	
-44.0	107.9							
		q4-6	I	117.4	-14.7	-3.0	30.9	
40.4	-106.5		J	117.4	-14.7	-3.0	30.9	
43.5	-91.8							
		q4-7	I	118.5	8.9	4.3	10.6	
-40.7	-425.5		J	118.5	8.9	4.3	10.6	
-45.0	-434.5							
		q5 - p~1	I	-784.0	-7.2	-46.6	-259.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-284.9	1472.5		J	-768.3	3.7	-47.2	-263.7	
-243.4	1474.3							
		q5 - p~2	I	774.8	-16.7	-28.9	85.8	
-317.9	-1082.6		J	770.2	-6.4	-28.8	82.1	
-287.3	-1071.1							
		q5 - p~3	I	-742.9	-7.0	-39.2	-240.5	
-261.3	1404.0		J	-728.1	3.3	-39.8	-241.3	
-222.7	1405.8							
		q5 - p~4	I	733.7	-16.1	-28.5	75.9	
-286.0	-1028.0		J	729.4	-6.3	-28.4	75.2	
-257.1	-1016.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	127.4	-19.9	2.9	43.7	
-28.0	-537.4		J	127.4	-19.9	2.9	43.7	
-30.9	-517.4							
		T	I	-1.7	-2.6	-0.8	-9.5	
10.1	51.3		J	-1.7	-2.6	-0.8	-9.5	
10.9	54.0							
		M. tor~1	I	-16.1	-289.4	-10.6	31.8	
-21.7	168.5		J	-16.1	-289.4	-10.6	21.5	
-11.1	175.8							
		M. tor~2	I	-9.5	-171.1	-6.2	18.8	
-12.9	99.6		J	-9.5	-171.1	-6.2	12.7	
-6.6	104.0							
		INVSLU Max	I	1204.5	259.0	963.0	2544.3	4
1009.9	1875.0		J	1191.1	249.7	1209.2	2647.2	4
1053.7	1965.5	Min	I	-1157.4	-133.3	-1479.5	-2279.9	1
1432.1	-4913.8		J	-1129.2	-124.1	-1234.0	-2182.2	1
1823.9	-5148.6							
		INVSLV Max	I	2000.3	636.6	107.7	808.9	1
7317.4	14692.1		J	2005.3	636.6	245.4	808.9	1
7366.7	14266.5	Min	I	-1960.7	-561.0	-413.2	-535.9	1
1012.9	-16396.5		J	-1955.7	-561.0	-275.5	-535.9	1
1132.1	-16046.8							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0357.1	1280.7	INVSLE Max	I	809.8	190.9	710.3	1868.0	3
			J	801.3	184.7	892.6	1944.0	3
0391.8	1361.2	Min	I	-774.9	-97.8	-1092.8	-1672.1	
8488.8	-3545.1		J	-755.5	-91.7	-911.0	-1599.5	
8776.9	-3719.1							
943	1	52 C1-C2;~1 Max	I	85.8	138.1	877.5	1533.8	1
5961.8	1282.3		J	85.8	138.1	922.6	1608.4	1
5857.9	1398.1	Min	I	-86.6	-121.2	-865.1	-1700.8	-
5167.8	-1870.1		J	-84.5	-121.2	-821.8	-1626.6	-
4988.2	-2003.1							
		C3-C4;~1 Max	I	87.4	140.4	878.9	1430.1	1
5942.9	1340.7		J	87.4	140.4	924.2	1441.4	1
5839.7	1456.8	Min	I	-87.3	-123.1	-867.2	-1671.1	-
5288.6	-1914.2		J	-85.3	-123.1	-823.7	-1665.5	-
5102.5	-2047.7							
		C1-C2;~2 Max	I	46.3	72.6	524.1	882.8	
9224.6	681.9		J	46.3	72.6	550.5	931.8	
9173.8	744.6	Min	I	-50.4	-65.0	-512.8	-1010.7	-
2608.8	-1003.7		J	-49.3	-65.0	-487.2	-961.7	-
2497.0	-1074.2							
		C3-C4;~2 Max	I	47.0	73.6	524.7	803.2	
9216.5	720.3		J	47.0	73.6	551.2	817.7	
9166.5	783.4	Min	I	-50.7	-66.0	-513.5	-971.5	-
2678.5	-1023.8		J	-49.7	-66.0	-487.7	-959.2	-
2562.4	-1094.6							
		SLVx (RS)	I	1591.0	-500.6	186.3	573.9	
2002.6	-13063.2		J	1591.0	-500.6	186.3	573.9	
2007.3	-12685.2							
		SLVy (RS)	I	1075.4	-319.9	165.0	228.4	
-831.4	-5000.4		J	1075.4	-319.9	165.0	228.4	
-785.6	-4931.5							
		SLDx (RS)	I	-1154.0	-366.7	140.5	404.6	
1450.9	-9627.5		J	-1154.0	-366.7	140.5	404.6	
1455.2	-9353.2							
		SLDy (RS)	I	734.7	-237.1	120.7	156.6	
-583.5	-3489.2		J	734.7	-237.1	120.7	156.6	
-552.4	-3441.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2265.9	1977.7	SLVz (RS)	I	-158.1	114.8	-90.9	94.1	-
			J	-158.1	114.8	-90.9	94.1	-
2222.0	1899.4							
		G1	I	22.8	33.8	-11.2	-32.7	1
0445.3	-780.7		J	26.4	33.8	89.6	-32.7	1
0406.0	-814.6							
		G2	I	8.3	12.4	-4.3	-12.2	
3817.5	-286.5		J	9.7	12.4	32.5	-12.2	
3803.4	-298.9							
		G1- Imp~1	I	-4.4	-6.6	0.4	-3.2	
-9.4	139.9		J	-4.4	-6.6	0.4	-3.2	
-9.8	146.5							
		G2- Imp~1	I	-1.4	-2.1	0.1	-1.0	
-3.0	43.9		J	-1.4	-2.1	0.1	-1.0	
-3.1	45.9							
		q3	I	165.6	-7.3	-0.1	36.5	
-86.7	-440.7		J	162.4	-7.3	-0.1	36.5	
-83.5	-433.3							
		q4-1	I	0.5	1.6	0.7	-0.9	
10.6	43.4		J	0.5	1.6	0.7	-0.9	
9.9	41.8							
		q4-2	I	0.7	2.4	1.1	0.5	
16.6	79.7		J	0.7	2.4	1.1	0.5	
15.5	77.2							
		q4-3	I	-0.6	-0.8	1.0	0.8	
12.4	24.8		J	-0.6	-0.8	1.0	0.8	
11.4	25.6							
		q4-4	I	-4.0	-11.1	-0.4	-12.3	
-13.0	-251.8		J	-4.0	-11.1	-0.4	-12.3	
-12.6	-240.6							
		q4-5	I	12.6	26.1	-4.8	-28.6	
-44.4	107.8		J	12.6	26.1	-4.8	-28.6	
-39.6	81.7							
		q4-6	I	117.2	-16.2	-3.0	30.3	
43.9	-91.8		J	117.2	-16.2	-3.0	30.3	
46.9	-75.6							
		q4-7	I	118.6	7.4	4.3	11.1	
-44.7	-434.5		J	118.6	7.4	4.3	11.1	
-49.0	-441.9							
		q5 - p~1	I	-768.2	13.7	-47.1	-260.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-247.6	1474.5		J	-752.5	24.4	-47.7	-264.3	
-205.7	1455.4							
-285.7	-1071.5	q5 - p~2	I	770.1	-16.4	-28.9	85.7	
-255.2	-1060.3		J	765.5	-6.0	-28.7	82.0	
-226.5	1406.0	q5 - p~3	I	-728.0	12.8	-39.7	-238.2	
-187.4	1388.1		J	-713.0	23.0	-40.3	-238.9	
-255.7	-1017.2	q5 - p~4	I	729.3	-15.8	-28.5	78.5	
-226.9	-1006.2		J	725.0	-6.0	-28.3	77.8	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-30.1	-517.5	q7	I	127.2	-21.5	2.9	44.1	
-33.0	-495.9		J	127.2	-21.5	2.9	44.1	
10.8	54.0	T	I	-1.8	-2.6	-0.8	-9.6	
11.6	56.6		J	-1.8	-2.6	-0.8	-9.6	
-10.9	175.8	M. tor~1	I	-19.9	-289.2	-10.4	21.7	
-0.5	182.9		J	-19.9	-289.2	-10.4	11.4	
-6.5	103.9	M. tor~2	I	-11.7	-171.0	-6.2	12.8	
-0.3	108.1		J	-11.7	-171.0	-6.2	6.7	
1051.4	1983.2	INVSLU Max	I	1192.8	256.8	1209.1	2245.6	4
0811.3	2073.9		J	1193.1	264.0	1456.6	2349.9	4
1833.5	-5142.8	Min	I	-1129.5	-132.3	-1234.0	-2603.7	1
2038.7	-5358.5		J	-1114.9	-139.5	-990.0	-2559.5	1
7366.5	14273.2	INVSLV Max	I	1986.4	668.4	247.9	621.5	1
7256.3	13813.4		J	1991.4	668.4	385.6	621.5	1
1134.3	-16040.1	Min	I	-1935.8	-593.5	-278.1	-719.8	1
1136.5	-15655.5		J	-1930.8	-593.5	-140.5	-719.8	1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0390.1	1374.4	INVSLE	Max	I	802.7	189.3	892.5	1646.7	3
				J	803.3	194.1	1075.8	1723.7	3
0214.4	1443.0		Min	I	-755.8	-97.1	-911.0	-1911.9	
8783.9	-3714.8			J	-745.4	-101.9	-730.2	-1879.0	
8933.8	-3876.0								
944	1	52 C1-C2;~1	Max	I	87.6	137.0	922.6	1497.8	1
5857.0	1404.7			J	87.6	137.0	968.6	1573.7	1
5677.9	1520.7		Min	I	-86.1	-120.3	-821.8	-1753.0	-
4982.3	-2005.4			J	-83.8	-120.3	-779.6	-1679.4	-
4951.0	-2138.3								
		C3-C4;~1	Max	I	89.2	139.3	924.2	1327.9	1
5835.3	1463.4			J	89.2	139.3	970.4	1342.1	1
5657.6	1579.9		Min	I	-86.9	-122.2	-823.7	-1797.6	-
5096.7	-2050.0			J	-84.8	-122.2	-781.3	-1794.5	-
5047.6	-2183.7								
		C1-C2;~2	Max	I	47.2	72.0	550.5	856.6	
9174.2	748.3			J	47.2	72.0	577.2	906.2	
9081.5	810.9		Min	I	-50.2	-64.5	-487.2	-1044.3	-
2493.6	-1075.3			J	-49.0	-64.5	-462.0	-995.5	-
2493.0	-1145.7								
		C3-C4;~2	Max	I	48.0	73.0	551.2	739.0	
9164.4	787.1			J	48.0	73.0	578.0	754.7	
9073.0	850.2		Min	I	-50.6	-65.5	-487.7	-1046.0	-
2559.1	-1095.7			J	-49.5	-65.5	-462.5	-1034.7	-
2545.8	-1166.4								
		SLVx (RS)		I	1574.8	-533.5	185.5	573.4	
2004.1	-12685.1			J	1574.8	-533.5	185.5	573.4	
2010.9	-12275.1								
		SLVy (RS)		I	1067.0	-320.3	165.4	231.2	
-782.8	-4931.8			J	1067.0	-320.3	165.4	231.2	
-763.6	-4867.1								
		SLDx (RS)		I	-1142.4	-392.3	139.9	404.7	
1453.0	-9353.1			J	-1142.4	-392.3	139.9	404.7	
1459.7	-9053.8								
		SLDy (RS)		I	729.8	-237.3	120.9	157.6	
-549.8	-3441.6			J	729.8	-237.3	120.9	157.6	
-539.2	-3397.7								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2222.1	1899.6	SLVz (RS)	I	-155.1	121.5	-106.7	110.7	-
			J	-155.1	121.5	-106.7	110.7	-
2150.0	1814.3							
		G1	I	26.9	33.5	89.6	-168.3	1
0405.1	-809.7		J	30.5	33.5	190.4	-168.3	1
0264.5	-843.3							
		G2	I	9.8	12.3	32.5	-61.7	
3803.0	-297.1		J	11.2	12.3	69.3	-61.7	
3751.9	-309.4							
		G1- Imp~1	I	-4.5	-6.5	0.4	-3.1	
-9.9	146.5		J	-4.5	-6.5	0.4	-3.1	
-10.3	153.1							
		G2- Imp~1	I	-1.4	-2.1	0.1	-1.0	
-3.1	45.9		J	-1.4	-2.1	0.1	-1.0	
-3.3	48.0							
		q3	I	162.3	-9.4	-0.1	37.5	
-82.8	-433.4		J	159.1	-9.4	-0.1	37.5	
-79.7	-424.0							
		q4-1	I	0.5	1.6	0.7	-1.0	
9.9	41.8		J	0.5	1.6	0.7	-1.0	
9.2	40.2							
		q4-2	I	0.8	2.4	1.1	0.3	
15.5	77.2		J	0.8	2.4	1.1	0.3	
14.3	74.8							
		q4-3	I	-0.6	-0.8	1.0	0.7	
11.4	25.6		J	-0.6	-0.8	1.0	0.7	
10.4	26.4							
		q4-4	I	-4.1	-11.1	-0.4	-12.2	
-12.6	-240.6		J	-4.1	-11.1	-0.4	-12.2	
-12.3	-229.5							
		q4-5	I	13.0	25.9	-4.8	-28.1	
-40.1	81.6		J	13.0	25.9	-4.8	-28.1	
-35.3	55.6							
		q4-6	I	117.0	-17.7	-3.0	29.7	
47.4	-75.6		J	117.0	-17.7	-3.0	29.7	
50.4	-57.8							
		q4-7	I	118.7	5.9	4.3	11.7	
-48.6	-442.0		J	118.7	5.9	4.3	11.7	
-52.9	-447.9							
		q5 - p~1	I	-752.1	34.2	-47.6	-261.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-209.8	1455.6		J	-736.2	44.7	-48.2	-265.2	
-167.4	1416.0							
		q5 - p~2	I	765.4	-15.9	-28.8	85.2	
-253.6	-1060.7		J	760.7	-5.4	-28.6	81.4	
-223.2	-1049.9							
		q5 - p~3	I	-712.7	32.2	-40.2	-236.3	
-191.1	1388.3		J	-697.6	42.2	-40.7	-237.0	
-151.6	1350.9							
		q5 - p~4	I	724.8	-15.4	-28.4	80.6	
-225.4	-1006.6		J	720.4	-5.4	-28.2	79.9	
-196.7	-996.1							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	126.9	-23.2	2.9	44.4	
-32.2	-495.9		J	126.9	-23.2	2.9	44.4	
-35.1	-472.7							
		T	I	-1.8	-2.6	-0.8	-9.8	
11.4	56.6		J	-1.8	-2.6	-0.8	-9.8	
12.2	59.2							
		M. tor~1	I	-23.6	-288.9	-10.3	11.4	
-0.4	182.9		J	-23.6	-288.9	-10.3	1.1	
9.9	189.7							
		M. tor~2	I	-14.0	-170.8	-6.1	6.7	
-0.2	108.1		J	-14.0	-170.8	-6.1	0.6	
5.9	112.1							
		INVSLU Max	I	1194.9	270.8	1456.5	1948.5	4
0806.8	2092.0		J	1195.1	280.3	1705.3	2054.3	4
0278.7	2165.3	Min	I	-1115.2	-147.4	-989.9	-2985.0	1
2046.3	-5352.7		J	-1100.4	-156.9	-747.3	-2984.3	1
1880.0	-5549.7							
		INVSLV Max	I	1972.2	703.2	389.7	442.0	1
7253.2	13820.2		J	1977.3	703.2	527.4	442.0	1
6985.2	13327.9	Min	I	-1910.7	-628.9	-144.6	-910.0	1
1136.8	-15648.8		J	-1905.6	-628.9	-6.9	-910.0	1
1020.5	-15231.1							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

0211.1	1456.4	INVSLE Max	I	804.7	198.5	1075.8	1426.6	3
			J	805.3	204.8	1260.0	1504.7	2
9822.0	1513.4	Min	I	-745.7	-107.1	-730.1	-2194.3	
8939.3	-3871.7		J	-735.2	-113.4	-550.4	-2193.5	
8814.1	-4020.4							
945	1	52 C1-C2;~1 Max	I	89.4	135.8	968.6	1469.4	1
5675.7	1527.6		J	89.4	135.8	1015.6	1546.6	1
5421.6	1643.3	Min	I	-85.4	-119.3	-779.5	-1802.6	-
4947.6	-2140.6		J	-83.1	-119.3	-738.4	-1729.5	-
4973.5	-2273.1							
		C3-C4;~1 Max	I	91.0	138.1	970.4	1229.4	1
5650.8	1586.6		J	91.0	138.1	1017.5	1246.5	1
5398.6	1703.1	Min	I	-86.4	-121.2	-781.2	-1924.1	-
5044.1	-2186.0		J	-84.1	-121.2	-740.0	-1923.4	-
5070.6	-2319.4							
		C1-C2;~2 Max	I	48.2	71.4	577.2	836.5	
9081.0	814.8		J	48.2	71.4	604.2	886.8	
8946.6	877.3	Min	I	-49.9	-64.0	-462.0	-1076.6	-
2491.8	-1146.8		J	-48.7	-64.0	-437.4	-1027.8	-
2534.1	-1216.9							
		C3-C4;~2 Max	I	48.9	72.4	578.0	676.9	
9069.4	854.0		J	48.9	72.4	605.2	693.9	
8936.5	917.1	Min	I	-50.4	-64.9	-462.4	-1120.2	-
2544.6	-1167.6		J	-49.2	-64.9	-437.7	-1109.7	-
2588.0	-1238.1							
		SLVx (RS)	I	-1558.3	-568.6	184.7	577.6	
2007.9	-12274.9		J	-1558.3	-568.6	184.7	577.6	
2016.6	-11835.2							
		SLVy (RS)	I	1058.8	-319.9	163.6	235.3	
-760.7	-4867.4		J	1058.8	-319.9	163.6	235.3	
-769.7	-4807.2							
		SLDx (RS)	I	-1130.7	-419.4	139.2	408.4	
1457.6	-9053.7		J	-1130.7	-419.4	139.2	408.4	
1466.3	-8731.2							
		SLDy (RS)	I	725.0	-236.9	119.6	159.6	
-536.5	-3397.8		J	725.0	-236.9	119.6	159.6	
-547.4	-3357.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2149.6	1814.5	SLVz (RS)	I	-152.1	128.1	-127.3	130.2	-
			J	-152.1	128.1	-127.3	130.2	-
2049.8	1722.8							
		G1	I	31.0	33.2	190.4	-301.9	1
0261.8	-838.4		J	34.7	33.2	291.2	-301.9	1
0020.0	-871.7							
		G2	I	11.3	12.1	69.3	-110.6	
3751.0	-307.6		J	12.7	12.1	106.1	-110.6	
3662.9	-319.8							
		G1- Imp~1	I	-4.6	-6.5	0.4	-2.9	
-10.4	153.1		J	-4.6	-6.5	0.4	-2.9	
-10.8	159.6							
		G2- Imp~1	I	-1.4	-2.0	0.1	-0.9	
-3.3	48.0		J	-1.4	-2.0	0.1	-0.9	
-3.4	50.1							
		q3	I	159.0	-11.5	-0.1	38.5	
-79.0	-424.1		J	155.8	-11.5	-0.1	38.5	
-75.8	-412.5							
		q4-1	I	0.6	1.6	0.7	-1.2	
9.1	40.2		J	0.6	1.6	0.7	-1.2	
8.4	38.7							
		q4-2	I	0.8	2.4	1.1	0.2	
14.3	74.8		J	0.8	2.4	1.1	0.2	
13.2	72.4							
		q4-3	I	-0.6	-0.8	1.0	0.5	
10.4	26.4		J	-0.6	-0.8	1.0	0.5	
9.4	27.2							
		q4-4	I	-4.3	-11.0	-0.4	-12.1	
-12.3	-229.5		J	-4.3	-11.0	-0.4	-12.1	
-12.0	-218.5							
		q4-5	I	13.3	25.7	-4.8	-27.6	
-35.7	55.6		J	13.3	25.7	-4.8	-27.6	
-30.8	29.8							
		q4-6	I	116.8	-19.3	-3.0	29.1	
50.8	-57.8		J	116.8	-19.3	-3.0	29.1	
53.9	-38.5							
		q4-7	I	118.7	4.3	4.3	12.3	
-52.5	-448.0		J	118.7	4.3	4.3	12.3	
-56.8	-452.3							
		q5 - p~1	I	-735.5	54.2	-48.1	-262.9	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-171.5	1416.2		J	-719.5	64.6	-48.7	-266.6	
-128.7	1356.6							
		q5 - p~2	I	760.6	-15.3	-28.7	84.1	
-221.6	-1050.3		J	755.9	-4.6	-28.5	80.3	
-191.2	-1040.3							
		q5 - p~3	I	-697.0	51.2	-40.7	-234.9	
-155.3	1351.1		J	-681.8	61.0	-41.3	-235.6	
-115.2	1294.8							
		q5 - p~4	I	720.3	-14.8	-28.3	82.3	
-195.1	-996.5		J	715.9	-4.7	-28.1	81.6	
-166.5	-986.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	126.5	-24.8	2.9	44.8	
-34.3	-472.7		J	126.5	-24.8	2.9	44.8	
-37.2	-447.8							
		T	I	-1.8	-2.6	-0.8	-9.9	
12.1	59.2		J	-1.8	-2.6	-0.8	-9.9	
12.8	61.8							
		M. tor~1	I	-27.4	-288.6	-10.1	1.0	
9.9	189.7		J	-27.4	-288.6	-10.1	-9.4	
20.0	196.1							
		M. tor~2	I	-16.2	-170.6	-6.0	0.6	
5.8	112.1		J	-16.2	-170.6	-6.0	-5.5	
11.8	116.0							
		INVSLU Max	I	1196.9	286.8	1705.2	1665.5	4
0269.0	2183.6		J	1197.0	296.1	1955.2	1773.1	3
9453.3	2239.1	Min	I	-1100.8	-164.6	-747.3	-3403.3	1
1881.0	-5544.0		J	-1085.8	-173.9	-506.2	-3405.7	1
1426.1	-5722.2							
		INVSLV Max	I	1957.9	739.8	532.1	271.0	1
6979.3	13334.6		J	1963.0	739.8	669.8	271.0	1
6554.3	12812.3	Min	I	-1885.3	-666.2	-11.7	-1103.6	1
1018.9	-15224.4		J	-1880.3	-666.2	125.9	-1103.6	1
0783.1	-14776.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9814.9	1527.0	INVSLE	Max	I	806.7	209.0	1260.0	1216.8	2	
				J	807.3	215.2	1445.1	1296.3	2	
9212.8	1572.3		Min	I	-735.5	-118.5	-550.4	-2504.1		
8814.7	-4016.2			J	-724.9	-124.7	-371.8	-2505.6		
8475.7	-4152.3									
946	1	52	C1-C2;~1	Max	I	91.1	134.7	1015.6	1465.5	1
5418.0	1650.4			J	91.1	134.7	1063.4	1544.2	1	
5089.5	1765.7		Min	I	-84.7	-118.3	-738.4	-1848.8	-	
4969.2	-2275.4			J	-82.3	-118.3	-698.3	-1776.1	-	
4995.0	-2407.2									
			C3-C4;~1	Max	I	92.8	136.9	1017.6	1137.0	1
5389.9	1710.1			J	92.8	136.9	1065.5	1157.1	1	
5063.0	1826.2		Min	I	-85.7	-120.2	-739.9	-2050.8	-	
5066.3	-2321.8			J	-83.4	-120.2	-699.8	-2052.4	-	
5092.7	-2454.7									
			C1-C2;~2	Max	I	49.1	70.8	604.2	834.9	
8945.4	881.4			J	49.1	70.8	631.6	886.0		
8769.4	943.6		Min	I	-49.5	-63.5	-437.3	-1107.1	-	
2532.4	-1218.1			J	-48.2	-63.5	-413.2	-1058.2	-	
2574.7	-1287.7									
			C3-C4;~2	Max	I	49.9	71.8	605.2	618.2	
8931.9	921.1			J	49.9	71.8	632.7	636.5		
8757.5	983.9		Min	I	-50.1	-64.4	-437.6	-1193.9	-	
2586.3	-1239.3			J	-48.9	-64.4	-413.4	-1184.1	-	
2629.6	-1309.4									
			SLVx (RS)	I	-1541.7	-605.1	183.8	586.1		
2013.9	-11835.0			J	-1541.7	-605.1	183.8	586.1		
2023.9	-11368.3									
			SLVy (RS)	I	1050.8	318.6	159.9	240.4		
-766.8	-4807.5			J	1050.8	318.6	159.9	240.4		
-801.1	-4751.8									
			SLDx (RS)	I	-1118.8	-447.5	138.4	415.4		
1464.5	-8731.1			J	-1118.8	-447.5	138.4	415.4		
1474.7	-8387.5									
			SLDy (RS)	I	720.4	235.7	116.9	162.4		
-544.9	-3358.1			J	720.4	235.7	116.9	162.4		
-574.5	-3322.2									


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2048.9	1722.9	SLVz (RS)	I	-149.2	134.5	-150.2	150.7	-
			J	-149.2	134.5	-150.2	150.7	-
1922.3	1625.5							
		G1	I	35.1	32.8	291.2	-432.3	1
0015.7	-866.9		J	38.8	32.8	392.1	-432.3	
9672.7	-899.9							
		G2	I	12.9	12.0	106.1	-158.2	
3661.3	-318.1		J	14.2	12.0	142.9	-158.2	
3536.3	-330.1							
		G1- Imp~1	I	-4.7	-6.4	0.4	-2.7	
-10.9	159.6		J	-4.7	-6.4	0.4	-2.7	
-11.3	166.0							
		G2- Imp~1	I	-1.5	-2.0	0.1	-0.9	
-3.5	50.1		J	-1.5	-2.0	0.1	-0.9	
-3.6	52.1							
		q3	I	155.6	-13.5	-0.1	39.5	
-75.1	-412.6		J	152.4	-13.5	-0.1	39.5	
-71.9	-399.0							
		q4-1	I	0.6	1.5	0.7	-1.3	
8.4	38.7		J	0.6	1.5	0.7	-1.3	
7.7	37.1							
		q4-2	I	0.8	2.4	1.1	-0.0	
13.2	72.4		J	0.8	2.4	1.1	-0.0	
12.0	69.9							
		q4-3	I	-0.6	-0.8	1.0	0.4	
9.4	27.2		J	-0.6	-0.8	1.0	0.4	
8.4	27.9							
		q4-4	I	-4.4	-11.0	-0.4	-11.9	
-12.0	-218.5		J	-4.4	-11.0	-0.4	-11.9	
-11.6	-207.5							
		q4-5	I	13.6	25.6	-4.8	-27.2	
-31.2	29.8		J	13.6	25.6	-4.8	-27.2	
-26.4	4.1							
		q4-6	I	116.5	-20.8	-3.0	28.4	
54.3	-38.5		J	116.5	-20.8	-3.0	28.4	
57.3	-17.6							
		q4-7	I	118.8	2.8	4.2	13.0	
-56.4	-452.4		J	118.8	2.8	4.2	13.0	
-60.7	-455.2							
		q5 - p~1	I	-718.6	73.9	-48.7	-264.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-132.8	1356.8		J	-702.4	84.0	-49.3	-268.4	
-89.4	1277.6							
		q5 - p~2	I	755.8	-14.5	-28.6	82.7	
-189.7	-1040.7		J	751.1	-3.7	-28.4	78.8	
-159.4	-1031.5							
		q5 - p~3	I	-681.0	69.9	-41.2	-234.0	
-118.9	1295.0		J	-665.6	79.4	-41.8	-234.7	
-78.3	1220.0							
		q5 - p~4	I	715.8	-14.0	-28.2	83.7	
-165.0	-987.0		J	711.3	-3.8	-28.0	83.0	
-136.5	-978.1							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	126.2	-26.5	2.9	45.3	
-36.4	-447.9		J	126.2	-26.5	2.9	45.3	
-39.3	-421.3							
		T	I	-1.9	-2.5	-0.8	-10.1	
12.7	61.8		J	-1.9	-2.5	-0.8	-10.1	
13.5	64.4							
		M. tor~1	I	-31.1	-288.2	-10.0	-9.6	
19.8	196.1		J	-31.1	-288.2	-10.0	-20.0	
29.9	202.2							
		M. tor~2	I	-18.4	-170.4	-5.9	-5.7	
11.7	116.0		J	-18.4	-170.4	-5.9	-11.8	
17.7	119.6							
		INVSLU Max	I	1198.8	302.4	1955.2	1421.9	3
9438.6	2257.6		J	1198.9	311.5	2206.3	1531.5	3
8335.9	2295.5	Min	I	-1086.1	-181.4	-506.2	-3816.4	1
1425.2	-5716.8		J	-1070.9	-190.5	-266.7	-3821.7	1
0783.7	-5876.1							
		INVSLV Max	I	1943.6	777.5	674.7	109.2	1
6545.8	12818.8		J	1948.6	777.5	812.3	109.2	1
6035.0	12269.5	Min	I	-1859.8	-704.6	121.0	-1297.6	1
0779.4	-14769.5		J	-1854.8	-704.6	258.7	-1297.6	1
0353.1	-14293.4							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9202.0	1585.9	INVSLE	Max	I	808.6	219.3	1445.1	1036.3	2
				J	809.2	225.3	1631.1	1117.2	2
8387.2	1619.5		Min	I	-725.1	-129.6	-371.8	-2809.9	
8474.9	-4148.3			J	-714.4	-135.7	-194.3	-2813.7	
7997.7	-4271.7								
947	1	52 C1-C2;~1	Max	I	92.9	133.5	1063.4	1464.5	1
5084.5	1772.8			J	92.9	133.5	1112.0	1544.5	1
4682.0	1887.6		Min	I	-83.8	-117.3	-698.3	-1893.0	-
4989.8	-2409.6			J	-81.3	-117.3	-659.5	-1820.1	-
5015.5	-2540.6								
		C3-C4;~1	Max	I	94.6	135.7	1065.5	1055.5	1
5052.5	1833.3			J	94.6	135.7	1114.3	1078.7	1
4651.7	1949.0		Min	I	-85.0	-119.2	-699.8	-2180.4	-
5087.4	-2457.1			J	-82.5	-119.2	-660.8	-2184.0	-
5113.7	-2589.3								
		C1-C2;~2	Max	I	50.0	70.2	631.6	834.9	
8767.5	947.7			J	50.0	70.2	659.2	886.7	
8550.6	1009.6		Min	I	-49.1	-62.9	-413.2	-1135.9	-
2572.6	-1288.9			J	-47.7	-62.9	-389.5	-1086.7	-
2614.8	-1358.1								
		C3-C4;~2	Max	I	50.8	71.2	632.7	565.2	
8751.9	987.9			J	50.8	71.2	660.4	573.9	
8536.4	1050.4		Min	I	-49.7	-63.9	-413.4	-1267.8	-
2627.4	-1310.7			J	-48.4	-63.9	-389.6	-1258.7	-
2670.7	-1380.4								
		SLVx (RS)		I	-1525.0	-642.3	183.1	598.2	
2021.7	-11368.1			J	-1525.0	-642.3	183.1	598.2	
2032.6	-10878.0								
		SLVy (RS)		I	1043.0	316.4	154.4	246.3	
-798.4	-4752.0			J	1043.0	316.4	154.4	246.3	
-851.5	-4700.7								
		SLDx (RS)		I	-1106.9	-476.0	137.7	425.2	
1473.2	-8387.4			J	-1106.9	-476.0	137.7	425.2	
1484.6	-8025.6								
		SLDy (RS)		I	716.0	234.0	112.7	165.9	
-572.2	-3322.3			J	716.0	234.0	112.7	165.9	
-615.4	-3290.1								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1921.1	1625.6	SLVz (RS)	I	-146.3	140.7	-174.0	171.0	-
			J	-146.3	140.7	-174.0	171.0	-
1769.1	1523.4							
		G1	I	39.3	32.5	392.1	-558.2	
9666.7	-895.2		J	43.0	32.5	492.9	-558.2	
9222.4	-927.9							
		G2	I	14.4	11.9	142.9	-204.2	
3534.1	-328.4		J	15.7	11.9	179.7	-204.2	
3372.1	-340.4							
		G1- Imp~1	I	-4.7	-6.3	0.4	-2.6	
-11.4	166.0		J	-4.7	-6.3	0.4	-2.6	
-11.8	172.4							
		G2- Imp~1	I	-1.5	-2.0	0.1	-0.8	
-3.6	52.1		J	-1.5	-2.0	0.1	-0.8	
-3.8	54.1							
		q3	I	152.2	-15.5	-0.1	40.4	
-71.2	-399.1		J	149.0	-15.5	-0.1	40.4	
-68.0	-383.5							
		q4-1	I	0.6	1.5	0.7	-1.4	
7.6	37.1		J	0.6	1.5	0.7	-1.4	
6.9	35.6							
		q4-2	I	0.9	2.4	1.1	-0.2	
12.0	69.9		J	0.9	2.4	1.1	-0.2	
10.9	67.5							
		q4-3	I	-0.6	-0.8	1.0	0.3	
8.4	28.0		J	-0.6	-0.8	1.0	0.3	
7.5	28.7							
		q4-4	I	-4.6	-10.9	-0.4	-11.8	
-11.7	-207.5		J	-4.6	-10.9	-0.4	-11.8	
-11.4	-196.5							
		q4-5	I	14.0	25.4	-4.8	-26.9	
-26.7	4.1		J	14.0	25.4	-4.8	-26.9	
-21.9	-21.4							
		q4-6	I	116.2	-22.3	-3.0	27.6	
57.7	-17.6		J	116.2	-22.3	-3.0	27.6	
60.8	4.8							
		q4-7	I	118.8	1.2	4.2	13.8	
-60.3	-455.2		J	118.8	1.2	4.2	13.8	
-64.5	-456.5							
		q5 - p~1	I	-701.3	93.1	-49.3	-267.2	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-93.5	1277.8		J	-685.0	103.0	-49.9	-270.7	
-49.6	1179.4							
-157.9	-1031.9	q5 - p~2	I	751.0	-13.5	-28.4	80.8	
-127.7	-1023.8		J	746.2	-2.6	-28.3	76.8	
-81.9	1220.3	q5 - p~3	I	-664.5	88.1	-41.8	-233.5	
-40.8	1127.1		J	-649.1	97.4	-42.3	-234.2	
-134.9	-978.4	q5 - p~4	I	711.2	-13.1	-28.1	84.7	
-106.5	-970.5		J	706.7	-2.7	-27.9	83.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-38.5	-421.4	q7	I	125.9	-28.1	2.9	45.8	
-41.5	-393.2		J	125.9	-28.1	2.9	45.8	
13.3	64.4	T	I	-1.9	-2.5	-0.8	-10.3	
14.1	66.9		J	-1.9	-2.5	-0.8	-10.3	
29.5	202.2	M. tor~1	I	-34.9	-287.8	-9.9	-20.4	
39.4	207.9		J	-34.9	-287.8	-9.9	-30.8	
17.4	119.6	M. tor~2	I	-20.6	-170.1	-5.8	-12.0	
23.3	122.9		J	-20.6	-170.1	-5.8	-18.2	
8316.4	2313.8	INVSLU Max	I	1200.8	317.6	2206.3	1191.1	3
6927.3	2334.2		J	1200.8	326.5	2458.5	1302.3	3
0781.1	-5871.0	Min	I	-1071.2	-197.8	-266.7	-4225.2	1
9953.0	-6011.6		J	-1055.9	-206.7	-28.8	-4233.3	
6023.2	12275.8	INVSLV Max	I	1929.2	815.5	817.1	-42.4	1
5397.7	11703.5		J	1934.2	815.5	954.7	-42.4	1
0348.2	-14287.0	Min	I	-1834.3	-743.4	253.9	-1489.2	1
9760.2	-13787.1		J	-1829.3	-743.4	391.6	-1489.2	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8372.9	1633.0	INVSLE	Max	I	810.6	229.2	1631.1	865.2	2
				J	811.1	235.1	1817.9	947.3	2
7346.0	1654.9		Min	I	-714.6	-140.5	-194.3	-3112.7	
7995.6	-4268.0			J	-703.7	-146.4	-18.0	-3118.4	
7380.2	-4378.9								
948	1	52 C1-C2;~1	Max	I	94.6	132.3	1112.0	1474.8	1
4675.8	1894.6			J	94.6	132.3	1161.4	1556.3	1
4200.1	2008.6		Min	I	-82.8	-116.3	-659.5	-1942.0	-
5009.5	-2543.0			J	-80.1	-116.3	-621.8	-1963.3	-
5035.1	-2673.2								
		C3-C4;~1	Max	I	96.4	134.5	1114.3	997.9	1
4639.4	1956.0			J	96.4	134.5	1163.9	1000.9	1
4165.3	2071.1		Min	I	-84.1	-118.1	-660.8	-2324.4	-
5107.5	-2591.7			J	-81.5	-118.1	-623.0	-2329.9	-
5133.8	-2723.2								
		C1-C2;~2	Max	I	50.9	69.6	659.2	839.7	
8548.0	1013.7			J	50.9	69.6	687.1	892.4	
8290.5	1075.1		Min	I	-48.5	-62.4	-389.5	-1165.7	-
2612.2	-1359.4			J	-47.1	-62.4	-366.4	-1116.0	-
2654.3	-1428.1								
		C3-C4;~2	Max	I	51.8	70.5	660.4	523.2	
8529.8	1054.5			J	51.8	70.5	688.4	544.1	
8273.8	1116.6		Min	I	-49.2	-63.3	-389.6	-1346.4	-
2668.1	-1381.7			J	-47.8	-63.3	-366.5	-1337.8	-
2711.3	-1451.0								
		SLVx (RS)		I	-1508.2	-679.7	182.7	613.6	
2030.8	-10877.9			J	-1508.2	-679.7	182.7	613.6	
2042.2	10369.2								
		SLVy (RS)		I	1035.5	313.5	147.4	252.8	
-849.2	-4700.9			J	1035.5	313.5	147.4	252.8	
-913.8	-4653.3								
		SLDx (RS)		I	-1094.9	-504.6	137.2	437.4	
1483.5	-8025.5			J	-1094.9	-504.6	137.2	437.4	
1495.7	7649.0								
		SLDy (RS)		I	711.7	231.6	107.5	170.0	
-613.4	-3290.3			J	711.7	231.6	107.5	170.0	
-664.4	-3261.4								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1767.5	1523.5	SLVz (RS)	I	-143.5	146.8	-197.5	190.4	-
			J	-143.5	146.8	-197.5	190.4	-
1592.2	1417.7							
		G1	I	43.5	32.2	492.9	-678.1	
9214.8	-923.4		J	47.2	32.2	593.7	-678.1	
8669.3	-955.7							
		G2	I	15.9	11.8	179.7	-248.1	
3369.3	-338.8		J	17.2	11.8	216.6	-248.1	
3170.4	-350.6							
		G1- Imp~1	I	-4.8	-6.3	0.4	-2.4	
-11.9	172.3		J	-4.8	-6.3	0.4	-2.4	
-12.3	178.7							
		G2- Imp~1	I	-1.5	-2.0	0.1	-0.8	
-3.8	54.1		J	-1.5	-2.0	0.1	-0.8	
-3.9	56.1							
		q3	I	148.8	-17.5	-0.1	41.2	
-67.3	-383.6		J	145.5	-17.5	-0.1	41.2	
-64.1	-366.1							
		q4-1	I	0.6	1.5	0.7	-1.5	
6.9	35.6		J	0.6	1.5	0.7	-1.5	
6.2	34.1							
		q4-2	I	0.9	2.4	1.1	-0.3	
10.9	67.5		J	0.9	2.4	1.1	-0.3	
9.7	65.1							
		q4-3	I	-0.6	-0.7	1.0	0.2	
7.5	28.7		J	-0.6	-0.7	1.0	0.2	
6.5	29.5							
		q4-4	I	-4.7	-10.8	-0.3	-11.7	
-11.4	-196.5		J	-4.7	-10.8	-0.3	-11.7	
-11.1	-185.6							
		q4-5	I	14.3	25.2	-4.8	-26.6	
-22.2	-21.4		J	14.3	25.2	-4.8	-26.6	
-17.4	-46.7							
		q4-6	I	115.9	-23.8	-3.0	26.8	
61.1	4.7		J	115.9	-23.8	-3.0	26.8	
64.2	28.6							
		q4-7	I	118.8	-0.3	4.2	14.6	
-64.1	-456.5		J	118.8	-0.3	4.2	14.6	
-68.4	-456.2							
		q5 - p~1	I	-683.6	111.9	-49.9	-270.0	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-53.7	1179.6		J	-667.2	121.6	-50.5	-273.5	
-9.3	1062.4							
		q5 - p~2	I	746.1	-12.3	-28.3	78.4	
-126.2	-1024.1		J	741.3	-1.3	-28.1	74.4	
-96.1	-1017.3							
		q5 - p~3	I	-647.8	105.9	-42.3	-233.6	
-44.3	1127.4		J	-632.2	115.0	-42.9	-234.2	
-2.6	1016.5							
		q5 - p~4	I	706.6	-12.0	-27.9	85.2	
-105.0	-970.8		J	702.0	-1.5	-27.8	84.5	
-76.7	-964.0							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	125.5	-29.7	2.9	46.3	
-40.7	-393.2		J	125.5	-29.7	2.9	46.3	
-43.6	-363.4							
		T	I	-1.9	-2.5	-0.8	-10.4	
13.9	66.9		J	-1.9	-2.5	-0.8	-10.4	
14.7	69.4							
		M. tor~1	I	-38.6	-287.3	-9.7	-31.3	
38.9	207.9		J	-38.6	-287.3	-9.7	-41.7	
48.7	213.1							
		M. tor~2	I	-22.8	-169.8	-5.8	-18.5	
23.0	122.9		J	-22.8	-169.8	-5.8	-24.7	
28.8	126.0							
		INVSLU Max	I	1202.7	332.3	2458.5	986.8	3
6903.3	2352.2		J	1202.7	341.0	2711.8	1100.0	3
5228.9	2355.4	Min	I	-1056.2	-213.8	-28.8	-4643.1	
9948.7	-6006.9		J	-1040.6	-222.5	207.5	-4653.6	
8934.0	-6129.1							
		INVSLV Max	I	1914.9	853.5	969.6	-182.9	1
5384.2	11709.4		J	1920.0	853.5	1107.3	-182.9	1
4617.5	11118.9	Min	I	-1808.9	-782.1	376.6	-1675.9	
9752.7	-13780.9		J	-1803.9	-782.1	514.3	-1675.9	
9029.5	-13262.1							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


7328.3	1668.2	INVSLE	Max	I	812.5	238.9	1817.9	713.6	2	
				J	813.0	244.7	2005.4	797.2	2	
6090.0	1678.6		Min	I	-704.0	-151.1	-18.0	-3422.0		
7376.9	-4375.4			J	-693.0	-156.9	157.0	-3429.6		
6623.2	-4473.9									
949	1	52	C1-C2;~1	Max	I	96.3	131.1	1161.4	1498.8	1
4192.7	2015.3			J	96.3	131.1	1211.5	1582.1	1	
3644.6	2128.5			Min	I	-81.6	-115.3	-621.8	-2101.4	-
5028.1	-2675.6			J	-78.9	-115.3	-585.3	-2084.6	-	
5053.7	-2804.8									
			C3-C4;~1	Max	I	98.1	133.3	1163.9	964.6	1
4151.4	2077.8			J	98.1	133.3	1214.2	989.4	1	
3604.9	2192.2			Min	I	-83.0	-117.1	-623.0	-2469.0	-
5126.7	-2725.6			J	-80.3	-117.1	-586.4	-2476.2	-	
5152.8	-2856.2									
			C1-C2;~2	Max	I	51.8	68.9	687.1	850.7	
8287.3	1079.0			J	51.8	68.9	715.1	904.5		
7990.0	1140.0			Min	I	-47.9	-61.8	-366.4	-1196.6	-
2651.3	-1429.3			J	-46.3	-61.8	-343.9	-1193.0	-	
2693.4	-1497.5									
			C3-C4;~2	Max	I	52.7	69.9	688.4	489.3	
8266.3	1120.5			J	52.7	69.9	716.6	528.6		
7970.5	1182.2			Min	I	-48.6	-62.7	-366.4	-1424.0	-
2708.2	-1452.2			J	-47.2	-62.7	-343.9	-1415.8	-	
2751.4	-1521.0									
			SLVx (RS)	I	-1491.5	-716.9	182.9	631.4		
2041.0	10369.1			J	-1491.5	-716.9	182.9	631.4		
2052.6	9847.9									
			SLVy (RS)	I	1028.2	309.8	139.1	259.7		
-911.8	-4653.5			J	1028.2	309.8	139.1	259.7		
-981.1	-4608.9									
			SLDx (RS)	I	-1083.0	-532.9	137.1	451.4		
1495.0	7648.9			J	-1083.0	-532.9	137.1	451.4		
1507.6	7262.4									
			SLDy (RS)	I	707.6	228.7	101.3	174.5		
-662.7	-3261.5			J	707.6	228.7	101.3	174.5		
-716.5	-3235.2									

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1590.3	1417.7	SLVz (RS)	I	-140.8	152.6	-220.1	208.1	-
			J	-140.8	152.6	-220.1	208.1	-
1394.5	1309.7							
		G1	I	47.6	31.9	593.7	-790.8	
8660.3	-951.5		J	51.3	31.9	694.5	-790.8	
8013.5	-983.5							
		G2	I	17.4	11.7	216.6	-289.3	
3167.0	-349.1		J	18.8	11.7	253.4	-289.3	
2931.1	-360.8							
		G1- Imp~1	I	-4.9	-6.2	0.4	-2.2	
-12.4	178.6		J	-4.9	-6.2	0.4	-2.2	
-12.8	184.9							
		G2- Imp~1	I	-1.5	-2.0	0.1	-0.7	
-4.0	56.1		J	-1.5	-2.0	0.1	-0.7	
-4.1	58.0							
		q3	I	145.3	-19.4	-0.1	42.0	
-63.4	-366.1		J	142.1	-19.4	-0.1	42.0	
-60.2	-346.7							
		q4-1	I	0.7	1.5	0.7	-1.5	
6.1	34.1		J	0.7	1.5	0.7	-1.5	
5.4	32.6							
		q4-2	I	0.9	2.4	1.1	-0.4	
9.7	65.1		J	0.9	2.4	1.1	-0.4	
8.6	62.7							
		q4-3	I	-0.6	-0.7	1.0	0.1	
6.5	29.5		J	-0.6	-0.7	1.0	0.1	
5.5	30.2							
		q4-4	I	-4.9	-10.8	-0.3	-11.5	
-11.1	-185.6		J	-4.9	-10.8	-0.3	-11.5	
-10.8	-174.8							
		q4-5	I	14.6	25.0	-4.8	-26.4	
-17.7	-46.7		J	14.6	25.0	-4.8	-26.4	
-12.9	-71.8							
		q4-6	I	115.6	-25.3	-3.0	26.0	
64.5	28.6		J	115.6	-25.3	-3.0	26.0	
67.6	54.0							
		q4-7	I	118.8	-1.9	4.2	15.4	
-67.9	-456.3		J	118.8	-1.9	4.2	15.4	
-72.2	-454.4							
		q5 - p~1	I	-665.5	130.2	-50.5	-273.3	

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-13.4	1062.7		J	-649.0	139.7	-51.1	-276.7	
31.7	927.2							
		q5 - p~2	I	741.2	-10.9	-28.2	75.6	
-94.6	-1017.6		J	736.4	0.2	-28.0	71.6	
-64.7	-1012.3							
		q5 - p~3	I	-630.7	123.2	-42.9	-234.1	
-6.2	1016.7		J	-615.0	132.2	-43.5	-234.7	
36.1	888.5							
		q5 - p~4	I	701.9	-10.6	-27.8	85.4	
-75.1	-964.3		J	697.4	-0.1	-27.6	84.7	
-46.9	-958.9							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	125.1	-31.4	2.9	46.8	
-42.8	-363.4		J	125.1	-31.4	2.9	46.8	
-45.8	-331.9							
		T	I	-2.0	-2.5	-0.8	-10.6	
14.5	69.4		J	-2.0	-2.5	-0.8	-10.6	
15.3	71.9							
		M. tor~1	I	-42.4	-286.8	-9.6	-42.3	
48.0	213.1		J	-42.4	-286.8	-9.6	-52.8	
57.7	217.8							
		M. tor~2	I	-25.0	-169.5	-5.7	-25.0	
28.4	126.0		J	-25.0	-169.5	-5.7	-31.2	
34.1	128.8							
		INVSLU Max	I	1204.5	346.6	2711.8	814.9	3
5200.6	2372.5		J	1204.5	355.1	2966.0	930.3	3
3241.9	2435.4	Min	I	-1040.9	-229.3	207.5	-5048.9	
8928.1	-6124.9		J	-1025.2	-237.8	442.2	-5061.7	
7726.9	-6305.5							
		INVSLV Max	I	1900.8	891.0	1127.5	-311.3	1
4602.5	11124.5		J	1905.9	891.0	1265.2	-311.3	1
3693.1	10522.1	Min	I	-1783.7	-820.3	494.0	-1854.8	
9019.3	-13256.3		J	-1778.6	-820.3	631.7	-1854.8	
8162.5	-12724.8							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6069.2	1691.2	INVSLE	Max	I	814.4	248.2	2005.4	586.2	2
				J	814.9	253.9	2193.7	671.4	2
4620.4	1741.3		Min	I	-693.2	-161.3	157.0	-3722.4	
6618.8	-4470.8			J	-682.0	-167.0	330.9	-3731.7	
5726.9	-4608.1								
950	1	52 C1-C2;~1	Max	I	98.0	129.8	1211.5	1529.1	1
3636.2	2134.7			J	98.0	129.8	1262.3	1614.2	1
3016.7	2247.2		Min	I	-80.3	-114.2	-585.3	-2221.2	-
5045.8	-2807.2			J	-77.4	-114.2	-550.1	-2204.3	-
5071.3	-2935.3								
		C3-C4;~1	Max	I	99.8	132.0	1214.2	972.6	1
3589.5	2198.5			J	99.8	132.0	1265.1	1007.6	1
2971.6	2312.1		Min	I	-81.8	-116.0	-586.4	-2610.6	-
5144.8	-2858.7			J	-79.0	-116.0	-551.1	-2619.4	-
5170.9	-2988.2								
		C1-C2;~2	Max	I	52.7	68.2	715.2	864.9	
7986.2	1143.6			J	52.7	68.2	743.4	919.8	
7649.7	1204.1		Min	I	-47.1	-61.3	-343.9	-1224.6	-
2689.8	-1498.7			J	-45.4	-61.3	-322.0	-1252.9	-
2731.9	-1566.3								
		C3-C4;~2	Max	I	53.6	69.2	716.6	493.8	
7962.1	1185.9			J	53.6	69.2	744.9	534.2	
7627.2	1247.0		Min	I	-48.0	-62.2	-343.8	-1498.9	-
2747.8	-1522.3			J	-46.4	-62.2	-321.9	-1491.1	-
2790.9	-1590.5								
		SLVx (RS)		I	-1475.0	-753.4	183.8	-651.1	
2052.1	9847.7			J	-1475.0	-753.4	183.8	-651.1	-
2063.8	9321.6								
		SLVy (RS)		I	1021.3	305.7	-130.1	267.0	
-979.6	-4609.1			J	1021.3	305.7	-130.1	267.0	-
1047.9	-4566.5								
		SLDx (RS)		I	-1071.3	-560.7	137.5	-466.8	
1507.4	7262.2			J	-1071.3	-560.7	137.5	-466.8	-
1520.3	6871.4								
		SLDy (RS)		I	703.8	225.5	-94.5	179.5	
-715.2	-3235.3			J	703.8	225.5	-94.5	179.5	
-767.6	-3210.7								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1392.3	1309.7	SLVz (RS)	I	-138.3	158.2	-241.4	223.7	-
			J	-138.3	158.2	-241.4	223.7	-
1180.4	1201.5							
8003.1	-979.7	G1	I	51.8	31.5	694.5	-894.9	
			J	55.5	31.5	795.3	-894.9	
7255.1	-1011.3							
2927.3	-359.3	G2	I	18.9	11.5	253.4	-327.4	
			J	20.3	11.5	290.2	-327.4	
2654.4	-370.9							
-12.9	184.9	G1- Imp~1	I	-5.0	-6.1	0.4	-2.1	
			J	-5.0	-6.1	0.4	-2.1	
-13.3	191.1							
-4.1	58.0	G2- Imp~1	I	-1.6	-1.9	0.1	-0.7	
			J	-1.6	-1.9	0.1	-0.7	
-4.2	60.0							
-59.5	-346.8	q3	I	141.8	-21.2	-0.1	42.8	
			J	138.6	-21.2	-0.1	42.8	
-56.3	-325.5							
5.4	32.6	q4-1	I	0.7	1.5	0.7	-1.6	
			J	0.7	1.5	0.7	-1.6	
4.7	31.0							
8.5	62.7	q4-2	I	1.0	2.4	1.1	-0.5	
			J	1.0	2.4	1.1	-0.5	
7.4	60.4							
5.5	30.2	q4-3	I	-0.6	-0.7	1.0	0.1	
			J	-0.6	-0.7	1.0	0.1	
4.5	30.9							
-10.8	-174.8	q4-4	I	-5.0	-10.7	-0.3	-11.4	
			J	-5.0	-10.7	-0.3	-11.4	
-10.5	-164.1							
-13.2	-71.8	q4-5	I	14.9	24.8	-4.9	-26.2	
			J	14.9	24.8	-4.9	-26.2	
-8.3	-96.7							
67.9	54.0	q4-6	I	115.3	-26.8	-3.0	25.1	
			J	115.3	-26.8	-3.0	25.1	
70.9	81.0							
-71.7	-454.5	q4-7	I	118.7	-3.4	4.2	16.3	
			J	118.7	-3.4	4.2	16.3	
-76.0	-451.1							
		q5 - p~1	I	-647.1	148.1	-51.1	-277.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
27.6	927.5		J	-630.4	157.3	-51.7	-280.3	
73.3	774.1							
-63.3	-1012.6	q5 - p~2	I	736.3	-9.4	-28.1	72.3	
-33.4	-1008.8		J	731.5	1.9	-27.9	68.3	
32.6	888.8	q5 - p~3	I	-613.2	140.2	-43.5	-235.1	
75.5	743.7		J	-597.4	148.9	-44.1	-235.7	
-45.4	-959.2	q5 - p~4	I	697.3	-9.2	-27.7	85.2	
-17.3	-955.4		J	692.7	1.5	-27.5	84.4	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-45.0	-332.0	q7	I	124.7	-33.0	2.9	47.4	
-47.9	-298.9		J	124.7	-33.0	2.9	47.4	
15.1	71.9	T	I	-2.0	-2.4	-0.8	-10.8	
15.9	74.4		J	-2.0	-2.4	-0.8	-10.8	
56.9	217.8	M. tor~1	I	-46.1	-286.2	-9.4	-53.5	
66.4	221.9		J	-46.1	-286.2	-9.4	-64.0	
33.6	128.8	M. tor~2	I	-27.3	-169.2	-5.6	-31.6	
39.2	131.2		J	-27.3	-169.2	-5.6	-37.8	
3209.7	2451.4	INVSLU Max	I	1206.3	360.4	2966.0	667.6	3
1004.1	2555.6		J	1206.3	368.8	3221.2	785.6	3
7719.7	-6302.0	Min	I	-1025.5	-248.7	442.1	-5435.1	
6296.1	-6522.7		J	-1009.6	-261.8	675.1	-5450.0	
3677.0	10527.3	INVSLV Max	I	1887.0	927.6	1284.0	-426.6	1
2624.3	9920.8		J	1892.1	927.6	1421.7	-426.6	1
8149.7	-12719.4	Min	I	-1758.7	-857.6	612.8	-2023.3	
7159.6	-12183.2		J	-1753.6	-857.6	750.5	-2023.3	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


4596.6	1753.1	INVSLE	Max	I	816.2	257.3	2193.7	476.8	2
				J	816.7	262.8	2382.7	563.9	2
2962.1	1830.8		Min	I	-682.3	-171.4	330.9	-4008.3	
5721.5	-4605.4			J	-671.0	-177.6	503.4	-4019.0	
4667.6	-4769.3								
951	1	52 C1-C2;~1	Max	I	99.7	128.5	1262.3	1564.5	1
3007.4	2252.9			J	99.7	128.5	1313.7	1651.8	1
2317.6	2364.4		Min	I	-78.9	-113.1	-550.1	-2337.2	-
5062.4	-2937.8			J	-75.8	-113.1	-516.1	-2320.1	-
5087.9	-3064.9								
		C3-C4;~1	Max	I	101.5	130.7	1265.1	985.7	1
2954.8	2317.9			J	101.5	130.7	1316.6	1030.8	1
2266.7	2430.6		Min	I	-80.4	-114.9	-551.1	-2747.6	-
5161.9	-2990.7			J	-77.4	-114.9	-517.1	-2757.7	-
5187.9	-3119.3								
		C1-C2;~2	Max	I	53.6	67.6	743.4	882.0	
7645.5	1207.4			J	53.6	67.6	771.8	938.2	
7270.7	1267.4		Min	I	-46.2	-60.7	-322.0	-1330.8	-
2727.9	-1567.6			J	-44.5	-60.7	-300.8	-1309.6	-
2769.9	-1634.6								
		C3-C4;~2	Max	I	54.5	68.5	745.0	501.2	
7618.1	1250.4			J	54.5	68.5	773.4	542.8	
7244.9	1311.1		Min	I	-47.1	-61.6	-321.9	-1570.4	-
2786.8	-1591.9			J	-45.4	-61.6	-300.5	-1562.8	-
2829.9	-1659.5								
		SLVx (RS)		I	-1458.7	-789.0	185.6	-672.2	-
2064.1	9321.4			J	-1458.7	-789.0	185.6	-672.2	-
2076.2	8800.0								
		SLVy (RS)		I	1014.7	301.5	-121.0	274.7	-
1046.8	-4566.7			J	1014.7	301.5	-121.0	274.7	-
1110.1	-4524.9								
		SLDx (RS)		I	-1059.7	-587.7	138.5	-483.2	-
1520.8	6871.3			J	-1059.7	-587.7	138.5	-483.2	-
1533.9	6483.4								
		SLDy (RS)		I	700.2	222.1	-87.6	184.7	
-766.7	-3210.9			J	700.2	222.1	-87.6	184.7	
-814.8	-3187.1								

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1178.0	1201.4	SLVz (RS)	I	-135.9	163.6	-260.9	236.7	-
-957.3	1095.7		J	-135.9	163.6	-260.9	236.7	
7243.4	-1007.8	G1	I	56.0	31.2	795.3	-989.0	
6394.2	-1039.1		J	59.7	31.2	896.2	-989.0	
2650.1	-369.6	G2	I	20.5	11.4	290.2	-361.8	
2340.3	-381.1		J	21.8	11.4	327.0	-361.8	
-13.4	191.1	G1- Imp~1	I	-5.1	-6.1	0.4	-1.9	
-13.8	197.2		J	-5.1	-6.1	0.4	-1.9	
-4.3	60.0	G2- Imp~1	I	-1.6	-1.9	0.1	-0.6	
-4.4	61.9		J	-1.6	-1.9	0.1	-0.6	
-55.6	-325.6	q3	I	138.3	-23.0	-0.1	43.5	
-52.4	-302.5		J	135.1	-23.0	-0.1	43.5	
4.6	31.0	q4-1	I	0.7	1.5	0.7	-1.7	
3.9	29.5		J	0.7	1.5	0.7	-1.7	
7.4	60.4	q4-2	I	1.0	2.4	1.1	-0.6	
6.3	58.0		J	1.0	2.4	1.1	-0.6	
4.5	30.9	q4-3	I	-0.6	-0.7	1.0	0.0	
3.5	31.7		J	-0.6	-0.7	1.0	0.0	
-10.6	-164.1	q4-4	I	-5.1	-10.6	-0.3	-11.3	
-10.2	-153.4		J	-5.1	-10.6	-0.3	-11.3	
-8.6	-96.7	q4-5	I	15.3	24.6	-4.9	-26.1	
-3.7	-121.4		J	15.3	24.6	-4.9	-26.1	
71.2	80.9	q4-6	I	114.9	-28.3	-3.0	24.2	
74.2	109.4		J	114.9	-28.3	-3.0	24.2	
-75.5	-451.2	q4-7	I	118.7	-5.0	4.2	17.3	
-79.8	-446.2		J	118.7	-5.0	4.2	17.3	
		q5 - p~1	I	-628.3	165.5	-51.8	-281.2	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
69.2	774.4			J	-611.5	174.5	-52.4	-284.5
115.5	603.7							
-32.1	-1009.1	q5 - p~2		I	731.4	-7.6	-27.9	68.6
-2.4	-1007.2			J	726.5	3.8	-27.7	64.5
72.1	743.9	q5 - p~3		I	-595.4	156.7	-44.2	-236.7
115.6	582.4			J	-579.5	165.2	-44.7	-237.3
-15.8	-955.7	q5 - p~4		I	692.6	-7.5	-27.6	84.6
12.1	-953.6			J	688.0	3.3	-27.4	83.8
0.0	0.0	q5 - p~5		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-47.2	-298.9	q7		I	124.2	-34.6	2.9	48.0
-50.1	-264.2			J	124.2	-34.6	2.9	48.0
15.7	74.4	T		I	-2.0	-2.4	-0.8	-11.0
16.5	76.8			J	-2.0	-2.4	-0.8	-11.0
65.4	222.0	M. tor~1		I	-49.8	-285.6	-9.3	-64.8
74.8	225.4			J	-49.8	-285.6	-9.3	-75.3
38.7	131.2	M. tor~2		I	-29.5	-168.8	-5.5	-38.3
44.2	133.3			J	-29.5	-168.8	-5.5	-44.5
0966.0	2570.3	INVSLU Max		I	1208.2	375.9	3221.2	546.1 3
8511.5	2675.6			J	1208.1	388.7	3477.2	666.9 2
6290.1	-6519.8	Min		I	-1009.9	-273.1	675.0	-5797.3
4647.4	-6740.3			J	-993.8	-286.0	906.2	-5813.8
2607.4	9925.5	INVSLV Max		I	1873.7	963.1	1439.0	-527.7 1
1412.6	9325.1			J	1878.8	963.1	1576.6	-527.7 1
7144.2	-12178.3	Min		I	-1734.1	-893.9	733.1	-2178.9
6019.9	-11647.3			J	-1729.0	-893.9	870.8	-2178.9


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


2934.2	1841.6	INVSLE Max	I	818.1	266.0	2382.7	386.5	2
			J	818.6	271.5	2572.3	475.8	2
1113.0	1919.9	Min	I	-671.2	-185.1	503.4	-4276.3	
4662.9	-4767.2		J	-659.8	-193.6	674.7	-4288.3	
3449.1	-4930.8							
952	1	52 C1-C2;~1 Max	I	101.4	127.2	1313.7	1605.1	1
2307.6	2369.7		J	101.4	127.2	1365.7	1694.8	1
1548.7	2480.2	Min	I	-77.2	-112.0	-516.1	-2446.0	-
5078.1	-3067.3		J	-74.0	-112.0	-483.5	-2428.7	-
5103.5	-3193.3							
		C3-C4;~1 Max	I	103.2	129.4	1316.7	1003.8	1
2248.6	2436.0		J	103.2	129.4	1368.8	1059.3	1
1491.6	2547.8	Min	I	-78.9	-113.8	-517.1	-2878.3	-
5178.0	-3121.8		J	-75.8	-113.8	-484.4	-2889.6	-
5204.0	-3249.2							
		C1-C2;~2 Max	I	54.5	66.9	771.8	902.2	
7266.2	1270.4		J	54.5	66.9	800.3	959.8	
6854.0	1329.9	Min	I	-45.2	-60.1	-300.7	-1383.4	-
2765.4	-1635.9		J	-43.4	-60.1	-280.1	-1361.7	-
2807.4	-1702.3							
		C3-C4;~2 Max	I	55.4	67.8	773.4	511.4	
7235.1	1314.2		J	55.4	67.8	802.0	554.4	
6824.7	1374.4	Min	I	-46.2	-61.0	-300.5	-1637.5	-
2825.3	-1660.9		J	-44.4	-61.0	-279.9	-1630.1	-
2868.4	-1727.9							
		SLVx (RS)	I	-1442.8	-823.4	188.4	-694.0	-
2077.4	8799.8		J	-1442.8	-823.4	188.4	-694.0	-
2090.3	8295.3							
		SLVy (RS)	I	1008.4	297.4	-112.5	282.7	-
1109.4	-4525.2		J	1008.4	297.4	-112.5	282.7	-
1164.6	-4483.0							
		SLDx (RS)	I	-1048.4	-613.8	140.4	-500.1	-
1535.1	6483.3		J	-1048.4	-613.8	140.4	-500.1	-
1548.8	6107.8							
		SLDy (RS)	I	696.9	218.9	-81.2	190.3	
-814.3	-3187.2		J	696.9	218.9	-81.2	190.3	
-855.9	-3163.1							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-954.9	1095.6	SLVz (RS)	I	-133.8	168.6	-278.4	246.9
			J	-133.8	168.6	-278.4	246.9
-739.8	996.0						
		G1	I	60.2	30.8	896.1	-1071.9
6381.3	-1036.0		J	63.9	30.8	997.0	-1071.9
5431.0	-1066.9						
		G2	I	22.0	11.3	327.0	-392.2
2335.6	-380.0		J	23.4	11.3	363.8	-392.2
1988.7	-391.3						
		G1- Imp~1	I	-5.1	-6.0	0.4	-1.7
-14.0	197.2		J	-5.1	-6.0	0.4	-1.7
-14.4	203.2						
		G2- Imp~1	I	-1.6	-1.9	0.1	-0.5
-4.5	61.9		J	-1.6	-1.9	0.1	-0.5
-4.6	63.8						
		q3	I	134.8	-24.8	-0.1	44.2
-51.7	-302.5		J	131.6	-24.8	-0.1	44.2
-48.5	-277.7						
		q4-1	I	0.7	1.5	0.7	-1.7
3.9	29.5		J	0.7	1.5	0.7	-1.7
3.2	28.0						
		q4-2	I	1.0	2.3	1.1	-0.7
6.2	58.0		J	1.0	2.3	1.1	-0.7
5.1	55.7						
		q4-3	I	-0.6	-0.7	1.0	-0.0
3.5	31.7		J	-0.6	-0.7	1.0	-0.0
2.5	32.4						
		q4-4	I	-5.3	-10.6	-0.3	-11.1
-10.3	-153.4		J	-5.3	-10.6	-0.3	-11.1
-10.0	-142.8						
		q4-5	I	15.6	24.4	-4.9	-26.0
-4.0	-121.4		J	15.6	24.4	-4.9	-26.0
0.9	-145.9						
		q4-6	I	114.5	-29.8	-3.0	23.2
74.5	109.4		J	114.5	-29.8	-3.0	23.2
77.5	139.3						
		q4-7	I	118.6	-6.5	4.2	18.3
-79.3	-446.3		J	118.6	-6.5	4.2	18.3
-83.5	-439.7						
		q5 - p~1	I	-609.2	182.4	-52.5	-286.0

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
111.5	604.0			J	-592.3	191.3	-53.1	-289.1	
158.4	416.4								
-1.0	-1007.4	q5 - p~2		I	726.5	-5.7	-27.8	64.5	
28.5	-1007.5			J	721.6	5.9	-27.6	60.3	
112.2	582.6	q5 - p~3		I	-577.3	172.7	-44.8	-238.7	
156.4	405.1			J	-561.3	181.1	-45.4	-239.3	
13.7	-953.8	q5 - p~4		I	688.0	-5.6	-27.4	83.6	
41.5	-953.6			J	683.3	5.3	-27.2	82.8	
0.0	0.0	q5 - p~5		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
-49.4	-264.3	q7		I	123.8	-36.2	2.9	48.6	
-52.3	-227.9			J	123.8	-36.2	2.9	48.6	
16.3	76.8	T		I	-2.1	-2.4	-0.8	-11.2	
17.1	79.2			J	-2.1	-2.4	-0.8	-11.2	
73.7	225.5	M. tor~1		I	-53.5	-284.9	-9.2	-76.2	
82.9	228.3			J	-53.5	-284.9	-9.2	-86.7	
43.5	133.3	M. tor~2		I	-31.6	-168.4	-5.4	-45.1	
49.0	135.0			J	-31.6	-168.4	-5.4	-51.3	
8470.3	2688.8	INVSLU Max		I	1210.0	398.5	3477.2	452.8	2
5736.6	2795.2			J	1209.8	411.0	3734.0	576.7	2
4640.6	-6738.1	Min		I	-994.1	-296.9	906.2	-6130.7	
2810.8	-6958.4			J	-977.8	-309.4	1135.6	-6148.7	
1395.2	9329.2	INVSLV Max		I	1860.8	997.4	1592.3	-613.4	1
0062.3	8747.8			J	1865.9	997.4	1730.0	-613.4	1
6001.8	-11642.9	Min		I	-1710.1	-929.0	855.1	-2319.2	
4739.2	-11130.2			J	-1705.0	-929.0	992.7	-2319.2	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1082.8	1929.6	INVSLE	Max	I	820.0	276.2	2572.3	317.1	2
				J	820.4	284.5	2762.4	408.7	1
9054.7	2008.6		Min	I	-660.1	-200.9	674.7	-4522.9	
3443.8	-4929.2			J	-648.5	-209.3	844.7	-4536.1	
2091.5	-5092.5								
953	1	52 C1-C2;~1	Max	I	103.0	125.9	1365.7	1651.3	1
1538.2	2485.0			J	103.0	125.9	1418.2	1743.6	1
0711.6	2594.5		Min	I	-75.4	-110.9	-483.5	-2545.6	-
5092.8	-3195.7			J	-72.1	-110.9	-452.1	-2528.1	-
5118.2	-3320.5								
		C3-C4;~1	Max	I	104.9	128.0	1368.8	1027.5	1
1472.5	2552.6			J	104.9	128.0	1421.4	1093.1	1
0648.0	2663.5		Min	I	-77.2	-112.7	-484.4	-3002.9	-
5193.1	-3251.7			J	-73.9	-112.7	-453.0	-3014.0	-
5219.0	-3378.0								
		C1-C2;~2	Max	I	55.4	66.2	800.3	925.6	
6849.2	1332.5			J	55.4	66.2	828.9	984.8	
6400.7	1391.5		Min	I	-44.1	-59.5	-280.1	-1430.4	-
2802.4	-1703.7			J	-42.1	-59.5	-260.2	-1408.3	-
2844.4	-1769.5								
		C3-C4;~2	Max	I	56.2	67.1	802.1	525.0	
6814.4	1377.1			J	56.2	67.1	830.7	569.2	
6367.8	1436.8		Min	I	-45.2	-60.4	-279.9	-1700.0	-
2863.2	-1729.3			J	-43.2	-60.4	-259.9	-1692.2	-
2906.3	-1795.7								
		SLVx (RS)		I	-1427.3	-856.5	192.3	-716.2	-
2092.5	8295.1			J	-1427.3	-856.5	192.3	-716.2	-
2107.0	7822.6								
		SLVy (RS)		I	1002.5	293.8	-105.5	291.0	-
1164.5	-4483.3			J	1002.5	293.8	-105.5	291.0	-
1209.6	-4439.6								
		SLDx (RS)		I	-1037.5	-638.8	143.0	-517.1	-
1550.8	6107.6			J	-1037.5	-638.8	143.0	-517.1	-
1565.5	5755.8								
		SLDy (RS)		I	693.8	216.1	-76.0	196.3	
-855.8	-3163.3			J	693.8	216.1	-76.0	196.3	
-889.7	-3138.0								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-737.7	995.9	SLVz (RS)	I	-131.9	173.3	-293.5	254.0
			J	-131.9	173.3	-293.5	254.0
-562.8	907.5						
		G1	I	64.3	30.5	997.0	-1142.2
5417.1	-1064.3		J	68.1	30.5	1097.8	-1142.2
4365.5	-1094.9						
		G2	I	23.5	11.2	363.8	-417.9
1983.7	-390.3		J	24.9	11.2	400.6	-417.9
1599.9	-401.5						
		G1- Imp~1	I	-5.2	-5.9	0.4	-1.5
-14.5	203.2		J	-5.2	-5.9	0.4	-1.5
-14.9	209.2						
		G2- Imp~1	I	-1.6	-1.9	0.1	-0.5
-4.6	63.8		J	-1.6	-1.9	0.1	-0.5
-4.8	65.7						
		q3	I	131.3	-26.5	-0.1	44.8
-47.8	-277.8		J	128.0	-26.5	-0.1	44.8
-44.6	-251.2						
		q4-1	I	0.7	1.5	0.7	-1.7
3.2	28.0		J	0.7	1.5	0.7	-1.7
2.4	26.5						
		q4-2	I	1.1	2.3	1.1	-0.8
5.1	55.7		J	1.1	2.3	1.1	-0.8
4.0	53.3						
		q4-3	I	-0.6	-0.7	1.0	-0.1
2.5	32.4		J	-0.6	-0.7	1.0	-0.1
1.5	33.1						
		q4-4	I	-5.4	-10.5	-0.3	-11.0
-10.1	-142.8		J	-5.4	-10.5	-0.3	-11.0
-9.7	-132.2						
		q4-5	I	15.9	24.2	-4.9	-26.1
0.7	-145.9		J	15.9	24.2	-4.9	-26.1
5.6	-170.2						
		q4-6	I	114.1	-31.3	-3.0	22.2
77.7	139.3		J	114.1	-31.3	-3.0	22.2
80.8	170.7						
		q4-7	I	118.5	-8.0	4.2	19.4
-83.1	-439.8		J	118.5	-8.0	4.2	19.4
-87.3	-431.8						
		q5 - p~1	I	-589.8	198.9	-53.1	-291.2

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
154.4	416.7		J	-572.7	207.5	-53.8	-294.3	
201.9	212.7							
29.8	-1007.8	q5 - p~2	I	721.6	-3.5	-27.6	59.9	
59.2	-1010.1		J	716.7	8.1	-27.4	55.7	
153.1	405.3	q5 - p~3	I	-558.9	188.3	-45.5	-241.3	
197.9	212.2		J	-542.8	196.5	-46.1	-241.9	
43.0	-953.9	q5 - p~4	I	683.3	-3.6	-27.3	82.2	
70.6	-955.8		J	678.6	7.5	-27.1	81.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-51.6	-228.0	q7	I	123.3	-37.8	3.0	49.3	
-54.5	-190.0		J	123.3	-37.8	3.0	49.3	
16.9	79.2	T	I	-2.1	-2.4	-0.8	-11.5	
17.7	81.6		J	-2.1	-2.4	-0.8	-11.5	
81.6	228.3	M. tor~1	I	-57.2	-284.2	-9.0	-87.8	
90.7	230.4		J	-57.2	-284.2	-9.0	-98.3	
48.3	135.0	M. tor~2	I	-33.8	-168.0	-5.3	-51.9	
53.6	136.2		J	-33.8	-168.0	-5.3	-58.1	
5692.9	2806.7	INVSLU Max	I	1211.8	420.4	3734.0	390.7	2
2681.9	2914.4		J	1211.6	432.6	3991.5	518.0	2
2803.4	-6957.1	Min	I	-978.2	-320.0	1135.5	-6433.1	
786.5	-7177.2		J	-961.6	-332.2	1363.2	-6450.8	
0044.8	8751.2	INVSLV Max	I	1848.6	1030.4	1744.1	-682.5	1
8584.4	8205.1		J	1853.7	1030.4	1881.8	-682.5	
4718.5	-11126.5	Min	I	-1686.7	-962.8	978.5	-2441.8	
3307.1	-10648.2		J	-1681.6	-962.8	1116.2	-2441.8	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


9022.6	2017.2	INVSLE Max	I	821.8	290.7	2762.5	270.7	1
6789.1	2096.9		J	822.2	298.8	2953.1	364.9	1
2085.8	-5091.5	Min	I	-648.8	-216.3	844.6	-4746.6	
594.9	-5254.6		J	-637.0	-224.4	1013.3	-4759.5	
954	1	52 C1-C2;~1 Max	I	104.7	124.6	1418.2	1703.7	1
0700.7	2598.7		J	104.7	124.6	1471.2	1798.8	
9808.2	2707.3	Min	I	-73.4	-109.7	-452.1	-2634.2	-
5106.6	-3323.0		J	-69.9	-109.7	-422.0	-2616.4	-
5132.0	-3446.6							
0628.0	2667.7	C3-C4;~1 Max	I	106.6	126.7	1421.4	1065.2	1
9737.9	2777.6		J	106.6	126.7	1474.5	1133.0	
5207.2	-3380.5	Min	I	-75.3	-111.5	-453.0	-3121.5	-
5233.2	-3505.6		J	-71.8	-111.5	-422.9	-3132.1	-
6395.8	1393.8	C1-C2;~2 Max	I	56.2	65.5	828.9	952.8	
5912.2	1452.2		J	56.2	65.5	857.5	1013.6	
2838.8	-1770.8	Min	I	-42.8	-58.9	-260.1	-1471.0	-
2880.8	-1835.9		J	-40.7	-58.9	-240.9	-1448.4	-
6357.0	1439.1	C3-C4;~2 Max	I	57.1	66.4	830.7	542.1	
5875.5	1498.3		J	57.1	66.4	859.4	587.7	
2900.6	-1797.1	Min	I	-43.9	-59.7	-259.9	-1758.1	-
2943.8	-1862.9		J	-41.9	-59.7	-240.6	-1749.8	-
2110.4	7822.4	SLVx (RS)	I	-1412.4	-887.9	197.1	-738.2	-
2127.6	7400.3		J	-1412.4	-887.9	197.1	-738.2	-
1210.0	-4439.8	SLVy (RS)	I	997.1	291.3	-101.2	299.6	-
1244.2	-4393.5		J	997.1	291.3	-101.2	299.6	-
1568.3	5755.7	SLDx (RS)	I	-1026.9	-662.6	146.4	-533.9	-
1584.8	5441.8		J	-1026.9	-662.6	146.4	-533.9	-
-890.0	-3138.2	SLDy (RS)	I	691.0	214.1	-72.7	202.5	
-915.4	-3110.8		J	691.0	214.1	-72.7	202.5	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-561.5	907.4	SLVz (RS)	I	-130.4	177.6	-306.2	257.7
			J	-130.4	177.6	-306.2	257.7
-500.7	836.8						
4350.8	-1092.8	G1	I	68.5	30.1	1097.8	-1198.6
3198.0	-1123.0		J	72.3	30.1	1198.6	-1198.6
1594.5	-400.8	G2	I	25.0	11.0	400.6	-438.6
1173.8	-411.8		J	26.4	11.0	437.5	-438.6
-15.0	209.2	G1- Imp~1	I	-5.3	-5.9	0.4	-1.3
-15.4	215.1		J	-5.3	-5.9	0.4	-1.3
-4.8	65.7	G2- Imp~1	I	-1.7	-1.9	0.1	-0.4
-4.9	67.5		J	-1.7	-1.9	0.1	-0.4
-43.9	-251.2	q3	I	127.7	-28.1	-0.1	45.3
-40.7	-223.0		J	124.5	-28.1	-0.1	45.3
2.4	26.5	q4-1	I	0.7	1.5	0.7	-1.8
1.7	25.1		J	0.7	1.5	0.7	-1.8
4.0	53.3	q4-2	I	1.1	2.3	1.1	-0.8
2.8	51.0		J	1.1	2.3	1.1	-0.8
1.5	33.1	q4-3	I	-0.7	-0.7	1.0	-0.1
0.5	33.8		J	-0.7	-0.7	1.0	-0.1
-9.8	-132.2	q4-4	I	-5.5	-10.4	-0.3	-10.9
-9.5	-121.7		J	-5.5	-10.4	-0.3	-10.9
5.3	-170.2	q4-5	I	16.2	24.0	-4.9	-26.1
10.2	-194.2		J	16.2	24.0	-4.9	-26.1
81.0	170.7	q4-6	I	113.7	-32.8	-3.0	21.2
84.0	203.7		J	113.7	-32.8	-3.0	21.2
-86.8	-431.9	q4-7	I	118.4	-9.6	4.2	20.5
-91.0	-422.2		J	118.4	-9.6	4.2	20.5
		q5 - p~1	I	-570.0	214.9	-53.9	-296.9

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
198.0	213.0		J	-552.8	223.3	-54.5	-299.9	
246.2	-7.0							
60.4	-1010.3	q5 - p~2	I	716.7	-1.2	-27.5	54.8	
89.7	-1015.0		J	711.7	10.6	-27.3	50.6	
194.6	212.5	q5 - p~3	I	-540.1	203.5	-46.1	-244.5	
240.1	4.2		J	-523.9	211.4	-46.7	-245.0	
72.1	-956.0	q5 - p~4	I	678.7	-1.4	-27.1	80.5	
99.6	-960.2		J	674.0	9.8	-27.0	79.7	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-53.8	-190.1	q7	I	122.8	-39.4	3.0	50.0	
-56.8	-150.5		J	122.8	-39.4	3.0	50.0	
17.5	81.6	T	I	-2.1	-2.3	-0.8	-11.7	
18.3	83.9		J	-2.1	-2.3	-0.8	-11.7	
89.3	230.5	M. tor~1	I	-60.9	-283.4	-8.9	-99.5	
98.2	231.8		J	-60.9	-283.4	-8.9	-110.0	
52.8	136.3	M. tor~2	I	-36.0	-167.6	-5.3	-58.8	
58.1	137.0		J	-36.0	-167.6	-5.3	-65.0	
2636.2	2924.2	INVSLU Max	I	1213.5	441.6	3991.6	363.0	2
9350.3	3033.3		J	1213.4	453.5	4249.6	494.1	1
778.9	-7176.9	Min	I	-962.0	-342.5	1363.1	-6702.1	
1425.2	-7397.1		J	-945.3	-354.3	1588.9	-6719.2	-
8567.4	8207.9	INVSLV Max	I	1837.2	1062.0	1894.7	-733.6	
7002.5	7717.2		J	1842.3	1062.0	2032.3	-733.6	
3283.6	-10645.2	Min	I	-1664.0	-995.2	1103.3	-2544.3	
1700.3	-10221.6		J	-1658.9	-995.2	1240.9	-2544.3	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6755.6	2104.2	INVSLE	Max	I	823.6	304.7	2953.2	249.9	1
				J	824.1	312.6	3144.3	346.8	1
4318.3	2184.8		Min	I	-637.3	-231.2	1013.2	-4945.5	
589.0	-5254.3			J	-625.5	-239.1	1180.6	-4958.0	-
1040.5	-5417.2								
955	1	52 C1-C2;~1	Max	I	106.3	123.2	1471.2	1763.1	
9797.3	2710.9			J	106.3	123.2	1524.6	1861.2	
8844.5	2818.4		Min	I	-71.2	-108.6	-422.0	-2711.1	-
5119.5	-3449.1			J	-67.6	-108.6	-393.3	-2693.0	-
5149.1	-3571.4								
		C3-C4;~1	Max	I	108.2	125.3	1474.5	1108.7	
9717.2	2781.2			J	108.2	125.3	1528.0	1178.9	
8766.8	2890.1		Min	I	-73.2	-110.3	-422.9	-3231.3	-
5220.6	-3508.2			J	-69.6	-110.3	-394.2	-3241.5	-
5252.8	-3632.1								
		C1-C2;~2	Max	I	57.1	64.8	857.6	984.0	
5907.2	1454.2			J	57.1	64.8	886.2	1046.6	
5391.4	1512.0		Min	I	-41.4	-58.2	-240.9	-1504.6	-
2874.8	-1837.3			J	-39.2	-58.2	-222.3	-1481.6	-
2918.4	-1901.7								
		C3-C4;~2	Max	I	58.0	65.7	859.4	562.8	
5864.4	1500.3			J	58.0	65.7	888.1	609.9	
5350.8	1558.8		Min	I	-42.6	-59.1	-240.5	-1810.5	-
2937.6	-1864.3			J	-40.4	-59.1	-222.0	-1801.6	-
2983.2	-1929.4								
		SLVx (RS)		I	-1398.1	-917.6	202.9	-759.7	-
2132.4	7400.1			J	-1398.1	-917.6	202.9	-759.7	-
2153.7	7050.2								
		SLVy (RS)		I	992.0	290.3	-100.1	308.7	-
1245.2	-4393.8			J	992.0	290.3	-100.1	308.7	-
1268.2	-4344.0								
		SLDx (RS)		I	-1016.9	-685.1	150.5	-550.4	-
1588.7	5441.7			J	-1016.9	-685.1	150.5	-550.4	-
1608.0	5182.2								
		SLDy (RS)		I	688.6	213.3	-71.9	209.2	
-916.2	-3110.9			J	688.6	213.3	-71.9	209.2	
-933.1	-3080.7								

MIDAS

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-501.2	836.8	SLVz (RS)	I	-129.2	181.5	-316.6	257.8
			J	-129.2	181.5	-316.6	257.8
-608.6	791.8						
		G1	I	72.7	29.8	1198.6	-1239.8
3182.7	-1121.4		J	76.4	29.8	1299.4	-1239.8
1928.6	-1151.3						
		G2	I	26.6	10.9	437.5	-453.7
1168.2	-411.3		J	27.9	10.9	474.3	-453.7
710.5	-422.2						
		G1- Imp~1	I	-5.4	-5.8	0.4	-1.1
-15.5	215.1		J	-5.4	-5.8	0.4	-1.1
-16.0	220.9						
		G2- Imp~1	I	-1.7	-1.8	0.1	-0.3
-5.0	67.5		J	-1.7	-1.8	0.1	-0.3
-5.1	69.4						
		q3	I	124.1	-29.8	-0.1	45.9
-40.0	-223.0		J	120.9	-29.8	-0.1	45.9
-36.8	-193.2						
		q4-1	I	0.8	1.5	0.7	-1.8
1.7	25.1		J	0.8	1.5	0.7	-1.8
1.0	23.6						
		q4-2	I	1.1	2.3	1.1	-0.8
2.8	51.0		J	1.1	2.3	1.1	-0.8
1.7	48.7						
		q4-3	I	-0.7	-0.7	1.0	-0.1
0.5	33.8		J	-0.7	-0.7	1.0	-0.1
-0.5	34.5						
		q4-4	I	-5.7	-10.4	-0.3	-10.8
-9.6	-121.7		J	-5.7	-10.4	-0.3	-10.8
-9.3	-111.3						
		q4-5	I	16.5	23.8	-4.9	-26.3
10.0	-194.2		J	16.5	23.8	-4.9	-26.3
14.9	-218.1						
		q4-6	I	113.3	-34.3	-3.0	20.1
84.1	203.7		J	113.3	-34.3	-3.0	20.1
87.1	238.1						
		q4-7	I	118.3	-11.1	4.2	21.7
-90.5	-422.3		J	118.3	-11.1	4.2	21.7
-94.8	-411.2						
		q5 - p~1	I	-549.9	230.4	-54.6	-303.1

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
242.3	-6.7		J	-532.7	238.6	-55.2	-306.0	
291.2	-242.1							
90.8	-1015.2	q5 - p~2	I	711.8	1.3	-27.3	49.4	
119.9	-1022.6		J	706.8	13.2	-27.1	45.1	
236.9	4.5	q5 - p~3	I	-521.1	218.2	-46.8	-248.1	
283.0	-218.4		J	-504.8	225.9	-47.4	-248.7	
101.1	-960.4	q5 - p~4	I	674.0	1.0	-27.0	78.4	
128.4	-967.1		J	669.3	12.3	-26.8	77.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-56.1	-150.5	q7	I	122.3	-41.0	3.0	50.7	
-59.1	-109.3		J	122.3	-41.0	3.0	50.7	
18.1	84.0	T	I	-2.2	-2.3	-0.8	-11.9	
18.9	86.3		J	-2.2	-2.3	-0.8	-11.9	
96.6	231.9	M. tor~1	I	-64.6	-282.6	-8.7	-111.2	
105.4	232.4		J	-64.6	-282.6	-8.7	-121.8	
57.1	137.1	M. tor~2	I	-38.2	-167.1	-5.2	-65.8	
62.3	137.4		J	-38.2	-167.1	-5.2	-72.0	
9303.4	3041.2	INVSLU Max	I	1215.3	462.1	4249.7	373.4	1
5750.1	3151.7		J	1215.1	473.7	4508.3	508.5	1
1432.9	-7397.8	Min	I	-945.7	-364.2	1588.8	-6931.8	-
3832.6	-7618.1		J	-928.8	-375.7	1812.8	-6948.2	-
6986.6	7719.2	INVSLV Max	I	1826.6	1092.2	2044.1	-765.2	
5334.8	7307.7		J	1831.8	1092.2	2181.8	-765.2	
1674.1	-10219.3	Min	I	-1642.3	-1026.2	1229.1	-2624.6	
-98.7	-9874.2		J	-1637.2	-1026.2	1366.7	-2624.6	


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


4283.8	2190.7	INVSLE	Max	I	825.5	318.2	3144.3	257.2	1
				J	825.9	325.9	3335.8	357.0	1
1648.6	2272.2		Min	I	-625.8	-245.7	1180.5	-5115.2	-
1046.5	-5417.8			J	-613.8	-253.4	1346.5	-5127.2	-
2820.8	-5580.6								
956	1	52 C1-C2;~1	Max	I	107.9	121.9	1524.6	1830.2	
8834.6	2821.4			J	107.9	121.9	1578.3	1931.5	
8010.3	2927.9		Min	I	-68.8	-107.4	-393.3	-2775.9	-
5136.8	-3573.8			J	-65.0	-107.4	-366.0	-2757.5	-
5383.8	-3694.9								
		C3-C4;~1	Max	I	109.8	123.9	1528.0	1157.9	
8746.7	2893.1			J	109.9	123.9	1581.8	1230.8	
7932.1	3001.0		Min	I	-70.9	-109.1	-394.2	-3329.9	-
5240.9	-3634.6			J	-67.1	-109.1	-366.9	-3339.7	-
5500.3	-3757.3								
		C1-C2;~2	Max	I	57.9	64.0	886.2	1019.7	
5386.9	1513.7			J	57.9	64.0	914.8	1084.1	
4914.9	1570.9		Min	I	-39.9	-57.6	-222.3	-1531.2	-
2912.3	-1903.1			J	-37.5	-57.6	-204.4	-1507.7	-
3042.9	-1966.9								
		C3-C4;~2	Max	I	58.8	64.9	888.1	587.2	
5339.9	1560.5			J	58.8	64.9	916.8	635.9	
4873.2	1618.5		Min	I	-41.1	-58.5	-222.0	-1855.7	-
2977.1	-1930.8			J	-38.8	-58.5	-204.1	-1846.3	-
3113.6	-1995.3								
		SLVx (RS)		I	-1384.5	-945.6	209.3	-780.5	-
2159.9	7049.9			J	-1384.5	-945.6	209.3	-780.5	-
2187.2	6795.9								
		SLVy (RS)		I	987.5	291.2	102.6	318.2	-
1269.8	-4344.3			J	987.5	291.2	102.6	318.2	-
1282.5	-4290.7								
		SLDx (RS)		I	-1007.4	-706.2	155.2	-566.2	-
1612.9	5182.1			J	-1007.4	-706.2	155.2	-566.2	-
1636.2	4995.2								
		SLDy (RS)		I	686.5	213.8	-73.8	216.3	
-934.4	-3080.9			J	686.5	213.8	-73.8	216.3	
-943.3	-3047.6								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-610.4	791.9	SLVz (RS)	I	-128.4	185.1	-325.1	254.3
			J	-128.4	185.1	-325.1	254.3
831.5	779.7						
		G1	I	76.8	29.4	1299.4	-1264.4
1912.9	-1150.4		J	80.6	29.4	1400.3	-1264.4
557.6	-1179.9						
		G2	I	28.1	10.8	474.3	-462.7
704.7	-421.8		J	29.5	10.8	511.1	-462.7
210.0	-432.6						
		G1- Imp~1	I	-5.5	-5.7	0.4	-0.9
-16.1	220.9		J	-5.5	-5.7	0.4	-0.9
-16.5	226.7						
		G2- Imp~1	I	-1.7	-1.8	0.1	-0.3
-5.1	69.4		J	-1.7	-1.8	0.1	-0.3
-5.3	71.2						
		q3	I	120.5	-31.3	-0.1	46.3
-36.1	-193.2		J	117.3	-31.3	-0.1	46.3
-33.0	-161.8						
		q4-1	I	0.8	1.5	0.7	-1.8
0.9	23.6		J	0.8	1.5	0.7	-1.8
0.2	22.1						
		q4-2	I	1.1	2.3	1.1	-0.9
1.7	48.7		J	1.1	2.3	1.1	-0.9
0.6	46.4						
		q4-3	I	-0.7	-0.7	1.0	-0.1
-0.5	34.5		J	-0.7	-0.7	1.0	-0.1
-1.5	35.1						
		q4-4	I	-5.8	-10.3	-0.3	-10.7
-9.4	-111.3		J	-5.8	-10.3	-0.3	-10.7
-9.1	-101.0						
		q4-5	I	16.8	23.5	-4.9	-26.5
14.7	-218.1		J	16.8	23.5	-4.9	-26.5
19.6	-241.7						
		q4-6	I	112.8	-35.7	-3.0	18.9
87.3	238.1		J	112.8	-35.7	-3.0	18.9
90.3	273.9						
		q4-7	I	118.1	-12.7	4.2	22.9
-94.3	-411.3		J	118.1	-12.7	4.2	22.9
-98.5	-398.5						
		q5 - p~1	I	-529.5	245.5	-55.3	-309.8

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
287.3	-241.8		J	-512.2	253.4	-56.0	-312.7	
336.9	-492.2							
121.0	-1022.8	q5 - p~2	I	706.9	4.0	-27.1	43.5	
150.0	-1032.9		J	701.9	16.1	-27.0	39.1	
279.9	-218.1	q5 - p~3	I	-501.8	232.4	-47.5	-252.4	
326.7	-455.2		J	-485.4	239.9	-48.1	-252.9	
129.9	-967.3	q5 - p~4	I	669.4	3.6	-26.8	75.9	
157.1	-976.6		J	664.7	15.0	-26.7	75.1	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-58.4	-109.4	q7	I	121.7	-42.6	3.0	51.5	
-61.4	-66.6		J	121.7	-42.6	3.0	51.5	
18.7	86.3	T	I	-2.2	-2.3	-0.8	-12.2	
19.4	88.6		J	-2.2	-2.3	-0.8	-12.2	
103.7	232.4	M. tor~1	I	-68.3	-281.7	-8.6	-123.1	
112.4	232.1		J	-68.3	-281.7	-8.6	-133.7	
61.3	137.4	M. tor~2	I	-40.4	-166.6	-5.1	-72.8	
66.4	137.2		J	-40.4	-166.6	-5.1	-79.0	
5703.9	3157.7	INVSLU Max	I	1217.1	481.9	4508.4	425.2	1
2138.0	3269.8		J	1216.9	493.2	4767.4	564.6	1
3842.1	-7619.9	Min	I	-929.2	-385.2	1812.7	-7116.1	-
6735.7	-7840.4		J	-912.1	-396.4	2034.9	-7131.9	-
5320.4	7308.8	INVSLV Max	I	1817.0	1121.0	2192.9	-776.0	
3567.3	7002.3		J	1822.2	1121.0	2330.6	-776.0	
-127.6	-9872.7	Min	I	-1621.5	-1055.9	1355.5	-2680.5	
2075.5	-9631.7		J	-1616.4	-1055.9	1493.2	-2680.5	-

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1614.6	2276.6	INVSLE Max	I	827.3	331.3	3335.9	295.1	1
			J	827.7	338.8	3527.8	398.2	
8970.0	2359.1	Min	I	-614.1	-259.7	1346.4	-5251.4	-
2828.1	-5582.0		J	-601.9	-267.2	1511.0	-5262.8	-
4968.2	-5744.8							
957	1	52 C1-C2;~1 Max	I	109.5	120.4	1578.4	1905.8	
8009.1	2930.3		J	109.6	120.4	1632.4	2010.6	
7197.1	3035.6	Min	I	-66.3	-106.2	-366.0	-2827.1	-
5380.5	-3697.4		J	-62.3	-106.2	-340.0	-2808.4	-
5714.5	-3817.1							
		C3-C4;~1 Max	I	111.5	122.5	1581.8	1213.1	
7920.5	3003.3		J	111.5	122.5	1635.9	1288.8	
7126.9	3110.1	Min	I	-68.4	-107.9	-366.9	-3416.3	-
5497.8	-3759.8		J	-64.4	-107.9	-340.9	-3425.7	-
5845.5	-3881.1							
		C1-C2;~2 Max	I	58.8	63.3	914.8	1060.2	
4914.1	1572.2		J	58.8	63.3	943.4	1126.5	
4440.2	1628.8	Min	I	-38.2	-57.0	-204.4	-1549.8	-
3040.2	-1968.3		J	-35.7	-57.0	-187.3	-1525.8	-
3205.7	-2031.3							
		C3-C4;~2 Max	I	59.7	64.2	916.8	615.3	
4865.7	1619.8		J	59.7	64.2	945.4	665.7	
4400.7	1677.2	Min	I	-39.4	-57.8	-204.1	-1893.7	-
3111.2	-1996.7		J	-37.0	-57.8	-187.0	-1883.7	-
3282.9	-2060.5							
		SLVx (RS)	I	-1371.8	-971.6	216.3	-800.4	-
2195.0	6795.5		J	-1371.8	-971.6	216.3	-800.4	-
2230.0	6660.3							
		SLVy (RS)	I	983.4	294.3	-108.3	328.1	-
1284.8	-4290.9		J	983.4	294.3	-108.3	328.1	-
1288.5	-4233.4							
		SLDx (RS)	I	-998.6	-725.8	160.3	-581.2	-
1642.2	4995.0		J	-998.6	-725.8	160.3	-581.2	-
1670.9	4898.3							
		SLDy (RS)	I	684.8	216.1	-78.1	223.7	-
-945.1	-3047.7		J	684.8	216.1	-78.1	223.7	-
947.2	-3011.2							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
833.6	779.9	SLVz (RS)	I	-127.8	188.3	-332.1	247.1
			J	-127.8	188.3	-332.1	247.1
1106.6	804.4						
		G1	I	81.0	29.0	1400.2	-1271.0
541.7	-1179.6		J	84.8	29.0	1501.1	-1271.0
-914.8	-1208.8						
		G2	I	29.6	10.6	511.1	-465.3
204.2	-432.5		J	31.0	10.6	547.9	-465.3
-327.4	-443.2						
		G1- Imp~1	I	-5.5	-5.7	0.4	-0.6
-16.6	226.6		J	-5.5	-5.7	0.4	-0.6
-17.0	232.3						
		G2- Imp~1	I	-1.7	-1.8	0.1	-0.2
-5.3	71.2		J	-1.7	-1.8	0.1	-0.2
-5.4	73.0						
		q3	I	116.9	-32.9	-0.1	46.8
-32.3	-161.8		J	113.6	-32.9	-0.1	46.8
-29.2	-128.8						
		q4-1	I	0.8	1.4	0.7	-1.8
0.2	22.1		J	0.8	1.4	0.7	-1.8
-0.5	20.7						
		q4-2	I	1.2	2.3	1.1	-0.9
0.5	46.4		J	1.2	2.3	1.1	-0.9
-0.6	44.1						
		q4-3	I	-0.7	-0.7	1.0	-0.1
-1.5	35.1		J	-0.7	-0.7	1.0	-0.1
-2.5	35.8						
		q4-4	I	-5.9	-10.2	-0.3	-10.5
-9.2	-101.0		J	-5.9	-10.2	-0.3	-10.5
-8.9	-90.7						
		q4-5	I	17.1	23.3	-4.9	-26.7
19.4	-241.7		J	17.1	23.3	-4.9	-26.7
24.4	-265.1						
		q4-6	I	112.3	-37.2	-3.0	17.8
90.4	273.9		J	112.3	-37.2	-3.0	17.8
93.3	311.3						
		q4-7	I	117.9	-14.2	4.2	24.2
-98.0	-398.6		J	117.9	-14.2	4.2	24.2
-102.2	-384.4						
		q5 - p~1	I	-508.8	260.0	-56.1	-317.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
333.1	-491.8		J	-491.4	267.7	-56.7	-319.8	
383.4	-756.7							
151.0	-1033.0	q5 - p~2	I	702.1	6.9	-27.0	37.1	
179.8	-1046.1		J	697.1	19.1	-26.8	32.8	
323.6	-454.9	q5 - p~3	I	-482.2	246.2	-48.2	-257.2	
371.2	-705.7		J	-465.7	253.5	-48.9	-257.7	
158.5	-976.8	q5 - p~4	I	664.8	6.3	-26.7	73.0	
185.6	-988.9		J	660.1	17.9	-26.5	72.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-60.7	-66.7	q7	I	121.1	-44.2	3.0	52.3	
-63.7	-22.3		J	121.1	-44.2	3.0	52.3	
19.2	88.6	T	I	-2.2	-2.3	-0.8	-12.4	
20.0	90.9		J	-2.2	-2.3	-0.8	-12.4	
110.5	232.1	M. tor~1	I	-72.0	-280.8	-8.5	-135.1	
119.0	230.9		J	-72.0	-280.8	-8.5	-145.6	
65.3	137.2	M. tor~2	I	-42.5	-166.0	-5.0	-79.9	
70.4	136.5		J	-42.5	-166.0	-5.0	-86.1	
2103.3	3273.7	INVSLU Max	I	1218.9	501.0	4767.5	522.0	1
8368.2	3387.6		J	1218.7	511.9	5027.0	665.9	
6758.3	-7843.6	Min	I	-912.6	-405.5	2034.7	-7251.4	-
9958.3	-8064.4		J	-895.3	-416.4	2255.0	-7266.6	-
3554.5	7002.4	INVSLV Max	I	1808.5	1148.5	2341.4	-764.2	
1683.9	6825.0		J	1813.6	1148.5	2479.0	-764.2	
2106.5	-9631.1	Min	I	-1601.8	-1084.2	1482.4	-2710.1	-
4213.3	-9518.3		J	-1596.7	-1084.2	1620.0	-2710.1	-

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

8944.5	2362.0	INVSLE	Max	I	829.2	343.9	3527.8	366.4	
				J	829.6	351.2	3720.0	472.8	
6174.4	2445.6		Min	I	-602.3	-273.2	1510.9	-5351.1	-
4985.2	-5747.1			J	-590.0	-280.5	1674.1	-5362.2	-
7352.3	-5909.9								
958	1	52	C1-C2;~1	Max	I	111.1	119.0	1632.4	1991.9
7197.7	3037.3			J	111.3	119.0	1686.7	2100.1	
6413.6	3141.6		Min	I	-63.5	-105.0	-340.0	-2864.6	-
5713.2	-3819.6			J	-59.5	-105.0	-315.4	-2845.6	-
6133.5	-3937.9								
			C3-C4;~1	Max	I	113.1	121.0	1635.9	1280.4
7117.1	3111.8			J	113.3	121.0	1690.3	1359.3	
6351.8	3217.4		Min	I	-65.7	-106.7	-340.9	-3487.9	-
5845.5	-3883.7			J	-61.6	-106.7	-316.4	-3497.0	-
6279.0	-4003.7								
			C1-C2;~2	Max	I	59.6	62.6	943.4	1106.8
4440.2	1629.8			J	59.7	62.6	971.9	1175.1	
3971.3	1685.8		Min	I	-36.3	-56.3	-187.3	-1560.5	-
3203.6	-2032.7			J	-33.7	-56.3	-171.0	-1535.9	-
3403.6	-2095.1								
			C3-C4;~2	Max	I	60.5	63.4	945.4	651.9
4394.1	1678.1			J	60.6	63.4	973.9	704.2	
3934.5	1734.9		Min	I	-37.6	-57.2	-187.0	-1923.1	-
3281.3	-2062.0			J	-35.1	-57.2	-170.7	-1912.7	-
3487.4	-2125.0								
			SLVx (RS)	I	-1360.0	-995.7	223.5	-819.0	-
2239.3	6659.9			J	-1360.0	-995.7	223.5	-819.0	-
2284.1	6662.0								
			SLVy (RS)	I	979.8	299.9	-116.3	338.6	
1291.7	-4233.6			J	979.8	299.9	-116.3	338.6	
1288.6	-4172.8								
			SLDx (RS)	I	-990.5	-744.0	165.7	-595.3	-
1678.0	4898.0			J	-990.5	-744.0	165.7	-595.3	-
1713.5	4905.5								
			SLDy (RS)	I	683.4	220.1	-84.1	231.6	
949.6	-3011.3			J	683.4	220.1	-84.1	231.6	
946.5	-2972.0								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
1108.6	804.7	SLVz (RS)	I	-127.3	191.1	-338.3	236.4
			J	-127.3	191.1	-338.3	236.4
1406.4	864.6						
		G1	I	85.1	28.6	1501.1	-1258.5
-930.7	-1209.2		J	88.9	28.6	1601.9	-1258.5
2488.4	-1238.0						
		G2	I	31.1	10.5	547.9	-460.8
-333.2	-443.4		J	32.5	10.5	584.7	-460.8
-901.8	-453.9						
		G1- Imp~1	I	-5.6	-5.6	0.4	-0.4
-17.1	232.3		J	-5.6	-5.6	0.4	-0.4
-17.6	237.9						
		G2- Imp~1	I	-1.8	-1.8	0.1	-0.1
-5.5	73.0		J	-1.8	-1.8	0.1	-0.1
-5.6	74.8						
		q3	I	113.2	-34.3	-0.1	47.1
-28.5	-128.9		J	110.0	-34.3	-0.1	47.1
-25.4	-94.4						
		q4-1	I	0.8	1.4	0.7	-1.8
-0.6	20.7		J	0.8	1.4	0.7	-1.8
-1.3	19.2						
		q4-2	I	1.2	2.3	1.1	-0.9
-0.6	44.1		J	1.2	2.3	1.1	-0.9
-1.7	41.8						
		q4-3	I	-0.7	-0.7	1.0	-0.0
-2.5	35.8		J	-0.7	-0.7	1.0	-0.0
-3.5	36.5						
		q4-4	I	-6.1	-10.1	-0.3	-10.4
-8.9	-90.7		J	-6.1	-10.1	-0.3	-10.4
-8.7	-80.6						
		q4-5	I	17.4	23.1	-5.0	-27.1
24.1	-265.1		J	17.4	23.1	-5.0	-27.1
29.1	-288.3						
		q4-6	I	111.8	-38.7	-2.9	16.5
93.4	311.3		J	111.8	-38.7	-2.9	16.5
96.3	350.1						
		q4-7	I	117.8	-15.7	4.2	25.5
-101.7	-384.5		J	117.8	-15.7	4.2	25.5
-105.9	-368.7						
		q5 - p~1	I	-487.8	274.0	-56.9	-324.8

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
379.6	-756.4		J	-470.3	281.5	-57.5	-327.5	
430.7	-1035.3							
180.7	-1046.3	q5 - p~2	I	697.3	10.0	-26.8	30.4	
209.3	-1062.6		J	692.2	22.4	-26.6	26.0	
368.2	-705.3	q5 - p~3	I	-462.3	259.5	-49.0	-262.5	
416.5	-969.4		J	-445.7	266.6	-49.6	-263.0	
187.0	-989.1	q5 - p~4	I	660.3	9.3	-26.5	69.7	
213.8	-1004.3		J	655.5	21.0	-26.3	68.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-63.0	-22.4	q7	I	120.6	-45.8	3.0	53.1	
-66.1	23.6		J	120.6	-45.8	3.0	53.1	
19.8	90.9	T	I	-2.2	-2.2	-0.8	-12.7	
20.6	93.1		J	-2.2	-2.2	-0.8	-12.7	
117.0	231.0	M. tor~1	I	-75.6	-279.9	-8.3	-147.2	
125.4	228.7		J	-75.6	-279.9	-8.3	-157.7	
69.2	136.5	M. tor~2	I	-44.7	-165.5	-4.9	-87.0	
74.1	135.2		J	-44.7	-165.5	-4.9	-93.2	
8335.9	3389.2	INVSLU Max	I	1220.7	519.3	5027.1	668.7	
4452.6	3505.0		J	1220.6	529.9	5286.9	817.3	
9984.1	-8068.8	Min	I	-895.8	-425.1	2254.9	-7331.8	-
3487.3	-8290.1		J	-878.3	-435.7	2473.2	-7346.6	-1
1672.9	6824.1	INVSLV Max	I	1801.0	1174.7	2489.8	-728.3	
-320.8	6794.1		J	1806.2	1174.7	2627.4	-728.3	
4245.9	-9518.6	Min	I	-1583.2	-1111.2	1609.3	-2711.3	-
6506.1	-9552.3		J	-1578.1	-1111.2	1747.0	-2711.3	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

6150.8	2446.8	INVSLE	Max	I	831.0	356.0	3720.0	474.5	
				J	831.5	363.0	3912.4	584.4	
3270.9	2531.7		Min	I	-590.4	-286.2	1674.0	-5410.2	-
7371.7	-5913.2			J	-577.9	-293.3	1835.8	-5420.9	-
9963.2	-6076.2								
959	1	52	C1-C2;~1	Max	I	112.8	117.6	1686.7	2103.3
6416.1	3142.6			J	113.1	117.6	1741.2	2215.2	
5672.5	3245.7		Min	I	-60.6	-103.8	-315.4	-2887.3	-
6134.1	-3940.4			J	-56.4	-103.8	-298.9	-2868.0	-
6649.3	-4057.4								
			C3-C4;~1	Max	I	114.8	119.6	1690.3	1364.8
6344.1	3218.5			J	115.0	119.6	1744.8	1446.9	
5619.2	3322.9		Min	I	-62.8	-105.4	-316.4	-3543.8	-
6281.5	-4006.2			J	-58.6	-105.4	-303.9	-3552.8	-
6809.3	-4124.8								
			C1-C2;~2	Max	I	60.5	61.8	971.9	1170.4
3972.4	1686.4			J	60.6	61.8	1000.2	1240.7	
3514.3	1741.7		Min	I	-34.3	-55.7	-171.0	-1562.5	-
3402.1	-2096.5			J	-31.6	-55.7	-160.5	-1537.5	-
3640.0	-2158.1								
			C3-C4;~2	Max	I	61.4	62.6	973.9	700.7
3928.8	1735.4			J	61.5	62.6	1002.2	754.7	
3480.2	1791.5		Min	I	-35.7	-56.5	-170.7	-1943.4	-
3486.6	-2126.5			J	-33.0	-56.5	-163.2	-1932.5	-
3730.4	-2188.8								
			SLVx (RS)	I	-1349.2	-1017.8	230.8	-836.5	-
2295.0	6661.5			J	-1349.2	-1017.8	230.8	-836.5	-
2351.3	6810.8								
			SLVy (RS)	I	976.8	308.0	-125.7	349.6	
1292.7	-4173.0			J	976.8	308.0	-125.7	349.6	
1285.9	-4110.2								
			SLDx (RS)	I	-983.2	-760.8	171.1	-608.4	-
1721.8	4905.2			J	-983.2	-760.8	171.1	-608.4	-
1765.3	5024.1								
			SLDy (RS)	I	682.4	226.1	-91.2	240.0	
949.6	-2972.0			J	682.4	226.1	-91.2	240.0	
943.4	-2930.9								

MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1408.0	865.1	SLVz (RS)	I	-126.7	193.7	-344.2	222.1	
			J	-126.7	193.7	-344.2	222.1	
1719.8	955.2							
2504.0	-1239.2	G1	I	89.3	28.2	1601.9	-1225.4	-
4162.9	-1267.6		J	93.0	28.2	1702.7	-1225.4	-
-907.5	-454.3	G2	I	32.6	10.3	584.7	-448.8	
1513.1	-464.7		J	34.0	10.3	621.5	-448.8	-
-17.7	237.9	G1- Imp~1	I	-5.7	-5.5	0.4	-0.2	
-18.1	243.5		J	-5.7	-5.5	0.4	-0.2	
-5.7	74.8	G2- Imp~1	I	-1.8	-1.7	0.1	-0.1	
-5.8	76.5		J	-1.8	-1.7	0.1	-0.1	
-24.7	-94.5	q3	I	109.5	-35.8	-0.1	47.5	
-21.6	-58.6		J	106.3	-35.8	-0.1	47.5	
-1.3	19.2	q4-1	I	0.8	1.4	0.7	-1.8	
-2.0	17.8		J	0.8	1.4	0.7	-1.8	
-1.8	41.8	q4-2	I	1.2	2.2	1.1	-0.8	
-2.9	39.6		J	1.2	2.2	1.1	-0.8	
-3.5	36.5	q4-3	I	-0.7	-0.6	1.0	0.0	
-4.5	37.1		J	-0.7	-0.6	1.0	0.0	
-8.7	-80.6	q4-4	I	-6.2	-10.1	-0.3	-10.3	
-8.5	-70.5		J	-6.2	-10.1	-0.3	-10.3	
28.9	-288.3	q4-5	I	17.7	22.9	-5.0	-27.4	
33.9	-311.3		J	17.7	22.9	-5.0	-27.4	
96.4	350.1	q4-6	I	111.3	-40.1	-2.9	15.3	
99.3	390.4		J	111.3	-40.1	-2.9	15.3	
-105.4	-368.8	q4-7	I	117.5	-17.2	4.2	26.9	
-109.6	-351.5		J	117.5	-17.2	4.2	26.9	
		q5 - p~1	I	-466.6	287.6	-57.7	-333.1	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
426.9	-1034.9		J	-448.9	294.8	-58.3	-335.7	
478.8	-1327.2							
		q5 - p~2	I	692.5	13.3	-26.6	23.2	
210.1	-1062.7		J	687.5	25.8	-26.4	18.7	
238.6	-1082.4							
		q5 - p~3	I	-442.2	272.3	-49.7	-268.4	
413.5	-969.1		J	-425.5	279.2	-50.3	-268.9	
462.6	-1245.9							
		q5 - p~4	I	655.7	12.4	-26.3	66.1	
215.2	-1004.4		J	651.0	24.2	-26.2	65.3	
241.9	-1022.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	120.0	-47.3	3.1	54.0	
-65.4	23.5		J	120.0	-47.3	3.1	54.0	
-68.5	71.0							
		T	I	-2.3	-2.2	-0.8	-12.9	
20.3	93.1		J	-2.3	-2.2	-0.8	-12.9	
21.1	95.3							
		M. tor~1	I	-79.2	-278.9	-8.2	-159.3	
123.2	228.8		J	-79.2	-278.9	-8.2	-169.9	
131.4	225.6							
		M. tor~2	I	-46.9	-164.9	-4.8	-94.2	
72.8	135.3		J	-46.9	-164.9	-4.8	-100.4	
77.7	133.3							
		INVSLU Max	I	1222.6	536.9	5287.0	888.0	
4423.6	3504.3		J	1222.5	547.2	5547.0	1041.4	
409.1	3842.5							
		Min	I	-878.9	-444.0	2473.1	-7353.7	-1
3515.9	-8296.0		J	-861.2	-454.3	2675.2	-7368.2	-1
7333.5	-8738.2							
		INVSLV Max	I	1794.7	1199.6	2638.3	-666.5	
-329.7	6792.1		J	1799.9	1199.6	2776.0	-666.5	-
2446.9	6918.2							
		Min	I	-1565.9	-1137.0	1736.0	-2682.4	-
6540.0	-9553.7		J	-1560.7	-1137.0	1873.7	-2682.4	-
8953.0	-9742.7							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3249.7	2531.1	INVSLE	Max	I	832.9	367.6	3912.5	636.4	
				J	833.4	374.4	4105.0	749.9	
272.5	2764.2		Min	I	-578.3	-298.8	1835.7	-5425.9	-
9984.7	-6080.5			J	-565.8	-305.6	1985.5	-5436.4	-1
2809.1	-6390.6								
960	1	52 C1-C2;~1	Max	I	114.6	116.1	1741.2	2226.4	
5677.1	3246.1			J	114.9	116.1	1795.8	2342.2	
4980.6	3348.0		Min	I	-57.5	-102.5	-299.0	-2894.8	-
6651.6	-4059.9			J	-53.2	-102.5	-291.6	-2875.2	-
7265.4	-4175.5								
		C3-C4;~1	Max	I	116.6	118.1	1744.8	1457.1	
5613.6	3323.3			J	116.9	118.1	1799.4	1542.7	
4935.5	3426.6		Min	I	-59.7	-104.2	-303.9	-3583.9	-
6813.9	-4127.4			J	-55.5	-104.2	-299.2	-3592.7	-
7439.4	-4244.6								
		C1-C2;~2	Max	I	61.4	61.0	1000.2	1240.7	
3516.4	1741.9			J	61.5	61.0	1028.4	1313.1	
3072.7	1796.6		Min	I	-32.2	-55.0	-160.5	-1555.7	-
3639.1	-2159.6			J	-29.4	-55.0	-156.5	-1530.3	-
3916.4	-2220.4								
		C3-C4;~2	Max	I	62.3	61.9	1002.2	754.5	
3475.5	1791.7			J	62.4	61.9	1030.4	810.5	
3041.3	1847.2		Min	I	-33.6	-55.8	-163.2	-1954.7	-
3730.4	-2190.2			J	-30.8	-55.8	-161.2	-1943.5	-
4013.2	-2251.8								
		SLVx (RS)		I	-1339.6	-1038.0	238.0	-852.6	-
2363.7	6810.3			J	-1339.6	-1038.0	238.0	-852.6	-
2433.2	7106.3								
		SLVy (RS)		I	974.3	318.6	-135.7	361.2	
1290.9	-4110.3			J	974.3	318.6	-135.7	361.2	
1283.9	-4047.7								
		SLDx (RS)		I	-976.8	-776.1	176.4	-620.6	-
1774.7	5023.6			J	-976.8	-776.1	176.4	-620.6	-
1827.6	5253.1								
		SLDy (RS)		I	681.8	233.9	-98.7	248.9	
947.2	-2931.0			J	681.8	233.9	-98.7	248.9	
940.7	-2889.6								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1720.9	955.8	SLVz (RS)	I	-126.1	196.0	-350.3	204.8	
			J	-126.1	196.0	-350.3	204.8	
2042.1	1069.6							
		G1	I	93.4	27.9	1702.7	-1170.5	-
4177.9	-1269.6		J	97.2	27.9	1803.5	-1170.5	-
5938.1	-1297.6							
		G2	I	34.1	10.2	621.5	-428.8	-
1518.6	-465.5		J	35.5	10.2	658.4	-428.8	-
2161.1	-475.7							
		G1- Imp~1	I	-5.7	-5.4	0.4	0.0	
-18.2	243.5		J	-5.7	-5.4	0.4	0.0	
-18.7	249.0							
		G2- Imp~1	I	-1.8	-1.7	0.1	0.0	
-5.8	76.5		J	-1.8	-1.7	0.1	0.0	
-6.0	78.2							
		q3	I	105.9	-37.1	-0.0	47.7	
-21.0	-58.6		J	102.6	-37.1	-0.0	47.7	
-17.9	-21.3							
		q4-1	I	0.9	1.4	0.7	-1.8	
-2.0	17.8		J	0.9	1.4	0.7	-1.8	
-2.7	16.4							
		q4-2	I	1.3	2.2	1.1	-0.8	
-2.9	39.6		J	1.3	2.2	1.1	-0.8	
-4.0	37.3							
		q4-3	I	-0.7	-0.6	1.0	0.1	
-4.5	37.1		J	-0.7	-0.6	1.0	0.1	
-5.5	37.7							
		q4-4	I	-6.3	-10.0	-0.3	-10.2	
-8.6	-70.5		J	-6.3	-10.0	-0.3	-10.2	
-8.3	-60.4							
		q4-5	I	18.0	22.6	-5.0	-27.9	
33.7	-311.3		J	18.0	22.6	-5.0	-27.9	
38.7	-334.0							
		q4-6	I	110.8	-41.6	-2.9	14.0	
99.3	390.4		J	110.8	-41.6	-2.9	14.0	
102.2	432.2							
		q4-7	I	117.3	-18.8	4.2	28.3	
-109.1	-351.6		J	117.3	-18.8	4.2	28.3	
-113.3	-332.7							
		q5 - p~1	I	-445.1	300.6	-58.5	-341.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
475.0	-1326.8		J	-427.3	307.6	-59.1	-344.5	
527.6	-1632.1							
		q5 - p~2	I	687.7	16.8	-26.5	15.6	
239.3	-1082.5		J	682.7	29.4	-26.3	11.1	
267.6	-1105.7							
		q5 - p~3	I	-421.8	284.6	-50.5	-274.9	
459.6	-1245.5		J	-405.0	291.3	-51.1	-275.4	
509.5	-1534.6							
		q5 - p~4	I	651.2	15.7	-26.2	62.1	
243.2	-1022.9		J	646.5	27.6	-26.0	61.3	
269.7	-1044.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	119.3	-48.9	3.1	54.8	
-67.8	70.9		J	119.3	-48.9	3.1	54.8	
-70.9	120.0							
		T	I	-2.3	-2.2	-0.8	-13.2	
20.9	95.3		J	-2.3	-2.2	-0.8	-13.2	
21.7	97.5							
		M. tor~1	I	-82.9	-277.8	-8.1	-171.6	
129.1	225.6		J	-82.9	-277.8	-8.1	-182.1	
137.2	221.3							
		M. tor~2	I	-49.0	-164.3	-4.8	-101.4	
76.3	133.4		J	-49.0	-164.3	-4.8	-107.7	
81.1	130.9							
		INVSLU Max	I	1224.6	553.7	5547.1	1164.0	
383.9	3838.8		J	1224.5	563.7	5807.2	1322.5	-
3752.9	4212.7	Min	I	-861.9	-462.2	2675.0	-7314.5	-1
7364.1	-8745.1		J	-844.0	-472.1	2866.7	-7328.7	-2
1500.8	-9221.6							
		INVSLV Max	I	1789.7	1223.3	2787.2	-576.8	-
2453.3	6915.0		J	1794.8	1223.3	2924.9	-576.8	-
4692.9	7195.4	Min	I	-1549.7	-1161.5	1862.4	-2621.6	-
8987.8	-9745.2		J	-1544.6	-1161.5	2000.1	-2621.6	-1
1554.8	-10087.6							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


254.1	2761.5	INVSLE Max	I	834.9	378.7	4105.1	840.3	
			J	835.4	385.3	4297.8	957.5	-
2813.6	3018.2	Min	I	-566.2	-310.9	1985.4	-5396.2	-1
2832.0	-6395.8		J	-553.5	-317.5	2127.3	-5406.6	-1
5892.8	-6728.5							
961	1	52 C1-C2;~1 Max	I	116.4	114.6	1795.8	2362.0	
4987.1	3347.6		J	116.9	114.6	1850.5	2481.7	
4340.9	3448.3	Min	I	-54.2	-101.3	-291.6	-2886.1	-
7269.0	-4178.0		J	-51.2	-101.3	-287.8	-2866.4	-
7981.8	-4292.2							
		C3-C4;~1 Max	I	118.4	116.6	1799.4	1557.9	
4931.7	3426.2		J	118.8	116.6	1854.0	1647.1	
4303.7	3528.3	Min	I	-56.5	-102.9	-299.2	-3606.7	-
7445.9	-4247.1		J	-52.5	-102.9	-295.5	-3615.6	-
8169.4	-4362.9							
		C1-C2;~2 Max	I	62.3	60.2	1028.4	1317.9	
3075.8	1796.4		J	62.5	60.2	1056.4	1392.4	
2648.4	1850.5	Min	I	-29.9	-54.3	-156.6	-1539.7	-
3915.8	-2221.9		J	-27.9	-54.3	-155.0	-1513.8	-
4232.7	-2282.0							
		C3-C4;~2 Max	I	63.2	61.1	1030.4	813.8	
3037.6	1846.9		J	63.4	61.1	1058.3	871.6	
2620.0	1901.8	Min	I	-31.3	-55.1	-161.2	-1956.1	-
4013.7	-2253.3		J	-28.7	-55.1	-159.7	-1944.6	-
4335.8	-2314.1							
		SLVx (RS)	I	-1331.1	-1056.4	244.8	-867.6	-
2447.0	7105.7		J	-1331.1	-1056.4	244.8	-867.6	-
2530.8	7538.6							
		SLVy (RS)	I	972.3	331.5	-145.5	373.4	
1289.8	-4047.7		J	972.3	331.5	-145.5	373.4	
1286.7	-3988.2							
		SLDx (RS)	I	-971.2	-790.0	181.5	-631.7	-
1838.0	5252.6		J	-971.2	-790.0	181.5	-631.7	-
1901.1	5584.7							
		SLDy (RS)	I	681.6	-243.5	-106.2	258.3	
945.2	-2889.6		J	681.6	-243.5	-106.2	258.3	
941.4	-2850.2							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2042.7	1070.3	SLVz (RS)	I	-125.3	198.0	-356.8	184.8	
			J	-125.3	198.0	-356.8	184.8	
2371.2	1201.8							
		G1	I	97.5	27.5	1803.5	-1092.4	-
5952.2	-1300.5		J	101.3	27.5	1904.4	-1092.4	-
7813.6	-1328.1							
		G2	I	35.6	10.1	658.4	-400.4	-
2166.3	-476.8		J	37.0	10.1	695.2	-400.4	-
2845.8	-486.9							
		G1- Imp~1	I	-5.8	-5.4	0.4	0.3	
-18.8	248.9		J	-5.8	-5.4	0.4	0.3	
-19.2	254.3							
		G2- Imp~1	I	-1.8	-1.7	0.1	0.1	
-6.0	78.2		J	-1.8	-1.7	0.1	0.1	
-6.1	79.9							
		q3	I	102.1	-38.5	-0.0	48.0	
-17.3	-21.4		J	98.9	-38.5	-0.0	48.0	
-14.2	17.3							
		q4-1	I	0.9	1.4	0.7	-1.7	
-2.8	16.4		J	0.9	1.4	0.7	-1.7	
-3.5	15.0							
		q4-2	I	1.3	2.2	1.1	-0.7	
-4.0	37.3		J	1.3	2.2	1.1	-0.7	
-5.1	35.1							
		q4-3	I	-0.7	-0.6	1.0	0.2	
-5.5	37.7		J	-0.7	-0.6	1.0	0.2	
-6.5	38.4							
		q4-4	I	-6.5	-9.9	-0.3	-10.1	
-8.4	-60.4		J	-6.5	-9.9	-0.3	-10.1	
-8.1	-50.5							
		q4-5	I	18.3	22.4	-5.0	-28.4	
38.5	-334.0		J	18.3	22.4	-5.0	-28.4	
43.5	-356.4							
		q4-6	I	110.2	-43.0	-2.9	12.7	
102.2	432.2		J	110.2	-43.0	-2.9	12.7	
105.1	475.4							
		q4-7	I	117.0	-20.3	4.2	29.8	
-112.8	-332.8		J	117.0	-20.3	4.2	29.8	
-117.1	-312.4							
		q5 - p~1	I	-423.3	313.1	-59.3	-351.3	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
523.9	-1631.7		J	-405.5	319.9	-59.9	-353.8	
577.3	-1949.5							
268.3	-1105.8	q5 - p~2	I	683.0	20.5	-26.3	7.6	
296.4	-1132.8		J	678.0	33.2	-26.1	3.0	
506.6	-1534.3	q5 - p~3	I	-401.2	296.5	-51.3	-282.0	
557.2	-1835.2		J	-384.3	302.9	-51.9	-282.5	
271.0	-1044.8	q5 - p~4	I	646.8	19.2	-26.0	57.7	
297.4	-1070.1		J	642.0	31.3	-25.8	56.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-70.2	119.9	q7	I	118.7	-50.4	3.1	55.8	
-73.4	170.6		J	118.7	-50.4	3.1	55.8	
21.4	97.5	T	I	-2.3	-2.1	-0.8	-13.5	
22.2	99.7		J	-2.3	-2.1	-0.8	-13.5	
134.7	221.4	M. tor~1	I	-86.5	-276.7	-7.9	-183.9	
142.7	216.0		J	-86.5	-276.7	-7.9	-194.4	
79.6	130.9	M. tor~2	I	-51.1	-163.6	-4.7	-108.7	
84.3	127.7		J	-51.1	-163.6	-4.7	-115.0	
3774.0	4206.5	INVSLU Max	I	1226.6	569.8	5807.4	1499.9	-
8028.6	4590.5		J	1226.6	579.4	6067.6	1663.5	-
1532.3	-9230.0	Min	I	-844.7	-479.6	2866.5	-7209.7	-2
5988.7	-9715.2		J	-827.1	-489.2	3056.8	-7223.9	-2
4696.5	7191.0	INVSLV Max	I	1785.9	1245.7	2936.3	-457.4	-
7056.6	7614.9		J	1791.0	1245.7	3074.0	-457.4	-
1590.0	-10091.2	Min	I	-1534.9	-1184.8	1988.6	-2527.4	-1
4313.0	-10576.3		J	-1529.8	-1184.8	2126.3	-2527.4	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

2829.0	3013.6	INVSLE Max	I	836.9	389.3	4297.9	1088.5	-
			J	837.4	395.7	4490.5	1209.6	-
5984.1	3277.1	Min	I	-554.0	-322.4	2127.2	-5318.0	-1
5916.4	-6734.8		J	-541.5	-328.8	2268.2	-5328.4	-1
9213.9	-7073.1							
962	1	52 C1-C2;~1 Max	I	118.3	113.1	1850.5	2510.6	
4349.1	3447.3		J	118.9	113.1	1905.2	2634.2	
3754.4	3546.7	Min	I	-52.3	-100.0	-287.9	-2861.0	-
7986.2	-4294.7		J	-50.1	-100.0	-284.7	-2841.2	-
8796.6	-4407.4							
		C3-C4;~1 Max	I	120.3	115.0	1854.0	1667.9	
4301.7	3527.2		J	120.9	115.0	1908.6	1760.7	
3724.8	3628.0	Min	I	-53.6	-101.6	-295.5	-3612.6	-
8177.3	-4365.5		J	-50.6	-101.6	-292.4	-3621.7	-
8997.5	-4479.8							
		C1-C2;~2 Max	I	63.2	59.5	1056.4	1402.3	
2652.6	1849.9		J	63.5	59.5	1084.1	1478.8	
2243.0	1903.3	Min	I	-28.5	-53.6	-155.1	-1514.2	-
4232.3	-2283.4		J	-27.2	-53.6	-153.8	-1488.0	-
4588.2	-2342.8							
		C3-C4;~2 Max	I	64.2	60.3	1058.3	878.6	
2617.2	1901.1		J	64.4	60.3	1086.0	938.4	
2217.6	1955.3	Min	I	-29.2	-54.4	-159.7	-1948.0	-
4336.6	-2315.6		J	-27.3	-54.4	-158.5	-1936.3	-
4697.3	-2375.6							
		SLVx (RS)	I	-1323.9	-1073.0	251.0	-881.4	-
2546.0	7537.9		J	-1323.9	-1073.0	251.0	-881.4	-
2645.0	8091.7							
		SLVy (RS)	I	970.9	-346.5	-154.7	386.4	
1293.4	-3988.2		J	970.9	-346.5	-154.7	386.4	
1298.4	-3935.8							
		SLDx (RS)	I	-966.6	-802.6	186.2	-642.0	-
1912.5	5584.2		J	-966.6	-802.6	186.2	-642.0	-
1986.4	6006.5							
		SLDy (RS)	I	681.8	-254.6	-113.1	268.2	
946.5	-2850.1		J	681.8	-254.6	-113.1	268.2	
948.4	-2815.7							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2371.3	1202.6	SLVz (RS)	I	-124.4	199.9	-363.5	163.1	
			J	-124.4	199.9	-363.5	163.1	
2706.4	1347.4							
		G1	I	101.6	27.1	1904.4	-989.9	-
7826.6	-1331.9		J	105.3	27.1	2005.2	-989.9	-
9789.2	-1359.1							
		G2	I	37.1	9.9	695.2	-363.1	-
2850.5	-488.3		J	38.5	9.9	732.0	-363.1	-
3567.0	-498.2							
		G1- Imp~1	I	-5.9	-5.3	0.4	0.5	
-19.3	254.3		J	-5.9	-5.3	0.4	0.5	
-19.8	259.6							
		G2- Imp~1	I	-1.9	-1.7	0.1	0.2	
-6.2	79.9		J	-1.9	-1.7	0.1	0.2	
-6.3	81.6							
		q3	I	98.4	-39.8	0.0	48.1	
-13.6	17.2		J	95.2	-39.8	0.0	48.1	
-10.5	57.2							
		q4-1	I	0.9	1.4	0.7	-1.7	
-3.5	15.0		J	0.9	1.4	0.7	-1.7	
-4.2	13.6							
		q4-2	I	1.3	2.2	1.1	-0.7	
-5.1	35.1		J	1.3	2.2	1.1	-0.7	
-6.2	32.9							
		q4-3	I	-0.7	-0.6	1.0	0.2	
-6.5	38.4		J	-0.7	-0.6	1.0	0.2	
-7.5	39.0							
		q4-4	I	-6.6	-9.8	-0.3	-10.0	
-8.2	-50.5		J	-6.6	-9.8	-0.3	-10.0	
-7.9	-40.7							
		q4-5	I	18.6	22.1	-5.0	-29.0	
43.3	-356.4		J	18.6	22.1	-5.0	-29.0	
48.3	-378.7							
		q4-6	I	109.7	-44.4	-2.9	11.3	
105.0	475.4		J	109.7	-44.4	-2.9	11.3	
107.9	520.0							
		q4-7	I	116.8	-21.8	4.2	31.3	
-116.5	-312.5		J	116.8	-21.8	4.2	31.3	
-120.8	-290.6							
		q5 - p~1	I	-401.3	325.1	-60.1	-361.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
573.6	-1949.1		J	-383.4	331.6	-60.8	-363.6	
627.8	-2278.7							
		q5 - p~2	I	678.4	24.4	-26.1	-0.9	
296.9	-1132.9		J	673.4	37.2	-25.9	-5.5	
324.8	-1163.9							
		q5 - p~3	I	-380.3	307.9	-52.0	-289.7	
554.3	-1834.8		J	-363.3	314.0	-52.7	-290.1	
605.7	-2147.0							
		q5 - p~4	I	642.4	22.9	-25.8	53.0	
298.6	-1070.2		J	637.6	35.1	-25.7	52.2	
324.8	-1099.3							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	118.0	-52.0	3.1	56.7	
-72.7	170.5		J	118.0	-52.0	3.1	56.7	
-75.9	222.7							
		T	I	-2.4	-2.1	-0.8	-13.8	
22.0	99.7		J	-2.4	-2.1	-0.8	-13.8	
22.7	101.8							
		M. tor~1	I	-90.1	-275.6	-7.8	-196.3	
140.0	216.1		J	-90.1	-275.6	-7.8	-206.8	
147.8	209.6							
		M. tor~2	I	-53.3	-162.9	-4.6	-116.0	
82.8	127.8		J	-53.3	-162.9	-4.6	-122.3	
87.4	123.9							
		INVSLU Max	I	1228.7	585.2	6067.7	1898.8	-
8045.2	4581.6		J	1228.8	594.4	6327.8	2067.9	-1
2416.3	4975.3	Min	I	-827.9	-496.2	3056.6	-7037.5	-2
6019.9	-9725.3		J	-811.2	-505.5	3246.0	-7051.9	-3
0794.1	-10218.6							
		INVSLV Max	I	1783.4	1266.9	3085.3	-306.0	-
7057.2	7609.2		J	1788.6	1266.9	3223.0	-306.0	-
9492.9	8160.6	Min	I	-1521.5	-1206.9	2114.9	-2398.4	-1
4348.0	-10581.0		J	-1516.4	-1206.9	2252.5	-2398.4	-1
7271.7	-11192.7							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

5996.2	3270.5	INVSLE Max	I	838.9	399.4	4490.6	1383.4	-
			J	839.5	405.6	4683.3	1508.4	-
9237.6	3540.3	Min	I	-542.1	-333.5	2268.1	-5189.8	-1
9237.2	-7080.6		J	-530.2	-339.7	2408.5	-5200.3	-2
2770.1	-7424.2							
963	1	52 C1-C2;~1 Max	I	120.3	111.6	1905.2	2672.7	
3764.1	3544.9		J	121.0	111.6	1959.8	2800.5	
3220.7	3643.2	Min	I	-51.3	-98.7	-284.8	-2818.5	-
8801.5	-4409.9		J	-50.6	-98.7	-282.3	-2798.8	-
9706.6	-4521.2							
		C3-C4;~1 Max	I	122.3	113.5	1908.6	1787.7	
3724.5	3626.1		J	123.0	113.5	1963.2	1884.3	
3226.4	3725.8	Min	I	-51.6	-100.3	-292.4	-3600.7	-
9006.2	-4482.4		J	-50.7	-100.3	-290.0	-3610.1	-
9920.2	-4595.2							
		C1-C2;~2 Max	I	64.2	58.6	1084.1	1494.1	
2248.2	1902.3		J	64.5	58.6	1111.6	1572.7	
1857.2	1955.1	Min	I	-27.9	-52.9	-153.8	-1478.8	-
4587.7	-2344.3		J	-27.6	-52.9	-152.8	-1452.4	-
4981.6	-2402.8							
		C3-C4;~2 Max	I	65.1	59.4	1086.0	949.3	
2215.7	1954.2		J	65.4	59.4	1113.4	1011.0	
1835.0	2007.7	Min	I	-27.8	-53.7	-158.5	-1929.8	-
4698.3	-2377.1		J	-27.4	-53.7	-157.5	-1918.0	-
5096.6	-2436.4							
		SLVx (RS)	I	-1318.0	-1087.8	256.6	-894.2	-
2661.3	8090.9		J	-1318.0	-1087.8	256.6	-894.2	-
2775.9	8747.4							
		SLVy (RS)	I	970.2	-363.4	-162.9	400.2	
1305.8	-3935.7		J	970.2	-363.4	-162.9	400.2	
1322.5	-3895.4							
		SLDx (RS)	I	-963.0	-813.9	190.4	-651.6	-
1998.7	6005.9		J	-963.0	-813.9	190.4	-651.6	-
2083.9	6504.6							
		SLDy (RS)	I	682.4	-267.2	-119.2	278.9	
954.2	-2815.6		J	682.4	-267.2	-119.2	278.9	
964.7	-2789.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2705.9	1348.3	SLVz (RS)	I	-123.5	201.6	-370.1	141.9	
			J	-123.5	201.6	-370.1	141.9	
3047.4	1502.8							
		G1	I	105.6	26.7	2005.2	-861.6	-
9800.6	-1363.9		J	109.4	26.7	2106.0	-861.6	-1
1864.5	-1390.7							
		G2	I	38.6	9.8	732.0	-316.3	-
3571.2	-500.0		J	40.0	9.8	768.8	-316.3	-
4324.6	-509.8							
		G1- Imp~1	I	-6.0	-5.2	0.4	0.8	
-19.9	259.6		J	-6.0	-5.2	0.4	0.8	
-20.3	264.9							
		G2- Imp~1	I	-1.9	-1.6	0.1	0.3	
-6.4	81.6		J	-1.9	-1.6	0.1	0.3	
-6.5	83.3							
		q3	I	94.7	-41.0	0.0	48.3	
-9.9	57.1		J	91.5	-41.0	0.0	48.3	
-6.9	98.3							
		q4-1	I	0.9	1.4	0.7	-1.6	
-4.2	13.6		J	0.9	1.4	0.7	-1.6	
-4.9	12.2							
		q4-2	I	1.3	2.2	1.1	-0.6	
-6.3	32.9		J	1.3	2.2	1.1	-0.6	
-7.4	30.7							
		q4-3	I	-0.7	-0.6	1.0	0.3	
-7.5	39.0		J	-0.7	-0.6	1.0	0.3	
-8.5	39.6							
		q4-4	I	-6.7	-9.7	-0.3	-9.9	
-8.0	-40.7		J	-6.7	-9.7	-0.3	-9.9	
-7.8	-30.9							
		q4-5	I	18.9	21.9	-5.0	-29.6	
48.1	-378.6		J	18.9	21.9	-5.0	-29.6	
53.1	-400.6							
		q4-6	I	109.1	-45.9	-2.8	9.9	
107.8	520.0		J	109.1	-45.9	-2.8	9.9	
110.6	566.1							
		q4-7	I	116.5	-23.3	4.3	32.9	
-120.2	-290.7		J	116.5	-23.3	4.3	32.9	
-124.5	-267.3							
		q5 - p~1	I	-379.0	336.5	-60.9	-371.7	

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
624.1	-2278.3		J	-361.0	342.8	-61.6	-374.0	
679.2	-2619.4							
325.3	-1163.9	q5 - p~2	I	673.8	28.4	-25.9	-9.7	
353.0	-1199.0		J	668.8	41.4	-25.7	-14.4	
602.9	-2146.6	q5 - p~3	I	-359.2	318.7	-52.8	-298.0	
655.1	-2469.6		J	-342.2	324.7	-53.5	-298.4	
326.0	-1099.4	q5 - p~4	I	638.0	26.7	-25.7	47.9	
352.0	-1132.4		J	633.3	39.0	-25.5	47.1	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-75.2	222.6	q7	I	117.3	-53.5	3.2	57.7	
-78.4	276.3		J	117.3	-53.5	3.2	57.7	
22.5	101.8	T	I	-2.4	-2.1	-0.8	-14.1	
23.3	103.9		J	-2.4	-2.1	-0.8	-14.1	
145.0	209.7	M. tor~1	I	-93.7	-274.4	-7.7	-208.7	
152.7	201.9		J	-93.7	-274.4	-7.7	-219.3	
85.7	124.0	M. tor~2	I	-55.4	-162.2	-4.5	-123.4	
90.3	119.4		J	-55.4	-162.2	-4.5	-129.6	
2427.9	4963.5	INVSLU Max	I	1230.9	599.7	6328.0	2364.1	-1
6907.8	5366.4		J	1231.1	608.7	6588.0	2538.6	-1
0823.7	-10230.5	Min	I	-812.2	-512.2	3245.8	-6794.4	-3
5911.8	-10731.4		J	-797.9	-521.1	3434.3	-6809.1	-3
9502.0	8153.4	INVSLV Max	I	1782.5	1286.8	3233.7	-120.0	-
1939.0	8814.6		J	1787.6	1286.8	3371.4	-120.0	-1
7294.1	-11198.7	Min	I	-1509.6	-1227.7	2241.8	-2233.6	-1
0492.8	-11919.2		J	-1504.5	-1227.7	2379.4	-2233.6	-2

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


9246.0	3531.6	INVSLE Max	I	841.1	409.0	4683.4	1727.4	-
			J	841.7	414.9	4876.0	1856.5	-1
2568.0	3807.4	Min	I	-530.9	-344.1	2408.3	-5009.0	-2
2792.3	-7433.0		J	-520.8	-350.1	2548.0	-5019.8	-2
6557.6	-7781.5							
964	1	52 C1-C2;~1 Max	I	122.4	110.1	1959.8	2849.0	
3231.8	3640.6		J	123.3	110.1	2014.3	2980.9	
2801.9	3737.6	Min	I	-51.8	-97.4	-282.3	-2758.6	-
9711.4	-4523.7		J	-51.3	-97.4	-280.5	-2739.2	-1
0707.7	-4633.4							
		C3-C4;~1 Max	I	124.4	111.9	1963.2	1918.3	
3199.8	3723.1		J	125.3	111.9	2017.5	2018.7	
2834.8	3821.4	Min	I	-51.9	-98.9	-290.0	-3570.7	-
9929.4	-4597.7		J	-51.2	-98.9	-288.2	-3580.6	-1
0933.7	-4709.1							
		C1-C2;~2 Max	I	65.3	57.8	1111.6	1593.5	
1863.3	1953.7		J	65.6	57.8	1138.8	1674.1	
1516.0	2005.7	Min	I	-28.2	-52.2	-152.8	-1433.7	-
4980.9	-2404.3		J	-28.0	-52.2	-152.1	-1407.1	-
5411.2	-2462.0							
		C3-C4;~2 Max	I	66.2	58.6	1113.4	1026.3	
1834.0	2006.2		J	66.5	58.6	1140.5	1089.7	
1532.5	2059.0	Min	I	-28.0	-53.0	-157.5	-1901.3	-
5097.6	-2437.9		J	-27.7	-53.0	-156.8	-1889.5	-
5531.9	-2496.3							
		SLVx (RS)	I	-1313.4	-1101.0	261.2	-906.3	-
2793.2	8746.6		J	-1313.4	-1101.0	261.2	-906.3	-
2923.4	9488.3							
		SLVy (RS)	I	970.0	381.8	-169.8	415.0	
1330.5	-3895.2		J	970.0	381.8	-169.8	415.0	
1362.1	-3872.8							
		SLDx (RS)	I	-960.5	-823.9	193.9	-660.5	-
2096.9	6504.0		J	-960.5	-823.9	193.9	-660.5	-
2193.5	7065.7							
		SLDy (RS)	I	683.5	280.8	-124.3	290.3	
970.9	-2789.7		J	683.5	280.8	-124.3	290.3	
992.4	-2777.1							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3046.3	1503.8	SLVz (RS)	I	122.6	203.1	-376.1	124.6	
			J	122.6	203.1	-376.1	124.6	
3393.9	1665.8							
		G1	I	109.7	26.3	2106.0	-706.2	-1
1874.1	-1396.5		J	113.4	26.3	2206.8	-706.2	-1
4039.2	-1422.8							
		G2	I	40.1	9.6	768.8	-259.7	-
4328.1	-511.9		J	41.4	9.6	805.6	-259.7	-
5118.5	-521.5							
		G1- Imp~1	I	-6.0	-5.1	0.4	1.0	
-20.4	264.9		J	-6.0	-5.1	0.4	1.0	
-20.9	270.0							
		G2- Imp~1	I	-1.9	-1.6	0.1	0.3	
-6.5	83.2		J	-1.9	-1.6	0.1	0.3	
-6.7	84.9							
		q3	I	90.9	-42.2	0.0	48.4	
-6.3	98.3		J	87.7	-42.2	0.0	48.4	
-3.3	140.6							
		q4-1	I	0.9	1.4	0.7	-1.6	
-5.0	12.2		J	0.9	1.4	0.7	-1.6	
-5.7	10.8							
		q4-2	I	1.4	2.2	1.1	-0.5	
-7.4	30.7		J	1.4	2.2	1.1	-0.5	
-8.5	28.5							
		q4-3	I	-0.7	-0.6	1.0	0.5	
-8.5	39.6		J	-0.7	-0.6	1.0	0.5	
-9.5	40.2							
		q4-4	I	-6.9	-9.6	-0.3	-9.8	
-7.9	-30.9		J	-6.9	-9.6	-0.3	-9.8	
-7.6	-21.2							
		q4-5	I	19.2	21.6	-5.0	-30.3	
52.9	-400.6		J	19.2	21.6	-5.0	-30.3	
58.0	-422.3							
		q4-6	I	108.5	-47.3	-2.8	8.4	
110.4	566.1		J	108.5	-47.3	-2.8	8.4	
113.3	613.6							
		q4-7	I	116.2	-24.8	4.3	34.5	
-123.9	-267.4		J	116.2	-24.8	4.3	34.5	
-128.2	-242.4							
		q5 - p~1	I	-356.5	347.5	-61.8	-382.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
675.5	-2618.9		J	-338.4	353.6	-62.4	-385.0	
731.4	-2970.9							
		q5 - p~2	I	669.3	32.7	-25.7	-19.0	
353.4	-1199.1		J	664.3	45.8	-25.5	-23.7	
380.9	-1238.5							
		q5 - p~3	I	-337.9	329.1	-53.6	-306.9	
652.3	-2469.1		J	-320.8	334.8	-54.3	-307.3	
705.3	-2802.4							
		q5 - p~4	I	633.8	30.8	-25.5	42.5	
353.1	-1132.4		J	629.1	43.2	-25.3	41.6	
378.9	-1169.6							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	116.6	-55.0	3.2	58.7	
-77.8	276.3		J	116.6	-55.0	3.2	58.7	
-81.0	331.5							
		T	I	-2.4	-2.0	-0.8	-14.4	
23.0	103.9		J	-2.4	-2.0	-0.8	-14.4	
23.8	105.9							
		M. tor~1	I	-97.2	-273.1	-7.5	-221.2	
149.8	202.0		J	-97.2	-273.1	-7.5	-231.8	
157.3	193.0							
		M. tor~2	I	-57.5	-161.5	-4.5	-130.8	
88.5	119.4		J	-57.5	-161.5	-4.5	-137.0	
93.0	114.1							
		INVSLU Max	I	1233.2	613.5	6588.2	2898.9	-1
6922.0	5351.7		J	1233.5	622.2	6848.0	3078.9	-2
1397.8	5763.2	Min	I	-799.0	-527.3	3434.1	-6477.4	-3
5938.6	-10745.1		J	-784.7	-536.0	3621.8	-6492.8	-4
1336.0	-11253.1							
		INVSLV Max	I	1783.0	1305.6	3380.8	103.6	-1
1945.7	8806.0		J	1788.2	1305.6	3518.4	103.6	-1
4505.7	9560.5	Min	I	-1499.3	-1247.4	2370.0	-2032.7	-2
0512.6	-11926.5		J	-1494.2	-1247.4	2507.7	-2032.7	-2
3864.8	-12739.4							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

2578.3	3796.5	INVSLE Max	I	843.2	418.0	4876.1	2122.8	-1
5897.4	4078.1		J	844.0	423.8	5068.5	2256.0	-1
6577.7	-7791.7	Min	I	-521.6	-354.2	2547.9	-4773.5	-2
0572.1	-8144.7		J	-511.5	-359.9	2686.9	-4784.7	-3
965	1	52 C1-C2;~1 Max	I	124.6	108.5	2014.3	3039.9	
2814.5	3734.2		J	125.7	108.5	2068.6	3175.9	
2918.4	3829.9	Min	I	-52.4	-96.0	-280.5	-2680.5	-1
0712.0	-4635.9		J	-52.0	-96.0	-279.2	-2660.7	-1
2050.8	-4744.1							
2843.3	3818.0	C3-C4;~1 Max	I	126.6	110.3	2017.5	2060.8	
2993.0	3915.0		J	127.6	110.3	2071.7	2165.0	
0942.8	-4711.6	Min	I	-52.4	-97.6	-288.2	-3523.0	-1
2360.8	-4821.5		J	-51.9	-97.6	-287.0	-3533.3	-1
1512.2	2003.9	C1-C2;~2 Max	I	66.3	57.0	1138.8	1700.6	
1576.8	2055.2		J	66.7	57.0	1165.6	1783.2	
5410.1	-2463.5	Min	I	-28.6	-51.5	-152.1	-1378.2	-
6066.8	-2520.5		J	-28.5	-51.5	-151.6	-1351.1	-
1537.7	2057.1	C3-C4;~2 Max	I	67.2	57.8	1140.5	1109.8	
1622.8	2109.1		J	67.6	57.8	1167.2	1175.0	
5532.7	-2497.9	Min	I	-28.4	-52.3	-156.8	-1863.0	-
6247.1	-2555.5		J	-28.2	-52.3	-156.3	-1851.1	-
2941.5	9487.4	SLVx (RS)	I	-1310.3	-1112.7	264.9	-917.9	-
3087.0	10298.8		J	-1310.3	-1112.7	264.9	-917.9	-
1370.4	-3872.6	SLVy (RS)	I	970.5	401.5	-175.1	430.9	
1418.8	-3874.7		J	970.5	401.5	-175.1	430.9	
2207.0	7065.0	SLDx (RS)	I	-959.0	-832.9	196.6	-669.1	-
2314.7	7678.3		J	-959.0	-832.9	196.6	-669.1	-
998.9	-2776.9	SLDy (RS)	I	685.0	295.5	-128.3	302.7	
1032.9	-2782.3		J	685.0	295.5	-128.3	302.7	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3392.2	1666.9	SLVz (RS)	I	122.0	204.4	-381.0	117.6	
			J	122.0	204.4	-381.0	117.6	
3745.7	1834.5							
4046.5	-1429.7	G1	I	113.7	25.8	2206.8	-522.5	-1
			J	117.5	25.8	2307.7	-522.5	-1
6312.9	-1455.6							
5121.2	-524.0	G2	I	41.5	9.5	805.6	-192.7	-
			J	42.9	9.5	842.5	-192.7	-
5948.6	-533.5							
-21.0	270.0	G1- Imp~1	I	-6.1	-5.1	0.4	1.3	
			J	-6.1	-5.1	0.4	1.3	
-21.4	275.1							
-6.7	84.9	G2- Imp~1	I	-1.9	-1.6	0.1	0.4	
			J	-1.9	-1.6	0.1	0.4	
-6.9	86.5							
-2.7	140.6	q3	I	87.2	-43.3	0.1	48.4	
			J	83.9	-43.3	0.1	48.4	
0.2	184.1							
-5.7	10.8	q4-1	I	1.0	1.4	0.7	-1.5	
			J	1.0	1.4	0.7	-1.5	
-6.4	9.4							
-8.5	28.5	q4-2	I	1.4	2.1	1.1	-0.4	
			J	1.4	2.1	1.1	-0.4	
-9.6	26.4							
-9.5	40.2	q4-3	I	-0.7	-0.6	1.0	0.6	
			J	-0.7	-0.6	1.0	0.6	
-10.5	40.8							
-7.7	-21.2	q4-4	I	-7.0	-9.5	-0.3	-9.7	
			J	-7.0	-9.5	-0.3	-9.7	
-7.5	-11.6							
57.8	-422.3	q4-5	I	19.5	21.4	-5.0	-31.0	
			J	19.5	21.4	-5.0	-31.0	
62.8	-443.8							
113.1	613.6	q4-6	I	107.9	-48.7	-2.8	6.9	
			J	107.9	-48.7	-2.8	6.9	
115.9	662.5							
-127.6	-242.6	q4-7	I	115.8	-26.4	4.3	36.2	
			J	115.8	-26.4	4.3	36.2	
-132.0	-216.1							
		q5 - p~1	I	-333.8	357.9	-62.6	-394.4	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
727.7	-2970.4		J	-315.7	363.7	-63.3	-396.5	
784.4	-3332.7							
		q5 - p~2	I	664.9	37.1	-25.5	-28.6	
381.2	-1238.6		J	659.9	50.4	-25.4	-33.4	
408.5	-1282.5							
		q5 - p~3	I	-316.4	339.0	-54.4	-316.4	
702.6	-2802.0		J	-299.2	344.5	-55.1	-316.8	
756.4	-3145.1							
		q5 - p~4	I	629.6	35.0	-25.3	36.7	
380.0	-1169.6		J	624.9	47.5	-25.1	35.8	
405.7	-1211.0							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	115.9	-56.5	3.2	59.7	
-80.4	331.4		J	115.9	-56.5	3.2	59.7	
-83.6	388.2							
		T	I	-2.4	-2.0	-0.8	-14.7	
23.6	106.0		J	-2.4	-2.0	-0.8	-14.7	
24.3	108.0							
		M. tor~1	I	-100.8	-271.9	-7.4	-233.8	
154.2	193.1		J	-100.8	-271.9	-7.4	-244.3	
161.7	182.9							
		M. tor~2	I	-59.6	-160.7	-4.4	-138.2	
91.2	114.2		J	-59.6	-160.7	-4.4	-144.4	
95.6	108.1							
		INVSLU Max	I	1235.7	626.6	6848.2	3506.2	-2
1403.6	5745.5		J	1236.1	634.8	7107.7	3691.7	-2
5327.2	6165.2	Min	I	-786.0	-541.8	3621.6	-6084.7	-4
1358.6	-11268.7		J	-771.8	-550.0	3808.5	-6100.6	-4
7501.7	-11783.3							
		INVSLV Max	I	1785.3	1323.2	3526.0	368.9	-1
4509.7	9550.4		J	1790.4	1323.2	3663.7	368.9	-1
7192.4	10384.0	Min	I	-1490.8	-1265.9	2500.1	-1795.9	-2
3881.3	-12748.0		J	-1485.7	-1265.9	2637.7	-1795.9	-2
7387.2	-13639.1							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5901.5	4065.0	INVSLE Max	I	845.5	426.6	5068.6	2571.9	-1
			J	846.3	432.1	5260.8	2709.2	-1
8811.6	4351.8	Min	I	-512.4	-363.8	2686.8	-4481.9	-3
0589.1	-8156.2		J	-502.4	-369.3	2825.3	-4493.5	-3
5135.8	-8513.4							
966	1	52 C1-C2;~1 Max	I	127.0	107.0	2068.6	3246.0	
2926.0	3825.8		J	128.2	107.0	2122.7	3386.1	
3154.5	3920.1	Min	I	-53.2	-94.7	-279.3	-2583.4	-1
2069.9	-4746.6		J	-53.0	-94.7	-278.5	-2567.7	-1
3745.5	-4853.3							
		C3-C4;~1 Max	I	129.0	108.7	2071.7	2216.7	
3000.3	3910.7		J	130.2	108.7	2125.5	2324.6	
3238.2	4006.5	Min	I	-53.1	-96.2	-287.0	-3456.5	-1
2392.9	-4823.9		J	-52.8	-96.2	-286.3	-3494.3	-1
4074.8	-4932.2							
		C1-C2;~2 Max	I	67.4	56.2	1165.6	1815.6	
1581.0	2053.0		J	67.9	56.2	1192.0	1900.1	
1712.5	2103.6	Min	I	-29.1	-50.8	-151.6	-1312.0	-
6076.9	-2522.0		J	-29.0	-50.8	-151.3	-1287.7	-
6957.2	-2578.1							
		C3-C4;~2 Max	I	68.4	56.9	1167.2	1200.4	
1626.9	2106.8		J	68.8	56.9	1193.4	1267.4	
1763.8	2158.1	Min	I	-28.8	-51.5	-156.3	-1814.0	-
6265.1	-2557.0		J	-28.7	-51.5	-156.1	-1822.4	-
7148.7	-2613.8							
		SLVx (RS)	I	-1308.6	-1123.1	267.6	-929.3	-
3105.6	10297.8		J	-1308.6	-1123.1	267.6	-929.3	-
3265.8	11165.7							
		SLVy (RS)	I	971.7	422.3	-178.8	448.1	
1427.1	-3874.3		J	971.7	422.3	-178.8	448.1	
1493.1	-3907.8							
		SLDx (RS)	I	-958.7	-840.8	198.7	-677.6	-
2328.7	7677.5		J	-958.7	-840.8	198.7	-677.6	-
2447.2	8332.5							
		SLDy (RS)	I	687.0	310.9	-131.0	315.9	
1039.4	-2782.1		J	687.0	310.9	-131.0	315.9	
1086.6	-2810.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3743.3	1835.7	SLVz (RS)	I	122.0	205.4	-384.5	127.0	
			J	122.0	205.4	-384.5	127.0	
4102.2	-2007.7							
		G1	I	117.7	25.4	2307.7	-309.2	-1
6317.7	-1463.6		J	121.4	25.4	2408.5	-309.2	-1
8685.3	-1489.1							
		G2	I	43.0	9.3	842.5	-114.9	-
5950.4	-536.4		J	44.4	9.3	879.3	-114.9	-
6814.7	-545.8							
		G1- Imp~1	I	-6.2	-5.0	0.4	1.6	
-21.5	275.1		J	-6.2	-5.0	0.4	1.6	
-22.0	280.1							
		G2- Imp~1	I	-1.9	-1.6	0.1	0.5	
-6.9	86.5		J	-1.9	-1.6	0.1	0.5	
-7.0	88.0							
		q3	I	83.4	-44.4	0.1	48.4	
0.8	184.1		J	80.2	-44.4	0.1	48.4	
3.7	228.7							
		q4-1	I	1.0	1.3	0.7	-1.4	
-6.4	9.4		J	1.0	1.3	0.7	-1.4	
-7.1	8.1							
		q4-2	I	1.4	2.1	1.1	-0.3	
-9.6	26.3		J	1.4	2.1	1.1	-0.3	
-10.7	24.2							
		q4-3	I	-0.8	-0.6	1.0	0.7	
-10.5	40.8		J	-0.8	-0.6	1.0	0.7	
-11.5	41.3							
		q4-4	I	-7.1	-9.5	-0.3	-9.6	
-7.6	-11.6		J	-7.1	-9.5	-0.3	-9.6	
-7.3	-2.2							
		q4-5	I	19.7	21.1	-5.0	-31.8	
62.6	-443.8		J	19.7	21.1	-5.0	-31.8	
67.7	-465.0							
		q4-6	I	107.2	-50.1	-2.8	5.4	
115.6	662.5		J	107.2	-50.1	-2.8	5.4	
118.4	712.8							
		q4-7	I	115.5	-27.9	4.3	37.9	
-131.4	-216.2		J	115.5	-27.9	4.3	37.9	
-135.7	-188.2							
		q5 - p~1	I	-310.9	367.8	-63.5	-406.6	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
780.8	-3332.2		J	-292.7	373.4	-64.2	-408.6	
838.3	-3704.3							
		q5 - p~2	I	660.5	41.8	-25.4	-38.7	
408.7	-1282.5		J	655.5	55.1	-25.2	-43.5	
435.8	-1331.2							
		q5 - p~3	I	-294.7	348.3	-55.3	-326.5	
753.7	-3144.6		J	-277.4	353.6	-55.9	-326.9	
808.3	-3497.0							
		q5 - p~4	I	625.4	39.4	-25.1	30.6	
406.7	-1211.1		J	620.7	52.0	-25.0	29.7	
432.2	-1257.0							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	115.1	-58.0	3.3	60.8	
-83.0	388.1		J	115.1	-58.0	3.3	60.8	
-86.3	446.4							
		T	I	-2.5	-2.0	-0.8	-15.0	
24.1	108.0		J	-2.5	-2.0	-0.8	-15.0	
24.8	110.0							
		M. tor~1	I	-104.3	-270.5	-7.3	-246.4	
158.4	183.0		J	-104.3	-270.5	-7.3	-256.9	
165.7	171.3							
		M. tor~2	I	-61.7	-159.9	-4.3	-145.7	
93.6	108.2		J	-61.7	-159.9	-4.3	-151.9	
98.0	101.3							
		INVSLU Max	I	1238.2	638.8	7107.9	4189.1	-2
5329.8	6144.3		J	1238.7	646.8	7367.0	4380.1	-2
9320.1	6571.6	Min	I	-773.2	-555.4	3808.3	-5612.6	-4
7550.7	-11800.9		J	-759.1	-563.3	3994.5	-5665.5	-5
4237.4	-12321.6							
		INVSLV Max	I	1789.3	1339.6	3669.1	679.9	-1
7193.3	10372.3		J	1794.4	1339.6	3806.7	679.9	-1
9999.1	11273.6	Min	I	-1484.1	-1283.2	2632.3	-1523.9	-2
7399.6	-13649.2		J	-1479.0	-1283.2	2770.0	-1523.9	-3
1058.8	-14607.1							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

8813.3	4336.4	INVSLE Max	I	847.9	434.6	5260.9	3076.9	-1
1772.9	4628.3		J	848.8	439.9	5452.8	3218.3	-2
5172.3	-8526.5	Min	I	-503.4	-372.8	2825.2	-4131.4	-3
0121.6	-8887.5		J	-493.5	-378.1	2963.1	-4170.4	-4
967	1	52 C1-C2;~1 Max	I	127.7	107.7	2122.7	3349.3	
3150.9	3922.3		J	128.8	107.7	2168.8	3474.0	
3376.6	4003.8	Min	I	-52.5	-95.3	-278.5	-2611.1	-1
3736.9	-4852.2		J	-52.4	-95.3	-278.3	-2637.4	-1
5259.8	-4944.3							
3234.7	4008.7	C3-C4;~1 Max	I	129.6	109.5	2125.5	2297.0	
3467.5	4091.4		J	130.7	109.5	2171.4	2393.5	
4060.0	-4931.1	Min	I	-52.3	-96.8	-286.3	-3546.2	-1
5586.5	-5024.6		J	-52.1	-96.8	-286.1	-3596.3	-1
1710.6	2104.8	C1-C2;~2 Max	I	67.6	56.6	1192.0	1882.7	
1835.2	2148.6		J	68.1	56.6	1214.4	1957.4	
6952.6	-2577.4	Min	I	-28.7	-51.1	-151.3	-1309.9	-
7750.1	-2625.9		J	-28.7	-51.1	-151.3	-1318.5	-
1761.9	2159.4	C3-C4;~2 Max	I	68.5	57.3	1193.4	1253.5	
1890.7	2203.7		J	69.0	57.3	1215.6	1312.9	
7140.4	-2613.1	Min	I	-28.4	-51.9	-156.1	-1850.3	-
7939.8	-2662.2		J	-28.4	-51.9	-156.0	-1870.3	-
3275.9	11166.2	SLVx (RS)	I	-1303.0	-1137.8	268.8	-947.6	-
3423.8	11950.3		J	-1303.0	-1137.8	268.8	-947.6	-
1496.8	-3908.0	SLVy (RS)	I	970.8	448.0	-180.7	471.2	
1567.4	-3974.0		J	970.8	448.0	-180.7	471.2	
2454.7	8332.8	SLDx (RS)	I	-955.4	-851.8	199.5	-691.4	-
2564.1	8924.0		J	-955.4	-851.8	199.5	-691.4	-
1089.9	-2810.8	SLDy (RS)	I	687.2	330.0	-132.5	332.9	
1140.8	-2862.3		J	687.2	330.0	-132.5	332.9	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
4101.1	-2007.1	SLVz (RS)	I	122.2	206.3	-386.6	122.8	
			J	122.2	206.3	-386.6	122.8	
4412.8	-2157.7							
		G1	I	121.3	25.6	2408.5	-418.9	-1
8683.4	-1485.0		J	124.5	25.6	2495.0	-418.9	-2
0794.6	-1507.1							
		G2	I	44.3	9.4	879.3	-154.9	-
6814.0	-544.3		J	45.5	9.4	910.9	-154.9	-
7584.8	-552.4							
		G1- Imp~1	I	-6.1	-5.0	0.4	1.5	
-21.9	280.1		J	-6.1	-5.0	0.4	1.5	
-22.3	284.4							
		G2- Imp~1	I	-1.9	-1.6	0.1	0.5	
-7.0	88.1		J	-1.9	-1.6	0.1	0.5	
-7.1	89.4							
		q3	I	80.4	-43.9	0.1	48.4	
3.5	228.7		J	77.7	-43.9	0.1	48.4	
6.0	266.5							
		q4-1	I	1.0	1.4	0.7	-1.4	
-7.1	8.1		J	1.0	1.4	0.7	-1.4	
-7.7	6.9							
		q4-2	I	1.4	2.1	1.1	-0.3	
-10.7	24.2		J	1.4	2.1	1.1	-0.3	
-11.7	22.4							
		q4-3	I	-0.8	-0.6	1.0	0.6	
-11.5	41.3		J	-0.8	-0.6	1.0	0.6	
-12.3	41.8							
		q4-4	I	-7.0	-9.5	-0.3	-9.6	
-7.3	-2.2		J	-7.0	-9.5	-0.3	-9.6	
-7.1	6.0							
		q4-5	I	19.6	21.2	-5.0	-31.4	
67.8	-465.0		J	19.6	21.2	-5.0	-31.4	
72.1	-483.3							
		q4-6	I	107.5	-49.5	-2.8	6.1	
118.5	712.8		J	107.5	-49.5	-2.8	6.1	
120.9	755.4							
		q4-7	I	115.6	-27.2	4.3	37.1	
-135.9	-188.2		J	115.6	-27.2	4.3	37.1	
-139.7	-164.8							
		q5 - p~1	I	-294.8	371.7	-64.1	-403.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
839.9	-3704.5		J	-279.2	376.5	-64.7	-405.5	
889.7	-4026.6							
435.8	-1331.2	q5 - p~2	I	655.2	59.0	-25.2	-40.9	
458.9	-1386.9		J	651.0	70.4	-25.0	-45.0	
809.4	-3497.2	q5 - p~3	I	-279.5	352.0	-55.8	-322.2	
856.7	-3802.3		J	-264.7	356.6	-56.4	-322.5	
431.7	-1257.0	q5 - p~4	I	620.4	55.7	-25.0	32.2	
453.4	-1309.6		J	616.4	66.5	-24.8	31.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-86.6	446.4	q7	I	115.5	-57.4	3.2	60.3	
-89.4	495.8		J	115.5	-57.4	3.2	60.3	
24.9	110.0	T	I	-2.5	-2.0	-0.8	-14.9	
25.6	111.7		J	-2.5	-2.0	-0.8	-14.9	
167.2	171.3	M. tor~1	I	-102.7	-271.1	-7.3	-255.9	
173.5	161.8		J	-102.7	-271.1	-7.3	-265.0	
98.9	101.3	M. tor~2	I	-60.7	-160.3	-4.3	-151.3	
102.6	95.7		J	-60.7	-160.3	-4.3	-156.6	
9319.9	6582.4	INVSLU Max	I	1237.7	645.1	7367.0	4123.7	-2
2851.7	6952.2		J	1238.2	652.1	7588.8	4293.6	-3
4215.4	-12312.8	Min	I	-758.4	-561.1	3994.6	-5933.4	-5
0212.9	-12763.2		J	-746.4	-568.0	4153.7	-6002.6	-6
9993.5	11279.6	INVSLV Max	I	1788.5	1362.5	3809.8	553.9	-1
2498.7	12104.1		J	1792.9	1362.5	3927.8	553.9	-2
1059.2	-14601.9	Min	I	-1473.3	-1305.7	2766.9	-1697.6	-3
4319.0	-15475.4		J	-1468.9	-1305.7	2885.0	-1697.6	-3

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1772.7	4636.3	INVSLE Max	I	848.0	438.9	5452.8	3028.7	-2
			J	848.8	443.5	5617.1	3154.4	-2
4392.2	4888.8	Min	I	-493.0	-376.7	2963.2	-4369.2	-4
0105.3	-8880.9		J	-484.6	-381.3	3081.1	-4420.3	-4
4544.6	-9193.3							
968	1	52 C1-C2;~1 Max	I	45.5	112.4	83.0	1859.0	
3205.0	4300.6		J	45.5	112.4	83.3	1821.9	
3145.0	4186.7	Min	I	-73.7	-139.5	-2070.9	-3186.5	-1
5113.5	-5332.8		J	-73.3	-139.5	-2015.1	-3054.5	-1
3946.9	-5191.5							
		C3-C4;~1 Max	I	46.0	113.8	85.1	2759.3	
3278.3	4352.5		J	46.0	113.8	85.3	2700.7	
3215.6	4237.3	Min	I	-74.9	-142.3	-2075.3	-2188.5	-1
5445.6	-5428.4		J	-74.5	-142.3	-2019.8	-2091.7	-1
4269.9	-5284.3							
		C1-C2;~2 Max	I	24.5	60.5	45.1	934.9	
1743.8	2312.5		J	24.5	60.5	45.2	920.0	
1707.7	2251.2	Min	I	-39.3	-74.0	-1175.3	-1827.6	-
7640.9	-2830.2		J	-39.1	-74.0	-1147.9	-1750.6	-
7132.9	-2755.3							
		C3-C4;~2 Max	I	24.8	61.3	46.4	1471.9	
1788.6	2346.5		J	24.8	61.3	46.5	1448.4	
1751.0	2284.4	Min	I	-39.8	-75.3	-1177.2	-1217.5	-
7834.1	-2874.5		J	-39.7	-75.3	-1150.0	-1160.1	-
7321.0	-2798.2							
		SLVx (RS)	I	1230.2	1130.0	-350.6	1056.7	-
2917.5	14855.1		J	1230.2	1130.0	-350.6	1056.7	-
2690.0	14154.9							
		SLVy (RS)	I	629.6	-1024.9	-198.2	-855.2	-
2201.0	-5414.0		J	629.6	-1024.9	-198.2	-855.2	-
2080.6	-4680.6							
		SLDx (RS)	I	905.1	856.6	-262.5	795.6	-
2186.9	11118.3		J	905.1	856.6	-262.5	795.6	-
2015.5	10586.6							
		SLDy (RS)	I	438.1	-752.7	-144.5	-629.7	-
1615.6	-3924.7		J	438.1	-752.7	-144.5	-629.7	-
1526.9	-3387.3							


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
4666.3	-2583.7	SLVz (RS)	I	-207.0	-99.2	523.5	103.6	
			J	-207.0	-99.2	523.5	103.6	
4157.6	-2522.2							
		G1	I	-42.6	-43.1	-2527.7	-47.9	-2
1031.6	-1643.4		J	-41.6	-43.1	-2425.9	-47.9	-1
8523.0	-1599.8							
		G2	I	-15.6	-15.8	-922.7	-16.2	-
7671.5	-602.4		J	-15.2	-15.8	-885.5	-16.2	-
6755.8	-586.4							
		G1- Imp~1	I	3.5	8.1	-0.3	0.3	
5.4	307.6		J	3.5	8.1	-0.3	0.3	
5.7	299.4							
		G2- Imp~1	I	1.1	2.5	-0.1	-0.4	
1.6	96.7		J	1.1	2.5	-0.1	-0.4	
1.7	94.1							
		q3	I	128.4	23.7	6.9	23.9	
154.6	391.9		J	125.1	23.7	6.9	23.9	
150.7	367.9							
		q4-1	I	0.0	0.1	-0.3	-1.2	
-10.4	4.7		J	0.0	0.1	-0.3	-1.2	
-10.1	4.6							
		q4-2	I	0.2	0.5	-0.4	-1.7	
-15.2	19.5		J	0.2	0.5	-0.4	-1.7	
-14.7	18.9							
		q4-3	I	0.5	1.2	-0.3	-0.6	
-8.6	45.0		J	0.5	1.2	-0.3	-0.6	
-8.4	43.8							
		q4-4	I	0.3	0.6	0.3	2.5	
14.3	23.7		J	0.3	0.6	0.3	2.5	
14.0	23.0							
		q4-5	I	-6.1	-14.4	0.6	-5.7	
-3.6	-547.5		J	-6.1	-14.4	0.6	-5.7	
-4.3	-532.9							
		q4-6	I	5.7	13.4	-5.1	-32.4	
-169.1	513.4		J	5.7	13.4	-5.1	-32.4	
-164.0	499.8							
		q4-7	I	144.3	10.4	-11.9	21.2	
-54.4	-92.4		J	144.3	10.4	-11.9	21.2	
-42.4	-102.9							
		q5 - p~1	I	-765.2	-282.1	-14.2	-113.1	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-535.8	-5229.6		J	-746.8	-276.7	-14.3	-115.0	
-528.0	-4946.7							
		q5 - p~2	I	383.5	-301.0	-21.4	61.8	
-314.1	-2033.1		J	378.5	-287.4	-21.4	56.9	
-290.6	-1735.0							
		q5 - p~3	I	-724.8	-266.8	-7.8	-123.4	
-492.0	-4938.6		J	-707.3	-261.7	-8.0	-123.7	
-485.3	-4670.9							
		q5 - p~4	I	363.4	-285.0	-21.0	-17.4	
-277.5	-1917.5		J	358.6	-272.1	-20.9	-18.3	
-255.9	-1635.4							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	57.5	29.8	2.5	35.7	
146.3	809.6		J	57.5	29.8	2.5	35.7	
143.8	779.4							
		T	I	1.4	3.2	0.7	2.9	
36.4	120.2		J	1.4	3.2	0.7	2.9	
35.6	117.0							
		M. tor~1	I	-127.0	-296.4	17.7	31.8	
112.9	108.9		J	-127.0	-296.4	17.7	29.0	
94.9	123.2							
		M. tor~2	I	-75.1	-175.2	10.5	18.8	
66.7	64.4		J	-75.1	-175.2	10.5	17.2	
56.1	72.9							
		INVSLU Max	I	1049.3	447.3	-4523.9	3742.3	-3
3805.6	8183.1		J	1024.8	428.0	-4335.9	3665.0	-2
9274.4	7836.5							
		Min	I	-1214.4	-596.6	-7480.0	-4492.2	-6
0099.7	-14607.6		J	-1186.1	-577.3	-7217.4	-4315.7	-5
3881.6	-14090.0							
		INVSLV Max	I	1427.6	1419.0	-2762.6	1280.2	-2
2494.3	15412.9		J	1428.9	1419.0	-2623.6	1280.2	-1
9682.6	14523.1							
		Min	I	-1534.8	-1515.5	-4138.9	-1408.4	-3
4897.9	-19095.9		J	-1533.5	-1515.5	-3999.9	-1408.4	-3
0860.1	-18108.3							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5074.4	5720.9	INVSLE Max	I	696.8	299.9	-3352.4	2764.7	-2
1717.6	5482.9		J	680.6	287.0	-3213.2	2707.3	-2
4485.0	-10479.8	Min	I	-819.1	-410.5	-5539.4	-3320.2	-4
9879.5	-10115.1		J	-800.1	-397.6	-5344.8	-3189.3	-3
969	1	52 C1-C2;~1 Max	I	46.5	112.0	83.3	1837.0	
3147.9	4185.9		J	46.5	112.0	84.2	1830.0	
3140.3	4072.4	Min	I	-74.5	-139.0	-2015.1	-2973.3	-1
3949.5	-5191.9		J	-74.1	-139.0	-1959.1	-2845.2	-1
2877.2	-5051.1							
3218.8	4236.4	C3-C4;~1 Max	I	47.0	113.4	85.3	2705.7	
3207.9	4121.6		J	47.0	113.4	86.2	2655.6	
4269.8	-5284.7	Min	I	-75.7	-141.8	-2019.8	-2007.0	-1
3187.8	-5141.1		J	-75.3	-141.8	-1963.9	-1913.6	-1
1709.3	2250.8	C1-C2;~2 Max	I	25.0	60.2	45.2	929.2	
1694.2	2189.8		J	25.0	60.2	45.6	936.6	
7135.4	-2755.5	Min	I	-39.8	-73.7	-1147.9	-1713.2	-
6665.1	-2680.8		J	-39.6	-73.7	-1120.0	-1638.0	-
1752.7	2283.9	C3-C4;~2 Max	I	25.3	61.1	46.5	1450.6	
1735.8	2222.0		J	25.3	61.1	46.8	1433.2	
7322.4	-2798.5	Min	I	-40.3	-75.1	-1150.0	-1121.0	-
6846.6	-2722.4		J	-40.2	-75.1	-1122.3	-1065.3	-
2690.3	14154.9	SLVx (RS)	I	1207.2	1093.3	-348.5	1019.9	-
2491.7	13528.4		J	1207.2	1093.3	-348.5	1019.9	-
2082.6	-4680.7	SLVy (RS)	I	620.5	-988.1	-195.2	-811.5	-
1973.3	-4086.0		J	620.5	-988.1	-195.2	-811.5	-
2015.4	10586.6	SLDx (RS)	I	888.2	828.7	-261.0	767.7	-
1865.5	10111.6		J	888.2	828.7	-261.0	767.7	-
1528.6	-3387.4	SLDy (RS)	I	432.4	-725.7	-142.5	-597.6	-
1447.8	-2953.4		J	432.4	-725.7	-142.5	-597.6	-


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
4154.5	-2522.4	SLVz (RS)	I	-204.4	-100.0	519.6	-125.8	
			J	-204.4	-100.0	519.6	-125.8	
3652.8	-2462.5							
		G1	I	-42.0	-42.9	-2425.9	108.3	-1
8522.6	-1601.3		J	-41.1	-42.9	-2324.1	108.3	-1
6117.1	-1557.8							
		G2	I	-15.4	-15.7	-885.5	40.8	-
6755.7	-586.9		J	-15.0	-15.7	-848.3	40.8	-
5877.6	-571.0							
		G1- Imp~1	I	3.5	8.0	-0.3	0.3	
5.7	299.4		J	3.5	8.0	-0.3	0.3	
6.0	291.3							
		G2- Imp~1	I	1.1	2.5	-0.1	-0.4	
1.7	94.1		J	1.1	2.5	-0.1	-0.4	
1.8	91.6							
		q3	I	125.3	22.6	6.9	22.6	
150.8	367.9		J	122.1	22.6	6.9	22.6	
146.9	344.9							
		q4-1	I	0.1	0.1	-0.3	-1.1	
-10.1	4.6		J	0.1	0.1	-0.3	-1.1	
-9.8	4.4							
		q4-2	I	0.2	0.5	-0.4	-1.6	
-14.8	18.9		J	0.2	0.5	-0.4	-1.6	
-14.3	18.4							
		q4-3	I	0.5	1.2	-0.3	-0.5	
-8.4	43.8		J	0.5	1.2	-0.3	-0.5	
-8.1	42.6							
		q4-4	I	0.3	0.6	0.3	2.3	
14.0	23.0		J	0.3	0.6	0.3	2.3	
13.7	22.4							
		q4-5	I	-6.3	-14.3	0.6	-5.6	
-4.3	-532.9		J	-6.3	-14.3	0.6	-5.6	
-4.9	-518.5							
		q4-6	I	5.8	13.4	-5.1	-31.0	
-164.3	499.8		J	5.8	13.4	-5.1	-31.0	
-159.1	486.2							
		q4-7	I	144.4	9.2	-11.9	21.6	
-42.2	-102.9		J	144.4	9.2	-11.9	21.6	
-30.2	-112.2							
		q5 - p~1	I	-749.1	-270.4	-14.3	-110.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-528.6	-4946.7		J	-730.6	-265.1	-14.5	-112.6	
-520.7	-4675.5							
		q5 - p~2	I	376.1	-290.6	-21.3	59.3	
-290.0	-1735.1		J	371.1	-277.0	-21.3	54.4	
-266.6	-1447.6							
		q5 - p~3	I	-709.5	-255.7	-7.9	-119.7	
-485.9	-4670.9		J	-692.0	-250.7	-8.1	-120.1	
-479.1	-4414.5							
		q5 - p~4	I	356.3	-275.1	-20.9	-16.2	
-255.9	-1635.4		J	351.6	-262.2	-20.9	-17.1	
-234.4	-1363.4							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	57.7	29.3	2.5	34.5	
144.1	779.5		J	57.7	29.3	2.5	34.5	
141.6	749.8							
		T	I	1.4	3.1	0.7	2.6	
35.6	117.0		J	1.4	3.1	0.7	2.6	
34.9	113.8							
		M. tor~1	I	-129.4	-295.3	17.8	28.2	
95.1	123.2		J	-129.4	-295.3	17.8	25.5	
77.2	136.4							
		M. tor~2	I	-76.5	-174.6	10.5	16.7	
56.3	72.9		J	-76.5	-174.6	10.5	15.1	
45.6	80.7							
		INVSLU Max	I	1028.2	432.5	-4335.9	3955.2	-2
9268.9	7832.6		J	1003.7	413.0	-4147.2	3889.4	-2
4858.1	7497.0							
		Min	I	-1191.0	-581.2	-7217.3	-3914.3	-5
3881.5	-14093.3		J	-1162.7	-561.8	-6954.3	-3743.1	-4
7979.7	-13587.3							
		INVSLV Max	I	1401.8	1371.6	-2629.0	1450.0	-1
9684.6	14521.2		J	1403.2	1371.6	-2490.1	1450.0	-1
6994.6	13747.0							
		Min	I	-1507.4	-1467.8	-3994.5	-1152.1	-3
0857.3	-18110.4		J	-1506.1	-1467.8	-3855.6	-1152.1	-2
6979.3	-17238.9							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1713.6	5480.0	INVSLE Max	I	682.9	290.0	-3213.2	2922.6	-2
			J	666.7	277.0	-3073.4	2873.7	-1
8445.8	5249.2	Min	I	-803.5	-400.2	-5344.8	-2892.3	-3
9879.3	-10117.5		J	-784.4	-387.2	-5150.0	-2765.3	-3
5508.1	-9760.6							
970	1	52 C1-C2;~1 Max	I	47.4	111.6	84.2	1836.9	
3143.4	4071.6		J	47.4	111.6	88.0	1847.3	
3368.2	3958.6	Min	I	-75.4	-138.5	-1959.1	-2773.1	-1
2879.4	-5051.3		J	-75.0	-138.5	-1902.9	-2649.1	-1
1908.6	-4911.1							
		C3-C4;~1 Max	I	47.9	112.9	86.2	2653.4	
3211.4	4120.7		J	47.9	112.9	89.1	2631.7	
3372.7	4006.3	Min	I	-76.6	-141.2	-1963.9	-1838.5	-1
3187.6	-5141.4		J	-76.2	-141.2	-1907.9	-1748.7	-1
2206.4	-4998.3							
		C1-C2;~2 Max	I	25.5	60.0	45.6	941.7	
1695.8	2189.3		J	25.5	60.0	47.9	961.8	
1834.2	2128.5	Min	I	-40.2	-73.5	-1120.0	-1605.3	-
6667.3	-2681.0		J	-40.1	-73.5	-1091.8	-1532.1	-
6237.6	-2606.6							
		C3-C4;~2 Max	I	25.8	60.9	46.8	1431.7	
1737.6	2221.5		J	25.8	60.9	48.5	1435.3	
1829.3	2159.9	Min	I	-40.8	-74.8	-1122.3	-1031.2	-
6847.9	-2722.6		J	-40.7	-74.8	-1094.2	-977.2	-
6412.5	-2646.9							
		SLVx (RS)	I	1184.0	1055.8	-344.7	982.7	
2491.3	13528.4		J	1184.0	1055.8	-344.7	982.7	
2326.9	12976.0							
		SLVy (RS)	I	611.0	-950.2	-190.6	-767.5	-
1974.4	-4086.1		J	611.0	-950.2	-190.6	-767.5	-
1875.3	-3668.0							
		SLDx (RS)	I	871.3	800.1	-258.1	739.6	
1864.8	10111.6		J	871.3	800.1	-258.1	739.6	
1740.2	9693.5							
		SLDy (RS)	I	426.5	-697.9	-139.3	-565.3	-
1448.8	-2953.4		J	426.5	-697.9	-139.3	-565.3	-
1375.2	-2651.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3649.4	-2462.7	SLVz (RS)	I	-201.8	-100.7	513.2	-148.6	
			J	-201.8	-100.7	513.2	-148.6	
3156.8	-2404.4							
		G1	I	-41.5	-42.8	-2324.1	244.2	-1
6115.5	-1559.1		J	-40.5	-42.8	-2222.3	244.2	-1
3813.1	-1515.8							
		G2	I	-15.2	-15.7	-848.3	90.3	-
5877.0	-571.4		J	-14.8	-15.7	-811.1	90.3	-
5036.6	-555.6							
		G1- Imp~1	I	3.6	8.0	-0.3	0.2	
6.0	291.3		J	3.6	8.0	-0.3	0.2	
6.3	283.2							
		G2- Imp~1	I	1.1	2.5	-0.1	-0.4	
1.8	91.6		J	1.1	2.5	-0.1	-0.4	
1.9	89.0							
		q3	I	122.3	21.6	6.9	21.4	
147.1	345.0		J	119.0	21.6	6.9	21.4	
143.2	323.1							
		q4-1	I	0.1	0.1	-0.3	-1.0	
-9.8	4.4		J	0.1	0.1	-0.3	-1.0	
-9.6	4.3							
		q4-2	I	0.2	0.5	-0.4	-1.5	
-14.4	18.4		J	0.2	0.5	-0.4	-1.5	
-13.9	17.9							
		q4-3	I	0.5	1.2	-0.3	-0.5	
-8.1	42.6		J	0.5	1.2	-0.3	-0.5	
-7.8	41.4							
		q4-4	I	0.3	0.6	0.3	2.2	
13.7	22.4		J	0.3	0.6	0.3	2.2	
13.3	21.8							
		q4-5	I	-6.4	-14.2	0.6	-5.6	
-4.9	-518.5		J	-6.4	-14.2	0.6	-5.6	
-5.5	-504.0							
		q4-6	I	5.9	13.3	-5.1	-29.6	
-159.4	486.2		J	5.9	13.3	-5.1	-29.6	
-154.3	472.7							
		q4-7	I	144.5	8.0	-11.9	21.8	
-30.0	-112.2		J	144.5	8.0	-11.9	21.8	
-18.0	-120.3							
		q5 - p~1	I	-732.8	-258.9	-14.4	-108.3	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-521.3	-4675.5		J	-714.2	-253.8	-14.6	-110.2	
-513.2	-4415.8							
		q5 - p~2	I	368.8	-280.1	-21.3	56.6	
-266.0	-1447.7		J	363.8	-266.3	-21.2	51.7	
-242.7	-1171.0							
		q5 - p~3	I	-694.1	-244.8	-8.1	-116.2	
-479.7	-4414.5		J	-676.5	-240.0	-8.2	-116.5	
-472.7	-4169.0							
		q5 - p~4	I	349.4	-265.1	-20.9	-15.2	
-234.5	-1363.4		J	344.7	-252.1	-20.8	-16.1	
-213.0	-1101.5							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	58.0	28.8	2.5	33.3	
141.8	749.8		J	58.0	28.8	2.5	33.3	
139.3	720.6							
		T	I	1.4	3.1	0.7	2.3	
34.9	113.8		J	1.4	3.1	0.7	2.3	
34.2	110.7							
		M. tor~1	I	-131.9	-294.2	17.8	24.8	
77.4	136.4		J	-131.9	-294.2	17.8	22.1	
59.3	148.5							
		M. tor~2	I	-78.0	-173.9	10.5	14.7	
45.7	80.7		J	-78.0	-173.9	10.5	13.1	
35.1	87.8							
		INVSLU Max	I	1006.8	417.4	-4147.2	4132.5	-2
4849.9	7493.5		J	982.3	397.9	-3955.8	4104.9	-2
0396.5	7168.6	Min	I	-1167.4	-565.6	-6954.3	-3391.4	-4
7977.1	-13590.1		J	-1139.0	-546.0	-6691.0	-3225.7	-4
2401.4	-13095.5							
		INVSLV Max	I	1375.9	1323.2	-2499.1	1591.9	-1
6995.8	13745.3		J	1377.2	1323.2	-2360.1	1591.9	-1
4424.2	13098.5	Min	I	-1479.8	-1419.0	-3846.6	-923.2	-2
6974.0	-17240.7		J	-1478.5	-1419.0	-3707.6	-923.2	-2
3259.1	-16496.8							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

8439.8	5246.6	INVSLE Max	I	668.8	279.9	-3073.4	3054.1	-1
			J	652.5	266.9	-2931.6	3033.5	-1
5140.5	5023.1	Min	I	-787.7	-389.7	-5150.0	-2505.1	-3
5506.2	-9762.7		J	-768.6	-376.7	-4955.0	-2382.2	-3
1376.5	-9413.4							
971	1	52 C1-C2;~1 Max	I	48.3	111.2	88.0	1843.7	
3369.3	3957.8		J	48.3	111.2	106.0	1854.5	
4072.5	3845.2	Min	I	-76.1	-138.0	-1902.9	-2585.7	-1
1910.5	-4911.2		J	-75.8	-138.0	-1846.5	-2465.7	-1
1049.2	-4771.5							
		C3-C4;~1 Max	I	48.9	112.5	89.1	2619.1	
3380.3	4005.5		J	48.9	112.5	105.6	2598.0	
4075.1	3891.6	Min	I	-77.4	-140.7	-1907.9	-1682.8	-1
2206.4	-4998.5		J	-77.0	-140.7	-1851.7	-1596.6	-1
1333.9	-4856.0							
		C1-C2;~2 Max	I	26.0	59.8	47.9	960.8	
1834.2	2128.1		J	26.0	59.8	60.3	980.8	
2307.7	2067.6	Min	I	-40.7	-73.2	-1091.8	-1504.0	-
6239.5	-2606.7		J	-40.6	-73.2	-1063.3	-1432.7	-
5853.7	-2532.5							
		C3-C4;~2 Max	I	26.3	60.7	48.5	1427.7	
1833.9	2159.4		J	26.3	60.7	59.7	1431.2	
2302.4	2098.0	Min	I	-41.3	-74.5	-1094.2	-947.9	-
6413.7	-2647.0		J	-41.1	-74.5	-1065.8	-895.6	-
6021.8	-2571.6							
		SLVx (RS)	I	1160.7	1017.6	-339.1	945.0	
2325.9	12976.0		J	1160.7	1017.6	-339.1	945.0	
2200.4	12496.8							
		SLVy (RS)	I	601.3	-911.3	-184.9	-723.2	-
1875.4	-3668.0		J	601.3	-911.3	-184.9	-723.2	-
1784.9	-3458.9							
		SLDx (RS)	I	854.2	771.0	-254.0	711.0	
1739.1	9693.5		J	854.2	771.0	-254.0	711.0	
1643.5	9331.9							
		SLDy (RS)	I	420.4	-669.3	-135.4	-532.7	-
1375.5	-2651.5		J	420.4	-669.3	-135.4	-532.7	-
1308.1	-2505.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3153.0	-2404.6	SLVz (RS)	I	-199.1	-101.3	504.3	-169.6	
			J	-199.1	-101.3	504.3	-169.6	
2671.4	-2348.1							
		G1	I	-40.9	-42.6	-2222.3	360.6	-1
3810.5	-1516.9		J	-40.0	-42.6	-2120.5	360.6	-1
1611.2	-1473.7							
		G2	I	-15.0	-15.6	-811.1	132.8	-
5035.7	-556.0		J	-14.6	-15.6	-774.0	132.8	-
4232.9	-540.2							
		G1- Imp~1	I	3.7	8.0	-0.3	0.2	
6.2	283.2		J	3.7	8.0	-0.3	0.2	
6.5	275.1							
		G2- Imp~1	I	1.1	2.5	-0.1	-0.4	
1.8	89.0		J	1.1	2.5	-0.1	-0.4	
1.9	86.5							
		q3	I	119.2	20.6	6.9	20.2	
143.3	323.1		J	116.0	20.6	6.9	20.2	
139.4	302.2							
		q4-1	I	0.1	0.1	-0.3	-1.0	
-9.6	4.3		J	0.1	0.1	-0.3	-1.0	
-9.3	4.2							
		q4-2	I	0.2	0.5	-0.4	-1.3	
-14.0	17.9		J	0.2	0.5	-0.4	-1.3	
-13.5	17.4							
		q4-3	I	0.5	1.2	-0.3	-0.4	
-7.8	41.4		J	0.5	1.2	-0.3	-0.4	
-7.5	40.2							
		q4-4	I	0.3	0.6	0.3	2.1	
13.4	21.8		J	0.3	0.6	0.3	2.1	
13.0	21.2							
		q4-5	I	-6.5	-14.2	0.6	-5.6	
-5.6	-504.0		J	-6.5	-14.2	0.6	-5.6	
-6.2	-489.7							
		q4-6	I	6.1	13.3	-5.1	-28.3	
-154.6	472.7		J	6.1	13.3	-5.1	-28.3	
-149.5	459.2							
		q4-7	I	144.5	6.7	-11.9	22.0	
-17.8	-120.3		J	144.5	6.7	-11.9	22.0	
-5.8	-127.1							
		q5 - p~1	I	-716.4	-247.8	-14.6	-105.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-513.8	-4415.8		J	-697.8	-242.8	-14.7	-107.7	
-505.6	-4167.4							
		q5 - p~2	I	361.6	-269.4	-21.2	53.7	
-242.2	-1171.0		J	356.7	-255.6	-21.2	48.7	
-218.9	-905.2							
		q5 - p~3	I	-678.5	-234.3	-8.2	-112.6	
-473.3	-4169.0		J	-660.9	-229.6	-8.4	-112.9	
-466.2	-3934.1							
		q5 - p~4	I	342.6	-255.0	-20.8	-14.3	
-213.1	-1101.5		J	337.9	-241.9	-20.8	-15.2	
-191.7	-849.9							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	58.2	28.3	2.5	32.2	
139.5	720.6		J	58.2	28.3	2.5	32.2	
137.0	691.9							
		T	I	1.4	3.1	0.7	2.0	
34.2	110.7		J	1.4	3.1	0.7	2.0	
33.4	107.5							
		M. tor~1	I	-134.4	-293.1	17.8	21.6	
59.5	148.5		J	-134.4	-293.1	17.8	18.9	
41.5	159.4							
		M. tor~2	I	-79.5	-173.3	10.5	12.8	
35.2	87.8		J	-79.5	-173.3	10.5	11.1	
24.5	94.3							
		INVSLU Max	I	985.3	402.1	-3955.8	4298.3	-2
0381.1	7165.4		J	960.7	382.5	-3745.4	4271.4	-1
5397.6	6851.0	Min	I	-1143.5	-549.7	-6691.0	-2921.7	-4
2397.1	-13097.8		J	-1115.1	-530.1	-6427.5	-2761.3	-3
7158.0	-12614.3							
		INVSLV Max	I	1349.7	1273.6	-2372.3	1706.0	-1
4424.7	13097.0		J	1351.0	1273.6	-2233.4	1706.0	-1
1968.6	12586.6	Min	I	-1451.9	-1369.1	-3695.4	-719.7	-2
3251.5	-16498.4		J	-1450.6	-1369.1	-3556.4	-719.7	-1
9702.6	-15891.2							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5129.1	5020.7	INVSLE Max	I	654.6	269.8	-2931.6	3177.0	-1
			J	638.3	256.7	-2775.7	3156.9	-1
1437.1	4804.2	Min	I	-771.8	-379.1	-4954.9	-2157.3	-3
1373.3	-9415.1		J	-752.6	-366.0	-4759.8	-2038.4	-2
7492.9	-9073.2							
972	1	52 C1-C2;~1 Max	I	49.3	110.7	106.0	1840.3	
4074.6	3844.4		J	49.3	110.7	125.9	1851.4	
4847.0	3732.2	Min	I	-76.9	-137.4	-1846.5	-2410.8	-1
1051.1	-4771.5		J	-76.5	-137.4	-1790.1	-2294.8	-1
0307.8	-4632.3							
		C3-C4;~1 Max	I	49.8	112.1	105.6	2576.2	
4083.7	3890.7		J	49.8	112.1	125.2	2555.6	
4847.7	3777.2	Min	I	-78.2	-140.2	-1851.7	-1539.7	-1
1334.2	-4856.0		J	-77.8	-140.2	-1795.4	-1456.9	-1
0579.0	-4714.1							
		C1-C2;~2 Max	I	26.5	59.5	60.3	973.7	
2308.3	2067.1		J	26.5	59.5	74.3	993.6	
2807.1	2006.8	Min	I	-41.2	-72.9	-1063.3	-1409.2	-
5855.5	-2532.6		J	-41.0	-72.9	-1034.4	-1339.8	-
5516.8	-2458.7							
		C3-C4;~2 Max	I	26.8	60.4	59.7	1418.3	
2307.5	2097.5		J	26.8	60.4	73.6	1421.8	
2801.6	2036.3	Min	I	-41.8	-74.2	-1065.8	-871.1	-
6023.1	-2571.6		J	-41.6	-74.2	-1037.1	-820.6	-
5678.1	-2496.5							
		SLVx (RS)	I	1137.3	978.6	-332.0	906.9	
2198.8	12496.8		J	1137.3	978.6	-332.0	906.9	
2115.3	12088.9							
		SLVy (RS)	I	591.2	-871.2	-179.0	-678.5	-
1784.1	-3458.8		J	591.2	-871.2	-179.0	-678.5	-
1700.3	-3465.0							
		SLDx (RS)	I	837.0	741.2	-248.7	682.1	
1641.9	9331.9		J	837.0	741.2	-248.7	682.1	
1577.5	9025.2							
		SLDy (RS)	I	413.9	-639.9	-131.3	-499.8	-
1307.7	-2505.9		J	413.9	-639.9	-131.3	-499.8	-
1245.1	-2520.4							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2667.3	-2348.2	SLVz (RS)	I	-196.3	101.5	493.7	-187.7	
			J	-196.3	101.5	493.7	-187.7	
2198.6	-2293.4							
		G1	I	-40.4	-42.4	-2120.5	458.4	-1
1607.6	-1474.7		J	-39.4	-42.4	-2018.7	458.4	-
9511.4	-1431.7							
		G2	I	-14.8	-15.6	-774.0	168.5	-
4231.6	-540.5		J	-14.4	-15.6	-736.8	168.5	-
3466.5	-524.8							
		G1- Imp~1	I	3.7	7.9	-0.3	0.1	
6.5	275.1		J	3.7	7.9	-0.3	0.1	
6.8	267.0							
		G2- Imp~1	I	1.2	2.5	-0.1	-0.4	
1.9	86.5		J	1.2	2.5	-0.1	-0.4	
2.0	84.0							
		q3	I	116.1	19.6	6.9	19.0	
139.5	302.2		J	112.9	19.6	6.9	19.0	
135.6	282.4							
		q4-1	I	0.1	0.1	-0.3	-0.9	
-9.3	4.2		J	0.1	0.1	-0.3	-0.9	
-9.0	4.1							
		q4-2	I	0.2	0.5	-0.4	-1.2	
-13.6	17.4		J	0.2	0.5	-0.4	-1.2	
-13.1	16.9							
		q4-3	I	0.5	1.2	-0.3	-0.3	
-7.6	40.2		J	0.5	1.2	-0.3	-0.3	
-7.3	39.1							
		q4-4	I	0.3	0.6	0.3	2.0	
13.0	21.2		J	0.3	0.6	0.3	2.0	
12.7	20.6							
		q4-5	I	-6.6	-14.1	0.6	-5.5	
-6.2	-489.7		J	-6.6	-14.1	0.6	-5.5	
-6.8	-475.3							
		q4-6	I	6.2	13.2	-5.1	-27.0	
-149.7	459.2		J	6.2	13.2	-5.1	-27.0	
-144.6	445.8							
		q4-7	I	144.6	5.5	-11.9	22.0	
-5.6	-127.1		J	144.6	5.5	-11.9	22.0	
6.5	-132.7							
		q5 - p~1	I	-699.8	-236.9	-14.7	-103.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-506.2	-4167.4		J	-681.2	-232.1	-14.9	-105.3	
-497.9	-3929.9							
		q5 - p~2	I	354.5	-258.6	-21.2	50.5	
-218.4	-905.2		J	349.6	-244.6	-21.1	45.5	
-195.3	-650.4							
		q5 - p~3	I	-662.8	-224.0	-8.3	-109.1	
-466.8	-3934.1		J	-645.1	-219.4	-8.5	-109.4	
-459.5	-3709.5							
		q5 - p~4	I	335.9	-244.7	-20.8	-13.6	
-191.7	-850.0		J	331.3	-231.5	-20.7	-14.5	
-170.4	-608.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	58.5	27.9	2.5	31.0	
137.2	691.9		J	58.5	27.9	2.5	31.0	
134.8	663.6							
		T	I	1.5	3.1	0.7	1.7	
33.4	107.5		J	1.5	3.1	0.7	1.7	
32.7	104.4							
		M. tor~1	I	-136.9	-291.9	17.8	18.5	
41.6	159.5		J	-136.9	-291.9	17.8	15.8	
23.6	169.2							
		M. tor~2	I	-80.9	-172.6	10.5	10.9	
24.6	94.3		J	-80.9	-172.6	10.5	9.3	
13.9	100.0							
		INVSLU Max	I	963.7	386.7	-3745.4	4418.2	-1
5379.0	6848.2		J	939.0	366.9	-3531.1	4391.9	-1
0492.2	6543.9	Min	I	-1119.5	-533.7	-6427.5	-2503.1	-3
7152.5	-12616.1		J	-1091.0	-513.9	-6163.9	-2348.0	-3
2261.5	-12143.4							
		INVSLV Max	I	1323.3	1222.8	-2247.9	1793.3	-1
1968.7	12585.3		J	1324.6	1222.8	-2108.9	1793.3	-
9625.8	12211.0	Min	I	-1423.7	-1317.9	-3541.9	-540.1	-1
9693.0	-15892.6		J	-1422.4	-1317.9	-3402.9	-540.1	-1
6312.4	-15421.9							

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1423.4	4802.1	INVSLE Max	I	640.3	259.4	-2775.7	3266.0	-1
7803.0	4592.3		J	624.0	246.3	-2617.0	3246.4	-
7488.8	-9074.6	Min	I	-755.7	-368.3	-4759.7	-1847.3	-2
3866.4	-8740.1		J	-736.5	-355.1	-4564.5	-1732.4	-2
973	1	52 C1-C2;~1 Max	I	50.2	110.3	125.9	1827.2	
4850.3	3731.4		J	50.2	110.3	147.2	1838.6	
5698.0	3619.7	Min	I	-77.7	-136.9	-1790.1	-2247.9	-1
0310.0	-4632.2		J	-77.3	-136.9	-1733.6	-2135.9	-
9693.8	-4493.6							
4857.5	3776.4	C3-C4;~1 Max	I	50.7	111.6	125.2	2524.4	
5696.8	3663.4		J	50.7	111.6	146.4	2504.3	
0580.0	-4714.0	Min	I	-79.0	-139.6	-1795.4	-1408.6	-1
9951.1	-4572.6		J	-78.6	-139.6	-1739.1	-1329.4	-
2808.3	2006.4	C1-C2;~2 Max	I	27.0	59.3	74.3	980.6	
3326.2	1946.3		J	27.0	59.3	89.2	1000.3	
5518.6	-2458.7	Min	I	-41.7	-72.6	-1034.4	-1320.6	-
5230.8	-2385.2		J	-41.5	-72.6	-1005.3	-1253.3	-
2807.2	2035.9	C3-C4;~2 Max	I	27.3	60.2	73.6	1403.1	
3328.2	1975.0		J	27.3	60.2	88.3	1406.6	
5679.5	-2496.5	Min	I	-42.3	-73.9	-1037.1	-800.6	-
5385.0	-2421.6		J	-42.1	-73.9	-1008.1	-751.8	-
2113.0	12088.9	SLVx (RS)	I	1113.7	938.8	-323.4	868.2	
2072.0	11748.9		J	1113.7	938.8	-323.4	868.2	
1698.4	-3465.0	SLVy (RS)	I	580.8	-830.1	-173.8	-633.4	-
1619.5	3655.7		J	580.8	-830.1	-173.8	-633.4	-
1575.5	9025.2	SLDx (RS)	I	819.8	710.9	-242.3	652.8	
1543.0	8770.9		J	819.8	710.9	-242.3	652.8	
1243.9	-2520.3	SLDy (RS)	I	407.2	-609.7	-127.7	-466.7	-
1185.0	2670.4		J	407.2	-609.7	-127.7	-466.7	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2194.2	-2293.5	SLVz (RS)	I	-193.2	101.4	482.1	-202.4	
			J	-193.2	101.4	482.1	-202.4	
1741.0	-2240.4							
		G1	I	-39.8	-42.3	-2018.7	538.6	-
9507.1	-1432.5		J	-38.8	-42.3	-1917.0	538.6	-
7514.0	-1389.7							
		G2	I	-14.6	-15.5	-736.8	197.7	-
3465.0	-525.0		J	-14.2	-15.5	-699.6	197.7	-
2737.5	-509.3							
		G1- Imp~1	I	3.8	7.9	-0.3	0.1	
6.8	267.0		J	3.8	7.9	-0.3	0.1	
7.1	259.0							
		G2- Imp~1	I	1.2	2.5	-0.1	-0.5	
2.0	84.0		J	1.2	2.5	-0.1	-0.5	
2.1	81.4							
		q3	I	113.0	18.7	6.9	17.9	
135.7	282.4		J	109.8	18.7	6.9	17.9	
131.8	263.5							
		q4-1	I	0.1	0.1	-0.3	-0.8	
-9.0	4.1		J	0.1	0.1	-0.3	-0.8	
-8.8	3.9							
		q4-2	I	0.2	0.5	-0.4	-1.1	
-13.2	16.9		J	0.2	0.5	-0.4	-1.1	
-12.7	16.4							
		q4-3	I	0.6	1.2	-0.3	-0.3	
-7.3	39.1		J	0.6	1.2	-0.3	-0.3	
-7.0	37.9							
		q4-4	I	0.3	0.6	0.3	1.9	
12.7	20.6		J	0.3	0.6	0.3	1.9	
12.4	19.9							
		q4-5	I	-6.7	-14.1	0.6	-5.5	
-6.8	-475.3		J	-6.7	-14.1	0.6	-5.5	
-7.5	-461.1							
		q4-6	I	6.3	13.2	-5.1	-25.8	
-144.9	445.7		J	6.3	13.2	-5.1	-25.8	
-139.7	432.4							
		q4-7	I	144.6	4.3	-11.9	22.0	
6.7	-132.7		J	144.6	4.3	-11.9	22.0	
18.7	-137.1							
		q5 - p~1	I	-683.1	-226.3	-14.9	-101.2	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-498.5	-3929.9		J	-664.4	-221.7	-15.0	-102.8	
-490.1	-3703.0							
		q5 - p~2	I	347.5	-247.6	-21.1	47.1	
-194.8	-650.4		J	342.6	-233.6	-21.1	42.1	
-171.7	-406.8							
		q5 - p~3	I	-647.0	-214.0	-8.5	-105.6	
-460.1	-3709.5		J	-629.3	-209.6	-8.6	-105.9	
-452.7	-3495.0							
		q5 - p~4	I	329.3	-234.3	-20.7	-13.1	
-170.5	-608.8		J	324.7	-221.1	-20.7	-14.0	
-149.2	-378.2							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	58.7	27.4	2.5	29.9	
135.0	663.7		J	58.7	27.4	2.5	29.9	
132.5	635.9							
		T	I	1.5	3.1	0.7	1.4	
32.7	104.4		J	1.5	3.1	0.7	1.4	
31.9	101.2							
		M. tor~1	I	-139.3	-290.8	17.9	15.6	
23.7	169.2		J	-139.3	-290.8	17.9	12.8	
5.6	177.8							
		M. tor~2	I	-82.4	-171.9	10.6	9.2	
14.0	100.1		J	-82.4	-171.9	10.6	7.6	
3.3	105.1							
		INVSLU Max	I	941.8	371.0	-3531.1	4493.3	-1
0470.6	6541.4		J	917.1	351.1	-3314.7	4467.8	-
5670.7	6247.1	Min	I	-1095.2	-517.4	-6163.8	-2133.4	-3
2255.6	-12144.8		J	-1066.7	-497.5	-5900.1	-1983.7	-2
7725.1	-11682.7							
		INVSLV Max	I	1296.6	1170.9	-2124.6	1854.8	-
9625.6	12209.9		J	1297.9	1170.9	-1985.7	1854.8	-
7162.1	11959.2	Min	I	-1395.3	-1265.6	-3387.2	-383.1	-1
6300.9	-15423.0		J	-1393.9	-1265.6	-3248.3	-383.1	-1
3322.5	-15076.3							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

7787.1	4590.5	INVSLE Max	I	625.9	249.0	-2617.0	3321.7	-
			J	609.5	235.7	-2456.7	3302.7	-
4231.1	4387.4	Min	I	-739.5	-357.4	-4564.4	-1573.7	-2
3862.0	-8741.1		J	-720.3	-344.2	-4369.1	-1462.6	-2
0506.6	-8413.8							
974	1	52 C1-C2;~1 Max	I	51.1	109.8	147.2	1804.9	
5702.6	3619.0		J	51.1	109.8	169.2	1816.5	
6631.9	3507.7	Min	I	-78.5	-136.3	-1733.6	-2096.8	-
9696.6	-4493.4		J	-78.1	-136.3	-1677.2	-1988.6	-
9216.9	-4355.4							
		C3-C4;~1 Max	I	51.7	111.2	146.4	2464.3	
5707.9	3662.6		J	51.7	111.2	168.1	2445.0	
6628.7	3550.0	Min	I	-79.8	-139.0	-1739.1	-1289.4	-
9953.1	-4572.5		J	-79.4	-139.0	-1682.7	-1213.5	-
9459.9	-4431.7							
		C1-C2;~2 Max	I	27.5	59.1	89.2	981.7	
3335.6	1945.9		J	27.5	59.1	104.9	1001.3	
3886.0	1886.1	Min	I	-42.1	-72.3	-1005.3	-1238.2	-
5232.8	-2385.1		J	-42.0	-72.3	-976.0	-1172.9	-
4999.6	-2311.9							
		C3-C4;~2 Max	I	27.8	59.9	88.3	1382.5	
3334.4	1974.5		J	27.8	59.9	103.9	1386.0	
3879.5	1913.8	Min	I	-42.7	-73.6	-1008.0	-736.3	-
5386.7	-2421.6		J	-42.6	-73.6	-978.8	-689.3	-
5146.5	-2347.0							
		SLVx (RS)	I	1090.1	898.3	-313.6	829.0	
2069.2	11748.9		J	1090.1	898.3	-313.6	829.0	
2068.1	11471.9							
		SLVy (RS)	I	570.0	-788.1	-170.2	-588.0	-
1616.5	3655.7		J	570.0	-788.1	-170.2	-588.0	-
1541.1	3977.9							
		SLDx (RS)	I	802.4	680.0	-235.1	623.1	
1540.4	8770.9		J	802.4	680.0	-235.1	623.1	
1538.0	8565.2							
		SLDy (RS)	I	400.1	-578.9	-125.1	-433.4	-
1182.9	2670.4		J	400.1	-578.9	-125.1	-433.4	-
1126.6	2915.7							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1736.2	-2240.5	SLVz (RS)	I	-190.0	100.7	470.2	-213.6	
			J	-190.0	100.7	470.2	-213.6	
1303.5	-2188.9							
		G1	I	-39.2	-42.1	-1916.9	601.8	-
7509.1	-1390.3		J	-38.2	-42.1	-1815.2	601.8	-
5619.1	-1347.7							
		G2	I	-14.3	-15.4	-699.6	220.7	-
2735.7	-509.6		J	-14.0	-15.4	-662.5	220.7	-
2045.9	-494.0							
		G1- Imp~1	I	3.9	7.9	-0.3	0.0	
7.1	259.0		J	3.9	7.9	-0.3	0.0	
7.4	251.1							
		G2- Imp~1	I	1.2	2.5	-0.1	-0.5	
2.1	81.4		J	1.2	2.5	-0.1	-0.5	
2.2	78.9							
		q3	I	110.0	17.7	6.9	16.7	
132.0	263.5		J	106.7	17.7	6.9	16.7	
128.1	245.5							
		q4-1	I	0.1	0.1	-0.3	-0.7	
-8.8	3.9		J	0.1	0.1	-0.3	-0.7	
-8.5	3.8							
		q4-2	I	0.2	0.5	-0.4	-1.0	
-12.7	16.4		J	0.2	0.5	-0.4	-1.0	
-12.3	15.9							
		q4-3	I	0.6	1.2	-0.3	-0.2	
-7.0	37.9		J	0.6	1.2	-0.3	-0.2	
-6.7	36.7							
		q4-4	I	0.3	0.6	0.3	1.8	
12.4	19.9		J	0.3	0.6	0.3	1.8	
12.0	19.3							
		q4-5	I	-6.9	-14.0	0.6	-5.4	
-7.5	-461.1		J	-6.9	-14.0	0.6	-5.4	
-8.1	-446.9							
		q4-6	I	6.4	13.1	-5.1	-24.6	
-140.0	432.4		J	6.4	13.1	-5.1	-24.6	
-134.8	419.1							
		q4-7	I	144.6	3.1	-11.9	21.8	
18.9	-137.1		J	144.6	3.1	-11.9	21.8	
30.9	-140.2							
		q5 - p~1	I	-666.3	-216.1	-15.0	-98.8	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-490.6	-3703.0		J	-647.6	-211.6	-15.2	-100.4	
-482.1	-3486.4							
		q5 - p~2	I	340.7	-236.5	-21.0	43.5	
-171.3	-406.8		J	335.8	-222.4	-21.0	38.5	
-148.3	-174.4							
		q5 - p~3	I	-631.0	-204.2	-8.6	-102.2	
-453.3	-3495.0		J	-613.3	-200.0	-8.8	-102.5	
-445.8	-3290.3							
		q5 - p~4	I	322.8	-223.8	-20.6	-12.8	
-149.3	-378.2		J	318.2	-210.4	-20.6	-13.7	
-128.1	-158.3							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	58.9	26.9	2.4	28.8	
132.7	635.9		J	58.9	26.9	2.4	28.8	
130.2	608.7							
		T	I	1.5	3.1	0.7	1.2	
31.9	101.2		J	1.5	3.1	0.7	1.2	
31.2	98.1							
		M. tor~1	I	-141.8	-289.6	17.9	12.8	
5.7	177.8		J	-141.8	-289.6	17.9	10.0	
-12.5	185.2							
		M. tor~2	I	-83.8	-171.2	10.6	7.5	
3.4	105.1		J	-83.8	-171.2	10.6	5.9	
-7.4	109.5							
		INVSLU Max	I	919.8	355.1	-3314.7	4526.3	-
5647.9	6244.9		J	895.0	335.1	-3097.5	4501.7	
-925.5	5960.3	Min	I	-1070.8	-500.9	-5900.1	-1810.6	-2
7719.4	-11683.7		J	-1042.1	-480.9	-5636.4	-1666.0	-2
3562.0	-11231.9							
		INVSLV Max	I	1269.6	1117.8	-2001.6	1891.6	-
7160.6	11958.3		J	1271.0	1117.8	-1862.6	1891.6	-
4734.0	11810.3	Min	I	-1366.6	-1212.1	-3232.4	-247.4	-1
3310.6	-15077.2		J	-1365.2	-1212.1	-3093.4	-247.4	-1
0576.8	-14833.6							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4214.2	4385.8	INVSLE Max	I	611.3	238.4	-2456.7	3346.3	-
-715.6	4189.1		J	594.9	225.0	-2295.8	3328.0	
0502.3	-8414.5	Min	I	-723.1	-346.4	-4369.1	-1334.7	-2
7423.3	-8094.1		J	-703.9	-333.1	-4173.8	-1227.5	-1
975	1	52 C1-C2;~1 Max	I	52.0	109.4	169.2	1773.4	
6637.9	3507.0		J	52.0	109.4	193.8	1785.2	
7646.0	3396.2	Min	I	-79.3	-135.8	-1677.2	-1956.8	-
9220.6	-4355.1		J	-78.9	-135.8	-1620.8	-1852.4	-
8877.6	-4217.6							
6641.4	3549.3	C3-C4;~1 Max	I	52.6	110.7	168.1	2396.8	
7641.8	3437.2		J	52.6	110.7	192.6	2378.3	
9463.3	-4431.4	Min	I	-80.6	-138.4	-1682.7	-1181.4	-
9106.9	-4291.2		J	-80.2	-138.4	-1626.4	-1108.9	-
3891.7	1885.7	C1-C2;~2 Max	I	28.0	58.8	104.9	977.2	
4470.2	1826.1		J	28.0	58.8	121.5	996.5	
5001.8	-2311.8	Min	I	-42.6	-72.0	-975.9	-1161.8	-
4823.3	-2238.8		J	-42.4	-72.0	-946.4	-1098.4	-
3890.6	1913.4	C3-C4;~2 Max	I	28.3	59.7	103.9	1357.0	
4464.9	1853.0		J	28.3	59.7	120.4	1360.5	
5148.7	-2346.9	Min	I	-43.2	-73.3	-978.8	-678.0	-
4963.2	-2272.7		J	-43.0	-73.3	-949.3	-632.8	-
2064.7	11471.9	SLVx (RS)	I	1066.4	857.2	-303.0	789.5	
2098.2	11251.8		J	1066.4	857.2	-303.0	789.5	
1537.0	3977.8	SLVy (RS)	I	558.9	-745.3	168.3	-542.5	-
1464.5	4378.9		J	558.9	-745.3	168.3	-542.5	-
1535.1	8565.2	SLDx (RS)	I	785.0	648.7	-227.2	593.2	
1558.8	8403.4		J	785.0	648.7	-227.2	593.2	
1123.8	2915.6	SLDy (RS)	I	392.7	-547.4	123.6	-400.0	-
1069.6	3216.9		J	392.7	-547.4	123.6	-400.0	-


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1298.2	-2188.9	SLVz (RS)	I	-186.7	99.5	458.3	-221.1	
			J	-186.7	99.5	458.3	-221.1	
900.1	-2138.7							
		G1	I	-38.6	-41.9	-1815.2	649.1	-
5613.7	-1348.1		J	-37.6	-41.9	-1713.4	649.1	-
3826.8	-1305.7							
		G2	I	-14.1	-15.4	-662.5	237.9	-
2044.0	-494.1		J	-13.8	-15.4	-625.3	237.9	-
1391.8	-478.6							
		G1- Imp~1	I	3.9	7.8	-0.3	-0.0	
7.3	251.1		J	3.9	7.8	-0.3	-0.0	
7.6	243.1							
		G2- Imp~1	I	1.2	2.5	-0.1	-0.5	
2.2	78.9		J	1.2	2.5	-0.1	-0.5	
2.3	76.4							
		q3	I	106.9	16.8	6.9	15.7	
128.2	245.5		J	103.6	16.8	6.9	15.7	
124.3	228.4							
		q4-1	I	0.1	0.1	-0.3	-0.7	
-8.5	3.8		J	0.1	0.1	-0.3	-0.7	
-8.2	3.7							
		q4-2	I	0.2	0.5	-0.4	-0.9	
-12.3	15.9		J	0.2	0.5	-0.4	-0.9	
-11.9	15.4							
		q4-3	I	0.6	1.1	-0.3	-0.2	
-6.7	36.7		J	0.6	1.1	-0.3	-0.2	
-6.4	35.6							
		q4-4	I	0.3	0.6	0.3	1.7	
12.1	19.3		J	0.3	0.6	0.3	1.7	
11.7	18.7							
		q4-5	I	-7.0	-14.0	0.6	-5.4	
-8.1	-446.9		J	-7.0	-14.0	0.6	-5.4	
-8.8	-432.7							
		q4-6	I	6.5	13.1	-5.1	-23.5	
-135.1	419.1		J	6.5	13.1	-5.1	-23.5	
-129.9	405.8							
		q4-7	I	144.7	1.8	-11.9	21.5	
31.1	-140.2		J	144.7	1.8	-11.9	21.5	
43.2	-142.0							
		q5 - p~1	I	-649.3	-206.1	-15.1	-96.4	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-482.6	-3486.4		J	-630.6	-201.8	-15.3	-98.0	
-473.9	-3279.9							
		q5 - p~2	I	333.9	-225.2	-21.0	39.7	
-147.9	-174.5		J	329.1	-211.0	-20.9	34.6	
-125.0	46.4							
		q5 - p~3	I	-615.0	-194.8	-8.7	-98.8	
-446.3	-3290.3		J	-597.2	-190.7	-8.9	-99.1	
-438.6	-3095.1							
		q5 - p~4	I	316.4	-213.1	-20.6	-12.7	
-128.2	-158.4		J	311.8	-199.7	-20.5	-13.6	
-107.0	50.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	59.2	26.4	2.4	27.7	
130.4	608.7		J	59.2	26.4	2.4	27.7	
127.9	582.0							
		T	I	1.5	3.1	0.7	0.9	
31.2	98.1		J	1.5	3.1	0.7	0.9	
30.4	95.0							
		M. tor~1	I	-144.2	-288.4	17.9	10.1	
-12.4	185.2		J	-144.2	-288.4	17.9	7.3	
-30.5	191.4							
		M. tor~2	I	-85.3	-170.5	10.6	6.0	
-7.3	109.5		J	-85.3	-170.5	10.6	4.3	
-18.1	113.1							
		INVSLU Max	I	897.6	339.0	-3097.5	4519.8	
-902.3	5958.4		J	872.8	318.9	-2876.8	4496.3	
3739.0	5683.1							
		Min	I	-1046.1	-484.3	-5636.4	-1532.4	-2
3557.1	-11232.5		J	-1017.4	-464.1	-5372.8	-1392.9	-1
9774.4	-10790.8							
		INVSLV Max	I	1242.5	1063.7	-1878.3	1905.0	-
4732.8	11809.6		J	1243.8	1063.7	-1739.3	1905.0	-
2401.1	11742.4							
		Min	I	-1337.6	-1157.6	-3077.7	-132.1	-1
0563.4	-14834.2		J	-1336.3	-1157.6	-2938.8	-132.1	-
8016.2	-14671.8							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

-698.5	4187.7	INVSLE Max	I	596.7	227.7	-2295.8	3341.7	
			J	580.3	214.2	-2132.3	3324.1	
2740.0	3997.4	Min	I	-706.7	-335.2	-4173.8	-1128.7	-1
7419.6	-8094.5		J	-687.4	-321.8	-3978.5	-1025.3	-1
4618.1	-7780.9							
976	1	52 C1-C2;~1 Max	I	52.9	108.9	193.8	1733.6	
7653.5	3395.5		J	52.9	108.9	219.9	1745.6	
8654.2	3285.2	Min	I	-80.0	-135.2	-1620.8	-1827.7	-
8882.2	-4217.2		J	-79.6	-135.2	-1564.6	-1726.9	-
8592.5	-4080.3							
		C3-C4;~1 Max	I	53.5	110.2	192.6	2321.8	
7656.0	3436.4		J	53.5	110.2	218.6	2304.2	
8655.2	3324.8	Min	I	-81.4	-137.9	-1626.4	-1084.2	-
9111.7	-4290.9		J	-81.0	-137.9	-1570.3	-1015.0	-
8814.2	-4151.2							
		C1-C2;~2 Max	I	28.4	58.6	121.5	967.3	
4474.4	1825.8		J	28.4	58.6	139.0	986.4	
5044.3	1766.4	Min	I	-43.0	-71.7	-946.4	-1091.2	-
4825.8	-2238.7		J	-42.9	-71.7	-916.6	-1029.7	-
4668.5	-2166.0							
		C3-C4;~2 Max	I	28.8	59.4	120.4	1326.3	
4473.8	1852.6		J	28.8	59.4	137.8	1329.8	
5042.7	1792.4	Min	I	-43.7	-73.0	-949.2	-625.4	-
4965.8	-2272.5		J	-43.5	-73.0	-919.5	-582.0	-
4803.9	-2198.6							
		SLVx (RS)	I	1042.6	815.6	-291.6	749.7	
2094.4	11251.8		J	1042.6	815.6	-291.6	749.7	
2155.5	11081.4							
		SLVy (RS)	I	547.3	-701.7	167.5	-496.8	-
1459.4	4378.8		J	547.3	-701.7	167.5	-496.8	-
1389.8	4818.0							
		SLDx (RS)	I	767.6	616.9	-218.7	563.1	
1555.7	8403.4		J	767.6	616.9	-218.7	563.1	
1600.4	8279.8							
		SLDy (RS)	I	385.0	-515.4	123.0	-366.4	-
1066.0	3216.9		J	385.0	-515.4	123.0	-366.4	-
1014.1	3544.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
894.5	-2138.7	SLVz (RS)	I	-183.5	97.9	446.3	-224.9	
			J	-183.5	97.9	446.3	-224.9	
-580.9	-2089.5							
		G1	I	-38.0	-41.7	-1713.4	681.2	-
3821.1	-1306.0		J	-37.0	-41.7	-1611.6	681.2	-
2137.2	-1263.7							
		G2	I	-13.9	-15.3	-625.3	249.6	-
1389.7	-478.7		J	-13.5	-15.3	-588.1	249.6	
-775.2	-463.2							
		G1- Imp~1	I	4.0	7.8	-0.3	-0.1	
7.6	243.1		J	4.0	7.8	-0.3	-0.1	
7.9	235.2							
		G2- Imp~1	I	1.3	2.5	-0.1	-0.5	
2.3	76.4		J	1.3	2.5	-0.1	-0.5	
2.4	74.0							
		q3	I	103.8	16.0	6.9	14.6	
124.4	228.4		J	100.5	16.0	6.9	14.6	
120.5	212.3							
		q4-1	I	0.1	0.1	-0.3	-0.6	
-8.3	3.7		J	0.1	0.1	-0.3	-0.6	
-8.0	3.6							
		q4-2	I	0.2	0.5	-0.4	-0.8	
-11.9	15.4		J	0.2	0.5	-0.4	-0.8	
-11.5	14.9							
		q4-3	I	0.6	1.1	-0.3	-0.1	
-6.4	35.6		J	0.6	1.1	-0.3	-0.1	
-6.2	34.4							
		q4-4	I	0.3	0.6	0.3	1.6	
11.7	18.7		J	0.3	0.6	0.3	1.6	
11.4	18.1							
		q4-5	I	-7.1	-13.9	0.6	-5.3	
-8.8	-432.7		J	-7.1	-13.9	0.6	-5.3	
-9.4	-418.7							
		q4-6	I	6.6	13.0	-5.1	-22.3	
-130.2	405.8		J	6.6	13.0	-5.1	-22.3	
-125.0	392.6							
		q4-7	I	144.7	0.6	-11.9	21.2	
43.4	-142.0		J	144.7	0.6	-11.9	21.2	
55.4	-142.7							
		q5 - p~1	I	-632.3	-196.4	-15.3	-94.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-474.5	-3279.9		J	-613.5	-192.3	-15.5	-95.5	
-465.6	-3083.1							
		q5 - p~2	I	327.3	-213.8	-20.9	35.7	
-124.7	46.4		J	322.5	-199.6	-20.9	30.5	
-101.8	255.8							
		q5 - p~3	I	-598.8	-185.7	-8.9	-95.4	
-439.2	-3095.1		J	-581.0	-181.7	-9.1	-95.7	
-431.4	-2909.0							
		q5 - p~4	I	310.1	-202.3	-20.5	-12.7	
-107.1	50.7		J	305.6	-188.8	-20.5	-13.6	
-86.0	248.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	59.4	25.9	2.4	26.6	
128.1	582.0		J	59.4	25.9	2.4	26.6	
125.6	555.8							
		T	I	1.6	3.1	0.7	0.6	
30.4	95.0		J	1.6	3.1	0.7	0.6	
29.7	91.9							
		M. tor~1	I	-146.7	-287.1	17.9	7.6	
-30.5	191.4		J	-146.7	-287.1	17.9	4.8	
-48.7	196.3							
		M. tor~2	I	-86.7	-169.8	10.6	4.5	
-18.0	113.1		J	-86.7	-169.8	10.6	2.8	
-28.8	116.0							
		INVSLU Max	I	875.3	322.8	-2876.8	4475.3	
3763.3	5681.6		J	850.4	302.5	-2653.9	4452.9	
8207.1	5415.4	Min	I	-1021.3	-467.4	-5372.8	-1296.6	-1
9770.9	-10790.9		J	-992.5	-447.1	-5109.3	-1162.0	-1
6257.6	-10359.1							
		INVSLV Max	I	1215.2	1008.7	-1755.0	1896.5	-
2400.3	11741.9		J	1216.5	1008.7	-1616.0	1896.5	
-155.4	11735.8	Min	I	-1308.5	-1102.3	-2923.1	-36.0	-
8001.5	-14672.2		J	-1307.1	-1102.3	-2784.2	-36.0	-
5648.8	-14571.4							

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

2758.1	3996.2	INVSLE Max	I	581.9	216.8	-2132.3	3308.8	
			J	565.5	203.3	-1967.2	3292.1	
6050.2	3812.0	Min	I	-690.1	-323.9	-3978.5	-954.2	-1
4615.5	-7781.0		J	-670.8	-310.4	-3783.3	-854.4	-1
2013.6	-7474.0							
977	1	52 C1-C2;~1 Max	I	53.8	108.4	219.9	1685.6	
8661.6	3284.5		J	53.8	108.4	247.6	1697.7	
9599.9	3174.6	Min	I	-80.8	-134.6	-1564.6	-1708.8	-
8596.6	-4079.9		J	-80.4	-134.6	-1508.5	-1611.6	-
8307.8	-3943.6							
		C3-C4;~1 Max	I	54.5	109.7	218.6	2240.7	
8668.9	3324.1		J	54.5	109.7	246.1	2223.1	
9606.4	3212.9	Min	I	-82.2	-137.3	-1570.3	-997.3	-
8818.5	-4150.8		J	-81.8	-137.3	-1514.3	-931.3	-
8522.4	-4011.8							
		C1-C2;~2 Max	I	28.9	58.3	139.0	952.2	
5047.6	1766.1		J	28.9	58.3	157.3	971.0	
5585.0	1707.0	Min	I	-43.5	-71.4	-916.6	-1026.2	-
4670.7	-2165.8		J	-43.3	-71.4	-886.7	-966.5	-
4513.9	-2093.5							
		C3-C4;~2 Max	I	29.3	59.2	137.8	1291.3	
5050.1	1792.0		J	29.3	59.2	156.0	1294.2	
5586.8	1732.1	Min	I	-44.1	-72.7	-919.5	-578.5	-
4806.3	-2198.4		J	-44.0	-72.7	-889.6	-536.8	-
4644.9	-2124.8							
		SLVx (RS)	I	1018.8	773.8	-279.6	710.0	
2151.5	11081.3		J	1018.8	773.8	-279.6	710.0	
2232.5	10952.6							
		SLVy (RS)	I	535.5	-657.5	167.1	-451.1	-
1383.8	4817.9		J	535.5	-657.5	167.1	-451.1	-
1318.0	5267.1							
		SLDx (RS)	I	750.1	585.0	-209.8	533.0	
1597.0	8279.8		J	750.1	585.0	-209.8	533.0	
1657.0	8188.3							
		SLDy (RS)	I	377.1	-483.0	122.6	-332.9	-
1009.8	3544.5		J	377.1	-483.0	122.6	-332.9	-
-960.6	3878.2							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-575.9	-2089.5	SLVz (RS)	I	-180.6	95.8	433.7	-225.1	
			J	-180.6	95.8	433.7	-225.1	
-503.2	-2040.8							
2131.3	-1263.9	G1	I	-37.4	-41.6	-1611.6	699.1	-
			J	-36.4	-41.6	-1509.8	699.1	
-550.6	-1221.8							
		G2	I	-13.7	-15.2	-588.1	256.1	
-773.1	-463.3		J	-13.3	-15.2	-550.9	256.1	
-196.2	-447.8							
		G1- Imp~1	I	4.1	7.8	-0.3	-0.1	
7.9	235.2		J	4.1	7.8	-0.3	-0.1	
8.2	227.3							
		G2- Imp~1	I	1.3	2.4	-0.1	-0.5	
2.4	74.0		J	1.3	2.4	-0.1	-0.5	
2.5	71.5							
		q3	I	100.7	15.1	6.9	13.6	
120.6	212.3		J	97.4	15.1	6.9	13.6	
116.7	197.0							
		q4-1	I	0.1	0.1	-0.3	-0.5	
-8.0	3.6		J	0.1	0.1	-0.3	-0.5	
-7.7	3.5							
		q4-2	I	0.3	0.5	-0.4	-0.7	
-11.5	14.9		J	0.3	0.5	-0.4	-0.7	
-11.1	14.4							
		q4-3	I	0.6	1.1	-0.3	-0.1	
-6.2	34.4		J	0.6	1.1	-0.3	-0.1	
-5.9	33.2							
		q4-4	I	0.3	0.6	0.3	1.5	
11.4	18.1		J	0.3	0.6	0.3	1.5	
11.1	17.5							
		q4-5	I	-7.2	-13.8	0.6	-5.2	
-9.4	-418.7		J	-7.2	-13.8	0.6	-5.2	
-10.1	-404.6							
		q4-6	I	6.7	13.0	-5.1	-21.3	
-125.2	392.6		J	6.7	13.0	-5.1	-21.3	
-120.1	379.5							
		q4-7	I	144.7	-0.6	-11.9	20.7	
55.6	-142.7		J	144.7	-0.6	-11.9	20.7	
67.7	-142.1							
		q5 - p~1	I	-615.1	-187.1	-15.5	-91.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-466.2	-3083.1		J	-596.3	-183.1	-15.6	-93.1	
-457.2	-2895.6							
		q5 - p~2	I	320.8	-202.3	-20.9	31.4	
-101.5	255.7		J	316.0	-188.0	-20.8	26.2	
-78.7	453.4							
		q5 - p~3	I	-582.5	-176.8	-9.0	-92.1	
-431.9	-2909.0		J	-564.7	-173.0	-9.2	-92.4	
-423.9	-2731.9							
		q5 - p~4	I	304.0	-191.4	-20.5	-12.9	
-86.2	248.7		J	299.5	-177.8	-20.4	-13.9	
-65.1	435.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	59.6	25.4	2.4	25.6	
125.8	555.9		J	59.6	25.4	2.4	25.6	
123.3	530.2							
		T	I	1.6	3.0	0.7	0.4	
29.7	91.9		J	1.6	3.0	0.7	0.4	
28.9	88.9							
		M. tor~1	I	-149.1	-285.9	18.0	5.2	
-48.6	196.3		J	-149.1	-285.9	18.0	2.4	
-66.8	199.9							
		M. tor~2	I	-88.1	-169.0	10.6	3.1	
-28.8	116.0		J	-88.1	-169.0	10.6	1.4	
-39.5	118.2							
		INVSLU Max	I	852.8	306.3	-2653.9	4396.3	
8237.0	5414.1		J	827.8	285.9	-2429.0	4373.9	1
2407.2	5156.8	Min	I	-996.3	-450.3	-5109.3	-1101.0	-1
6253.0	-10358.9		J	-967.5	-429.9	-4846.1	-971.1	-1
2931.3	-9936.6							
		INVSLV Max	I	1187.8	953.2	-1632.4	1867.4	
-154.7	11735.5		J	1189.2	953.2	-1493.4	1867.4	
2042.8	11774.1	Min	I	-1279.3	-1046.3	-2767.8	41.7	-
5633.5	-14571.6		J	-1278.0	-1046.3	-2628.9	41.7	-
3515.0	-14515.9							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

6072.4	3811.0	INVSLE Max	I	567.1	205.8	-1967.2	3250.5	
			J	550.6	192.2	-1800.6	3233.8	
9162.0	3632.7	Min	I	-673.4	-312.5	-3783.3	-809.5	-1
2010.2	-7473.8		J	-654.0	-298.9	-3588.3	-713.1	-
9550.2	-7173.3							
978	1	52 C1-C2;~1 Max	I	54.8	108.0	247.6	1630.1	
9606.9	3174.0		J	54.8	108.0	276.9	1642.4	1
0479.0	3064.6	Min	I	-81.5	-134.0	-1508.5	-1599.7	-
8311.3	-3943.0		J	-81.1	-134.0	-1452.7	-1505.9	-
8022.7	-3807.3							
		C3-C4;~1 Max	I	55.4	109.3	246.1	2153.5	
9619.4	3212.2		J	55.4	109.3	275.3	2135.8	1
0491.2	3101.6	Min	I	-82.9	-136.6	-1514.3	-921.8	-
8526.1	-4011.3		J	-82.5	-136.6	-1458.5	-859.9	-
8229.9	-3872.9							
		C1-C2;~2 Max	I	29.4	58.1	157.3	932.3	
5588.2	1706.6		J	29.4	58.1	176.5	950.9	
6090.7	1647.8	Min	I	-43.9	-71.1	-886.7	-966.4	-
4515.8	-2093.2		J	-43.8	-71.1	-856.6	-908.6	-
4359.0	-2021.2							
		C3-C4;~2 Max	I	29.8	58.9	156.0	1251.8	
5593.9	1731.7		J	29.8	58.9	175.2	1254.0	
6096.0	1672.1	Min	I	-44.6	-72.3	-889.6	-538.0	-
4646.9	-2124.5		J	-44.4	-72.3	-859.6	-498.8	-
4485.5	-2051.2							
		SLVx (RS)	I	994.9	731.9	-267.3	670.5	
2228.3	10952.6		J	994.9	731.9	-267.3	670.5	
2322.2	10857.2							
		SLVy (RS)	I	523.4	-612.9	166.3	-405.6	-
1311.3	5267.0		J	523.4	-612.9	166.3	-405.6	-
1250.0	5707.4							
		SLDx (RS)	I	732.5	552.9	-200.7	503.1	
1653.5	8188.3		J	732.5	552.9	-200.7	503.1	
1723.5	8122.3							
		SLDy (RS)	I	368.9	-450.3	121.9	-299.5	
-955.8	3878.1		J	368.9	-450.3	121.9	-299.5	
-910.0	4204.5							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-502.2	-2040.8	SLVz (RS)	I	-178.2	93.4	419.5	-221.9
			J	-178.2	93.4	419.5	-221.9
-725.4	-1992.2						
		G1	I	-36.8	-41.4	-1509.8	703.6
-544.6	-1221.9		J	-35.8	-41.4	-1408.0	703.6
933.1	-1180.0						
		G2	I	-13.5	-15.2	-550.9	257.7
-194.0	-447.8		J	-13.1	-15.2	-513.8	257.7
345.2	-432.5						
		G1- Imp~1	I	4.1	7.7	-0.3	-0.2
8.2	227.3		J	4.1	7.7	-0.3	-0.2
8.5	219.5						
		G2- Imp~1	I	1.3	2.4	-0.1	-0.5
2.5	71.5		J	1.3	2.4	-0.1	-0.5
2.6	69.0						
		q3	I	97.5	14.3	6.9	12.6
116.8	197.0		J	94.3	14.3	6.9	12.6
112.9	182.5						
		q4-1	I	0.1	0.1	-0.3	-0.5
-7.7	3.5		J	0.1	0.1	-0.3	-0.5
-7.5	3.3						
		q4-2	I	0.3	0.5	-0.4	-0.6
-11.1	14.4		J	0.3	0.5	-0.4	-0.6
-10.7	13.9						
		q4-3	I	0.6	1.1	-0.3	-0.0
-5.9	33.2		J	0.6	1.1	-0.3	-0.0
-5.6	32.1						
		q4-4	I	0.3	0.6	0.3	1.4
11.1	17.5		J	0.3	0.6	0.3	1.4
10.7	16.9						
		q4-5	I	-7.3	-13.8	0.6	-5.2
-10.1	-404.6		J	-7.3	-13.8	0.6	-5.2
-10.7	-390.7						
		q4-6	I	6.8	12.9	-5.1	-20.3
-120.3	379.4		J	6.8	12.9	-5.1	-20.3
-115.2	366.4						
		q4-7	I	144.7	-1.8	-11.9	20.1
67.8	-142.1		J	144.7	-1.8	-11.9	20.1
79.9	-140.2						
		q5 - p~1	I	-597.8	-178.0	-15.6	-89.3

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-457.7	-2895.6		J	-578.9	-174.2	-15.8	-90.7	
-448.6	-2717.3							
		q5 - p~2	I	314.4	-190.6	-20.8	26.9	
-78.5	453.3		J	309.7	-176.2	-20.8	21.7	
-55.7	639.1							
		q5 - p~3	I	-566.1	-168.2	-9.2	-88.9	
-424.5	-2731.9		J	-548.3	-164.6	-9.4	-89.1	
-416.3	-2563.4							
		q5 - p~4	I	298.0	-180.4	-20.4	-13.3	
-65.3	435.7		J	293.5	-166.7	-20.4	-14.3	
-44.3	611.4							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	59.8	24.9	2.4	24.6	
123.5	530.2		J	59.8	24.9	2.4	24.6	
121.0	505.0							
		T	I	1.6	3.0	0.7	0.2	
28.9	88.9		J	1.6	3.0	0.7	0.2	
28.2	85.8							
		M. tor~1	I	-151.5	-284.6	18.0	3.0	
-66.8	199.9		J	-151.5	-284.6	18.0	0.2	
-85.1	202.3							
		M. tor~2	I	-89.6	-168.3	10.6	1.8	
-39.5	118.2		J	-89.6	-168.3	10.6	0.1	
-50.3	119.6							
		INVSLU Max	I	830.1	289.6	-2429.0	4284.4	1
2436.3	5155.8		J	805.1	269.2	-2201.9	4261.9	1
6327.7	4907.0	Min	I	-971.1	-433.0	-4846.0	-943.3	-1
2925.7	-9936.0		J	-942.2	-412.5	-4583.1	-817.9	-
9793.9	-9523.0							
		INVSLV Max	I	1160.5	897.4	-1511.5	1819.3	
2044.4	11774.0		J	1161.9	897.4	-1372.6	1819.3	
4204.1	11843.1	Min	I	-1250.2	-990.1	-2610.7	101.8	-
3500.2	-14515.9		J	-1248.9	-990.1	-2471.8	101.8	-
1625.5	-14491.1							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

9183.5	3632.0	INVSLE Max	I	552.1	194.7	-1800.6	3167.7	
			J	535.6	181.1	-1632.4	3150.9	1
2066.6	3459.4	Min	I	-656.5	-300.9	-3588.3	-692.8	-
9546.0	-7172.9		J	-637.1	-290.5	-3393.5	-599.8	-
7226.7	-6878.7							
979	1	52 C1-C2;~1 Max	I	55.7	107.5	276.9	1568.0	1
0485.6	3063.9		J	55.7	107.5	307.7	1580.4	1
1289.0	2955.1	Min	I	-82.3	-133.4	-1452.7	-1500.0	-
8025.6	-3806.7		J	-81.9	-133.4	-1397.2	-1409.4	-
7736.9	-3671.6							
		C3-C4;~1 Max	I	56.3	108.8	275.3	2060.5	1
0503.4	3100.9		J	56.3	108.8	306.0	2043.0	1
1306.8	2990.7	Min	I	-83.7	-136.0	-1458.5	-885.0	-
8233.0	-3872.2		J	-83.3	-136.0	-1402.9	-826.8	-
7936.9	-3734.5							
		C1-C2;~2 Max	I	29.9	57.8	176.5	907.9	
6093.7	1647.5		J	29.9	57.8	196.6	897.3	
6559.3	1588.9	Min	I	-44.4	-70.8	-856.6	-911.8	-
4360.5	-2020.9		J	-44.2	-70.8	-826.4	-855.7	-
4203.7	-1949.2							
		C3-C4;~2 Max	I	30.3	58.6	175.2	1208.0	
6102.7	1671.7		J	30.3	58.6	195.1	1209.5	
6568.3	1612.3	Min	I	-45.1	-72.0	-859.6	-524.7	-
4487.2	-2050.9		J	-44.9	-72.0	-829.4	-487.7	-
4325.8	-1978.0							
		SLVx (RS)	I	971.1	690.2	-255.0	631.6	
2317.8	10857.2		J	971.1	690.2	-255.0	631.6	
2418.3	10786.6							
		SLVy (RS)	I	511.1	-568.2	-164.5	-360.3	-
1242.8	5707.4		J	511.1	-568.2	-164.5	-360.3	-
1186.9	6126.6							
		SLDx (RS)	I	715.0	521.1	-191.5	473.6	
1719.9	8122.3		J	715.0	521.1	-191.5	473.6	
1795.1	8075.2							
		SLDy (RS)	I	360.6	-417.4	-120.6	-266.2	
-904.8	4204.5		J	360.6	-417.4	-120.6	-266.2	
-862.8	4514.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-728.1	-1992.2	SLVz (RS)	I	-176.3	90.9	402.9	-215.2	
1057.5	-1943.1		J	-176.3	90.9	402.9	-215.2	-
939.0	-1179.9	G1	I	-36.2	-41.2	-1408.0	695.6	
2313.6	-1138.2		J	-35.2	-41.2	-1306.2	695.6	
347.4	-432.5	G2	I	-13.2	-15.1	-513.8	254.7	
848.9	-417.2		J	-12.9	-15.1	-476.6	254.7	
8.5	219.5	G1- Imp~1	I	4.2	7.7	-0.3	-0.3	
8.8	211.7		J	4.2	7.7	-0.3	-0.3	
2.6	69.0	G2- Imp~1	I	1.3	2.4	-0.1	-0.6	
2.7	66.6		J	1.3	2.4	-0.1	-0.6	
113.0	182.5	q3	I	94.4	13.5	6.9	11.7	
109.1	168.8		J	91.2	13.5	6.9	11.7	
-7.5	3.3	q4-1	I	0.1	0.1	-0.3	-0.4	
-7.2	3.2		J	0.1	0.1	-0.3	-0.4	
-10.7	13.9	q4-2	I	0.3	0.5	-0.4	-0.5	
-10.3	13.4		J	0.3	0.5	-0.4	-0.5	
-5.6	32.1	q4-3	I	0.6	1.1	-0.3	0.0	
-5.3	31.0		J	0.6	1.1	-0.3	0.0	
10.8	16.9	q4-4	I	0.3	0.6	0.3	1.3	
10.4	16.3		J	0.3	0.6	0.3	1.3	
-10.7	-390.7	q4-5	I	-7.5	-13.7	0.6	-5.1	
-11.4	-376.8		J	-7.5	-13.7	0.6	-5.1	
-115.4	366.4	q4-6	I	6.9	12.9	-5.1	-19.3	
-110.2	353.3		J	6.9	12.9	-5.1	-19.3	
80.1	-140.2	q4-7	I	144.6	-3.0	-11.9	19.4	
92.1	-137.2		J	144.6	-3.0	-11.9	19.4	
		q5 - p~1	I	-580.4	-169.3	-15.8	-87.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-449.1	-2717.3		J	-561.5	-165.6	-16.0	-88.3	
-439.9	-2547.7							
		q5 - p~2	I	308.2	-178.8	-20.8	22.2	
-55.6	639.1		J	303.5	-164.3	-20.7	17.0	
-32.9	812.8							
		q5 - p~3	I	-549.6	-159.9	-9.3	-85.6	
-416.9	-2563.4		J	-531.7	-156.4	-9.5	-85.9	
-408.6	-2403.2							
		q5 - p~4	I	292.1	-169.2	-20.4	-13.9	
-44.4	611.4		J	287.6	-155.4	-20.3	-14.8	
-23.5	775.8							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	60.0	24.4	2.4	23.5	
121.2	505.0		J	60.0	24.4	2.4	23.5	
118.7	480.3							
		T	I	1.6	3.0	0.7	-0.1	
28.2	85.8		J	1.6	3.0	0.7	-0.1	
27.4	82.7							
		M. tor~1	I	-153.9	-283.3	18.0	0.9	
-85.1	202.3		J	-153.9	-283.3	18.0	-1.9	
-103.3	203.4							
		M. tor~2	I	-91.0	-167.5	10.7	0.6	
-50.3	119.6		J	-91.0	-167.5	10.7	-1.1	
-61.1	120.2							
		INVSLU Max	I	807.3	272.8	-2201.9	4141.9	1
6355.6	4906.3		J	782.3	253.7	-1972.8	4119.4	1
9964.6	4665.9	Min	I	-945.7	-415.5	-4583.1	-821.5	-
9787.5	-9522.1		J	-916.8	-397.1	-4320.5	-700.4	-
6845.6	-9118.2							
		INVSLV Max	I	1133.4	841.8	-1393.4	1753.8	
4206.5	11843.2		J	1134.8	841.8	-1254.4	1753.8	
6265.6	11930.3	Min	I	-1221.2	-934.1	-2451.0	145.3	-
1611.6	-14490.9		J	-1219.8	-934.1	-2312.0	145.3	
82.3	-14484.6							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

2087.2	3458.8	INVSLE Max	I	537.0	183.5	-1632.4	3062.3	1
			J	520.5	170.7	-1462.7	3045.5	1
4761.1	3291.9	Min	I	-639.6	-291.3	-3393.5	-602.7	-
7222.0	-6878.0		J	-620.2	-283.3	-3199.0	-512.9	-
5043.3	-6589.9							
980	1	52 C1-C2;~1 Max	I	56.6	107.0	307.7	1500.7	1
1295.0	2954.5		J	56.6	107.0	340.1	1459.0	1
2027.2	2846.1	Min	I	-83.0	-132.8	-1397.2	-1409.4	-
7739.2	-3670.9		J	-82.6	-132.8	-1342.0	-1321.9	-
7450.5	-3536.4							
		C3-C4;~1 Max	I	57.2	108.3	306.0	1962.6	1
1318.0	2990.1		J	57.2	108.3	338.3	1945.3	1
2050.4	2880.4	Min	I	-84.4	-135.4	-1402.9	-858.8	-
7939.4	-3733.8		J	-84.0	-135.4	-1347.7	-804.1	-
7643.3	-3596.6							
		C1-C2;~2 Max	I	30.4	57.5	196.6	853.3	
6562.1	1588.6		J	30.4	57.5	217.5	898.5	
6988.9	1530.3	Min	I	-44.8	-70.4	-826.4	-862.1	-
4205.0	-1948.8		J	-44.7	-70.4	-796.1	-807.6	-
4048.1	-1877.5							
		C3-C4;~2 Max	I	30.8	58.4	195.1	1160.2	
6574.4	1612.0		J	30.8	58.4	216.0	1161.2	
7001.4	1552.8	Min	I	-45.5	-71.7	-829.4	-517.6	-
4327.1	-1977.6		J	-45.3	-71.7	-799.2	-482.6	-
4165.8	-1905.0							
		SLVx (RS)	I	947.3	649.1	-242.8	593.6	
2413.9	10786.5		J	947.3	649.1	-242.8	593.6	
2515.9	10732.4							
		SLVy (RS)	I	498.7	-523.5	-161.9	-315.6	-
1179.3	6126.6		J	498.7	-523.5	-161.9	-315.6	-
1129.1	6516.1							
		SLDx (RS)	I	697.6	489.6	-182.5	444.9	
1791.5	8075.2		J	697.6	489.6	-182.5	444.9	
1868.0	8040.6							
		SLDy (RS)	I	352.1	-384.6	-118.8	-233.4	
-857.5	4514.5		J	352.1	-384.6	-118.8	-233.4	
-819.6	4802.2							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1061.7	-1943.1	SLVz (RS)	I	-175.0	88.6	383.2	-205.4	-
			J	-175.0	88.6	383.2	-205.4	-
1408.3	-1893.0							
		G1	I	-35.5	-41.0	-1306.2	676.0	
2319.5	-1138.0		J	-34.5	-41.0	-1204.4	676.0	
3590.9	-1096.5							
		G2	I	-13.0	-15.0	-476.6	247.5	
851.1	-417.1		J	-12.6	-15.0	-439.4	247.5	
1315.0	-401.9							
		G1- Imp~1	I	4.3	7.7	-0.3	-0.3	
8.7	211.7		J	4.3	7.7	-0.3	-0.3	
9.0	203.9							
		G2- Imp~1	I	1.3	2.4	-0.1	-0.6	
2.7	66.6		J	1.3	2.4	-0.1	-0.6	
2.8	64.1							
		q3	I	91.3	12.7	6.9	10.8	
109.2	168.8		J	88.0	12.7	6.9	10.8	
105.3	156.0							
		q4-1	I	0.1	0.1	-0.3	-0.3	
-7.2	3.2		J	0.1	0.1	-0.3	-0.3	
-6.9	3.1							
		q4-2	I	0.3	0.5	-0.4	-0.4	
-10.3	13.4		J	0.3	0.5	-0.4	-0.4	
-9.9	12.9							
		q4-3	I	0.6	1.1	-0.3	0.1	
-5.3	31.0		J	0.6	1.1	-0.3	0.1	
-5.1	29.8							
		q4-4	I	0.3	0.6	0.3	1.2	
10.4	16.3		J	0.3	0.6	0.3	1.2	
10.1	15.7							
		q4-5	I	-7.6	-13.7	0.6	-5.0	
-11.4	-376.8		J	-7.6	-13.7	0.6	-5.0	
-12.0	-363.0							
		q4-6	I	7.0	12.8	-5.1	-18.3	
-110.4	353.3		J	7.0	12.8	-5.1	-18.3	
-105.3	340.4							
		q4-7	I	144.6	-4.3	-11.9	18.7	
92.3	-137.2		J	144.6	-4.3	-11.9	18.7	
104.3	-132.8							
		q5 - p~1	I	-562.9	-160.8	-15.9	-84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-440.4	-2547.7		J	-544.0	-157.3	-16.1	-85.9	
-431.0	-2386.6							
		q5 - p~2	I	302.1	-166.9	-20.7	17.3	
-32.8	812.8		J	297.4	-152.3	-20.7	12.0	
-10.2	974.5							
		q5 - p~3	I	-533.0	-151.9	-9.5	-82.5	
-409.1	-2403.2		J	-515.1	-148.6	-9.7	-82.7	
-400.7	-2251.0							
		q5 - p~4	I	286.3	-157.9	-20.3	-14.6	
-23.7	775.8		J	281.8	-144.1	-20.3	-15.6	
-2.8	928.7							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	60.2	23.8	2.4	22.6	
118.9	480.3		J	60.2	23.8	2.4	22.6	
116.4	456.2							
		T	I	1.7	3.0	0.7	-0.3	
27.4	82.7		J	1.7	3.0	0.7	-0.3	
26.7	79.7							
		M. tor~1	I	-156.3	-282.0	18.1	-1.0	
-103.4	203.3		J	-156.3	-282.0	18.1	-3.8	
-121.7	203.1							
		M. tor~2	I	-92.4	-166.7	10.7	-0.6	
-61.1	120.2		J	-92.4	-166.7	10.7	-2.2	
-71.9	120.1							
		INVSLU Max	I	784.4	255.7	-1972.8	3971.3	1
9991.0	4665.3		J	759.3	241.8	-1741.5	3949.2	2
3314.0	4432.9							
		Min	I	-920.2	-397.8	-4320.4	-733.7	-
6838.7	-9116.9		J	-891.3	-388.5	-4058.3	-616.6	-
4086.6	-8721.8							
		INVSLV Max	I	1106.4	786.7	-1278.5	1672.4	
6268.2	11930.5		J	1107.8	786.7	-1139.6	1672.4	
8194.8	12024.8							
		Min	I	-1192.4	-878.6	-2287.9	172.7	
95.7	-14484.3		J	-1191.0	-878.6	-2148.9	172.7	
1640.6	-14485.5							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4780.6	3291.5	INVSLE	Max	I	521.9	172.1	-1462.7	2936.1	1
				J	505.3	162.8	-1291.4	2919.6	1
7242.7	3129.9		Min	I	-622.5	-283.3	-3199.0	-537.8	-
5038.2	-6588.9			J	-603.1	-277.5	-3004.8	-451.0	-
3000.2	-6306.8								
981	1	52 C1-C2;~1	Max	I	57.5	106.5	340.1	1383.8	1
2032.6	2845.5			J	57.5	106.5	374.0	1448.0	1
2691.0	2737.7		Min	I	-83.7	-132.1	-1342.0	-1328.0	-
7452.3	-3535.6			J	-83.3	-132.1	-1287.2	-1243.3	-
7163.6	-3401.8								
		C3-C4;~1	Max	I	58.1	107.7	338.3	1860.4	1
2060.6	2879.8			J	58.1	107.7	372.1	1843.7	1
2719.5	2770.7		Min	I	-85.2	-134.8	-1347.7	-842.5	-
7645.2	-3595.8			J	-84.8	-134.8	-1292.8	-791.1	-
7349.1	-3459.4								
		C1-C2;~2	Max	I	30.9	57.2	217.5	851.8	
6991.4	1530.0			J	30.9	57.2	239.2	896.8	
7377.7	1472.0		Min	I	-45.3	-70.1	-796.1	-817.3	-
4049.1	-1877.1			J	-45.1	-70.1	-765.8	-764.3	-
3892.3	-1806.1								
		C3-C4;~2	Max	I	31.3	58.1	216.0	1108.9	
7007.1	1552.5			J	31.3	58.1	237.7	1109.4	
7393.7	1493.7		Min	I	-46.0	-71.3	-799.1	-516.3	-
4166.8	-1904.6			J	-45.8	-71.3	-768.8	-483.3	-
4005.4	-1832.3								
		SLVx (RS)		I	923.7	608.9	-231.3	556.9	
2511.4	10732.4			J	923.7	608.9	-231.3	556.9	
2611.0	10686.9								
		SLVy (RS)		I	486.2	-479.1	-159.1	-271.5	-
1121.4	6516.0			J	486.2	-479.1	-159.1	-271.5	-
1076.8	6869.9								
		SLDx (RS)		I	680.2	458.8	-173.9	417.1	
1864.4	8040.6			J	680.2	458.8	-173.9	417.1	
1939.2	8012.3								
		SLDy (RS)		I	343.6	-352.0	-116.8	-201.1	
-814.1	4802.2			J	343.6	-352.0	-116.8	-201.1	
-780.5	5063.4								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1413.1	-1892.9	SLVz (RS)	I	-174.1	86.6	360.0	-192.7	-
			J	-174.1	86.6	360.0	-192.7	-
1750.7	-1841.1							
		G1	I	-34.9	-40.8	-1204.4	645.5	
3596.6	-1096.2		J	-33.9	-40.8	-1102.6	645.5	
4764.9	-1054.9							
		G2	I	-12.8	-15.0	-439.4	236.4	
1317.1	-401.8		J	-12.4	-15.0	-402.3	236.4	
1743.3	-386.6							
		G1- Imp~1	I	4.3	7.6	-0.3	-0.4	
9.0	203.9		J	4.3	7.6	-0.3	-0.4	
9.3	196.2							
		G2- Imp~1	I	1.4	2.4	-0.1	-0.6	
2.8	64.1		J	1.4	2.4	-0.1	-0.6	
2.9	61.7							
		q3	I	88.1	12.0	6.9	9.9	
105.4	156.0		J	84.9	12.0	6.9	9.9	
101.5	143.8							
		q4-1	I	0.1	0.1	-0.3	-0.3	
-6.9	3.1		J	0.1	0.1	-0.3	-0.3	
-6.6	3.0							
		q4-2	I	0.3	0.5	-0.4	-0.3	
-9.9	12.9		J	0.3	0.5	-0.4	-0.3	
-9.5	12.4							
		q4-3	I	0.6	1.1	-0.3	0.1	
-5.1	29.8		J	0.6	1.1	-0.3	0.1	
-4.8	28.7							
		q4-4	I	0.3	0.6	0.3	1.1	
10.1	15.7		J	0.3	0.6	0.3	1.1	
9.8	15.1							
		q4-5	I	-7.7	-13.6	0.6	-4.9	
-12.1	-363.0		J	-7.7	-13.6	0.6	-4.9	
-12.7	-349.2							
		q4-6	I	7.2	12.7	-5.1	-17.4	
-105.4	340.4		J	7.2	12.7	-5.1	-17.4	
-100.3	327.5							
		q4-7	I	144.6	-5.5	-11.9	17.8	
104.5	-132.8		J	144.6	-5.5	-11.9	17.8	
116.6	-127.3							
		q5 - p~1	I	-545.3	-152.7	-16.1	-82.3	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-431.5	-2386.6		J	-526.3	-149.3	-16.3	-83.5	
-421.9	-2233.7							
-10.2	974.4	q5 - p~2	I	296.1	-154.8	-20.7	12.1	
12.4	1123.8		J	291.5	-140.2	-20.6	6.9	
-401.2	-2251.0	q5 - p~3	I	-516.4	-144.2	-9.6	-79.4	
-392.6	-2106.5		J	-498.4	-141.0	-9.8	-79.6	
-3.0	928.7	q5 - p~4	I	280.6	-146.4	-20.3	-15.5	
17.8	1070.0		J	276.2	-132.6	-20.2	-16.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
116.6	456.2	q7	I	60.4	23.3	2.4	21.6	
114.1	432.6		J	60.4	23.3	2.4	21.6	
26.7	79.7	T	I	1.7	3.0	0.7	-0.5	
25.9	76.7		J	1.7	3.0	0.7	-0.5	
-121.7	203.1	M. tor~1	I	-158.6	-280.7	18.1	-2.8	
-140.0	201.5		J	-158.6	-280.7	18.1	-5.6	
-71.9	120.1	M. tor~2	I	-93.8	-165.9	10.7	-1.6	
-82.8	119.1		J	-93.8	-165.9	10.7	-3.3	
3338.6	4432.6	INVSLU Max	I	761.3	238.5	-1741.5	3775.2	2
6372.2	4208.0		J	736.2	230.4	-1508.1	3753.7	2
4079.3	-8720.2	Min	I	-894.5	-385.1	-4058.2	-678.0	-
1517.1	-8333.6		J	-865.5	-380.2	-3796.6	-564.8	-
8197.2	12025.1	INVSLV Max	I	1079.7	732.8	-1167.1	1577.1	
9979.6	12116.5		J	1081.1	732.8	-1028.2	1577.1	
1653.6	-14485.0	Min	I	-1163.8	-824.3	-2121.4	184.7	
3061.2	-14483.8		J	-1162.4	-824.3	-1982.4	184.7	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

7260.8	3129.6	INVSLE	Max	I	506.7	160.6	-1291.3	2791.0	1
				J	490.1	155.2	-1118.5	2775.0	1
9508.6	2973.2		Min	I	-605.3	-275.2	-3004.8	-496.8	-
2994.7	-6305.6			J	-585.9	-271.9	-2810.9	-412.8	-
1097.4	-6029.2								
982	1	52 C1-C2;~1	Max	I	58.3	106.0	374.0	1369.5	1
2695.7	2737.1			J	58.3	106.0	409.5	1434.5	1
3278.1	2629.7		Min	I	-84.4	-131.5	-1287.2	-1262.7	-
7164.9	-3400.9			J	-84.0	-131.5	-1232.8	-1180.7	-
6876.2	-3267.7								
		C3-C4;~1	Max	I	59.0	107.2	372.2	1754.9	1
2728.6	2770.1			J	59.0	107.2	407.6	1739.0	1
3311.6	2661.5		Min	I	-85.9	-134.1	-1292.8	-835.6	-
7350.5	-3458.5			J	-85.5	-134.1	-1238.4	-787.3	-
7054.3	-3322.7								
		C1-C2;~2	Max	I	31.4	57.0	239.2	847.7	
7379.9	1471.7			J	31.4	57.0	261.8	892.6	
7723.8	1414.0		Min	I	-45.7	-69.8	-765.8	-782.6	-
3892.9	-1805.6			J	-45.5	-69.8	-735.5	-731.0	-
3736.1	-1735.0								
		C3-C4;~2	Max	I	31.8	57.8	237.7	1054.6	
7398.8	1493.3			J	31.8	57.8	260.2	1054.8	
7743.1	1434.8		Min	I	-46.4	-71.0	-768.8	-520.4	-
4006.2	-1831.9			J	-46.2	-71.0	-738.5	-489.3	-
3844.8	-1759.9								
		SLVx (RS)		I	900.2	570.0	-220.5	522.1	
2606.5	10686.8			J	900.2	570.0	-220.5	522.1	
2700.5	10642.7								
		SLVy (RS)		I	473.9	-435.4	-157.1	-228.6	-
1069.2	6869.9			J	473.9	-435.4	-157.1	-228.6	-
1030.1	7184.0								
		SLDx (RS)		I	662.9	429.1	-165.9	390.8	
1935.7	8012.3			J	662.9	429.1	-165.9	390.8	
2006.6	7984.8								
		SLDy (RS)		I	335.2	-320.0	-115.4	-169.5	
-775.1	5063.3			J	335.2	-320.0	-115.4	-169.5	
-745.7	5295.0								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1755.6	-1841.0	SLVz (RS)	I	-173.3	85.1	333.2	-177.4	-
			J	-173.3	85.1	333.2	-177.4	-
2073.6	-1787.1							
		G1	I	-34.3	-40.6	-1102.6	605.2	
4770.3	-1054.5		J	-33.3	-40.6	-1000.8	605.2	
5835.5	-1013.4							
		G2	I	-12.5	-14.9	-402.3	221.6	
1745.3	-386.5		J	-12.2	-14.9	-365.1	221.6	
2133.9	-371.4							
		G1- Imp~1	I	4.4	7.6	-0.3	-0.5	
9.3	196.2		J	4.4	7.6	-0.3	-0.5	
9.6	188.5							
		G2- Imp~1	I	1.4	2.4	-0.1	-0.6	
2.8	61.7		J	1.4	2.4	-0.1	-0.6	
2.9	59.3							
		q3	I	85.0	11.3	6.9	9.0	
101.5	143.8		J	81.8	11.3	6.9	9.0	
97.7	132.4							
		q4-1	I	0.1	0.1	-0.3	-0.2	
-6.7	3.0		J	0.1	0.1	-0.3	-0.2	
-6.4	2.9							
		q4-2	I	0.3	0.5	-0.4	-0.3	
-9.5	12.4		J	0.3	0.5	-0.4	-0.3	
-9.1	11.9							
		q4-3	I	0.6	1.1	-0.3	0.2	
-4.8	28.7		J	0.6	1.1	-0.3	0.2	
-4.5	27.6							
		q4-4	I	0.3	0.6	0.3	1.1	
9.8	15.1		J	0.3	0.6	0.3	1.1	
9.4	14.5							
		q4-5	I	-7.8	-13.5	0.6	-4.8	
-12.7	-349.2		J	-7.8	-13.5	0.6	-4.8	
-13.4	-335.5							
		q4-6	I	7.3	12.7	-5.1	-16.6	
-100.5	327.4		J	7.3	12.7	-5.1	-16.6	
-95.3	314.6							
		q4-7	I	144.5	-6.7	-11.9	16.8	
116.7	-127.3		J	144.5	-6.7	-11.9	16.8	
128.8	-120.5							
		q5 - p~1	I	-527.6	-144.9	-16.3	-80.0	


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-422.4	-2233.7		J	-508.6	-141.6	-16.4	-81.2	
-412.7	-2088.6							
12.4	1123.8	q5 - p~2	I	290.3	-142.6	-20.6	6.8	
34.9	1260.8		J	285.7	-127.9	-20.6	1.5	
-393.0	-2106.5	q5 - p~3	I	-499.6	-136.8	-9.8	-76.3	
-384.3	-1969.5		J	-481.6	-133.8	-10.0	-76.5	
17.6	1070.0	q5 - p~4	I	275.1	-134.9	-20.2	-16.6	
38.3	1199.5		J	270.7	-120.9	-20.2	-17.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
114.2	432.6	q7	I	60.6	22.8	2.4	20.6	
111.8	409.4		J	60.6	22.8	2.4	20.6	
25.9	76.7	T	I	1.7	3.0	0.7	-0.8	
25.2	73.7		J	1.7	3.0	0.7	-0.8	
-140.1	201.4	M. tor~1	I	-161.0	-279.3	18.1	-4.4	
-158.4	198.5		J	-161.0	-279.3	18.1	-7.2	
-82.8	119.1	M. tor~2	I	-95.2	-165.1	10.7	-2.6	
-93.7	117.3		J	-95.2	-165.1	10.7	-4.3	
6394.8	4207.9	INVSLU Max	I	738.1	224.0	-1508.1	3556.4	2
9135.9	3990.7		J	713.0	219.4	-1272.6	3535.9	2
1509.6	-8331.7	Min	I	-868.7	-375.0	-3796.5	-662.5	-
862.8	-7953.4		J	-839.7	-372.1	-3535.4	-552.9	
9981.6	12117.0	INVSLV Max	I	1053.2	680.7	-1058.8	1469.6	
1613.6	12197.0		J	1054.6	680.7	-919.8	1469.6	1
3073.7	-14483.2	Min	I	-1135.4	-771.7	-1951.8	181.8	
4350.3	-14471.1		J	-1134.0	-771.7	-1812.8	181.8	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9525.2	2973.2	INVSLE	Max	I	491.3	150.9	-1118.5	2629.1	1	
				J	474.7	148.5	-944.0	2613.8	2	
1556.3	2821.8		Min	I	-588.1	-268.3	-2810.9	-485.4	-	
1091.8	-6027.9			J	-568.6	-266.4	-2617.5	-404.2		
664.9	-5757.1									
983	1	52	C1-C2;~1	Max	I	59.2	105.4	409.6	1357.9	1
3282.0	2629.2			J	59.2	105.4	446.7	1423.8	1	
3786.0	2522.4		Min	I	-85.2	-130.9	-1232.8	-1226.8	-	
6876.9	-3266.8			J	-84.7	-130.9	-1178.8	-1147.6	-	
6588.2	-3134.2									
			C3-C4;~1	Max	I	59.9	106.7	407.6	1648.3	1
3319.5	2660.9			J	59.9	106.7	444.7	1633.4	1	
3824.4	2552.8		Min	I	-86.7	-133.5	-1238.4	-839.5	-	
7055.2	-3321.7			J	-86.3	-133.5	-1184.4	-794.0	-	
6759.0	-3186.6									
			C1-C2;~2	Max	I	31.8	56.7	261.8	843.2	
7725.6	1413.7			J	31.8	56.7	285.2	888.1		
8025.5	1356.3		Min	I	-46.1	-69.4	-735.5	-766.2	-	
3736.5	-1734.4			J	-46.0	-69.4	-705.1	-716.1	-	
3579.6	-1664.1									
			C3-C4;~2	Max	I	32.3	57.5	260.2	998.3	
7747.6	1434.5			J	32.3	57.5	283.6	998.4		
8048.0	1376.2		Min	I	-46.8	-70.7	-738.5	-530.4	-	
3845.3	-1759.4			J	-46.7	-70.7	-708.1	-500.9	-	
3683.9	-1687.9									
			SLVx (RS)	I	876.9	533.0	-210.9	489.6		
2696.1	10642.7			J	876.9	533.0	-210.9	489.6		
2782.4	10593.3									
			SLVy (RS)	I	461.7	-393.0	-156.6	-187.2	-	
1022.9	7184.0			J	461.7	-393.0	-156.6	-187.2		
-990.1	7455.4									
			SLDx (RS)	I	645.8	400.7	-158.7	366.2		
2003.1	7984.8			J	645.8	400.7	-158.7	366.2		
2068.4	7953.0									
			SLDy (RS)	I	326.9	-288.9	-115.0	-139.3		
-740.6	5294.9			J	326.9	-288.9	-115.0	-139.3		
-716.1	5494.9									


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2078.3	-1787.0	SLVz (RS)	I	-172.5	84.5	303.2	-159.9	-
			J	-172.5	84.5	303.2	-159.9	-
2370.2	-1730.4							
		G1	I	-33.6	-40.4	-1000.8	555.8	
5840.5	-1012.9		J	-32.6	-40.4	-899.0	555.8	
6802.6	-972.0							
		G2	I	-12.3	-14.8	-365.1	203.6	
2135.7	-371.2		J	-11.9	-14.8	-327.9	203.6	
2486.7	-356.2							
		G1- Imp~1	I	4.4	7.6	-0.3	-0.6	
9.6	188.5		J	4.4	7.6	-0.3	-0.6	
9.9	180.8							
		G2- Imp~1	I	1.4	2.4	-0.1	-0.7	
2.9	59.3		J	1.4	2.4	-0.1	-0.7	
3.0	56.9							
		q3	I	81.9	10.6	6.9	8.2	
97.7	132.4		J	78.6	10.6	6.9	8.2	
93.8	121.7							
		q4-1	I	0.1	0.1	-0.3	-0.2	
-6.4	2.9		J	0.1	0.1	-0.3	-0.2	
-6.1	2.7							
		q4-2	I	0.3	0.5	-0.4	-0.2	
-9.1	11.9		J	0.3	0.5	-0.4	-0.2	
-8.7	11.4							
		q4-3	I	0.6	1.1	-0.3	0.2	
-4.5	27.6		J	0.6	1.1	-0.3	0.2	
-4.2	26.4							
		q4-4	I	0.3	0.6	0.3	1.0	
9.4	14.5		J	0.3	0.6	0.3	1.0	
9.1	13.9							
		q4-5	I	-7.9	-13.5	0.6	-4.7	
-13.4	-335.5		J	-7.9	-13.5	0.6	-4.7	
-14.0	-321.9							
		q4-6	I	7.4	12.6	-5.1	-15.8	
-95.5	314.6		J	7.4	12.6	-5.1	-15.8	
-90.3	301.8							
		q4-7	I	144.5	-7.9	-11.9	15.7	
128.9	-120.5		J	144.5	-7.9	-11.9	15.7	
141.0	-112.5							
		q5 - p~1	I	-509.8	-137.3	-16.4	-77.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-413.2	-2088.6		J	-490.8	-134.3	-16.6	-78.8	
-403.3	-1951.0							
34.8	1260.8	q5 - p~2	I	284.6	-130.3	-20.6	1.2	
57.2	1385.3		J	280.0	-115.5	-20.5	-4.1	
-384.8	-1969.5	q5 - p~3	I	-482.7	-129.7	-10.0	-73.3	
-375.9	-1839.6		J	-464.7	-126.8	-10.1	-73.5	
38.1	1199.5	q5 - p~4	I	269.7	-123.2	-20.2	-17.9	
58.8	1317.2		J	265.4	-109.2	-20.1	-18.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
111.9	409.4	q7	I	60.8	22.3	2.4	19.7	
109.5	386.8		J	60.8	22.3	2.4	19.7	
25.2	73.7	T	I	1.7	3.0	0.7	-1.0	
24.4	70.7		J	1.7	3.0	0.7	-1.0	
-158.5	198.5	M. tor~1	I	-163.4	-278.0	18.1	-5.8	
-176.8	194.1		J	-163.4	-278.0	18.1	-8.7	
-93.7	117.3	M. tor~2	I	-96.6	-164.3	10.7	-3.5	
-104.6	114.7		J	-96.6	-164.3	10.7	-5.1	
9156.1	3990.8	INVSLU Max	I	714.8	213.2	-1272.6	3319.4	2
1601.5	3780.9		J	689.6	208.9	-1035.0	3300.2	3
870.3	-7951.3	Min	I	-842.7	-367.0	-3535.4	-703.2	
3052.8	-7580.9		J	-813.6	-364.3	-3274.9	-597.4	
1615.2	12197.6	INVSLV Max	I	1027.0	630.9	-952.9	1351.9	1
3092.7	12258.5		J	1028.4	630.9	-813.9	1351.9	1
4362.2	-14470.3	Min	I	-1107.2	-721.5	-1779.7	164.5	
5511.7	-14439.6		J	-1105.9	-721.5	-1640.8	164.5	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1571.2	2821.8	INVSLE	Max	I	475.9	145.6	-944.0	2453.7	2
3383.2	2675.3			J	459.3	143.8	-768.0	2439.4	2
670.5	-5755.5		Min	I	-570.7	-262.9	-2617.5	-515.8	
2286.6	-5490.1			J	-551.2	-261.1	-2424.5	-437.3	
984	1	52 C1-C2;~1	Max	I	60.1	104.9	446.7	1362.7	1
3789.1	2521.8			J	60.1	104.9	485.3	1429.6	1
4212.7	2415.6		Min	I	-85.9	-130.2	-1178.8	-1218.7	-
6588.5	-3133.2			J	-85.4	-130.2	-1125.4	-1142.2	-
6299.7	-3001.3								
		C3-C4;~1	Max	I	60.8	106.2	444.7	1553.4	1
3831.0	2552.2			J	60.8	106.2	483.3	1539.8	1
4255.5	2444.7		Min	I	-87.4	-132.8	-1184.4	-873.4	-
6759.4	-3185.6			J	-87.0	-132.8	-1130.9	-854.5	-
6463.2	-3051.1								
		C1-C2;~2	Max	I	32.3	56.4	285.2	844.1	
8026.9	1356.0			J	32.3	56.4	309.4	889.1	
8281.0	1298.8		Min	I	-46.6	-69.1	-705.1	-762.8	-
3579.8	-1663.6			J	-46.4	-69.1	-674.8	-714.0	-
3422.9	-1593.6								
		C3-C4;~2	Max	I	32.8	57.2	283.6	945.2	
8051.9	1375.9			J	32.8	57.2	307.8	945.4	
8306.6	1317.9		Min	I	-47.3	-70.3	-708.1	-553.8	-
3684.1	-1687.3			J	-47.1	-70.3	-677.7	-534.4	-
3522.7	-1616.1								
		SLVx (RS)		I	853.9	498.3	-202.4	459.9	
2778.1	10593.3			J	853.9	498.3	-202.4	459.9	
2855.2	-10532.8								
		SLVy (RS)		I	450.0	-352.5	-157.9	-148.3	
-983.6	7455.3			J	450.0	-352.5	-157.9	-148.3	
-958.8	7681.8								
		SLDx (RS)		I	628.9	374.1	-152.4	343.8	
2065.1	7953.0			J	628.9	374.1	-152.4	343.8	
2123.6	-7912.4								
		SLDy (RS)		I	318.9	-259.2	-115.9	-110.9	
-711.5	5494.9			J	318.9	-259.2	-115.9	-110.9	
-693.2	5661.7								


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2374.7	-1730.3	SLVz (RS)	I	-171.4	84.7	270.5	-140.9	-
			J	-171.4	84.7	270.5	-140.9	-
2636.1	-1670.9							
		G1	I	-33.0	-40.2	-899.0	498.3	
6807.1	-971.4		J	-32.0	-40.2	-797.3	498.3	
7666.2	-930.7							
		G2	I	-12.1	-14.7	-327.9	182.5	
2488.3	-356.0		J	-11.7	-14.7	-290.7	182.5	
2801.6	-341.1							
		G1- Imp~1	I	4.5	7.5	-0.3	-0.7	
9.9	180.8		J	4.5	7.5	-0.3	-0.7	
10.2	173.2							
		G2- Imp~1	I	1.4	2.4	-0.1	-0.7	
3.0	56.9		J	1.4	2.4	-0.1	-0.7	
3.1	54.5							
		q3	I	78.7	9.9	6.9	7.4	
93.9	121.7		J	75.5	9.9	6.9	7.4	
90.0	111.7							
		q4-1	I	0.1	0.1	-0.3	-0.1	
-6.1	2.7		J	0.1	0.1	-0.3	-0.1	
-5.8	2.6							
		q4-2	I	0.3	0.5	-0.4	-0.1	
-8.7	11.4		J	0.3	0.5	-0.4	-0.1	
-8.3	10.9							
		q4-3	I	0.7	1.1	-0.3	0.3	
-4.2	26.4		J	0.7	1.1	-0.3	0.3	
-3.9	25.3							
		q4-4	I	0.4	0.6	0.3	0.9	
9.1	13.9		J	0.4	0.6	0.3	0.9	
8.8	13.3							
		q4-5	I	-8.0	-13.4	0.6	-4.6	
-14.0	-321.9		J	-8.0	-13.4	0.6	-4.6	
-14.7	-308.3							
		q4-6	I	7.5	12.5	-5.1	-15.0	
-90.5	301.8		J	7.5	12.5	-5.1	-15.0	
-85.3	289.1							
		q4-7	I	144.4	-9.1	-11.9	14.5	
141.1	-112.5		J	144.4	-9.1	-11.9	14.5	
153.2	-103.2							
		q5 - p~1	I	-491.9	-130.1	-16.6	-75.4	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-403.8	-1951.0		J	-472.9	-127.2	-16.8	-76.5	
-393.7	-1820.7							
57.1	1385.3	q5 - p~2	I	279.0	-117.9	-20.5	-4.6	
79.4	1497.2		J	274.5	-103.0	-20.5	-10.0	
-376.3	-1839.6	q5 - p~3	I	-465.8	-122.9	-10.1	-70.4	
-367.2	-1716.5		J	-447.7	-120.1	-10.3	-70.6	
58.5	1317.2	q5 - p~4	I	264.4	-111.4	-20.1	-19.4	
79.2	1422.9		J	260.1	-97.3	-20.1	-20.4	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
109.6	386.8	q7	I	61.0	21.8	2.4	18.8	
107.2	364.8		J	61.0	21.8	2.4	18.8	
24.4	70.7	T	I	1.8	2.9	0.7	-1.2	
23.7	67.7		J	1.8	2.9	0.7	-1.2	
-176.9	194.1	M. tor~1	I	-165.7	-276.6	18.2	-7.2	
-195.3	188.3		J	-165.7	-276.6	18.2	-10.0	
-104.6	114.7	M. tor~2	I	-98.0	-163.5	10.7	-4.2	
-115.5	111.3		J	-98.0	-163.5	10.7	-5.9	
1619.1	3781.2	INVSLU Max	I	691.3	202.9	-1035.0	3083.2	3
3765.8	3578.1		J	666.1	199.1	-795.2	3065.8	3
3060.2	-7578.5	Min	I	-816.6	-359.3	-3274.9	-796.6	
5052.8	-7215.9		J	-787.5	-356.7	-3015.0	-694.3	
3094.0	12259.2	INVSLV Max	I	1001.1	584.4	-848.8	1226.2	1
4414.8	12294.5		J	1002.5	584.4	-709.8	1226.2	1
5522.8	-14438.7	Min	I	-1079.4	-674.5	-1605.9	132.9	
6547.5	-14382.7		J	-1078.0	-674.5	-1467.0	132.9	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

3396.3	2675.5	INVSLE	Max	I	460.5	141.0	-768.0	2278.9	2
				J	443.8	139.2	-590.4	2265.9	2
4987.1	2533.6		Min	I	-553.2	-257.7	-2424.5	-585.2	
2292.1	-5488.4			J	-533.7	-255.9	-2232.0	-509.3	
3767.5	-5228.3								
985	1	52 C1-C2;~1	Max	I	61.0	104.4	485.3	1374.8	1
4214.9	2415.0			J	61.0	104.4	525.6	1442.8	1
4555.9	2309.3		Min	I	-86.6	-129.5	-1125.4	-1228.2	-
6299.5	-3000.3			J	-86.1	-129.5	-1072.6	-1154.2	-
6010.8	-2869.1								
		C3-C4;~1	Max	I	61.7	105.6	483.3	1477.4	1
4260.8	2444.2			J	61.7	105.6	523.6	1465.4	1
4602.8	2337.2		Min	I	-88.1	-132.1	-1130.9	-942.7	-
6463.1	-3050.0			J	-87.7	-132.1	-1078.0	-941.5	-
6167.0	-2916.2								
		C1-C2;~2	Max	I	32.8	56.1	309.4	846.8	
8282.0	1298.5			J	32.8	56.1	334.4	892.0	
8489.0	1241.7		Min	I	-47.0	-68.7	-674.8	-767.8	-
3422.8	-1593.0			J	-46.8	-68.7	-644.5	-720.2	-
3265.9	-1523.4								
		C3-C4;~2	Max	I	33.2	56.9	307.8	898.5	
8309.8	1317.6			J	33.2	56.9	332.8	898.9	
8517.3	1259.9		Min	I	-47.7	-69.9	-677.7	-591.5	-
3522.6	-1615.5			J	-47.5	-69.9	-647.4	-585.8	-
3361.2	-1544.7								
		SLVx (RS)		I	831.2	466.7	194.9	433.6	
2851.1	-10532.8			J	831.2	466.7	194.9	433.6	
2917.8	-10456.2								
		SLVy (RS)		I	438.8	-314.8	-160.7	-114.0	
-953.4	7681.8			J	438.8	-314.8	-160.7	-114.0	
-939.6	7861.8								
		SLDx (RS)		I	612.3	349.9	146.7	324.0	
2120.4	-7912.4			J	612.3	349.9	146.7	324.0	
2171.3	-7859.2								
		SLDy (RS)		I	311.3	-231.6	-117.8	-85.9	
-689.5	5661.6			J	311.3	-231.6	-117.8	-85.9	
-679.4	5794.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2640.2	-1670.7	SLVz (RS)	I	-169.7	85.7	236.0	-120.9	-
			J	-169.7	85.7	236.0	-120.9	-
2867.8	-1608.2							
		G1	I	-32.3	-40.0	-797.2	433.5	
7670.2	-930.1		J	-31.3	-40.0	-695.5	433.5	
8426.2	-889.5							
		G2	I	-11.8	-14.7	-290.7	158.9	
2803.1	-340.9		J	-11.5	-14.7	-253.6	158.9	
3078.8	-326.0							
		G1- Imp~1	I	4.6	7.5	-0.3	-0.7	
10.2	173.2		J	4.6	7.5	-0.3	-0.7	
10.5	165.6							
		G2- Imp~1	I	1.4	2.4	-0.1	-0.7	
3.1	54.5		J	1.4	2.4	-0.1	-0.7	
3.2	52.1							
		q3	I	75.5	9.3	6.9	6.7	
90.1	111.7		J	72.3	9.3	6.9	6.7	
86.2	102.3							
		q4-1	I	0.1	0.1	-0.3	-0.1	
-5.8	2.6		J	0.1	0.1	-0.3	-0.1	
-5.6	2.5							
		q4-2	I	0.3	0.5	-0.4	-0.0	
-8.3	10.9		J	0.3	0.5	-0.4	-0.0	
-7.8	10.5							
		q4-3	I	0.7	1.1	-0.3	0.3	
-3.9	25.3		J	0.7	1.1	-0.3	0.3	
-3.6	24.2							
		q4-4	I	0.4	0.6	0.3	0.8	
8.8	13.3		J	0.4	0.6	0.3	0.8	
8.4	12.7							
		q4-5	I	-8.1	-13.3	0.6	-4.4	
-14.7	-308.3		J	-8.1	-13.3	0.6	-4.4	
-15.4	-294.8							
		q4-6	I	7.6	12.5	-5.1	-14.3	
-85.5	289.1		J	7.6	12.5	-5.1	-14.3	
-80.3	276.5							
		q4-7	I	144.3	-10.4	-11.9	13.2	
153.3	-103.2		J	144.3	-10.4	-11.9	13.2	
165.4	-92.7							
		q5 - p~1	I	-473.9	-123.2	-16.8	-73.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-394.2	-1820.7		J	-454.9	-120.5	-17.0	-74.2	
-384.0	-1697.3							
79.2	1497.1	q5 - p~2	I	273.6	-105.3	-20.5	-10.6	
101.5	1596.2		J	269.1	-90.4	-20.4	-16.0	
-367.7	-1716.5	q5 - p~3	I	-448.7	-116.4	-10.3	-67.5	
-358.4	-1600.0		J	-430.7	-113.8	-10.5	-67.7	
78.9	1422.9	q5 - p~4	I	259.3	-99.5	-20.1	-21.0	
99.5	1516.6		J	255.0	-85.4	-20.0	-22.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
107.3	364.8	q7	I	61.2	21.3	2.4	17.9	
104.8	343.2		J	61.2	21.3	2.4	17.9	
23.6	67.7	T	I	1.8	2.9	0.7	-1.4	
22.9	64.8		J	1.8	2.9	0.7	-1.4	
-195.4	188.3	M. tor~1	I	-168.0	-275.2	18.2	-8.3	
-213.8	181.1		J	-168.0	-275.2	18.2	-11.2	
-115.5	111.3	M. tor~2	I	-99.3	-162.7	10.7	-4.9	
-126.4	107.0		J	-99.3	-162.7	10.7	-6.6	
3780.8	3578.6	INVSLU Max	I	667.8	195.1	-795.2	2859.2	3
5625.9	3382.2		J	642.6	192.6	-553.3	2843.9	3
5059.9	-7213.3	Min	I	-790.3	-351.9	-3015.0	-927.2	
6862.7	-6858.1		J	-761.2	-349.4	-2755.9	-828.0	
4415.7	12295.3	INVSLV Max	I	975.6	542.0	-745.7	1095.0	1
5578.6	12299.3		J	977.0	542.0	-606.8	1095.0	1
6557.4	-14381.8	Min	I	-1051.9	-631.7	-1431.1	86.9	
7458.6	-14295.0		J	-1050.6	-631.7	-1292.1	86.9	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4998.1	2533.9	INVSLE Max	I	444.9	136.5	-590.3	2113.1	2
			J	428.2	134.9	-411.2	2101.7	2
6365.5	2396.5	Min	I	-535.7	-252.6	-2232.0	-682.0	
3772.8	-5226.3		J	-516.1	-251.0	-2040.1	-608.5	
5107.5	-4971.3							
986	1	52 C1-C2;~1 Max	I	61.9	103.8	525.6	1386.3	1
4557.2	2308.8		J	61.9	103.8	567.4	1455.6	1
4813.7	2203.7	Min	I	-87.2	-128.9	-1072.6	-1245.5	-
6010.1	-2867.9		J	-86.8	-128.9	-1020.3	-1173.7	-
5721.4	-2737.4							
		C3-C4;~1 Max	I	62.6	105.1	523.6	1404.1	1
4606.7	2336.7		J	62.6	105.1	565.4	1394.0	1
4864.1	2230.2	Min	I	-88.8	-131.4	-1078.0	-1037.0	-
6166.4	-2915.1		J	-88.4	-131.4	-1025.6	-1039.5	-
5870.2	-2781.9							
		C1-C2;~2 Max	I	33.3	55.8	334.4	848.3	
8489.4	1241.4		J	33.3	55.8	360.3	893.9	
8647.7	1184.9	Min	I	-47.4	-68.4	-644.5	-777.0	-
3265.6	-1522.7		J	-47.2	-68.4	-614.3	-730.5	-
3108.7	-1453.5							
		C3-C4;~2 Max	I	33.7	56.6	332.8	851.9	
8519.8	1259.7		J	33.7	56.6	358.7	852.8	
8678.6	1202.3	Min	I	-48.1	-69.6	-647.4	-646.5	-
3360.9	-1544.0		J	-48.0	-69.6	-617.1	-642.6	-
3199.4	-1473.5							
		SLVx (RS)	I	809.1	438.8	188.1	411.4	
2913.9	-10456.2		J	809.1	438.8	188.1	411.4	
2969.4	-10358.9							
		SLVy (RS)	I	428.3	-281.2	-163.9	-88.2	
-935.9	7861.8		J	428.3	-281.2	-163.9	-88.2	
-936.4	7994.4							
		SLDx (RS)	I	596.0	328.5	141.6	307.3	
2168.4	-7859.1		J	596.0	328.5	141.6	307.3	
2211.0	-7789.9							
		SLDy (RS)	I	304.2	-207.0	-119.9	-67.2	
-677.0	5794.1		J	304.2	-207.0	-119.9	-67.2	
-677.6	5891.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2871.4	-1608.1	SLVz (RS)	I	-167.4	87.6	200.8	-101.4	-
			J	-167.4	87.6	200.8	-101.4	-
3063.0	-1542.5							
		G1	I	-31.7	-39.8	-695.5	362.3	
8429.6	-888.8		J	-30.7	-39.8	-593.7	362.3	
9082.4	-848.5							
		G2	I	-11.6	-14.6	-253.6	132.9	
3080.0	-325.8		J	-11.2	-14.6	-216.4	132.9	
3318.0	-311.0							
		G1- Imp~1	I	4.6	7.4	-0.3	-0.8	
10.4	165.6		J	4.6	7.4	-0.3	-0.8	
10.8	158.1							
		G2- Imp~1	I	1.5	2.3	-0.1	-0.7	
3.2	52.1		J	1.5	2.3	-0.1	-0.7	
3.3	49.7							
		q3	I	72.4	8.7	6.9	5.9	
86.2	102.3		J	69.1	8.7	6.9	5.9	
82.4	93.5							
		q4-1	I	0.1	0.1	-0.3	-0.0	
-5.6	2.5		J	0.1	0.1	-0.3	-0.0	
-5.3	2.4							
		q4-2	I	0.3	0.5	-0.4	0.0	
-7.8	10.5		J	0.3	0.5	-0.4	0.0	
-7.4	10.0							
		q4-3	I	0.7	1.1	-0.3	0.3	
-3.6	24.2		J	0.7	1.1	-0.3	0.3	
-3.4	23.1							
		q4-4	I	0.4	0.6	0.3	0.8	
8.4	12.8		J	0.4	0.6	0.3	0.8	
8.1	12.2							
		q4-5	I	-8.2	-13.3	0.6	-4.3	
-15.4	-294.8		J	-8.2	-13.3	0.6	-4.3	
-16.0	-281.4							
		q4-6	I	7.7	12.4	-5.1	-13.6	
-80.5	276.5		J	7.7	12.4	-5.1	-13.6	
-75.3	263.9							
		q4-7	I	144.2	-11.6	-11.9	11.8	
165.5	-92.7		J	144.2	-11.6	-11.9	11.8	
177.6	-81.0							
		q5 - p~1	I	-455.9	-116.7	-16.9	-70.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-384.4	-1697.3		J	-436.8	-114.1	-17.1	-71.9	
-374.0	-1580.4							
101.3	1596.2	q5 - p~2	I	268.3	-92.6	-20.4	-16.8	
123.5	1682.4		J	263.9	-77.6	-20.4	-22.2	
-358.9	-1600.0	q5 - p~3	I	-431.6	-110.1	-10.4	-64.7	
-349.5	-1489.7		J	-413.6	-107.7	-10.6	-64.8	
99.2	1516.6	q5 - p~4	I	254.3	-87.5	-20.0	-22.8	
119.8	1598.0		J	250.1	-73.3	-20.0	-23.8	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
105.0	343.2	q7	I	61.3	20.8	2.4	17.0	
102.5	322.2		J	61.3	20.8	2.4	17.0	
22.9	64.8	T	I	1.8	2.9	0.7	-1.6	
22.1	61.8		J	1.8	2.9	0.7	-1.6	
-213.9	181.1	M. tor~1	I	-170.3	-273.7	18.2	-9.4	
-232.4	172.4		J	-170.3	-273.7	18.2	-12.2	
-126.5	107.0	M. tor~2	I	-100.7	-161.8	10.8	-5.5	
-137.4	101.9		J	-100.7	-161.8	10.8	-7.2	
5637.9	3382.8	INVSLU Max	I	644.1	188.7	-553.3	2626.9	3
7178.7	3284.6		J	618.9	186.4	-309.3	2697.3	3
6869.3	-6855.3	Min	I	-764.0	-344.7	-2755.9	-1080.1	
8482.3	-6599.2		J	-734.7	-342.4	-2497.6	-983.9	
5579.3	12300.2	INVSLV Max	I	950.6	504.9	-643.1	961.9	1
6649.3	12268.3		J	952.0	504.9	-504.1	961.9	1
7467.2	-14294.0	Min	I	-1025.0	-594.1	-1255.8	25.4	
8179.8	-14171.8		J	-1023.6	-594.1	-1116.9	25.4	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6374.4	2397.0	INVSLE	Max	I	429.3	132.2	-411.2	1941.2	2	
7516.3	2325.0			J	412.6	130.7	-230.4	1993.3	2	
5112.5	-4969.2		Min	I	-518.1	-247.8	-2040.1	-795.4		
6306.6	-4780.2			J	-498.4	-246.2	-1848.7	-724.1		
987	1	52	C1-C2;~1	Max	I	62.7	103.3	567.4	1395.7	1
4814.0	2203.2			J	62.7	103.3	610.8	1466.4	1	
4984.0	2098.6			Min	I	-87.9	-128.2	-1020.3	-1267.7	-
5720.3	-2736.2			J	-87.3	-128.2	-968.7	-1197.9	-	
5431.6	-2606.4									
			C3-C4;~1	Max	I	63.5	104.5	565.4	1330.3	1
4866.7	2229.7			J	63.5	104.5	608.8	1322.5	1	
5037.5	2123.9			Min	I	-89.5	-130.7	-1025.6	-1137.8	-
5869.2	-2780.7			J	-88.9	-130.7	-973.9	-1143.8	-	
5573.0	-2648.3									
			C1-C2;~2	Max	I	33.7	55.5	360.3	848.4	
8647.7	1184.6			J	33.7	55.5	386.9	894.4		
8755.7	1128.4			Min	I	-47.8	-68.0	-614.3	-789.2	-
3108.1	-1452.8			J	-47.5	-68.0	-584.2	-743.6	-	
2951.2	-1383.9									
			C3-C4;~2	Max	I	34.2	56.3	358.7	804.2	
8680.3	1202.0			J	34.2	56.3	385.3	805.8		
8788.8	1144.9			Min	I	-48.5	-69.2	-617.1	-704.9	-
3198.9	-1472.9			J	-48.3	-69.2	-586.9	-702.5	-	
3037.5	-1402.8									
			SLVx (RS)	I	787.5	415.5	181.9	393.6		
2965.8	-10358.9			J	787.5	415.5	181.9	393.6		
3009.4	-10237.4									
			SLVy (RS)	I	418.8	-253.4	-166.3	-78.5		
-934.8	7994.4			J	418.8	-253.4	-166.3	-78.5		
-952.3	8078.9									
			SLDx (RS)	I	580.2	310.6	136.9	294.0		
2208.2	-7789.9			J	580.2	310.6	136.9	294.0		
2242.1	-7701.8									
			SLDy (RS)	I	297.9	-186.7	-121.6	-60.2		
-676.7	5891.6			J	297.9	-186.7	-121.6	-60.2		
-689.7	5953.7									


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3066.1	-1542.3	SLVz (RS)	I	-164.4	90.0	166.3	-84.3	-
			J	-164.4	90.0	166.3	-84.3	-
3220.2	-1474.0							
		G1	I	-31.0	-39.6	-593.7	285.6	
9085.2	-847.8		J	-30.0	-39.6	-491.9	285.6	
9635.0	-807.7							
		G2	I	-11.4	-14.5	-216.4	104.8	
3319.1	-310.7		J	-11.0	-14.5	-179.2	104.8	
3519.4	-296.0							
		G1- Imp~1	I	4.7	7.4	-0.3	-0.9	
10.7	158.1		J	4.7	7.4	-0.3	-0.9	
11.0	150.6							
		G2- Imp~1	I	1.5	2.3	-0.1	-0.8	
3.3	49.7		J	1.5	2.3	-0.1	-0.8	
3.4	47.4							
		q3	I	69.2	8.1	6.9	5.2	
82.4	93.5		J	66.0	8.1	6.9	5.2	
78.5	85.3							
		q4-1	I	0.1	0.1	-0.3	0.0	
-5.3	2.4		J	0.1	0.1	-0.3	0.0	
-5.0	2.3							
		q4-2	I	0.3	0.5	-0.4	0.1	
-7.4	10.0		J	0.3	0.5	-0.4	0.1	
-7.0	9.5							
		q4-3	I	0.7	1.1	-0.3	0.3	
-3.4	23.1		J	0.7	1.1	-0.3	0.3	
-3.1	22.0							
		q4-4	I	0.4	0.6	0.3	0.7	
8.1	12.2		J	0.4	0.6	0.3	0.7	
7.8	11.6							
		q4-5	I	-8.4	-13.2	0.6	-4.2	
-16.0	-281.4		J	-8.4	-13.2	0.6	-4.2	
-16.7	-268.0							
		q4-6	I	7.8	12.4	-5.1	-13.0	
-75.5	263.9		J	7.8	12.4	-5.1	-13.0	
-70.3	251.4							
		q4-7	I	144.1	-12.8	-11.9	10.3	
177.7	-80.9		J	144.1	-12.8	-11.9	10.3	
189.7	-68.0							
		q5 - p~1	I	-437.8	-110.4	-17.1	-68.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-374.5	-1580.4		J	-418.7	-108.0	-17.3	-69.6	
-363.9	-1469.8							
123.2	1682.4	q5 - p~2	I	263.2	-79.8	-20.4	-23.3	
145.4	1755.6		J	258.8	-64.7	-20.3	-28.7	
-349.9	-1489.7	q5 - p~3	I	-414.5	-104.2	-10.6	-61.9	
-340.3	-1385.3		J	-396.4	-101.9	-10.8	-62.1	
119.5	1598.0	q5 - p~4	I	249.5	-75.4	-20.0	-24.8	
140.0	1667.1		J	245.3	-61.1	-20.0	-25.8	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
102.6	322.2	q7	I	61.5	20.3	2.4	16.1	
100.2	301.7		J	61.5	20.3	2.4	16.1	
22.1	61.8	T	I	1.8	2.9	0.7	-1.7	
21.4	58.9		J	1.8	2.9	0.7	-1.7	
-232.5	172.4	M. tor~1	I	-172.6	-272.3	18.2	-10.2	
-250.9	162.3		J	-172.6	-272.3	18.2	-13.1	
-137.4	101.9	M. tor~2	I	-102.1	-161.0	10.8	-6.0	
-148.4	95.9		J	-102.1	-161.0	10.8	-7.7	
7187.8	3285.4	INVSLU Max	I	620.3	182.7	-309.3	2472.2	3
8421.6	3266.8		J	595.1	180.5	-63.1	2568.4	3
8488.3	-6596.2	Min	I	-737.4	-337.8	-2497.6	-1249.7	
9911.5	-6420.5		J	-708.0	-335.6	-2240.1	-1156.2	
6654.6	12269.3	INVSLV Max	I	926.3	474.1	-528.8	831.2	1
7577.6	12197.5		J	927.6	474.1	-389.8	831.2	1
8182.0	-14170.7	Min	I	-998.6	-562.8	-1092.2	-53.7	
8760.2	-14009.1		J	-997.2	-562.8	-953.2	-53.7	

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

7523.0	2325.6	INVSLE Max	I	413.6	128.1	-230.4	1826.8	2
8437.6	2306.8		J	396.9	126.7	-48.1	1898.0	2
6311.2	-4778.0	Min	I	-500.3	-243.0	-1848.7	-921.2	
7364.7	-4642.8		J	-480.6	-241.6	-1658.0	-852.0	
988	1	52 C1-C2;~1 Max	I	63.6	102.7	610.8	1403.6	1
4983.3	2098.1		J	63.6	102.7	655.8	1475.8	1
5065.2	1994.1	Min	I	-88.4	-127.5	-968.7	-1293.2	-
5430.1	-2605.1		J	-87.6	-127.5	-917.8	-1225.3	-
5141.3	-2476.0							
5038.7	2123.4	C3-C4;~1 Max	I	64.3	104.0	608.8	1256.5	1
5122.3	2018.1		J	64.3	104.0	653.8	1251.3	1
5571.6	-2647.1	Min	I	-90.0	-130.0	-973.9	-1243.9	-
5275.4	-2515.4		J	-89.3	-130.0	-922.9	-1253.0	-
8755.2	1128.1	C1-C2;~2 Max	I	34.2	55.2	386.9	847.4	
8811.8	1072.2		J	34.2	55.2	414.3	893.9	
2950.4	-1383.2	Min	I	-48.0	-67.6	-584.2	-803.4	-
2793.5	-1314.7		J	-47.6	-67.6	-554.2	-758.6	-
8789.8	1144.7	C3-C4;~2 Max	I	34.7	56.0	385.3	756.0	
8847.6	1087.9		J	34.7	56.0	412.8	758.6	
3036.7	-1402.0	Min	I	-48.8	-68.8	-586.9	-765.9	-
2875.3	-1332.3		J	-48.4	-68.8	-556.9	-765.0	-
3006.1	-10237.4	SLVx (RS)	I	766.6	397.4	176.2	380.8	
3037.0	-10088.4		J	766.6	397.4	176.2	380.8	
-953.1	8079.0	SLVy (RS)	I	410.5	-233.4	-166.9	88.9	
-987.8	8115.2		J	410.5	-233.4	-166.9	88.9	
2239.6	-7701.8	SLDx (RS)	I	564.9	296.8	132.5	284.5	
2264.0	-7592.5		J	564.9	296.8	132.5	284.5	
-690.7	5953.7	SLDy (RS)	I	292.4	-172.2	-121.9	67.4	
-716.2	5980.2		J	292.4	-172.2	-121.9	67.4	


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3222.8	-1473.8	SLVz (RS)	I	-160.6	92.7	134.7	-72.7	-
			J	-160.6	92.7	134.7	-72.7	-
3338.6	-1403.0							
		G1	I	-30.3	-39.4	-491.9	204.2	
9637.1	-806.9		J	-29.3	-39.4	-390.1	204.2	1
0083.8	-767.0							
		G2	I	-11.1	-14.4	-179.2	75.1	
3520.2	-295.7		J	-10.7	-14.4	-142.1	75.1	
3682.9	-281.1							
		G1- Imp~1	I	4.8	7.4	-0.3	-1.0	
11.0	150.6		J	4.8	7.4	-0.3	-1.0	
11.3	143.1							
		G2- Imp~1	I	1.5	2.3	-0.1	-0.8	
3.4	47.4		J	1.5	2.3	-0.1	-0.8	
3.5	45.0							
		q3	I	66.0	7.5	6.9	4.6	
78.6	85.3		J	62.8	7.5	6.9	4.6	
74.7	77.7							
		q4-1	I	0.1	0.1	-0.3	0.1	
-5.0	2.3		J	0.1	0.1	-0.3	0.1	
-4.8	2.2							
		q4-2	I	0.3	0.5	-0.4	0.1	
-7.0	9.5		J	0.3	0.5	-0.4	0.1	
-6.6	9.0							
		q4-3	I	0.7	1.1	-0.3	0.4	
-3.1	22.0		J	0.7	1.1	-0.3	0.4	
-2.8	20.9							
		q4-4	I	0.4	0.6	0.3	0.6	
7.8	11.6		J	0.4	0.6	0.3	0.6	
7.4	11.0							
		q4-5	I	-8.5	-13.1	0.6	-4.0	
-16.7	-268.0		J	-8.5	-13.1	0.6	-4.0	
-17.4	-254.8							
		q4-6	I	7.9	12.3	-5.1	-12.4	
-70.4	251.3		J	7.9	12.3	-5.1	-12.4	
-65.3	238.9							
		q4-7	I	144.0	-14.0	-11.9	8.7	
189.8	-68.0		J	144.0	-14.0	-11.9	8.7	
201.9	-53.8							
		q5 - p~1	I	-419.6	-104.4	-17.3	-66.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-364.4	-1469.8		J	-400.4	-102.2	-17.5	-67.4	
-353.7	-1365.2							
145.0	1755.6	q5 - p~2	I	258.2	-66.9	-20.3	-29.9	
167.1	1815.7		J	253.8	-51.7	-20.3	-35.4	
-340.7	-1385.3	q5 - p~3	I	-397.2	-98.6	-10.8	-59.2	
-331.0	-1286.6		J	-379.1	-96.4	-10.9	-59.4	
139.6	1667.1	q5 - p~4	I	244.8	-63.1	-20.0	-27.0	
160.1	1723.8		J	240.6	-48.8	-19.9	-28.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
100.3	301.7	q7	I	61.7	19.7	2.4	15.3	
97.9	281.7		J	61.7	19.7	2.4	15.3	
21.4	58.9	T	I	1.9	2.9	0.7	-1.9	
20.6	56.0		J	1.9	2.9	0.7	-1.9	
-251.1	162.2	M. tor~1	I	-174.9	-270.8	18.3	-10.9	
-269.5	150.6		J	-174.9	-270.8	18.3	-13.8	
-148.4	95.9	M. tor~2	I	-103.4	-160.1	10.8	-6.5	
-159.4	89.1		J	-103.4	-160.1	10.8	-8.1	
8427.4	3267.7	INVSLU Max	I	596.5	176.9	-63.1	2330.8	3
9353.3	3237.8		J	571.2	174.8	185.2	2429.0	3
9916.9	-6417.3	Min	I	-710.6	-331.1	-2240.1	-1432.5	
1150.1	-6231.2		J	-681.1	-329.1	-1983.6	-1379.0	1
7582.3	12198.6	INVSLV Max	I	902.7	451.1	-404.9	706.8	1
8327.6	12083.9		J	904.1	451.1	-265.9	706.8	1
8761.2	-14007.9	Min	I	-973.1	-539.3	-938.1	-151.7	
9235.5	-13803.9		J	-971.7	-539.3	-799.2	-151.7	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

8441.9	2307.4	INVSLE	Max	I	397.8	124.2	-48.0	1722.2	2
				J	386.2	122.9	135.9	1794.9	2
9128.4	2281.1		Min	I	-482.4	-238.5	-1658.0	-1056.8	
7368.7	-4640.5			J	-462.5	-237.2	-1468.0	-1017.1	
8281.6	-4498.4								
989	1	52 C1-C2;~1	Max	I	64.5	102.2	655.8	1410.7	1
5064.0	1993.6			J	64.5	102.2	702.4	1484.6	1
5074.0	1890.1		Min	I	-88.7	-126.8	-917.8	-1321.2	-
5139.4	-2474.7			J	-87.8	-126.8	-867.6	-1254.9	-
4850.7	-2346.3								
		C3-C4;~1	Max	I	65.2	103.4	653.8	1183.7	1
5121.0	2017.6			J	65.2	103.4	700.4	1183.8	1
5133.7	1912.9		Min	I	-90.4	-129.3	-922.9	-1354.4	-
5273.6	-2514.1			J	-89.5	-129.3	-872.5	-1366.4	-
4977.3	-2383.2								
		C1-C2;~2	Max	I	34.7	54.9	414.3	845.9	
8811.2	1071.9			J	34.7	54.9	442.5	893.1	
8828.6	1016.3		Min	I	-48.2	-67.3	-554.2	-819.0	-
2792.5	-1314.0			J	-47.6	-67.3	-524.4	-774.8	-
2635.6	-1245.8								
		C3-C4;~2	Max	I	35.1	55.7	412.8	707.9	
8846.9	1087.7			J	35.1	55.7	441.0	713.3	
8866.3	1031.2		Min	I	-49.0	-68.5	-556.9	-829.1	-
2874.3	-1331.6			J	-48.5	-68.5	-527.0	-829.3	-
2712.8	-1262.2								
		SLVx (RS)		I	746.4	385.2	170.9	373.1	
3034.0	-10088.5			J	746.4	385.2	170.9	373.1	
3051.7	-9909.5								
		SLVy (RS)		I	403.5	-223.1	-164.9	112.7	
-991.1	8115.2			J	403.5	-223.1	-164.9	112.7	-
1040.7	8103.1								
		SLDx (RS)		I	550.2	287.6	128.4	279.0	
2261.8	-7592.5			J	550.2	287.6	128.4	279.0	
2276.4	-7460.2								
		SLDy (RS)		I	287.9	-164.8	-120.5	84.5	
-719.0	5980.2			J	287.9	-164.8	-120.5	84.5	
-755.4	5971.2								


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3340.7	-1402.9	SLVz (RS)	I	-156.1	95.5	109.6	-70.8	-
			J	-156.1	95.5	109.6	-70.8	-
3418.2	-1330.2							
		G1	I	-29.7	-39.2	-390.1	119.1	1
0085.2	-766.2		J	-28.7	-39.2	-288.3	119.1	1
0428.7	-726.5							
		G2	I	-10.9	-14.3	-142.1	44.0	
3683.4	-280.8		J	-10.5	-14.3	-104.9	44.0	
3808.5	-266.3							
		G1- Imp~1	I	4.8	7.3	-0.3	-1.1	
11.3	143.1		J	4.8	7.3	-0.3	-1.1	
11.6	135.7							
		G2- Imp~1	I	1.5	2.3	-0.1	-0.8	
3.5	45.0		J	1.5	2.3	-0.1	-0.8	
3.6	42.7							
		q3	I	62.8	7.0	6.9	3.9	
74.7	77.7		J	59.6	7.0	6.9	3.9	
70.9	70.6							
		q4-1	I	0.1	0.1	-0.3	0.1	
-4.8	2.2		J	0.1	0.1	-0.3	0.1	
-4.5	2.1							
		q4-2	I	0.3	0.5	-0.4	0.2	
-6.6	9.0		J	0.3	0.5	-0.4	0.2	
-6.2	8.6							
		q4-3	I	0.7	1.1	-0.3	0.4	
-2.8	20.9		J	0.7	1.1	-0.3	0.4	
-2.5	19.8							
		q4-4	I	0.4	0.6	0.3	0.6	
7.4	11.0		J	0.4	0.6	0.3	0.6	
7.1	10.4							
		q4-5	I	-8.6	-13.0	0.6	-3.9	
-17.4	-254.8		J	-8.6	-13.0	0.6	-3.9	
-18.0	-241.6							
		q4-6	I	8.0	12.2	-5.1	-11.8	
-65.4	238.9		J	8.0	12.2	-5.1	-11.8	
-60.2	226.5							
		q4-7	I	143.9	-15.2	-11.9	7.0	
202.0	-53.8		J	143.9	-15.2	-11.9	7.0	
214.0	-38.3							
		q5 - p~1	I	-401.3	-98.8	-17.5	-64.4	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-354.1	-1365.2		J	-382.2	-96.7	-17.7	-65.1	
-343.2	-1266.2							
		q5 - p~2	I	253.4	-53.9	-20.3	-36.8	
166.7	1815.7		J	249.1	-38.6	-20.2	-42.2	
188.7	1862.5							
		q5 - p~3	I	-379.9	-93.2	-10.9	-56.6	
-331.4	-1286.6		J	-361.8	-91.2	-11.1	-56.7	
-321.5	-1193.2							
		q5 - p~4	I	240.2	-50.8	-19.9	-29.3	
159.7	1723.8		J	236.1	-36.3	-19.9	-30.3	
180.1	1767.9							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	61.9	19.2	2.4	14.5	
98.0	281.7		J	61.9	19.2	2.4	14.5	
95.5	262.2							
		T	I	1.9	2.9	0.7	-2.1	
20.6	56.0		J	1.9	2.9	0.7	-2.1	
19.9	53.1							
		M. tor~1	I	-177.2	-269.3	18.3	-11.5	
-269.7	150.6		J	-177.2	-269.3	18.3	-14.3	
-288.2	137.5							
		M. tor~2	I	-104.8	-159.2	10.8	-6.8	
-159.4	89.0		J	-104.8	-159.2	10.8	-8.5	
-170.4	81.3							
		INVSLU Max	I	572.5	171.3	185.2	2181.5	3
9354.5	3238.8		J	547.2	169.4	435.6	2281.9	3
9994.5	3197.5	Min	I	-683.6	-324.8	-1983.6	-1670.4	1
1154.8	-6227.9		J	-653.8	-322.9	-1728.0	-1687.3	1
2198.2	-6031.2							
		INVSLV Max	I	880.1	436.9	-279.3	589.3	1
8331.7	12085.0		J	881.5	436.9	-140.4	589.3	1
8898.4	11925.1	Min	I	-948.5	-524.7	-785.8	-267.0	
9235.2	-13802.7		J	-947.1	-524.7	-646.8	-267.0	
9606.5	-13553.9							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9129.2	2281.8	INVSLE Max	I	386.7	120.5	135.9	1611.7	2
			J	376.6	119.3	321.3	1686.1	2
9604.0	2247.9	Min	I	-464.3	-234.2	-1468.0	-1233.1	
8285.1	-4496.0		J	-444.2	-232.9	-1278.7	-1245.6	
9057.3	-4346.9							
990	1	52 C1-C2;~1 Max	I	65.3	101.6	702.4	1418.0	1
5073.3	1889.7		J	65.3	101.6	750.5	1493.8	1
4996.9	1786.8	Min	I	-88.8	-126.1	-867.6	-1350.7	-
4848.4	-2345.1		J	-87.7	-126.1	-818.1	-1285.8	-
4559.6	-2217.4							
		C3-C4;~1 Max	I	66.1	102.8	700.4	1112.3	1
5129.9	1912.5		J	66.1	102.8	748.5	1153.8	1
5058.2	1808.4	Min	I	-90.6	-128.6	-872.5	-1468.4	-
4975.2	-2381.9		J	-89.5	-128.6	-823.0	-1483.0	-
4678.9	-2251.7							
		C1-C2;~2 Max	I	35.1	54.6	442.5	844.5	
8828.6	1016.1		J	35.1	54.6	471.4	892.6	
8795.8	960.7	Min	I	-48.2	-66.9	-524.4	-835.3	-
2634.4	-1245.1		J	-47.5	-66.9	-494.7	-791.6	-
2477.5	-1177.4							
		C3-C4;~2 Max	I	35.6	55.4	441.0	661.1	
8864.1	1031.0		J	35.6	55.4	470.0	687.6	
8834.8	974.9	Min	I	-49.1	-68.1	-527.0	-893.8	-
2711.6	-1261.5		J	-48.4	-68.1	-497.2	-894.9	-
2550.2	-1192.5							
		SLVx (RS)	I	727.1	379.4	166.4	370.5	
3049.0	-9909.5		J	727.1	379.4	166.4	370.5	
3052.5	-9698.5							
		SLVy (RS)	I	398.1	-223.5	-160.4	142.5	-
1046.3	8103.1		J	398.1	-223.5	-160.4	142.5	-
1106.5	8043.1							
		SLDx (RS)	I	536.2	283.4	125.0	277.3	
2274.4	-7460.2		J	536.2	283.4	125.0	277.3	
2278.4	-7303.2							
		SLDy (RS)	I	284.6	-165.3	-117.3	106.0	
-759.8	5971.2		J	284.6	-165.3	-117.3	106.0	
-803.9	5926.8							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3419.8	-1330.1	SLVz (RS)	I	-151.0	98.1	95.9	-79.5	-
			J	-151.0	98.1	95.9	-79.5	-
3459.6	-1256.4							
		G1	I	-29.0	-38.9	-288.3	31.0	1
0429.4	-725.6		J	-28.0	-38.9	-186.5	31.0	1
0669.9	-686.2							
		G2	I	-10.6	-14.3	-104.9	11.8	
3808.8	-266.0		J	-10.2	-14.3	-67.7	11.8	
3896.2	-251.5							
		G1- Imp~1	I	4.9	7.3	-0.3	-1.2	
11.6	135.7		J	4.9	7.3	-0.3	-1.2	
11.9	128.3							
		G2- Imp~1	I	1.5	2.3	-0.1	-0.9	
3.6	42.7		J	1.5	2.3	-0.1	-0.9	
3.7	40.4							
		q3	I	59.7	6.5	6.9	3.3	
70.9	70.6		J	56.4	6.5	6.9	3.3	
67.0	64.0							
		q4-1	I	0.1	0.1	-0.3	0.1	
-4.5	2.1		J	0.1	0.1	-0.3	0.1	
-4.2	1.9							
		q4-2	I	0.3	0.5	-0.4	0.2	
-6.2	8.6		J	0.3	0.5	-0.4	0.2	
-5.8	8.1							
		q4-3	I	0.7	1.1	-0.3	0.4	
-2.5	19.8		J	0.7	1.1	-0.3	0.4	
-2.2	18.8							
		q4-4	I	0.4	0.6	0.3	0.5	
7.1	10.4		J	0.4	0.6	0.3	0.5	
6.8	9.9							
		q4-5	I	-8.7	-13.0	0.7	-3.8	
-18.0	-241.6		J	-8.7	-13.0	0.7	-3.8	
-18.7	-228.4							
		q4-6	I	8.1	12.2	-5.1	-11.3	
-60.4	226.5		J	8.1	12.2	-5.1	-11.3	
-55.2	214.2							
		q4-7	I	143.7	-16.5	-11.9	5.2	
214.1	-38.3		J	143.7	-16.5	-11.9	5.2	
226.2	-21.7							
		q5 - p~1	I	-383.0	-93.5	-17.6	-62.3	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-343.6	-1266.2		J	-363.8	-91.5	-17.8	-63.0	
-332.6	-1172.5							
188.2	1862.5	q5 - p~2	I	248.7	-40.7	-20.2	-43.8	
210.2	1896.0		J	244.5	-25.4	-20.2	-49.3	
-321.8	-1193.2	q5 - p~3	I	-362.6	-88.2	-11.1	-54.0	
-311.8	-1104.8		J	-344.4	-86.3	-11.3	-54.1	
179.7	1767.9	q5 - p~4	I	235.8	-38.3	-19.9	-31.8	
200.1	1799.4		J	231.7	-23.8	-19.8	-32.8	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
95.6	262.2	q7	I	62.0	18.7	2.4	13.7	
93.2	243.3		J	62.0	18.7	2.4	13.7	
19.8	53.1	T	I	1.9	2.8	0.7	-2.3	
19.1	50.2		J	1.9	2.8	0.7	-2.3	
-288.3	137.5	M. tor~1	I	-179.5	-267.8	18.3	-11.9	
-306.8	122.8		J	-179.5	-267.8	18.3	-14.7	
-170.4	81.3	M. tor~2	I	-106.1	-158.3	10.8	-7.0	
-181.4	72.6		J	-106.1	-158.3	10.8	-8.7	
9991.0	3198.5	INVSLU Max	I	548.5	166.1	435.6	2027.0	3
0326.8	3145.6		J	528.0	164.3	688.1	2130.0	4
2202.0	-6027.9	Min	I	-656.2	-318.7	-1728.0	-1985.0	1
3055.6	-5820.4		J	-626.3	-316.9	-1473.5	-2005.2	1
8901.8	11926.3	INVSLV Max	I	858.7	432.3	-150.3	477.9	1
9289.0	11719.4		J	860.1	432.3	-11.3	477.9	1
9605.0	-13552.7	Min	I	-925.0	-519.5	-636.9	-396.3	
9874.4	-13257.4		J	-923.7	-519.5	-497.9	-396.3	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9601.4	2248.6	INVSLE Max	I	377.1	117.0	321.3	1497.5	2
			J	367.0	115.8	508.4	1573.7	2
9850.8	2207.0	Min	I	-446.0	-230.0	-1278.7	-1466.3	
9060.1	-4344.5		J	-425.8	-228.8	-1090.2	-1481.3	
9691.7	-4188.4							
991	1	52 C1-C2;~1 Max	I	66.2	101.0	750.5	1430.7	1
4995.2	1786.5		J	66.2	101.0	800.1	1508.7	1
4827.1	1684.1	Min	I	-88.8	-125.4	-818.1	-1380.6	-
4557.0	-2216.2		J	-87.5	-125.4	-769.5	-1317.0	-
4268.3	-2089.2							
		C3-C4;~1 Max	I	66.9	102.2	748.5	1080.6	1
5053.0	1808.0		J	66.9	102.2	798.2	1123.9	1
4889.3	1704.4	Min	I	-90.6	-127.9	-823.0	-1585.0	-
4676.4	-2250.5		J	-89.3	-127.9	-774.2	-1601.7	-
4380.2	-2121.0							
		C1-C2;~2 Max	I	35.6	54.3	471.4	847.3	
8795.3	960.5		J	35.6	54.3	501.1	896.3	
8708.4	905.5	Min	I	-48.1	-66.5	-494.7	-851.7	-
2476.1	-1176.7		J	-47.3	-66.5	-465.3	-808.3	-
2319.2	-1109.3							
		C3-C4;~2 Max	I	36.1	55.1	470.0	634.8	
8831.8	974.6		J	36.1	55.1	499.7	662.3	
8748.2	918.8	Min	I	-49.0	-67.7	-497.2	-959.4	-
2548.8	-1191.8		J	-48.2	-67.7	-467.7	-961.1	-
2387.4	-1123.3							
		SLVx (RS)	I	708.9	380.0	163.3	372.8	
3050.2	-9698.6		J	708.9	380.0	163.3	372.8	
3038.9	-9454.0							
		SLVy (RS)	I	394.3	234.1	-153.9	174.3	-
1114.0	8043.1		J	394.3	234.1	-153.9	174.3	-
1179.5	7935.7							
		SLDx (RS)	I	522.9	284.1	122.5	279.3	
2276.8	-7303.3		J	522.9	284.1	122.5	279.3	
2269.7	-7120.6							
		SLDy (RS)	I	282.5	173.2	-112.7	129.2	
-809.7	5926.9		J	282.5	173.2	-112.7	129.2	
-857.6	5847.7							


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3460.8	-1256.3	SLVz (RS)	I	-145.4	-100.3	97.3	96.1	-
			J	-145.4	-100.3	97.3	96.1	-
3464.0	-1182.4							
		G1	I	-28.3	-38.7	-186.5	-59.1	1
0669.8	-685.3		J	-27.3	-38.7	-84.7	-59.1	1
0807.2	-646.1							
		G2	I	-10.4	-14.2	-67.7	-21.1	
3896.1	-251.2		J	-10.0	-14.2	-30.5	-21.1	
3945.9	-236.8							
		G1- Imp~1	I	4.9	7.2	-0.3	-1.3	
11.9	128.3		J	4.9	7.2	-0.3	-1.3	
12.2	121.0							
		G2- Imp~1	I	1.6	2.3	-0.1	-0.9	
3.7	40.4		J	1.6	2.3	-0.1	-0.9	
3.8	38.0							
		q3	I	56.5	6.0	6.9	2.8	
67.0	64.0		J	53.2	6.0	6.9	2.8	
63.2	58.0							
		q4-1	I	0.1	0.1	-0.3	0.2	
-4.2	1.9		J	0.1	0.1	-0.3	0.2	
-3.9	1.8							
		q4-2	I	0.3	0.5	-0.4	0.3	
-5.8	8.1		J	0.3	0.5	-0.4	0.3	
-5.4	7.6							
		q4-3	I	0.7	1.1	-0.3	0.4	
-2.2	18.8		J	0.7	1.1	-0.3	0.4	
-1.9	17.7							
		q4-4	I	0.4	0.6	0.3	0.4	
6.8	9.9		J	0.4	0.6	0.3	0.4	
6.4	9.3							
		q4-5	I	-8.8	-12.9	0.7	-3.6	
-18.7	-228.4		J	-8.8	-12.9	0.7	-3.6	
-19.4	-215.4							
		q4-6	I	8.2	12.1	-5.1	-10.8	
-55.3	214.2		J	8.2	12.1	-5.1	-10.8	
-50.2	202.0							
		q4-7	I	143.6	-17.7	-11.9	3.3	
226.2	-21.6		J	143.6	-17.7	-11.9	3.3	
238.3	-3.8							
		q5 - p~1	I	-364.6	-88.5	-17.8	-60.2	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-333.0	-1172.5		J	-345.4	-86.7	-18.0	-60.8	
-321.7	-1083.8							
209.6	1896.0	q5 - p~2	I	244.2	-27.4	-20.2	-51.1	
231.6	1916.0		J	240.0	-12.0	-20.1	-56.6	
-312.1	-1104.8	q5 - p~3	I	-345.1	-83.4	-11.3	-51.5	
-301.9	-1021.1		J	-327.0	-81.8	-11.5	-51.6	
199.7	1799.4	q5 - p~4	I	231.5	-25.8	-19.8	-34.5	
220.0	1818.1		J	227.5	-11.2	-19.8	-35.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
93.3	243.3	q7	I	62.2	18.2	2.4	12.9	
90.9	224.9		J	62.2	18.2	2.4	12.9	
19.1	50.2	T	I	1.9	2.8	0.7	-2.4	
18.3	47.3		J	1.9	2.8	0.7	-2.4	
-307.0	122.8	M. tor~1	I	-181.7	-266.3	18.3	-12.1	
-325.5	106.6		J	-181.7	-266.3	18.3	-15.0	
-181.5	72.6	M. tor~2	I	-107.4	-157.4	10.8	-7.2	
-192.5	63.0		J	-107.4	-157.4	10.8	-8.9	
0320.0	3146.7	INVSLU Max	I	528.6	161.1	688.1	1876.2	4
0341.6	3082.2		J	513.3	159.5	942.6	1982.1	4
3058.5	-5817.2	Min	I	-628.6	-312.8	-1473.5	-2306.8	1
3722.3	-5599.0		J	-598.5	-311.2	-1220.0	-2329.9	1
9291.6	11720.6	INVSLV Max	I	838.6	437.0	-16.0	371.6	1
9498.6	11465.6		J	840.0	437.0	123.0	371.6	1
9871.5	-13256.2	Min	I	-903.0	-523.7	-493.3	-536.2	
0039.6	-12913.3		J	-901.6	-523.7	-354.3	-536.2	1

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9845.8	2207.9	INVSLE	Max	I	367.4	113.6	508.4	1386.0	2
				J	357.3	112.6	697.0	1464.3	2
9862.4	2158.5		Min	I	-427.4	-226.0	-1090.2	-1704.9	
9693.9	-4186.0			J	-407.1	-224.9	-902.4	-1721.9	1
0184.9	-4022.8								
992	1	52 C1-C2;~1	Max	I	67.0	100.4	800.1	1467.8	1
4824.4	1683.8			J	67.0	100.4	851.3	1548.2	1
4563.1	1582.1		Min	I	-88.6	-124.6	-769.5	-1410.2	-
4265.4	-2088.1			J	-87.1	-124.6	-721.8	-1347.6	-
3976.6	-1961.8								
		C3-C4;~1	Max	I	67.8	101.6	798.2	1049.6	1
4882.7	1704.1			J	67.8	101.6	849.5	1095.2	1
4625.6	1601.1		Min	I	-90.4	-127.1	-774.2	-1703.1	-
4377.3	-2119.8			J	-88.9	-127.1	-726.3	-1721.5	-
4081.0	-1991.1								
		C1-C2;~2	Max	I	36.0	54.0	501.2	868.2	
8707.4	905.3			J	36.0	54.0	531.6	918.4	
8565.3	850.6		Min	I	-47.8	-66.1	-465.3	-867.6	-
2317.6	-1108.7			J	-46.9	-66.1	-436.0	-824.3	-
2160.7	-1041.7								
		C3-C4;~2	Max	I	36.5	54.8	499.7	609.2	
8744.5	918.6			J	36.5	54.8	530.3	638.0	
8605.5	863.1		Min	I	-48.7	-67.3	-467.7	-1025.1	-
2385.8	-1122.6			J	-47.8	-67.3	-438.3	-1027.1	-
2224.4	-1054.5								
		SLVx (RS)		I	691.7	386.8	162.1	379.3	
3036.9	-9454.1			J	691.7	386.8	162.1	379.3	
3010.1	-9174.9								
		SLVy (RS)		I	392.2	253.0	-146.3	206.4	-
1188.5	7935.8			J	392.2	253.0	-146.3	206.4	-
1254.5	7781.9								
		SLDx (RS)		I	510.5	289.5	121.4	284.4	
2268.4	-7120.6			J	510.5	289.5	121.4	284.4	
2249.8	-6911.4								
		SLDy (RS)		I	281.7	187.1	-107.4	152.7	
-864.6	5847.7			J	281.7	187.1	-107.4	152.7	
-912.9	5734.3								


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3464.8	-1182.2	SLVz (RS)	I	-139.5	-101.8	111.0	116.9	-
			J	-139.5	-101.8	111.0	116.9	-
3433.0	-1109.1							
		G1	I	-27.6	-38.5	-84.7	-150.3	1
0806.4	-645.2		J	-26.6	-38.5	17.1	-150.3	1
0840.6	-606.2							
		G2	I	-10.1	-14.1	-30.5	-54.4	
3945.6	-236.5		J	-9.7	-14.1	6.6	-54.4	
3957.7	-222.2							
		G1- Imp~1	I	5.0	7.2	-0.3	-1.4	
12.2	121.0		J	5.0	7.2	-0.3	-1.4	
12.5	113.7							
		G2- Imp~1	I	1.6	2.3	-0.1	-0.9	
3.8	38.0		J	1.6	2.3	-0.1	-0.9	
3.9	35.8							
		q3	I	53.3	5.6	6.9	2.2	
63.2	58.0		J	50.0	5.6	6.9	2.2	
59.3	52.3							
		q4-1	I	0.1	0.1	-0.3	0.2	
-3.9	1.8		J	0.1	0.1	-0.3	0.2	
-3.7	1.7							
		q4-2	I	0.3	0.5	-0.4	0.3	
-5.4	7.6		J	0.3	0.5	-0.4	0.3	
-4.9	7.2							
		q4-3	I	0.7	1.1	-0.3	0.5	
-1.9	17.7		J	0.7	1.1	-0.3	0.5	
-1.7	16.6							
		q4-4	I	0.4	0.6	0.3	0.4	
6.4	9.3		J	0.4	0.6	0.3	0.4	
6.1	8.8							
		q4-5	I	-8.9	-12.8	0.7	-3.4	
-19.4	-215.4		J	-8.9	-12.8	0.7	-3.4	
-20.0	-202.4							
		q4-6	I	8.3	12.0	-5.1	-10.4	
-50.3	202.0		J	8.3	12.0	-5.1	-10.4	
-45.1	189.8							
		q4-7	I	143.4	-18.9	-11.9	1.3	
238.3	-3.7		J	143.4	-18.9	-11.9	1.3	
250.3	15.4							
		q5 - p~1	I	-346.1	-83.8	-18.0	-58.1	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-322.2	-1083.8		J	-327.0	-82.2	-18.2	-58.7	
-310.7	-999.8							
230.9	1916.0	q5 - p~2	I	239.9	-14.1	-20.1	-58.6	
252.8	1922.4		J	235.7	1.4	-20.1	-64.1	
-302.2	-1021.1	q5 - p~3	I	-327.7	-79.0	-11.4	-49.1	
-291.8	-941.9		J	-309.5	-77.5	-11.6	-49.2	
219.6	1818.1	q5 - p~4	I	227.4	-13.1	-19.8	-37.4	
239.9	1823.9		J	223.4	1.6	-19.7	-38.4	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
90.9	224.9	q7	I	62.3	17.6	2.4	12.1	
88.5	207.1		J	62.3	17.6	2.4	12.1	
18.3	47.3	T	I	2.0	2.8	0.7	-2.6	
17.6	44.5		J	2.0	2.8	0.7	-2.6	
-325.7	106.6	M. tor~1	I	-184.0	-264.8	18.4	-12.2	
-344.2	88.8		J	-184.0	-264.8	18.4	-15.1	
-192.5	63.0	M. tor~2	I	-108.8	-156.5	10.9	-7.2	
-203.5	52.5		J	-108.8	-156.5	10.9	-8.9	
0331.4	3083.4	INVSLU Max	I	513.8	156.4	942.7	1756.7	4
0036.7	3016.6		J	498.5	155.0	1199.3	1870.2	4
3724.2	-5595.7	Min	I	-600.7	-307.2	-1220.0	-2633.2	1
4198.1	-5366.7		J	-570.4	-305.8	-967.7	-2663.1	1
9500.4	11466.9	INVSLV Max	I	820.1	450.1	123.7	269.3	1
9527.1	11163.3		J	821.5	450.1	262.7	269.3	1
0035.5	-12912.1	Min	I	-882.4	-536.4	-355.0	-683.3	1
0102.3	-12521.1		J	-881.0	-536.4	-216.1	-683.3	1

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9854.9	2159.4	INVSLE	Max	I	357.7	110.5	697.0	1297.5	2
				J	347.6	109.5	887.1	1381.3	2
9637.3	2102.3		Min	I	-408.7	-222.2	-902.4	-1946.8	1
0186.4	-4020.4			J	-388.2	-221.2	-715.5	-1968.6	1
0536.7	-3850.1								
993	1	52 C1-C2;~1	Max	I	67.9	99.8	851.3	1506.2	1
4559.3	1581.7			J	67.9	99.8	904.0	1589.2	1
4203.4	1480.6		Min	I	-88.1	-123.9	-721.8	-1438.4	-
3973.3	-1960.7			J	-86.5	-123.9	-674.9	-1376.6	-
3684.5	-1835.2								
		C3-C4;~1	Max	I	68.6	101.0	849.5	1020.4	1
4617.5	1600.8			J	68.6	101.0	902.3	1068.6	1
4265.6	1498.5		Min	I	-90.0	-126.4	-726.3	-1821.7	-
4077.9	-1989.9			J	-88.4	-126.4	-679.3	-1841.4	-
3781.6	-1862.0								
		C1-C2;~2	Max	I	36.5	53.7	531.6	889.8	
8563.7	850.4			J	36.5	53.7	562.8	941.4	
8365.4	796.1		Min	I	-47.4	-65.7	-436.0	-882.2	-
2159.0	-1041.1			J	-46.4	-65.7	-407.0	-838.9	-
2002.1	-974.5								
		C3-C4;~2	Max	I	37.0	54.5	530.3	585.1	
8601.0	862.9			J	37.0	54.5	561.5	615.5	
8405.6	807.8		Min	I	-48.3	-66.9	-438.3	-1090.3	-
2222.6	-1053.8			J	-47.3	-66.9	-409.2	-1092.2	-
2061.2	-986.1								
		SLVx (RS)		I	675.9	399.1	163.4	389.4	
3008.5	-9174.9			J	675.9	399.1	163.4	389.4	
2966.0	-8860.4								
		SLVy (RS)		I	392.1	277.8	-138.9	238.0	-
1264.8	7781.9			J	392.1	277.8	-138.9	238.0	
1327.1	7582.6								
		SLDx (RS)		I	499.2	299.1	122.2	292.3	
2248.8	-6911.4			J	499.2	299.1	122.2	292.3	
2218.3	-6675.3								
		SLDy (RS)		I	282.3	205.3	-102.1	175.9	
-920.8	5734.3			J	282.3	205.3	-102.1	175.9	
966.6	5587.5								


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3433.5	-1109.0	SLVz (RS)	I	-133.4	-102.4	131.0	139.6	-
			J	-133.4	-102.4	131.0	139.6	-
3368.6	-1037.6							
		G1	I	-26.9	-38.3	17.1	-241.8	1
0839.0	-605.3		J	-25.9	-38.3	118.9	-241.8	1
0770.1	-566.5							
		G2	I	-9.9	-14.0	6.6	-87.8	
3957.1	-221.9		J	-9.5	-14.0	43.8	-87.8	
3931.6	-207.7							
		G1- Imp~1	I	5.1	7.2	-0.3	-1.5	
12.5	113.7		J	5.1	7.2	-0.3	-1.5	
12.8	106.5							
		G2- Imp~1	I	1.6	2.3	-0.1	-0.9	
3.9	35.8		J	1.6	2.3	-0.1	-0.9	
4.0	33.5							
		q3	I	50.1	5.1	6.9	1.7	
59.3	52.3		J	46.8	5.1	6.9	1.7	
55.5	47.1							
		q4-1	I	0.1	0.1	-0.3	0.2	
-3.7	1.7		J	0.1	0.1	-0.3	0.2	
-3.4	1.6							
		q4-2	I	0.3	0.5	-0.4	0.4	
-4.9	7.2		J	0.3	0.5	-0.4	0.4	
-4.5	6.7							
		q4-3	I	0.7	1.0	-0.3	0.5	
-1.7	16.6		J	0.7	1.0	-0.3	0.5	
-1.4	15.6							
		q4-4	I	0.4	0.6	0.3	0.3	
6.1	8.8		J	0.4	0.6	0.3	0.3	
5.8	8.2							
		q4-5	I	-9.0	-12.7	0.7	-3.3	
-20.0	-202.4		J	-9.0	-12.7	0.7	-3.3	
-20.7	-189.5							
		q4-6	I	8.4	11.9	-5.1	-10.0	
-45.2	189.8		J	8.4	11.9	-5.1	-10.0	
-40.1	177.7							
		q4-7	I	143.3	-20.1	-11.9	-0.8	
250.4	15.4		J	143.3	-20.1	-11.9	-0.8	
262.4	35.7							
		q5 - p~1	I	-327.6	-79.4	-18.2	-56.1	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-311.1	-999.8		J	-308.5	-78.0	-18.4	-56.6	
-299.5	-920.1							
252.1	1922.4	q5 - p~2	I	235.7	-0.6	-20.1	-66.3	
273.9	1915.1		J	231.5	15.0	-20.1	-71.9	
-292.1	-941.9	q5 - p~3	I	-310.1	-74.9	-11.6	-46.7	
-281.6	-866.7		J	-292.0	-73.5	-11.8	-46.8	
239.4	1823.9	q5 - p~4	I	223.4	-0.3	-19.8	-40.4	
259.6	1816.8		J	219.5	14.4	-19.7	-41.4	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
88.6	207.1	q7	I	62.5	17.1	2.4	11.4	
86.2	189.7		J	62.5	17.1	2.4	11.4	
17.5	44.5	T	I	2.0	2.8	0.7	-2.7	
16.8	41.6		J	2.0	2.8	0.7	-2.7	
-344.4	88.8	M. tor~1	I	-186.2	-263.2	18.4	-12.2	
-363.0	69.5		J	-186.2	-263.2	18.4	-15.0	
-203.6	52.5	M. tor~2	I	-110.1	-155.6	10.9	-7.2	
-214.6	41.1		J	-110.1	-155.6	10.9	-8.9	
0023.1	3018.0	INVSLU Max	I	499.0	152.0	1199.3	1646.7	4
9410.1	2989.5		J	483.6	150.7	1458.1	1763.8	3
4199.1	-5363.5	Min	I	-572.6	-301.9	-967.7	-2969.1	1
4483.2	-5123.5		J	-542.0	-300.6	-716.6	-3000.8	1
9528.0	11164.5	INVSLV Max	I	803.4	470.3	267.7	170.6	1
9375.0	10812.2		J	804.8	470.3	406.7	170.6	1
0097.0	-12519.9	Min	I	-863.6	-556.1	-221.1	-834.7	1
0062.0	-12080.8		J	-862.3	-556.1	-82.2	-834.7	1


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			


9627.2	2103.2	INVSLE Max	I	347.9	107.5	887.1	1215.5	2
			J	337.8	106.6	1078.8	1301.9	2
9173.9	2038.2	Min	I	-389.8	-218.6	-715.5	-2195.1	1
0537.4	-3847.7		J	-369.2	-217.7	-529.5	-2218.2	1
0747.1	-3670.3							
994	1	52 C1-C2;~1 Max	I	68.7	99.2	904.1	1547.4	1
4198.7	1480.3		J	68.7	99.2	958.3	1633.0	1
3746.9	1379.8	Min	I	-87.5	-123.2	-674.9	-1465.3	-
3681.0	-1834.2		J	-85.7	-123.2	-628.9	-1485.8	-
3392.2	-1709.4							
		C3-C4;~1 Max	I	69.5	100.4	902.3	994.0	1
4256.1	1498.1		J	69.5	100.4	956.7	1045.3	1
3807.9	1396.4	Min	I	-89.4	-125.6	-679.3	-1939.6	-
3778.1	-1860.9		J	-87.6	-125.6	-633.2	-1960.1	-
3481.9	-1733.7							
		C1-C2;~2 Max	I	36.9	53.4	562.8	913.1	
8363.3	795.9		J	36.9	53.4	594.7	966.1	
8107.7	741.9	Min	I	-46.9	-65.3	-407.0	-895.4	-
2000.2	-973.9		J	-45.7	-65.3	-378.3	-851.8	-
1843.3	-907.8							
		C3-C4;~2 Max	I	37.4	54.1	561.5	563.1	
8400.3	807.6		J	37.4	54.1	593.5	595.5	
8147.4	752.8	Min	I	-47.8	-66.5	-409.2	-1154.1	-
2059.3	-985.5		J	-46.6	-66.5	-380.4	-1155.7	-
1897.8	-918.1							
		SLVx (RS)	I	661.4	416.0	167.4	402.2	
2964.7	-8860.5		J	661.4	416.0	167.4	402.2	
2906.3	-8510.3							
		SLVy (RS)	I	393.9	306.4	-132.6	268.5	
1338.4	7582.7		J	393.9	306.4	-132.6	268.5	
1394.5	7339.3							
		SLDx (RS)	I	488.8	312.2	124.9	302.1	
2217.6	-6675.3		J	488.8	312.2	124.9	302.1	
2175.3	-6412.0							
		SLDy (RS)	I	284.3	226.2	-97.6	198.3	
975.3	5587.6		J	284.3	226.2	-97.6	198.3	
1016.6	5408.4							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3368.7	-1037.5	SLVz (RS)	I	-127.3	-102.1	152.8	162.9	-
			J	-127.3	-102.1	152.8	162.9	-
3272.5	-968.8							
		G1	I	-26.2	-38.0	118.9	-332.7	1
0767.8	-565.6		J	-25.2	-38.0	220.7	-332.7	1
0595.8	-527.1							
		G2	I	-9.6	-13.9	43.8	-121.0	
3930.7	-207.3		J	-9.2	-13.9	81.0	-121.0	
3867.6	-193.2							
		G1- Imp~1	I	5.1	7.1	-0.3	-1.6	
12.8	106.5		J	5.1	7.1	-0.3	-1.6	
13.1	99.3							
		G2- Imp~1	I	1.6	2.2	-0.1	-1.0	
4.0	33.5		J	1.6	2.2	-0.1	-1.0	
4.1	31.2							
		q3	I	46.9	4.8	6.9	1.3	
55.5	47.1		J	43.6	4.8	6.9	1.3	
51.6	42.3							
		q4-1	I	0.1	0.1	-0.3	0.3	
-3.4	1.6		J	0.1	0.1	-0.3	0.3	
-3.1	1.5							
		q4-2	I	0.3	0.4	-0.4	0.4	
-4.5	6.7		J	0.3	0.4	-0.4	0.4	
-4.1	6.3							
		q4-3	I	0.7	1.0	-0.3	0.5	
-1.4	15.6		J	0.7	1.0	-0.3	0.5	
-1.1	14.5							
		q4-4	I	0.4	0.5	0.3	0.3	
5.8	8.2		J	0.4	0.5	0.3	0.3	
5.4	7.6							
		q4-5	I	-9.1	-12.7	0.7	-3.1	
-20.7	-189.5		J	-9.1	-12.7	0.7	-3.1	
-21.4	-176.6							
		q4-6	I	8.5	11.9	-5.1	-9.7	
-40.2	177.7		J	8.5	11.9	-5.1	-9.7	
-35.0	165.7							
		q4-7	I	143.1	-21.3	-11.9	-3.1	
262.4	35.8		J	143.1	-21.3	-11.9	-3.1	
274.5	57.3							
		q5 - p~1	I	-309.1	-75.4	-18.4	-54.1	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-299.9	-920.1		J	-289.9	-74.1	-18.6	-54.5	
-288.1	-844.4							
273.1	1915.1	q5 - p~2	I	231.7	13.0	-20.1	-74.1	
294.9	1894.1		J	227.6	28.6	-20.0	-79.8	
-281.9	-866.7	q5 - p~3	I	-292.6	-71.0	-11.8	-44.5	
-271.1	-795.4		J	-274.4	-69.8	-12.0	-44.6	
259.1	1816.8	q5 - p~4	I	219.6	12.5	-19.7	-43.6	
279.4	1796.6		J	215.7	27.3	-19.7	-44.7	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
86.2	189.7	q7	I	62.6	16.6	2.4	10.6	
83.8	172.9		J	62.6	16.6	2.4	10.6	
16.8	41.6	T	I	2.0	2.8	0.7	-2.9	
16.0	38.8		J	2.0	2.8	0.7	-2.9	
-363.1	69.5	M. tor~1	I	-188.4	-261.6	18.4	-12.0	
-381.7	48.5		J	-188.4	-261.6	18.4	-14.8	
-214.7	41.1	M. tor~2	I	-111.4	-154.7	10.9	-7.1	
-225.7	28.7		J	-111.4	-154.7	10.9	-8.8	
9393.3	2990.9	INVSLU Max	I	484.1	147.9	1458.1	1541.9	3
8466.3	2942.8		J	468.7	146.7	1718.9	1662.5	3
4483.1	-5120.4	Min	I	-544.1	-296.9	-716.6	-3303.2	1
4571.2	-4869.4		J	-513.3	-295.8	-466.7	-3335.9	1
9374.9	10813.5	INVSLV Max	I	788.6	495.9	415.3	75.4	1
9043.3	10412.9		J	790.0	495.9	554.3	75.4	1
0055.5	-12079.6	Min	I	-846.8	-581.2	-90.8	-987.9	1
9917.8	-11592.6		J	-845.5	-581.2	48.2	-987.9	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9161.3	2039.2	INVSLE Max	I	338.1	104.7	1078.8	1137.4	2
			J	328.0	103.9	1272.0	1226.4	2
8475.0	1982.8	Min	I	-370.7	-215.1	-529.5	-2442.1	1
0747.1	-3668.0		J	-349.9	-214.3	-344.4	-2465.9	1
0812.1	-3483.3							
995	1	52 C1-C2;~1 Max	I	69.5	98.6	958.3	1592.5	1
3741.3	1379.5		J	69.5	98.6	1014.1	1681.1	1
3192.4	1279.6	Min	I	-86.7	-122.4	-628.9	-1585.2	-
3388.5	-1708.5		J	-84.7	-122.4	-583.9	-1573.8	-
3099.7	-1584.5							
		C3-C4;~1 Max	I	70.3	99.8	956.7	971.6	1
3797.1	1396.1		J	70.3	99.8	1012.5	1026.6	1
3251.5	1295.0	Min	I	-88.6	-124.8	-633.2	-2055.7	-
3478.1	-1732.7		J	-86.6	-124.8	-588.0	-2076.4	-
3181.9	-1606.2							
		C1-C2;~2 Max	I	37.4	53.0	594.7	938.5	
8105.1	741.7		J	37.4	53.0	627.3	993.1	
7791.4	688.0	Min	I	-46.2	-64.9	-378.3	-906.8	-
1841.2	-907.2		J	-44.8	-64.9	-349.8	-909.4	-
1684.3	-841.4							
		C3-C4;~2 Max	I	37.9	53.8	593.5	544.1	
8141.3	752.6		J	37.9	53.8	626.2	578.8	
7830.0	698.1	Min	I	-47.1	-66.1	-380.4	-1215.9	-
1895.8	-917.5		J	-45.7	-66.1	-351.8	-1216.7	-
1734.3	-850.6							
		SLVx (RS)	I	648.5	436.5	174.1	417.0	
2905.5	-8510.4		J	648.5	436.5	174.1	417.0	
2831.5	-8124.6							
		SLVy (RS)	I	397.7	337.0	-128.1	297.8	
1406.7	7339.4		J	397.7	337.0	-128.1	297.8	
1454.9	7053.4							
		SLDx (RS)	I	479.7	-328.1	129.7	313.4	
2174.9	-6412.0		J	479.7	-328.1	129.7	313.4	
2120.9	-6121.6							
		SLDy (RS)	I	287.9	248.6	-94.4	219.8	
1025.9	5408.4		J	287.9	248.6	-94.4	219.8	
1061.7	5197.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3272.5	-968.7	SLVz (RS)	I	-121.4	-100.7	-174.0	185.9	-
			J	-121.4	-100.7	-174.0	185.9	-
3146.6	-903.4							
		G1	I	-25.5	-37.8	220.7	-422.1	1
0592.7	-526.2		J	-24.5	-37.8	322.5	-422.1	1
0317.6	-487.9							
		G2	I	-9.4	-13.9	81.0	-153.6	
3866.4	-192.9		J	-9.0	-13.9	118.1	-153.6	
3765.6	-178.9							
		G1- Imp~1	I	5.2	7.1	-0.3	-1.7	
13.0	99.3		J	5.2	7.1	-0.3	-1.7	
13.4	92.1							
		G2- Imp~1	I	1.6	2.2	-0.1	-1.0	
4.1	31.2		J	1.6	2.2	-0.1	-1.0	
4.2	29.0							
		q3	I	43.7	4.4	6.9	0.8	
51.6	42.3		J	40.4	4.4	6.9	0.8	
47.8	37.9							
		q4-1	I	0.1	0.1	-0.3	0.3	
-3.1	1.5		J	0.1	0.1	-0.3	0.3	
-2.9	1.4							
		q4-2	I	0.3	0.4	-0.4	0.5	
-4.1	6.3		J	0.3	0.4	-0.4	0.5	
-3.7	5.8							
		q4-3	I	0.8	1.0	-0.3	0.5	
-1.1	14.5		J	0.8	1.0	-0.3	0.5	
-0.8	13.5							
		q4-4	I	0.4	0.5	0.3	0.2	
5.4	7.6		J	0.4	0.5	0.3	0.2	
5.1	7.1							
		q4-5	I	-9.2	-12.6	0.7	-2.9	
-21.4	-176.6		J	-9.2	-12.6	0.7	-2.9	
-22.1	-163.9							
		q4-6	I	8.6	11.8	-5.1	-9.4	
-35.1	165.7		J	8.6	11.8	-5.1	-9.4	
-29.9	153.7							
		q4-7	I	142.9	-22.5	-11.9	-5.4	
274.4	57.3		J	142.9	-22.5	-11.9	-5.4	
286.5	80.1							
		q5 - p~1	I	-290.5	-71.6	-18.5	-52.1	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-288.5	-844.4		J	-271.3	-70.5	-18.7	-52.5	
-276.5	-772.4							
294.1	1894.1	q5 - p~2	I	227.8	26.7	-20.0	-82.2	
315.8	1859.1		J	223.8	42.4	-20.0	-87.9	
-271.4	-795.4	q5 - p~3	I	-275.0	-67.5	-12.0	-42.3	
-260.5	-727.6		J	-256.8	-66.4	-12.1	-42.3	
278.8	1796.7	q5 - p~4	I	216.0	25.5	-19.7	-47.0	
299.0	1763.3		J	212.1	40.4	-19.6	-48.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
83.9	172.9	q7	I	62.7	16.1	2.4	9.9	
81.5	156.7		J	62.7	16.1	2.4	9.9	
16.0	38.8	T	I	2.0	2.8	0.7	-3.0	
15.2	36.0		J	2.0	2.8	0.7	-3.0	
-381.9	48.5	M. tor~1	I	-190.6	-260.0	18.4	-11.6	
-400.5	25.9		J	-190.6	-260.0	18.4	-14.5	
-225.8	28.7	M. tor~2	I	-112.7	-153.7	10.9	-6.9	
-236.8	15.3		J	-112.7	-153.7	10.9	-8.5	
8445.1	2944.3	INVSLU Max	I	469.1	144.0	1718.9	1445.2	3
7220.7	2876.6		J	453.7	143.0	1981.8	1569.8	3
4571.2	-4866.4	Min	I	-515.4	-292.1	-466.7	-3632.3	1
4445.3	-4604.3		J	-484.4	-291.1	-218.1	-3665.3	1
9042.3	10414.2	INVSLV Max	I	776.1	525.5	565.9	-16.4	1
8533.3	9966.0		J	777.5	525.5	704.9	-16.4	1
9910.1	-11591.4	Min	I	-832.3	-610.2	36.5	-1140.6	
9668.1	-11057.4		J	-830.9	-610.2	175.5	-1140.6	

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

8459.3	1983.9	INVSLE Max	I	328.3	102.1	1272.0	1065.2	2
			J	318.1	101.4	1466.7	1157.1	2
7550.9	1937.3	Min	I	-351.4	-211.8	-344.4	-2685.3	1
0812.0	-3481.0		J	-330.4	-211.1	-160.3	-2709.4	1
0720.2	-3289.1							
996	1	52 C1-C2;~1 Max	I	70.4	98.0	1014.1	1641.0	1
3185.9	1279.3		J	70.4	98.0	1071.4	1732.8	1
2538.8	1180.1	Min	I	-85.7	-121.6	-583.9	-1670.1	-
3095.7	-1583.6		J	-83.5	-121.6	-539.9	-1658.6	-
2806.8	-1460.4							
		C3-C4;~1 Max	I	71.2	99.2	1012.5	978.9	1
3239.4	1294.8		J	71.2	99.2	1069.9	1039.9	1
2595.3	1194.3	Min	I	-87.5	-124.1	-588.0	-2168.6	-
3177.9	-1605.3		J	-85.3	-124.1	-543.9	-2189.1	-
2881.6	-1479.7							
		C1-C2;~2 Max	I	37.8	52.7	627.3	966.1	
7788.4	687.8		J	37.8	52.7	660.6	1022.6	
7415.8	634.5	Min	I	-45.3	-64.5	-349.8	-966.8	-
1682.1	-840.9		J	-43.8	-64.5	-321.7	-948.7	-
1525.2	-775.6							
		C3-C4;~2 Max	I	38.4	53.5	626.2	547.3	
7823.3	698.0		J	38.4	53.5	659.6	586.0	
7452.8	643.8	Min	I	-46.3	-65.7	-351.8	-1274.7	-
1732.1	-850.1		J	-44.7	-65.7	-323.6	-1274.5	-
1570.7	-783.6							
		SLVx (RS)	I	637.2	-459.7	183.0	432.9	
2831.2	-8124.7		J	637.2	-459.7	183.0	432.9	
2742.5	-7703.7							
		SLVy (RS)	I	403.6	368.3	-125.4	325.5	
1467.9	7053.5		J	403.6	368.3	-125.4	325.5	
1507.7	6726.7							
		SLDx (RS)	I	471.9	-345.8	136.3	325.5	
2120.8	-6121.6		J	471.9	-345.8	136.3	325.5	
2055.7	-5804.4							
		SLDy (RS)	I	292.9	271.6	-92.3	240.2	
1071.6	5197.9		J	292.9	271.6	-92.3	240.2	
1101.3	4957.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3146.4	-903.3	SLVz (RS)	I	-115.8	-98.4	-194.0	208.1	-
			J	-115.8	-98.4	-194.0	208.1	-
2992.4	-841.9							
		G1	I	-24.8	-37.6	322.5	-509.2	1
0313.7	-487.1		J	-23.8	-37.6	424.2	-509.2	
9935.6	-449.0							
		G2	I	-9.1	-13.8	118.1	-185.4	
3764.2	-178.5		J	-8.7	-13.8	155.3	-185.4	
3625.7	-164.6							
		G1- Imp~1	I	5.2	7.0	-0.3	-1.8	
13.3	92.1		J	5.2	7.0	-0.3	-1.8	
13.7	85.0							
		G2- Imp~1	I	1.6	2.2	-0.1	-1.0	
4.2	29.0		J	1.6	2.2	-0.1	-1.0	
4.3	26.7							
		q3	I	40.5	4.0	6.9	0.4	
47.8	37.9		J	37.2	4.0	6.9	0.4	
43.9	33.8							
		q4-1	I	0.1	0.1	-0.3	0.3	
-2.9	1.4		J	0.1	0.1	-0.3	0.3	
-2.6	1.3							
		q4-2	I	0.3	0.4	-0.4	0.5	
-3.7	5.8		J	0.3	0.4	-0.4	0.5	
-3.3	5.4							
		q4-3	I	0.8	1.0	-0.3	0.5	
-0.8	13.5		J	0.8	1.0	-0.3	0.5	
-0.5	12.4							
		q4-4	I	0.4	0.5	0.3	0.2	
5.1	7.1		J	0.4	0.5	0.3	0.2	
4.8	6.5							
		q4-5	I	-9.3	-12.5	0.7	-2.7	
-22.1	-163.9		J	-9.3	-12.5	0.7	-2.7	
-22.7	-151.2							
		q4-6	I	8.7	11.7	-5.1	-9.1	
-30.0	153.7		J	8.7	11.7	-5.1	-9.1	
-24.9	141.8							
		q4-7	I	142.7	-23.7	-11.9	-7.8	
286.4	80.2		J	142.7	-23.7	-11.9	-7.8	
298.5	104.2							
		q5 - p~1	I	-271.9	-68.2	-18.7	-50.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-276.9	-772.5		J	-252.7	-67.2	-18.9	-50.5	
-264.8	-703.9							
314.9	1859.1	q5 - p~2	I	224.1	40.5	-20.0	-90.5	
336.5	1810.2		J	220.1	56.2	-19.9	-96.2	
-260.8	-727.6	q5 - p~3	I	-257.3	-64.3	-12.1	-40.2	
-249.7	-662.9		J	-239.1	-63.4	-12.3	-40.2	
298.4	1763.3	q5 - p~4	I	212.5	38.6	-19.6	-50.5	
318.6	1716.7		J	208.7	53.5	-19.6	-51.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
81.5	156.7	q7	I	62.9	15.5	2.4	9.2	
79.1	141.0		J	62.9	15.5	2.4	9.2	
15.2	36.0	T	I	2.1	2.7	0.7	-3.1	
14.5	33.2		J	2.1	2.7	0.7	-3.1	
-400.6	25.9	M. tor~1	I	-192.8	-258.4	18.4	-11.1	
-419.3	1.7		J	-192.8	-258.4	18.4	-13.9	
-236.9	15.3	M. tor~2	I	-114.0	-152.8	10.9	-6.5	
-247.9	1.0		J	-114.0	-152.8	10.9	-8.2	
7196.3	2878.0	INVSLU Max	I	454.1	140.4	1981.8	1357.5	3
5648.7	2790.5		J	438.7	139.6	2246.7	1486.6	3
4444.3	-4601.4	Min	I	-486.4	-287.7	-218.1	-3953.0	1
4128.4	-4334.4		J	-455.1	-286.8	29.1	-3985.6	1
8531.5	9967.2	INVSLV Max	I	766.0	557.6	726.7	-104.5	1
7846.6	9472.4		J	767.4	557.6	865.7	-104.5	1
9659.3	-11056.3	Min	I	-820.1	-641.8	153.7	-1290.4	
9311.7	-10476.2		J	-818.7	-641.8	292.6	-1290.4	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

7532.8	1938.4	INVSLE Max	I	318.4	99.7	1466.7	999.7	2
			J	308.3	99.1	1662.9	1095.0	2
6385.0	1878.5	Min	I	-331.8	-208.7	-160.3	-2922.3	1
0719.4	-3286.9		J	-310.7	-208.1	22.9	-2946.1	1
0486.9	-3087.6							
997	1	52 C1-C2;~1 Max	I	71.2	97.4	1071.4	1693.2	1
2531.5	1179.8		J	71.2	97.4	1130.1	1788.7	1
1785.2	1081.2	Min	I	-84.4	-120.9	-539.9	-1749.6	-
2802.6	-1459.5		J	-83.9	-120.9	-497.0	-1737.7	-
2513.8	-1337.1							
		C3-C4;~1 Max	I	72.0	98.6	1069.9	997.0	1
2581.9	1194.0		J	72.0	98.6	1128.8	1061.3	1
1838.2	1094.2	Min	I	-86.3	-123.3	-543.9	-2277.2	-
2877.4	-1478.8		J	-85.7	-123.3	-500.7	-2296.7	-
2581.1	-1353.9							
		C1-C2;~2 Max	I	38.3	52.4	660.6	996.1	
7412.3	634.3		J	38.3	52.4	694.6	1054.8	
6979.9	581.3	Min	I	-44.3	-64.1	-321.7	-1003.0	-
1522.9	-775.1		J	-44.1	-64.1	-293.9	-984.2	-
1366.0	-710.2							
		C3-C4;~2 Max	I	38.8	53.1	659.6	558.2	
7445.4	643.7		J	38.8	53.1	693.7	598.9	
7014.8	589.8	Min	I	-45.2	-65.3	-323.6	-1329.8	-
1568.4	-783.1		J	-44.9	-65.3	-295.7	-1328.0	-
1406.9	-717.0							
		SLVx (RS)	I	627.8	-484.6	193.7	449.3	
2742.6	-7703.8		J	627.8	-484.6	193.7	449.3	
2640.6	-7248.3							
		SLVy (RS)	I	411.6	399.6	-123.9	351.5	
1521.4	6726.8		J	411.6	399.6	-123.9	351.5	
1552.7	6360.9							
		SLDx (RS)	I	465.4	-364.8	144.3	337.8	
2056.0	-5804.5		J	465.4	-364.8	144.3	337.8	
1980.8	-5461.1							
		SLDy (RS)	I	299.5	294.6	-91.1	259.4	
1111.7	4957.4		J	299.5	294.6	-91.1	259.4	
1135.2	4688.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2991.9	-841.8	SLVz (RS)	I	-110.7	-95.0	-212.9	229.2	-
			J	-110.7	-95.0	-212.9	229.2	-
2810.7	-784.3							
		G1	I	-24.1	-37.3	424.3	-593.0	
9931.0	-448.2		J	-23.1	-37.3	526.0	-593.0	
9449.7	-410.4							
		G2	I	-8.8	-13.7	155.3	-216.0	
3624.0	-164.3		J	-8.5	-13.7	192.5	-216.0	
3447.9	-150.4							
		G1- Imp~1	I	5.3	7.0	-0.3	-1.9	
13.6	85.0		J	5.3	7.0	-0.3	-1.9	
13.9	77.9							
		G2- Imp~1	I	1.7	2.2	-0.1	-1.1	
4.2	26.7		J	1.7	2.2	-0.1	-1.1	
4.4	24.5							
		q3	I	37.3	3.7	6.9	0.1	
43.9	33.8		J	34.0	3.7	6.9	0.1	
40.0	30.0							
		q4-1	I	0.1	0.1	-0.3	0.3	
-2.6	1.3		J	0.1	0.1	-0.3	0.3	
-2.3	1.2							
		q4-2	I	0.3	0.4	-0.4	0.5	
-3.3	5.4		J	0.3	0.4	-0.4	0.5	
-2.9	4.9							
		q4-3	I	0.8	1.0	-0.3	0.5	
-0.5	12.4		J	0.8	1.0	-0.3	0.5	
-0.2	11.4							
		q4-4	I	0.4	0.5	0.3	0.2	
4.8	6.5		J	0.4	0.5	0.3	0.2	
4.4	6.0							
		q4-5	I	-9.4	-12.4	0.7	-2.5	
-22.7	-151.2		J	-9.4	-12.4	0.7	-2.5	
-23.4	-138.6							
		q4-6	I	8.8	11.6	-5.1	-8.9	
-24.9	141.8		J	8.8	11.6	-5.1	-8.9	
-19.8	130.0							
		q4-7	I	142.5	-24.9	-11.9	-10.3	
298.4	104.2		J	142.5	-24.9	-11.9	-10.3	
310.5	129.4							
		q5 - p~1	I	-253.2	-65.1	-18.9	-48.3	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-265.1	-703.9		J	-234.0	-64.3	-19.1	-48.6	
-252.8	-638.3							
335.6	1810.2	q5 - p~2	I	220.6	54.4	-20.0	-99.0	
357.2	1747.1		J	216.6	70.2	-19.9	-104.7	
-249.9	-663.0	q5 - p~3	I	-239.6	-61.3	-12.3	-38.1	
-238.6	-601.2		J	-221.4	-60.6	-12.5	-38.2	
318.0	1716.7	q5 - p~4	I	209.1	51.7	-19.6	-54.3	
338.1	1656.8		J	205.4	66.7	-19.6	-55.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
79.2	141.0	q7	I	63.0	15.0	2.4	8.6	
76.8	125.8		J	63.0	15.0	2.4	8.6	
14.4	33.2	T	I	2.1	2.7	0.7	-3.3	
13.7	30.5		J	2.1	2.7	0.7	-3.3	
-419.4	1.7	M. tor~1	I	-195.0	-256.7	18.5	-10.4	
-438.1	-24.2		J	-195.0	-256.7	18.5	-13.2	
-248.0	1.0	M. tor~2	I	-115.3	-151.8	10.9	-6.1	
-259.0	-14.3		J	-115.3	-151.8	10.9	-7.8	
5621.2	2791.9	INVSLU Max	I	439.1	137.2	2246.7	1281.1	3
3749.2	2684.5		J	423.7	141.7	2513.6	1415.1	3
4126.4	-4332.2	Min	I	-457.1	-283.4	29.1	-4261.9	1
3620.6	-4093.8		J	-427.5	-288.0	275.0	-4293.4	1
7844.0	9473.6	INVSLV Max	I	758.5	591.1	887.3	-188.5	1
6984.6	8933.5		J	759.9	591.1	1026.3	-188.5	1
9301.7	-10475.2	Min	I	-810.5	-674.8	271.0	-1435.5	
8847.1	-9850.3		J	-809.1	-674.8	409.9	-1435.5	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6364.7	1879.6	INVSLE	Max	I	308.5	97.4	1662.9	942.6	2
				J	298.4	100.5	1860.6	1041.5	2
4976.5	1806.5		Min	I	-312.1	-205.8	22.9	-3150.6	1
0485.4	-3085.6			J	-292.2	-208.8	205.0	-3173.5	1
0112.2	-2878.9								
998	1	52 C1-C2;~1	Max	I	72.0	96.8	1130.1	1750.0	1
1777.1	1081.0			J	72.0	96.8	1190.4	1849.6	1
0930.8	983.0		Min	I	-84.9	-120.1	-497.0	-1822.5	-
2509.4	-1336.3			J	-84.5	-120.1	-455.0	-1810.0	-
2220.5	-1214.7								
		C3-C4;~1	Max	I	72.8	97.9	1128.8	1019.6	1
1823.6	1094.0			J	72.8	97.9	1189.2	1087.7	1
0979.4	994.8		Min	I	-86.8	-122.5	-500.7	-2379.9	-
2576.7	-1353.1			J	-86.3	-122.5	-458.6	-2398.3	-
2280.4	-1229.1								
		C1-C2;~2	Max	I	38.7	52.0	694.6	1029.2	
6976.1	581.2			J	38.7	52.0	729.3	1090.3	
6483.4	528.5		Min	I	-44.6	-63.7	-293.9	-1034.7	-
1363.6	-709.7			J	-44.5	-63.7	-266.5	-1015.2	-
1206.7	-645.2								
		C3-C4;~2	Max	I	39.2	52.8	693.7	572.1	
7006.8	589.7			J	39.2	52.8	728.5	615.1	
6515.6	536.3		Min	I	-45.5	-64.8	-295.7	-1380.2	-
1404.5	-716.5			J	-45.3	-64.8	-268.1	-1376.8	-
1243.0	-650.9								
		SLVx (RS)		I	620.3	-510.4	205.7	465.4	
2641.3	-7248.4			J	620.3	-510.4	205.7	465.4	
2528.0	-6759.3								
		SLVy (RS)		I	421.7	430.1	-122.9	375.8	
1567.2	6361.0			J	421.7	430.1	-122.9	375.8	
1590.2	5958.0								
		SLDx (RS)		I	460.5	-384.5	153.2	350.0	
1981.6	-5461.2			J	460.5	-384.5	153.2	350.0	
1897.9	-5092.3								
		SLDy (RS)		I	307.6	316.9	-90.3	277.3	
1146.2	4688.1			J	307.6	316.9	-90.3	277.3	
1163.7	4391.4								


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2810.0	-784.2	SLVz (RS)	I	-105.9	-90.8	-231.4	249.0	-
			J	-105.9	-90.8	-231.4	249.0	-
2602.3	-730.3							
		G1	I	-23.4	-37.1	526.0	-672.7	
9444.4	-409.6		J	-22.4	-37.1	627.8	-672.7	
8860.0	-372.0							
		G2	I	-8.6	-13.6	192.5	-245.0	
3445.9	-150.1		J	-8.2	-13.6	229.7	-245.0	
3232.1	-136.4							
		G1- Imp~1	I	5.4	6.9	-0.3	-2.1	
13.9	77.9		J	5.4	6.9	-0.3	-2.1	
14.2	70.9							
		G2- Imp~1	I	1.7	2.2	-0.1	-1.1	
4.3	24.5		J	1.7	2.2	-0.1	-1.1	
4.4	22.3							
		q3	I	34.1	3.4	6.9	-0.3	
40.0	30.0		J	30.8	3.4	6.9	-0.3	
36.2	26.5							
		q4-1	I	0.1	0.1	-0.3	0.4	
-2.3	1.2		J	0.1	0.1	-0.3	0.4	
-2.0	1.1							
		q4-2	I	0.3	0.4	-0.4	0.5	
-2.9	4.9		J	0.3	0.4	-0.4	0.5	
-2.4	4.5							
		q4-3	I	0.8	1.0	-0.3	0.5	
-0.2	11.4		J	0.8	1.0	-0.3	0.5	
0.1	10.4							
		q4-4	I	0.4	0.5	0.3	0.1	
4.4	6.0		J	0.4	0.5	0.3	0.1	
4.1	5.5							
		q4-5	I	-9.5	-12.4	0.7	-2.3	
-23.4	-138.6		J	-9.5	-12.4	0.7	-2.3	
-24.1	-126.1							
		q4-6	I	8.9	11.6	-5.1	-8.8	
-19.9	130.0		J	8.9	11.6	-5.1	-8.8	
-14.7	118.3							
		q4-7	I	142.3	-26.1	-11.9	-12.9	
310.4	129.4		J	142.3	-26.1	-11.9	-12.9	
322.4	155.9							
		q5 - p~1	I	-234.5	-62.3	-19.1	-46.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-253.1	-638.3		J	-215.3	-61.7	-19.3	-46.7	
-240.6	-575.5							
		q5 - p~2	I	217.2	68.3	-19.9	-107.7	
356.1	1747.1		J	213.3	84.2	-19.9	-113.4	
377.7	1669.9							
		q5 - p~3	I	-221.9	-58.7	-12.5	-36.2	
-238.9	-601.2		J	-203.7	-58.1	-12.7	-36.2	
-227.4	-542.0							
		q5 - p~4	I	205.9	65.0	-19.6	-58.2	
337.5	1656.8		J	202.3	80.0	-19.5	-59.2	
357.6	1583.4							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	63.1	14.5	2.4	7.9	
76.8	125.8		J	63.1	14.5	2.4	7.9	
74.4	111.1							
		T	I	2.1	2.7	0.7	-3.4	
13.7	30.5		J	2.1	2.7	0.7	-3.4	
12.9	27.7							
		M. tor~1	I	-197.1	-255.1	18.5	-9.5	
-438.2	-24.2		J	-197.1	-255.1	18.5	-12.4	
-457.0	-51.8							
		M. tor~2	I	-116.6	-150.8	10.9	-5.6	
-259.1	-14.3		J	-116.6	-150.8	10.9	-7.3	
-270.2	-30.6							
		INVSLU Max	I	424.0	139.6	2513.6	1218.6	3
3718.8	2685.9		J	408.6	153.8	2782.5	1358.2	3
1521.1	2558.4	Min	I	-429.5	-284.9	275.0	-4555.6	1
3617.7	-4091.8		J	-400.1	-299.2	519.5	-4585.6	1
2921.8	-3834.2							
		INVSLV Max	I	753.6	625.1	1048.1	-268.1	1
6981.1	8934.7		J	755.0	625.1	1187.0	-268.1	1
5948.6	8350.5	Min	I	-803.6	-708.2	388.1	-1573.8	
8836.0	-9849.3		J	-802.2	-708.2	527.1	-1573.8	
8273.1	-9181.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4954.0	1807.5	INVSLE Max	I	298.6	99.0	1860.6	895.7	2
			J	288.4	108.5	2059.8	998.7	2
3324.6	1721.0	Min	I	-293.6	-206.6	205.0	-3367.6	1
0110.0	-2877.0		J	-273.8	-216.2	386.1	-3389.4	
9596.0	-2666.1							
999	1	52 C1-C2;~1 Max	I	72.8	96.1	1190.4	1812.5	1
0922.0	982.8		J	72.8	96.1	1252.1	1916.6	
9974.9	885.4	Min	I	-85.5	-119.3	-455.1	-1888.0	-
2216.0	-1213.9		J	-85.1	-119.3	-414.2	-1874.7	-
1927.1	-1093.1							
		C3-C4;~1 Max	I	73.7	97.3	1189.2	1047.9	1
0963.8	994.6		J	73.7	97.3	1251.0	1120.2	1
0018.3	896.1	Min	I	-87.4	-121.7	-458.6	-2476.0	-
2275.8	-1228.4		J	-86.9	-121.7	-417.7	-2494.2	-
1979.5	-1105.2							
		C1-C2;~2 Max	I	39.1	51.7	729.3	1065.9	
6479.3	528.4		J	39.1	51.7	764.6	1129.7	
5925.6	476.0	Min	I	-45.0	-63.3	-266.5	-1061.7	-
1204.2	-644.8		J	-44.8	-63.3	-239.4	-1041.3	-
1047.3	-580.7							
		C3-C4;~2 Max	I	39.7	52.4	728.5	589.7	
6507.0	536.2		J	39.7	52.4	763.9	635.2	
5954.5	483.0	Min	I	-45.9	-64.4	-268.1	-1425.3	-
1240.5	-650.5		J	-45.7	-64.4	-240.9	-1421.2	-
1079.0	-585.2							
		SLVx (RS)	I	614.9	-536.6	218.4	480.9	
2529.3	-6759.3		J	614.9	-536.6	218.4	480.9	
2407.7	-6237.7							
		SLVy (RS)	I	433.9	459.5	-121.9	398.4	
1605.3	5958.1		J	433.9	459.5	-121.9	398.4	
1620.1	5520.0							
		SLDx (RS)	I	457.1	-404.4	162.7	361.6	
1899.1	-5092.4		J	457.1	-404.4	162.7	361.6	
1809.0	-4698.9							
		SLDy (RS)	I	317.2	338.5	-89.5	294.0	
1175.1	4391.5		J	317.2	338.5	-89.5	294.0	
1186.7	4068.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2601.3	-730.2	SLVz (RS)	I	-101.5	-86.1	-250.2	267.1	-
			J	-101.5	-86.1	-250.2	267.1	-
2367.4	-679.0							
		G1	I	-22.7	-36.8	627.8	-747.5	
8854.1	-371.3		J	-21.7	-36.8	729.6	-747.5	
8166.6	-334.0							
		G2	I	-8.3	-13.5	229.7	-272.3	
3230.0	-136.1		J	-8.0	-13.5	266.8	-272.3	
2978.5	-122.4							
		G1- Imp~1	I	5.4	6.9	-0.3	-2.2	
14.2	70.9		J	5.4	6.9	-0.3	-2.2	
14.5	63.9							
		G2- Imp~1	I	1.7	2.2	-0.1	-1.2	
4.4	22.3		J	1.7	2.2	-0.1	-1.2	
4.5	20.1							
		q3	I	30.8	3.2	6.9	-0.6	
36.2	26.5		J	27.6	3.2	6.9	-0.6	
32.3	23.3							
		q4-1	I	0.1	0.1	-0.3	0.4	
-2.0	1.1		J	0.1	0.1	-0.3	0.4	
-1.8	1.0							
		q4-2	I	0.3	0.4	-0.4	0.6	
-2.4	4.5		J	0.3	0.4	-0.4	0.6	
-2.0	4.0							
		q4-3	I	0.8	1.0	-0.3	0.5	
0.1	10.4		J	0.8	1.0	-0.3	0.5	
0.3	9.3							
		q4-4	I	0.4	0.5	0.3	0.1	
4.1	5.5		J	0.4	0.5	0.3	0.1	
3.8	4.9							
		q4-5	I	-9.7	-12.3	0.7	-2.1	
-24.1	-126.1		J	-9.7	-12.3	0.7	-2.1	
-24.8	-113.7							
		q4-6	I	9.0	11.5	-5.1	-8.6	
-14.8	118.3		J	9.0	11.5	-5.1	-8.6	
-9.6	106.7							
		q4-7	I	142.1	-27.3	-11.9	-15.7	
322.3	155.9		J	142.1	-27.3	-11.9	-15.7	
334.4	183.6							
		q5 - p~1	I	-215.8	-59.9	-19.3	-44.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-240.9	-575.5		J	-196.6	-59.4	-19.5	-44.8	
-228.2	-515.1							
376.6	1669.9	q5 - p~2	I	214.0	82.4	-19.9	-116.6	
398.1	1578.3		J	210.2	98.4	-19.9	-122.4	
-227.7	-542.0	q5 - p~3	I	-204.2	-56.4	-12.7	-34.3	
-216.1	-485.1		J	-185.9	-56.0	-12.8	-34.3	
356.9	1583.4	q5 - p~4	I	202.9	78.3	-19.6	-62.2	
376.9	1496.4		J	199.3	93.4	-19.5	-63.3	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
74.5	111.1	q7	I	63.3	13.9	2.4	7.3	
72.0	97.0		J	63.3	13.9	2.4	7.3	
12.9	27.7	T	I	2.1	2.7	0.7	-3.5	
12.2	25.0		J	2.1	2.7	0.7	-3.5	
-457.0	-51.8	M. tor~1	I	-199.3	-253.4	18.5	-8.5	
-475.8	-81.0		J	-199.3	-253.4	18.5	-11.4	
-270.2	-30.6	M. tor~2	I	-117.8	-149.8	10.9	-5.1	
-281.3	-47.9		J	-117.8	-149.8	10.9	-6.7	
1487.9	2559.7	INVSLU Max	I	408.9	151.7	2782.5	1173.1	3
8963.4	2412.0		J	405.7	166.1	3053.4	1318.8	2
2918.0	-3832.3	Min	I	-402.0	-296.1	519.5	-4831.3	1
2032.2	-3555.4		J	-392.6	-310.4	762.4	-4861.1	1
5944.3	8351.7	INVSLV Max	I	751.6	659.0	1209.3	-342.6	1
4768.2	7725.0		J	753.0	659.0	1348.3	-342.6	1
8261.0	-9180.0	Min	I	-799.4	-741.5	504.8	-1703.6	
7560.2	-8469.8		J	-798.0	-741.5	643.8	-1703.6	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

3300.1	1722.0		INVSLE Max	I	288.6	107.1	2059.8	861.4	2
				J	286.7	116.6	2260.5	969.0	2
1428.6	1622.1		Min	I	-275.2	-214.0	386.1	-3571.2	
9593.2	-2664.7			J	-268.8	-223.6	566.0	-3592.9	
8938.5	-2469.0								
1000	1	52	C1-C2;~1 Max	I	73.6	95.5	1252.1	1881.5	
9965.5	885.2			J	73.6	95.5	1315.2	1990.6	
8916.8	788.5		Min	I	-86.1	-118.5	-414.2	-1944.9	-
1922.4	-1092.5			J	-85.7	-118.5	-374.5	-1930.6	-
1633.5	-972.4								
			C3-C4;~1 Max	I	74.5	96.6	1251.0	1083.6	1
0001.6	895.9			J	74.5	96.6	1314.3	1160.2	
8954.2	798.1		Min	I	-88.0	-120.9	-417.7	-2567.8	-
1974.8	-1104.5			J	-87.6	-120.9	-377.8	-2584.9	-
1678.5	-982.1								
			C1-C2;~2 Max	I	39.6	51.3	764.6	1106.9	
5921.2	475.9			J	39.6	51.3	800.6	1173.6	
5306.0	423.9		Min	I	-45.4	-62.9	-239.4	-1082.9	-
1044.7	-580.4			J	-45.2	-62.9	-212.7	-1061.5	
-887.7	-516.7								
			C3-C4;~2 Max	I	40.1	52.1	763.9	611.8	
5945.4	482.9			J	40.1	52.1	800.0	660.0	
5331.1	430.2		Min	I	-46.2	-64.0	-240.9	-1466.2	-
1076.4	-584.9			J	-46.1	-64.0	-214.1	-1460.9	
-915.0	-520.1								
			SLVx (RS)	I	611.6	-562.5	231.2	495.2	
2409.6	-6237.8			J	611.6	-562.5	231.2	495.2	
2283.6	-5684.9								
			SLVy (RS)	I	448.1	487.4	-120.7	419.3	
1635.8	5520.1			J	448.1	487.4	-120.7	419.3	
1642.8	5048.7								
			SLDx (RS)	I	455.3	-424.0	172.4	-372.3	
1810.8	-4699.0			J	455.3	-424.0	172.4	-372.3	
1717.1	-4282.0								
			SLDy (RS)	I	328.2	359.1	-88.7	309.4	
1198.5	4069.0			J	328.2	359.1	-88.7	309.4	
1204.3	3721.8								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2366.1	-678.9	SLVz (RS)	I	-97.3	-81.1	-269.7	283.3	-
			J	-97.3	-81.1	-269.7	283.3	-
2106.8	-629.0							
		G1	I	-22.0	-36.6	729.6	-816.3	
8160.0	-333.3		J	-21.0	-36.6	831.4	-816.3	
7369.4	-296.2							
		G2	I	-8.1	-13.4	266.8	-297.4	
2976.1	-122.2		J	-7.7	-13.4	304.0	-297.4	
2687.0	-108.6							
		G1- Imp~1	I	5.5	6.8	-0.3	-2.3	
14.5	63.9		J	5.5	6.8	-0.3	-2.3	
14.8	57.0							
		G2- Imp~1	I	1.7	2.2	-0.1	-1.2	
4.5	20.1		J	1.7	2.2	-0.1	-1.2	
4.6	17.9							
		q3	I	27.6	2.9	6.9	-0.8	
32.3	23.3		J	24.4	2.9	6.9	-0.8	
28.4	20.3							
		q4-1	I	0.1	0.1	-0.3	0.4	
-1.8	1.0		J	0.1	0.1	-0.3	0.4	
-1.5	0.9							
		q4-2	I	0.3	0.4	-0.4	0.6	
-2.0	4.0		J	0.3	0.4	-0.4	0.6	
-1.6	3.6							
		q4-3	I	0.8	1.0	-0.3	0.5	
0.3	9.3		J	0.8	1.0	-0.3	0.5	
0.6	8.3							
		q4-4	I	0.4	0.5	0.3	0.1	
3.8	4.9		J	0.4	0.5	0.3	0.1	
3.4	4.4							
		q4-5	I	-9.8	-12.2	0.7	-1.9	
-24.8	-113.7		J	-9.8	-12.2	0.7	-1.9	
-25.4	-101.4							
		q4-6	I	9.1	11.4	-5.1	-8.6	
-9.7	106.7		J	9.1	11.4	-5.1	-8.6	
-4.5	95.1							
		q4-7	I	141.8	-28.5	-11.9	-18.5	
334.2	183.6		J	141.8	-28.5	-11.9	-18.5	
346.3	212.5							
		q5 - p~1	I	-197.1	-57.8	-19.5	-42.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-228.5	-515.1		J	-177.8	-57.4	-19.7	-43.0	
-215.6	-456.8							
396.9	1578.4	q5 - p~2	I	211.0	96.6	-19.9	-125.7	
418.4	1472.4		J	207.3	112.6	-19.8	-131.5	
-216.3	-485.1	q5 - p~3	I	-186.4	-54.4	-12.8	-32.5	
-204.5	-430.2		J	-168.2	-54.1	-13.0	-32.5	
376.3	1496.4	q5 - p~4	I	200.1	91.7	-19.5	-66.5	
396.3	1395.9		J	196.5	106.9	-19.5	-67.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
72.1	97.0	q7	I	63.4	13.4	2.4	6.7	
69.7	83.5		J	63.4	13.4	2.4	6.7	
12.1	25.0	T	I	2.2	2.7	0.7	-3.6	
11.4	22.3		J	2.2	2.7	0.7	-3.6	
-475.9	-81.1	M. tor~1	I	-201.4	-251.7	18.5	-7.4	
-494.6	-112.0		J	-201.4	-251.7	18.5	-10.3	
-281.3	-47.9	M. tor~2	I	-119.1	-148.8	11.0	-4.4	
-292.4	-66.2		J	-119.1	-148.8	11.0	-6.1	
8927.6	2413.2	INVSLU Max	I	406.3	163.9	3053.4	1147.5	2
6075.4	2245.3		J	404.8	178.3	3326.2	1300.0	2
2027.6	-3553.7	Min	I	-395.0	-307.4	762.4	-5090.5	1
0951.8	-3257.3		J	-387.5	-321.8	1003.9	-5118.8	1
4765.4	7726.1	INVSLV Max	I	752.3	692.1	1371.3	-411.3	1
3484.4	7058.3		J	753.7	692.1	1510.3	-411.3	1
7545.0	-8468.9	Min	I	-798.0	-774.1	620.8	-1823.2	
6667.4	-7718.1		J	-796.6	-774.1	759.7	-1823.2	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1402.2	1623.0	INVSLE Max	I	287.0	115.2	2260.5	841.9	2
			J	286.1	124.8	2462.6	954.4	1
9288.0	1509.5	Min	I	-270.5	-221.4	566.0	-3762.6	
8935.0	-2467.8		J	-265.4	-231.0	744.9	-3783.2	
8139.6	-2259.2							
1001	1	52 C1-C2;~1 Max	I	74.4	94.8	1315.2	1958.2	
8907.0	788.4		J	74.4	94.8	1379.8	2072.8	
7756.2	692.3	Min	I	-86.7	-117.7	-374.5	-1993.0	-
1628.6	-971.9		J	-86.3	-117.7	-336.0	-1977.7	-
1339.8	-852.7							
		C3-C4;~1 Max	I	75.3	96.0	1314.3	1126.5	
8936.6	797.9		J	75.3	96.0	1379.0	1208.1	
7786.6	700.7	Min	I	-88.6	-120.0	-377.8	-2650.2	-
1673.6	-981.5		J	-88.1	-120.0	-339.1	-2666.1	-
1377.3	-860.0							
		C1-C2;~2 Max	I	40.0	51.0	800.6	1152.7	
5301.4	423.9		J	40.0	51.0	837.2	1222.6	
4624.3	372.2	Min	I	-45.7	-62.4	-212.7	-1098.5	
-885.1	-516.4		J	-45.6	-62.4	-186.5	-1075.9	
-728.2	-453.1							
		C3-C4;~2 Max	I	40.6	51.7	800.0	638.6	
5321.6	430.1		J	40.6	51.7	836.7	689.9	
4645.0	377.7	Min	I	-46.6	-63.5	-214.1	-1500.6	
-912.3	-519.8		J	-46.4	-63.5	-187.7	-1494.1	
-750.8	-455.4							
		SLVx (RS)	I	-610.4	-587.9	243.8	-508.0	
2286.3	-5685.0		J	-610.4	-587.9	243.8	-508.0	
2161.1	-5102.4							
		SLVy (RS)	I	464.1	513.9	-119.9	438.6	
1659.0	5048.8		J	464.1	513.9	-119.9	438.6	
1658.1	4546.2							
		SLDx (RS)	I	-455.2	-443.2	181.8	-381.9	
1719.5	-4282.1		J	-455.2	-443.2	181.8	-381.9	
1626.2	-3842.6							
		SLDy (RS)	I	340.4	378.6	-88.1	323.7	
1216.5	3721.9		J	340.4	378.6	-88.1	323.7	
1216.7	3351.7							


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2105.1	-628.9	SLVz (RS)	I	-93.3	-76.4	-289.8	297.5	-
1821.4	-578.4		J	-93.3	-76.4	-289.8	297.5	-
7362.3	-295.6	G1	I	-21.3	-36.3	831.4	-878.4	
6468.6	-258.8		J	-20.3	-36.3	933.2	-878.4	
2684.4	-108.4	G2	I	-7.8	-13.3	304.0	-320.1	
2357.7	-94.9		J	-7.4	-13.3	341.2	-320.1	
14.8	57.0	G1- Imp~1	I	5.5	6.8	-0.3	-2.4	
15.1	50.1		J	5.5	6.8	-0.3	-2.4	
4.6	17.9	G2- Imp~1	I	1.7	2.1	-0.1	-1.2	
4.7	15.8		J	1.7	2.1	-0.1	-1.2	
28.4	20.3	q3	I	24.4	2.7	6.9	-1.1	
24.6	17.5		J	21.2	2.7	6.9	-1.1	
-1.5	0.9	q4-1	I	0.1	0.1	-0.3	0.4	
-1.2	0.8		J	0.1	0.1	-0.3	0.4	
-1.6	3.6	q4-2	I	0.3	0.4	-0.4	0.6	
-1.2	3.2		J	0.3	0.4	-0.4	0.6	
0.6	8.3	q4-3	I	0.8	1.0	-0.3	0.5	
0.9	7.3		J	0.8	1.0	-0.3	0.5	
3.4	4.4	q4-4	I	0.4	0.5	0.3	0.0	
3.1	3.9		J	0.4	0.5	0.3	0.0	
-25.5	-101.4	q4-5	I	-9.9	-12.1	0.7	-1.7	
-26.1	-89.1		J	-9.9	-12.1	0.7	-1.7	
-4.6	95.1	q4-6	I	9.2	11.3	-5.1	-8.5	
0.6	83.6		J	9.2	11.3	-5.1	-8.5	
346.1	212.5	q4-7	I	141.6	-29.7	-11.9	-21.4	
358.1	242.6		J	141.6	-29.7	-11.9	-21.4	
		q5 - p~1	I	-178.3	-55.9	-19.7	-41.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-216.0	-456.8		J	-159.1	-55.8	-19.9	-41.2	
-202.9	-400.2							
417.1	1472.5	q5 - p~2	I	208.2	110.8	-19.8	-135.0	
438.5	1352.1		J	204.5	126.9	-19.8	-140.8	
-204.7	-430.2	q5 - p~3	I	-168.6	-52.7	-13.0	-30.8	
-192.7	-376.9		J	-150.4	-52.5	-13.2	-30.8	
395.6	1395.9	q5 - p~4	I	197.4	105.2	-19.5	-70.9	
415.6	1281.6		J	193.9	120.4	-19.5	-71.9	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
69.7	83.5	q7	I	63.5	12.9	2.4	6.1	
67.3	70.4		J	63.5	12.9	2.4	6.1	
11.4	22.3	T	I	2.2	2.7	0.7	-3.7	
10.6	19.6		J	2.2	2.7	0.7	-3.7	
-494.7	-112.1	M. tor~1	I	-203.5	-250.0	18.6	-6.1	
-513.5	-144.7		J	-203.5	-250.0	18.6	-8.9	
-292.5	-66.3	M. tor~2	I	-120.3	-147.8	11.0	-3.6	
-303.6	-85.6		J	-120.3	-147.8	11.0	-5.3	
6037.4	2246.3	INVSLU Max	I	405.4	176.2	3326.2	1144.8	2
2856.6	2057.9		J	404.0	197.4	3601.0	1304.7	2
0946.4	-3255.8	Min	I	-390.1	-318.7	1003.9	-5324.9	1
9680.6	-2939.9		J	-382.7	-333.1	1243.7	-5351.6	
3481.7	7059.3	INVSLV Max	I	755.8	724.3	1533.9	-473.4	1
2051.1	6352.0		J	757.2	724.3	1672.9	-473.4	1
6650.7	-7717.4	Min	I	-799.5	-805.8	736.1	-1931.0	
5641.2	-6927.6		J	-798.1	-805.8	875.1	-1931.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

9259.9	1510.3	INVSLE	Max	I	286.6	123.3	2462.6	839.2	1
				J	285.7	133.0	2666.1	957.3	1
6902.3	1383.3		Min	I	-267.1	-228.8	744.9	-3935.6	
8135.5	-2258.1			J	-262.1	-238.5	922.5	-3955.0	
7199.4	-2036.6								
1002	1	52 C1-C2;~1	Max	I	75.2	94.2	1379.8	2043.6	
7746.0	692.2			J	75.2	94.2	1445.8	2164.3	
6492.7	596.8		Min	I	-87.2	-116.9	-336.0	-2030.9	-
1334.8	-852.2			J	-86.8	-116.9	-301.1	-2014.3	-
1046.0	-733.8								
		C3-C4;~1	Max	I	76.1	95.3	1379.0	1177.8	
7768.3	700.6			J	76.1	95.3	1445.2	1264.9	
6515.2	604.1		Min	I	-89.2	-119.2	-339.1	-2721.9	-
1372.3	-859.5			J	-88.7	-119.2	-306.7	-2736.5	-
1076.0	-738.8								
		C1-C2;~2	Max	I	40.4	50.6	837.2	1204.0	
4619.7	372.2			J	40.4	50.6	874.4	1277.5	
3880.3	320.9		Min	I	-46.1	-62.0	-186.5	-1107.5	
-725.4	-452.9			J	-45.9	-62.0	-162.5	-1083.5	
-568.5	-390.1								
		C3-C4;~2	Max	I	41.0	51.4	836.7	670.8	
4635.1	377.6			J	41.0	51.4	874.0	725.4	
3895.9	325.6		Min	I	-47.0	-63.1	-187.7	-1528.0	
-748.1	-455.2			J	-46.8	-63.1	-165.7	-1520.1	
-586.6	-391.3								
		SLVx (RS)		I	-611.6	-612.5	255.5	-519.1	
2164.6	-5102.5			J	-611.6	-612.5	255.5	-519.1	-
2046.8	-4491.6								
		SLVy (RS)		I	481.6	538.9	-120.3	456.4	
1674.7	4546.3			J	481.6	538.9	-120.3	456.4	
1666.7	4014.1								
		SLDx (RS)		I	-456.8	-461.7	190.6	-390.1	
1629.3	-3842.7			J	-456.8	-461.7	190.6	-390.1	-
1541.2	-3382.1								
		SLDy (RS)		I	353.8	397.1	-88.4	337.0	
1229.1	3351.8			J	353.8	397.1	-88.4	337.0	
1224.1	2959.7								


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1819.2	-578.4	SLVz (RS)	I	-89.7	-72.8	-309.8	309.4	-
			J	-89.7	-72.8	-309.8	309.4	-
1513.3	-525.3							
		G1	I	-20.6	-36.1	933.2	-933.0	
6461.0	-258.2		J	-19.5	-36.1	1035.0	-933.0	
5464.2	-221.7							
		G2	I	-7.5	-13.2	341.2	-339.9	
2354.9	-94.7		J	-7.2	-13.2	378.3	-339.9	
1990.5	-81.3							
		G1- Imp~1	I	5.6	6.8	-0.3	-2.6	
15.1	50.1		J	5.6	6.8	-0.3	-2.6	
15.4	43.2							
		G2- Imp~1	I	1.8	2.1	-0.1	-1.3	
4.7	15.8		J	1.8	2.1	-0.1	-1.3	
4.8	13.6							
		q3	I	21.2	2.6	6.9	-1.3	
24.6	17.5		J	18.0	2.6	6.9	-1.3	
20.7	14.9							
		q4-1	I	0.1	0.1	-0.3	0.4	
-1.2	0.8		J	0.1	0.1	-0.3	0.4	
-0.9	0.7							
		q4-2	I	0.3	0.4	-0.4	0.6	
-1.2	3.2		J	0.3	0.4	-0.4	0.6	
-0.8	2.7							
		q4-3	I	0.8	1.0	-0.3	0.5	
0.9	7.3		J	0.8	1.0	-0.3	0.5	
1.2	6.3							
		q4-4	I	0.4	0.5	0.3	0.0	
3.1	3.9		J	0.4	0.5	0.3	0.0	
2.7	3.3							
		q4-5	I	-10.0	-12.0	0.7	-1.5	
-26.1	-89.1		J	-10.0	-12.0	0.7	-1.5	
-26.8	-76.9							
		q4-6	I	9.3	11.3	-5.1	-8.5	
0.5	83.6		J	9.3	11.3	-5.1	-8.5	
5.6	72.2							
		q4-7	I	141.3	-30.9	-11.9	-24.4	
357.9	242.6		J	141.3	-30.9	-11.9	-24.4	
370.0	274.0							
		q5 - p~1	I	-159.5	-54.4	-19.9	-39.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-203.2	-400.2		J	-140.3	-54.5	-20.0	-39.5	
-189.9	-345.0							
437.2	1352.1	q5 - p~2	I	205.6	125.2	-19.8	-144.5	
458.6	1217.1		J	201.9	141.3	-19.8	-150.3	
-192.9	-376.9	q5 - p~3	I	-150.8	-51.3	-13.2	-29.2	
-180.7	-325.0		J	-132.6	-51.3	-13.4	-29.2	
414.8	1281.6	q5 - p~4	I	194.9	118.8	-19.5	-75.4	
434.8	1153.6		J	191.4	134.1	-19.4	-76.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
67.3	70.4	q7	I	63.6	12.3	2.4	5.5	
64.9	58.0		J	63.6	12.3	2.4	5.5	
10.6	19.6	T	I	2.2	2.6	0.7	-3.8	
9.8	16.9		J	2.2	2.6	0.7	-3.8	
-513.5	-144.8	M. tor~1	I	-205.6	-248.3	18.6	-4.6	
-532.4	-179.2		J	-205.6	-248.3	18.6	-7.5	
-303.6	-85.6	M. tor~2	I	-121.6	-146.8	11.0	-2.7	
-314.7	-106.0		J	-121.6	-146.8	11.0	-4.4	
2816.5	2058.9	INVSLU Max	I	404.7	194.9	3601.0	1168.1	2
9306.6	1849.9		J	403.3	217.8	3877.9	1336.1	1
9674.5	-2938.5	Min	I	-385.4	-330.1	1243.7	-5530.9	
8218.8	-2602.9		J	-378.1	-344.6	1474.8	-5555.8	
2048.5	6352.9	INVSLV Max	I	762.2	755.6	1696.5	-527.9	1
0475.7	5607.4		J	763.6	755.6	1835.5	-527.9	1
5623.0	-6926.9	Min	I	-803.7	-836.4	851.4	-2025.5	
4474.2	-6099.5		J	-802.3	-836.4	990.4	-2025.5	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6872.7	1384.0	INVSLE	Max	I	286.2	131.6	2666.1	855.8	1
				J	285.4	146.6	2871.2	980.0	1
4271.2	1243.3		Min	I	-264.0	-236.3	922.5	-4087.6	
7194.8	-2035.6			J	-258.9	-246.0	1093.7	-4105.7	
6117.9	-1801.1								
1003	1	52 C1-C2;~1	Max	I	76.0	93.5	1445.8	2138.9	
6482.3	596.8			J	76.0	93.5	1513.2	2266.1	
5125.9	502.1		Min	I	-87.8	-116.1	-301.1	-2058.0	-
1040.9	-733.4			J	-87.4	-116.1	-292.7	-2039.9	
-752.1	-615.9								
		C3-C4;~1	Max	I	76.9	94.6	1445.2	1238.5	
6496.3	604.0			J	76.9	94.6	1512.7	1331.7	
5139.8	508.2		Min	I	-89.7	-118.4	-306.7	-2782.6	-
1070.9	-738.4			J	-89.3	-118.4	-300.1	-2795.7	
-774.7	-618.5								
		C1-C2;~2	Max	I	40.9	50.3	874.4	1261.5	
3875.6	320.8			J	40.9	50.3	912.2	1338.9	
3073.7	269.9		Min	I	-46.4	-61.6	-162.5	-1109.4	
-565.8	-389.9			J	-46.3	-61.6	-157.9	-1083.9	
-408.9	-327.5								
		C3-C4;~2	Max	I	41.4	51.0	874.0	709.0	
3885.7	325.6			J	41.4	51.0	911.9	767.3	
3083.6	273.9		Min	I	-47.3	-62.7	-165.7	-1548.2	
-583.8	-391.0			J	-47.2	-62.7	-162.5	-1538.8	
-422.4	-327.6								
		SLVx (RS)		I	-614.9	-636.0	265.9	-528.2	-
2051.2	-4491.7			J	-614.9	-636.0	265.9	-528.2	-
1948.7	-3854.1								
		SLVy (RS)		I	500.6	562.6	-122.4	473.1	
1683.5	4014.2			J	500.6	562.6	-122.4	473.1	
1669.3	3454.3								
		SLDx (RS)		I	-460.0	-479.3	198.4	-396.9	-
1545.0	-3382.1			J	-460.0	-479.3	198.4	-396.9	-
1468.0	-2901.5								
		SLDy (RS)		I	368.2	414.6	-89.9	349.4	
1236.7	2959.8			J	368.2	414.6	-89.9	349.4	
1227.3	2547.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1510.7	-525.3	SLVz (RS)	I	-86.8	-71.3	-328.6	318.8	-
1185.9	-467.4		J	-86.8	-71.3	-328.6	318.8	-
5456.2	-221.2	G1	I	-19.8	-35.8	1035.0	-979.0	
4356.3	-184.9		J	-18.8	-35.8	1136.8	-979.0	
1987.6	-81.1	G2	I	-7.3	-13.1	378.3	-356.7	
1585.5	-67.8		J	-6.9	-13.1	415.5	-356.7	
15.4	43.2	G1- Imp~1	I	5.7	6.7	-0.3	-2.7	
15.7	36.5		J	5.7	6.7	-0.3	-2.7	
4.8	13.6	G2- Imp~1	I	1.8	2.1	-0.1	-1.3	
4.9	11.5		J	1.8	2.1	-0.1	-1.3	
20.7	14.9	q3	I	18.0	2.4	6.9	-1.5	
16.8	12.5		J	14.7	2.4	6.9	-1.5	
-0.9	0.7	q4-1	I	0.1	0.1	-0.3	0.4	
-0.7	0.5		J	0.1	0.1	-0.3	0.4	
-0.8	2.7	q4-2	I	0.4	0.4	-0.4	0.6	
-0.3	2.3		J	0.4	0.4	-0.4	0.6	
1.2	6.3	q4-3	I	0.8	1.0	-0.3	0.5	
1.5	5.3		J	0.8	1.0	-0.3	0.5	
2.7	3.3	q4-4	I	0.4	0.5	0.3	-0.0	
2.4	2.8		J	0.4	0.5	0.3	-0.0	
-26.8	-76.9	q4-5	I	-10.1	-11.9	0.7	-1.3	
-27.5	-64.8		J	-10.1	-11.9	0.7	-1.3	
5.6	72.2	q4-6	I	9.4	11.2	-5.1	-8.6	
10.7	60.9		J	9.4	11.2	-5.1	-8.6	
369.7	274.0	q4-7	I	141.1	-32.1	-11.9	-27.5	
381.8	306.5		J	141.1	-32.1	-11.9	-27.5	
		q5 - p~1	I	-140.7	-53.3	-20.0	-37.9	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
-190.2	-345.0		J	-121.5	-53.4	-20.2	-37.8	
-176.7	-291.0							
457.2	1217.2	q5 - p~2	I	203.1	139.6	-19.8	-154.1	
478.5	1067.6		J	199.5	155.8	-19.7	-160.0	
-181.0	-325.0	q5 - p~3	I	-133.0	-50.2	-13.4	-27.6	
-168.6	-274.1		J	-114.8	-50.3	-13.6	-27.6	
434.0	1153.6	q5 - p~4	I	192.6	132.5	-19.5	-80.2	
454.0	1011.7		J	189.2	147.8	-19.4	-81.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
65.0	58.0	q7	I	63.7	11.8	2.4	5.0	
62.6	46.0		J	63.7	11.8	2.4	5.0	
9.8	16.9	T	I	2.2	2.6	0.7	-3.9	
9.1	14.3		J	2.2	2.6	0.7	-3.9	
-532.4	-179.3	M. tor~1	I	-207.7	-246.5	18.6	-3.0	
-551.2	-215.5		J	-207.7	-246.5	18.6	-5.8	
-314.8	-106.0	M. tor~2	I	-122.8	-145.8	11.0	-1.8	
-325.9	-127.4		J	-122.8	-145.8	11.0	-3.5	
9264.8	1850.8	INVSLU Max	I	404.2	215.2	3877.9	1220.5	1
5425.2	1621.1		J	402.8	238.3	4156.6	1397.4	1
8212.1	-2601.8	Min	I	-381.0	-341.5	1474.8	-5706.6	
6566.2	-2246.4		J	-373.7	-362.4	1671.2	-5729.5	
0473.4	5608.1	INVSLV Max	I	771.4	786.0	1858.1	-573.9	1
8767.7	4825.8		J	772.8	786.0	1997.0	-573.9	
4454.5	-6099.0	Min	I	-810.8	-866.3	967.8	-2105.5	
3157.2	-5235.3		J	-809.4	-866.3	1106.8	-2105.5	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

4240.4	1243.9	INVSLE	Max	I	286.0	144.9	2871.2	894.0	1
				J	285.2	160.2	3077.7	1024.7	1
1394.8	1089.4		Min	I	-260.9	-243.9	1093.7	-4217.1	
6112.8	-1800.2			J	-256.0	-253.6	1239.2	-4233.7	
4895.2	-1552.6								
1004	1	52 C1-C2;~1	Max	I	76.8	92.8	1513.2	2245.3	
5115.5	502.0			J	76.8	92.8	1581.9	2379.6	
3656.1	408.0		Min	I	-88.4	-115.2	-292.7	-2073.5	
-747.0	-615.6			J	-88.0	-115.2	-289.0	-2052.5	
-541.9	-498.9								
		C3-C4;~1	Max	I	77.7	94.0	1512.7	1310.0	
5120.3	508.1			J	77.7	94.0	1581.6	1410.0	
3660.3	413.0		Min	I	-90.3	-117.5	-300.1	-2831.0	
-769.6	-618.2			J	-89.9	-117.5	-296.4	-2841.8	
-555.6	-499.3								
		C1-C2;~2	Max	I	41.3	49.9	912.2	1325.8	
3069.1	269.9			J	41.3	49.9	950.5	1407.4	
2204.5	219.3		Min	I	-46.8	-61.1	-158.0	-1103.7	
-406.1	-327.4			J	-46.6	-61.1	-156.5	-1075.8	
-311.9	-265.5								
		C3-C4;~2	Max	I	41.9	50.7	911.9	753.9	
3073.2	273.9			J	41.9	50.7	950.4	816.4	
2208.1	222.6		Min	I	-47.7	-62.2	-162.5	-1560.2	
-419.6	-327.4			J	-47.5	-62.2	-161.0	-1548.8	
-319.8	-264.4								
		SLVx (RS)		I	-620.4	-658.4	274.4	-535.4	-
1954.1	-3854.2			J	-620.4	-658.4	274.4	-535.4	-
1875.8	-3191.5								
		SLVy (RS)		I	520.8	585.2	-126.7	488.8	
1686.4	3454.4			J	520.8	585.2	-126.7	488.8	
1667.8	2868.0								
		SLDx (RS)		I	-464.8	-496.1	204.8	-402.2	-
1472.6	-2901.5			J	-464.8	-496.1	204.8	-402.2	-
1413.2	-2402.1								
		SLDy (RS)		I	383.4	431.4	-92.8	361.1	
1240.0	2547.3			J	383.4	431.4	-92.8	361.1	
1227.5	2115.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1183.1	-467.4	SLVz (RS)	I	-84.8	-72.6	-345.0	325.6	-
			J	-84.8	-72.6	-345.0	325.6	
-845.6	-402.3							
		G1	I	-19.1	-35.6	1136.8	-1015.6	
4347.9	-184.5		J	-18.1	-35.6	1238.6	-1015.6	
3144.9	-148.5							
		G2	I	-7.0	-13.0	415.5	-370.1	
1582.5	-67.7		J	-6.7	-13.0	452.7	-370.1	
1142.8	-54.4							
		G1- Imp~1	I	5.7	6.7	-0.3	-2.8	
15.7	36.5		J	5.7	6.7	-0.3	-2.8	
16.0	29.7							
		G2- Imp~1	I	1.8	2.1	-0.1	-1.4	
4.9	11.5		J	1.8	2.1	-0.1	-1.4	
5.0	9.3							
		q3	I	14.8	2.3	6.9	-1.6	
16.8	12.5		J	11.5	2.3	6.9	-1.6	
13.0	10.2							
		q4-1	I	0.1	0.1	-0.3	0.4	
-0.7	0.5		J	0.1	0.1	-0.3	0.4	
-0.4	0.4							
		q4-2	I	0.4	0.4	-0.4	0.6	
-0.3	2.3		J	0.4	0.4	-0.4	0.6	
0.1	1.9							
		q4-3	I	0.8	1.0	-0.3	0.5	
1.5	5.3		J	0.8	1.0	-0.3	0.5	
1.8	4.3							
		q4-4	I	0.4	0.5	0.3	-0.0	
2.4	2.8		J	0.4	0.5	0.3	-0.0	
2.1	2.3							
		q4-5	I	-10.2	-11.9	0.7	-1.0	
-27.5	-64.8		J	-10.2	-11.9	0.7	-1.0	
-28.2	-52.8							
		q4-6	I	9.5	11.1	-5.1	-8.7	
10.7	60.9		J	9.5	11.1	-5.1	-8.7	
15.8	49.6							
		q4-7	I	140.8	-33.3	-11.9	-30.8	
381.5	306.5		J	140.8	-33.3	-11.9	-30.8	
393.6	340.3							
		q5 - p~1	I	-122.0	-52.4	-20.2	-36.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-177.0	-291.0		J	-102.7	-52.8	-20.4	-36.2	
-163.4	-237.7							
477.0	1067.6	q5 - p~2	I	200.8	154.1	-19.8	-164.0	
498.3	903.3		J	197.3	170.4	-19.7	-169.9	
-168.8	-274.1	q5 - p~3	I	-115.2	-49.4	-13.6	-26.2	
-156.3	-224.0		J	-97.0	-49.7	-13.7	-26.2	
453.2	1011.7	q5 - p~4	I	190.4	146.2	-19.4	-85.1	
473.1	855.8		J	187.1	161.6	-19.4	-86.1	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
62.6	46.0	q7	I	63.8	11.2	2.4	4.5	
60.2	34.6		J	63.8	11.2	2.4	4.5	
9.0	14.3	T	I	2.2	2.6	0.7	-3.9	
8.3	11.6		J	2.2	2.6	0.7	-3.9	
-551.3	-215.5	M. tor~1	I	-209.8	-244.8	18.6	-1.2	
-570.1	-253.5		J	-209.8	-244.8	18.6	-4.1	
-325.9	-127.4	M. tor~2	I	-124.0	-144.7	11.0	-0.7	
-337.1	-149.9		J	-124.0	-144.7	11.0	-2.4	
5382.1	1621.8	INVSLU Max	I	403.7	235.7	4156.6	1305.3	1
1212.6	1371.3		J	402.4	258.8	4437.2	1491.8	1
6559.0	-2245.6	Min	I	-376.8	-359.0	1671.2	-5848.6	
4612.1	-1871.7		J	-369.7	-382.1	1863.6	-5868.5	
8765.9	4826.5	INVSLV Max	I	783.4	815.9	2017.3	-610.1	
6938.4	4008.7		J	784.8	815.9	2156.2	-610.1	
3136.0	-5235.0	Min	I	-820.7	-895.6	1086.5	-2169.6	
1678.9	-4336.4		J	-819.3	-895.6	1225.5	-2169.6	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1362.9	1089.9	INVSLE Max	I	285.8	158.5	3077.7	956.2	1
			J	285.1	173.9	3285.5	1094.0	
8272.9	947.9	Min	I	-258.1	-251.4	1239.2	-4321.6	
4889.7	-1551.9		J	-253.2	-265.2	1381.8	-4336.0	
3449.1	-1292.1							
1005	1	52 C1-C2;~1 Max	I	77.6	92.2	1581.9	2363.9	
3659.4	407.9		J	77.6	92.2	1652.0	2505.9	
2097.4	314.6	Min	I	-88.9	-114.4	-289.0	-2075.5	
-538.7	-498.7		J	-88.5	-114.4	-286.6	-2052.1	
-379.7	-381.5							
		C3-C4;~1 Max	I	78.5	93.3	1581.7	1394.0	
3653.6	413.0		J	78.5	93.3	1651.9	1501.4	
2095.1	318.6	Min	I	-90.9	-116.7	-296.4	-2865.9	
-552.3	-499.1		J	-90.5	-116.7	-294.0	-2874.7	
-391.8	-378.5							
		C1-C2;~2 Max	I	41.7	49.6	950.5	1397.6	
2205.8	219.3		J	41.7	49.6	989.5	1483.8	
1278.0	169.1	Min	I	-47.1	-60.7	-156.5	-1089.3	
-310.5	-265.4		J	-47.0	-60.7	-155.5	-1059.1	
-250.1	-204.2							
		C3-C4;~2 Max	I	42.3	50.3	950.4	806.5	
2203.1	222.5		J	42.3	50.3	989.4	873.4	
1278.1	171.7	Min	I	-48.1	-61.8	-161.0	-1563.3	
-318.4	-264.3		J	-47.9	-61.8	-160.0	-1549.9	
-257.4	-201.6							
		SLVx (RS)	I	-628.0	-679.8	280.6	-540.6	-
1882.2	-3191.6		J	-628.0	-679.8	280.6	-540.6	-
1836.6	-2505.2							
		SLVy (RS)	I	542.0	607.1	-132.9	503.8	
1685.0	2868.1		J	542.0	607.1	-132.9	503.8	
1664.8	2256.6							
		SLDx (RS)	I	-471.2	-512.0	209.5	-406.0	-
1418.5	-2402.2		J	-471.2	-512.0	209.5	-406.0	-
1383.2	-1885.2							
		SLDy (RS)	I	399.3	447.6	-97.0	372.3	
1240.3	2115.2		J	399.3	447.6	-97.0	372.3	
1226.5	1664.4							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-842.7	-402.3	SLVz (RS)	I	-84.2	-77.4	-357.9	329.7
			J	-84.2	-77.4	-357.9	329.7
-507.5	-327.8						
		G1	I	-18.4	-35.3	1238.6	-1042.1
3136.2	-148.2		J	-17.4	-35.3	1340.4	-1042.1
1830.1	-112.4						
		G2	I	-6.8	-12.9	452.7	-379.7
1139.6	-54.3		J	-6.4	-12.9	489.9	-379.7
662.3	-41.2						
		G1- Imp~1	I	5.8	6.6	-0.3	-3.0
16.0	29.7		J	5.8	6.6	-0.3	-3.0
16.3	23.0						
		G2- Imp~1	I	1.8	2.1	-0.1	-1.4
5.0	9.3		J	1.8	2.1	-0.1	-1.4
5.1	7.2						
		q3	I	11.5	2.2	6.9	-1.7
12.9	10.2		J	8.3	2.2	6.9	-1.7
9.1	7.9						
		q4-1	I	0.1	0.1	-0.3	0.4
-0.4	0.4		J	0.1	0.1	-0.3	0.4
-0.1	0.3						
		q4-2	I	0.4	0.4	-0.4	0.6
0.1	1.9		J	0.4	0.4	-0.4	0.6
0.5	1.4						
		q4-3	I	0.8	1.0	-0.3	0.4
1.8	4.3		J	0.8	1.0	-0.3	0.4
2.1	3.4						
		q4-4	I	0.4	0.5	0.3	-0.1
2.1	2.3		J	0.4	0.5	0.3	-0.1
1.7	1.8						
		q4-5	I	-10.3	-11.8	0.7	-0.8
-28.2	-52.8		J	-10.3	-11.8	0.7	-0.8
-28.8	-40.9						
		q4-6	I	9.6	11.0	-5.1	-8.8
15.7	49.6		J	9.6	11.0	-5.1	-8.8
20.9	38.4						
		q4-7	I	140.5	-34.5	-11.9	-34.1
393.3	340.3		J	140.5	-34.5	-11.9	-34.1
405.3	375.2						
		q5 - p~1	I	-103.2	-51.9	-20.4	-34.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-163.6	-237.7		J	-83.9	-52.4	-20.6	-34.7	
-149.8	-184.9							
496.8	903.3	q5 - p~2	I	198.7	168.7	-19.7	-174.1	
518.0	724.2		J	195.2	185.0	-19.7	-179.9	
-156.4	-224.0	q5 - p~3	I	-97.4	-48.9	-13.7	-24.9	
-143.7	-174.3		J	-79.2	-49.3	-13.9	-24.8	
472.2	855.8	q5 - p~4	I	188.4	160.0	-19.4	-90.1	
492.1	685.9		J	185.1	175.5	-19.4	-91.2	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
60.2	34.6	q7	I	63.9	10.7	2.4	4.0	
57.8	23.8		J	63.9	10.7	2.4	4.0	
8.3	11.6	T	I	2.3	2.6	0.7	-4.0	
7.5	9.0		J	2.3	2.6	0.7	-4.0	
-570.1	-253.5	M. tor~1	I	-211.9	-243.0	18.6	0.8	
-589.0	-293.3		J	-211.9	-243.0	18.6	-2.1	
-337.1	-149.9	M. tor~2	I	-125.3	-143.7	11.0	0.4	
-348.2	-173.4		J	-125.3	-143.7	11.0	-1.2	
1193.9	1371.8	INVSLU Max	I	403.5	256.3	4437.2	1425.6	1
6696.6	1229.9		J	402.3	279.5	4719.6	1622.6	
4602.0	-1871.1	Min	I	-372.9	-378.7	1863.6	-5953.7	
2302.5	-1477.6		J	-365.8	-401.9	2054.3	-5970.9	
6937.3	4009.2	INVSLV Max	I	798.2	845.5	2172.8	-635.5	
5002.0	3157.1		J	799.6	845.5	2311.8	-635.5	
1656.2	-4336.2	Min	I	-833.4	-924.7	1208.9	-2216.7	
25.5	-3403.9		J	-832.0	-924.7	1347.9	-2216.7	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


8259.2	948.3	INVSLE	Max	I	285.8	172.3	3285.5	1044.7	
				J	285.1	187.7	3494.7	1190.2	
4926.4	863.4		Min	I	-255.4	-262.9	1381.8	-4398.8	
3441.4	-1291.7			J	-250.6	-278.4	1523.0	-4411.1	
1759.7	-1018.9								
1006	1	52 C1-C2;~1	Max	I	75.9	93.7	1652.0	2527.4	
2095.0	314.7			J	76.0	93.7	1724.0	2672.8	
541.8	219.9		Min	I	-86.4	-116.3	-286.6	-2025.7	
-386.5	-381.8			J	-86.1	-116.3	-285.5	-2053.0	
-344.5	-269.2								
		C3-C4;~1	Max	I	76.7	94.8	1651.9	1523.6	
2117.1	318.6			J	76.9	94.8	1723.6	1633.5	
566.2	222.8		Min	I	-88.3	-118.6	-294.0	-2846.9	
-398.4	-378.8			J	-88.0	-118.6	-292.9	-2905.6	
-355.2	-264.1								
		C1-C2;~2	Max	I	40.8	50.4	989.4	1497.1	
1273.4	169.1			J	40.8	50.4	1029.3	1584.2	
326.1	118.2		Min	I	-45.8	-61.7	-155.5	-1043.8	
-253.0	-204.3			J	-45.7	-61.7	-155.1	-1051.3	
-239.4	-144.0								
		C3-C4;~2	Max	I	41.3	51.1	989.4	887.0	
1288.5	171.7			J	41.4	51.1	1029.1	954.3	
342.2	120.0		Min	I	-46.7	-62.8	-160.0	-1533.2	
-260.2	-201.7			J	-46.6	-62.8	-159.6	-1556.7	
-246.2	-140.5								
		SLVx (RS)		I	-618.3	-717.2	284.3	-580.6	-
1833.4	-2504.9			J	-618.3	-717.2	284.3	-580.6	-
1825.5	-1779.4								
		SLVy (RS)		I	546.7	643.6	-140.4	560.6	
1669.1	2256.4			J	546.7	643.6	-140.4	560.6	
1650.2	1605.7								
		SLDx (RS)		I	-464.6	-539.9	212.3	-436.1	-
1381.2	-1885.0			J	-464.6	-539.9	212.3	-436.1	-
1373.7	-1338.8								
		SLDy (RS)		I	403.1	474.6	-102.0	414.3	
1229.8	1664.2			J	403.1	474.6	-102.0	414.3	
1216.7	1184.3								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-512.2	-327.8	SLVz (RS)	I	-82.8	-88.2	-366.5	320.1
			J	-82.8	-88.2	-366.5	320.1
-255.9	-239.6						
1849.4	-112.8	G1	I	-16.7	-35.9	1340.4	-1007.5
440.8	-76.4		J	-15.7	-35.9	1442.1	-1007.5
669.3	-41.4	G2	I	-6.1	-13.2	489.9	-367.1
154.5	-28.0		J	-5.8	-13.2	527.0	-367.1
16.3	23.0	G1- Imp~1	I	5.6	6.7	-0.3	-2.6
16.7	16.2		J	5.6	6.7	-0.3	-2.6
5.1	7.2	G2- Imp~1	I	1.8	2.1	-0.1	-1.3
5.2	5.1		J	1.8	2.1	-0.1	-1.3
9.1	7.9	q3	I	8.2	2.3	6.9	-1.5
5.3	5.6		J	5.0	2.3	6.9	-1.5
-0.1	0.3	q4-1	I	0.1	0.1	-0.3	0.4
0.2	0.2		J	0.1	0.1	-0.3	0.4
0.5	1.4	q4-2	I	0.4	0.4	-0.4	0.6
0.9	1.0		J	0.4	0.4	-0.4	0.6
2.1	3.4	q4-3	I	0.8	1.0	-0.3	0.5
2.3	2.4		J	0.8	1.0	-0.3	0.5
1.7	1.8	q4-4	I	0.4	0.5	0.3	-0.0
1.4	1.2		J	0.4	0.5	0.3	-0.0
-28.8	-40.9	q4-5	I	-10.0	-12.0	0.7	-1.3
-29.5	-28.8		J	-10.0	-12.0	0.7	-1.3
21.1	38.4	q4-6	I	9.4	11.2	-5.1	-8.4
26.3	27.1		J	9.4	11.2	-5.1	-8.4
406.0	375.2	q4-7	I	141.1	-31.8	-11.9	-26.4
418.0	407.4		J	141.1	-31.8	-11.9	-26.4
		q5 - p~1	I	-82.9	-54.0	-20.6	-37.5


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-149.1	-184.9		J	-63.7	-54.1	-20.8	-37.4
-135.1	-130.2						
521.4	724.1	q5 - p~2	I	191.7	188.7	-19.7	-170.1
542.6	524.9		J	188.1	204.8	-19.6	-175.9
-143.3	-174.2	q5 - p~3	I	-78.2	-50.8	-13.9	-27.5
-130.3	-122.7		J	-60.0	-51.0	-14.1	-27.5
493.9	685.9	q5 - p~4	I	181.8	178.9	-19.3	-81.9
513.7	496.9		J	178.4	194.3	-19.3	-83.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
57.7	23.8	q7	I	63.7	11.9	2.4	5.0
55.3	11.7		J	63.7	11.9	2.4	5.0
7.6	9.0	T	I	2.2	2.6	0.7	-3.9
6.9	6.4		J	2.2	2.6	0.7	-3.9
-588.9	-293.2	M. tor~1	I	-207.2	-247.0	18.6	-13.2
-607.7	-329.0		J	-207.2	-247.0	18.6	-16.1
-348.2	-173.4	M. tor~2	I	-122.5	-146.0	11.0	-7.8
-359.3	-194.5		J	-122.5	-146.0	11.0	-9.5
6762.1	1229.2	INVSLU Max	I	399.6	285.0	4719.6	1706.8
2352.8	1076.7		J	398.3	308.0	5004.4	1908.3
2331.7	-1478.3	Min	I	-358.2	-409.4	2054.3	-5860.2
-274.6	-1056.6		J	-351.0	-432.3	2243.1	-5944.8
5028.1	3156.3	INVSLV Max	I	791.7	896.5	2323.7	-533.8
3014.6	2249.8		J	793.1	896.5	2462.7	-533.8
52.4	-3404.1	Min	I	-822.6	-977.0	1335.9	-2223.3
1780.1	-2416.1		J	-821.2	-977.0	1474.8	-2223.3


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


4974.7	862.8	INVSLE Max	I	283.4	191.4	3494.7	1253.2	
			J	282.7	206.7	3705.6	1402.1	
1707.1	763.0	Min	I	-245.3	-283.5	1523.0	-4329.8	
1781.6	-1019.5		J	-240.4	-298.8	1662.9	-4392.1	
-146.8	-727.9							
1007	1	52 C1-C2;~1 Max	I	76.0	93.7	1724.0	2672.8	
541.8	219.9		J	76.1	93.7	1748.9	2723.0	
220.8	187.9	Min	I	-86.1	-116.3	-285.5	-2053.0	
-344.5	-269.2		J	-86.0	-116.3	-285.4	-2065.8	
-476.0	-231.1							
		C3-C4;~1 Max	I	76.9	94.8	1723.6	1633.5	
566.2	222.8		J	77.0	94.8	1748.1	1671.3	
224.2	190.4	Min	I	-88.0	-118.6	-292.9	-2905.6	
-355.2	-264.1		J	-88.0	-118.6	-292.8	-2925.8	
-474.0	-225.4							
		C1-C2;~2 Max	I	40.8	50.4	1029.3	1584.2	
326.1	118.2		J	40.9	50.4	1043.1	1614.2	
118.4	100.9	Min	I	-45.7	-61.7	-155.1	-1051.3	
-239.4	-144.0		J	-45.7	-61.7	-155.0	-1056.4	
-296.7	-123.6							
		C3-C4;~2 Max	I	41.4	51.1	1029.1	954.3	
342.2	120.0		J	41.4	51.1	1042.6	977.2	
120.5	102.5	Min	I	-46.6	-62.8	-159.6	-1556.7	
-246.2	-140.5		J	-46.6	-62.8	-159.5	-1564.8	
-296.6	-119.7							
		SLVx (RS)	I	-621.2	-733.8	285.0	-590.2	-
1828.2	-1779.4		J	-621.2	-733.8	285.0	-590.2	-
1835.1	-1527.8							
		SLVy (RS)	I	557.6	661.3	-145.6	579.0	
1658.5	1605.7		J	557.6	661.3	-145.6	579.0	
1653.3	1379.0							
		SLDx (RS)	I	-467.2	-552.2	212.8	-443.2	-
1376.0	-1338.8		J	-467.2	-552.2	212.8	-443.2	-
1380.5	-1149.5							
		SLDy (RS)	I	411.2	487.8	-105.5	428.1	
1223.0	1184.3		J	411.2	487.8	-105.5	428.1	
1219.4	1017.2							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-256.4	-239.6	SLVz (RS)	I	-83.4	-96.3	-369.2	319.1
			J	-83.4	-96.3	-369.2	319.1
-247.5	-206.6						
		G1	I	-15.7	-35.9	1442.1	-1007.5
440.8	-76.4		J	-15.4	-35.9	1476.6	-1007.5
-59.5	-64.1						
		G2	I	-5.8	-13.2	527.0	-367.1
154.5	-28.0		J	-5.6	-13.2	539.6	-367.1
-28.3	-23.5						
		G1- Imp~1	I	5.6	6.7	-0.3	-2.6
16.7	16.2		J	5.6	6.7	-0.3	-2.6
16.8	13.9						
		G2- Imp~1	I	1.8	2.1	-0.1	-1.3
5.2	5.1		J	1.8	2.1	-0.1	-1.3
5.3	4.4						
		q3	I	5.0	2.3	6.9	-1.5
5.3	5.6		J	3.9	2.3	6.9	-1.5
3.9	4.7						
		q4-1	I	0.1	0.1	-0.3	0.4
0.2	0.2		J	0.1	0.1	-0.3	0.4
0.2	0.2						
		q4-2	I	0.4	0.4	-0.4	0.6
0.9	1.0		J	0.4	0.4	-0.4	0.6
1.0	0.9						
		q4-3	I	0.8	1.0	-0.3	0.5
2.3	2.4		J	0.8	1.0	-0.3	0.5
2.4	2.0						
		q4-4	I	0.4	0.5	0.3	-0.0
1.4	1.2		J	0.4	0.5	0.3	-0.0
1.3	1.1						
		q4-5	I	-10.0	-12.0	0.7	-1.3
-29.5	-28.8		J	-10.0	-12.0	0.7	-1.3
-29.7	-24.7						
		q4-6	I	9.4	11.2	-5.1	-8.4
26.3	27.1		J	9.4	11.2	-5.1	-8.4
28.0	23.3						
		q4-7	I	141.1	168.2	-11.9	-194.4
418.0	407.4		J	141.1	168.2	-11.9	-194.4
422.1	349.7						
		q5 - p~1	I	-63.7	-54.1	-20.8	-37.4

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-135.1	-130.2		J	-57.2	-54.2	-20.9	-37.4
-130.3	-111.6						
542.6	524.9	q5 - p~2	I	188.1	204.8	-19.6	-175.9
549.8	453.8		J	186.9	210.3	-19.6	-177.9
-130.3	-122.7	q5 - p~3	I	-60.0	-51.0	-14.1	-27.5
-125.9	-105.2		J	-53.8	-51.0	-14.2	-27.5
513.7	496.9	q5 - p~4	I	178.4	194.3	-19.3	-83.0
520.4	429.4		J	177.2	199.5	-19.3	-83.3
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
55.3	11.7	q7	I	63.7	11.9	2.4	5.0
54.5	7.6		J	63.7	11.9	2.4	5.0
6.9	6.4	T	I	2.2	2.6	0.7	-3.9
6.6	5.5		J	2.2	2.6	0.7	-3.9
-607.7	-329.0	M. tor~1	I	-207.2	-247.0	18.6	-16.1
-614.1	-341.1		J	-207.2	-247.0	18.6	-17.1
-359.3	-194.5	M. tor~2	I	-122.5	-146.0	11.0	-9.5
-363.1	-201.7		J	-122.5	-146.0	11.0	-10.1
2352.8	1076.7	INVSLU Max	I	398.3	428.0	5004.4	1908.3
1143.3	929.2		J	397.9	432.9	5101.6	1977.9
-274.6	-1056.6	Min	I	-351.0	-432.3	2243.1	-5944.8
1274.7	-908.6		J	-348.6	-440.1	2306.7	-5973.7
3019.9	2249.8	INVSLV Max	I	799.4	920.9	2467.1	-518.9
2339.7	1934.2		J	799.9	920.9	2514.1	-518.9
1785.5	-2416.1	Min	I	-827.5	-1001.3	1470.3	-2238.3
2471.1	-2072.9		J	-827.1	-1001.3	1517.4	-2238.3

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1707.1	763.0	INVSLE	Max	I	282.7	303.5	3705.6	1402.1
				J	282.4	306.8	3777.6	1453.5
810.7	658.4		Min	I	-240.4	-298.8	1662.9	-4392.1
-146.8	-727.9			J	-238.7	-304.0	1710.0	-4413.4
-886.8	-625.7							
1008	1	52 C1-C2;~1	Max	I	0.0	0.0	0.0	198.5
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-5.2	-0.0	-522.9	-758.9
-306.9	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C3-C4;~1	Max	I	0.0	0.0	0.0	530.5
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-5.2	-0.0	-522.9	-426.9
-306.9	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C1-C2;~2	Max	I	0.0	0.0	0.0	142.4
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-3.9	-0.0	-384.2	-555.6
-227.7	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C3-C4;~2	Max	I	0.0	0.0	0.0	385.5
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-3.9	-0.0	-384.2	-312.5
-227.7	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		SLVx (RS)		I	2.7	3.7	-1.0	2.8
2.3	2.2			J	2.7	3.7	-1.0	2.8
2.0	-0.0							
		SLVy (RS)		I	-2.0	-4.4	2.1	-3.3
-2.1	-2.6			J	-2.0	-4.4	2.1	-3.3
-1.5	0.0							
		SLDx (RS)		I	2.0	2.7	-0.7	2.0
1.7	1.6			J	2.0	2.7	-0.7	2.0
1.5	0.0							
		SLDy (RS)		I	-1.5	-3.2	1.5	-2.4
-1.5	-1.9			J	-1.5	-3.2	1.5	-2.4
-1.1	-0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
1.6	-1.1	SLVz (RS)	I	0.9	-1.8	2.0	-1.3
0.7	-0.0		J	0.9	-1.8	2.0	-1.3
-0.0	0.0	G1	I	-0.0	-0.0	0.0	0.0
-0.0	0.0		J	-0.0	-0.0	0.0	0.0
-6.6	0.0	G2	I	-0.2	0.0	-22.0	0.0
-0.0	0.0		J	-0.0	0.0	0.0	0.0
0.0	-0.0	G1 - Imp~1	I	0.0	0.0	-0.0	-0.0
0.0	-0.0		J	0.0	0.0	-0.0	-0.0
0.0	-0.0	G2 - Imp~1	I	0.0	-0.0	0.0	-0.0
0.0	-0.0		J	0.0	-0.0	0.0	-0.0
-1.8	0.0	q3	I	1.9	-0.0	0.0	0.0
-0.0	0.0		J	-0.0	-0.0	0.0	0.0
0.0	-0.0	q4-1	I	0.0	0.0	-0.0	-0.0
0.0	-0.0		J	0.0	0.0	-0.0	-0.0
0.0	-0.0	q4-2	I	0.0	0.0	-0.0	-0.0
0.0	-0.0		J	0.0	0.0	-0.0	-0.0
0.0	-0.0	q4-3	I	0.0	0.0	-0.0	-0.0
0.0	-0.0		J	0.0	0.0	-0.0	-0.0
0.0	-0.0	q4-4	I	0.0	-0.0	0.0	-0.0
0.0	-0.0		J	0.0	-0.0	0.0	-0.0
-0.0	0.0	q4-5	I	-0.0	0.0	0.0	0.0
-0.0	0.0		J	-0.0	0.0	0.0	0.0
-0.0	0.0	q4-6	I	-0.0	-0.0	0.0	0.0
-0.0	0.0		J	-0.0	-0.0	0.0	0.0
-0.0	0.0	q4-7	I	-0.0	-0.0	0.0	0.0
-0.0	0.0		J	-0.0	-0.0	0.0	0.0
		q5 - p~1	I	-11.4	0.4	0.1	-0.2

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
4.1	0.1		J	0.0	-0.0	-0.0	-0.0
0.0	-0.0						
-0.7	-2.9	q5 - p~2	I	2.0	-9.7	-0.0	3.5
-0.0	0.0		J	-0.0	0.0	0.0	0.0
0.8	0.1	q5 - p~3	I	-10.8	0.4	0.1	-0.0
0.0	-0.0		J	0.0	-0.0	-0.0	-0.0
-0.1	-2.8	q5 - p~4	I	1.9	-9.2	-0.0	0.6
-0.0	0.0		J	-0.0	0.0	-0.0	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	0.0	q7	I	-0.0	0.0	0.0	0.0
-0.0	0.0		J	-0.0	0.0	0.0	0.0
-0.0	0.0	T	I	-0.0	-0.0	0.0	0.0
-0.0	0.0		J	-0.0	-0.0	0.0	0.0
-0.0	169.4	M. tor~1	I	-0.0	-0.0	0.0	1.7
-0.0	0.0		J	-0.0	-0.0	0.0	0.0
-0.0	100.1	M. tor~2	I	-0.0	0.0	-0.0	1.0
-0.0	0.0		J	-0.0	0.0	-0.0	0.0
-5.2	4.1	INVSLU Max	I	15.9	13.8	-29.6	719.3
0.0	0.0		J	0.0	0.0	0.0	0.0
-426.9	-4.1	Min	I	-21.7	-13.8	-735.8	-1027.6
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-3.2	3.6	INVSLV Max	I	3.4	6.0	-19.0	4.5
2.7	0.0		J	3.6	6.0	3.0	4.5
-10.0	-3.6	Min	I	-3.8	-6.0	-25.1	-4.5
-2.7	-0.0		J	-3.6	-6.0	-3.0	-4.5

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

-4.1	2.8		INVSLE Max	I	10.6	9.2	-21.9	532.6	
				J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-14.9	-9.2	-545.0	-761.0	
-315.9	-2.8			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
1012	3	4	C1-C2;~1 Max	I	66.0	50.4	236.5	0.0	
0.0	0.0			J	66.0	50.4	236.5	0.0	
3753.0	175.5		Min	I	-95.8	-73.1	-1563.7	-0.0	
-0.0	-0.0			J	-95.8	-73.1	-1563.7	-0.0	
-567.7	-120.9								
			C3-C4;~1 Max	I	72.9	55.6	205.7	0.0	
0.0	0.0			J	72.9	55.6	205.7	0.0	
4611.1	177.3		Min	I	-96.8	-73.9	-1921.3	-0.0	
-0.0	-0.0			J	-96.8	-73.9	-1921.3	-0.0	
-493.6	-133.4								
			C1-C2;~2 Max	I	34.6	26.4	122.6	0.0	
0.0	0.0			J	34.6	26.4	122.6	0.0	
1855.8	94.2		Min	I	-51.5	-39.3	-773.2	-0.0	
-0.0	-0.0			J	-51.5	-39.3	-773.2	-0.0	
-294.3	-63.4								
			C3-C4;~2 Max	I	38.5	29.4	109.2	0.0	
0.0	0.0			J	38.5	29.4	109.2	0.0	
2348.5	93.9		Min	I	-51.3	-39.1	-978.5	-0.0	
-0.0	-0.0			J	-51.3	-39.1	-978.5	-0.0	
-262.2	-70.6								
			SLVx (RS)	I	531.5	405.5	825.2	-0.0	
-0.0	-0.0			J	531.5	405.5	825.2	-0.0	-
1980.4	-973.2								
			SLVy (RS)	I	514.0	392.2	621.6	0.0	
-0.0	-0.0			J	514.0	392.2	621.6	0.0	-
1492.0	-941.2								
			SLDx (RS)	I	379.9	289.8	582.0	-0.0	
0.0	-0.0			J	379.9	289.8	582.0	-0.0	-
1396.8	-695.6								
			SLDy (RS)	I	367.1	280.1	436.1	0.0	
-0.0	-0.0			J	367.1	280.1	436.1	0.0	-
1046.7	-672.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	-0.0	SLVz (RS)	I	62.8	47.9	417.4	-0.0	
			J	62.8	47.9	417.4	-0.0	-
1001.8	-115.0							
		G1	I	-44.9	-34.2	-2096.6	-0.0	
0.0	-0.0		J	-44.9	-34.2	-2096.6	-0.0	
5031.8	82.1							
		G2	I	-16.4	-12.5	-765.6	-0.0	
0.0	-0.0		J	-16.4	-12.5	-765.6	-0.0	
1837.3	30.0							
		G1- Imp~1	I	12.2	9.3	2.6	0.0	
-0.0	-0.0		J	12.2	9.3	2.6	0.0	
-6.1	-22.3							
		G2- Imp~1	I	4.4	3.4	0.9	0.0	
0.0	-0.0		J	4.4	3.4	0.9	0.0	
-2.2	-8.1							
		q3	I	-42.6	-32.5	-28.7	-0.0	
0.0	-0.0		J	-42.6	-32.5	-28.7	-0.0	
68.9	78.0							
		q4-1	I	-30.4	-23.2	-35.3	-0.0	
0.0	0.0		J	-30.4	-23.2	-35.3	-0.0	
84.7	55.7							
		q4-2	I	-65.2	-49.7	-59.2	-0.0	
0.0	0.0		J	-65.2	-49.7	-59.2	-0.0	
142.2	119.4							
		q4-3	I	-22.6	-17.3	-13.2	-0.0	
0.0	0.0		J	-22.6	-17.3	-13.2	-0.0	
31.8	41.4							
		q4-4	I	1.9	1.5	-1.3	0.0	
0.0	-0.0		J	1.9	1.5	-1.3	0.0	
3.1	-3.5							
		q4-5	I	0.7	0.6	-0.1	0.0	
-0.0	-0.0		J	0.7	0.6	-0.1	0.0	
0.3	-1.4							
		q4-6	I	-0.2	-0.2	-0.6	0.0	
0.0	-0.0		J	-0.2	-0.2	-0.6	0.0	
1.4	0.4							
		q4-7	I	-0.1	-0.1	-0.6	0.0	
0.0	-0.0		J	-0.1	-0.1	-0.6	0.0	
1.5	0.3							
		q5 - p~1	I	-398.3	-303.9	-227.1	0.0	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	0.0		J	-398.3	-303.9	-227.1	0.0
545.0	729.4						
-0.0	-0.0	q5 - p~2	I	398.9	304.3	236.6	0.0
-567.9	-730.3		J	398.9	304.3	236.6	0.0
0.0	0.0	q5 - p~3	I	-377.4	-287.9	-200.8	0.0
482.0	690.9		J	-377.4	-287.9	-200.8	0.0
0.0	-0.0	q5 - p~4	I	378.5	288.7	183.8	0.0
-441.1	-693.0		J	378.5	288.7	183.8	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	0.0	q7	I	-77.7	-59.3	-36.3	0.0
87.1	142.3		J	-77.7	-59.3	-36.3	0.0
-0.0	-0.0	T	I	1.3	1.0	0.6	0.0
-1.6	-2.3		J	1.3	1.0	0.6	0.0
-0.0	0.0	M. tor~1	I	-88.7	-67.7	5.2	0.0
-12.5	162.4		J	-88.7	-67.7	5.2	0.0
0.0	0.0	M. tor~2	I	-52.4	-40.0	3.1	0.0
-7.4	96.0		J	-52.4	-40.0	3.1	0.0
0.0	0.0	INVSLU Max	I	560.4	427.5	-3326.4	0.0
5999.2	1278.7		J	560.4	427.5	-3326.4	0.0
-0.0	-0.0	Min	I	-698.4	-532.8	-6666.3	-0.0
7983.4	-1026.0		J	-698.4	-532.8	-6666.3	-0.0
0.0	0.0	INVSLV Max	I	659.9	503.5	-1721.7	0.0
9589.3	1371.8		J	659.9	503.5	-1721.7	0.0
-0.0	-0.0	Min	I	-749.2	-571.6	-3995.5	-0.0
4132.2	-1208.3		J	-749.2	-571.6	-3995.5	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	0.0	INVSLE Max	I	373.1	284.7	-2479.7	0.0	
1813.5	870.3		J	373.1	284.7	-2479.7	0.0	1
-0.0	-0.0	Min	I	-475.3	-362.6	-4922.3	-0.0	
5951.4	-683.2		J	-475.3	-362.6	-4922.3	-0.0	
1013	3	4 C1-C2;~1 Max	I	0.0	0.0	2389.5	0.0	
5734.9	0.0		J	0.0	0.0	2389.5	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-191.0	-0.0	
-458.4	-0.0		J	-0.0	-0.0	-191.0	-0.0	
-0.0	-0.0							
4942.0	0.0	C3-C4;~1 Max	I	0.0	0.0	2059.2	0.0	
0.0	0.0		J	0.0	0.0	2059.2	0.0	
-483.4	-0.0	Min	I	-0.0	-0.0	-201.4	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-201.4	-0.0	
2939.9	0.0	C1-C2;~2 Max	I	0.0	0.0	1224.9	0.0	
0.0	0.0		J	0.0	0.0	1224.9	0.0	
-241.6	-0.0	Min	I	-0.0	-0.0	-100.7	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-100.7	-0.0	
2487.6	0.0	C3-C4;~2 Max	I	0.0	0.0	1036.5	0.0	
0.0	0.0		J	0.0	0.0	1036.5	0.0	
-256.6	-0.0	Min	I	-0.0	-0.0	-106.9	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-106.9	-0.0	
2121.5	0.0	SLVx (RS)	I	-0.0	0.0	884.0	0.0	
-0.0	0.0		J	-0.0	0.0	884.0	0.0	
1653.7	-0.0	SLVy (RS)	I	0.0	0.0	-689.0	-0.0	-
-0.0	0.0		J	0.0	0.0	-689.0	-0.0	
1501.5	0.0	SLDx (RS)	I	0.0	0.0	625.6	0.0	
-0.0	-0.0		J	0.0	0.0	625.6	0.0	
1163.5	0.0	SLDy (RS)	I	0.0	0.0	-484.8	-0.0	-
-0.0	-0.0		J	0.0	0.0	-484.8	-0.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1608.3	0.0	SLVz (RS)	I	-0.0	0.0	-670.1	0.0	-
			J	-0.0	0.0	-670.1	0.0	
-0.0	-0.0							
6974.7	0.0	G1	I	0.0	0.0	2906.1	-0.0	
			J	0.0	0.0	2906.1	-0.0	
0.0	0.0							
2547.4	0.0	G2	I	-0.0	-0.0	1061.4	0.0	
			J	-0.0	-0.0	1061.4	0.0	
0.0	0.0							
6.1	0.0	G1 - Imp~1	I	0.0	0.0	2.5	-0.0	
			J	0.0	0.0	2.5	-0.0	
0.0	0.0							
2.2	0.0	G2 - Imp~1	I	0.0	0.0	0.9	0.0	
			J	0.0	0.0	0.9	0.0	
0.0	-0.0							
-44.9	0.0	q3	I	0.0	0.0	-18.7	-0.0	
			J	0.0	0.0	-18.7	-0.0	
0.0	-0.0							
-45.8	0.0	q4-1	I	-0.0	0.0	-19.1	0.0	
			J	-0.0	0.0	-19.1	0.0	
0.0	0.0							
-125.8	-0.0	q4-2	I	-0.0	-0.0	-52.4	0.0	
			J	-0.0	-0.0	-52.4	0.0	
0.0	-0.0							
-41.3	-0.0	q4-3	I	-0.0	0.0	-17.2	0.0	
			J	-0.0	0.0	-17.2	0.0	
0.0	-0.0							
-5.5	-0.0	q4-4	I	0.0	0.0	-2.3	-0.0	
			J	0.0	0.0	-2.3	-0.0	
-0.0	-0.0							
2.5	0.0	q4-5	I	0.0	0.0	1.1	0.0	
			J	0.0	0.0	1.1	0.0	
0.0	-0.0							
1.6	-0.0	q4-6	I	0.0	-0.0	0.7	0.0	
			J	0.0	-0.0	0.7	0.0	
0.0	-0.0							
1.5	-0.0	q4-7	I	0.0	-0.0	0.6	0.0	
			J	0.0	-0.0	0.6	0.0	
-0.0	0.0							
		q5 - p~1	I	-0.0	-0.0	-263.8	-0.0	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

-633.0	-0.0		J	-0.0	-0.0	-263.8	-0.0	
0.0	0.0							
513.9	0.0	q5 - p~2	I	0.0	0.0	214.1	0.0	
0.0	-0.0		J	0.0	0.0	214.1	0.0	
-567.2	-0.0	q5 - p~3	I	0.0	0.0	-236.3	0.0	
0.0	-0.0		J	0.0	0.0	-236.3	0.0	
397.6	0.0	q5 - p~4	I	0.0	0.0	165.6	0.0	
-0.0	-0.0		J	0.0	0.0	165.6	0.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-96.2	-0.0	q7	I	-0.0	-0.0	-40.1	-0.0	
0.0	-0.0		J	-0.0	-0.0	-40.1	-0.0	
-1.2	0.0	T	I	0.0	0.0	-0.5	-0.0	
-0.0	0.0		J	0.0	0.0	-0.5	-0.0	
88.8	-0.0	M. tor~1	I	-0.0	-0.0	37.0	-0.0	
0.0	-0.0		J	-0.0	-0.0	37.0	-0.0	
52.5	-0.0	M. tor~2	I	-0.0	-0.0	21.9	-0.0	
-0.0	-0.0		J	-0.0	-0.0	21.9	-0.0	
1178.6	0.0	INVSLU Max	I	0.0	0.0	8824.4	0.0	2
0.0	0.0		J	0.0	0.0	8824.4	0.0	
1642.8	-0.0	Min	I	-0.0	-0.0	4851.2	-0.0	1
-0.0	-0.0		J	-0.0	-0.0	4851.2	-0.0	
2630.4	0.0	INVSLV Max	I	0.0	0.0	5262.7	0.0	1
0.0	0.0		J	0.0	0.0	5262.7	0.0	
6430.3	-0.0	Min	I	-0.0	-0.0	2679.3	-0.0	
-0.0	-0.0		J	-0.0	-0.0	2679.3	-0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5645.8	0.0		INVSLE Max	I	0.0	0.0	6519.1	0.0	1
				J	0.0	0.0	6519.1	0.0	
0.0	0.0								
8666.4	-0.0		Min	I	-0.0	-0.0	3611.0	-0.0	
				J	-0.0	-0.0	3611.0	-0.0	
-0.0	-0.0								
1014	3	4	C1-C2;~1 Max	I	95.8	73.1	1563.7	27.7	
36.3	0.0			J	95.8	73.1	1563.7	27.7	
538.4	120.9								
			Min	I	-66.0	-50.4	-236.5	-40.2	
-52.7	-0.0			J	-66.0	-50.4	-236.5	-40.2	-
3744.6	-175.5								
			C3-C4;~1 Max	I	96.8	73.9	1921.3	30.6	
40.1	0.0			J	96.8	73.9	1921.3	30.6	
474.2	133.4								
			Min	I	-72.9	-55.6	-205.7	-40.6	
-53.3	-0.0			J	-72.9	-55.6	-205.7	-40.6	-
4599.1	-177.3								
			C1-C2;~2 Max	I	51.5	39.3	773.2	14.5	
19.0	0.0			J	51.5	39.3	773.2	14.5	
278.7	63.4								
			Min	I	-34.6	-26.4	-122.6	-21.6	
-28.3	-0.0			J	-34.6	-26.4	-122.6	-21.6	-
1850.9	-94.2								
			C3-C4;~2 Max	I	51.3	39.1	978.5	16.2	
21.2	0.0			J	51.3	39.1	978.5	16.2	
252.3	70.6								
			Min	I	-38.5	-29.4	-109.2	-21.5	
-28.2	-0.0			J	-38.5	-29.4	-109.2	-21.5	-
2341.4	-93.9								
			SLVx (RS)	I	-531.7	-405.6	-825.2	223.1	
292.4	0.0			J	-531.7	-405.6	-825.2	223.1	
1977.7	973.4								
			SLVy (RS)	I	-514.1	-392.2	-621.7	215.7	
282.7	0.0			J	-514.1	-392.2	-621.7	215.7	
1447.1	941.2								
			SLDx (RS)	I	-380.0	-289.9	-582.0	159.4	
209.0	0.0			J	-380.0	-289.9	-582.0	159.4	
1401.1	695.8								
			SLDy (RS)	I	-367.2	-280.1	-436.1	154.1	
201.9	0.0			J	-367.2	-280.1	-436.1	154.1	
1020.5	672.3								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
34.5	0.0	SLVz (RS)	I	-62.8	-47.9	-417.4	26.4
			J	-62.8	-47.9	-417.4	26.4
1011.4	115.0						
		G1	I	44.9	34.2	2096.6	-18.8
-24.7	0.0		J	44.9	34.2	2096.6	-18.8
5056.4	-82.1						
		G2	I	16.4	12.5	765.6	-6.9
-9.0	0.0		J	16.4	12.5	765.6	-6.9
1846.4	-30.0						
		G1- Imp~1	I	-12.2	-9.3	-2.6	5.1
6.7	-0.0		J	-12.2	-9.3	-2.6	5.1
12.8	22.3						
		G2- Imp~1	I	-4.4	-3.4	-0.9	1.9
2.4	-0.0		J	-4.4	-3.4	-0.9	1.9
4.7	8.1						
		q3	I	42.6	32.5	28.7	-17.9
-23.4	0.0		J	42.6	32.5	28.7	-17.9
-92.3	-78.0						
		q4-1	I	30.4	23.2	35.3	-12.8
-16.7	0.0		J	30.4	23.2	35.3	-12.8
-101.4	-55.7						
		q4-2	I	65.2	49.7	59.2	-27.4
-35.9	-0.0		J	65.2	49.7	59.2	-27.4
-178.0	-119.4						
		q4-3	I	22.6	17.3	13.2	-9.5
-12.4	-0.0		J	22.6	17.3	13.2	-9.5
-44.2	-41.4						
		q4-4	I	-1.9	-1.5	1.3	0.8
1.1	-0.0		J	-1.9	-1.5	1.3	0.8
-2.1	3.5						
		q4-5	I	-0.7	-0.6	0.1	0.3
0.4	0.0		J	-0.7	-0.6	0.1	0.3
0.1	1.4						
		q4-6	I	0.2	0.2	0.6	-0.1
-0.1	0.0		J	0.2	0.2	0.6	-0.1
-1.5	-0.4						
		q4-7	I	0.1	0.1	0.6	-0.1
-0.1	0.0		J	0.1	0.1	0.6	-0.1
-1.6	-0.3						
		q5 - p~1	I	398.4	303.9	227.1	-167.2

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-219.1	-0.0		J	398.4	303.9	227.1	-167.2
-764.1	-729.4						
		q5 - p~2	I	-398.9	-304.3	-236.6	167.4
219.4	0.0		J	-398.9	-304.3	-236.6	167.4
787.3	730.4						
		q5 - p~3	I	377.4	287.9	200.8	-158.4
-207.6	0.0		J	377.4	287.9	200.8	-158.4
-689.5	-691.0						
		q5 - p~4	I	-378.5	-288.8	-183.8	158.8
208.2	-0.0		J	-378.5	-288.8	-183.8	158.8
649.3	693.0						
		q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q7	I	77.7	59.3	36.3	-32.6
-42.8	0.0		J	77.7	59.3	36.3	-32.6
-129.9	-142.3						
		T	I	-1.3	-1.0	-0.6	0.5
0.7	-0.0		J	-1.3	-1.0	-0.6	0.5
2.2	2.3						
		M. tor~1	I	88.7	67.7	-5.2	-37.2
-48.8	0.0		J	88.7	67.7	-5.2	-37.2
-36.3	-162.5						
		M. tor~2	I	52.5	40.0	-3.1	-22.0
-28.9	-0.0		J	52.5	40.0	-3.1	-22.0
-21.5	-96.1						
		INVSLU Max	I	698.4	532.8	6666.3	235.2
308.2	0.0		J	698.4	532.8	6666.3	235.2
7858.1	1026.1						-
		Min	I	-560.4	-427.6	3326.4	-293.1
-384.1	-0.0		J	-560.4	-427.6	3326.4	-293.1
6214.2	-1278.8						-1
		INVSLV Max	I	749.4	571.7	3995.5	277.0
363.0	0.0		J	749.4	571.7	3995.5	277.0
4170.0	1208.6						-
		Min	I	-660.1	-503.6	1721.7	-314.4
-412.1	-0.0		J	-660.1	-503.6	1721.7	-314.4
9600.5	-1372.0						-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

205.2	0.0	INVSLE	Max	I	475.4	362.7	4922.3	156.6	
				J	475.4	362.7	4922.3	156.6	-
5873.1	683.2		Min	I	-373.2	-284.7	2479.7	-199.5	
-261.5	-0.0			J	-373.2	-284.7	2479.7	-199.5	-1
1958.2	-870.4								
1015	3	4 C1-C2;~1	Max	I	0.0	0.0	191.0	0.0	
458.4	0.0			J	0.0	0.0	191.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-2389.5	-0.0	-
5734.9	-0.0			J	-0.0	-0.0	-2389.5	-0.0	
-0.0	-0.0								
483.4	0.0	C3-C4;~1	Max	I	0.0	0.0	201.4	0.0	
				J	0.0	0.0	201.4	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-2059.2	-0.0	-
4942.0	-0.0			J	-0.0	-0.0	-2059.2	-0.0	
-0.0	-0.0								
241.6	0.0	C1-C2;~2	Max	I	0.0	0.0	100.7	0.0	
				J	0.0	0.0	100.7	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-1224.9	-0.0	-
2939.9	-0.0			J	-0.0	-0.0	-1224.9	-0.0	
-0.0	-0.0								
256.6	0.0	C3-C4;~2	Max	I	0.0	0.0	106.9	0.0	
				J	0.0	0.0	106.9	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-1036.5	-0.0	-
2487.6	-0.0			J	-0.0	-0.0	-1036.5	-0.0	
-0.0	-0.0								
2121.5	-0.0	SLVx (RS)		I	0.0	-0.0	-884.0	0.0	-
				J	0.0	-0.0	-884.0	0.0	
0.0	-0.0								
1653.7	0.0	SLVy (RS)		I	0.0	0.0	689.0	-0.0	
				J	0.0	0.0	689.0	-0.0	
0.0	-0.0								
1501.5	-0.0	SLDx (RS)		I	0.0	-0.0	-625.6	0.0	-
				J	0.0	-0.0	-625.6	0.0	
0.0	0.0								
1163.5	0.0	SLDy (RS)		I	0.0	0.0	484.8	0.0	
				J	0.0	0.0	484.8	0.0	
0.0	-0.0								

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1608.3	-0.0	SLVz (RS)	I	0.0	-0.0	670.1	0.0
			J	0.0	-0.0	670.1	0.0
-0.0	0.0						
6974.7	0.0	G1	I	-0.0	0.0	-2906.1	-0.0
			J	-0.0	0.0	-2906.1	-0.0
-0.0	-0.0						
2547.4	-0.0	G2	I	-0.0	-0.0	-1061.4	-0.0
			J	-0.0	-0.0	-1061.4	-0.0
0.0	0.0						
-6.1	-0.0	G1 - Imp~1	I	-0.0	-0.0	-2.5	0.0
			J	-0.0	-0.0	-2.5	0.0
0.0	0.0						
-2.2	-0.0	G2 - Imp~1	I	0.0	-0.0	-0.9	0.0
			J	0.0	-0.0	-0.9	0.0
0.0	0.0						
44.9	0.0	q3	I	0.0	0.0	18.7	-0.0
			J	0.0	0.0	18.7	-0.0
-0.0	0.0						
45.8	-0.0	q4-1	I	0.0	-0.0	19.1	-0.0
			J	0.0	-0.0	19.1	-0.0
-0.0	0.0						
125.8	0.0	q4-2	I	0.0	0.0	52.4	-0.0
			J	0.0	0.0	52.4	-0.0
-0.0	-0.0						
41.3	0.0	q4-3	I	0.0	0.0	17.2	-0.0
			J	0.0	0.0	17.2	-0.0
-0.0	-0.0						
5.5	0.0	q4-4	I	-0.0	0.0	2.3	0.0
			J	-0.0	0.0	2.3	0.0
0.0	0.0						
-2.5	-0.0	q4-5	I	-0.0	0.0	-1.1	0.0
			J	-0.0	0.0	-1.1	0.0
0.0	0.0						
-1.6	0.0	q4-6	I	0.0	0.0	-0.7	0.0
			J	0.0	0.0	-0.7	0.0
0.0	0.0						
-1.5	0.0	q4-7	I	0.0	0.0	-0.6	0.0
			J	0.0	0.0	-0.6	0.0
0.0	0.0						
		q5 - p~1	I	0.0	-0.0	263.8	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
633.0	0.0		J	0.0	-0.0	263.8	-0.0
-0.0	-0.0						
-513.9	-0.0	q5 - p~2	I	-0.0	0.0	-214.1	0.0
0.0	0.0		J	-0.0	0.0	-214.1	0.0
567.2	0.0	q5 - p~3	I	0.0	0.0	236.3	-0.0
-0.0	0.0		J	0.0	0.0	236.3	-0.0
-397.5	-0.0	q5 - p~4	I	-0.0	-0.0	-165.6	0.0
0.0	0.0		J	-0.0	-0.0	-165.6	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
96.2	0.0	q7	I	0.0	0.0	40.1	-0.0
-0.0	-0.0		J	0.0	0.0	40.1	-0.0
1.2	-0.0	T	I	-0.0	0.0	0.5	0.0
0.0	0.0		J	-0.0	0.0	0.5	0.0
-88.8	0.0	M. tor~1	I	-0.0	0.0	-37.0	-0.0
-0.0	-0.0		J	-0.0	0.0	-37.0	-0.0
-52.5	-0.0	M. tor~2	I	0.0	0.0	-21.9	-0.0
-0.0	-0.0		J	0.0	0.0	-21.9	-0.0
1642.8	0.0	INVSLU Max	I	0.0	0.0	-4851.2	0.0
0.0	0.0		J	0.0	0.0	-4851.2	0.0
1178.6	-0.0	Min	I	-0.0	-0.0	-8824.4	-0.0
-0.0	-0.0		J	-0.0	-0.0	-8824.4	-0.0
6430.2	0.0	INVSLV Max	I	0.0	0.0	-2679.3	0.0
0.0	0.0		J	0.0	0.0	-2679.3	0.0
2630.4	-0.0	Min	I	-0.0	-0.0	-5262.7	-0.0
-0.0	-0.0		J	-0.0	-0.0	-5262.7	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

8666.4	0.0		INVSLE Max	I	0.0	0.0	-3611.0	0.0	-
				J	0.0	0.0	-3611.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-6519.1	-0.0	-1
5645.8	-0.0			J	-0.0	-0.0	-6519.1	-0.0	
-0.0	-0.0								
1016	3	4	C1-C2;~1 Max	I	92.8	30.8	237.4	0.0	
0.0	0.0			J	92.8	30.8	237.4	0.0	
4151.8	70.8		Min	I	-88.8	-29.5	-1729.9	-0.0	
-0.0	-0.0			J	-88.8	-29.5	-1729.9	-0.0	
-569.8	-74.0								
			C3-C4;~1 Max	I	89.3	29.7	235.6	0.0	
0.0	0.0			J	89.3	29.7	235.6	0.0	
5067.0	67.8		Min	I	-85.0	-28.2	-2111.3	-0.0	
-0.0	-0.0			J	-85.0	-28.2	-2111.3	-0.0	
-565.4	-71.2								
			C1-C2;~2 Max	I	46.7	15.5	119.6	0.0	
0.0	0.0			J	46.7	15.5	119.6	0.0	
2004.2	37.2		Min	I	-46.6	-15.5	-835.1	-0.0	
-0.0	-0.0			J	-46.6	-15.5	-835.1	-0.0	
-287.0	-37.3								
			C3-C4;~2 Max	I	45.6	15.1	117.5	0.0	
0.0	0.0			J	45.6	15.1	117.5	0.0	
2521.1	35.0		Min	I	-43.9	-14.6	-1050.5	-0.0	
-0.0	-0.0			J	-43.9	-14.6	-1050.5	-0.0	
-282.1	-36.3								
			SLVx (RS)	I	1338.8	444.8	-520.4	-0.0	
-0.0	0.0			J	1338.8	444.8	-520.4	-0.0	
1249.1	-1067.6								
			SLVy (RS)	I	890.7	296.0	406.4	0.0	
0.0	0.0			J	890.7	296.0	406.4	0.0	
-975.4	-710.3								
			SLDx (RS)	I	930.8	309.3	-383.8	-0.0	
-0.0	0.0			J	930.8	309.3	-383.8	-0.0	
921.2	-742.3								
			SLDy (RS)	I	631.0	209.6	290.8	0.0	
0.0	0.0			J	631.0	209.6	290.8	0.0	
-697.9	-503.2								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	-0.0	SLVz (RS)	I	-80.0	-26.6	355.6	0.0
			J	-80.0	-26.6	355.6	0.0
-853.3	63.8						
		G1	I	15.4	5.1	-2413.0	-0.0
-0.0	-0.0		J	15.4	5.1	-2413.0	-0.0
5791.2	-12.3						
		G2	I	5.6	1.9	-881.4	-0.0
0.0	0.0		J	5.6	1.9	-881.4	-0.0
2115.4	-4.5						
		G1 - Imp~1	I	-2.6	-0.9	1.3	0.0
0.0	0.0		J	-2.6	-0.9	1.3	0.0
-3.2	2.1						
		G2 - Imp~1	I	-1.0	-0.3	0.5	0.0
0.0	0.0		J	-1.0	-0.3	0.5	0.0
-1.2	0.8						
		q3	I	-144.9	-48.2	-52.5	0.0
-0.0	-0.0		J	-144.9	-48.2	-52.5	0.0
126.1	115.6						
		q4-1	I	78.6	26.1	28.5	0.0
-0.0	-0.0		J	78.6	26.1	28.5	0.0
-68.4	-62.7						
		q4-2	I	-10.4	-3.5	-17.3	-0.0
0.0	-0.0		J	-10.4	-3.5	-17.3	-0.0
41.5	8.3						
		q4-3	I	-121.8	-40.5	-74.8	-0.0
0.0	-0.0		J	-121.8	-40.5	-74.8	-0.0
179.6	97.1						
		q4-4	I	-27.4	-9.1	-22.5	0.0
0.0	0.0		J	-27.4	-9.1	-22.5	0.0
54.1	21.9						
		q4-5	I	4.6	1.5	2.7	0.0
0.0	-0.0		J	4.6	1.5	2.7	0.0
-6.5	-3.7						
		q4-6	I	1.1	0.4	5.0	0.0
0.0	0.0		J	1.1	0.4	5.0	0.0
-12.0	-0.9						
		q4-7	I	0.4	0.1	4.2	0.0
0.0	-0.0		J	0.4	0.1	4.2	0.0
-10.1	-0.3						
		q5 - p~1	I	-1359.2	-451.6	-770.5	0.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	-0.0			J	-1359.2	-451.6	-770.5	0.0
1849.3	1083.9							
		q5 - p~2		I	187.1	62.2	208.1	0.0
-0.0	0.0			J	187.1	62.2	208.1	0.0
-499.5	-149.2							
		q5 - p~3		I	-1287.8	-427.9	-690.7	0.0
0.0	-0.0			J	-1287.8	-427.9	-690.7	0.0
1657.6	1027.0							
		q5 - p~4		I	177.4	59.0	168.5	0.0
-0.0	0.0			J	177.4	59.0	168.5	0.0
-404.5	-141.5							
		q5 - p~5		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		q5 - p~6		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		q7		I	-270.7	-90.0	-87.1	0.0
0.0	-0.0			J	-270.7	-90.0	-87.1	0.0
209.1	215.9							
		T		I	-0.4	-0.1	5.4	-0.0
-0.0	0.0			J	-0.4	-0.1	5.4	-0.0
-13.0	0.4							
		M. tor~1		I	-35.4	-11.8	2.1	0.0
0.0	-0.0			J	-35.4	-11.8	2.1	0.0
-5.0	28.2							
		M. tor~2		I	-20.9	-6.9	1.2	-0.0
0.0	0.0			J	-20.9	-6.9	1.2	-0.0
-2.9	16.7							
		INVSLU Max		I	2018.7	670.7	-3243.6	0.0
0.0	0.0			J	2018.7	670.7	-3243.6	0.0
9182.1	1572.1							1
		Min		I	-1971.4	-655.0	-7992.5	-0.0
-0.0	-0.0			J	-1971.4	-655.0	-7992.5	-0.0
7784.7	-1609.8							
		INVSLV Max		I	1647.5	547.4	-2543.5	0.0
0.0	0.0			J	1647.5	547.4	-2543.5	0.0
9699.9	1285.9							
		Min		I	-1612.6	-535.8	-4041.6	-0.0
-0.0	-0.0			J	-1612.6	-535.8	-4041.6	-0.0
6104.5	-1313.8							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	0.0	INVSLE Max	I	1352.3	449.3	-2479.1	0.0	
			J	1352.3	449.3	-2479.1	0.0	1
4086.5	1050.4	Min	I	-1317.3	-437.7	-5869.4	-0.0	
-0.0	-0.0		J	-1317.3	-437.7	-5869.4	-0.0	
5949.8	-1078.4							
1017	3	4 C1-C2;~1 Max	I	0.0	0.0	2350.1	0.0	
5640.2	0.0		J	0.0	0.0	2350.1	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-281.7	-0.0	
-676.0	-0.0		J	-0.0	-0.0	-281.7	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	1986.2	0.0	
4766.8	0.0		J	0.0	0.0	1986.2	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-299.6	-0.0	
-719.1	-0.0		J	-0.0	-0.0	-299.6	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	1195.5	0.0	
2869.1	0.0		J	0.0	0.0	1195.5	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-140.9	-0.0	
-338.2	-0.0		J	-0.0	-0.0	-140.9	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	987.7	0.0	
2370.4	0.0		J	0.0	0.0	987.7	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-150.8	-0.0	
-361.8	-0.0		J	-0.0	-0.0	-150.8	-0.0	
-0.0	-0.0							
		SLVx (RS)	I	0.0	-0.0	524.0	-0.0	
1257.6	-0.0		J	0.0	-0.0	524.0	-0.0	
-0.0	-0.0							
		SLVy (RS)	I	-0.0	0.0	415.5	-0.0	
997.2	0.0		J	-0.0	0.0	415.5	-0.0	
0.0	-0.0							
		SLDx (RS)	I	0.0	-0.0	379.0	-0.0	
909.5	-0.0		J	0.0	-0.0	379.0	-0.0	
-0.0	-0.0							
		SLDy (RS)	I	-0.0	0.0	296.2	-0.0	
710.9	0.0		J	-0.0	0.0	296.2	-0.0	
0.0	-0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1088.8	0.0	SLVz (RS)	I	-0.0	0.0	-453.7	-0.0	-
-0.0	0.0		J	-0.0	0.0	-453.7	-0.0	
6358.4	0.0	G1	I	0.0	0.0	2649.3	-0.0	
-0.0	-0.0		J	0.0	0.0	2649.3	-0.0	
2321.0	0.0	G2	I	-0.0	0.0	967.1	0.0	
-0.0	-0.0		J	-0.0	0.0	967.1	0.0	
2.4	0.0	G1 - Imp~1	I	0.0	0.0	1.0	0.0	
0.0	0.0		J	0.0	0.0	1.0	0.0	
0.9	0.0	G2 - Imp~1	I	0.0	0.0	0.4	0.0	
0.0	0.0		J	0.0	0.0	0.4	0.0	
-168.0	0.0	q3	I	-0.0	0.0	-70.0	-0.0	
0.0	-0.0		J	-0.0	0.0	-70.0	-0.0	
49.8	-0.0	q4-1	I	0.0	-0.0	20.8	0.0	
-0.0	0.0		J	0.0	-0.0	20.8	0.0	
-36.8	-0.0	q4-2	I	0.0	-0.0	-15.3	0.0	
-0.0	0.0		J	0.0	-0.0	-15.3	0.0	
-164.5	0.0	q4-3	I	-0.0	-0.0	-68.6	0.0	
0.0	0.0		J	-0.0	-0.0	-68.6	0.0	
-57.5	0.0	q4-4	I	-0.0	-0.0	-24.0	-0.0	
0.0	0.0		J	-0.0	-0.0	-24.0	-0.0	
-2.9	0.0	q4-5	I	0.0	0.0	-1.2	-0.0	
-0.0	-0.0		J	0.0	0.0	-1.2	-0.0	
3.5	0.0	q4-6	I	-0.0	0.0	1.5	-0.0	
0.0	-0.0		J	-0.0	0.0	1.5	-0.0	
1.0	0.0	q4-7	I	-0.0	0.0	0.4	-0.0	
0.0	-0.0		J	-0.0	0.0	0.4	-0.0	
		q5 - p~1	I	-0.0	-0.0	-705.2	-0.0	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1692.5	-0.0		J	-0.0	-0.0	-705.2	-0.0	
0.0	0.0							
270.0	0.0	q5 - p~2	I	0.0	-0.0	112.5	-0.0	
0.0	0.0		J	0.0	-0.0	112.5	-0.0	
1516.2	0.0	q5 - p~3	I	0.0	0.0	-631.8	-0.0	-
0.0	-0.0		J	0.0	0.0	-631.8	-0.0	
194.4	-0.0	q5 - p~4	I	0.0	-0.0	81.0	-0.0	
0.0	0.0		J	0.0	-0.0	81.0	-0.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-210.5	0.0	q7	I	0.0	0.0	-87.7	-0.0	
0.0	-0.0		J	0.0	0.0	-87.7	-0.0	
16.8	0.0	T	I	-0.0	0.0	7.0	0.0	
-0.0	-0.0		J	-0.0	0.0	7.0	0.0	
-73.5	0.0	M. tor~1	I	0.0	0.0	-30.6	-0.0	
0.0	-0.0		J	0.0	0.0	-30.6	-0.0	
-43.5	-0.0	M. tor~2	I	-0.0	-0.0	-18.1	-0.0	
0.0	0.0		J	-0.0	-0.0	-18.1	-0.0	
0871.3	0.0	INVSLU Max	I	0.0	0.0	8696.4	0.0	2
0.0	0.0		J	0.0	0.0	8696.4	0.0	
8946.6	-0.0	Min	I	-0.0	-0.0	3727.8	-0.0	
-0.0	-0.0		J	-0.0	-0.0	3727.8	-0.0	
0566.0	0.0	INVSLV Max	I	0.0	0.0	4402.5	0.0	1
0.0	0.0		J	0.0	0.0	4402.5	0.0	
6799.2	-0.0	Min	I	-0.0	-0.0	2833.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	2833.0	-0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5348.5	0.0		INVSLE Max	I	0.0	0.0	6395.2	0.0	1
				J	0.0	0.0	6395.2	0.0	
0.0	0.0								
6794.5	-0.0		Min	I	-0.0	-0.0	2831.0	-0.0	
				J	-0.0	-0.0	2831.0	-0.0	
-0.0	-0.0								
1018	3	4	C1-C2;~1 Max	I	88.8	29.5	1729.9	17.0	
51.0	0.0			J	88.8	29.5	1729.9	17.0	
603.8	74.0								
			Min	I	-92.8	-30.8	-237.4	-16.2	
-48.9	-0.0			J	-92.8	-30.8	-237.4	-16.2	-
4162.3	-70.8								
			C3-C4;~1 Max	I	85.0	28.2	2111.3	16.3	
49.1	0.0			J	85.0	28.2	2111.3	16.3	
590.4	71.2								
			Min	I	-89.3	-29.7	-235.6	-15.5	
-46.8	-0.0			J	-89.3	-29.7	-235.6	-15.5	-
5067.3	-67.8								
			C1-C2;~2 Max	I	46.6	15.5	835.1	8.5	
25.7	0.0			J	46.6	15.5	835.1	8.5	
305.8	37.3								
			Min	I	-46.7	-15.5	-119.6	-8.5	
-25.6	-0.0			J	-46.7	-15.5	-119.6	-8.5	-
2010.2	-37.2								
			C3-C4;~2 Max	I	43.9	14.6	1050.5	8.3	
25.1	0.0			J	43.9	14.6	1050.5	8.3	
296.7	36.3								
			Min	I	-45.6	-15.1	-117.5	-8.0	
-24.1	-0.0			J	-45.6	-15.1	-117.5	-8.0	-
2521.0	-35.0								
			SLVx (RS)	I	-1339.0	-444.9	520.4	244.7	
736.5	-0.0			J	-1339.0	-444.9	520.4	244.7	-
1293.5	1067.8								
			SLVy (RS)	I	-890.8	-296.0	-406.4	162.8	
490.0	-0.0			J	-890.8	-296.0	-406.4	162.8	
1068.6	710.4								
			SLDx (RS)	I	-930.9	-309.3	383.8	170.1	
512.0	-0.0			J	-930.9	-309.3	383.8	170.1	
-949.7	742.4								
			SLDy (RS)	I	-631.0	-209.7	-290.8	115.3	
347.1	-0.0			J	-631.0	-209.7	-290.8	115.3	
776.3	503.2								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-44.0	-0.0	SLVz (RS)	I	80.0	26.6	-355.6	-14.6
			J	80.0	26.6	-355.6	-14.6
856.3	-63.8						
		G1	I	-15.4	-5.1	2413.0	2.8
8.5	0.0		J	-15.4	-5.1	2413.0	2.8
5782.7	12.3						-
		G2	I	-5.6	-1.9	881.4	1.0
3.1	-0.0		J	-5.6	-1.9	881.4	1.0
2112.3	4.5						-
		G1 - Imp~1	I	2.6	0.9	-1.3	-0.5
-1.4	0.0		J	2.6	0.9	-1.3	-0.5
1.8	-2.1						
		G2 - Imp~1	I	1.0	0.3	-0.5	-0.2
-0.5	0.0		J	1.0	0.3	-0.5	-0.2
0.6	-0.8						
		q3	I	144.9	48.2	52.5	-26.5
-79.7	-0.0		J	144.9	48.2	52.5	-26.5
-205.8	-115.6						
		q4-1	I	-78.6	-26.1	-28.5	14.4
43.2	0.0		J	-78.6	-26.1	-28.5	14.4
111.6	62.7						
		q4-2	I	10.4	3.5	17.3	-1.9
-5.7	0.0		J	10.4	3.5	17.3	-1.9
-47.2	-8.3						
		q4-3	I	121.8	40.5	74.8	-22.3
-67.0	0.0		J	121.8	40.5	74.8	-22.3
-246.6	-97.2						
		q4-4	I	27.4	9.1	22.5	-5.0
-15.1	-0.0		J	27.4	9.1	22.5	-5.0
-69.2	-21.9						
		q4-5	I	-4.6	-1.5	-2.7	0.8
2.5	-0.0		J	-4.6	-1.5	-2.7	0.8
9.0	3.7						
		q4-6	I	-1.1	-0.4	-5.0	0.2
0.6	-0.0		J	-1.1	-0.4	-5.0	0.2
12.6	0.9						
		q4-7	I	-0.4	-0.1	-4.2	0.1
0.2	-0.0		J	-0.4	-0.1	-4.2	0.1
10.3	0.3						
		q5 - p~1	I	1359.2	451.6	770.5	-248.4


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-747.6	-0.0		J	1359.2	451.6	770.5	-248.4	-
2596.8	-1083.9							
		q5 - p~2	I	-187.1	-62.2	-208.1	34.2	
102.9	-0.0		J	-187.1	-62.2	-208.1	34.2	
602.4	149.2							
		q5 - p~3	I	1287.9	427.9	690.7	-235.4	
-708.3	-0.0		J	1287.9	427.9	690.7	-235.4	-
2365.9	-1027.0							
		q5 - p~4	I	-177.4	-59.0	-168.5	32.4	
97.6	-0.0		J	-177.4	-59.0	-168.5	32.4	
502.1	141.5							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	270.7	90.0	87.1	-49.5	
-148.9	-0.0		J	270.7	90.0	87.1	-49.5	
-358.0	-215.9							
		T	I	0.4	0.1	-5.4	-0.1	
-0.2	0.0		J	0.4	0.1	-5.4	-0.1	
12.7	-0.4							
		M. tor~1	I	35.4	11.8	-2.1	-6.5	
-19.5	-0.0		J	35.4	11.8	-2.1	-6.5	
-14.5	-28.2							
		M. tor~2	I	20.9	6.9	-1.2	-3.8	
-11.5	0.0		J	20.9	6.9	-1.2	-3.8	
-8.6	-16.7							
		INVSLU Max	I	1971.5	655.1	7992.5	368.9	
1110.3	0.0		J	1971.5	655.1	7992.5	368.9	-
6684.1	1609.9	Min	I	-2018.8	-670.8	3243.6	-360.3	-
1084.3	-0.0		J	-2018.8	-670.8	3243.6	-360.3	-1
9842.2	-1572.2							
		INVSLV Max	I	1612.8	535.9	4041.6	301.1	
906.3	0.0		J	1612.8	535.9	4041.6	301.1	-
6021.6	1314.0	Min	I	-1647.7	-547.5	2543.5	-294.7	
-887.1	-0.0		J	-1647.7	-547.5	2543.5	-294.7	-
9763.6	-1286.1							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

743.8	0.0	INVSLE Max	I	1317.3	437.7	5869.4	247.1	
			J	1317.3	437.7	5869.4	247.1	-
5213.2	1078.4	Min	I	-1352.3	-449.3	2479.1	-240.7	
-724.5	-0.0		J	-1352.3	-449.3	2479.1	-240.7	-1
4525.6	-1050.5							
1019	3	4 C1-C2;~1 Max	I	0.0	0.0	281.7	0.0	
676.0	0.0		J	0.0	0.0	281.7	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-2350.1	-0.0	-
5640.2	-0.0		J	-0.0	-0.0	-2350.1	-0.0	
-0.0	-0.0							
719.1	0.0	C3-C4;~1 Max	I	0.0	0.0	299.6	0.0	
			J	0.0	0.0	299.6	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-1986.2	-0.0	-
4766.8	-0.0		J	-0.0	-0.0	-1986.2	-0.0	
-0.0	-0.0							
338.2	0.0	C1-C2;~2 Max	I	0.0	0.0	140.9	0.0	
			J	0.0	0.0	140.9	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-1195.5	-0.0	-
2869.1	-0.0		J	-0.0	-0.0	-1195.5	-0.0	
-0.0	-0.0							
361.8	0.0	C3-C4;~2 Max	I	0.0	0.0	150.8	0.0	
			J	0.0	0.0	150.8	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-987.7	-0.0	-
2370.4	-0.0		J	-0.0	-0.0	-987.7	-0.0	
-0.0	-0.0							
1257.6	-0.0	SLVx (RS)	I	-0.0	-0.0	-524.0	-0.0	-
			J	-0.0	-0.0	-524.0	-0.0	
0.0	0.0							
-997.2	-0.0	SLVy (RS)	I	0.0	0.0	-415.5	-0.0	
			J	0.0	0.0	-415.5	-0.0	
0.0	-0.0							
-909.5	-0.0	SLDx (RS)	I	0.0	-0.0	-379.0	-0.0	
			J	0.0	-0.0	-379.0	-0.0	
0.0	0.0							
-710.9	-0.0	SLDy (RS)	I	0.0	0.0	-296.2	-0.0	
			J	0.0	0.0	-296.2	-0.0	
0.0	-0.0							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
1088.8	0.0	SLVz (RS)	I	0.0	0.0	453.7	0.0
			J	0.0	0.0	453.7	0.0
0.0	-0.0						
6358.3	-0.0	G1	I	0.0	-0.0	-2649.3	0.0
			J	0.0	-0.0	-2649.3	0.0
0.0	-0.0						
2321.0	0.0	G2	I	0.0	0.0	-967.1	0.0
			J	0.0	0.0	-967.1	0.0
0.0	-0.0						
-2.4	0.0	G1 - Imp~1	I	0.0	0.0	-1.0	0.0
			J	0.0	0.0	-1.0	0.0
0.0	0.0						
-0.9	0.0	G2 - Imp~1	I	0.0	0.0	-0.4	0.0
			J	0.0	0.0	-0.4	0.0
0.0	0.0						
168.0	0.0	q3	I	-0.0	0.0	70.0	-0.0
			J	-0.0	0.0	70.0	-0.0
0.0	-0.0						
-49.8	-0.0	q4-1	I	0.0	-0.0	-20.8	0.0
			J	0.0	-0.0	-20.8	0.0
0.0	0.0						
36.8	0.0	q4-2	I	0.0	0.0	15.3	-0.0
			J	0.0	0.0	15.3	-0.0
-0.0	0.0						
164.5	0.0	q4-3	I	-0.0	0.0	68.6	-0.0
			J	-0.0	0.0	68.6	-0.0
-0.0	0.0						
57.5	0.0	q4-4	I	-0.0	0.0	24.0	-0.0
			J	-0.0	0.0	24.0	-0.0
-0.0	0.0						
2.9	-0.0	q4-5	I	0.0	0.0	1.2	0.0
			J	0.0	0.0	1.2	0.0
0.0	-0.0						
-3.5	0.0	q4-6	I	-0.0	-0.0	-1.5	0.0
			J	-0.0	-0.0	-1.5	0.0
0.0	0.0						
-1.0	0.0	q4-7	I	-0.0	0.0	-0.4	0.0
			J	-0.0	0.0	-0.4	0.0
0.0	0.0						
		q5 - p~1	I	-0.0	0.0	705.2	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1692.5	0.0		J	-0.0	0.0	705.2	-0.0	
-0.0	0.0							
-270.0	0.0	q5 - p~2	I	-0.0	-0.0	-112.5	0.0	
0.0	0.0		J	-0.0	-0.0	-112.5	0.0	
1516.2	0.0	q5 - p~3	I	-0.0	0.0	631.8	-0.0	
-0.0	0.0		J	-0.0	0.0	631.8	-0.0	
-194.4	-0.0	q5 - p~4	I	-0.0	-0.0	-81.0	-0.0	
0.0	0.0		J	-0.0	-0.0	-81.0	-0.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
210.5	0.0	q7	I	-0.0	0.0	87.7	-0.0	
-0.0	0.0		J	-0.0	0.0	87.7	-0.0	
-16.8	-0.0	T	I	0.0	0.0	-7.0	-0.0	
-0.0	-0.0		J	0.0	0.0	-7.0	-0.0	
73.5	-0.0	M. tor~1	I	-0.0	-0.0	30.6	-0.0	
-0.0	0.0		J	-0.0	-0.0	30.6	-0.0	
43.5	-0.0	M. tor~2	I	0.0	-0.0	18.1	-0.0	
0.0	0.0		J	0.0	-0.0	18.1	-0.0	
8946.6	0.0	INVSLU Max	I	0.0	0.0	-3727.8	0.0	-
0.0	0.0		J	0.0	0.0	-3727.8	0.0	
0871.2	-0.0	Min	I	-0.0	-0.0	-8696.4	-0.0	-2
-0.0	-0.0		J	-0.0	-0.0	-8696.4	-0.0	
6799.2	0.0	INVSLV Max	I	0.0	0.0	-2833.0	0.0	-
0.0	0.0		J	0.0	0.0	-2833.0	0.0	
0566.0	-0.0	Min	I	-0.0	-0.0	-4402.5	-0.0	-1
-0.0	-0.0		J	-0.0	-0.0	-4402.5	-0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

6794.5	0.0		INVSLE Max	I	0.0	0.0	-2831.0	0.0	-
				J	0.0	0.0	-2831.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-6395.2	-0.0	-1
5348.5	-0.0			J	-0.0	-0.0	-6395.2	-0.0	
-0.0	-0.0								
1020	3	4	C1-C2;~1 Max	I	96.4	70.0	267.7	0.0	
0.0	0.0			J	96.4	70.0	267.7	0.0	
4266.4	143.2		Min	I	-92.5	-59.7	-1777.7	-0.0	
-0.0	-0.0			J	-92.5	-59.7	-1777.7	-0.0	
-642.4	-168.1								
			C3-C4;~1 Max	I	87.1	57.9	267.8	0.0	
0.0	0.0			J	87.1	57.9	267.8	0.0	
5183.5	139.8		Min	I	-78.4	-58.3	-2159.8	-0.0	
-0.0	-0.0			J	-78.4	-58.3	-2159.8	-0.0	
-642.7	-138.9								
			C1-C2;~2 Max	I	46.7	34.4	133.5	0.0	
0.0	0.0			J	46.7	34.4	133.5	0.0	
2058.7	71.5		Min	I	-45.7	-29.8	-857.8	-0.0	
-0.0	-0.0			J	-45.7	-29.8	-857.8	-0.0	
-320.3	-82.6								
			C3-C4;~2 Max	I	42.6	28.4	132.8	0.0	
0.0	0.0			J	42.6	28.4	132.8	0.0	
2577.8	71.2		Min	I	-37.8	-29.7	-1074.1	-0.0	
-0.0	-0.0			J	-37.8	-29.7	-1074.1	-0.0	
-318.6	-68.1								
			SLVx (RS)	I	2025.9	1549.4	564.0	0.0	
0.0	0.0			J	2025.9	1549.4	564.0	0.0	-
1353.6	-3718.6								
			SLVy (RS)	I	714.6	-3518.7	318.3	0.0	
0.0	0.0			J	714.6	-3518.7	318.3	0.0	
-763.9	8444.9								
			SLDx (RS)	I	1412.1	1082.2	403.4	0.0	
0.0	-0.0			J	1412.1	1082.2	403.4	0.0	
-968.2	-2597.2								
			SLDy (RS)	I	504.9	-2037.7	228.2	0.0	
0.0	0.0			J	504.9	-2037.7	228.2	0.0	
-547.6	4890.5								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
			SLVz (RS)	I	59.2	35.6	390.6
0.0	0.0			J	59.2	35.6	390.6
-937.5	-85.5						
			G1	I	10.5	-3.1	-2437.6
0.0	-0.0			J	10.5	-3.1	-2437.6
5850.2	7.4						
			G2	I	3.8	-1.2	-890.1
-0.0	0.0			J	3.8	-1.2	-890.1
2136.3	2.9						
			G1 - Imp~1	I	-2.9	-1.6	-2.0
0.0	0.0			J	-2.9	-1.6	-2.0
4.9	3.9						
			G2 - Imp~1	I	-1.1	-0.6	-0.7
0.0	0.0			J	-1.1	-0.6	-0.7
1.7	1.4						
			q3	I	8.9	-587.5	4.4
-0.0	0.0			J	8.9	-587.5	4.4
-10.6	1409.9						
			q4-1	I	40.9	78.6	23.9
0.0	-0.0			J	40.9	78.6	23.9
-57.3	-188.5						
			q4-2	I	48.5	88.5	19.7
0.0	-0.0			J	48.5	88.5	19.7
-47.3	-212.4						
			q4-3	I	-31.2	5.0	-25.3
0.0	-0.0			J	-31.2	5.0	-25.3
60.7	-11.9						
			q4-4	I	-148.0	-10.0	-94.7
-0.0	0.0			J	-148.0	-10.0	-94.7
227.3	24.0						
			q4-5	I	-8.5	-26.0	-11.1
-0.0	-0.0			J	-8.5	-26.0	-11.1
26.7	62.3						
			q4-6	I	39.1	-82.4	21.9
-0.0	0.0			J	39.1	-82.4	21.9
-52.6	197.8						
			q4-7	I	30.6	-73.1	18.0
-0.0	0.0			J	30.6	-73.1	18.0
-43.1	175.3						
			q5 - p~1	I	-1622.0	-232.6	-961.8

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	0.0		J	-1622.0	-232.6	-961.8	-0.0
2308.3	558.3						
		q5 - p~2	I	-183.5	-1820.8	-50.1	-0.0
-0.0	0.0		J	-183.5	-1820.8	-50.1	-0.0
120.2	4369.8						
		q5 - p~3	I	-1537.0	-218.7	-861.8	-0.0
-0.0	-0.0		J	-1537.0	-218.7	-861.8	-0.0
2068.3	524.8						
		q5 - p~4	I	-174.6	-1726.5	-40.3	0.0
0.0	0.0		J	-174.6	-1726.5	-40.3	0.0
96.8	4143.6						
		q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q7	I	-43.6	-392.4	-26.5	-0.0
-0.0	0.0		J	-43.6	-392.4	-26.5	-0.0
63.6	941.8						
		T	I	0.4	-0.6	3.8	0.0
0.0	0.0		J	0.4	-0.6	3.8	0.0
-9.1	1.4						
		M. tor~1	I	58.7	-573.9	-50.2	0.0
-0.0	-0.0		J	58.7	-573.9	-50.2	0.0
120.4	1377.2						
		M. tor~2	I	34.7	-339.3	-29.7	0.0
-0.0	0.0		J	34.7	-339.3	-29.7	0.0
71.2	814.2						
		INVSLU Max	I	2382.8	2627.9	-3020.6	0.0
0.0	0.0		J	2382.8	2627.9	-3020.6	0.0
9872.4	6334.0						1
		Min	I	-2353.3	-2639.2	-8280.2	-0.0
-0.0	-0.0		J	-2353.3	-2639.2	-8280.2	-0.0
7249.3	-6306.9						
		INVSLV Max	I	2268.5	3987.7	-2553.8	0.0
0.0	0.0		J	2268.5	3987.7	-2553.8	0.0
9857.1	9601.7						
		Min	I	-2247.6	-4000.7	-4107.1	-0.0
-0.0	-0.0		J	-2247.6	-4000.7	-4107.1	-0.0
6129.2	-9570.5						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	0.0	INVSLE Max	I	1594.3	1754.8	-2333.0	0.0	
			J	1594.3	1754.8	-2333.0	0.0	1
4567.0	4231.5	Min	I	-1572.5	-1763.1	-6069.6	-0.0	
-0.0	-0.0		J	-1572.5	-1763.1	-6069.6	-0.0	
5599.1	-4211.5							
1021	3	4 C1-C2;~1 Max	I	0.0	73.1	2336.2	0.0	
5606.9	175.5		J	0.0	73.1	2336.2	0.0	
0.0	0.0	Min	I	-0.0	-63.0	-296.2	-0.0	
-710.8	-151.3		J	-0.0	-63.0	-296.2	-0.0	
-0.0	-0.0							
4728.4	145.1	C3-C4;~1 Max	I	0.0	60.5	1970.2	0.0	
			J	0.0	60.5	1970.2	0.0	
0.0	0.0	Min	I	-0.0	-60.8	-314.2	-0.0	
-754.0	-145.9		J	-0.0	-60.8	-314.2	-0.0	
-0.0	-0.0							
2852.2	86.5	C1-C2;~2 Max	I	0.0	36.0	1188.4	0.0	
			J	0.0	36.0	1188.4	0.0	
0.0	0.0	Min	I	-0.0	-31.5	-144.1	-0.0	
-345.9	-75.7		J	-0.0	-31.5	-144.1	-0.0	
-0.0	-0.0							
2349.8	71.3	C3-C4;~2 Max	I	0.0	29.7	979.1	0.0	
			J	0.0	29.7	979.1	0.0	
0.0	0.0	Min	I	-0.0	-31.0	-153.7	-0.0	
-368.9	-74.4		J	-0.0	-31.0	-153.7	-0.0	
-0.0	-0.0							
1633.4	3815.8	SLVx (RS)	I	0.0	1589.9	680.6	0.0	
			J	0.0	1589.9	680.6	0.0	
-0.0	0.0							
734.7	-2637.9	SLVy (RS)	I	-0.0	-1099.1	306.1	-0.0	
			J	-0.0	-1099.1	306.1	-0.0	
0.0	-0.0							
1192.7	2675.8	SLDx (RS)	I	0.0	1114.9	496.9	0.0	
			J	0.0	1114.9	496.9	0.0	
0.0	-0.0							
524.3	1695.2	SLDy (RS)	I	-0.0	706.3	218.5	-0.0	
			J	-0.0	706.3	218.5	-0.0	
0.0	-0.0							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-901.7	-90.0	SLVz (RS)	I	0.0	-37.5	-375.7	0.0	
			J	0.0	-37.5	-375.7	0.0	
-0.0	0.0							
6171.6	-9.5	G1	I	-0.0	-3.9	2571.5	0.0	
			J	-0.0	-3.9	2571.5	0.0	
0.0	-0.0							
2253.8	-3.6	G2	I	-0.0	-1.5	939.1	-0.0	
			J	-0.0	-1.5	939.1	-0.0	
0.0	-0.0							
-3.6	-3.8	G1 - Imp~1	I	0.0	-1.6	-1.5	0.0	
			J	0.0	-1.6	-1.5	0.0	
0.0	0.0							
-1.3	-1.4	G2 - Imp~1	I	0.0	-0.6	-0.5	0.0	
			J	0.0	-0.6	-0.5	0.0	
0.0	0.0							
-31.8	249.2	q3	I	0.0	103.8	-13.2	0.0	
			J	0.0	103.8	-13.2	0.0	
-0.0	0.0							
59.3	21.6	q4-1	I	-0.0	9.0	24.7	-0.0	
			J	-0.0	9.0	24.7	-0.0	
-0.0	-0.0							
45.4	-23.4	q4-2	I	-0.0	-9.7	18.9	-0.0	
			J	-0.0	-9.7	18.9	-0.0	
0.0	-0.0							
-58.5	-127.4	q4-3	I	0.0	-53.1	-24.4	0.0	
			J	0.0	-53.1	-24.4	0.0	
0.0	-0.0							
-216.8	-14.0	q4-4	I	0.0	-5.8	-90.3	0.0	
			J	0.0	-5.8	-90.3	0.0	
0.0	0.0							
-29.9	85.9	q4-5	I	-0.0	35.8	-12.4	-0.0	
			J	-0.0	35.8	-12.4	-0.0	
0.0	-0.0							
37.3	31.4	q4-6	I	0.0	13.1	15.5	0.0	
			J	0.0	13.1	15.5	0.0	
-0.0	0.0							
36.1	27.5	q4-7	I	0.0	11.4	15.0	-0.0	
			J	0.0	11.4	15.0	-0.0	
0.0	-0.0							
		q5 - p~1	I	-0.0	-205.3	-893.1	-0.0	-

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
2143.6	-492.6		J	-0.0	-205.3	-893.1	-0.0
-0.0	0.0						
-199.8	1298.6	q5 - p~2	I	-0.0	541.1	-83.2	0.0
0.0	0.0		J	-0.0	541.1	-83.2	0.0
1921.1	-464.2	q5 - p~3	I	0.0	-193.4	-800.5	-0.0
0.0	0.0		J	0.0	-193.4	-800.5	-0.0
-180.3	1226.2	q5 - p~4	I	0.0	510.9	-75.1	0.0
-0.0	0.0		J	0.0	510.9	-75.1	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-84.4	-52.7	q7	I	0.0	-22.0	-35.2	-0.0
0.0	0.0		J	0.0	-22.0	-35.2	-0.0
8.4	-1.3	T	I	-0.0	-0.6	3.5	0.0
0.0	0.0		J	-0.0	-0.6	3.5	0.0
-145.1	-225.5	M. tor~1	I	-0.0	-94.0	-60.5	-0.0
0.0	-0.0		J	-0.0	-94.0	-60.5	-0.0
-85.8	-133.3	M. tor~2	I	-0.0	-55.5	-35.7	-0.0
0.0	-0.0		J	-0.0	-55.5	-35.7	-0.0
0872.2	1932.3	INVSLU Max	I	0.0	805.1	8696.7	0.0
0.0	0.0		J	0.0	805.1	8696.7	0.0
7981.9	-1967.2	Min	I	-0.0	-819.7	3325.8	-0.0
-0.0	-0.0		J	-0.0	-819.7	3325.8	-0.0
0544.8	4615.9	INVSLV Max	I	0.0	1923.3	4393.7	0.0
0.0	0.0		J	0.0	1923.3	4393.7	0.0
6296.1	-4652.5	Min	I	-0.0	-1938.6	2623.4	-0.0
-0.0	-0.0		J	-0.0	-1938.6	2623.4	-0.0


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


5318.5	1295.2	INVSLE Max	I	0.0	539.7	6382.7	0.0	1
0.0	0.0		J	0.0	539.7	6382.7	0.0	
6125.4	-1321.0	Min	I	-0.0	-550.4	2552.2	-0.0	
-0.0	-0.0		J	-0.0	-550.4	2552.2	-0.0	
1022	3	4 C1-C2;~1 Max	I	92.5	59.7	1777.7	38.5	
53.0	0.0		J	92.5	59.7	1777.7	38.5	
687.9	168.1	Min	I	-96.4	-70.0	-267.7	-32.8	
-50.9	-0.0		J	-96.4	-70.0	-267.7	-32.8	-
4290.1	-143.2							
		C3-C4;~1 Max	I	78.4	58.3	2159.8	31.8	
47.9	0.0		J	78.4	58.3	2159.8	31.8	
678.2	138.9	Min	I	-87.1	-57.9	-267.8	-32.0	
-43.1	-0.0		J	-87.1	-57.9	-267.8	-32.0	-
5195.6	-139.8							
		C1-C2;~2 Max	I	45.7	29.8	857.8	18.9	
25.7	0.0		J	45.7	29.8	857.8	18.9	
342.5	82.6	Min	I	-46.7	-34.4	-133.5	-16.4	
-25.1	-0.0		J	-46.7	-34.4	-133.5	-16.4	-
2069.2	-71.5							
		C3-C4;~2 Max	I	37.8	29.7	1074.1	15.6	
23.4	0.0		J	37.8	29.7	1074.1	15.6	
335.8	68.1	Min	I	-42.6	-28.4	-132.8	-16.3	
-20.8	-0.0		J	-42.6	-28.4	-132.8	-16.3	-
2581.5	-71.2							
		SLVx (RS)	I	-2026.1	-1549.4	-564.0	852.2	
1114.3	0.0		J	-2026.1	-1549.4	-564.0	852.2	
2226.2	3718.6							
		SLVy (RS)	I	-714.6	3519.3	-318.3	-1935.6	
393.0	0.0		J	-714.6	3519.3	-318.3	-1935.6	
1038.5	-8446.2							
		SLDx (RS)	I	-1412.2	-1082.2	-403.4	595.2	
776.7	0.0		J	-1412.2	-1082.2	-403.4	595.2	
1565.8	2597.2							
		SLDy (RS)	I	-504.9	2038.0	-228.2	-1120.9	
277.7	0.0		J	-504.9	2038.0	-228.2	-1120.9	
744.9	-4891.3							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
			SLVz (RS)	I	-59.2	-35.6	-390.6	19.6
32.6	0.0			J	-59.2	-35.6	-390.6	19.6
933.9	85.5							
			G1	I	-10.5	3.1	2437.6	-1.7
5.8	-0.0			J	-10.5	3.1	2437.6	-1.7
5844.5	-7.4							-
			G2	I	-3.8	1.2	890.1	-0.7
2.1	0.0			J	-3.8	1.2	890.1	-0.7
2134.1	-2.9							-
			G1- Imp~1	I	2.9	1.6	2.0	-0.9
-1.6	0.0			J	2.9	1.6	2.0	-0.9
-6.4	-3.9							
			G2- Imp~1	I	1.1	0.6	0.7	-0.3
-0.6	0.0			J	1.1	0.6	0.7	-0.3
-2.3	-1.4							
			q3	I	-8.9	587.5	-4.4	-323.1
4.9	-0.0			J	-8.9	587.5	-4.4	-323.1
15.5	-1410.0							
			q4-1	I	-40.9	-78.6	-23.9	43.2
22.5	0.0			J	-40.9	-78.6	-23.9	43.2
79.9	188.5							
			q4-2	I	-48.5	-88.5	-19.7	48.7
26.7	0.0			J	-48.5	-88.5	-19.7	48.7
73.9	212.4							
			q4-3	I	31.2	-5.0	25.3	2.7
-17.1	0.0			J	31.2	-5.0	25.3	2.7
-77.9	11.9							
			q4-4	I	148.0	10.0	94.7	-5.5
-81.4	0.0			J	148.0	10.0	94.7	-5.5
-308.7	-24.0							
			q4-5	I	8.5	26.0	11.1	-14.3
-4.7	-0.0			J	8.5	26.0	11.1	-14.3
-31.4	-62.3							
			q4-6	I	-39.1	82.4	-21.9	-45.3
21.5	-0.0			J	-39.1	82.4	-21.9	-45.3
74.1	-197.8							
			q4-7	I	-30.6	73.1	-18.0	-40.2
16.9	-0.0			J	-30.6	73.1	-18.0	-40.2
60.0	-175.4							
			q5 - p~1	I	1622.1	232.6	961.8	-128.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-892.1	-0.0		J	1622.1	232.6	961.8	-128.0	-
3200.5	-558.3							
		q5 - p~2	I	183.5	1820.9	50.1	-1001.5	
-100.9	-0.0		J	183.5	1820.9	50.1	-1001.5	
-221.2	-4370.2							
		q5 - p~3	I	1537.0	218.7	861.8	-120.3	
-845.4	-0.0		J	1537.0	218.7	861.8	-120.3	-
2913.6	-524.8							
		q5 - p~4	I	174.6	1726.7	40.3	-949.7	
-96.0	-0.0		J	174.6	1726.7	40.3	-949.7	
-192.9	-4144.0							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	43.6	392.4	26.5	-215.8	
-24.0	-0.0		J	43.6	392.4	26.5	-215.8	
-87.6	-941.8							
		T	I	-0.4	0.6	-3.8	-0.3	
0.2	0.0		J	-0.4	0.6	-3.8	-0.3	
9.3	-1.4							
		M. tor~1	I	-58.7	574.0	50.2	-315.7	
32.3	0.0		J	-58.7	574.0	50.2	-315.7	
-88.1	-1377.5							
		M. tor~2	I	-34.7	339.3	29.7	-186.6	
19.1	-0.0		J	-34.7	339.3	29.7	-186.6	
-52.1	-814.4							
		INVSLU Max	I	2353.4	2639.4	8280.2	1445.5	
1310.6	0.0		J	2353.4	2639.4	8280.2	1445.5	-
5943.5	6307.5	Min	I	-2382.9	-2628.1	3020.6	-1451.7	-
1294.4	-0.0		J	-2382.9	-2628.1	3020.6	-1451.7	-2
0684.1	-6334.6							
		INVSLV Max	I	2247.7	4001.3	4107.1	2193.6	
1247.8	0.0		J	2247.7	4001.3	4107.1	2193.6	-
5169.5	9571.9	Min	I	-2268.6	-3988.3	2553.8	-2200.7	-
1236.3	-0.0		J	-2268.6	-3988.3	2553.8	-2200.7	-1
0805.2	-9603.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

876.9	0.0	INVSLE	Max	I	1572.5	1763.3	6069.6	965.2	
				J	1572.5	1763.3	6069.6	965.2	-
4725.7	4211.9		Min	I	-1594.3	-1754.9	2333.0	-969.8	
-864.9	-0.0			J	-1594.3	-1754.9	2333.0	-969.8	-1
5108.8	-4231.9								
1023	3	4 C1-C2;~1	Max	I	0.0	63.0	296.2	40.2	
710.8	151.3			J	0.0	63.0	296.2	40.2	
0.0	0.0		Min	I	-0.0	-73.1	-2336.2	-34.7	-
5606.9	-175.5			J	-0.0	-73.1	-2336.2	-34.7	
-0.0	-0.0								
		C3-C4;~1	Max	I	0.0	60.8	314.2	33.3	
754.0	145.9			J	0.0	60.8	314.2	33.3	
0.0	0.0		Min	I	-0.0	-60.5	-1970.2	-33.4	-
4728.4	-145.1			J	-0.0	-60.5	-1970.2	-33.4	
-0.0	-0.0								
		C1-C2;~2	Max	I	0.0	31.5	144.1	19.8	
345.9	75.7			J	0.0	31.5	144.1	19.8	
0.0	0.0		Min	I	-0.0	-36.0	-1188.4	-17.3	-
2852.2	-86.5			J	-0.0	-36.0	-1188.4	-17.3	
-0.0	-0.0								
		C3-C4;~2	Max	I	0.0	31.0	153.7	16.3	
368.9	74.4			J	0.0	31.0	153.7	16.3	
0.0	0.0		Min	I	-0.0	-29.7	-979.1	-17.0	-
2349.8	-71.3			J	-0.0	-29.7	-979.1	-17.0	
-0.0	-0.0								
		SLVx (RS)		I	-0.0	-1590.0	-680.6	874.5	-
1633.4	-3815.9			J	-0.0	-1590.0	-680.6	874.5	
0.0	-0.0								
		SLVy (RS)		I	0.0	1098.7	-306.1	-604.3	
-734.7	2636.9			J	0.0	1098.7	-306.1	-604.3	
0.0	-0.0								
		SLDx (RS)		I	0.0	-1114.9	-496.9	613.2	-
1192.7	-2675.8			J	0.0	-1114.9	-496.9	613.2	
0.0	0.0								
		SLDy (RS)		I	0.0	-706.1	-218.5	388.4	
-524.3	-1694.7			J	0.0	-706.1	-218.5	388.4	
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
901.7	90.0	SLVz (RS)	I	-0.0	37.5	375.7	-20.6	
0.0	0.0		J	-0.0	37.5	375.7	-20.6	
6171.6	9.5	G1	I	-0.0	3.9	-2571.5	-2.2	-
0.0	0.0		J	-0.0	3.9	-2571.5	-2.2	
2253.8	3.6	G2	I	0.0	1.5	-939.1	-0.8	-
0.0	0.0		J	0.0	1.5	-939.1	-0.8	
3.6	3.8	G1- Imp~1	I	0.0	1.6	1.5	-0.9	
0.0	0.0		J	0.0	1.6	1.5	-0.9	
1.3	1.4	G2- Imp~1	I	0.0	0.6	0.5	-0.3	
0.0	0.0		J	0.0	0.6	0.5	-0.3	
31.8	-249.3	q3	I	-0.0	-103.9	13.2	57.1	
-0.0	0.0		J	-0.0	-103.9	13.2	57.1	
-59.3	-21.6	q4-1	I	-0.0	-9.0	-24.7	4.9	
0.0	-0.0		J	-0.0	-9.0	-24.7	4.9	
-45.4	23.4	q4-2	I	0.0	9.8	-18.9	-5.4	
-0.0	0.0		J	0.0	9.8	-18.9	-5.4	
58.5	127.4	q4-3	I	-0.0	53.1	24.4	-29.2	
-0.0	-0.0		J	-0.0	53.1	24.4	-29.2	
216.8	14.0	q4-4	I	-0.0	5.8	90.3	-3.2	
-0.0	0.0		J	-0.0	5.8	90.3	-3.2	
29.9	-85.9	q4-5	I	0.0	-35.8	12.4	19.7	
0.0	0.0		J	0.0	-35.8	12.4	19.7	
-37.3	-31.4	q4-6	I	-0.0	-13.1	-15.5	7.2	
0.0	0.0		J	-0.0	-13.1	-15.5	7.2	
-36.1	-27.5	q4-7	I	0.0	-11.4	-15.0	6.3	
-0.0	0.0		J	0.0	-11.4	-15.0	6.3	
		q5 - p~1	I	-0.0	205.3	893.1	-112.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2143.5	492.6		J	-0.0	205.3	893.1	-112.9	
0.0	-0.0							
199.8	-1299.0	q5 - p~2	I	-0.0	-541.3	83.2	297.7	
-0.0	0.0		J	-0.0	-541.3	83.2	297.7	
1921.1	464.2	q5 - p~3	I	0.0	193.4	800.5	-106.4	
0.0	-0.0		J	0.0	193.4	800.5	-106.4	
180.3	-1226.6	q5 - p~4	I	0.0	-511.1	75.1	281.1	
-0.0	0.0		J	0.0	-511.1	75.1	281.1	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
84.4	52.7	q7	I	0.0	22.0	35.2	-12.1	
-0.0	0.0		J	0.0	22.0	35.2	-12.1	
-8.4	1.3	T	I	0.0	0.6	-3.5	-0.3	
0.0	0.0		J	0.0	0.6	-3.5	-0.3	
145.1	225.2	M. tor~1	I	0.0	93.9	60.5	-51.6	
0.0	-0.0		J	0.0	93.9	60.5	-51.6	
85.8	133.2	M. tor~2	I	0.0	55.5	35.7	-30.5	
0.0	-0.0		J	0.0	55.5	35.7	-30.5	
7981.9	1967.7	INVSLU Max	I	0.0	819.9	-3325.8	442.9	-
0.0	0.0		J	0.0	819.9	-3325.8	442.9	
0872.2	-1932.8	Min	I	-0.0	-805.4	-8696.7	-450.9	-2
-0.0	-0.0		J	-0.0	-805.4	-8696.7	-450.9	
6296.1	4652.3	INVSLV Max	I	0.0	1938.5	-2623.4	1057.8	-
0.0	0.0		J	0.0	1938.5	-2623.4	1057.8	
0544.8	-4615.7	Min	I	-0.0	-1923.2	-4393.7	-1066.2	-1
-0.0	-0.0		J	-0.0	-1923.2	-4393.7	-1066.2	


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

6125.4	1321.4		INVSLE Max	I	0.0	550.6	-2552.2	296.9	-
				J	0.0	550.6	-2552.2	296.9	
0.0	0.0								
5318.5	-1295.5		Min	I	-0.0	-539.8	-6382.7	-302.8	-1
				J	-0.0	-539.8	-6382.7	-302.8	
-0.0	-0.0								
1024	3	4	C1-C2;~1 Max	I	192.1	58.3	274.8	0.0	
0.0	0.0			J	192.1	58.3	274.8	0.0	
4302.8	146.3		Min	I	-183.9	-60.9	-1792.8	-0.0	
				J	-183.9	-60.9	-1792.8	-0.0	
-0.0	-0.0								
-659.5	-140.0								
			C3-C4;~1 Max	I	192.6	56.3	279.9	0.0	
0.0	0.0			J	192.6	56.3	279.9	0.0	
5224.1	146.7		Min	I	-177.5	-61.1	-2176.7	-0.0	
				J	-177.5	-61.1	-2176.7	-0.0	
-0.0	-0.0								
-671.7	-135.1								
			C1-C2;~2 Max	I	100.1	31.1	138.8	0.0	
0.0	0.0			J	100.1	31.1	138.8	0.0	
2069.9	76.2		Min	I	-98.1	-31.8	-862.4	-0.0	
				J	-98.1	-31.8	-862.4	-0.0	
-0.0	-0.0								
-333.0	-74.7								
			C3-C4;~2 Max	I	100.5	30.2	141.0	0.0	
0.0	0.0			J	100.5	30.2	141.0	0.0	
2590.7	76.5		Min	I	-95.1	-31.9	-1079.5	-0.0	
				J	-95.1	-31.9	-1079.5	-0.0	
-0.0	-0.0								
-338.3	-72.4								
			SLVx (RS)	I	2372.2	-752.5	1273.3	-0.0	
-0.0	0.0			J	2372.2	-752.5	1273.3	-0.0	-
3055.9	1806.0								
			SLVy (RS)	I	-832.6	264.1	410.7	0.0	
0.0	-0.0			J	-832.6	264.1	410.7	0.0	
-985.8	-633.9								
			SLDx (RS)	I	1697.9	-538.6	900.3	-0.0	
-0.0	-0.0			J	1697.9	-538.6	900.3	-0.0	-
2160.8	1292.6								
			SLDy (RS)	I	-587.2	186.3	290.2	0.0	
-0.0	-0.0			J	-587.2	186.3	290.2	0.0	
-696.4	-447.1								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	0.0	SLVz (RS)	I	-181.2	57.5	401.2	0.0
			J	-181.2	57.5	401.2	0.0
-962.9	-137.9						
		G1	I	35.8	-11.4	-2468.8	0.0
-0.0	0.0		J	35.8	-11.4	-2468.8	0.0
5925.1	27.3						
		G2	I	13.1	-4.2	-901.6	0.0
0.0	0.0		J	13.1	-4.2	-901.6	0.0
2163.8	10.0						
		G1- Imp~1	I	-7.7	2.4	-3.5	0.0
0.0	0.0		J	-7.7	2.4	-3.5	0.0
8.3	-5.8						
		G2- Imp~1	I	-2.4	0.8	-1.1	0.0
0.0	0.0		J	-2.4	0.8	-1.1	0.0
2.6	-1.8						
		q3	I	136.1	-43.2	51.0	0.0
-0.0	-0.0		J	136.1	-43.2	51.0	0.0
-122.4	103.6						
		q4-1	I	-1.2	0.4	3.8	0.0
0.0	-0.0		J	-1.2	0.4	3.8	0.0
-9.0	-0.9						
		q4-2	I	5.9	-1.9	7.9	0.0
0.0	0.0		J	5.9	-1.9	7.9	0.0
-19.1	4.5						
		q4-3	I	9.9	-3.1	4.0	0.0
0.0	0.0		J	9.9	-3.1	4.0	0.0
-9.6	7.5						
		q4-4	I	-38.0	12.1	-27.0	0.0
0.0	-0.0		J	-38.0	12.1	-27.0	0.0
64.9	-28.9						
		q4-5	I	-129.8	41.2	-99.8	0.0
-0.0	0.0		J	-129.8	41.2	-99.8	0.0
239.4	-98.8						
		q4-6	I	50.9	-16.1	20.5	0.0
0.0	0.0		J	50.9	-16.1	20.5	0.0
-49.2	38.7						
		q4-7	I	73.9	-23.4	38.3	0.0
0.0	-0.0		J	73.9	-23.4	38.3	0.0
-91.8	56.2						
		q5 - p~1	I	-1274.3	404.2	-772.6	-0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	-0.0						
1854.1	-970.1		J	-1274.3	404.2	-772.6	-0.0
		q5 - p~2	I	47.7	-15.1	-82.4	0.0
0.0	-0.0		J	47.7	-15.1	-82.4	0.0
197.8	36.3						
		q5 - p~3	I	-1207.3	383.0	-691.7	-0.0
-0.0	-0.0		J	-1207.3	383.0	-691.7	-0.0
1660.1	-919.1						
		q5 - p~4	I	44.7	-14.2	-56.5	0.0
0.0	-0.0		J	44.7	-14.2	-56.5	0.0
135.7	34.0						
		q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q7	I	239.5	-76.0	79.0	0.0
-0.0	0.0		J	239.5	-76.0	79.0	0.0
-189.6	182.3						
		T	I	-3.4	1.1	-1.7	-0.0
0.0	-0.0		J	-3.4	1.1	-1.7	-0.0
4.0	-2.6						
		M. tor~1	I	31.0	-9.8	-91.3	0.0
0.0	0.0		J	31.0	-9.8	-91.3	0.0
219.2	23.6						
		M. tor~2	I	18.3	-5.8	-54.0	0.0
0.0	-0.0		J	18.3	-5.8	-54.0	0.0
129.6	13.9						
		INVSLU Max	I	2001.5	600.6	-3327.1	0.0
0.0	0.0		J	2001.5	600.6	-3327.1	0.0
9658.9	1523.8						1
		Min	I	-1893.3	-634.9	-8191.2	-0.0
-0.0	-0.0		J	-1893.3	-634.9	-8191.2	-0.0
7984.9	-1441.5						
		INVSLV Max	I	2715.2	836.7	-1858.0	0.0
0.0	0.0		J	2715.2	836.7	-1858.0	0.0
1740.3	2067.1						1
		Min	I	-2637.5	-861.3	-4891.8	-0.0
-0.0	-0.0		J	-2637.5	-861.3	-4891.8	-0.0
4459.3	-2008.0						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	0.0	INVSLE Max	I	1348.7	402.4	-2541.2	0.0	
4438.8	1026.8		J	1348.7	402.4	-2541.2	0.0	1
-0.0	-0.0	Min	I	-1268.6	-427.8	-6016.2	-0.0	
6099.0	-965.8		J	-1268.6	-427.8	-6016.2	-0.0	
1025	3	4 C1-C2;~1 Max	I	0.0	0.0	2305.8	0.0	
5534.0	0.0		J	0.0	0.0	2305.8	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-246.4	-0.0	
-591.3	-0.0		J	-0.0	-0.0	-246.4	-0.0	
-0.0	-0.0							
4640.5	0.0	C3-C4;~1 Max	I	0.0	0.0	1933.5	0.0	
0.0	0.0		J	0.0	0.0	1933.5	0.0	
-626.9	-0.0	Min	I	-0.0	-0.0	-261.2	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-261.2	-0.0	
2827.4	0.0	C1-C2;~2 Max	I	0.0	0.0	1178.1	0.0	
0.0	0.0		J	0.0	0.0	1178.1	0.0	
-296.5	-0.0	Min	I	-0.0	-0.0	-123.5	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-123.5	-0.0	
2315.2	0.0	C3-C4;~2 Max	I	0.0	0.0	964.7	0.0	
0.0	0.0		J	0.0	0.0	964.7	0.0	
-317.0	-0.0	Min	I	-0.0	-0.0	-132.1	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-132.1	-0.0	
3183.2	-0.0	SLVx (RS)	I	0.0	-0.0	1326.3	-0.0	
0.0	-0.0		J	0.0	-0.0	1326.3	-0.0	
1186.4	-0.0	SLVy (RS)	I	0.0	0.0	494.3	-0.0	
-0.0	-0.0		J	0.0	0.0	494.3	-0.0	
2243.1	-0.0	SLDx (RS)	I	0.0	-0.0	934.6	0.0	
0.0	0.0		J	0.0	-0.0	934.6	0.0	
822.3	-0.0	SLDy (RS)	I	0.0	0.0	342.6	-0.0	
0.0	-0.0		J	0.0	0.0	342.6	-0.0	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-908.1	0.0	SLVz (RS)	I	-0.0	0.0	-378.4	-0.0
			J	-0.0	0.0	-378.4	-0.0
0.0	-0.0						
6203.8	-0.0	G1	I	0.0	-0.0	2584.9	-0.0
			J	0.0	-0.0	2584.9	-0.0
0.0	-0.0						
2266.1	-0.0	G2	I	0.0	-0.0	944.2	0.0
			J	0.0	-0.0	944.2	0.0
-0.0	0.0						
-9.4	0.0	G1 - Imp~1	I	0.0	0.0	-3.9	0.0
			J	0.0	0.0	-3.9	0.0
0.0	0.0						
-3.0	0.0	G2 - Imp~1	I	0.0	0.0	-1.2	0.0
			J	0.0	0.0	-1.2	0.0
0.0	0.0						
187.6	-0.0	q3	I	0.0	-0.0	78.2	-0.0
			J	0.0	-0.0	78.2	-0.0
0.0	-0.0						
2.2	0.0	q4-1	I	0.0	0.0	0.9	0.0
			J	0.0	0.0	0.9	0.0
0.0	-0.0						
9.2	0.0	q4-2	I	-0.0	0.0	3.8	0.0
			J	-0.0	0.0	3.8	0.0
0.0	0.0						
0.4	-0.0	q4-3	I	0.0	0.0	0.2	0.0
			J	0.0	0.0	0.2	0.0
0.0	0.0						
-68.8	0.0	q4-4	I	-0.0	0.0	-28.7	0.0
			J	-0.0	0.0	-28.7	0.0
0.0	0.0						
-218.9	-0.0	q4-5	I	-0.0	0.0	-91.2	0.0
			J	-0.0	0.0	-91.2	0.0
0.0	0.0						
67.7	-0.0	q4-6	I	0.0	-0.0	28.2	0.0
			J	0.0	-0.0	28.2	0.0
0.0	-0.0						
85.1	-0.0	q4-7	I	0.0	-0.0	35.4	-0.0
			J	0.0	-0.0	35.4	-0.0
0.0	-0.0						
		q5 - p~1	I	-0.0	0.0	-755.4	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	

1813.0	0.0		J	-0.0	0.0	-755.4	0.0	
0.0	-0.0							
94.2	-0.0	q5 - p~2	I	0.0	-0.0	39.2	-0.0	
-0.0	-0.0		J	0.0	-0.0	39.2	-0.0	
1628.7	0.0	q5 - p~3	I	-0.0	0.0	-678.6	0.0	-
0.0	0.0		J	-0.0	0.0	-678.6	0.0	
141.0	-0.0	q5 - p~4	I	-0.0	-0.0	58.7	-0.0	
-0.0	-0.0		J	-0.0	-0.0	58.7	-0.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
213.2	-0.0	q7	I	-0.0	-0.0	88.8	-0.0	
0.0	-0.0		J	-0.0	-0.0	88.8	-0.0	
-2.7	-0.0	T	I	-0.0	-0.0	-1.1	0.0	
0.0	0.0		J	-0.0	-0.0	-1.1	0.0	
-127.2	-0.0	M. tor~1	I	0.0	0.0	-53.0	-0.0	
-0.0	-0.0		J	0.0	0.0	-53.0	-0.0	
-75.2	-0.0	M. tor~2	I	0.0	-0.0	-31.3	0.0	
0.0	0.0		J	0.0	-0.0	-31.3	0.0	
0522.1	0.0	INVSLU Max	I	0.0	0.0	8550.9	0.0	2
0.0	0.0		J	0.0	0.0	8550.9	0.0	
8544.7	-0.0	Min	I	-0.0	-0.0	3560.3	-0.0	
-0.0	-0.0		J	-0.0	-0.0	3560.3	-0.0	
2269.0	0.0	INVSLV Max	I	0.0	0.0	5112.1	0.0	1
0.0	0.0		J	0.0	0.0	5112.1	0.0	
4646.0	-0.0	Min	I	-0.0	-0.0	1935.8	-0.0	
-0.0	-0.0		J	-0.0	-0.0	1935.8	-0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

5080.9	0.0		INVSLE Max	I	0.0	0.0	6283.7	0.0	1
				J	0.0	0.0	6283.7	0.0	
0.0	0.0								
6510.2	-0.0		Min	I	-0.0	-0.0	2712.6	-0.0	
				J	-0.0	-0.0	2712.6	-0.0	
-0.0	-0.0								
1026	3	4	C1-C2;~1 Max	I	183.9	60.9	1792.8	32.1	
105.7	0.0			J	183.9	60.9	1792.8	32.1	
741.4	140.0								
			Min	I	-192.1	-58.3	-274.8	-33.5	
-101.1	-0.0			J	-192.1	-58.3	-274.8	-33.5	-
4344.0	-146.3								
			C3-C4;~1 Max	I	177.5	61.1	2176.7	31.0	
106.0	0.0			J	177.5	61.1	2176.7	31.0	
748.0	135.1								
			Min	I	-192.6	-56.3	-279.9	-33.6	
-97.6	-0.0			J	-192.6	-56.3	-279.9	-33.6	-
5252.4	-146.7								
			C1-C2;~2 Max	I	98.1	31.8	862.4	17.1	
55.1	0.0			J	98.1	31.8	862.4	17.1	
378.5	74.7								
			Min	I	-100.1	-31.1	-138.8	-17.5	
-53.9	-0.0			J	-100.1	-31.1	-138.8	-17.5	-
2090.8	-76.2								
			C3-C4;~2 Max	I	95.1	31.9	1079.5	16.6	
55.3	0.0			J	95.1	31.9	1079.5	16.6	
381.6	72.4								
			Min	I	-100.5	-30.2	-141.0	-17.5	
-52.3	-0.0			J	-100.5	-30.2	-141.0	-17.5	-
2603.5	-76.5								
			SLVx (RS)	I	-2372.3	752.5	-1273.3	-413.9	
1304.7	0.0			J	-2372.3	752.5	-1273.3	-413.9	
4286.1	-1806.1								
			SLVy (RS)	I	832.6	-264.1	-410.7	145.3	
-457.9	-0.0			J	832.6	-264.1	-410.7	145.3	-
1390.2	633.9								
			SLDx (RS)	I	-1697.9	538.6	-900.3	-296.2	
933.8	0.0			J	-1697.9	538.6	-900.3	-296.2	
3037.2	-1292.6								
			SLDy (RS)	I	587.2	-186.3	-290.2	102.5	
-323.0	-0.0			J	587.2	-186.3	-290.2	102.5	
-979.5	447.1								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-99.6	0.0	SLVz (RS)	I	181.2	-57.5	-401.2	31.6
			J	181.2	-57.5	-401.2	31.6
1015.3	137.9						
		G1	I	-35.8	11.4	2468.8	-6.3
19.7	0.0		J	-35.8	11.4	2468.8	-6.3
5905.4	-27.3						-
		G2	I	-13.1	4.2	901.6	-2.3
7.2	0.0		J	-13.1	4.2	901.6	-2.3
2156.6	-10.0						-
		G1- Imp~1	I	7.7	-2.4	3.5	1.3
-4.2	-0.0		J	7.7	-2.4	3.5	1.3
-12.5	5.8						
		G2- Imp~1	I	2.4	-0.8	1.1	0.4
-1.3	0.0		J	2.4	-0.8	1.1	0.4
-3.9	1.8						
		q3	I	-136.1	43.2	-51.0	-23.7
74.8	0.0		J	-136.1	43.2	-51.0	-23.7
197.3	-103.6						
		q4-1	I	1.2	-0.4	-3.8	0.2
-0.7	0.0		J	1.2	-0.4	-3.8	0.2
8.4	0.9						
		q4-2	I	-5.9	1.9	-7.9	-1.0
3.2	0.0		J	-5.9	1.9	-7.9	-1.0
22.3	-4.5						
		q4-3	I	-9.9	3.1	-4.0	-1.7
5.4	0.0		J	-9.9	3.1	-4.0	-1.7
15.0	-7.5						
		q4-4	I	38.0	-12.1	27.0	6.6
-20.9	-0.0		J	38.0	-12.1	27.0	6.6
-85.8	28.9						
		q4-5	I	129.8	-41.2	99.8	22.7
-71.4	-0.0		J	129.8	-41.2	99.8	22.7
-310.8	98.8						
		q4-6	I	-50.9	16.1	-20.5	-8.9
28.0	0.0		J	-50.9	16.1	-20.5	-8.9
77.2	-38.7						
		q4-7	I	-73.9	23.4	-38.3	-12.9
40.6	0.0		J	-73.9	23.4	-38.3	-12.9
132.5	-56.2						
		q5 - p~1	I	1274.3	-404.2	772.6	222.3

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-700.9	-0.0		J	1274.3	-404.2	772.6	222.3	-
2555.0	970.2							
26.3	0.0	q5 - p~2	I	-47.7	15.1	82.4	-8.3	
-171.5	-36.3		J	-47.7	15.1	82.4	-8.3	
-664.0	-0.0	q5 - p~3	I	1207.3	-383.0	691.7	210.6	
2324.2	919.2		J	1207.3	-383.0	691.7	210.6	-
24.6	0.0	q5 - p~4	I	-44.7	14.2	56.5	-7.8	
-111.1	-34.0		J	-44.7	14.2	56.5	-7.8	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
131.7	0.0	q7	I	-239.5	76.0	-79.0	-41.8	
321.3	-182.3		J	-239.5	76.0	-79.0	-41.8	
-1.9	0.0	T	I	3.4	-1.1	1.7	0.6	
-5.9	2.6		J	3.4	-1.1	1.7	0.6	
17.0	-0.0	M. tor~1	I	-31.0	9.8	91.3	-5.4	
-202.2	-23.6		J	-31.0	9.8	91.3	-5.4	
10.1	0.0	M. tor~2	I	-18.3	5.8	54.0	-3.2	
-119.5	-13.9		J	-18.3	5.8	54.0	-3.2	
1100.8	0.0	INVSLU Max	I	1893.4	634.9	8191.2	330.3	
6900.3	1441.5		J	1893.4	634.9	8191.2	330.3	-
1041.4	-0.0	Min	I	-2001.5	-600.6	3327.1	-349.2	-
0300.4	-1523.8		J	-2001.5	-600.6	3327.1	-349.2	-2
1493.4	0.0	INVSLV Max	I	2637.5	861.3	4891.8	460.2	
3070.7	2008.0		J	2637.5	861.3	4891.8	460.2	-
1450.6	-0.0	Min	I	-2715.2	-836.7	1858.0	-473.7	-
3086.1	-2067.2		J	-2715.2	-836.7	1858.0	-473.7	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

741.8	0.0	INVSLE	Max	I	1268.6	427.8	6016.2	221.3	
				J	1268.6	427.8	6016.2	221.3	-
5369.1	965.8		Min	I	-1348.7	-402.4	2541.2	-235.3	
-697.7	-0.0			J	-1348.7	-402.4	2541.2	-235.3	-1
4867.4	-1026.8								
1027	3	4 C1-C2;~1	Max	I	0.0	0.0	246.4	0.0	
591.3	0.0			J	0.0	0.0	246.4	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-2305.8	-0.0	-
5534.0	-0.0			J	-0.0	-0.0	-2305.8	-0.0	
-0.0	-0.0								
626.9	0.0	C3-C4;~1	Max	I	0.0	0.0	261.2	0.0	
				J	0.0	0.0	261.2	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-1933.5	-0.0	-
4640.5	-0.0			J	-0.0	-0.0	-1933.5	-0.0	
-0.0	-0.0								
296.5	0.0	C1-C2;~2	Max	I	0.0	0.0	123.5	0.0	
				J	0.0	0.0	123.5	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-1178.1	-0.0	-
2827.4	-0.0			J	-0.0	-0.0	-1178.1	-0.0	
-0.0	-0.0								
317.0	0.0	C3-C4;~2	Max	I	0.0	0.0	132.1	0.0	
				J	0.0	0.0	132.1	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-964.7	-0.0	-
2315.2	-0.0			J	-0.0	-0.0	-964.7	-0.0	
-0.0	-0.0								
3183.2	-0.0	SLVx (RS)		I	-0.0	0.0	-1326.3	0.0	-
				J	-0.0	0.0	-1326.3	0.0	
-0.0	-0.0								
1186.4	-0.0	SLVy (RS)		I	0.0	-0.0	-494.3	0.0	-
				J	0.0	-0.0	-494.3	0.0	
-0.0	0.0								
2243.1	0.0	SLDx (RS)		I	-0.0	0.0	-934.6	0.0	-
				J	-0.0	0.0	-934.6	0.0	
-0.0	-0.0								
-822.3	-0.0	SLDy (RS)		I	0.0	-0.0	-342.6	0.0	
				J	0.0	-0.0	-342.6	0.0	
0.0	-0.0								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
908.1	-0.0	SLVz (RS)	I	-0.0	-0.0	378.4	-0.0	
0.0	0.0		J	-0.0	-0.0	378.4	-0.0	
6203.8	0.0	G1	I	0.0	0.0	-2584.9	0.0	-
0.0	0.0		J	0.0	0.0	-2584.9	0.0	
2266.1	0.0	G2	I	-0.0	0.0	-944.2	0.0	-
0.0	0.0		J	-0.0	0.0	-944.2	0.0	
9.4	0.0	G1 - Imp~1	I	-0.0	0.0	3.9	0.0	
0.0	-0.0		J	-0.0	0.0	3.9	0.0	
3.0	0.0	G2 - Imp~1	I	0.0	0.0	1.2	0.0	
0.0	0.0		J	0.0	0.0	1.2	0.0	
-187.6	-0.0	q3	I	0.0	-0.0	-78.2	0.0	
-0.0	-0.0		J	0.0	-0.0	-78.2	0.0	
-2.2	0.0	q4-1	I	0.0	0.0	-0.9	0.0	
0.0	0.0		J	0.0	0.0	-0.9	0.0	
-9.2	-0.0	q4-2	I	0.0	0.0	-3.8	0.0	
0.0	0.0		J	0.0	0.0	-3.8	0.0	
-0.4	0.0	q4-3	I	0.0	0.0	-0.2	0.0	
0.0	-0.0		J	0.0	0.0	-0.2	0.0	
68.8	0.0	q4-4	I	-0.0	0.0	28.7	-0.0	
0.0	-0.0		J	-0.0	0.0	28.7	-0.0	
218.9	0.0	q4-5	I	0.0	0.0	91.2	-0.0	
0.0	-0.0		J	0.0	0.0	91.2	-0.0	
-67.7	0.0	q4-6	I	-0.0	0.0	-28.2	0.0	
-0.0	-0.0		J	-0.0	0.0	-28.2	0.0	
-85.1	-0.0	q4-7	I	-0.0	-0.0	-35.4	0.0	
-0.0	0.0		J	-0.0	-0.0	-35.4	0.0	
		q5 - p~1	I	0.0	-0.0	755.4	-0.0	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
1813.0	-0.0		J	0.0	-0.0	755.4	-0.0
0.0	0.0						
-94.2	-0.0	q5 - p~2	I	-0.0	-0.0	-39.2	0.0
-0.0	0.0		J	-0.0	-0.0	-39.2	0.0
1628.7	0.0	q5 - p~3	I	-0.0	0.0	678.6	-0.0
0.0	-0.0		J	-0.0	0.0	678.6	-0.0
-141.0	-0.0	q5 - p~4	I	-0.0	-0.0	-58.7	0.0
-0.0	0.0		J	-0.0	-0.0	-58.7	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-213.2	0.0	q7	I	-0.0	0.0	-88.8	0.0
-0.0	-0.0		J	-0.0	0.0	-88.8	0.0
2.7	0.0	T	I	0.0	0.0	1.1	0.0
0.0	0.0		J	0.0	0.0	1.1	0.0
127.2	-0.0	M. tor~1	I	0.0	-0.0	53.0	0.0
0.0	0.0		J	0.0	-0.0	53.0	0.0
75.2	-0.0	M. tor~2	I	-0.0	-0.0	31.3	0.0
0.0	0.0		J	-0.0	-0.0	31.3	0.0
8544.7	0.0	INVSLU Max	I	0.0	0.0	-3560.3	0.0
0.0	0.0		J	0.0	0.0	-3560.3	0.0
0522.1	-0.0	Min	I	-0.0	-0.0	-8550.9	-0.0
-0.0	-0.0		J	-0.0	-0.0	-8550.9	-0.0
4646.0	0.0	INVSLV Max	I	0.0	0.0	-1935.8	0.0
0.0	0.0		J	0.0	0.0	-1935.8	0.0
2269.0	-0.0	Min	I	-0.0	-0.0	-5112.1	-0.0
-0.0	-0.0		J	-0.0	-0.0	-5112.1	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

6510.2	0.0		INVSLE Max	I	0.0	0.0	-2712.6	0.0	-
				J	0.0	0.0	-2712.6	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-6283.7	-0.0	-1
5080.9	-0.0			J	-0.0	-0.0	-6283.7	-0.0	
-0.0	-0.0								
1028	3	4	C1-C2;~1 Max	I	206.4	181.3	181.1	0.0	
0.0	0.0			J	206.4	181.3	181.1	0.0	
4163.9	365.5		Min	I	-245.8	-152.3	-1734.9	-0.0	
-0.0	-0.0			J	-245.8	-152.3	-1734.9	-0.0	
-434.5	-435.2								
			C3-C4;~1 Max	I	209.3	184.6	186.1	0.0	
0.0	0.0			J	209.3	184.6	186.1	0.0	
5080.9	370.5		Min	I	-250.2	-154.4	-2117.1	-0.0	
-0.0	-0.0			J	-250.2	-154.4	-2117.1	-0.0	
-446.7	-443.1								
			C1-C2;~2 Max	I	110.9	95.8	98.7	0.0	
0.0	0.0			J	110.9	95.8	98.7	0.0	
2015.9	196.3		Min	I	-129.9	-81.8	-840.0	-0.0	
-0.0	-0.0			J	-129.9	-81.8	-840.0	-0.0	
-236.9	-230.0								
			C3-C4;~2 Max	I	112.5	97.3	100.3	0.0	
0.0	0.0			J	112.5	97.3	100.3	0.0	
2541.2	199.2		Min	I	-131.9	-83.0	-1058.8	-0.0	
-0.0	-0.0			J	-131.9	-83.0	-1058.8	-0.0	
-240.8	-233.6								
			SLVx (RS)	I	1984.9	-1464.5	881.8	-0.0	
0.0	-0.0			J	1984.9	-1464.5	881.8	-0.0	-
2116.4	3514.7								
			SLVy (RS)	I	-1311.8	967.8	-640.8	-0.0	
-0.0	-0.0			J	-1311.8	967.8	-640.8	-0.0	
1537.8	-2322.8								
			SLDx (RS)	I	1495.2	-1103.2	665.2	-0.0	
0.0	-0.0			J	1495.2	-1103.2	665.2	-0.0	-
1596.5	2647.6								
			SLDy (RS)	I	-964.4	711.5	-471.4	-0.0	
-0.0	0.0			J	-964.4	711.5	-471.4	-0.0	
1131.3	-1707.6								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
			SLVz (RS)	I	-255.4	188.4	507.5	0.0
-0.0	-0.0			J	-255.4	188.4	507.5	0.0
1218.1	-452.3							-
			G1	I	-68.4	50.5	-2549.4	-0.0
-0.0	-0.0			J	-68.4	50.5	-2549.4	-0.0
6118.5	-121.2							
			G2	I	-25.1	18.5	-931.4	0.0
-0.0	0.0			J	-25.1	18.5	-931.4	0.0
2235.4	-44.4							
			G1- Imp~1	I	13.0	-9.6	6.3	0.0
0.0	0.0			J	13.0	-9.6	6.3	0.0
-15.2	23.1							
			G2- Imp~1	I	4.1	-3.0	2.1	0.0
0.0	0.0			J	4.1	-3.0	2.1	0.0
-5.0	7.3							
			q3	I	69.2	-51.1	48.0	-0.0
-0.0	-0.0			J	69.2	-51.1	48.0	-0.0
-115.2	122.6							
			q4-1	I	-1.2	0.9	-1.3	0.0
0.0	0.0			J	-1.2	0.9	-1.3	0.0
3.1	-2.2							
			q4-2	I	-1.6	1.2	-1.5	0.0
0.0	0.0			J	-1.6	1.2	-1.5	0.0
3.7	-2.9							
			q4-3	I	1.8	-1.3	0.5	0.0
0.0	0.0			J	1.8	-1.3	0.5	0.0
-1.2	3.1							
			q4-4	I	10.0	-7.4	4.0	0.0
0.0	0.0			J	10.0	-7.4	4.0	0.0
-9.5	17.8							
			q4-5	I	-35.4	26.1	-21.8	0.0
0.0	-0.0			J	-35.4	26.1	-21.8	0.0
52.4	-62.7							
			q4-6	I	-135.8	100.2	-117.0	0.0
0.0	-0.0			J	-135.8	100.2	-117.0	0.0
280.9	-240.5							
			q4-7	I	39.7	-29.3	19.2	0.0
0.0	-0.0			J	39.7	-29.3	19.2	0.0
-46.1	70.3							
			q5 - p~1	I	-665.9	491.3	-417.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	0.0			J	-665.9	491.3	-417.0	0.0
1000.8	-1179.1							
		q5 - p~2		I	-361.8	266.9	-243.2	-0.0
-0.0	0.0			J	-361.8	266.9	-243.2	-0.0
583.8	-640.7							
		q5 - p~3		I	-630.3	465.0	-378.2	0.0
-0.0	-0.0			J	-630.3	465.0	-378.2	0.0
907.8	-1116.1							
		q5 - p~4		I	-342.3	252.6	-198.8	-0.0
-0.0	-0.0			J	-342.3	252.6	-198.8	-0.0
477.1	-606.2							
		q5 - p~5		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		q5 - p~6		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		q7		I	175.3	-129.3	93.1	0.0
-0.0	-0.0			J	175.3	-129.3	93.1	0.0
-223.3	310.4							
		T		I	5.1	-3.8	-0.5	-0.0
-0.0	-0.0			J	5.1	-3.8	-0.5	-0.0
1.2	9.1							
		M. tor~1		I	-27.1	20.0	-65.9	-0.0
-0.0	-0.0			J	-27.1	20.0	-65.9	-0.0
158.2	-48.1							
		M. tor~2		I	-16.0	11.8	-39.0	-0.0
-0.0	0.0			J	-16.0	11.8	-39.0	-0.0
93.6	-28.4							
		INVSLU Max		I	997.9	907.7	-3984.5	0.0
0.0	0.0			J	997.9	907.7	-3984.5	0.0
9011.3	1767.0							1
		Min		I	-1230.3	-736.3	-7921.4	-0.0
-0.0	-0.0			J	-1230.3	-736.3	-7921.4	-0.0
9562.8	-2178.5							
		INVSLV Max		I	2378.7	1867.7	-2246.0	0.0
0.0	0.0			J	2378.7	1867.7	-2246.0	0.0
1276.8	4212.0							1
		Min		I	-2531.4	-1755.0	-4698.7	-0.0
-0.0	-0.0			J	-2531.4	-1755.0	-4698.7	-0.0
5390.5	-4482.5							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	0.0	INVSLE Max	I	669.5	621.0	-2993.5	0.0	
			J	669.5	621.0	-2993.5	0.0	1
4015.8	1185.5	Min	I	-841.6	-494.0	-5839.9	-0.0	
-0.0	-0.0		J	-841.6	-494.0	-5839.9	-0.0	
7184.3	-1490.3							
1029	3	4 C1-C2;~1 Max	I	0.0	0.0	2222.3	0.0	
5333.6	0.0		J	0.0	0.0	2222.3	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-214.8	-0.0	
-515.5	-0.0		J	-0.0	-0.0	-214.8	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	1850.1	0.0	
4440.3	0.0		J	0.0	0.0	1850.1	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-226.5	-0.0	
-543.6	-0.0		J	-0.0	-0.0	-226.5	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	1148.2	0.0	
2755.6	0.0		J	0.0	0.0	1148.2	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-111.5	-0.0	
-267.7	-0.0		J	-0.0	-0.0	-111.5	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	931.7	0.0	
2236.1	0.0		J	0.0	0.0	931.7	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-118.6	-0.0	
-284.7	-0.0		J	-0.0	-0.0	-118.6	-0.0	
-0.0	-0.0							
		SLVx (RS)	I	-0.0	-0.0	951.9	0.0	
2284.6	0.0		J	-0.0	-0.0	951.9	0.0	
-0.0	-0.0							
		SLVy (RS)	I	0.0	0.0	-535.3	-0.0	-
1284.7	0.0		J	0.0	0.0	-535.3	-0.0	
0.0	0.0							
		SLDx (RS)	I	-0.0	0.0	715.7	0.0	
1717.7	0.0		J	-0.0	0.0	715.7	0.0	
-0.0	0.0							
		SLDy (RS)	I	-0.0	0.0	-394.0	0.0	
-945.5	0.0		J	-0.0	0.0	-394.0	0.0	
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-976.9	-0.0	SLVz (RS)	I	0.0	-0.0	-407.1	-0.0
			J	0.0	-0.0	-407.1	-0.0
0.0	0.0						
5943.6	0.0	G1	I	0.0	0.0	2476.5	0.0
			J	0.0	0.0	2476.5	0.0
0.0	0.0						
2167.9	0.0	G2	I	0.0	0.0	903.3	-0.0
			J	0.0	0.0	903.3	-0.0
0.0	-0.0						
16.3	-0.0	G1 - Imp~1	I	0.0	0.0	6.8	0.0
			J	0.0	0.0	6.8	0.0
0.0	0.0						
5.4	-0.0	G2 - Imp~1	I	-0.0	-0.0	2.3	0.0
			J	-0.0	-0.0	2.3	0.0
0.0	0.0						
102.8	0.0	q3	I	0.0	0.0	42.8	0.0
			J	0.0	0.0	42.8	0.0
0.0	-0.0						
-0.7	-0.0	q4-1	I	0.0	-0.0	-0.3	0.0
			J	0.0	-0.0	-0.3	0.0
0.0	0.0						
0.0	-0.0	q4-2	I	0.0	-0.0	0.0	0.0
			J	0.0	-0.0	0.0	0.0
0.0	-0.0						
4.2	-0.0	q4-3	I	-0.0	-0.0	1.7	0.0
			J	-0.0	-0.0	1.7	0.0
0.0	-0.0						
7.5	-0.0	q4-4	I	0.0	-0.0	3.1	0.0
			J	0.0	-0.0	3.1	0.0
0.0	-0.0						
-64.1	0.0	q4-5	I	0.0	0.0	-26.7	0.0
			J	0.0	0.0	-26.7	0.0
0.0	0.0						
-265.9	0.0	q4-6	I	0.0	0.0	-110.8	0.0
			J	0.0	0.0	-110.8	0.0
0.0	-0.0						
91.9	0.0	q4-7	I	0.0	0.0	38.3	0.0
			J	0.0	0.0	38.3	0.0
-0.0	0.0						
		q5 - p~1	I	-0.0	-0.0	-470.5	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1129.2	-0.0		J	-0.0	-0.0	-470.5	-0.0
0.0	-0.0						
-543.3	0.0	q5 - p~2	I	0.0	0.0	-226.4	-0.0
-0.0	-0.0		J	0.0	0.0	-226.4	-0.0
1031.2	-0.0	q5 - p~3	I	0.0	-0.0	-429.7	0.0
0.0	-0.0		J	0.0	-0.0	-429.7	0.0
-439.7	0.0	q5 - p~4	I	0.0	0.0	-183.2	0.0
0.0	-0.0		J	0.0	0.0	-183.2	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
234.2	0.0	q7	I	0.0	0.0	97.6	0.0
-0.0	0.0		J	0.0	0.0	97.6	0.0
-5.1	0.0	T	I	0.0	0.0	-2.1	0.0
-0.0	-0.0		J	0.0	0.0	-2.1	0.0
-224.6	0.0	M. tor~1	I	0.0	0.0	-93.6	-0.0
0.0	0.0		J	0.0	0.0	-93.6	-0.0
-132.8	0.0	M. tor~2	I	0.0	0.0	-55.3	0.0
0.0	0.0		J	0.0	0.0	-55.3	0.0
9200.1	0.0	INVSLU Max	I	0.0	0.0	8000.0	0.0
0.0	0.0		J	0.0	0.0	8000.0	0.0
9044.9	-0.0	Min	I	-0.0	-0.0	3768.7	-0.0
-0.0	-0.0		J	-0.0	-0.0	3768.7	-0.0
1096.2	0.0	INVSLV Max	I	0.0	0.0	4623.4	0.0
0.0	0.0		J	0.0	0.0	4623.4	0.0
5170.1	-0.0	Min	I	-0.0	-0.0	2154.2	-0.0
-0.0	-0.0		J	-0.0	-0.0	2154.2	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4147.3	0.0		INVSLE Max	I	0.0	0.0	5894.7	0.0	1
				J	0.0	0.0	5894.7	0.0	
0.0	0.0								
6814.2	-0.0		Min	I	-0.0	-0.0	2839.2	-0.0	
				J	-0.0	-0.0	2839.2	-0.0	
-0.0	-0.0								
1030	3	4	C1-C2;~1 Max	I	245.8	152.3	1734.9	99.7	
113.5	0.0			J	245.8	152.3	1734.9	99.7	
398.3	435.2								
			Min	I	-206.4	-181.3	-181.1	-83.8	
-135.2	-0.0			J	-206.4	-181.3	-181.1	-83.8	-
4154.2	-365.5								
			C3-C4;~1 Max	I	250.2	154.4	2117.1	101.5	
115.1	0.0			J	250.2	154.4	2117.1	101.5	
404.0	443.1								
			Min	I	-209.3	-184.6	-186.1	-84.9	
-137.6	-0.0			J	-209.3	-184.6	-186.1	-84.9	-
5055.8	-370.5								
			C1-C2;~2 Max	I	129.9	81.8	840.0	52.7	
61.0	0.0			J	129.9	81.8	840.0	52.7	
216.6	230.0								
			Min	I	-110.9	-95.8	-98.7	-45.0	
-71.4	-0.0			J	-110.9	-95.8	-98.7	-45.0	-
2012.7	-196.3								
			C3-C4;~2 Max	I	131.9	83.0	1058.8	53.5	
61.9	0.0			J	131.9	83.0	1058.8	53.5	
216.9	233.6								
			Min	I	-112.5	-97.3	-100.3	-45.7	
-72.5	-0.0			J	-112.5	-97.3	-100.3	-45.7	-
2526.1	-199.2								
			SLVx (RS)	I	-1984.9	1464.5	-881.8	-805.5	
1091.7	-0.0			J	-1984.9	1464.5	-881.8	-805.5	
3185.8	-3514.7								
			SLVy (RS)	I	1311.8	-967.8	640.8	532.3	
-721.5	0.0			J	1311.8	-967.8	640.8	532.3	-
2245.2	2322.8								
			SLDx (RS)	I	-1495.2	1103.2	-665.2	-606.7	
822.4	-0.0			J	-1495.2	1103.2	-665.2	-606.7	
2402.5	-2647.6								
			SLDy (RS)	I	964.4	-711.5	471.4	391.3	
-530.4	-0.0			J	964.4	-711.5	471.4	391.3	-
1651.9	1707.6								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-140.5	0.0	SLVz (RS)	I	255.4	-188.4	-507.5	103.6
			J	255.4	-188.4	-507.5	103.6
1308.6	452.3						
		G1	I	68.4	-50.5	2549.4	27.8
-37.6	0.0		J	68.4	-50.5	2549.4	27.8
6156.1	121.2						
		G2	I	25.1	-18.5	931.4	10.2
-13.8	0.0		J	25.1	-18.5	931.4	10.2
2249.1	44.4						
		G1- Imp~1	I	-13.0	9.6	-6.3	-5.3
7.2	0.0		J	-13.0	9.6	-6.3	-5.3
22.4	-23.1						
		G2- Imp~1	I	-4.1	3.0	-2.1	-1.7
2.3	0.0		J	-4.1	3.0	-2.1	-1.7
7.3	-7.3						
		q3	I	-69.2	51.1	-48.0	-28.1
38.1	-0.0		J	-69.2	51.1	-48.0	-28.1
153.3	-122.6						
		q4-1	I	1.2	-0.9	1.3	0.5
-0.7	0.0		J	1.2	-0.9	1.3	0.5
-3.8	2.2						
		q4-2	I	1.6	-1.2	1.5	0.7
-0.9	0.0		J	1.6	-1.2	1.5	0.7
-4.6	2.9						
		q4-3	I	-1.8	1.3	-0.5	-0.7
1.0	0.0		J	-1.8	1.3	-0.5	-0.7
2.2	-3.1						
		q4-4	I	-10.0	7.4	-4.0	-4.1
5.5	0.0		J	-10.0	7.4	-4.0	-4.1
15.0	-17.8						
		q4-5	I	35.4	-26.1	21.8	14.4
-19.5	0.0		J	35.4	-26.1	21.8	14.4
-71.9	62.7						
		q4-6	I	135.8	-100.2	117.0	55.1
-74.7	0.0		J	135.8	-100.2	117.0	55.1
-355.6	240.5						
		q4-7	I	-39.7	29.3	-19.2	-16.1
21.8	0.0		J	-39.7	29.3	-19.2	-16.1
67.9	-70.3						
		q5 - p~1	I	665.9	-491.3	417.0	270.2

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-366.2	0.0		J	665.9	-491.3	417.0	270.2	-
1367.1	1179.1							
		q5 - p~2	I	361.8	-266.9	243.2	146.8	
-199.0	0.0		J	361.8	-266.9	243.2	146.8	
-782.8	640.7							
		q5 - p~3	I	630.3	-465.0	378.2	255.8	
-346.7	0.0		J	630.3	-465.0	378.2	255.8	-
1254.4	1116.1							
		q5 - p~4	I	342.3	-252.6	198.8	138.9	
-188.3	0.0		J	342.3	-252.6	198.8	138.9	
-665.4	606.2							
		q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q7	I	-175.3	129.3	-93.1	-71.1	
96.4	-0.0		J	-175.3	129.3	-93.1	-71.1	
319.8	-310.4							
		T	I	-5.1	3.8	0.5	-2.1	
2.8	0.0		J	-5.1	3.8	0.5	-2.1	
1.6	-9.1							
		M. tor~1	I	27.1	-20.0	65.9	11.0	
-14.9	0.0		J	27.1	-20.0	65.9	11.0	
-173.2	48.1							
		M. tor~2	I	16.0	-11.8	39.0	6.5	
-8.8	0.0		J	16.0	-11.8	39.0	6.5	
-102.4	28.4							
		INVSLU Max	I	1230.3	736.3	7921.4	499.2	
548.8	0.0		J	1230.3	736.3	7921.4	499.2	-
9131.6	2178.5							
		Min	I	-997.9	-907.7	3984.5	-404.9	
-676.7	-0.0		J	-997.9	-907.7	3984.5	-404.9	-1
9363.9	-1767.0							
		INVSLV Max	I	2531.4	1755.0	4698.7	1027.2	
1308.3	0.0		J	2531.4	1755.0	4698.7	1027.2	-
4123.7	4482.5							
		Min	I	-2378.7	-1867.7	2246.0	-965.3	-
1392.3	-0.0		J	-2378.7	-1867.7	2246.0	-965.3	-1
2627.6	-4212.0							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

368.2	0.0	INVSLE	Max	I	841.6	494.0	5839.9	341.5	
				J	841.6	494.0	5839.9	341.5	-
6903.4	1490.3		Min	I	-669.5	-621.0	2993.5	-271.7	
-462.9	-0.0			J	-669.5	-621.0	2993.5	-271.7	-1
4252.6	-1185.5								
1031	3	4 C1-C2;~1	Max	I	0.0	0.0	214.8	0.0	
515.5	0.0			J	0.0	0.0	214.8	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-2222.3	-0.0	-
5333.6	-0.0			J	-0.0	-0.0	-2222.3	-0.0	
-0.0	-0.0								
		C3-C4;~1	Max	I	0.0	0.0	226.5	0.0	
543.6	0.0			J	0.0	0.0	226.5	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-1850.1	-0.0	-
4440.3	-0.0			J	-0.0	-0.0	-1850.1	-0.0	
-0.0	-0.0								
		C1-C2;~2	Max	I	0.0	0.0	111.5	0.0	
267.7	0.0			J	0.0	0.0	111.5	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-1148.2	-0.0	-
2755.6	-0.0			J	-0.0	-0.0	-1148.2	-0.0	
-0.0	-0.0								
		C3-C4;~2	Max	I	0.0	0.0	118.6	0.0	
284.7	0.0			J	0.0	0.0	118.6	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-931.7	-0.0	-
2236.1	-0.0			J	-0.0	-0.0	-931.7	-0.0	
-0.0	-0.0								
		SLVx (RS)		I	-0.0	0.0	-951.9	0.0	-
2284.6	0.0			J	-0.0	0.0	-951.9	0.0	
-0.0	-0.0								
		SLVy (RS)		I	-0.0	-0.0	535.3	-0.0	
1284.7	-0.0			J	-0.0	-0.0	535.3	-0.0	
0.0	-0.0								
		SLDx (RS)		I	0.0	0.0	-715.7	0.0	-
1717.7	-0.0			J	0.0	0.0	-715.7	0.0	
-0.0	0.0								
		SLDy (RS)		I	-0.0	0.0	394.0	-0.0	
945.5	-0.0			J	-0.0	0.0	394.0	-0.0	
0.0	-0.0								

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
976.9	0.0	SLVz (RS)	I	0.0	-0.0	407.1	-0.0
0.0	0.0		J	0.0	-0.0	407.1	-0.0
5943.6	0.0	G1	I	0.0	0.0	-2476.5	-0.0
0.0	0.0		J	0.0	0.0	-2476.5	-0.0
2167.9	0.0	G2	I	0.0	0.0	-903.3	-0.0
0.0	0.0		J	0.0	0.0	-903.3	-0.0
-16.3	0.0	G1- Imp~1	I	0.0	0.0	-6.8	0.0
0.0	0.0		J	0.0	0.0	-6.8	0.0
-5.4	0.0	G2- Imp~1	I	0.0	0.0	-2.3	0.0
0.0	0.0		J	0.0	0.0	-2.3	0.0
-102.8	0.0	q3	I	-0.0	0.0	-42.8	0.0
-0.0	0.0		J	-0.0	0.0	-42.8	0.0
0.7	0.0	q4-1	I	0.0	0.0	0.3	0.0
0.0	0.0		J	0.0	0.0	0.3	0.0
-0.0	0.0	q4-2	I	0.0	0.0	-0.0	0.0
0.0	0.0		J	0.0	0.0	-0.0	0.0
-4.2	0.0	q4-3	I	0.0	0.0	-1.7	0.0
0.0	0.0		J	0.0	0.0	-1.7	0.0
-7.5	0.0	q4-4	I	0.0	0.0	-3.1	0.0
0.0	0.0		J	0.0	0.0	-3.1	0.0
64.1	-0.0	q4-5	I	0.0	0.0	26.7	-0.0
0.0	0.0		J	0.0	0.0	26.7	-0.0
265.9	-0.0	q4-6	I	-0.0	0.0	110.8	-0.0
0.0	-0.0		J	-0.0	0.0	110.8	-0.0
-91.9	0.0	q4-7	I	-0.0	0.0	-38.3	0.0
-0.0	0.0		J	-0.0	0.0	-38.3	0.0
		q5 - p~1	I	0.0	0.0	470.5	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1129.2	0.0		J	0.0	0.0	470.5	-0.0
0.0	0.0						
543.3	-0.0	q5 - p~2	I	0.0	-0.0	226.4	-0.0
0.0	0.0		J	0.0	-0.0	226.4	-0.0
1031.2	-0.0	q5 - p~3	I	-0.0	-0.0	429.7	-0.0
0.0	0.0		J	-0.0	-0.0	429.7	-0.0
439.7	0.0	q5 - p~4	I	0.0	0.0	183.2	-0.0
0.0	-0.0		J	0.0	0.0	183.2	-0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-234.2	0.0	q7	I	-0.0	0.0	-97.6	0.0
-0.0	-0.0		J	-0.0	0.0	-97.6	0.0
5.1	0.0	T	I	0.0	0.0	2.1	0.0
0.0	0.0		J	0.0	0.0	2.1	0.0
224.6	0.0	M. tor~1	I	0.0	0.0	93.6	-0.0
0.0	0.0		J	0.0	0.0	93.6	-0.0
132.8	0.0	M. tor~2	I	0.0	0.0	55.3	0.0
0.0	0.0		J	0.0	0.0	55.3	0.0
9044.9	0.0	INVSLU Max	I	0.0	0.0	-3768.7	0.0
0.0	0.0		J	0.0	0.0	-3768.7	0.0
9200.1	-0.0	Min	I	-0.0	-0.0	-8000.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-8000.0	-0.0
5170.1	0.0	INVSLV Max	I	0.0	0.0	-2154.2	0.0
0.0	0.0		J	0.0	0.0	-2154.2	0.0
1096.2	-0.0	Min	I	-0.0	-0.0	-4623.4	-0.0
-0.0	-0.0		J	-0.0	-0.0	-4623.4	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

6814.2	0.0		INVSLE Max	I	0.0	0.0	-2839.2	0.0	-
				J	0.0	0.0	-2839.2	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-5894.7	-0.0	-1
4147.3	-0.0			J	-0.0	-0.0	-5894.7	-0.0	
-0.0	-0.0								
1036	3	4	C1-C2;~1 Max	I	48.4	34.4	251.3	0.0	
0.0	0.0			J	48.4	34.4	251.3	0.0	
2155.1	47.9		Min	I	-28.1	-20.0	-897.9	-0.0	
-0.0	-0.0			J	-28.1	-20.0	-897.9	-0.0	
-603.2	-82.6								
			C3-C4;~1 Max	I	50.2	35.7	241.7	0.0	
0.0	0.0			J	50.2	35.7	241.7	0.0	
2875.0	54.6		Min	I	-32.0	-22.8	-1197.9	-0.0	
-0.0	-0.0			J	-32.0	-22.8	-1197.9	-0.0	
-580.1	-85.6								
			C1-C2;~2 Max	I	26.2	18.7	134.4	0.0	
0.0	0.0			J	26.2	18.7	134.4	0.0	
1182.1	25.1		Min	I	-14.7	-10.5	-492.5	-0.0	
-0.0	-0.0			J	-14.7	-10.5	-492.5	-0.0	
-322.4	-44.8								
			C3-C4;~2 Max	I	27.2	19.3	129.9	0.0	
0.0	0.0			J	27.2	19.3	129.9	0.0	
1642.6	29.2		Min	I	-17.1	-12.2	-684.4	-0.0	
-0.0	-0.0			J	-17.1	-12.2	-684.4	-0.0	
-311.9	-46.4								
			SLVx (RS)	I	-595.4	-423.5	819.8	0.0	
-0.0	0.0			J	-595.4	-423.5	819.8	0.0	-
1967.5	1016.3								
			SLVy (RS)	I	-491.0	-349.2	397.9	0.0	
0.0	-0.0			J	-491.0	-349.2	397.9	0.0	
-954.9	838.0								
			SLDx (RS)	I	-431.7	-307.0	578.4	-0.0	
-0.0	0.0			J	-431.7	-307.0	578.4	-0.0	-
1388.1	736.9								
			SLDy (RS)	I	-351.2	-249.8	-274.6	0.0	
0.0	-0.0			J	-351.2	-249.8	-274.6	0.0	
659.0	599.5								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
			SLVz (RS)	I	112.6	80.1	211.2	-0.0
0.0	-0.0			J	112.6	80.1	211.2	-0.0
-506.9	-192.2							
			G1	I	27.8	19.8	-726.3	0.0
-0.0	-0.0			J	27.8	19.8	-726.3	0.0
1743.1	-47.5							
			G2	I	10.2	7.2	-265.1	0.0
-0.0	0.0			J	10.2	7.2	-265.1	0.0
636.3	-17.3							
			G1 - Imp~1	I	-8.3	-5.9	-1.5	0.0
0.0	0.0			J	-8.3	-5.9	-1.5	0.0
3.5	14.2							
			G2 - Imp~1	I	-3.0	-2.2	-0.5	0.0
0.0	-0.0			J	-3.0	-2.2	-0.5	0.0
1.3	5.2							
			q3	I	-11.0	-7.8	-7.4	0.0
-0.0	-0.0			J	-11.0	-7.8	-7.4	0.0
17.7	18.8							
			q4-1	I	-141.8	-100.9	-96.2	-0.0
-0.0	0.0			J	-141.8	-100.9	-96.2	-0.0
230.9	242.1							
			q4-2	I	-43.9	-31.2	-26.7	0.0
0.0	0.0			J	-43.9	-31.2	-26.7	0.0
64.2	74.9							
			q4-3	I	2.6	1.9	-3.0	0.0
0.0	0.0			J	2.6	1.9	-3.0	0.0
7.3	-4.5							
			q4-4	I	2.3	1.6	1.0	0.0
0.0	-0.0			J	2.3	1.6	1.0	0.0
-2.3	-3.9							
			q4-5	I	-0.3	-0.2	0.2	0.0
0.0	-0.0			J	-0.3	-0.2	0.2	0.0
-0.5	0.6							
			q4-6	I	-0.5	-0.3	0.0	0.0
0.0	0.0			J	-0.5	-0.3	0.0	0.0
-0.0	0.8							
			q4-7	I	-0.4	-0.3	0.1	0.0
0.0	-0.0			J	-0.4	-0.3	0.1	0.0
-0.2	0.6							
			q5 - p~1	I	-93.3	-66.3	-90.3	-0.0

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	-0.0			J	-93.3	-66.3	-90.3	-0.0
216.8	159.2							
		q5 - p~2		I	361.2	256.9	224.3	0.0
-0.0	0.0			J	361.2	256.9	224.3	0.0
-538.4	-616.6							
		q5 - p~3		I	-88.4	-62.9	-86.0	-0.0
0.0	-0.0			J	-88.4	-62.9	-86.0	-0.0
206.5	150.9							
		q5 - p~4		I	341.9	243.1	193.4	0.0
0.0	0.0			J	341.9	243.1	193.4	0.0
-464.2	-583.5							
		q5 - p~5		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		q5 - p~6		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		q7		I	-12.6	-9.0	-16.7	0.0
0.0	-0.0			J	-12.6	-9.0	-16.7	0.0
40.1	21.5							
		T		I	-0.8	-0.6	-1.1	0.0
0.0	0.0			J	-0.8	-0.6	-1.1	0.0
2.6	1.4							
		M. tor~1		I	-171.3	-121.8	25.5	-0.0
-0.0	-0.0			J	-171.3	-121.8	25.5	-0.0
-61.2	292.3							
		M. tor~2		I	-101.3	-72.0	15.1	-0.0
0.0	0.0			J	-101.3	-72.0	15.1	-0.0
-36.2	172.8							
		INVSLU Max		I	586.0	416.7	-799.1	0.0
-0.0	0.0			J	586.0	416.7	-799.1	0.0
7586.3	860.8							
		Min		I	-504.3	-358.7	-3161.0	-0.0
-0.0	-0.0			J	-504.3	-358.7	-3161.0	-0.0
1918.0	-1000.2							
		INVSLV Max		I	803.1	571.2	9.1	0.0
0.0	0.0			J	803.1	571.2	9.1	0.0
4790.3	1279.9							
		Min		I	-749.9	-533.3	-1996.0	-0.0
-0.0	-0.0			J	-749.9	-533.3	-1996.0	-0.0
-21.9	-1370.8							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

-0.0	0.0	INVSLE Max	I	396.1	281.7	-606.8	0.0
			J	396.1	281.7	-606.8	0.0
5583.8	596.7	Min	I	-349.6	-248.6	-2326.6	0.0
-0.0	-0.0		J	-349.6	-248.6	-2326.6	0.0
1456.4	-676.1						
1037	3	4 C1-C2;~1 Max	I	0.0	0.0	1298.2	0.0
3115.7	0.0		J	0.0	0.0	1298.2	0.0
0.0	0.0	Min	I	-0.0	-0.0	-98.0	-0.0
-235.3	-0.0		J	-0.0	-0.0	-98.0	-0.0
-0.0	-0.0						
		C3-C4;~1 Max	I	0.0	0.0	1000.1	0.0
2400.3	0.0		J	0.0	0.0	1000.1	0.0
0.0	0.0	Min	I	-0.0	-0.0	-113.4	-0.0
-272.2	-0.0		J	-0.0	-0.0	-113.4	-0.0
-0.0	-0.0						
		C1-C2;~2 Max	I	0.0	0.0	776.6	0.0
1863.8	0.0		J	0.0	0.0	776.6	0.0
0.0	0.0	Min	I	-0.0	-0.0	-46.8	-0.0
-112.3	-0.0		J	-0.0	-0.0	-46.8	-0.0
-0.0	-0.0						
		C3-C4;~2 Max	I	0.0	0.0	585.0	0.0
1404.1	0.0		J	0.0	0.0	585.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-55.3	-0.0
-132.6	-0.0		J	-0.0	-0.0	-55.3	-0.0
-0.0	-0.0						
		SLVx (RS)	I	0.0	-0.0	855.8	-0.0
2054.0	-0.0		J	0.0	-0.0	855.8	-0.0
0.0	0.0						
		SLVy (RS)	I	0.0	0.0	436.1	-0.0
1046.6	-0.0		J	0.0	0.0	436.1	-0.0
-0.0	-0.0						
		SLDx (RS)	I	0.0	0.0	603.8	-0.0
1449.2	0.0		J	0.0	0.0	603.8	-0.0
0.0	0.0						
		SLDy (RS)	I	0.0	-0.0	301.8	-0.0
724.3	-0.0		J	0.0	-0.0	301.8	-0.0
0.0	-0.0						

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-599.7	-0.0	SLVz (RS)	I	-0.0	-0.0	-249.9	-0.0
			J	-0.0	-0.0	-249.9	-0.0
0.0	0.0						
1924.5	0.0	G1	I	-0.0	0.0	801.9	0.0
			J	-0.0	0.0	801.9	0.0
0.0	-0.0						
702.9	0.0	G2	I	-0.0	0.0	292.9	0.0
			J	-0.0	0.0	292.9	0.0
0.0	0.0						
-3.2	-0.0	G1 - Imp~1	I	0.0	-0.0	-1.4	0.0
			J	0.0	-0.0	-1.4	0.0
0.0	0.0						
-1.2	-0.0	G2 - Imp~1	I	0.0	-0.0	-0.5	0.0
			J	0.0	-0.0	-0.5	0.0
0.0	-0.0						
-35.4	-0.0	q3	I	0.0	-0.0	-14.8	0.0
			J	0.0	-0.0	-14.8	0.0
0.0	0.0						
-248.1	0.0	q4-1	I	-0.0	0.0	-103.4	0.0
			J	-0.0	0.0	-103.4	0.0
0.0	0.0						
-76.2	0.0	q4-2	I	-0.0	0.0	-31.7	0.0
			J	-0.0	0.0	-31.7	0.0
0.0	-0.0						
-8.2	-0.0	q4-3	I	-0.0	-0.0	-3.4	0.0
			J	-0.0	-0.0	-3.4	0.0
0.0	0.0						
2.9	-0.0	q4-4	I	0.0	-0.0	1.2	0.0
			J	0.0	-0.0	1.2	0.0
0.0	0.0						
-0.1	-0.0	q4-5	I	0.0	-0.0	-0.0	0.0
			J	0.0	-0.0	-0.0	0.0
0.0	0.0						
-0.7	-0.0	q4-6	I	0.0	-0.0	-0.3	0.0
			J	0.0	-0.0	-0.3	0.0
0.0	-0.0						
-0.6	-0.0	q4-7	I	0.0	-0.0	-0.2	0.0
			J	0.0	-0.0	-0.2	0.0
0.0	0.0						
		q5 - p~1	I	-0.0	-0.0	-129.8	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

-311.5	-0.0		J	-0.0	-0.0	-129.8	0.0
0.0	-0.0						
611.5	-0.0	q5 - p~2	I	0.0	-0.0	254.8	0.0
-0.0	0.0		J	0.0	-0.0	254.8	0.0
-282.7	-0.0	q5 - p~3	I	-0.0	-0.0	-117.8	0.0
-0.0	-0.0		J	-0.0	-0.0	-117.8	0.0
529.3	-0.0	q5 - p~4	I	0.0	0.0	220.5	-0.0
-0.0	-0.0		J	0.0	0.0	220.5	-0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-50.5	-0.0	q7	I	-0.0	-0.0	-21.1	0.0
0.0	-0.0		J	-0.0	-0.0	-21.1	0.0
-2.3	0.0	T	I	-0.0	0.0	-1.0	0.0
0.0	-0.0		J	-0.0	0.0	-1.0	0.0
23.0	0.0	M. tor~1	I	0.0	0.0	9.6	0.0
0.0	-0.0		J	0.0	0.0	9.6	0.0
13.6	0.0	M. tor~2	I	-0.0	-0.0	5.7	0.0
0.0	-0.0		J	-0.0	-0.0	5.7	0.0
8299.3	0.0	INVSLU Max	I	0.0	0.0	3458.0	0.0
0.0	0.0		J	0.0	0.0	3458.0	0.0
2475.1	-0.0	Min	I	-0.0	-0.0	1031.3	-0.0
0.0	-0.0		J	-0.0	-0.0	1031.3	-0.0
5170.8	0.0	INVSLV Max	I	0.0	0.0	2154.5	0.0
0.0	0.0		J	0.0	0.0	2154.5	0.0
75.2	-0.0	Min	I	-0.0	-0.0	31.3	-0.0
-0.0	-0.0		J	-0.0	-0.0	31.3	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

6107.0	0.0	INVSLE Max	I	0.0	0.0	2544.6	0.0	
			J	0.0	0.0	2544.6	0.0	
0.0	0.0							
1874.1	-0.0	Min	I	-0.0	-0.0	780.9	-0.0	
			J	-0.0	-0.0	780.9	-0.0	
0.0	-0.0							
1038	3	4 C1-C2;~1 Max	I	28.1	20.0	897.9	18.9	
26.6	0.0		J	28.1	20.0	897.9	18.9	
598.9	82.6							
		Min	I	-48.4	-34.4	-251.3	-11.0	
-15.4	-0.0		J	-48.4	-34.4	-251.3	-11.0	-
2140.1	-47.9							
		C3-C4;~1 Max	I	32.0	22.8	1197.9	19.6	
27.6	0.0		J	32.0	22.8	1197.9	19.6	
567.3	85.6							
		Min	I	-50.2	-35.7	-241.7	-12.5	
-17.6	-0.0		J	-50.2	-35.7	-241.7	-12.5	-
2855.9	-54.7							
		C1-C2;~2 Max	I	14.7	10.5	492.5	10.3	
14.4	0.0		J	14.7	10.5	492.5	10.3	
319.1	44.8							
		Min	I	-26.2	-18.7	-134.4	-5.8	
-8.1	-0.0		J	-26.2	-18.7	-134.4	-5.8	-
1175.5	-25.1							
		C3-C4;~2 Max	I	17.1	12.2	684.4	10.6	
14.9	0.0		J	17.1	12.2	684.4	10.6	
304.7	46.4							
		Min	I	-27.2	-19.3	-129.9	-6.7	
-9.4	-0.0		J	-27.2	-19.3	-129.9	-6.7	-
1633.5	-29.2							
		SLVx (RS)	I	595.5	423.5	-819.8	-232.9	
-327.5	-0.0		J	595.5	423.5	-819.8	-232.9	
2023.6	-1016.4							
		SLVy (RS)	I	491.0	349.2	-397.9	-192.1	
-270.1	-0.0		J	491.0	349.2	-397.9	-192.1	
866.5	-838.1							
		SLDx (RS)	I	431.8	307.1	-578.4	-168.9	
-237.5	-0.0		J	431.8	307.1	-578.4	-168.9	
1436.0	-737.0							
		SLDy (RS)	I	351.3	249.8	274.6	-137.4	
-193.2	0.0		J	351.3	249.8	274.6	-137.4	
599.9	-599.6							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
61.9	0.0	SLVz (RS)	I	-112.6	-80.1	-211.2	44.0
			J	-112.6	-80.1	-211.2	44.0
505.1	192.2						
		G1	I	-27.8	-19.8	726.3	10.9
15.3	0.0		J	-27.8	-19.8	726.3	10.9
1727.8	47.4						-
		G2	I	-10.1	-7.2	265.1	4.0
5.6	0.0		J	-10.1	-7.2	265.1	4.0
-630.7	17.3						
		G1- Imp~1	I	8.3	5.9	1.5	-3.2
-4.6	-0.0		J	8.3	5.9	1.5	-3.2
-8.1	-14.2						
		G2- Imp~1	I	3.0	2.2	0.5	-1.2
-1.7	0.0		J	3.0	2.2	0.5	-1.2
-3.0	-5.2						
		q3	I	11.0	7.8	7.4	-4.3
-6.0	0.0		J	11.0	7.8	7.4	-4.3
-23.8	-18.8						
		q4-1	I	141.8	100.9	96.2	-55.5
-78.0	-0.0		J	141.8	100.9	96.2	-55.5
-308.9	-242.1						
		q4-2	I	43.9	31.2	26.7	-17.2
-24.1	0.0		J	43.9	31.2	26.7	-17.2
-88.3	-74.9						
		q4-3	I	-2.6	-1.9	3.0	1.0
1.4	-0.0		J	-2.6	-1.9	3.0	1.0
-5.9	4.5						
		q4-4	I	-2.3	-1.6	-1.0	0.9
1.3	0.0		J	-2.3	-1.6	-1.0	0.9
3.5	3.9						
		q4-5	I	0.3	0.2	-0.2	-0.1
-0.2	0.0		J	0.3	0.2	-0.2	-0.1
0.3	-0.6						
		q4-6	I	0.5	0.3	-0.0	-0.2
-0.3	0.0		J	0.5	0.3	-0.0	-0.2
-0.2	-0.8						
		q4-7	I	0.4	0.3	-0.1	-0.1
-0.2	-0.0		J	0.4	0.3	-0.1	-0.1
-0.0	-0.6						
		q5 - p~1	I	93.3	66.3	90.3	-36.5

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-51.3	0.0		J	93.3	66.3	90.3	-36.5
-268.1	-159.2						
		q5 - p~2	I	-361.3	-256.9	-224.3	141.3
198.7	0.0		J	-361.3	-256.9	-224.3	141.3
737.1	616.6						
		q5 - p~3	I	88.4	62.9	86.0	-34.6
-48.6	0.0		J	88.4	62.9	86.0	-34.6
-255.1	-150.9						
		q5 - p~4	I	-341.9	-243.2	-193.4	133.7
188.0	-0.0		J	-341.9	-243.2	-193.4	133.7
652.2	583.6						
		q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q7	I	12.6	9.0	16.7	-4.9
-6.9	0.0		J	12.6	9.0	16.7	-4.9
-47.0	-21.5						
		T	I	0.8	0.6	1.1	-0.3
-0.5	-0.0		J	0.8	0.6	1.1	-0.3
-3.1	-1.4						
		M. tor~1	I	171.3	121.9	-25.5	-67.0
-94.2	0.0		J	171.3	121.9	-25.5	-67.0
-33.0	-292.5						
		M. tor~2	I	101.3	72.0	-15.1	-39.6
-55.7	0.0		J	101.3	72.0	-15.1	-39.6
-19.5	-172.9						
		INVSLU Max	I	504.4	358.7	3161.0	229.2
322.3	0.0		J	504.4	358.7	3161.0	229.2
1724.8	1000.3	Min	I	-586.0	-416.8	799.1	-197.3
-277.4	-0.0		J	-586.0	-416.8	799.1	-197.3
7719.9	-860.9						
		INVSLV Max	I	750.0	533.4	1996.0	314.2
441.8	0.0		J	750.0	533.4	1996.0	314.2
65.5	1370.9	Min	I	-803.2	-571.2	-9.1	-293.4
-412.5	-0.0		J	-803.2	-571.2	-9.1	-293.4
4804.6	-1280.1						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

217.9	0.0	INVSLE	Max	I	349.6	248.6	2326.6	155.0	
				J	349.6	248.6	2326.6	155.0	-
1326.6	676.2		Min	I	-396.2	-281.8	606.8	-136.8	
-192.3	-0.0			J	-396.2	-281.8	606.8	-136.8	-
5669.5	-596.7								
1039	3	4 C1-C2;~1	Max	I	0.0	0.0	98.0	0.0	
235.3	0.0			J	0.0	0.0	98.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-1298.2	-0.0	-
3115.7	-0.0			J	-0.0	-0.0	-1298.2	-0.0	
-0.0	-0.0								
		C3-C4;~1	Max	I	0.0	0.0	113.4	0.0	
272.2	0.0			J	0.0	0.0	113.4	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-1000.1	-0.0	-
2400.3	-0.0			J	-0.0	-0.0	-1000.1	-0.0	
-0.0	-0.0								
		C1-C2;~2	Max	I	0.0	0.0	46.8	0.0	
112.3	0.0			J	0.0	0.0	46.8	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-776.6	-0.0	-
1863.8	-0.0			J	-0.0	-0.0	-776.6	-0.0	
-0.0	-0.0								
		C3-C4;~2	Max	I	0.0	0.0	55.3	0.0	
132.6	0.0			J	0.0	0.0	55.3	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-585.0	-0.0	-
1404.1	-0.0			J	-0.0	-0.0	-585.0	-0.0	
-0.0	-0.0								
		SLVx (RS)		I	-0.0	-0.0	-855.8	-0.0	-
2054.0	0.0			J	-0.0	-0.0	-855.8	-0.0	
0.0	0.0								
		SLVy (RS)		I	0.0	-0.0	-436.1	-0.0	-
1046.6	-0.0			J	0.0	-0.0	-436.1	-0.0	
-0.0	-0.0								
		SLDx (RS)		I	0.0	0.0	-603.8	-0.0	-
1449.2	0.0			J	0.0	0.0	-603.8	-0.0	
0.0	-0.0								
		SLDy (RS)		I	-0.0	-0.0	-301.8	-0.0	-
-724.3	-0.0			J	-0.0	-0.0	-301.8	-0.0	
-0.0	0.0								


MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
599.7	-0.0	SLVz (RS)	I	0.0	0.0	249.9	0.0
			J	0.0	0.0	249.9	0.0
-0.0	-0.0						
1924.5	-0.0	G1	I	-0.0	-0.0	-801.9	0.0
			J	-0.0	-0.0	-801.9	0.0
-0.0	-0.0						
-702.9	-0.0	G2	I	0.0	-0.0	-292.9	0.0
			J	0.0	-0.0	-292.9	0.0
-0.0	-0.0						
3.2	0.0	G1 - Imp~1	I	-0.0	0.0	1.4	-0.0
			J	-0.0	0.0	1.4	-0.0
-0.0	0.0						
1.2	0.0	G2 - Imp~1	I	-0.0	0.0	0.5	-0.0
			J	-0.0	0.0	0.5	-0.0
-0.0	0.0						
35.4	-0.0	q3	I	0.0	-0.0	14.8	0.0
			J	0.0	-0.0	14.8	0.0
0.0	0.0						
248.1	0.0	q4-1	I	0.0	-0.0	103.4	0.0
			J	0.0	-0.0	103.4	0.0
0.0	0.0						
76.2	0.0	q4-2	I	0.0	-0.0	31.7	0.0
			J	0.0	-0.0	31.7	0.0
0.0	0.0						
8.2	0.0	q4-3	I	-0.0	0.0	3.4	-0.0
			J	-0.0	0.0	3.4	-0.0
-0.0	0.0						
-2.9	0.0	q4-4	I	0.0	-0.0	-1.2	-0.0
			J	0.0	-0.0	-1.2	-0.0
-0.0	-0.0						
0.1	0.0	q4-5	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
0.7	0.0	q4-6	I	0.0	0.0	0.3	0.0
			J	0.0	0.0	0.3	0.0
0.0	0.0						
0.6	0.0	q4-7	I	0.0	0.0	0.2	0.0
			J	0.0	0.0	0.2	0.0
0.0	0.0						
		q5 - p~1	I	0.0	0.0	129.8	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
311.5	0.0		J	0.0	0.0	129.8	0.0
0.0	0.0						
-611.5	0.0	q5 - p~2	I	-0.0	0.0	-254.8	-0.0
-0.0	-0.0		J	-0.0	0.0	-254.8	-0.0
282.7	0.0	q5 - p~3	I	0.0	0.0	117.8	0.0
0.0	0.0		J	0.0	0.0	117.8	0.0
-529.3	-0.0	q5 - p~4	I	0.0	-0.0	-220.5	-0.0
-0.0	-0.0		J	0.0	-0.0	-220.5	-0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
50.5	-0.0	q7	I	-0.0	-0.0	21.1	0.0
0.0	0.0		J	-0.0	-0.0	21.1	0.0
2.3	0.0	T	I	-0.0	0.0	1.0	0.0
0.0	0.0		J	-0.0	0.0	1.0	0.0
-23.0	0.0	M. tor~1	I	-0.0	0.0	-9.6	0.0
0.0	-0.0		J	-0.0	0.0	-9.6	0.0
-13.6	0.0	M. tor~2	I	0.0	0.0	-5.7	0.0
0.0	-0.0		J	0.0	0.0	-5.7	0.0
2475.1	0.0	INVSLU Max	I	0.0	0.0	-1031.3	0.0
0.0	0.0		J	0.0	0.0	-1031.3	0.0
8299.3	-0.0	Min	I	-0.0	-0.0	-3458.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-3458.0	-0.0
-75.2	0.0	INVSLV Max	I	0.0	0.0	-31.3	0.0
0.0	0.0		J	0.0	0.0	-31.3	0.0
5170.9	-0.0	Min	I	-0.0	-0.0	-2154.5	-0.0
-0.0	-0.0		J	-0.0	-0.0	-2154.5	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1874.0	0.0		INVSLE Max	I	0.0	0.0	-780.9	0.0	-
				J	0.0	0.0	-780.9	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-2544.6	-0.0	-
6107.0	-0.0			J	-0.0	-0.0	-2544.6	-0.0	
-0.0	-0.0								
1040	3	4	C1-C2;~1 Max	I	20.0	48.4	286.3	1254.1	
218.5	25.4			J	20.0	48.4	286.3	1254.1	
18.9	47.9		Min	I	-34.4	-28.1	-1786.5	-2940.2	-
1417.8	-43.9			J	-34.4	-28.1	-1786.5	-2940.2	
-11.0	-82.6								
			C3-C4;~1 Max	I	22.8	50.2	294.7	2280.7	
223.7	29.0			J	22.8	50.2	294.7	2280.7	
19.6	54.7		Min	I	-35.7	-32.0	-1785.9	-1923.7	-
1415.3	-45.5			J	-35.7	-32.0	-1785.9	-1923.7	
-12.5	-85.6								
			C1-C2;~2 Max	I	10.5	26.2	155.5	625.0	
118.8	13.4			J	10.5	26.2	155.5	625.0	
10.3	25.1		Min	I	-18.7	-14.7	-1063.6	-1671.5	
-846.7	-23.8			J	-18.7	-14.7	-1063.6	-1671.5	
-5.8	-44.8								
			C3-C4;~2 Max	I	12.2	27.2	160.6	1243.2	
122.0	15.5			J	12.2	27.2	160.6	1243.2	
10.6	29.2		Min	I	-19.3	-17.1	-1063.0	-1055.1	
-844.8	-24.6			J	-19.3	-17.1	-1063.0	-1055.1	
-6.7	-46.4								
			SLVx (RS)	I	423.5	-595.5	-254.4	-4029.3	
-273.4	540.0			J	423.5	-595.5	-254.4	-4029.3	
-232.9	1016.4								
			SLVy (RS)	I	349.2	-491.0	-133.2	-1885.0	
-199.2	445.3			J	349.2	-491.0	-133.2	-1885.0	
-192.1	838.1								
			SLDx (RS)	I	307.1	-431.8	-188.3	-2847.6	
-201.3	391.6			J	307.1	-431.8	-188.3	-2847.6	
-168.9	737.0								
			SLDy (RS)	I	249.8	-351.3	-96.4	-1303.1	
-141.8	318.5			J	249.8	-351.3	-96.4	-1303.1	
-137.4	599.6								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
348.1	-102.1	SLVz (RS)	I	-80.1	112.6	449.6	-322.7	
			J	-80.1	112.6	449.6	-322.7	
44.0	-192.2							
1211.7	-25.2	G1	I	-19.8	27.8	-1528.2	-196.7	-
			J	-19.8	27.8	-1528.2	-196.7	
10.9	-47.4							
-442.5	-9.2	G2	I	-7.2	10.1	-558.0	-72.2	
			J	-7.2	10.1	-558.0	-72.2	
4.0	-17.3							
-3.3	7.5	G1- Imp~1	I	5.9	-8.3	-0.1	11.3	
			J	5.9	-8.3	-0.1	11.3	
-3.2	14.2							
-1.2	2.8	G2- Imp~1	I	2.2	-3.0	-0.0	4.1	
			J	2.2	-3.0	-0.0	4.1	
-1.2	5.2							
1.6	10.0	q3	I	7.8	-11.0	7.4	59.2	
			J	7.8	-11.0	7.4	59.2	
-4.3	18.8							
-49.7	128.6	q4-1	I	100.9	-141.8	7.2	556.9	
			J	100.9	-141.8	7.2	556.9	
-55.5	242.1							
-13.2	39.8	q4-2	I	31.2	-43.9	5.0	164.5	
			J	31.2	-43.9	5.0	164.5	
-17.2	74.9							
1.3	-2.4	q4-3	I	-1.9	2.6	0.4	14.1	
			J	-1.9	2.6	0.4	14.1	
1.0	-4.5							
0.7	-2.1	q4-4	I	-1.6	2.3	-0.2	-6.4	
			J	-1.6	2.3	-0.2	-6.4	
0.9	-3.9							
0.1	0.3	q4-5	I	0.2	-0.3	0.2	-0.2	
			J	0.2	-0.3	0.2	-0.2	
-0.1	0.6							
0.1	0.4	q4-6	I	0.3	-0.5	0.3	0.9	
			J	0.3	-0.5	0.3	0.9	
-0.2	0.8							
0.1	0.3	q4-7	I	0.3	-0.4	0.3	0.6	
			J	0.3	-0.4	0.3	0.6	
-0.1	0.6							
		q5 - p~1	I	66.3	-93.3	39.5	579.6	

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-4.9	84.6		J	66.3	-93.3	39.5	579.6
-36.5	159.2						
116.9	-327.6	q5 - p~2	I	-256.9	361.3	-30.5	-1348.6
141.3	-616.6		J	-256.9	361.3	-30.5	-1348.6
-9.2	80.2	q5 - p~3	I	62.9	-88.4	31.7	537.8
-34.6	150.9		J	62.9	-88.4	31.7	537.8
112.0	-310.0	q5 - p~4	I	-243.2	341.9	-27.2	-1181.5
133.7	-583.6		J	-243.2	341.9	-27.2	-1181.5
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.4	11.4	q7	I	9.0	-12.6	4.4	97.6
-4.9	21.5		J	9.0	-12.6	4.4	97.6
-0.4	0.8	T	I	0.6	-0.8	-0.1	5.4
-0.3	1.4		J	0.6	-0.8	-0.1	5.4
-54.3	155.4	M. tor~1	I	121.9	-171.3	15.9	10.1
-67.0	292.5		J	121.9	-171.3	15.9	10.1
-32.1	91.9	M. tor~2	I	72.0	-101.3	9.4	6.0
-39.6	172.9		J	72.0	-101.3	9.4	6.0
1831.6	457.4	INVSLU Max	I	358.7	586.0	-2383.0	3954.4
229.2	860.9		J	358.7	586.0	-2383.0	3954.4
4258.8	-531.5	Min	I	-416.8	-504.4	-5263.9	-5529.1
-197.3	-1000.3		J	-416.8	-504.4	-5263.9	-5529.1
1168.8	680.1	INVSLV Max	I	533.4	803.2	-1520.4	4438.2
314.2	1280.1		J	533.4	803.2	-1520.4	4438.2
2148.5	-728.4	Min	I	-571.2	-750.0	-2652.2	-4945.1
-293.4	-1370.9		J	-571.2	-750.0	-2652.2	-4945.1


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1364.5	317.0	INVSLE Max	I	248.6	396.2	-1767.8	2839.7	-
			J	248.6	396.2	-1767.8	2839.7	
155.0	596.7	Min	I	-281.8	-349.6	-3896.6	-4006.1	-
3146.9	-359.3		J	-281.8	-349.6	-3896.6	-4006.1	
-136.8	-676.2							
1041.0	3.0	4 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
-249.5	-0.0	SLVx (RS)	I	498.9	579.4	-192.8	-289.7	
			J	498.9	579.4	-192.8	-289.7	
-337.7	-463.5							
151.1	-0.0	SLVy (RS)	I	-302.3	-431.9	51.7	215.9	
			J	-302.3	-431.9	51.7	215.9	
165.3	345.5							
-177.5	-0.0	SLDx (RS)	I	355.0	409.7	-140.4	-204.8	
			J	355.0	409.7	-140.4	-204.8	
-243.4	-327.7							
108.5	-0.0	SLDy (RS)	I	-217.0	-306.8	38.2	153.4	
			J	-217.0	-306.8	38.2	153.4	
119.2	245.5							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
98.7	-0.0	SLVz (RS)	I	-197.4	-118.4	-288.8	59.2
			J	-197.4	-118.4	-288.8	59.2
260.4	94.7						
		G1	I	-0.0	-0.0	-0.0	0.0
0.0	0.0		J	-0.0	-0.0	-0.0	0.0
0.0	0.0						
		G2	I	-0.0	-0.0	-0.0	0.0
0.0	0.0		J	-0.0	-0.0	-0.0	0.0
0.0	0.0						
		G1 - Imp~1	I	0.0	0.0	1476.0	-0.0
-0.0	0.0		J	0.0	0.0	1476.0	-0.0
1180.8	-0.0						
		G2 - Imp~1	I	0.0	0.0	540.0	-0.0
-0.0	-0.0		J	0.0	0.0	540.0	-0.0
-432.0	-0.0						
		q3	I	-0.0	-0.0	0.0	-0.0
0.0	-0.0		J	-0.0	-0.0	0.0	-0.0
0.0	0.0						
		q4-1	I	-0.0	-0.0	0.0	-0.0
0.0	-0.0		J	-0.0	-0.0	0.0	-0.0
0.0	-0.0						
		q4-2	I	-0.0	-0.0	0.0	-0.0
0.0	0.0		J	-0.0	-0.0	0.0	-0.0
0.0	0.0						
		q4-3	I	0.0	0.0	0.0	0.0
-0.0	-0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0						
		q4-4	I	0.0	0.0	0.0	0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0						
		q4-5	I	-0.0	0.0	0.0	0.0
0.0	0.0		J	-0.0	0.0	0.0	0.0
0.0	0.0						
		q4-6	I	-0.0	-0.0	0.0	-0.0
0.0	0.0		J	-0.0	-0.0	0.0	-0.0
0.0	0.0						
		q4-7	I	-0.0	0.0	0.0	-0.0
0.0	0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0						
		q5 - p~1	I	-0.0	0.0	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	-0.0		J	-0.0	0.0	0.0	-0.0
0.0	-0.0						
-0.0	0.0	q5 - p~2	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
0.0	-0.0	q5 - p~3	I	-0.0	-0.0	0.0	-0.0
0.0	0.0		J	-0.0	-0.0	0.0	-0.0
-0.0	-0.0	q5 - p~4	I	0.0	0.0	-0.0	0.0
-0.0	-0.0		J	0.0	0.0	-0.0	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	q7	I	-0.0	0.0	0.0	-0.0
0.0	0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0	T	I	-0.0	0.0	0.0	-0.0
0.0	0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0	M. tor~1	I	-0.0	-0.0	0.0	-0.0
0.0	0.0		J	-0.0	-0.0	0.0	-0.0
0.0	0.0	M. tor~2	I	-0.0	-0.0	0.0	-0.0
0.0	0.0		J	-0.0	-0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	0.0	0.0	2721.6	0.0
2177.3	0.0		J	0.0	0.0	2721.6	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	2721.6	-0.0
2177.3	-0.0		J	-0.0	-0.0	2721.6	-0.0
324.4	0.0	INVSLV Max	I	648.8	744.5	2378.2	372.2
1147.4	595.6		J	648.8	744.5	2378.2	372.2
-324.4	-0.0	Min	I	-648.8	-744.5	1653.8	-372.2
2078.2	-595.6		J	-648.8	-744.5	1653.8	-372.2


MIDAS

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

			INVSLE Max	I	0.0	0.0	2016.0	0.0	
0.0	0.0			J	0.0	0.0	2016.0	0.0	-
1612.8	0.0		Min	I	-0.0	-0.0	2016.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	2016.0	-0.0	-
1612.8	-0.0								
1042.0	3.0	4	C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	0.0	
-0.0	-0.0								
0.0	0.0		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	0.0	
-0.0	-0.0								
-270.0	270.7		SLVx (RS)	I	192.8	541.4	-540.0	0.0	
				J	192.8	541.4	-540.0	0.0	
-0.0	0.0								
191.4	-181.2		SLVy (RS)	I	-51.7	-362.3	382.9	-0.0	
				J	-51.7	-362.3	382.9	-0.0	
0.0	-0.0								
-191.4	191.9		SLDx (RS)	I	140.4	383.9	-382.8	-0.0	
				J	140.4	383.9	-382.8	-0.0	
-0.0	0.0								
136.9	-128.7		SLDy (RS)	I	-38.2	-257.5	273.7	-0.0	
				J	-38.2	-257.5	273.7	-0.0	
0.0	0.0								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
95.6	-64.0	SLVz (RS)	I	288.8	-128.0	191.2	0.0
0.0	-0.0		J	288.8	-128.0	191.2	0.0
0.0	0.0	G1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	G2	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	G1 - Imp~1	I	-1476.0	-0.0	-0.0	0.0
-0.0	-0.0		J	-1476.0	-0.0	-0.0	0.0
0.0	0.0	G2 - Imp~1	I	-540.0	-0.0	-0.0	0.0
-0.0	-0.0		J	-540.0	-0.0	-0.0	0.0
0.0	0.0	q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	0.0	q4-1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	q4-2	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	0.0	q4-3	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
-0.0	0.0	q4-4	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
0.0	0.0	q4-5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q4-6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q4-7	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~1	I	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	0.0						
-0.0	-0.0	q5 - p~2	I	0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	-0.0
0.0	0.0	q5 - p~3	I	0.0	0.0	0.0	0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	q5 - p~4	I	0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	-0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q7	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	T	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	M. tor~1	I	0.0	0.0	0.0	0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	M. tor~2	I	0.0	0.0	0.0	0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	-2721.6	0.0	0.0	0.0
0.0	0.0		J	-2721.6	0.0	0.0	0.0
-0.0	-0.0	Min	I	-2721.6	-0.0	-0.0	-0.0
-0.0	-0.0		J	-2721.6	-0.0	-0.0	-0.0
356.1	344.2	INVSLV Max	I	-1653.8	688.5	712.2	0.0
0.0	0.0		J	-1653.8	688.5	712.2	0.0
-356.1	-344.2	Min	I	-2378.2	-688.5	-712.2	-0.0
-0.0	-0.0		J	-2378.2	-688.5	-712.2	-0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	0.0	INVSLE	Max	I	-2016.0	0.0	0.0	0.0	
				J	-2016.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-2016.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-2016.0	-0.0	-0.0	-0.0	
1104	4	42	C1-C2;~1	Max	I	471.1	88.8	29.5	70.8
752.8	2841.4			J	471.1	88.8	29.5	70.8	
723.2	2792.6		Min	I	-3383.5	-92.8	-30.8	-74.0	
-786.2	-4892.4			J	-3383.5	-92.8	-30.8	-74.0	
-755.4	-4862.3								
			C3-C4;~1	Max	I	482.4	85.0	28.2	67.8
720.2	3849.8			J	482.4	85.0	28.2	67.8	
692.0	3803.6		Min	I	-3391.9	-89.3	-29.7	-71.2	
-756.7	-3637.4			J	-3391.9	-89.3	-29.7	-71.2	
-727.0	-3591.6								
			C1-C2;~2	Max	I	239.0	46.6	15.5	37.2
395.1	1335.8			J	239.0	46.6	15.5	37.2	
379.6	1310.7		Min	I	-1702.5	-46.7	-15.5	-37.3	
-396.1	-2399.6			J	-1702.5	-46.7	-15.5	-37.3	
-380.5	-2384.3								
			C3-C4;~2	Max	I	245.6	43.9	14.6	35.0
371.7	1852.6			J	245.6	43.9	14.6	35.0	
357.1	1826.6		Min	I	-1706.5	-45.6	-15.1	-36.3	
-386.1	-1783.6			J	-1706.5	-45.6	-15.1	-36.3	
-371.0	-1760.1								
			SLVx (RS)	I	478.1	-1631.4	1001.0	-1067.8	1
9752.7	-37526.6			J	478.1	-1631.4	1001.0	-1067.8	1
8811.6	-35922.2								
			SLVy (RS)	I	270.7	-1247.0	1049.5	-710.4	1
8383.0	-26925.2			J	270.7	-1247.0	1049.5	-710.4	1
7378.6	-25727.6								
			SLDx (RS)	I	355.3	-1141.0	705.1	-742.4	1
3719.3	-26106.5			J	355.3	-1141.0	705.1	-742.4	1
3061.8	-24986.1								
			SLDy (RS)	I	196.9	-883.5	739.3	-503.2	1
2885.4	-18948.1			J	196.9	-883.5	739.3	-503.2	1
2180.3	-18103.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-312.4	1156.2	SLVz (RS)	I	796.5	-153.8	-106.1	63.8	
			J	796.5	-153.8	-106.1	63.8	
-210.0	1034.8							
		G1	I	-9809.5	-15.4	-5.1	-12.3	
-130.4	-959.7		J	-9622.2	-15.4	-5.1	-12.3	
-125.3	-944.3							
		G2	I	-1848.5	-5.6	-1.9	-4.5	
-47.8	-349.4		J	-1848.5	-5.6	-1.9	-4.5	
-45.9	-343.7							
		G1- Imp~1	I	0.3	2.6	0.9	2.1	
22.1	61.0		J	0.3	2.6	0.9	2.1	
21.3	58.4							
		G2- Imp~1	I	0.1	1.0	0.3	0.8	
8.2	22.6		J	0.1	1.0	0.3	0.8	
7.9	21.6							
		q3	I	17.5	144.9	48.2	115.6	
1228.0	3990.0		J	17.5	144.9	48.2	115.6	
1179.9	3845.0							
		q4-1	I	7.7	-78.6	-26.1	-62.7	
-666.2	-2123.3		J	7.7	-78.6	-26.1	-62.7	
-640.1	-2044.7							
		q4-2	I	-2.0	10.4	3.5	8.3	
88.3	344.1		J	-2.0	10.4	3.5	8.3	
84.9	333.7							
		q4-3	I	-6.3	121.8	40.5	97.2	
1032.2	3450.8		J	-6.3	121.8	40.5	97.2	
991.8	3329.0							
		q4-4	I	1.4	27.4	9.1	21.9	
232.5	811.3		J	1.4	27.4	9.1	21.9	
223.4	783.8							
		q4-5	I	3.9	-4.6	-1.5	-3.7	
-38.9	-120.5		J	3.9	-4.6	-1.5	-3.7	
-37.3	-115.9							
		q4-6	I	3.5	-1.1	-0.4	-0.9	
-9.3	-43.5		J	3.5	-1.1	-0.4	-0.9	
-8.9	-42.4							
		q4-7	I	3.8	-0.4	-0.1	-0.3	
-3.1	-20.5		J	3.8	-0.4	-0.1	-0.3	
-3.0	-20.1							
		q5 - p~1	I	-65.3	1359.2	451.6	1083.9	1

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E				
1516.7	38202.5		J	-65.3	1359.2	451.6	1083.9	1
1065.0	36843.3							
1585.0	-5539.6	q5 - p~2	I	95.6	-187.1	-62.2	-149.2	-
1522.8	-5352.6		J	95.6	-187.1	-62.2	-149.2	-
0911.8	36014.1	q5 - p~3	I	-58.9	1287.9	427.9	1027.0	1
0483.9	34726.3		J	-58.9	1287.9	427.9	1027.0	1
1503.5	-5123.8	q5 - p~4	I	87.5	-177.4	-59.0	-141.5	-
1444.5	-4946.3		J	87.5	-177.4	-59.0	-141.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
2293.8	7323.2	q7	I	0.6	270.7	90.0	215.9	
2203.9	7052.4		J	0.6	270.7	90.0	215.9	
3.8	-18.4	T	I	-1.6	0.4	0.1	0.4	
3.6	-18.8		J	-1.6	0.4	0.1	0.4	
299.7	970.6	M. tor~1	I	32.7	35.4	11.8	28.2	
288.0	935.3		J	32.7	35.4	11.8	28.2	
177.2	573.9	M. tor~2	I	19.3	20.9	6.9	16.7	
170.3	552.9		J	19.3	20.9	6.9	16.7	
6704.1	54880.9	INVSLU Max	I	-14999.2	1971.5	655.1	1572.2	1
6049.1	52938.1		J	-14746.4	1971.5	655.1	1572.2	1
7104.7	-58928.3	Min	I	-20403.9	-2018.8	-670.8	-1609.9	-1
6433.9	-56952.6		J	-20151.1	-2018.8	-670.8	-1609.9	-1
5213.5	44725.6	INVSLV Max	I	-10636.4	2034.2	1375.8	1286.1	2
3946.1	42742.9		J	-10449.1	2034.2	1375.8	1286.1	2
5509.3	-47176.5	Min	I	-12678.6	-2069.1	-1387.4	-1314.0	-2
4230.3	-45159.0		J	-12491.3	-2069.1	-1387.4	-1314.0	-2


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1161.3	36652.2	INVSLE Max	I	-11116.8	1317.3	437.7	1050.5	1
			J	-10929.5	1317.3	437.7	1050.5	1
0723.6	35356.2	Min	I	-15107.7	-1352.3	-449.3	-1078.4	-1
1458.0	-39650.2		J	-14920.4	-1352.3	-449.3	-1078.4	-1
1008.7	-38329.9							
1108	3	4 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
446.8	-1118.7	SLVx (RS)	I	-553.1	-891.2	-127.6	484.5	
			J	-553.1	-891.2	-127.6	484.5	
289.8	97.9							
		SLVy (RS)	I	238.8	384.8	-161.3	-525.7	
-378.2	483.0		J	238.8	384.8	-161.3	-525.7	
-190.7	-42.3							
		SLDx (RS)	I	-413.0	-665.5	93.4	361.7	
332.0	-835.3		J	-413.0	-665.5	93.4	361.7	
216.4	73.1							
		SLDy (RS)	I	179.3	289.0	-117.0	-384.2	
-273.9	362.7		J	179.3	289.0	-117.0	-384.2	
-137.5	-31.8							

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
736.3	150.0	SLVz (RS)	I	74.2	119.5	365.8	-449.1	
			J	74.2	119.5	365.8	-449.1	
246.8	-13.1							
		G1	I	0.0	-0.0	0.0	0.0	
0.0	-0.0		J	0.0	-0.0	0.0	0.0	
-0.0	-0.0							
		G2	I	-0.0	-0.0	0.0	0.0	
0.0	-0.0		J	-0.0	-0.0	0.0	0.0	
0.0	-0.0							
		G1 - Imp~1	I	0.0	0.0	-1313.6	1154.2	-
2412.4	0.0		J	0.0	0.0	-1313.6	1154.2	
-619.2	0.0							
		G2 - Imp~1	I	0.0	0.0	-452.1	396.3	
-829.8	0.0		J	0.0	0.0	-452.1	396.3	
-212.6	0.0							
		q3	I	-0.0	-0.0	0.0	0.0	
-0.0	-0.0		J	-0.0	-0.0	0.0	0.0	
-0.0	-0.0							
		q4-1	I	0.0	-0.0	0.0	0.0	
0.0	-0.0		J	0.0	-0.0	0.0	0.0	
0.0	0.0							
		q4-2	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
0.0	-0.0							
		q4-3	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q4-4	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q4-5	I	0.0	0.0	-0.0	-0.0	
-0.0	0.0		J	0.0	0.0	-0.0	-0.0	
-0.0	0.0							
		q4-6	I	-0.0	-0.0	0.0	0.0	
0.0	-0.0		J	-0.0	-0.0	0.0	0.0	
0.0	-0.0							
		q4-7	I	-0.0	-0.0	0.0	0.0	
0.0	-0.0		J	-0.0	-0.0	0.0	0.0	
0.0	-0.0							
		q5 - p~1	I	0.0	0.0	-0.0	-0.0	

MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	0.0		J	0.0	0.0	-0.0	-0.0	
-0.0	0.0							
0.0	-0.0	q5 - p~2	I	-0.0	-0.0	0.0	0.0	
0.0	-0.0		J	-0.0	-0.0	0.0	0.0	
-0.0	0.0	q5 - p~3	I	0.0	0.0	-0.0	-0.0	
-0.0	0.0		J	0.0	0.0	-0.0	-0.0	
0.0	-0.0	q5 - p~4	I	-0.0	-0.0	0.0	0.0	
0.0	-0.0		J	-0.0	-0.0	0.0	0.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0	q7	I	-0.0	0.0	0.0	0.0	
-0.0	0.0		J	-0.0	0.0	0.0	0.0	
-0.0	0.0	T	I	-0.0	0.0	-0.0	0.0	
-0.0	0.0		J	-0.0	0.0	-0.0	0.0	
-0.0	0.0	M. tor~1	I	0.0	0.0	-0.0	-0.0	
-0.0	0.0		J	0.0	0.0	-0.0	-0.0	
-0.0	0.0	M. tor~2	I	0.0	0.0	-0.0	-0.0	
-0.0	0.0		J	0.0	0.0	-0.0	-0.0	
4376.9	0.0	INVSLU Max	I	0.0	0.0	-2383.7	2093.2	-
1123.0	0.0		J	0.0	0.0	-2383.7	2093.2	-
4376.9	-0.0	Min	I	-0.0	-0.0	-2383.7	2093.2	-
1123.0	-0.0		J	-0.0	-0.0	-2383.7	2093.2	-
2258.4	1308.6	INVSLV Max	I	647.0	1042.5	-1313.2	2356.3	-
-410.7	114.6		J	647.0	1042.5	-1313.2	2356.3	
4226.0	-1308.6	Min	I	-647.0	-1042.5	-2218.2	744.7	-
1252.9	-114.6		J	-647.0	-1042.5	-2218.2	744.7	-


MIDAS

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3242.2	0.0		INVSLE Max	I	0.0	0.0	-1765.7	1550.5	-
				J	0.0	0.0	-1765.7	1550.5	
-831.8	0.0		Min	I	-0.0	-0.0	-1765.7	1550.5	-
3242.2	-0.0			J	-0.0	-0.0	-1765.7	1550.5	
-831.8	-0.0								
1109	3	4	C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
179.2	97.9		SLVx (RS)	I	-170.1	33.0	28.5	-49.9	
				J	-170.1	33.0	28.5	-49.9	
-23.9	-116.3								
			SLVy (RS)	I	73.5	-14.2	-59.7	38.1	
-430.3	-42.3			J	73.5	-14.2	-59.7	38.1	
-47.0	50.2								
			SLDx (RS)	I	-127.0	24.6	21.2	-37.3	
-133.5	73.1			J	-127.0	24.6	21.2	-37.3	
-17.7	-86.8								
			SLDy (RS)	I	55.2	-10.7	-42.9	28.0	
-309.8	-31.8			J	55.2	-10.7	-42.9	28.0	
-34.3	37.7								

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
507.6	-13.1	SLVz (RS)	I	22.8	-4.4	67.5	22.4
			J	22.8	-4.4	67.5	22.4
71.3	15.6						
		G1	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
0.0	-0.0						
		G2	I	0.0	-0.0	0.0	0.0
-0.0	-0.0		J	0.0	-0.0	0.0	0.0
-0.0	-0.0						
1309.1	0.0	G1- Imp~1	I	-0.0	0.0	-164.9	-43.5
			J	-0.0	0.0	-164.9	-43.5
-237.3	0.0						
		G2- Imp~1	I	-0.0	0.0	-56.6	-14.9
-449.5	0.0		J	-0.0	0.0	-56.6	-14.9
-81.6	0.0						
		q3	I	0.0	-0.0	0.0	-0.0
-0.0	-0.0		J	0.0	-0.0	0.0	-0.0
-0.0	0.0						
		q4-1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0						
		q4-2	I	0.0	0.0	0.0	0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0						
		q4-3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0						
		q4-4	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-5	I	-0.0	0.0	0.0	-0.0
0.0	0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0						
		q4-6	I	0.0	-0.0	0.0	0.0
0.0	-0.0		J	0.0	-0.0	0.0	0.0
0.0	0.0						
		q4-7	I	0.0	-0.0	0.0	0.0
-0.0	-0.0		J	0.0	-0.0	0.0	0.0
-0.0	-0.0						
		q5 - p~1	I	-0.0	0.0	0.0	-0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	0.0		J	-0.0	0.0	0.0	-0.0	
0.0	0.0							
-0.0	-0.0	q5 - p~2	I	0.0	-0.0	0.0	0.0	
-0.0	-0.0		J	0.0	-0.0	0.0	0.0	
0.0	0.0	q5 - p~3	I	-0.0	0.0	0.0	-0.0	
0.0	0.0		J	-0.0	0.0	0.0	-0.0	
-0.0	-0.0	q5 - p~4	I	0.0	-0.0	0.0	0.0	
-0.0	-0.0		J	0.0	-0.0	0.0	0.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0	q7	I	-0.0	0.0	0.0	-0.0	
-0.0	0.0		J	-0.0	0.0	0.0	-0.0	
-0.0	0.0	T	I	-0.0	0.0	-0.0	-0.0	
-0.0	0.0		J	-0.0	0.0	-0.0	-0.0	
-0.0	0.0	M. tor~1	I	-0.0	0.0	-0.0	-0.0	
0.0	0.0		J	-0.0	0.0	-0.0	-0.0	
0.0	0.0	M. tor~2	I	-0.0	0.0	0.0	-0.0	
0.0	0.0		J	-0.0	0.0	0.0	-0.0	
2374.1	0.0	INVSLU Max	I	0.0	0.0	-299.0	-78.9	-
-430.6	0.0		J	0.0	0.0	-299.0	-78.9	
2374.1	-0.0	Min	I	-0.0	-0.0	-299.0	-78.9	-
-430.6	-0.0		J	-0.0	-0.0	-299.0	-78.9	
1068.1	114.6	INVSLV Max	I	199.0	38.5	-127.6	9.6	-
-226.4	136.0		J	199.0	38.5	-127.6	9.6	
2449.1	-114.6	Min	I	-199.0	-38.5	-315.4	-126.5	-
-411.5	-136.0		J	-199.0	-38.5	-315.4	-126.5	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			

1758.6	0.0	INVSLE	Max	I	0.0	0.0	-221.5	-58.5	-
				J	0.0	0.0	-221.5	-58.5	
-318.9	0.0		Min	I	-0.0	-0.0	-221.5	-58.5	-
1758.6	-0.0			J	-0.0	-0.0	-221.5	-58.5	
-318.9	-0.0								
1110	3	4 C1-C2;~1	Max	I	26.1	34.1	206.6	107.2	
648.1	166.1			J	26.1	34.1	206.6	107.2	
23.6	2.3		Min	I	-8.6	-29.2	-410.7	-54.0	-
2060.5	-140.3			J	-8.6	-29.2	-410.7	-54.0	
-417.2	-1.8								
		C3-C4;~1	Max	I	33.4	34.2	101.8	146.4	
478.9	166.4			J	33.4	34.2	101.8	146.4	
45.3	3.2		Min	I	-8.9	-29.6	-555.2	-14.2	-
2775.3	-142.0			J	-8.9	-29.6	-555.2	-14.2	
-321.1	-0.8								
		C1-C2;~2	Max	I	13.7	18.3	119.7	57.4	
367.3	88.4			J	13.7	18.3	119.7	57.4	
10.4	1.2		Min	I	-4.7	-15.7	-215.9	-31.3	-
1095.3	-75.4			J	-4.7	-15.7	-215.9	-31.3	
-257.4	-1.1								
		C3-C4;~2	Max	I	18.3	18.0	54.1	81.6	
257.1	88.1			J	18.3	18.0	54.1	81.6	
23.6	1.7		Min	I	-4.8	-15.9	-305.7	-7.2	-
1544.2	-76.5			J	-4.8	-15.9	-305.7	-7.2	
-195.4	-0.5								
		SLVx (RS)		I	20.2	237.9	232.6	-235.4	
1184.2	1138.2			J	20.2	237.9	232.6	-235.4	
70.5	-3.7								
		SLVy (RS)		I	-18.0	-214.8	-197.4	210.6	-
1016.1	-1028.1			J	-18.0	-214.8	-197.4	210.6	
-71.1	3.3								
		SLDx (RS)		I	15.1	179.0	175.2	-177.2	
892.0	856.4			J	15.1	179.0	175.2	-177.2	
53.3	-2.8								
		SLDy (RS)		I	-13.3	-158.5	-145.3	155.3	
-747.9	-758.3			J	-13.3	-158.5	-145.3	155.3	
-52.3	2.4								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
503.2	154.1	SLVz (RS)	I	-6.6	32.2	95.4	-38.5	
47.7	-0.7		J	-6.6	32.2	95.4	-38.5	
1885.2	42.5	G1	I	22.1	8.5	-351.0	95.0	-
-200.1	1.8		J	22.1	8.5	-351.0	95.0	
-708.9	15.5	G2	I	8.3	3.1	-131.6	35.7	
-77.2	0.7		J	8.3	3.1	-131.6	35.7	
-14.1	-10.3	G1- Imp~1	I	-0.1	-2.2	-2.9	2.4	
-0.1	0.0		J	-0.1	-2.2	-2.9	2.4	
-4.7	-3.2	G2- Imp~1	I	-0.0	-0.7	-1.0	0.8	
0.0	0.0		J	-0.0	-0.7	-1.0	0.8	
-11.7	-3.6	q3	I	0.0	-0.7	-2.2	1.2	
-1.2	0.0		J	0.0	-0.7	-2.2	1.2	
0.3	-0.2	q4-1	I	-0.0	-0.0	0.1	0.0	
0.0	-0.0		J	-0.0	-0.0	0.1	0.0	
-0.1	-0.6	q4-2	I	-0.0	-0.1	-0.0	0.1	
0.0	0.0		J	-0.0	-0.1	-0.0	0.1	
-1.4	-1.5	q4-3	I	-0.0	-0.3	-0.3	0.3	
-0.0	0.0		J	-0.0	-0.3	-0.3	0.3	
-1.3	-0.8	q4-4	I	-0.0	-0.2	-0.3	0.2	
-0.1	0.0		J	-0.0	-0.2	-0.3	0.2	
21.6	18.4	q4-5	I	0.3	3.8	4.4	-4.0	
0.5	-0.1		J	0.3	3.8	4.4	-4.0	
-21.3	-17.2	q4-6	I	-0.3	-3.6	-4.7	3.9	
1.0	0.1		J	-0.3	-3.6	-4.7	3.9	
-419.4	-259.1	q4-7	I	-2.8	-54.2	-89.0	64.6	
7.6	1.1		J	-2.8	-54.2	-89.0	64.6	
		q5 - p~1	I	1.2	17.4	19.7	-18.2	


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
103.1	83.3		J	1.2	17.4	19.7	-18.2
8.5	-0.3						
-504.3	-338.6	q5 - p~2	I	-4.1	-70.8	-106.3	81.6
5.9	1.4		J	-4.1	-70.8	-106.3	81.6
96.2	78.5	q5 - p~3	I	1.1	16.4	18.7	-17.2
6.6	-0.3		J	1.1	16.4	18.7	-17.2
-428.7	-320.8	q5 - p~4	I	-4.4	-67.1	-89.3	74.0
-0.0	1.2		J	-4.4	-67.1	-89.3	74.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-10.5	-5.7	q7	I	-0.0	-1.2	-2.1	1.4
-0.6	0.0		J	-0.0	-1.2	-2.1	1.4
-7.9	-4.1	T	I	-0.0	-0.8	-1.6	1.1
0.0	0.0		J	-0.0	-0.8	-1.6	1.1
445.8	379.4	M. tor~1	I	5.8	79.3	91.1	-83.3
8.4	-1.4		J	5.8	79.3	91.1	-83.3
263.6	224.3	M. tor~2	I	3.4	46.9	53.9	-49.3
5.0	-0.8		J	3.4	46.9	53.9	-49.3
2192.9	663.4	INVSLU Max	I	89.5	137.7	-281.1	452.5
-305.6	9.0		J	89.5	137.7	-281.1	452.5
7733.4	-700.7	Min	I	25.1	-147.2	-1503.2	26.7
-945.3	-0.3		J	25.1	-147.2	-1503.2	26.7
-972.9	1537.3	INVSLV Max	I	57.7	320.7	-166.1	444.0
-170.8	7.4		J	57.7	320.7	-166.1	444.0
4252.8	-1448.4	Min	I	2.7	-303.2	-807.0	-176.2
-383.9	-2.3		J	2.7	-303.2	-807.0	-176.2


MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1657.4	456.1	INVSLE Max	I	66.0	94.6	-215.2	329.8	-
			J	66.0	94.6	-215.2	329.8	
-226.9	6.5	Min	I	18.9	-104.4	-1106.5	28.0	-
5695.4	-496.7		J	18.9	-104.4	-1106.5	28.0	
-699.6	-0.2							
1125	3	4 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		SLVx (RS)	I	-0.0	0.0	-237.2	-0.0	
-0.0	-0.0		J	-0.0	0.0	-237.2	-0.0	
830.2	-0.0							
		SLVy (RS)	I	-0.0	0.0	232.1	0.0	
0.0	0.0		J	-0.0	0.0	232.1	0.0	
-812.2	-0.0							
		SLDx (RS)	I	-0.0	0.0	-172.2	-0.0	
-0.0	-0.0		J	-0.0	0.0	-172.2	-0.0	
602.5	-0.0							
		SLDy (RS)	I	-0.0	0.0	168.7	0.0	
0.0	0.0		J	-0.0	0.0	168.7	0.0	
-590.5	-0.0							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.1	-0.0	SLVz (RS)	I	0.0	-0.0	-406.2	-0.0
			J	0.0	-0.0	-406.2	-0.0
1421.5	0.0						
		G1	I	0.0	-0.0	0.0	0.0
-0.0	0.0		J	0.0	-0.0	0.0	0.0
-0.0	0.0						
		G2	I	0.0	-0.0	-0.0	0.0
-0.0	0.0		J	0.0	-0.0	-0.0	0.0
0.0	0.0						
		G1 - Imp~1	I	0.0	0.0	1455.2	0.1
0.2	-0.0		J	0.0	0.0	1455.2	0.1
5093.0	-0.0						-
		G2 - Imp~1	I	-0.0	0.0	465.0	0.0
0.1	-0.0		J	-0.0	0.0	465.0	0.0
1627.4	-0.0						-
		q3	I	0.0	-0.0	0.0	0.0
0.0	0.0		J	0.0	-0.0	0.0	0.0
0.0	0.0						
		q4-1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-2	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-4	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-5	I	-0.0	0.0	0.0	-0.0
0.0	0.0		J	-0.0	0.0	0.0	-0.0
-0.0	-0.0						
		q4-6	I	0.0	-0.0	-0.0	0.0
-0.0	0.0		J	0.0	-0.0	-0.0	0.0
0.0	0.0						
		q4-7	I	0.0	-0.0	-0.0	0.0
-0.0	0.0		J	0.0	-0.0	-0.0	0.0
0.0	0.0						
		q5 - p~1	I	-0.0	0.0	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	-0.0		J	-0.0	0.0	0.0	-0.0
-0.0	-0.0						
-0.0	0.0	q5 - p~2	I	0.0	-0.0	-0.0	0.0
0.0	0.0		J	0.0	-0.0	-0.0	0.0
0.0	0.0	q5 - p~3	I	-0.0	0.0	0.0	-0.0
-0.0	-0.0		J	-0.0	0.0	0.0	-0.0
-0.0	-0.0	q5 - p~4	I	0.0	-0.0	-0.0	0.0
0.0	0.0		J	0.0	-0.0	-0.0	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q7	I	0.0	-0.0	0.0	0.0
0.0	0.0		J	0.0	-0.0	0.0	0.0
0.0	0.0	T	I	0.0	-0.0	0.0	0.0
0.0	0.0		J	0.0	-0.0	0.0	0.0
0.0	-0.0	M. tor~1	I	-0.0	0.0	0.0	-0.0
-0.0	-0.0		J	-0.0	0.0	0.0	-0.0
0.0	-0.0	M. tor~2	I	-0.0	0.0	0.0	-0.0
-0.0	-0.0		J	-0.0	0.0	0.0	-0.0
0.4	0.0	INVSLU Max	I	0.0	0.0	2592.3	0.2
9072.5	0.0		J	0.0	0.0	2592.3	0.2
0.4	-0.0	Min	I	-0.0	-0.0	2592.3	0.2
9072.5	-0.0		J	-0.0	-0.0	2592.3	0.2
0.4	0.0	INVSLV Max	I	0.0	0.0	2467.1	0.2
4806.2	0.0		J	0.0	0.0	2467.1	0.2
0.2	-0.0	Min	I	-0.0	-0.0	1373.3	0.1
8634.6	-0.0		J	-0.0	-0.0	1373.3	0.1

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.3	0.0	INVSLE Max	I	0.0	0.0	1920.2	0.2	
			J	0.0	0.0	1920.2	0.2	-
6720.4	0.0	Min	I	-0.0	-0.0	1920.2	0.2	
0.3	-0.0		J	-0.0	-0.0	1920.2	0.2	-
6720.4	-0.0							
1126	3	4 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
1217.1	2065.6	SLVx (RS)	I	1022.2	590.2	234.4	-324.6	
			J	1022.2	590.2	234.4	-324.6	
-562.2	0.0							
1344.4	2120.9	SLVy (RS)	I	1049.6	606.0	280.1	-333.3	
			J	1049.6	606.0	280.1	-333.3	
-577.3	0.0							
900.3	1550.2	SLDx (RS)	I	767.2	442.9	171.0	-243.6	
			J	767.2	442.9	171.0	-243.6	
-421.9	0.0							
978.3	1578.1	SLDy (RS)	I	781.0	450.9	200.3	-248.0	
			J	781.0	450.9	200.3	-248.0	
-429.5	0.0							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1006.0	284.2	SLVz (RS)	I	140.6	81.2	287.5	-44.7	
			J	140.6	81.2	287.5	-44.7	
-77.3	0.0							
		G1	I	-0.0	-0.0	0.0	0.0	
0.0	-0.0		J	-0.0	-0.0	0.0	0.0	
0.0	0.0							
		G2	I	-0.0	-0.0	0.0	0.0	
0.0	-0.0		J	-0.0	-0.0	0.0	0.0	
0.0	0.0							
		G1 - Imp~1	I	0.0	0.0	-1355.5	0.1	-
4744.0	0.0		J	0.0	0.0	-1355.5	0.1	
0.2	0.0							
		G2 - Imp~1	I	0.0	0.0	-440.9	0.0	-
1543.1	0.0		J	0.0	0.0	-440.9	0.0	
0.1	0.0							
		q3	I	0.0	-0.0	0.0	0.0	
0.0	-0.0		J	0.0	-0.0	0.0	0.0	
0.0	0.0							
		q4-1	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q4-2	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q4-3	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q4-4	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q4-5	I	0.0	0.0	0.0	0.0	-0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0	-0.0
-0.0	0.0							
		q4-6	I	0.0	-0.0	0.0	0.0	0.0
0.0	-0.0		J	0.0	-0.0	0.0	0.0	0.0
0.0	0.0							
		q4-7	I	0.0	-0.0	-0.0	0.0	0.0
0.0	-0.0		J	0.0	-0.0	-0.0	0.0	0.0
0.0	0.0							
		q5 - p~1	I	0.0	0.0	0.0	0.0	-0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	0.0		J	0.0	0.0	0.0	-0.0	
-0.0	0.0							
0.0	-0.0	q5 - p~2	I	-0.0	-0.0	-0.0	0.0	
0.0	0.0		J	-0.0	-0.0	-0.0	0.0	
-0.0	0.0	q5 - p~3	I	0.0	0.0	0.0	-0.0	
-0.0	0.0		J	0.0	0.0	0.0	-0.0	
0.0	-0.0	q5 - p~4	I	-0.0	-0.0	-0.0	0.0	
0.0	-0.0		J	-0.0	-0.0	-0.0	0.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	-0.0	q7	I	-0.0	-0.0	0.0	0.0	
0.0	0.0		J	-0.0	-0.0	0.0	0.0	
0.0	-0.0	T	I	0.0	-0.0	0.0	0.0	
0.0	0.0		J	0.0	-0.0	0.0	0.0	
-0.0	0.0	M. tor~1	I	0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	0.0	0.0	0.0	-0.0	
-0.0	0.0	M. tor~2	I	0.0	0.0	0.0	-0.0	
-0.0	0.0		J	0.0	0.0	0.0	-0.0	
8487.6	0.0	INVSLU Max	I	0.0	0.0	-2425.1	0.2	-
0.4	0.0		J	0.0	0.0	-2425.1	0.2	
8487.6	-0.0	Min	I	-0.0	-0.0	-2425.1	0.2	-
0.4	0.0		J	-0.0	-0.0	-2425.1	0.2	
4275.8	2825.8	INVSLV Max	I	1398.4	807.4	-1354.6	444.2	-
769.4	0.0		J	1398.4	807.4	-1354.6	444.2	
8298.4	-2825.8	Min	I	-1398.4	-807.4	-2238.2	-443.9	-
-768.8	-0.0		J	-1398.4	-807.4	-2238.2	-443.9	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


6287.1	0.0	INVSLE Max	I	0.0	0.0	-1796.4	0.2	-
			J	0.0	0.0	-1796.4	0.2	
0.3	0.0	Min	I	-0.0	-0.0	-1796.4	0.2	-
6287.1	-0.0		J	-0.0	-0.0	-1796.4	0.2	
0.3	0.0							
1127	3	4 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		SLVx (RS)	I	547.1	-1045.9	449.3	-814.5	
739.1	810.9		J	547.1	-1045.9	449.3	-814.5	
-298.7	2065.6							
		SLVy (RS)	I	561.7	-1073.9	-288.6	1901.9	
-432.7	832.6		J	561.7	-1073.9	-288.6	1901.9	
-276.3	2120.9							
		SLDx (RS)	I	410.6	-785.0	325.8	-615.3	
542.8	608.5		J	410.6	-785.0	325.8	-615.3	
-223.9	1550.2							
		SLDy (RS)	I	418.0	-799.1	-208.8	1382.7	
-317.8	619.5		J	418.0	-799.1	-208.8	1382.7	
-205.7	1578.1							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
786.6	111.6	SLVz (RS)	I	75.3	-143.9	648.7	999.7	
			J	75.3	-143.9	648.7	999.7	
38.7	284.2							
		G1	I	0.0	0.0	-0.0	-0.0	
-0.0	-0.0		J	0.0	0.0	-0.0	-0.0	
-0.0	-0.0							
		G2	I	0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
3386.3	0.0	G1 - Imp~1	I	-0.0	-0.0	-2810.7	-348.6	-
			J	-0.0	-0.0	-2810.7	-348.6	
-14.5	0.0							
1090.3	0.0	G2 - Imp~1	I	0.0	-0.0	-905.9	-84.3	-
			J	0.0	-0.0	-905.9	-84.3	
-3.5	0.0							
		q3	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
0.0	-0.0							
		q4-1	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		q4-2	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
0.0	-0.0							
		q4-3	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
0.0	-0.0							
		q4-4	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
0.0	-0.0							
		q4-5	I	0.0	-0.0	-0.0	0.0	
-0.0	0.0		J	0.0	-0.0	-0.0	0.0	
0.0	0.0							
		q4-6	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
0.0	-0.0							
		q4-7	I	0.0	0.0	0.0	-0.0	
0.0	-0.0		J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		q5 - p~1	I	0.0	-0.0	-0.0	0.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	0.0		J	0.0	-0.0	-0.0	0.0	
0.0	0.0							
0.0	-0.0	q5 - p~2	I	0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	0.0	0.0	0.0	-0.0	
-0.0	0.0	q5 - p~3	I	-0.0	-0.0	-0.0	0.0	
0.0	0.0		J	-0.0	-0.0	-0.0	0.0	
0.0	-0.0	q5 - p~4	I	0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	0.0	0.0	0.0	-0.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	-0.0	q7	I	-0.0	0.0	0.0	0.0	
0.0	-0.0		J	-0.0	0.0	0.0	0.0	
0.0	-0.0	T	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0	M. tor~1	I	-0.0	-0.0	-0.0	0.0	
0.0	0.0		J	-0.0	-0.0	-0.0	0.0	
-0.0	0.0	M. tor~2	I	-0.0	-0.0	-0.0	0.0	
0.0	0.0		J	-0.0	-0.0	-0.0	0.0	
6043.4	0.0	INVSLU Max	I	0.0	0.0	-5017.4	-584.4	-
-24.4	0.0		J	0.0	0.0	-5017.4	-584.4	
6043.4	-0.0	Min	I	-0.0	-0.0	-5017.4	-584.4	-
-24.4	-0.0		J	-0.0	-0.0	-5017.4	-584.4	
3338.5	1109.3	INVSLV Max	I	748.4	1430.9	-2846.5	2013.3	-
375.1	2825.8		J	748.4	1430.9	-2846.5	2013.3	
5614.7	-1109.3	Min	I	-748.4	-1430.9	-4586.7	-2879.1	-
-411.2	-2825.8		J	-748.4	-1430.9	-4586.7	-2879.1	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4476.6	0.0	INVSLE Max	I	0.0	0.0	-3716.6	-432.9	-
			J	0.0	0.0	-3716.6	-432.9	
-18.1	0.0	Min	I	-0.0	-0.0	-3716.6	-432.9	-
4476.6	-0.0		J	-0.0	-0.0	-3716.6	-432.9	
-18.1	-0.0							
1128	3	4 C1-C2;~1 Max	I	12.9	41.8	1293.2	286.5	
583.7	144.0		J	12.9	41.8	1293.2	286.5	
805.5	223.5	Min	I	-26.8	-29.4	-159.0	-960.9	-
1824.8	-181.4		J	-26.8	-29.4	-159.0	-960.9	-
4746.9	-294.1							
		C3-C4;~1 Max	I	17.7	44.6	1177.1	234.1	
416.5	145.8		J	17.7	44.6	1177.1	234.1	
824.2	226.2	Min	I	-20.2	-29.8	-163.9	-1291.2	-
2459.5	-186.1		J	-20.2	-29.8	-163.9	-1291.2	-
5161.5	-306.2							
		C1-C2;~2 Max	I	6.6	22.0	781.4	161.3	
331.4	77.5		J	6.6	22.0	781.4	161.3	
438.6	120.2	Min	I	-15.0	-15.8	-86.1	-510.4	
-970.3	-96.1		J	-15.0	-15.8	-86.1	-510.4	-
2752.2	-155.4							
		C3-C4;~2 Max	I	9.3	23.6	706.3	125.9	
223.4	78.6		J	9.3	23.6	706.3	125.9	
450.0	122.0	Min	I	-10.9	-16.1	-89.1	-718.0	-
1368.9	-98.5		J	-10.9	-16.1	-89.1	-718.0	-
3020.9	-162.0							
		SLVx (RS)	I	-107.0	214.6	214.5	430.5	
1135.0	-1131.3		J	-107.0	214.6	214.5	430.5	-
1081.0	-1711.1							
		SLVy (RS)	I	96.0	-193.9	-126.0	-358.9	
-980.1	1021.9		J	96.0	-193.9	-126.0	-358.9	
-835.5	1545.7							
		SLDx (RS)	I	-80.5	161.5	159.9	324.2	
854.9	-851.1		J	-80.5	161.5	159.9	324.2	
-813.7	-1287.3							
		SLDy (RS)	I	70.8	-143.0	-92.2	-263.9	
-721.6	753.8		J	70.8	-143.0	-92.2	-263.9	
-611.9	1140.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
448.6	-153.9	SLVz (RS)	I	-14.5	29.6	-225.5	231.4	
			J	-14.5	29.6	-225.5	231.4	
1031.9	-233.8							
		G1	I	-2.0	18.6	901.2	-879.2	-
1669.8	-58.8		J	-2.0	18.6	901.2	-879.2	-
4104.8	-109.0							
		G2	I	-0.8	6.9	344.0	-330.7	
-627.9	-21.6		J	-0.8	6.9	344.0	-330.7	-
1557.3	-40.2							
		G1- Imp~1	I	1.0	-1.9	-1.8	-5.3	
-13.3	10.2		J	1.0	-1.9	-1.8	-5.3	
-8.4	15.4							
		G2- Imp~1	I	0.3	-0.6	-0.6	-1.8	
-4.4	3.2		J	0.3	-0.6	-0.6	-1.8	
-2.7	4.9							
		q3	I	0.3	-0.6	3.9	-5.0	
-10.6	3.5		J	0.3	-0.6	3.9	-5.0	
-21.2	5.2							
		q4-1	I	0.0	-0.0	-0.2	0.2	
0.3	0.2		J	0.0	-0.0	-0.2	0.2	
0.7	0.2							
		q4-2	I	0.1	-0.1	-0.3	0.0	
-0.1	0.6		J	0.1	-0.1	-0.3	0.0	
0.7	1.0							
		q4-3	I	0.1	-0.3	-0.4	-0.5	
-1.3	1.5		J	0.1	-0.3	-0.4	-0.5	
-0.4	2.3							
		q4-4	I	0.1	-0.1	0.1	-0.5	
-1.2	0.8		J	0.1	-0.1	0.1	-0.5	
-1.5	1.2							
		q4-5	I	-1.8	3.4	2.8	7.9	
20.6	-18.2		J	-1.8	3.4	2.8	7.9	
12.9	-27.5							
		q4-6	I	1.7	-3.2	-6.4	-7.8	
-20.4	17.1		J	1.7	-3.2	-6.4	-7.8	
-3.1	25.8							
		q4-7	I	26.4	-48.0	-58.6	-163.2	
-393.7	256.1		J	26.4	-48.0	-58.6	-163.2	
-235.4	385.9							
		q5 - p~1	I	-7.8	15.6	-5.4	38.5	

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
98.0	-82.7			J	-7.8	15.6	-5.4	38.5
112.5	-124.8							
-475.3	335.0	q5 - p~2	I		34.0	-63.0	-73.5	-193.4
-276.6	505.2		J		34.0	-63.0	-73.5	-193.4
91.5	-77.9	q5 - p~3	I		-7.4	14.7	-0.8	35.7
93.7	-117.5		J		-7.4	14.7	-0.8	35.7
-406.4	317.8	q5 - p~4	I		31.6	-59.9	-63.3	-161.0
-235.5	479.7		J		31.6	-59.9	-63.3	-161.0
0.0	0.0	q5 - p~5	I		0.0	0.0	0.0	0.0
0.0	0.0		J		0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I		0.0	0.0	0.0	0.0
0.0	0.0		J		0.0	0.0	0.0	0.0
-9.8	5.6	q7	I		0.5	-1.0	1.1	-4.2
-12.8	8.4		J		0.5	-1.0	1.1	-4.2
-7.3	4.0	T	I		0.4	-0.7	-0.4	-3.2
-6.3	6.0		J		0.4	-0.7	-0.4	-3.2
425.9	-376.4	M. tor~1	I		-36.7	71.2	62.8	162.8
256.3	-568.7		J		-36.7	71.2	62.8	162.8
251.8	-222.5	M. tor~2	I		-21.7	42.1	37.1	96.2
151.6	-336.2		J		-21.7	42.1	37.1	96.2
1904.9	665.8	INVSLU Max	I		77.0	153.2	3490.0	-1079.8
6292.7	970.6		J		77.0	153.2	3490.0	-1079.8
6879.2	-703.0	Min	I		-70.0	-112.8	1390.0	-3562.4
4880.3	-1116.6		J		-70.0	-112.8	1390.0	-3562.4
-751.9	1417.0	INVSLV Max	I		138.6	304.6	1570.4	-609.4
4032.0	2116.1		J		138.6	304.6	1570.4	-609.4
3879.1	-1551.0	Min	I		-141.6	-258.7	915.1	-1824.5
7314.4	-2373.9		J		-141.6	-258.7	915.1	-1824.5


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1442.2	471.1	INVSLE Max	I	54.8	106.9	2580.3	-812.5	-
			J	54.8	106.9	2580.3	-812.5	-
4679.3	685.7	Min	I	-48.9	-79.4	1034.5	-2626.1	-
5064.5	-485.7		J	-48.9	-79.4	1034.5	-2626.1	-1
1004.4	-774.2							
1129	3	4 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		SLVx (RS)	I	237.2	0.1	-0.0	-0.0	
-0.0	0.0		J	237.2	0.1	-0.0	-0.0	
0.0	-0.0							
		SLVy (RS)	I	-232.1	-0.1	0.0	0.0	
0.0	0.0		J	-232.1	-0.1	0.0	0.0	
-0.0	0.0							
		SLDx (RS)	I	172.2	0.0	-0.0	-0.0	
-0.0	0.0		J	172.2	0.0	-0.0	-0.0	
0.0	-0.0							
		SLDy (RS)	I	-168.7	-0.0	0.0	0.0	
0.0	0.0		J	-168.7	-0.0	0.0	0.0	
-0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
0.0	0.0	SLVz (RS)	I	406.2	0.1	-0.1	-0.0
			J	406.2	0.1	-0.1	-0.0
0.0	-0.1						
		G1	I	0.0	0.0	0.0	0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0						
		G2	I	0.0	0.0	0.0	0.0
-0.0	-0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0						
		G1 - Imp~1	I	-1455.2	-0.4	0.2	0.0
0.0	0.0		J	-1455.2	-0.4	0.2	0.0
-0.1	0.2						
		G2 - Imp~1	I	-465.0	-0.1	0.1	0.0
0.0	0.0		J	-465.0	-0.1	0.1	0.0
-0.0	0.1						
		q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-2	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-4	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-5	I	0.0	-0.0	-0.0	0.0
0.0	0.0		J	0.0	-0.0	-0.0	0.0
0.0	0.0						
		q4-6	I	0.0	-0.0	-0.0	0.0
0.0	-0.0		J	0.0	-0.0	-0.0	0.0
-0.0	0.0						
		q4-7	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
-0.0	-0.0						
		q5 - p~1	I	0.0	0.0	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	0.0		J	0.0	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	q5 - p~2	I	0.0	0.0	0.0	0.0
-0.0	-0.0		J	0.0	0.0	0.0	0.0
-0.0	0.0	q5 - p~3	I	-0.0	-0.0	-0.0	0.0
0.0	0.0		J	-0.0	-0.0	-0.0	0.0
-0.0	-0.0	q5 - p~4	I	0.0	0.0	0.0	0.0
-0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q7	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	T	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	0.0	M. tor~1	I	0.0	-0.0	-0.0	0.0
0.0	0.0		J	0.0	-0.0	-0.0	0.0
0.0	0.0	M. tor~2	I	-0.0	-0.0	-0.0	-0.0
0.0	0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	INVSLU Max	I	-2592.3	-0.7	0.4	0.0
-0.2	0.4		J	-2592.3	-0.7	0.4	0.0
-0.0	0.0	Min	I	-2592.3	-0.7	0.4	-0.0
-0.2	0.4		J	-2592.3	-0.7	0.4	-0.0
0.0	0.0	INVSLV Max	I	-1373.3	-0.4	0.4	0.0
-0.1	0.4		J	-1373.3	-0.4	0.4	0.0
-0.0	-0.0	Min	I	-2467.1	-0.7	0.2	-0.0
-0.2	0.2		J	-2467.1	-0.7	0.2	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	0.0	INVSLE	Max	I	-1920.2	-0.5	0.3	0.0
				J	-1920.2	-0.5	0.3	0.0
-0.2	0.3		Min	I	-1920.2	-0.5	0.3	-0.0
-0.0	0.0			J	-1920.2	-0.5	0.3	-0.0
-0.2	0.3							
1130	3	4	C1-C2;~1	Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			C3-C4;~1	Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			C1-C2;~2	Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			C3-C4;~2	Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			SLVx (RS)	I	234.6	-1042.2	554.1	0.0
-0.0	0.0			J	234.6	-1042.2	554.1	0.0
-304.8	573.2							
			SLVy (RS)	I	280.3	-1070.0	569.0	0.0
-0.0	-0.0			J	280.3	-1070.0	569.0	0.0
-312.9	588.5							
			SLDx (RS)	I	171.1	-782.1	415.9	0.0
-0.0	0.0			J	171.1	-782.1	415.9	0.0
-228.7	430.2							
			SLDy (RS)	I	200.4	-796.2	423.3	0.0
-0.0	0.0			J	200.4	-796.2	423.3	0.0
-232.8	437.9							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
			SLVz (RS)	I	287.5	-143.4	76.2	-0.0
0.0	0.0			J	287.5	-143.4	76.2	-0.0
-41.9	78.9							
			G1	I	-0.0	0.0	-0.0	0.0
0.0	-0.0			J	-0.0	0.0	-0.0	0.0
0.0	-0.0							
			G2	I	0.0	-0.0	-0.0	0.0
0.0	0.0			J	0.0	-0.0	-0.0	0.0
0.0	-0.0							
			G1 - Imp~1	I	-1355.5	0.4	-0.2	0.0
-0.0	0.0			J	-1355.5	0.4	-0.2	0.0
0.1	-0.2							
			G2 - Imp~1	I	-440.9	0.1	-0.1	0.0
0.0	0.0			J	-440.9	0.1	-0.1	0.0
0.0	-0.1							
			q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	-0.0							
			q4-1	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			q4-2	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			q4-3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			q4-4	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			q4-5	I	0.0	-0.0	0.0	0.0
0.0	0.0			J	0.0	-0.0	0.0	0.0
0.0	0.0							
			q4-6	I	0.0	-0.0	-0.0	0.0
0.0	0.0			J	0.0	-0.0	-0.0	0.0
0.0	-0.0							
			q4-7	I	-0.0	0.0	-0.0	0.0
-0.0	-0.0			J	-0.0	0.0	-0.0	0.0
0.0	-0.0							
			q5 - p~1	I	0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	0.0		J	0.0	-0.0	-0.0	-0.0
-0.0	0.0						
0.0	-0.0	q5 - p~2	I	0.0	0.0	-0.0	0.0
-0.0	-0.0		J	0.0	0.0	-0.0	0.0
0.0	0.0	q5 - p~3	I	0.0	-0.0	0.0	-0.0
-0.0	0.0		J	0.0	-0.0	0.0	-0.0
0.0	-0.0	q5 - p~4	I	0.0	0.0	-0.0	0.0
0.0	-0.0		J	0.0	0.0	-0.0	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q7	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	T	I	0.0	0.0	-0.0	0.0
0.0	0.0		J	0.0	0.0	-0.0	0.0
0.0	0.0	M. tor~1	I	-0.0	-0.0	0.0	-0.0
-0.0	0.0		J	-0.0	-0.0	0.0	-0.0
-0.0	0.0	M. tor~2	I	0.0	-0.0	0.0	-0.0
-0.0	0.0		J	0.0	-0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	-2425.1	0.7	-0.4	0.0
0.2	-0.4		J	-2425.1	0.7	-0.4	0.0
-0.0	-0.0	Min	I	-2425.1	0.7	-0.4	-0.0
0.2	-0.4		J	-2425.1	0.7	-0.4	-0.0
0.0	0.0	INVSLV Max	I	-1354.5	1426.2	757.8	0.0
417.1	783.9		J	-1354.5	1426.2	757.8	0.0
-0.0	-0.0	Min	I	-2238.3	-1425.2	-758.3	-0.0
-416.8	-784.4		J	-2238.3	-1425.2	-758.3	-0.0


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


		INVSLE Max	I	-1796.4	0.5	-0.3	0.0
0.0	0.0		J	-1796.4	0.5	-0.3	0.0
0.2	-0.3	Min	I	-1796.4	0.5	-0.3	-0.0
-0.0	-0.0		J	-1796.4	0.5	-0.3	-0.0
0.2	-0.3						
1131	3	4 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		SLVx (RS)	I	162.1	-61.4	35.7	45.7
236.4	-326.1		J	162.1	-61.4	35.7	45.7
31.3	116.3						
		SLVy (RS)	I	-70.0	26.5	-108.8	-30.7
-734.2	140.8		J	-70.0	26.5	-108.8	-30.7
52.2	-50.2						
		SLDx (RS)	I	121.0	-45.8	26.6	34.1
175.9	-243.5		J	121.0	-45.8	26.6	34.1
23.3	86.8						
		SLDy (RS)	I	-52.5	19.9	-78.7	-22.6
-531.0	105.7		J	-52.5	19.9	-78.7	-22.6
38.1	-37.7						

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
877.3	43.7	SLVz (RS)	I	-21.7	8.2	131.8	13.1
-73.6	-15.6		J	-21.7	8.2	131.8	13.1
-0.0	-0.0	G1	I	-0.0	-0.0	-0.0	0.0
-0.0	0.0		J	-0.0	-0.0	-0.0	0.0
-0.0	-0.0	G2	I	-0.0	-0.0	-0.0	0.0
0.0	0.0		J	-0.0	-0.0	-0.0	0.0
2429.8	0.0	G1 - Imp~1	I	0.0	0.0	-370.5	2.6
241.2	-0.0		J	0.0	0.0	-370.5	2.6
-834.8	0.0	G2 - Imp~1	I	0.0	0.0	-127.3	0.9
83.0	-0.0		J	0.0	0.0	-127.3	0.9
-0.0	-0.0	q3	I	-0.0	-0.0	0.0	0.0
-0.0	0.0		J	-0.0	-0.0	0.0	0.0
0.0	-0.0	q4-1	I	0.0	0.0	0.0	0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	q4-2	I	-0.0	0.0	0.0	0.0
0.0	-0.0		J	-0.0	0.0	0.0	0.0
0.0	-0.0	q4-3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	q4-4	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q4-5	I	0.0	0.0	0.0	-0.0
0.0	-0.0		J	0.0	0.0	0.0	-0.0
-0.0	-0.0	q4-6	I	-0.0	-0.0	0.0	0.0
0.0	0.0		J	-0.0	-0.0	0.0	0.0
-0.0	-0.0	q4-7	I	-0.0	-0.0	-0.0	0.0
0.0	0.0		J	-0.0	-0.0	-0.0	0.0
		q5 - p~1	I	0.0	0.0	0.0	-0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	0.0		J	0.0	0.0	0.0	-0.0	
0.0	-0.0							
-0.0	-0.0	q5 - p~2	I	-0.0	-0.0	-0.0	0.0	
-0.0	0.0		J	-0.0	-0.0	-0.0	0.0	
0.0	0.0	q5 - p~3	I	0.0	0.0	0.0	-0.0	
0.0	-0.0		J	0.0	0.0	0.0	-0.0	
-0.0	-0.0	q5 - p~4	I	-0.0	-0.0	-0.0	0.0	
-0.0	0.0		J	-0.0	-0.0	-0.0	0.0	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0	q7	I	-0.0	0.0	0.0	-0.0	
-0.0	0.0		J	-0.0	0.0	0.0	-0.0	
-0.0	0.0	T	I	-0.0	0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	0.0	-0.0	-0.0	
0.0	0.0	M. tor~1	I	0.0	0.0	0.0	-0.0	
-0.0	0.0		J	0.0	0.0	0.0	-0.0	
-0.0	0.0	M. tor~2	I	0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	0.0	0.0	0.0	-0.0	
4407.2	0.0	INVSLU Max	I	0.0	0.0	-672.0	4.7	-
437.7	0.0		J	0.0	0.0	-672.0	4.7	
4407.2	-0.0	Min	I	-0.0	-0.0	-672.0	4.7	-
437.7	-0.0		J	-0.0	-0.0	-672.0	4.7	
2096.0	381.4	INVSLV Max	I	189.6	71.8	-322.7	62.3	-
422.8	136.0		J	189.6	71.8	-322.7	62.3	
4433.1	-381.4	Min	I	-189.6	-71.8	-672.9	-55.4	-
225.6	-136.0		J	-189.6	-71.8	-672.9	-55.4	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

3264.6	0.0	INVSLE Max	I	0.0	0.0	-497.8	3.5	-
			J	0.0	0.0	-497.8	3.5	
324.2	0.0							
3264.6	-0.0	Min	I	-0.0	-0.0	-497.8	3.5	-
			J	-0.0	-0.0	-497.8	3.5	
324.2	-0.0							
1132	3	4 C1-C2;~1 Max	I	109.5	38.1	124.9	129.2	
840.6	275.5		J	109.5	38.1	124.9	129.2	
447.2	1.0							
4290.4	-226.6	Min	I	-152.2	-31.2	-637.2	-118.1	-
			J	-152.2	-31.2	-637.2	-118.1	
-72.7	-1.6							
		C3-C4;~1 Max	I	110.8	38.7	127.4	77.1	
857.5	279.5		J	110.8	38.7	127.4	77.1	
364.1	0.3							
5206.7	-229.3	Min	I	-161.1	-31.6	-753.1	-162.0	-
			J	-161.1	-31.6	-753.1	-162.0	
-73.9	-2.2							
		C1-C2;~2 Max	I	58.9	20.2	68.1	76.2	
458.7	146.3		J	58.9	20.2	68.1	76.2	
268.5	0.6							
2381.6	-121.8	Min	I	-80.2	-16.8	-357.0	-60.5	-
			J	-80.2	-16.8	-357.0	-60.5	
-38.2	-0.8							
		C3-C4;~2 Max	I	59.8	20.5	69.6	44.6	
468.8	148.0		J	59.8	20.5	69.6	44.6	
214.8	0.2							
2974.3	-123.6	Min	I	-85.3	-17.0	-432.0	-86.5	-
			J	-85.3	-17.0	-432.0	-86.5	
-39.1	-1.2							
		SLVx (RS)	I	-811.1	249.3	-167.2	-52.1	
1468.4	1812.7		J	-811.1	249.3	-167.2	-52.1	
359.3	4.0							
		SLVy (RS)	I	732.7	-225.2	-129.5	49.3	-
1216.8	-1637.4		J	732.7	-225.2	-129.5	49.3	
-311.2	-3.6							
		SLDx (RS)	I	-610.2	187.5	-125.9	-39.1	
1106.3	1363.8		J	-610.2	187.5	-125.9	-39.1	
269.9	3.0							
		SLDy (RS)	I	540.4	-166.1	-95.0	36.4	
-894.0	-1207.8		J	540.4	-166.1	-95.0	36.4	
-229.6	-2.6							


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1005.9	245.8	SLVz (RS)	I	-111.6	33.8	146.2	21.1	
-79.3	0.6		J	-111.6	33.8	146.2	21.1	
3934.1	78.6	G1	I	-64.6	11.0	-574.8	-68.2	-
236.8	-1.3		J	-64.6	11.0	-574.8	-68.2	
1487.1	28.7	G2	I	-23.9	4.0	-217.5	-25.1	-
90.7	-0.5		J	-23.9	4.0	-217.5	-25.1	
-15.6	-16.4	G1- Imp~1	I	7.3	-2.3	-1.6	0.1	
-3.7	-0.0		J	7.3	-2.3	-1.6	0.1	
-5.2	-5.2	G2- Imp~1	I	2.3	-0.7	-0.6	0.0	
-1.2	-0.0		J	2.3	-0.7	-0.6	0.0	
-21.6	-5.6	q3	I	2.4	-0.8	-3.0	-0.1	
0.0	-0.0		J	2.4	-0.8	-3.0	-0.1	
0.7	-0.2	q4-1	I	0.1	-0.0	0.1	0.0	
-0.1	-0.0		J	0.1	-0.0	0.1	0.0	
0.4	-1.0	q4-2	I	0.5	-0.1	0.1	0.0	
-0.3	-0.0		J	0.5	-0.1	0.1	0.0	
-1.2	-2.4	q4-3	I	1.1	-0.3	-0.1	0.1	
-0.5	-0.0		J	1.1	-0.3	-0.1	0.1	
-1.9	-1.3	q4-4	I	0.6	-0.2	-0.2	0.0	
-0.2	-0.0		J	0.6	-0.2	-0.2	0.0	
23.7	29.2	q4-5	I	-13.0	4.0	2.4	-0.4	
6.2	0.1		J	-13.0	4.0	2.4	-0.4	
-18.0	-27.4	q4-6	I	12.2	-3.8	-1.5	-0.0	
-7.2	-0.1		J	12.2	-3.8	-1.5	-0.0	
-461.3	-411.4	q4-7	I	182.0	-56.6	-49.9	-4.2	
-99.6	-1.1		J	182.0	-56.6	-49.9	-4.2	
		q5 - p~1	I	-59.0	18.2	16.6	-3.3	

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
142.5	132.6		J	-59.0	18.2	16.6	-3.3	
21.8	0.3							
-548.2	-538.0	q5 - p~2	I	238.6	-73.9	-58.1	-1.9	
-126.9	-1.4		J	238.6	-73.9	-58.1	-1.9	
126.5	124.9	q5 - p~3	I	-55.6	17.2	14.4	-2.8	
22.0	0.3		J	-55.6	17.2	14.4	-2.8	
-462.8	-510.0	q5 - p~4	I	226.8	-70.1	-47.9	2.6	
-115.5	-1.3		J	226.8	-70.1	-47.9	2.6	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-15.6	-9.0	q7	I	4.0	-1.2	-2.0	0.0	
-1.4	-0.0		J	4.0	-1.2	-2.0	0.0	
-9.8	-6.4	T	I	2.8	-0.9	-1.2	-0.1	
-1.4	-0.0		J	2.8	-0.9	-1.2	-0.1	
483.1	603.6	M. tor~1	I	-269.2	83.0	48.8	-8.9	
129.3	1.4		J	-269.2	83.0	48.8	-8.9	
285.6	356.9	M. tor~2	I	-159.1	49.1	28.8	-5.2	
76.4	0.8		J	-159.1	49.1	28.8	-5.2	
5688.6	1085.2	INVSLU Max	I	436.7	149.8	-847.4	51.6	-
1154.6	0.1		J	436.7	149.8	-847.4	51.6	
4876.2	-1095.3	Min	I	-563.8	-150.2	-2142.3	-347.7	-1
133.2	-6.9		J	-563.8	-150.2	-2142.3	-347.7	
3306.7	2463.4	INVSLV Max	I	985.5	339.0	-544.6	-20.1	-
799.2	3.4		J	985.5	339.0	-544.6	-20.1	
7577.1	-2291.9	Min	I	-1143.3	-314.9	-1044.4	-166.5	-
-153.7	-7.1		J	-1143.3	-314.9	-1044.4	-166.5	


MIDAS

PROJECT TITLE :


MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

4249.7	747.6	INVSLE Max	I	307.8	103.2	-631.5	38.0	-
			J	307.8	103.2	-631.5	38.0	
846.9	-0.0	Min	I	-392.6	-106.4	-1583.1	-257.4	-1
0983.5	-775.9		J	-392.6	-106.4	-1583.1	-257.4	
107.0	-5.0							
1133	3	4 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	0.0	
-0.0	-0.0							
		SLVx (RS)	I	-53.4	-0.0	-0.0	0.0	
-0.0	-0.0		J	-53.4	-0.0	-0.0	0.0	
0.0	0.0							
		SLVy (RS)	I	-167.6	0.0	-0.0	-0.0	
0.0	-0.0		J	-167.6	0.0	-0.0	-0.0	
0.0	0.0							
		SLDx (RS)	I	-39.7	-0.0	-0.0	0.0	
0.0	-0.0		J	-39.7	-0.0	-0.0	0.0	
0.0	0.0							
		SLDy (RS)	I	-121.0	0.0	-0.0	0.0	
0.0	0.0		J	-121.0	0.0	-0.0	0.0	
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
			SLVz (RS)	I	199.0	0.0	0.0
0.0	0.0			J	199.0	0.0	0.0
-0.0	-0.0						
			G1	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
-0.0	-0.0						
			G2	I	0.0	0.0	0.0
-0.0	0.0			J	0.0	0.0	0.0
-0.0	-0.0						
			G1 - Imp~1	I	-535.4	-0.0	-0.0
-0.0	-0.0			J	-535.4	-0.0	-0.0
0.0	0.0						
			G2 - Imp~1	I	-183.9	0.0	-0.0
-0.0	-0.0			J	-183.9	0.0	-0.0
0.0	0.0						
			q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			q4-1	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			q4-2	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			q4-3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			q4-4	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			q4-5	I	0.0	0.0	-0.0
0.0	0.0			J	0.0	0.0	-0.0
0.0	0.0						
			q4-6	I	0.0	0.0	0.0
-0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			q4-7	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
-0.0	0.0						
			q5 - p~1	I	0.0	-0.0	-0.0

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	-0.0		J	0.0	-0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	q5 - p~2	I	0.0	0.0	0.0	0.0
-0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	q5 - p~3	I	0.0	-0.0	-0.0	0.0
0.0	-0.0		J	0.0	-0.0	-0.0	0.0
-0.0	0.0	q5 - p~4	I	0.0	0.0	0.0	0.0
-0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q7	I	0.0	0.0	0.0	0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	T	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	M. tor~1	I	0.0	0.0	-0.0	0.0
-0.0	-0.0		J	0.0	0.0	-0.0	0.0
-0.0	-0.0	M. tor~2	I	0.0	-0.0	-0.0	0.0
0.0	0.0		J	0.0	-0.0	-0.0	0.0
-0.0	-0.0	INVSLU Max	I	-971.1	0.0	0.0	0.0
0.0	0.0		J	-971.1	0.0	0.0	0.0
-0.0	-0.0	Min	I	-971.1	-0.0	-0.0	-0.0
-0.0	-0.0		J	-971.1	-0.0	-0.0	-0.0
0.0	0.0	INVSLV Max	I	-454.0	0.0	0.0	0.0
0.0	0.0		J	-454.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-984.6	-0.0	-0.0	-0.0
-0.0	-0.0		J	-984.6	-0.0	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

-0.0	-0.0		INVSLE Max	I	-719.3	0.0	0.0	0.0
				J	-719.3	0.0	0.0	0.0
0.0	0.0		Min	I	-719.3	-0.0	-0.0	-0.0
-0.0	-0.0			J	-719.3	-0.0	-0.0	-0.0
-0.0	-0.0							
1135	3	4	C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			SLVx (RS)	I	-111.8	586.8	1016.4	0.0
0.0	0.0			J	-111.8	586.8	1016.4	0.0
-559.0	-322.8							
			SLVy (RS)	I	-126.6	-253.4	-438.8	0.0
0.0	0.0			J	-126.6	-253.4	-438.8	0.0
241.4	139.3							
			SLDx (RS)	I	-81.4	438.2	758.9	0.0
0.0	0.0			J	-81.4	438.2	758.9	0.0
-417.4	-241.0							
			SLDy (RS)	I	-91.7	-190.3	-329.5	0.0
0.0	0.0			J	-91.7	-190.3	-329.5	0.0
181.2	104.6							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	-0.0	SLVz (RS)	I	304.6	-78.7	-136.3	-0.0
			J	304.6	-78.7	-136.3	-0.0
75.0	43.3						
		G1	I	0.0	0.0	-0.0	0.0
-0.0	-0.0		J	0.0	0.0	-0.0	0.0
-0.0	-0.0						
		G2	I	-0.0	0.0	0.0	-0.0
0.0	0.0		J	-0.0	0.0	0.0	-0.0
-0.0	-0.0						
		G1 - Imp~1	I	-1148.7	-0.0	0.0	0.0
0.0	0.0		J	-1148.7	-0.0	0.0	0.0
0.0	0.0						
		G2 - Imp~1	I	-395.5	-0.0	-0.0	-0.0
-0.0	-0.0		J	-395.5	-0.0	-0.0	-0.0
0.0	-0.0						
		q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-2	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-4	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-5	I	0.0	0.0	-0.0	0.0
0.0	0.0		J	0.0	0.0	-0.0	0.0
0.0	0.0						
		q4-6	I	0.0	0.0	0.0	0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0						
		q4-7	I	0.0	-0.0	-0.0	0.0
0.0	0.0		J	0.0	-0.0	-0.0	0.0
-0.0	0.0						
		q5 - p~1	I	0.0	0.0	-0.0	-0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	0.0		J	0.0	0.0	-0.0	-0.0
0.0	-0.0						
0.0	-0.0	q5 - p~2	I	0.0	-0.0	0.0	0.0
-0.0	0.0		J	0.0	-0.0	0.0	0.0
-0.0	0.0	q5 - p~3	I	0.0	0.0	-0.0	0.0
0.0	-0.0		J	0.0	0.0	-0.0	0.0
0.0	-0.0	q5 - p~4	I	0.0	-0.0	0.0	0.0
-0.0	-0.0		J	0.0	-0.0	0.0	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q7	I	0.0	0.0	0.0	0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	T	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	M. tor~1	I	0.0	-0.0	-0.0	0.0
0.0	0.0		J	0.0	-0.0	-0.0	0.0
-0.0	0.0	M. tor~2	I	0.0	-0.0	0.0	0.0
0.0	-0.0		J	0.0	-0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	-2084.7	0.0	0.0	0.0
0.0	0.0		J	-2084.7	0.0	0.0	0.0
-0.0	-0.0	Min	I	-2084.7	-0.0	-0.0	-0.0
-0.0	-0.0		J	-2084.7	-0.0	-0.0	-0.0
0.0	0.0	INVSLV Max	I	-1168.1	686.4	1188.9	0.0
653.9	377.5		J	-1168.1	686.4	1188.9	0.0
-0.0	-0.0	Min	I	-1920.3	-686.4	-1188.9	-0.0
-653.9	-377.5		J	-1920.3	-686.4	-1188.9	-0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	0.0		INVSLE Max	I	-1544.2	0.0	0.0	0.0
				J	-1544.2	0.0	0.0	0.0
0.0	0.0		Min	I	-1544.2	-0.0	-0.0	-0.0
-0.0	-0.0			J	-1544.2	-0.0	-0.0	-0.0
1137	3	4	C1-C2;~1 Max	I	0.0	0.0	123.4	0.0
0.0	0.0			J	0.0	0.0	123.4	0.0
3001.2	0.0		Min	I	-0.0	-0.0	-1250.4	-0.0
-0.0	-0.0			J	-0.0	-0.0	-1250.4	-0.0
-296.1	-0.0							
			C3-C4;~1 Max	I	0.0	0.0	180.3	0.0
0.0	0.0			J	0.0	0.0	180.3	0.0
2262.5	0.0		Min	I	-0.0	-0.0	-942.6	-0.0
-0.0	-0.0			J	-0.0	-0.0	-942.6	-0.0
-432.9	-0.0							
			C1-C2;~2 Max	I	0.0	0.0	58.8	0.0
0.0	0.0			J	0.0	0.0	58.8	0.0
1832.8	0.0		Min	I	-0.0	-0.0	-763.6	-0.0
-0.0	-0.0			J	-0.0	-0.0	-763.6	-0.0
-141.1	-0.0							
			C3-C4;~2 Max	I	0.0	0.0	91.3	0.0
0.0	0.0			J	0.0	0.0	91.3	0.0
1355.8	0.0		Min	I	-0.0	-0.0	-564.8	-0.0
-0.0	-0.0			J	-0.0	-0.0	-564.8	-0.0
-219.2	-0.0							
			SLVx (RS)	I	0.0	0.0	-366.9	0.0
-0.0	0.0			J	0.0	0.0	-366.9	0.0
880.7	0.0							
			SLVy (RS)	I	0.0	0.0	289.5	0.0
-0.0	0.0			J	0.0	0.0	289.5	0.0
-694.8	-0.0							
			SLDx (RS)	I	0.0	-0.0	-274.9	0.0
-0.0	0.0			J	0.0	-0.0	-274.9	0.0
659.9	0.0							
			SLDy (RS)	I	-0.0	0.0	213.4	0.0
-0.0	0.0			J	-0.0	0.0	213.4	0.0
-512.2	-0.0							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
			SLVz (RS)	I	0.0	-0.0	145.6	-0.0
0.0	0.0			J	0.0	-0.0	145.6	-0.0
-349.5	0.0							
			G1	I	0.0	0.0	-550.1	0.0
-0.0	0.0			J	0.0	0.0	-550.1	0.0
1320.3	-0.0							
			G2	I	0.0	-0.0	-212.3	0.0
0.0	0.0			J	0.0	-0.0	-212.3	0.0
509.6	-0.0							
			G1 - Imp~1	I	0.0	0.0	4.8	0.0
-0.0	0.0			J	0.0	0.0	4.8	0.0
-11.4	0.0							
			G2 - Imp~1	I	0.0	0.0	1.6	0.0
0.0	0.0			J	0.0	0.0	1.6	0.0
-3.8	-0.0							
			q3	I	-0.0	-0.0	-1.7	0.0
0.0	-0.0			J	-0.0	-0.0	-1.7	0.0
4.2	0.0							
			q4-1	I	0.0	0.0	0.1	0.0
0.0	0.0			J	0.0	0.0	0.1	0.0
-0.3	0.0							
			q4-2	I	-0.0	0.0	0.3	0.0
0.0	-0.0			J	-0.0	0.0	0.3	0.0
-0.8	0.0							
			q4-3	I	0.0	-0.0	0.6	0.0
0.0	-0.0			J	0.0	-0.0	0.6	0.0
-1.5	0.0							
			q4-4	I	0.0	0.0	0.2	0.0
0.0	0.0			J	0.0	0.0	0.2	0.0
-0.4	0.0							
			q4-5	I	0.0	0.0	-7.3	0.0
0.0	0.0			J	0.0	0.0	-7.3	0.0
17.5	-0.0							
			q4-6	I	0.0	0.0	11.1	0.0
0.0	0.0			J	0.0	0.0	11.1	0.0
-26.6	-0.0							
			q4-7	I	0.0	-0.0	148.0	0.0
-0.0	0.0			J	0.0	-0.0	148.0	0.0
-355.3	-0.0							
			q5 - p~1	I	0.0	-0.0	-14.5	-0.0

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	-0.0		J	0.0	-0.0	-14.5	-0.0
34.7	-0.0						
		q5 - p~2	I	0.0	-0.0	180.4	0.0
0.0	-0.0		J	0.0	-0.0	180.4	0.0
-433.1	0.0						
		q5 - p~3	I	0.0	0.0	-18.0	-0.0
-0.0	0.0		J	0.0	0.0	-18.0	-0.0
43.2	0.0						
		q5 - p~4	I	0.0	0.0	153.1	0.0
0.0	0.0		J	0.0	0.0	153.1	0.0
-367.5	-0.0						
		q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q7	I	0.0	0.0	1.0	0.0
0.0	0.0		J	0.0	0.0	1.0	0.0
-2.3	0.0						
		T	I	0.0	-0.0	2.0	0.0
0.0	-0.0		J	0.0	-0.0	2.0	0.0
-4.9	0.0						
		M. tor~1	I	0.0	-0.0	-154.5	-0.0
0.0	0.0		J	0.0	-0.0	-154.5	-0.0
370.9	-0.0						
		M. tor~2	I	0.0	0.0	-91.4	-0.0
0.0	0.0		J	0.0	0.0	-91.4	-0.0
219.3	0.0						
		INVSLU Max	I	0.0	0.0	-533.6	0.0
-0.0	0.0		J	0.0	0.0	-533.6	0.0
6894.6	0.0						
		Min	I	-0.0	-0.0	-2872.5	0.0
-0.0	-0.0		J	-0.0	-0.0	-2872.5	0.0
1280.9	-0.0						
		INVSLV Max	I	0.0	0.0	-258.6	0.0
-0.0	0.0		J	0.0	0.0	-258.6	0.0
3008.6	0.0						
		Min	I	-0.0	-0.0	-1253.5	0.0
-0.0	-0.0		J	-0.0	-0.0	-1253.5	0.0
620.6	-0.0						


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


-0.0	0.0	INVSLE Max	I	0.0	0.0	-407.2	0.0
			J	0.0	0.0	-407.2	0.0
5078.6	0.0	Min	I	-0.0	-0.0	-2115.9	0.0
-0.0	-0.0		J	-0.0	-0.0	-2115.9	0.0
977.3	-0.0						
1138	3	4 C1-C2;~1 Max	I	114.4	80.4	996.5	0.0
2391.8	193.0		J	114.4	80.4	996.5	0.0
0.0	0.0	Min	I	-92.2	-99.8	-215.1	-0.0
-516.2	-239.5		J	-92.2	-99.8	-215.1	-0.0
-0.0	-0.0						
		C3-C4;~1 Max	I	116.7	81.4	1288.0	0.0
3091.4	195.3		J	116.7	81.4	1288.0	0.0
0.0	0.0	Min	I	-93.3	-101.8	-225.2	-0.0
-540.5	-244.3		J	-93.3	-101.8	-225.2	-0.0
-0.0	-0.0						
		C1-C2;~2 Max	I	60.7	43.2	538.9	0.0
1293.5	103.8		J	60.7	43.2	538.9	0.0
0.0	0.0	Min	I	-49.6	-52.9	-117.4	-0.0
-281.8	-127.1		J	-49.6	-52.9	-117.4	-0.0
-0.0	-0.0						
		C3-C4;~2 Max	I	61.8	43.9	723.9	0.0
1737.6	105.3		J	61.8	43.9	723.9	0.0
0.0	0.0	Min	I	-50.3	-53.9	-122.2	-0.0
-293.3	-129.3		J	-50.3	-53.9	-122.2	-0.0
-0.0	-0.0						
		SLVx (RS)	I	730.1	-636.8	-386.0	-0.0
-926.5	-1528.5		J	730.1	-636.8	-386.0	-0.0
0.0	0.0						
		SLVy (RS)	I	-659.5	575.2	319.1	0.0
765.9	1380.7		J	-659.5	575.2	319.1	0.0
-0.0	0.0						
		SLDx (RS)	I	549.3	-479.1	-290.7	-0.0
-697.9	-1150.0		J	549.3	-479.1	-290.7	-0.0
-0.0	0.0						
		SLDy (RS)	I	-486.5	424.3	234.5	-0.0
562.9	1018.4		J	-486.5	424.3	234.5	-0.0
-0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-576.2	-207.7	SLVz (RS)	I	99.2	-86.5	-240.1	0.0
			J	99.2	-86.5	-240.1	0.0
-0.0	-0.0						
2223.2	-74.0	G1	I	35.3	-30.8	926.3	0.0
			J	35.3	-30.8	926.3	0.0
0.0	-0.0						
838.2	-27.1	G2	I	12.9	-11.3	349.2	-0.0
			J	12.9	-11.3	349.2	-0.0
0.0	-0.0						
10.8	13.8	G1- Imp~1	I	-6.6	5.8	4.5	0.0
			J	-6.6	5.8	4.5	0.0
0.0	-0.0						
3.6	4.4	G2- Imp~1	I	-2.1	1.8	1.5	0.0
			J	-2.1	1.8	1.5	0.0
0.0	0.0						
12.3	4.7	q3	I	-2.3	2.0	5.1	0.0
			J	-2.3	2.0	5.1	0.0
0.0	-0.0						
-0.4	0.2	q4-1	I	-0.1	0.1	-0.2	0.0
			J	-0.1	0.1	-0.2	0.0
0.0	0.0						
-0.2	0.9	q4-2	I	-0.4	0.4	-0.1	0.0
			J	-0.4	0.4	-0.1	0.0
0.0	0.0						
0.9	2.0	q4-3	I	-1.0	0.8	0.4	0.0
			J	-1.0	0.8	0.4	0.0
0.0	0.0						
1.2	1.1	q4-4	I	-0.5	0.4	0.5	0.0
			J	-0.5	0.4	0.5	0.0
0.0	-0.0						
-16.1	-24.6	q4-5	I	11.8	-10.3	-6.7	0.0
			J	11.8	-10.3	-6.7	0.0
0.0	0.0						
14.5	23.1	q4-6	I	-11.0	9.6	6.1	0.0
			J	-11.0	9.6	6.1	0.0
0.0	0.0						
330.1	346.5	q4-7	I	-165.5	144.4	137.5	-0.0
			J	-165.5	144.4	137.5	-0.0
0.0	-0.0						
		q5 - p~1	I	53.4	-46.6	-35.9	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-86.2	-111.7		J	53.4	-46.6	-35.9	0.0
-0.0	-0.0						
390.5	453.2	q5 - p~2	I	-216.5	188.8	162.7	-0.0
0.0	0.0		J	-216.5	188.8	162.7	-0.0
-78.5	-105.2	q5 - p~3	I	50.3	-43.8	-32.7	0.0
-0.0	0.0		J	50.3	-43.8	-32.7	0.0
325.5	429.8	q5 - p~4	I	-205.3	179.1	135.6	0.0
0.0	0.0		J	-205.3	179.1	135.6	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
9.6	7.6	q7	I	-3.6	3.2	4.0	0.0
0.0	0.0		J	-3.6	3.2	4.0	0.0
6.7	5.4	T	I	-2.6	2.3	2.8	0.0
0.0	0.0		J	-2.6	2.3	2.8	0.0
-331.3	-508.8	M. tor~1	I	243.0	-212.0	-138.0	0.0
-0.0	0.0		J	243.0	-212.0	-138.0	0.0
-195.9	-300.8	M. tor~2	I	143.7	-125.3	-81.6	-0.0
-0.0	0.0		J	143.7	-125.3	-81.6	-0.0
8682.1	909.8	INVSLU Max	I	446.6	379.0	3617.2	0.0
0.0	0.0		J	446.6	379.0	3617.2	0.0
3066.6	-935.0	Min	I	-434.6	-389.6	1277.6	-0.0
0.0	-0.0		J	-434.6	-389.6	1277.6	-0.0
4405.0	1922.1	INVSLV Max	I	997.3	800.8	1835.2	0.0
0.0	0.0		J	997.3	800.8	1835.2	0.0
1746.8	-2087.9	Min	I	-918.2	-869.9	727.8	-0.0
0.0	-0.0		J	-918.2	-869.9	727.8	-0.0


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


6405.6	644.1	INVSLE Max	I	308.2	268.3	2668.8	0.0
			J	308.2	268.3	2668.8	0.0
0.0	0.0						
2297.1	-645.2	Min	I	-307.7	-268.8	957.1	-0.0
			J	-307.7	-268.8	957.1	-0.0
0.0	-0.0						
1139	3	2 C1-C2;~1 Max	I	284.7	102.0	90.6	239.5
211.3	2674.4		J	284.7	102.0	90.6	239.5
407.2	2744.0						
		Min	I	-1789.4	-82.2	-112.4	-193.0
-313.0	-1805.6		J	-1789.4	-82.2	-112.4	-193.0
-401.2	-1976.9						
		C3-C4;~1 Max	I	292.0	104.1	91.7	244.3
315.3	1616.3		J	292.0	104.1	91.7	244.3
526.6	1681.1						
		Min	I	-1789.1	-83.2	-114.6	-195.3
-189.2	-2693.8		J	-1789.1	-83.2	-114.6	-195.3
-300.5	-2853.4						
		C1-C2;~2 Max	I	154.6	54.1	48.7	127.1
108.0	1591.2		J	154.6	54.1	48.7	127.1
207.5	1627.8						
		Min	I	-1065.6	-44.2	-59.6	-103.8
-186.2	-922.7		J	-1065.6	-44.2	-59.6	-103.8
-231.3	-1009.4						
		C3-C4;~2 Max	I	159.1	55.1	49.4	129.3
169.2	951.5		J	159.1	55.1	49.4	129.3
278.4	986.4						
		Min	I	-1065.5	-44.9	-60.7	-105.3
-111.4	-1445.6		J	-1065.5	-44.9	-60.7	-105.3
-165.8	-1524.7						
		SLVx (RS)	I	-284.3	651.2	-717.4	1528.5
-194.6	1662.6		J	-284.3	651.2	-717.4	1528.5
1351.2	375.4						
		SLVy (RS)	I	149.0	-588.2	648.0	-1380.7
164.8	-1408.4		J	149.0	-588.2	648.0	-1380.7
1230.3	-238.2						
		SLDx (RS)	I	-212.3	489.9	-539.7	1150.0
-146.4	1250.6		J	-212.3	489.9	-539.7	1150.0
1016.6	281.0						
		SLDy (RS)	I	107.8	-433.9	478.0	-1018.4
121.4	-1037.7		J	107.8	-433.9	478.0	-1018.4
-907.6	-174.9						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-40.4	345.1	SLVz (RS)	I	369.7	88.5	-97.5	207.7
			J	369.7	88.5	-97.5	207.7
191.8	295.7						
		G1	I	-1476.3	31.5	-34.7	74.0
105.0	-896.8		J	-1476.3	31.5	-34.7	74.0
179.6	-964.5						
		G2	I	-561.5	11.5	-12.7	27.1
38.2	-326.4		J	-561.5	11.5	-12.7	27.1
65.6	-351.2						
		G1- Imp~1	I	0.3	-5.9	6.5	-13.8
2.6	-22.1		J	0.3	-5.9	6.5	-13.8
-11.4	-9.4						
		G2- Imp~1	I	0.1	-1.9	2.0	-4.4
0.9	-7.4		J	0.1	-1.9	2.0	-4.4
-3.5	-3.4						
		q3	I	-6.9	-2.0	2.2	-4.7
0.9	-8.1		J	-6.9	-2.0	2.2	-4.7
-3.8	-3.8						
		q4-1	I	0.3	-0.1	0.1	-0.2
-0.0	0.1		J	0.3	-0.1	0.1	-0.2
-0.2	0.3						
		q4-2	I	0.4	-0.4	0.4	-0.9
0.1	-0.6		J	0.4	-0.4	0.4	-0.9
-0.8	0.2						
		q4-3	I	0.3	-0.9	0.9	-2.0
0.3	-2.4		J	0.3	-0.9	0.9	-2.0
-1.8	-0.5						
		q4-4	I	-0.3	-0.5	0.5	-1.1
0.2	-1.5		J	-0.3	-0.5	0.5	-1.1
-0.9	-0.5						
		q4-5	I	-0.6	10.5	-11.6	24.6
-3.9	33.3		J	-0.6	10.5	-11.6	24.6
21.0	10.8						
		q4-6	I	5.0	-9.8	10.8	-23.1
4.8	-40.8		J	5.0	-9.8	10.8	-23.1
-18.5	-19.7						
		q4-7	I	10.5	-147.6	162.6	-346.5
79.7	-680.8		J	10.5	-147.6	162.6	-346.5
-270.0	-363.4						
		q5 - p~1	I	21.5	47.6	-52.4	111.7

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-14.1	120.1		J	21.5	47.6	-52.4	111.7
98.7	17.8						
		q5 - p~2	I	17.7	-193.1	212.7	-453.2
95.7	-818.0		J	17.7	-193.1	212.7	-453.2
-361.6	-402.9						
		q5 - p~3	I	14.7	44.8	-49.4	105.2
-14.1	120.8		J	14.7	44.8	-49.4	105.2
92.1	24.4						
		q5 - p~4	I	17.5	-183.1	201.7	-429.8
80.6	-688.3		J	17.5	-183.1	201.7	-429.8
-353.1	-294.7						
		q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q7	I	-3.0	-3.2	3.6	-7.6
1.4	-11.8		J	-3.0	-3.2	3.6	-7.6
-6.3	-4.8						
		T	I	-0.8	-2.3	2.5	-5.4
1.3	-11.4		J	-0.8	-2.3	2.5	-5.4
-4.1	-6.5						
		M. tor~1	I	-16.5	216.8	-238.8	508.8
-81.6	697.4		J	-16.5	216.8	-238.8	508.8
431.8	231.4						
		M. tor~2	I	-9.8	128.1	-141.2	300.8
-48.3	412.3		J	-9.8	128.1	-141.2	300.8
255.3	136.8						
		INVSLU Max	I	-2336.6	398.3	427.0	935.0
710.6	2663.8		J	-2336.6	398.3	427.0	935.0
1350.1	2278.1						
		Min	I	-5186.2	-387.6	-438.8	-909.8
-311.8	-6072.2		J	-5186.2	-387.6	-438.8	-909.8
-694.2	-6013.0						
		INVSLV Max	I	-1537.8	889.5	902.1	2087.9
402.8	936.0		J	-1537.8	889.5	902.1	2087.9
2008.1	-793.0						
		Min	I	-2537.3	-818.9	-979.9	-1922.1
-109.5	-3441.4		J	-2537.3	-818.9	-979.9	-1922.1
1547.6	-1864.2						

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

520.1	1919.4	INVSLE	Max	I	-1732.2	274.9	302.3	645.2
				J	-1732.2	274.9	302.3	645.2
976.3	1661.0		Min	I	-3840.2	-274.4	-302.8	-644.1
-224.6	-4444.2			J	-3840.2	-274.4	-302.8	-644.1
-490.4	-4427.6							
1140	3	47 C1-C2;~1	Max	I	251.3	34.4	0.0	0.0
0.0	18.9			J	251.3	34.4	0.0	0.0
0.0	0.0		Min	I	-897.9	-59.4	0.0	0.0
-0.0	-32.7			J	-897.9	-59.4	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	I	241.7	39.3	0.0	0.0
0.0	21.6			J	241.7	39.3	0.0	0.0
0.0	0.0		Min	I	-1197.9	-61.6	0.0	0.0
-0.0	-33.9			J	-1197.9	-61.6	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	I	134.4	18.1	0.0	0.0
0.0	9.9			J	134.4	18.1	0.0	0.0
0.0	0.0		Min	I	-492.5	-32.2	0.0	0.0
-0.0	-17.7			J	-492.5	-32.2	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	I	129.9	21.0	0.0	0.0
0.0	11.6			J	129.9	21.0	0.0	0.0
0.0	0.0		Min	I	-684.4	-33.3	0.0	0.0
-0.0	-18.3			J	-684.4	-33.3	0.0	0.0
0.0	0.0							
		SLVx (RS)		I	819.8	730.7	-0.0	0.0
-0.0	401.9			J	819.8	730.6	0.0	0.0
0.0	0.0							
		SLVy (RS)		I	397.9	602.6	0.0	0.0
0.0	331.4			J	397.9	602.5	0.0	0.0
0.0	0.0							
		SLDx (RS)		I	578.4	529.8	-0.0	0.0
-0.0	291.4			J	578.4	529.8	0.0	0.0
0.0	0.0							
		SLDy (RS)		I	-274.6	431.0	0.0	0.0
0.0	237.1			J	-274.6	431.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	-76.0	SLVz (RS)	I	211.2	-138.2	0.0	0.0
0.0	0.0		J	211.2	-138.2	0.0	0.0
0.0	-18.8	G1	I	-726.3	-34.1	0.0	0.0
0.0	0.0		J	-726.3	-34.1	0.0	0.0
0.0	-6.8	G2	I	-265.1	-12.5	0.0	0.0
0.0	0.0		J	-265.1	-12.5	0.0	0.0
-0.0	5.6	G1 - Imp~1	I	-1.5	10.2	-0.0	0.0
0.0	0.0		J	-1.5	10.2	0.0	0.0
-0.0	2.0	G2 - Imp~1	I	-0.5	3.7	-0.0	0.0
0.0	0.0		J	-0.5	3.7	0.0	0.0
0.0	7.4	q3	I	-7.4	13.5	0.0	0.0
0.0	0.0		J	-7.4	13.5	0.0	0.0
0.0	95.7	q4-1	I	-96.2	174.0	0.0	0.0
0.0	0.0		J	-96.2	174.0	0.0	0.0
0.0	29.6	q4-2	I	-26.7	53.8	0.0	0.0
0.0	0.0		J	-26.7	53.8	0.0	0.0
-0.0	-1.8	q4-3	I	-3.0	-3.2	0.0	0.0
0.0	0.0		J	-3.0	-3.2	0.0	0.0
-0.0	-1.5	q4-4	I	1.0	-2.8	0.0	0.0
0.0	0.0		J	1.0	-2.8	0.0	0.0
0.0	0.2	q4-5	I	0.2	0.4	0.0	0.0
0.0	0.0		J	0.2	0.4	0.0	0.0
0.0	0.3	q4-6	I	0.0	0.6	0.0	0.0
0.0	0.0		J	0.0	0.6	0.0	0.0
0.0	0.3	q4-7	I	0.1	0.5	0.0	0.0
0.0	0.0		J	0.1	0.5	0.0	0.0
		q5 - p~1	I	-90.3	114.5	0.0	0.0

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	62.9		J	-90.3	114.4	0.0	0.0
0.0	0.0						
-0.0	-243.8	q5 - p~2	I	224.3	-443.3	-0.0	0.0
0.0	0.0		J	224.3	-443.3	0.0	0.0
0.0	0.0						
0.0	59.7	q5 - p~3	I	-86.0	108.5	0.0	0.0
0.0	0.0		J	-86.0	108.5	0.0	0.0
0.0	0.0						
-0.0	-230.7	q5 - p~4	I	193.4	-419.5	-0.0	0.0
0.0	0.0		J	193.4	-419.5	0.0	0.0
0.0	0.0						
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	8.5	q7	I	-16.7	15.5	0.0	0.0
0.0	0.0		J	-16.7	15.5	0.0	0.0
0.0	0.0						
0.0	0.6	T	I	-1.1	1.0	0.0	0.0
0.0	0.0		J	-1.1	1.0	0.0	0.0
0.0	0.0						
0.0	115.6	M. tor~1	I	25.5	210.3	0.0	0.0
0.0	0.0		J	25.5	210.2	0.0	0.0
0.0	0.0						
0.0	68.4	M. tor~2	I	15.1	124.3	0.0	0.0
0.0	0.0		J	15.1	124.2	0.0	0.0
0.0	0.0						
0.0	340.4	INVSLU Max	I	-799.1	619.0	0.0	0.0
0.0	0.0		J	-799.1	618.9	0.0	0.0
-0.0	-395.5	Min	I	-3161.0	-719.1	-0.0	0.0
0.0	0.0		J	-3161.0	-719.1	0.0	0.0
0.0	0.0						
0.0	506.2	INVSLV Max	I	9.1	920.3	0.0	0.0
0.0	0.0		J	9.1	920.2	0.0	0.0
-0.0	-542.1	Min	I	-1996.0	-985.6	-0.0	0.0
0.0	0.0		J	-1996.0	-985.5	0.0	0.0

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

0.0	236.0	INVSLE Max	I	-606.8	429.0	0.0	0.0
0.0	0.0		J	-606.8	429.0	0.0	0.0
-0.0	-267.4	Min	I	-2326.6	-486.2	-0.0	0.0
0.0	0.0		J	-2326.6	-486.1	0.0	0.0
1141	3	47 C1-C2;~1 Max	I	98.0	0.0	0.0	0.0
0.0	0.0		J	98.0	0.0	0.0	0.0
0.0	0.0	Min	I	-1298.2	-0.0	0.0	0.0
-0.0	-0.0		J	-1298.2	0.0	0.0	0.0
0.0	0.0	C3-C4;~1 Max	I	113.4	0.0	0.0	0.0
0.0	0.0		J	113.4	0.0	0.0	0.0
0.0	0.0	Min	I	-1000.1	-0.0	0.0	0.0
-0.0	-0.0		J	-1000.1	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	I	46.8	0.0	0.0	0.0
0.0	0.0		J	46.8	0.0	0.0	0.0
0.0	0.0	Min	I	-776.6	-0.0	0.0	0.0
-0.0	-0.0		J	-776.6	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	I	55.3	0.0	0.0	0.0
0.0	0.0		J	55.3	0.0	0.0	0.0
0.0	0.0	Min	I	-585.0	0.0	0.0	0.0
-0.0	-0.0		J	-585.0	0.0	0.0	0.0
0.0	0.0	SLVx (RS)	I	-855.8	-0.0	-0.0	0.0
-0.0	-0.0		J	-855.8	0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	-436.1	-0.0	0.0	0.0
0.0	-0.0		J	-436.1	0.0	0.0	0.0
0.0	0.0	SLDx (RS)	I	-603.8	-0.0	-0.0	0.0
-0.0	-0.0		J	-603.8	0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	-301.8	-0.0	0.0	0.0
0.0	-0.0		J	-301.8	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
			SLVz (RS)	I	249.9	0.0	0.0
0.0	0.0			J	249.9	0.0	0.0
0.0	0.0						
			G1	I	-801.9	0.0	0.0
0.0	0.0			J	-801.9	0.0	0.0
0.0	0.0						
			G2	I	-292.9	0.0	0.0
0.0	0.0			J	-292.9	0.0	0.0
0.0	0.0						
			G1 - Imp~1	I	1.4	-0.0	-0.0
-0.0	-0.0			J	1.4	0.0	0.0
0.0	0.0						
			G2 - Imp~1	I	0.5	-0.0	-0.0
-0.0	-0.0			J	0.5	0.0	0.0
0.0	0.0						
			q3	I	14.8	0.0	0.0
0.0	0.0			J	14.8	0.0	0.0
0.0	0.0						
			q4-1	I	103.4	0.0	0.0
0.0	0.0			J	103.4	0.0	0.0
0.0	0.0						
			q4-2	I	31.7	0.0	0.0
0.0	0.0			J	31.7	0.0	0.0
0.0	0.0						
			q4-3	I	3.4	0.0	0.0
-0.0	-0.0			J	3.4	0.0	0.0
0.0	0.0						
			q4-4	I	-1.2	0.0	0.0
-0.0	-0.0			J	-1.2	0.0	0.0
0.0	0.0						
			q4-5	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			q4-6	I	0.3	0.0	0.0
0.0	0.0			J	0.3	0.0	0.0
0.0	0.0						
			q4-7	I	0.2	0.0	0.0
0.0	0.0			J	0.2	0.0	0.0
0.0	0.0						
			q5 - p~1	I	129.8	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	0.0		J	129.8	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	q5 - p~2	I	-254.8	-0.0	-0.0	0.0
0.0	0.0		J	-254.8	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q5 - p~3	I	117.8	0.0	0.0	0.0
0.0	0.0		J	117.8	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	q5 - p~4	I	-220.5	-0.0	-0.0	0.0
0.0	0.0		J	-220.5	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q7	I	21.1	0.0	0.0	0.0
0.0	0.0		J	21.1	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	T	I	1.0	0.0	0.0	0.0
0.0	0.0		J	1.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	M. tor~1	I	-9.6	0.0	0.0	0.0
0.0	0.0		J	-9.6	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	M. tor~2	I	-5.7	0.0	0.0	0.0
0.0	0.0		J	-5.7	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	INVSLU Max	I	-1031.3	0.0	0.0	0.0
0.0	0.0		J	-1031.3	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	Min	I	-3458.0	-0.0	-0.0	0.0
0.0	0.0		J	-3458.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	INVSLV Max	I	-31.3	0.0	0.0	0.0
0.0	0.0		J	-31.3	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	Min	I	-2154.5	-0.0	-0.0	0.0
0.0	0.0		J	-2154.5	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	0.0	INVSLE	Max	I	-780.9	0.0	0.0	0.0
0.0	0.0			J	-780.9	0.0	0.0	0.0
-0.0	-0.0		Min	I	-2544.6	-0.0	-0.0	0.0
0.0	0.0			J	-2544.6	0.0	0.0	0.0
1142	3	47	C1-C2;~1	Max	I	236.5	120.6	0.0
0.0	66.3			J	236.5	120.5	0.0	0.0
0.0	0.0			Min	I	-1563.7	-83.1	0.0
-0.0	-45.7			J	-1563.7	-83.1	0.0	0.0
0.0	0.0							
0.0	67.0		C3-C4;~1	Max	I	205.7	121.8	0.0
0.0	0.0			J	205.7	121.8	0.0	0.0
-0.0	-50.4			Min	I	-1921.3	-91.6	0.0
0.0	0.0			J	-1921.3	-91.6	0.0	0.0
0.0	35.6		C1-C2;~2	Max	I	122.6	64.7	0.0
0.0	0.0			J	122.6	64.7	0.0	0.0
-0.0	-23.9			Min	I	-773.2	-43.5	0.0
0.0	0.0			J	-773.2	-43.5	0.0	0.0
0.0	35.5		C3-C4;~2	Max	I	109.2	64.5	0.0
0.0	0.0			J	109.2	64.5	0.0	0.0
-0.0	-26.7			Min	I	-978.5	-48.5	0.0
0.0	0.0			J	-978.5	-48.5	0.0	0.0
0.0	-367.8		SLVx (RS)	I	825.2	-668.7	0.0	0.0
0.0	0.0			J	825.2	-668.5	0.0	0.0
-0.0	-355.6		SLVy (RS)	I	621.7	-646.6	0.0	0.0
0.0	0.0			J	621.6	-646.5	0.0	0.0
0.0	-262.9		SLDx (RS)	I	582.0	-478.0	0.0	0.0
0.0	0.0			J	582.0	-477.8	0.0	0.0
-0.0	-254.0		SLDy (RS)	I	436.1	-461.8	0.0	0.0
0.0	0.0			J	436.1	-461.8	0.0	0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	-43.4	SLVz (RS)	I	417.4	-79.0	0.0	0.0
0.0	0.0		J	417.4	-79.0	0.0	0.0
-0.0	31.0	G1	I	-2096.6	56.4	0.0	0.0
0.0	0.0		J	-2096.6	56.4	0.0	0.0
-0.0	11.3	G2	I	-765.6	20.6	0.0	0.0
0.0	0.0		J	-765.6	20.6	0.0	0.0
0.0	-8.4	G1 - Imp~1	I	2.6	-15.3	0.0	0.0
0.0	0.0		J	2.6	-15.3	0.0	0.0
0.0	-3.1	G2 - Imp~1	I	0.9	-5.6	0.0	0.0
0.0	0.0		J	0.9	-5.6	0.0	0.0
-0.0	29.5	q3	I	-28.7	53.6	0.0	0.0
0.0	0.0		J	-28.7	53.6	0.0	0.0
-0.0	21.0	q4-1	I	-35.3	38.3	0.0	0.0
0.0	0.0		J	-35.3	38.3	0.0	0.0
-0.0	45.1	q4-2	I	-59.2	82.0	0.0	0.0
0.0	0.0		J	-59.2	82.0	0.0	0.0
-0.0	15.7	q4-3	I	-13.2	28.5	0.0	0.0
0.0	0.0		J	-13.2	28.5	0.0	0.0
0.0	-1.3	q4-4	I	-1.3	-2.4	0.0	0.0
0.0	0.0		J	-1.3	-2.4	0.0	0.0
0.0	-0.5	q4-5	I	-0.1	-0.9	0.0	0.0
0.0	0.0		J	-0.1	-0.9	0.0	0.0
0.0	0.2	q4-6	I	-0.6	0.3	0.0	0.0
0.0	0.0		J	-0.6	0.3	0.0	0.0
0.0	0.1	q4-7	I	-0.6	0.2	0.0	0.0
0.0	0.0		J	-0.6	0.2	0.0	0.0
		q5 - p~1	I	-227.1	501.1	0.0	0.0

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	275.6		J	-227.1	501.0	0.0	0.0
0.0	0.0						
0.0	-276.0	q5 - p~2	I	236.6	-501.7	0.0	0.0
0.0	0.0		J	236.6	-501.7	0.0	0.0
-0.0	261.1	q5 - p~3	I	-200.8	474.7	0.0	0.0
0.0	0.0		J	-200.8	474.6	0.0	0.0
0.0	-261.8	q5 - p~4	I	183.8	-476.1	0.0	0.0
0.0	0.0		J	183.8	-476.0	0.0	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	53.8	q7	I	-36.3	97.8	0.0	0.0
0.0	0.0		J	-36.3	97.8	0.0	0.0
0.0	-0.9	T	I	0.6	-1.6	0.0	0.0
0.0	0.0		J	0.6	-1.6	0.0	0.0
-0.0	61.4	M. tor~1	I	5.2	111.6	0.0	0.0
0.0	0.0		J	5.2	111.6	0.0	0.0
-0.0	36.3	M. tor~2	I	3.1	66.0	0.0	0.0
0.0	0.0		J	3.1	66.0	0.0	0.0
0.0	483.1	INVSLU Max	I	-3326.4	878.5	0.0	0.0
0.0	0.0		J	-3326.4	878.4	0.0	0.0
-0.0	-387.7	Min	I	-6666.3	-704.9	0.0	0.0
0.0	0.0		J	-6666.3	-704.8	0.0	0.0
0.0	518.4	INVSLV Max	I	-1721.7	942.5	0.0	0.0
0.0	0.0		J	-1721.7	942.3	0.0	0.0
-0.0	-456.6	Min	I	-3995.5	-830.2	0.0	0.0
0.0	0.0		J	-3995.5	-830.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	328.9	INVSLE Max	I	-2479.7	597.9	0.0	0.0
0.0	0.0		J	-2479.7	597.9	0.0	0.0
-0.0	-258.1	Min	I	-4922.3	-469.4	0.0	0.0
0.0	0.0		J	-4922.3	-469.3	0.0	0.0
1143	3	47 C1-C2;~1 Max	I	191.0	0.0	0.0	0.0
0.0	0.0		J	191.0	0.0	0.0	0.0
0.0	0.0	Min	I	-2389.5	0.0	0.0	0.0
-0.0	-0.0		J	-2389.5	0.0	0.0	0.0
0.0	0.0	C3-C4;~1 Max	I	201.4	0.0	0.0	0.0
0.0	0.0		J	201.4	0.0	0.0	0.0
0.0	0.0	Min	I	-2059.2	0.0	0.0	0.0
-0.0	-0.0		J	-2059.2	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	I	100.7	0.0	0.0	0.0
0.0	0.0		J	100.7	0.0	0.0	0.0
0.0	0.0	Min	I	-1224.9	0.0	0.0	0.0
-0.0	-0.0		J	-1224.9	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	I	106.9	0.0	0.0	0.0
0.0	0.0		J	106.9	0.0	0.0	0.0
0.0	0.0	Min	I	-1036.5	0.0	0.0	0.0
-0.0	-0.0		J	-1036.5	0.0	0.0	0.0
0.0	0.0	SLVx (RS)	I	-884.0	0.0	0.0	0.0
0.0	0.0		J	-884.0	0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	689.0	0.0	0.0	0.0
-0.0	0.0		J	689.0	0.0	0.0	0.0
0.0	0.0	SLDx (RS)	I	-625.6	0.0	0.0	0.0
0.0	0.0		J	-625.6	0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	484.8	0.0	0.0	0.0
-0.0	0.0		J	484.8	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	-0.0	SLVz (RS)	I	670.1	0.0	0.0	0.0
0.0	0.0		J	670.1	0.0	0.0	0.0
-0.0	-0.0	G1	I	-2906.1	0.0	0.0	0.0
0.0	0.0		J	-2906.1	0.0	0.0	0.0
-0.0	-0.0	G2	I	-1061.4	0.0	0.0	0.0
0.0	0.0		J	-1061.4	0.0	0.0	0.0
0.0	0.0	G1 - Imp~1	I	-2.5	0.0	0.0	0.0
0.0	0.0		J	-2.5	0.0	0.0	0.0
0.0	0.0	G2 - Imp~1	I	-0.9	0.0	0.0	0.0
0.0	0.0		J	-0.9	0.0	0.0	0.0
-0.0	-0.0	q3	I	18.7	0.0	0.0	0.0
0.0	0.0		J	18.7	0.0	0.0	0.0
-0.0	-0.0	q4-1	I	19.1	0.0	0.0	0.0
0.0	0.0		J	19.1	0.0	0.0	0.0
-0.0	-0.0	q4-2	I	52.4	0.0	0.0	0.0
0.0	0.0		J	52.4	0.0	0.0	0.0
-0.0	-0.0	q4-3	I	17.2	0.0	0.0	0.0
0.0	0.0		J	17.2	0.0	0.0	0.0
0.0	0.0	q4-4	I	2.3	0.0	0.0	0.0
0.0	0.0		J	2.3	0.0	0.0	0.0
0.0	0.0	q4-5	I	-1.1	0.0	0.0	0.0
0.0	0.0		J	-1.1	0.0	0.0	0.0
0.0	0.0	q4-6	I	-0.7	0.0	0.0	0.0
0.0	0.0		J	-0.7	0.0	0.0	0.0
0.0	0.0	q4-7	I	-0.6	0.0	0.0	0.0
0.0	0.0		J	-0.6	0.0	0.0	0.0
		q5 - p~1	I	263.8	0.0	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	-0.0		J	263.8	0.0	0.0
0.0	0.0					
0.0	0.0	q5 - p~2	I	-214.1	0.0	0.0
0.0	0.0		J	-214.1	0.0	0.0
-0.0	-0.0	q5 - p~3	I	236.3	0.0	0.0
0.0	0.0		J	236.3	0.0	0.0
0.0	0.0	q5 - p~4	I	-165.6	0.0	0.0
0.0	0.0		J	-165.6	0.0	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0
-0.0	-0.0	q7	I	40.1	0.0	0.0
0.0	0.0		J	40.1	0.0	0.0
0.0	0.0	T	I	0.5	0.0	0.0
0.0	0.0		J	0.5	0.0	0.0
-0.0	-0.0	M. tor~1	I	-37.0	0.0	0.0
0.0	0.0		J	-37.0	0.0	0.0
-0.0	-0.0	M. tor~2	I	-21.9	0.0	0.0
0.0	0.0		J	-21.9	0.0	0.0
0.0	0.0	INVSLU Max	I	-4851.2	0.0	0.0
0.0	0.0		J	-4851.2	0.0	0.0
-0.0	-0.0	Min	I	-8824.4	0.0	0.0
0.0	0.0		J	-8824.4	0.0	0.0
0.0	0.0	INVSLV Max	I	-2679.3	0.0	0.0
0.0	0.0		J	-2679.3	0.0	0.0
-0.0	-0.0	Min	I	-5262.7	0.0	0.0
0.0	0.0		J	-5262.7	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	0.0	INVSLE	Max	I	-3611.0	0.0	0.0	0.0
				J	-3611.0	0.0	0.0	0.0
0.0	0.0		Min	I	-6519.1	0.0	0.0	0.0
-0.0	-0.0			J	-6519.1	0.0	0.0	0.0
0.0	0.0							
1144	3	47	C1-C2;~1	Max	I	237.4	93.6	0.0
0.0	51.5			J	237.4	93.6	0.0	0.0
0.0	0.0		Min	I	-1729.9	-97.8	0.0	0.0
-0.0	-53.8			J	-1729.9	-97.8	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	I	235.6	89.6	0.0
0.0	49.3			J	235.6	89.6	0.0	0.0
0.0	0.0		Min	I	-2111.3	-94.1	0.0	0.0
-0.0	-51.8			J	-2111.3	-94.1	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	I	119.6	49.1	0.0
0.0	27.0			J	119.6	49.1	0.0	0.0
0.0	0.0		Min	I	-835.1	-49.3	0.0	0.0
-0.0	-27.1			J	-835.1	-49.3	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	I	117.5	46.2	0.0
0.0	25.4			J	117.5	46.2	0.0	0.0
0.0	0.0		Min	I	-1050.5	-48.0	0.0	0.0
-0.0	-26.4			J	-1050.5	-48.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	I	-520.4	-1411.0	0.0	0.0
-0.0	-776.1			J	-520.4	-1410.8	0.0	0.0
0.0	0.0							
			SLVy (RS)	I	406.4	-938.7	0.0	0.0
-0.0	-516.3			J	406.4	-938.6	0.0	0.0
0.0	0.0							
			SLDx (RS)	I	-383.8	-981.0	0.0	0.0
-0.0	-539.5			J	-383.8	-980.8	0.0	0.0
0.0	0.0							
			SLDy (RS)	I	290.8	-664.9	0.0	0.0
-0.0	-365.7			J	290.8	-664.9	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
		SLVz (RS)	I	355.6	84.3	0.0	0.0
0.0	46.4		J	355.6	84.3	0.0	0.0
0.0	0.0						
		G1	I	-2413.0	-16.2	0.0	0.0
0.0	-8.9		J	-2413.0	-16.2	0.0	0.0
0.0	0.0						
		G2	I	-881.4	-5.9	0.0	0.0
0.0	-3.3		J	-881.4	-5.9	0.0	0.0
0.0	0.0						
		G1 - Imp~1	I	1.3	2.8	0.0	0.0
0.0	1.5		J	1.3	2.8	0.0	0.0
0.0	0.0						
		G2 - Imp~1	I	0.5	1.0	0.0	0.0
0.0	0.6		J	0.5	1.0	0.0	0.0
0.0	0.0						
		q3	I	-52.5	152.7	0.0	0.0
-0.0	84.0		J	-52.5	152.7	0.0	0.0
0.0	0.0						
		q4-1	I	28.5	-82.9	0.0	0.0
0.0	-45.6		J	28.5	-82.9	0.0	0.0
0.0	0.0						
		q4-2	I	-17.3	11.0	0.0	0.0
0.0	6.0		J	-17.3	11.0	0.0	0.0
0.0	0.0						
		q4-3	I	-74.8	128.4	0.0	0.0
-0.0	70.6		J	-74.8	128.4	0.0	0.0
0.0	0.0						
		q4-4	I	-22.5	28.9	0.0	0.0
-0.0	15.9		J	-22.5	28.9	0.0	0.0
0.0	0.0						
		q4-5	I	2.7	-4.8	0.0	0.0
0.0	-2.7		J	2.7	-4.8	0.0	0.0
0.0	0.0						
		q4-6	I	5.0	-1.2	0.0	0.0
0.0	-0.6		J	5.0	-1.2	0.0	0.0
0.0	0.0						
		q4-7	I	4.2	-0.4	0.0	0.0
0.0	-0.2		J	4.2	-0.4	0.0	0.0
0.0	0.0						
		q5 - p~1	I	-770.5	1432.3	0.0	0.0

MIDAS

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	787.8		J	-770.5	1432.3	0.0	0.0
0.0	0.0						
0.0	-108.4	q5 - p~2	I	208.1	-197.1	0.0	0.0
0.0	0.0		J	208.1	-197.1	0.0	0.0
0.0	0.0						
-0.0	746.4	q5 - p~3	I	-690.7	1357.1	0.0	0.0
0.0	0.0		J	-690.7	1357.0	0.0	0.0
0.0	0.0						
0.0	-102.8	q5 - p~4	I	168.5	-187.0	0.0	0.0
0.0	0.0		J	168.5	-187.0	0.0	0.0
0.0	0.0						
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.0	156.9	q7	I	-87.1	285.3	0.0	0.0
0.0	0.0		J	-87.1	285.3	0.0	0.0
0.0	0.0						
0.0	0.3	T	I	5.4	0.5	0.0	0.0
0.0	0.0		J	5.4	0.5	0.0	0.0
0.0	0.0						
-0.0	20.5	M. tor~1	I	2.1	37.3	0.0	0.0
0.0	0.0		J	2.1	37.3	0.0	0.0
0.0	0.0						
-0.0	12.1	M. tor~2	I	1.2	22.0	0.0	0.0
0.0	0.0		J	1.2	22.0	0.0	0.0
0.0	0.0						
0.0	1142.6	INVSLU Max	I	-3243.6	2077.5	0.0	0.0
0.0	0.0		J	-3243.6	2077.4	0.0	0.0
0.0	0.0						
-0.0	-1170.0	Min	I	-7992.5	-2127.3	0.0	0.0
0.0	0.0		J	-7992.5	-2127.2	0.0	0.0
0.0	0.0						
0.0	934.7	INVSLV Max	I	-2543.5	1699.5	0.0	0.0
0.0	0.0		J	-2543.5	1699.3	0.0	0.0
0.0	0.0						
-0.0	-955.0	Min	I	-4041.6	-1736.3	0.0	0.0
0.0	0.0		J	-4041.6	-1736.1	0.0	0.0

PROJECT TITLE :


MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

0.0	763.5	INVSLE Max	I	-2479.1	1388.1	0.0	0.0
0.0	0.0		J	-2479.1	1388.1	0.0	0.0
-0.0	-783.8	Min	I	-5869.4	-1425.0	0.0	0.0
0.0	0.0		J	-5869.4	-1425.0	0.0	0.0
1145	3	47 C1-C2;~1 Max	I	281.7	0.0	0.0	0.0
0.0	0.0		J	281.7	0.0	0.0	0.0
0.0	0.0	Min	I	-2350.1	0.0	0.0	0.0
-0.0	-0.0		J	-2350.1	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	299.6	0.0	0.0	0.0
0.0	0.0		J	299.6	0.0	0.0	0.0
0.0	0.0	Min	I	-1986.2	0.0	0.0	0.0
-0.0	-0.0		J	-1986.2	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	140.9	0.0	0.0	0.0
0.0	0.0		J	140.9	0.0	0.0	0.0
0.0	0.0	Min	I	-1195.5	0.0	0.0	0.0
-0.0	-0.0		J	-1195.5	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	150.8	0.0	0.0	0.0
0.0	0.0		J	150.8	0.0	0.0	0.0
0.0	0.0	Min	I	-987.7	0.0	0.0	0.0
-0.0	-0.0		J	-987.7	0.0	0.0	0.0
0.0	0.0						
-0.0	0.0	SLVx (RS)	I	-524.0	0.0	0.0	0.0
0.0	0.0		J	-524.0	0.0	0.0	0.0
0.0	0.0						
-0.0	0.0	SLVy (RS)	I	-415.5	0.0	0.0	0.0
0.0	0.0		J	-415.5	0.0	0.0	0.0
0.0	0.0						
-0.0	0.0	SLDx (RS)	I	-379.0	0.0	0.0	0.0
0.0	0.0		J	-379.0	0.0	0.0	0.0
0.0	0.0						
-0.0	0.0	SLDy (RS)	I	-296.2	0.0	0.0	0.0
0.0	0.0		J	-296.2	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
			SLVz (RS)	I	453.7	0.0	0.0
0.0	-0.0			J	453.7	0.0	0.0
0.0	0.0						
			G1	I	-2649.3	0.0	0.0
0.0	0.0			J	-2649.3	0.0	0.0
0.0	0.0						
			G2	I	-967.1	0.0	0.0
0.0	0.0			J	-967.1	0.0	0.0
0.0	0.0						
			G1 - Imp~1	I	-1.0	0.0	0.0
0.0	0.0			J	-1.0	0.0	0.0
0.0	0.0						
			G2 - Imp~1	I	-0.4	0.0	0.0
0.0	0.0			J	-0.4	0.0	0.0
0.0	0.0						
			q3	I	70.0	0.0	0.0
-0.0	-0.0			J	70.0	0.0	0.0
0.0	0.0						
			q4-1	I	-20.8	0.0	0.0
0.0	0.0			J	-20.8	0.0	0.0
0.0	0.0						
			q4-2	I	15.3	0.0	0.0
0.0	-0.0			J	15.3	0.0	0.0
0.0	0.0						
			q4-3	I	68.6	0.0	0.0
-0.0	-0.0			J	68.6	0.0	0.0
0.0	0.0						
			q4-4	I	24.0	0.0	0.0
-0.0	-0.0			J	24.0	0.0	0.0
0.0	0.0						
			q4-5	I	1.2	0.0	0.0
0.0	0.0			J	1.2	0.0	0.0
0.0	0.0						
			q4-6	I	-1.5	0.0	0.0
0.0	0.0			J	-1.5	0.0	0.0
0.0	0.0						
			q4-7	I	-0.4	0.0	0.0
0.0	0.0			J	-0.4	0.0	0.0
0.0	0.0						
			q5 - p~1	I	705.2	0.0	0.0

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	-0.0		J	705.2	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q5 - p~2	I	-112.5	0.0	0.0	0.0
0.0	0.0		J	-112.5	0.0	0.0	0.0
-0.0	-0.0	q5 - p~3	I	631.8	0.0	0.0	0.0
0.0	0.0		J	631.8	0.0	0.0	0.0
0.0	0.0	q5 - p~4	I	-81.0	0.0	0.0	0.0
0.0	0.0		J	-81.0	0.0	0.0	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	q7	I	87.7	0.0	0.0	0.0
0.0	0.0		J	87.7	0.0	0.0	0.0
0.0	0.0	T	I	-7.0	0.0	0.0	0.0
0.0	0.0		J	-7.0	0.0	0.0	0.0
-0.0	-0.0	M. tor~1	I	30.6	0.0	0.0	0.0
0.0	0.0		J	30.6	0.0	0.0	0.0
-0.0	-0.0	M. tor~2	I	18.1	0.0	0.0	0.0
0.0	0.0		J	18.1	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	-3727.8	0.0	0.0	0.0
0.0	0.0		J	-3727.8	0.0	0.0	0.0
-0.0	-0.0	Min	I	-8696.4	0.0	0.0	0.0
0.0	0.0		J	-8696.4	0.0	0.0	0.0
0.0	0.0	INVSLV Max	I	-2833.0	0.0	0.0	0.0
0.0	0.0		J	-2833.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-4402.5	0.0	0.0	0.0
0.0	0.0		J	-4402.5	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


0.0	0.0		INVSLE Max	I	-2831.0	0.0	0.0	0.0
				J	-2831.0	0.0	0.0	0.0
0.0	0.0		Min	I	-6395.2	0.0	0.0	0.0
-0.0	-0.0			J	-6395.2	0.0	0.0	0.0
0.0	0.0							
1146	3	47	C1-C2;~1 Max	I	267.7	92.5	59.7	0.0
32.8	50.9			J	267.7	92.5	59.7	0.0
0.0	0.0		Min	I	-1777.7	-96.4	-70.0	0.0
-38.5	-53.0			J	-1777.7	-96.4	-70.0	0.0
0.0	0.0							
			C3-C4;~1 Max	I	267.8	78.4	58.3	0.0
32.0	43.1			J	267.8	78.4	58.3	0.0
0.0	0.0		Min	I	-2159.8	-87.1	-57.9	0.0
-31.8	-47.9			J	-2159.8	-87.1	-57.9	0.0
0.0	0.0							
			C1-C2;~2 Max	I	133.5	45.7	29.8	0.0
16.4	25.1			J	133.5	45.7	29.8	0.0
0.0	0.0		Min	I	-857.8	-46.7	-34.4	0.0
-18.9	-25.7			J	-857.8	-46.7	-34.4	0.0
0.0	0.0							
			C3-C4;~2 Max	I	132.8	37.8	29.7	0.0
16.3	20.8			J	132.8	37.8	29.7	0.0
0.0	0.0		Min	I	-1074.1	-42.6	-28.4	0.0
-15.6	-23.4			J	-1074.1	-42.6	-28.4	0.0
0.0	0.0							
			SLVx (RS)	I	564.0	-2026.1	-1549.4	0.0
-852.2	-1114.3			J	564.0	-2025.9	-1549.4	0.0
0.0	0.0							
			SLVy (RS)	I	318.3	-714.6	3519.3	0.0
1935.6	-393.0			J	318.3	-714.6	3518.7	0.0
0.0	0.0							
			SLDx (RS)	I	403.4	-1412.2	-1082.2	0.0
-595.2	-776.7			J	403.4	-1412.1	-1082.2	0.0
0.0	0.0							
			SLDy (RS)	I	228.2	-504.9	2038.0	0.0
1120.9	-277.7			J	228.2	-504.9	2037.7	0.0
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-19.6	-32.6	SLVz (RS)	I	390.6	-59.2	-35.6	0.0
0.0	0.0		J	390.6	-59.2	-35.6	0.0
1.7	-5.8	G1	I	-2437.6	-10.5	3.1	0.0
0.0	0.0		J	-2437.6	-10.5	3.1	0.0
0.7	-2.1	G2	I	-890.1	-3.8	1.2	0.0
0.0	0.0		J	-890.1	-3.8	1.2	0.0
0.9	1.6	G1 - Imp~1	I	-2.0	2.9	1.6	0.0
0.0	0.0		J	-2.0	2.9	1.6	0.0
0.3	0.6	G2 - Imp~1	I	-0.7	1.1	0.6	0.0
0.0	0.0		J	-0.7	1.1	0.6	0.0
323.1	-4.9	q3	I	4.4	-8.9	587.5	0.0
0.0	0.0		J	4.4	-8.9	587.5	0.0
-43.2	-22.5	q4-1	I	23.9	-40.9	-78.6	0.0
0.0	0.0		J	23.9	-40.9	-78.6	0.0
-48.7	-26.7	q4-2	I	19.7	-48.5	-88.5	0.0
0.0	0.0		J	19.7	-48.5	-88.5	0.0
-2.7	17.1	q4-3	I	-25.3	31.2	-5.0	0.0
0.0	0.0		J	-25.3	31.2	-5.0	0.0
5.5	81.4	q4-4	I	-94.7	148.0	10.0	0.0
0.0	0.0		J	-94.7	148.0	10.0	0.0
14.3	4.7	q4-5	I	-11.1	8.5	26.0	0.0
0.0	0.0		J	-11.1	8.5	26.0	0.0
45.3	-21.5	q4-6	I	21.9	-39.1	82.4	0.0
0.0	0.0		J	21.9	-39.1	82.4	0.0
40.2	-16.9	q4-7	I	18.0	-30.6	73.1	0.0
0.0	0.0		J	18.0	-30.6	73.1	0.0
		q5 - p~1	I	-961.8	1622.1	232.6	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
128.0	892.1		J	-961.8	1622.0	232.6	0.0
0.0	0.0						
1001.5	100.9	q5 - p~2	I	-50.1	183.5	1820.9	0.0
0.0	0.0		J	-50.1	183.5	1820.8	0.0
120.3	845.4	q5 - p~3	I	-861.8	1537.0	218.7	0.0
0.0	0.0		J	-861.8	1537.0	218.7	0.0
949.7	96.0	q5 - p~4	I	-40.3	174.6	1726.7	0.0
0.0	0.0		J	-40.3	174.6	1726.5	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
215.8	24.0	q7	I	-26.5	43.6	392.4	0.0
0.0	0.0		J	-26.5	43.6	392.4	0.0
0.3	-0.2	T	I	3.8	-0.4	0.6	0.0
0.0	0.0		J	3.8	-0.4	0.6	0.0
315.7	-32.3	M. tor~1	I	-50.2	-58.7	574.0	0.0
0.0	0.0		J	-50.2	-58.7	573.9	0.0
186.6	-19.1	M. tor~2	I	-29.7	-34.7	339.3	0.0
0.0	0.0		J	-29.7	-34.7	339.3	0.0
1451.7	1294.4	INVSLU Max	I	-3020.6	2353.4	2639.4	0.0
0.0	0.0		J	-3020.6	2353.3	2639.2	0.0
1445.5	-1310.6	Min	I	-8280.2	-2382.9	-2628.1	0.0
0.0	0.0		J	-8280.2	-2382.8	-2627.9	0.0
2200.7	1236.3	INVSLV Max	I	-2553.8	2247.7	4001.3	0.0
0.0	0.0		J	-2553.8	2247.6	4000.7	0.0
2193.6	-1247.8	Min	I	-4107.1	-2268.6	-3988.3	0.0
0.0	0.0		J	-4107.1	-2268.5	-3987.7	0.0

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E


969.8	864.9	INVSLE Max	I	-2333.0	1572.5	1763.3	0.0
0.0	0.0		J	-2333.0	1572.5	1763.1	0.0
-965.2	-876.9	Min	I	-6069.6	-1594.3	-1754.9	0.0
0.0	0.0		J	-6069.6	-1594.3	-1754.8	0.0
1147	3	47 C1-C2;~1 Max	I	296.2	0.0	73.1	0.0
40.2	0.0		J	296.2	0.0	73.1	0.0
0.0	0.0	Min	I	-2336.2	0.0	-63.0	0.0
-34.7	-0.0		J	-2336.2	0.0	-63.0	0.0
0.0	0.0						
33.3	0.0	C3-C4;~1 Max	I	314.2	0.0	60.5	0.0
0.0	0.0		J	314.2	0.0	60.5	0.0
-33.4	-0.0	Min	I	-1970.2	0.0	-60.8	0.0
0.0	0.0		J	-1970.2	0.0	-60.8	0.0
19.8	0.0	C1-C2;~2 Max	I	144.1	0.0	36.0	0.0
0.0	0.0		J	144.1	0.0	36.0	0.0
-17.3	-0.0	Min	I	-1188.4	0.0	-31.5	0.0
0.0	0.0		J	-1188.4	0.0	-31.5	0.0
16.3	0.0	C3-C4;~2 Max	I	153.7	0.0	29.7	0.0
0.0	0.0		J	153.7	0.0	29.7	0.0
-17.0	-0.0	Min	I	-979.1	0.0	-31.0	0.0
0.0	0.0		J	-979.1	0.0	-31.0	0.0
874.5	0.0	SLVx (RS)	I	-680.6	0.0	1590.0	0.0
0.0	0.0		J	-680.6	0.0	1589.9	0.0
-604.3	0.0	SLVy (RS)	I	-306.1	0.0	-1098.7	0.0
0.0	0.0		J	-306.1	0.0	-1099.1	0.0
613.2	0.0	SLDx (RS)	I	-496.9	0.0	1114.9	0.0
0.0	0.0		J	-496.9	0.0	1114.9	0.0
388.4	0.0	SLDy (RS)	I	-218.5	0.0	706.1	0.0
0.0	0.0		J	-218.5	0.0	706.3	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-20.6	0.0	SLVz (RS)	I	375.7	0.0	-37.5	0.0
			J	375.7	0.0	-37.5	0.0
0.0	0.0						
-2.2	0.0	G1	I	-2571.5	0.0	-3.9	0.0
			J	-2571.5	0.0	-3.9	0.0
0.0	0.0						
-0.8	0.0	G2	I	-939.1	0.0	-1.5	0.0
			J	-939.1	0.0	-1.5	0.0
0.0	0.0						
-0.9	0.0	G1 - Imp~1	I	1.5	0.0	-1.6	0.0
			J	1.5	0.0	-1.6	0.0
0.0	0.0						
-0.3	0.0	G2 - Imp~1	I	0.5	0.0	-0.6	0.0
			J	0.5	0.0	-0.6	0.0
0.0	0.0						
57.1	0.0	q3	I	13.2	0.0	103.9	0.0
			J	13.2	0.0	103.8	0.0
0.0	0.0						
4.9	0.0	q4-1	I	-24.7	0.0	9.0	0.0
			J	-24.7	0.0	9.0	0.0
0.0	0.0						
-5.4	0.0	q4-2	I	-18.9	0.0	-9.8	0.0
			J	-18.9	0.0	-9.7	0.0
0.0	0.0						
-29.2	-0.0	q4-3	I	24.4	0.0	-53.1	0.0
			J	24.4	0.0	-53.1	0.0
0.0	0.0						
-3.2	-0.0	q4-4	I	90.3	0.0	-5.8	0.0
			J	90.3	0.0	-5.8	0.0
0.0	0.0						
19.7	-0.0	q4-5	I	12.4	0.0	35.8	0.0
			J	12.4	0.0	35.8	0.0
0.0	0.0						
7.2	0.0	q4-6	I	-15.5	0.0	13.1	0.0
			J	-15.5	0.0	13.1	0.0
0.0	0.0						
6.3	0.0	q4-7	I	-15.0	0.0	11.4	0.0
			J	-15.0	0.0	11.4	0.0
0.0	0.0						
		q5 - p~1	I	893.1	0.0	-205.3	0.0

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-112.9	-0.0		J	893.1	0.0	-205.3	0.0
0.0	0.0						
297.7	-0.0	q5 - p~2	I	83.2	0.0	541.3	0.0
0.0	0.0		J	83.2	0.0	541.1	0.0
-106.4	-0.0	q5 - p~3	I	800.5	0.0	-193.4	0.0
0.0	0.0		J	800.5	0.0	-193.4	0.0
281.1	-0.0	q5 - p~4	I	75.1	0.0	511.1	0.0
0.0	0.0		J	75.1	0.0	510.9	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-12.1	-0.0	q7	I	35.2	0.0	-22.0	0.0
0.0	0.0		J	35.2	0.0	-22.0	0.0
-0.3	0.0	T	I	-3.5	0.0	-0.6	0.0
0.0	0.0		J	-3.5	0.0	-0.6	0.0
-51.6	0.0	M. tor~1	I	60.5	0.0	-93.9	0.0
0.0	0.0		J	60.5	0.0	-94.0	0.0
-30.5	0.0	M. tor~2	I	35.7	0.0	-55.5	0.0
0.0	0.0		J	35.7	0.0	-55.5	0.0
442.9	0.0	INVSLU Max	I	-3325.8	0.0	805.4	0.0
0.0	0.0		J	-3325.8	0.0	805.1	0.0
-450.9	-0.0	Min	I	-8696.7	0.0	-819.9	0.0
0.0	0.0		J	-8696.7	0.0	-819.7	0.0
1057.8	0.0	INVSLV Max	I	-2623.4	0.0	1923.2	0.0
0.0	0.0		J	-2623.4	0.0	1923.3	0.0
1066.2	-0.0	Min	I	-4393.7	0.0	-1938.5	0.0
0.0	0.0		J	-4393.7	0.0	-1938.6	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

296.9	0.0	INVSLE	Max	I	-2552.2	0.0	539.8	0.0
				J	-2552.2	0.0	539.7	0.0
0.0	0.0		Min	I	-6382.7	0.0	-550.6	0.0
-302.8	-0.0			J	-6382.7	0.0	-550.4	0.0
0.0	0.0							
1148	3	47	C1-C2;~1	Max	I	274.8	192.9	0.0
0.0	106.1			J	274.8	192.9	0.0	0.0
0.0	0.0		Min	I	-1792.8	-201.6	-0.0	0.0
-0.0	-110.9			J	-1792.8	-201.6	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	I	279.9	186.2	0.0
0.0	102.4			J	279.9	186.2	0.0	0.0
0.0	0.0		Min	I	-2176.7	-202.1	-0.0	0.0
-0.0	-111.2			J	-2176.7	-202.1	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	I	138.8	102.9	0.0
0.0	56.6			J	138.8	102.9	0.0	0.0
0.0	0.0		Min	I	-862.4	-105.0	0.0	0.0
-0.0	-57.8			J	-862.4	-105.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	I	141.0	99.7	0.0
0.0	54.8			J	141.0	99.7	0.0	0.0
0.0	0.0		Min	I	-1079.5	-105.4	0.0	0.0
-0.0	-58.0			J	-1079.5	-105.4	0.0	0.0
0.0	0.0							
			SLVx (RS)	I	1273.3	-2488.8	0.0	0.0
0.0	-1368.8			J	1273.3	-2488.7	0.0	0.0
0.0	0.0							
			SLVy (RS)	I	410.7	873.5	0.0	0.0
0.0	480.4			J	410.7	873.4	0.0	0.0
0.0	0.0							
			SLDx (RS)	I	900.3	-1781.3	0.0	0.0
0.0	-979.7			J	900.3	-1781.2	0.0	0.0
0.0	0.0							
			SLDy (RS)	I	290.2	616.1	0.0	0.0
0.0	338.8			J	290.2	616.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	104.5	SLVz (RS)	I	401.2	190.1	-0.0	0.0
0.0	0.0		J	401.2	190.1	0.0	0.0
0.0	-20.7	G1	I	-2468.8	-37.6	0.0	0.0
0.0	0.0		J	-2468.8	-37.6	0.0	0.0
0.0	-7.6	G2	I	-901.6	-13.8	0.0	0.0
0.0	0.0		J	-901.6	-13.8	0.0	0.0
0.0	4.4	G1 - Imp~1	I	-3.5	8.1	0.0	0.0
0.0	0.0		J	-3.5	8.1	0.0	0.0
0.0	1.4	G2 - Imp~1	I	-1.1	2.5	0.0	0.0
0.0	0.0		J	-1.1	2.5	0.0	0.0
0.0	-78.5	q3	I	51.0	-142.8	0.0	0.0
0.0	0.0		J	51.0	-142.8	0.0	0.0
0.0	0.7	q4-1	I	3.8	1.3	0.0	0.0
0.0	0.0		J	3.8	1.3	0.0	0.0
0.0	-3.4	q4-2	I	7.9	-6.2	0.0	0.0
0.0	0.0		J	7.9	-6.2	0.0	0.0
0.0	-5.7	q4-3	I	4.0	-10.3	0.0	0.0
0.0	0.0		J	4.0	-10.3	0.0	0.0
-0.0	21.9	q4-4	I	-27.0	39.9	0.0	0.0
0.0	0.0		J	-27.0	39.9	0.0	0.0
-0.0	74.9	q4-5	I	-99.8	136.2	0.0	0.0
0.0	0.0		J	-99.8	136.2	0.0	0.0
0.0	-29.4	q4-6	I	20.5	-53.4	0.0	0.0
0.0	0.0		J	20.5	-53.4	0.0	0.0
0.0	-42.6	q4-7	I	38.3	-77.5	0.0	0.0
0.0	0.0		J	38.3	-77.5	0.0	0.0
		q5 - p~1	I	-772.6	1336.9	-0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	735.3		J	-772.6	1336.9	0.0	0.0
0.0	0.0						
0.0	-27.5	q5 - p~2	I	-82.4	-50.1	0.0	0.0
0.0	0.0		J	-82.4	-50.1	0.0	0.0
-0.0	696.6	q5 - p~3	I	-691.7	1266.6	-0.0	0.0
0.0	0.0		J	-691.7	1266.6	0.0	0.0
0.0	-25.8	q5 - p~4	I	-56.5	-46.9	0.0	0.0
0.0	0.0		J	-56.5	-46.9	0.0	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-138.2	q7	I	79.0	-251.3	0.0	0.0
0.0	0.0		J	79.0	-251.3	0.0	0.0
0.0	2.0	T	I	-1.7	3.6	0.0	0.0
0.0	0.0		J	-1.7	3.6	0.0	0.0
0.0	-17.9	M. tor~1	I	-91.3	-32.5	0.0	0.0
0.0	0.0		J	-91.3	-32.5	0.0	0.0
0.0	-10.6	M. tor~2	I	-54.0	-19.2	0.0	0.0
0.0	0.0		J	-54.0	-19.2	0.0	0.0
0.0	1092.5	INVSLU Max	I	-3327.1	1986.4	0.0	0.0
0.0	0.0		J	-3327.1	1986.3	0.0	0.0
-0.0	-1154.9	Min	I	-8191.2	-2099.8	-0.0	0.0
0.0	0.0		J	-8191.2	-2099.8	0.0	0.0
0.0	1521.9	INVSLV Max	I	-1858.0	2767.1	0.0	0.0
0.0	0.0		J	-1858.0	2767.0	0.0	0.0
-0.0	-1566.7	Min	I	-4891.8	-2848.6	-0.0	0.0
0.0	0.0		J	-4891.8	-2848.5	0.0	0.0

PROJECT TITLE :


MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

0.0	732.0	INVSLE Max	I	-2541.2	1330.9	0.0	0.0
0.0	0.0		J	-2541.2	1330.9	0.0	0.0
-0.0	-778.2	Min	I	-6016.2	-1414.9	-0.0	0.0
0.0	0.0		J	-6016.2	-1414.9	0.0	0.0
1149	3	47 C1-C2;~1 Max	I	246.4	0.0	0.0	0.0
0.0	0.0		J	246.4	0.0	0.0	0.0
0.0	0.0	Min	I	-2305.8	-0.0	-0.0	0.0
-0.0	-0.0		J	-2305.8	0.0	0.0	0.0
0.0	0.0	C3-C4;~1 Max	I	261.2	0.0	0.0	0.0
0.0	0.0		J	261.2	0.0	0.0	0.0
0.0	0.0	Min	I	-1933.5	-0.0	-0.0	0.0
-0.0	-0.0		J	-1933.5	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	I	123.5	0.0	0.0	0.0
0.0	0.0		J	123.5	0.0	0.0	0.0
0.0	0.0	Min	I	-1178.1	-0.0	0.0	0.0
-0.0	-0.0		J	-1178.1	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	I	132.1	0.0	0.0	0.0
0.0	0.0		J	132.1	0.0	0.0	0.0
0.0	0.0	Min	I	-964.7	-0.0	0.0	0.0
-0.0	-0.0		J	-964.7	0.0	0.0	0.0
0.0	0.0	SLVx (RS)	I	-1326.3	-0.0	0.0	0.0
0.0	-0.0		J	-1326.3	0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	-494.3	0.0	0.0	0.0
0.0	0.0		J	-494.3	0.0	0.0	0.0
0.0	0.0	SLDx (RS)	I	-934.6	-0.0	0.0	0.0
0.0	-0.0		J	-934.6	0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	-342.6	0.0	0.0	0.0
0.0	0.0		J	-342.6	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	0.0	SLVz (RS)	I	378.4	0.0	-0.0	0.0
			J	378.4	0.0	0.0	0.0
0.0	0.0						
		G1	I	-2584.9	0.0	0.0	0.0
0.0	-0.0		J	-2584.9	0.0	0.0	0.0
0.0	0.0						
		G2	I	-944.2	0.0	0.0	0.0
0.0	-0.0		J	-944.2	0.0	0.0	0.0
0.0	0.0						
		G1 - Imp~1	I	3.9	0.0	0.0	0.0
0.0	0.0		J	3.9	0.0	0.0	0.0
0.0	0.0						
		G2 - Imp~1	I	1.2	0.0	0.0	0.0
0.0	0.0		J	1.2	0.0	0.0	0.0
0.0	0.0						
		q3	I	-78.2	-0.0	0.0	0.0
0.0	-0.0		J	-78.2	0.0	0.0	0.0
0.0	0.0						
		q4-1	I	-0.9	0.0	0.0	0.0
0.0	0.0		J	-0.9	0.0	0.0	0.0
0.0	0.0						
		q4-2	I	-3.8	0.0	0.0	0.0
0.0	0.0		J	-3.8	0.0	0.0	0.0
0.0	0.0						
		q4-3	I	-0.2	0.0	0.0	0.0
0.0	-0.0		J	-0.2	0.0	0.0	0.0
0.0	0.0						
		q4-4	I	28.7	0.0	0.0	0.0
-0.0	0.0		J	28.7	0.0	0.0	0.0
0.0	0.0						
		q4-5	I	91.2	0.0	0.0	0.0
-0.0	0.0		J	91.2	0.0	0.0	0.0
0.0	0.0						
		q4-6	I	-28.2	0.0	0.0	0.0
0.0	-0.0		J	-28.2	0.0	0.0	0.0
0.0	0.0						
		q4-7	I	-35.4	0.0	0.0	0.0
0.0	-0.0		J	-35.4	0.0	0.0	0.0
0.0	0.0						
		q5 - p~1	I	755.4	0.0	-0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	0.0		J	755.4	0.0	0.0
0.0	0.0					
0.0	-0.0	q5 - p~2	I	-39.2	0.0	0.0
0.0	0.0		J	-39.2	0.0	0.0
-0.0	0.0	q5 - p~3	I	678.6	0.0	-0.0
0.0	0.0		J	678.6	0.0	0.0
0.0	-0.0	q5 - p~4	I	-58.7	0.0	0.0
0.0	0.0		J	-58.7	0.0	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0
0.0	-0.0	q7	I	-88.8	-0.0	0.0
0.0	0.0		J	-88.8	0.0	0.0
0.0	0.0	T	I	1.1	0.0	0.0
0.0	0.0		J	1.1	0.0	0.0
0.0	-0.0	M. tor~1	I	53.0	0.0	0.0
0.0	0.0		J	53.0	0.0	0.0
0.0	0.0	M. tor~2	I	31.3	0.0	0.0
0.0	0.0		J	31.3	0.0	0.0
0.0	0.0	INVSLU Max	I	-3560.3	0.0	0.0
0.0	0.0		J	-3560.3	0.0	0.0
-0.0	-0.0	Min	I	-8550.9	-0.0	-0.0
0.0	0.0		J	-8550.9	0.0	0.0
0.0	0.0	INVSLV Max	I	-1935.8	0.0	0.0
0.0	0.0		J	-1935.8	0.0	0.0
-0.0	-0.0	Min	I	-5112.1	-0.0	-0.0
0.0	0.0		J	-5112.1	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


0.0	0.0	INVSLE	Max	I	-2712.6	0.0	0.0	0.0
				J	-2712.6	0.0	0.0	0.0
0.0	0.0		Min	I	-6283.7	-0.0	-0.0	0.0
-0.0	-0.0			J	-6283.7	0.0	0.0	0.0
0.0	0.0							
1150	3	47	C1-C2;~1	Max	I	181.1	305.5	0.0
0.0	168.0			J	181.1	305.5	0.0	0.0
0.0	0.0		Min	I	-1734.9	-256.5	-0.0	0.0
-0.0	-141.1			J	-1734.9	-256.5	0.0	0.0
0.0	0.0							
0.0	171.0		C3-C4;~1	Max	I	186.1	311.0	0.0
				J	186.1	311.0	0.0	0.0
0.0	0.0		Min	I	-2117.1	-260.0	0.0	0.0
-0.0	-143.0			J	-2117.1	-260.0	0.0	0.0
0.0	0.0							
0.0	88.8		C1-C2;~2	Max	I	98.7	161.4	0.0
				J	98.7	161.4	0.0	0.0
0.0	0.0		Min	I	-840.0	-137.8	0.0	0.0
-0.0	-75.8			J	-840.0	-137.8	0.0	0.0
0.0	0.0							
0.0	90.2		C3-C4;~2	Max	I	100.3	163.9	0.0
				J	100.3	163.9	0.0	0.0
0.0	0.0		Min	I	-1058.8	-139.8	0.0	0.0
-0.0	-76.9			J	-1058.8	-139.8	0.0	0.0
0.0	0.0							
0.0	-1356.7		SLVx (RS)	I	881.8	-2466.7	0.0	0.0
				J	881.8	-2466.7	0.0	0.0
0.0	0.0							
-0.0	896.6		SLVy (RS)	I	-640.8	1630.2	-0.0	0.0
				J	-640.8	1630.2	0.0	0.0
0.0	0.0							
0.0	-1022.0		SLDx (RS)	I	665.2	-1858.1	0.0	0.0
				J	665.2	-1858.1	0.0	0.0
0.0	0.0							
-0.0	659.1		SLDy (RS)	I	-471.4	1198.4	-0.0	0.0
				J	-471.4	1198.4	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	174.6	SLVz (RS)	I	507.5	317.4	0.0	0.0
			J	507.5	317.4	0.0	0.0
0.0	0.0						
-0.0	46.8	G1	I	-2549.4	85.0	0.0	0.0
			J	-2549.4	85.0	0.0	0.0
0.0	0.0						
0.0	17.1	G2	I	-931.4	31.2	0.0	0.0
			J	-931.4	31.2	0.0	0.0
0.0	0.0						
0.0	-8.9	G1 - Imp~1	I	6.3	-16.2	0.0	0.0
			J	6.3	-16.2	0.0	0.0
0.0	0.0						
0.0	-2.8	G2 - Imp~1	I	2.1	-5.1	0.0	0.0
			J	2.1	-5.1	0.0	0.0
0.0	0.0						
0.0	-47.3	q3	I	48.0	-86.0	0.0	0.0
			J	48.0	-86.0	0.0	0.0
0.0	0.0						
0.0	0.8	q4-1	I	-1.3	1.5	0.0	0.0
			J	-1.3	1.5	0.0	0.0
0.0	0.0						
0.0	1.1	q4-2	I	-1.5	2.0	0.0	0.0
			J	-1.5	2.0	0.0	0.0
0.0	0.0						
0.0	-1.2	q4-3	I	0.5	-2.2	0.0	0.0
			J	0.5	-2.2	0.0	0.0
0.0	0.0						
0.0	-6.9	q4-4	I	4.0	-12.5	0.0	0.0
			J	4.0	-12.5	0.0	0.0
0.0	0.0						
0.0	24.2	q4-5	I	-21.8	44.0	0.0	0.0
			J	-21.8	44.0	0.0	0.0
0.0	0.0						
-0.0	92.8	q4-6	I	-117.0	168.8	0.0	0.0
			J	-117.0	168.8	0.0	0.0
0.0	0.0						
0.0	-27.1	q4-7	I	19.2	-49.3	0.0	0.0
			J	19.2	-49.3	0.0	0.0
0.0	0.0						
		q5 - p~1	I	-417.0	827.5	-0.0	0.0

MIDAS

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-0.0	455.1		J	-417.0	827.5	0.0	0.0
0.0	0.0						
-0.0	247.3	q5 - p~2	I	-243.2	449.6	0.0	0.0
0.0	0.0		J	-243.2	449.6	0.0	0.0
-0.0	430.8	q5 - p~3	I	-378.2	783.3	-0.0	0.0
0.0	0.0		J	-378.2	783.3	0.0	0.0
-0.0	234.0	q5 - p~4	I	-198.8	425.4	0.0	0.0
0.0	0.0		J	-198.8	425.4	0.0	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-119.8	q7	I	93.1	-217.8	0.0	0.0
0.0	0.0		J	93.1	-217.8	0.0	0.0
0.0	-3.5	T	I	-0.5	-6.4	0.0	0.0
0.0	0.0		J	-0.5	-6.4	0.0	0.0
0.0	18.6	M. tor~1	I	-65.9	33.7	0.0	0.0
0.0	0.0		J	-65.9	33.7	0.0	0.0
0.0	11.0	M. tor~2	I	-39.0	19.9	0.0	0.0
0.0	0.0		J	-39.0	19.9	0.0	0.0
0.0	840.9	INVSLU Max	I	-3984.5	1528.9	0.0	0.0
0.0	0.0		J	-3984.5	1528.9	0.0	0.0
-0.0	-682.1	Min	I	-7921.4	-1240.1	-0.0	0.0
0.0	0.0		J	-7921.4	-1240.1	0.0	0.0
0.0	1730.2	INVSLV Max	I	-2246.0	3145.9	0.0	0.0
0.0	0.0		J	-2246.0	3145.9	0.0	0.0
-0.0	-1625.8	Min	I	-4698.7	-2956.1	-0.0	0.0
0.0	0.0		J	-4698.7	-2956.1	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	575.3	INVSLE Max	I	-2993.5	1045.9	0.0	0.0
0.0	0.0		J	-2993.5	1045.9	0.0	0.0
-0.0	-457.6	Min	I	-5839.9	-832.0	-0.0	0.0
0.0	0.0		J	-5839.9	-832.0	0.0	0.0
1151	3	47 C1-C2;~1 Max	I	214.8	0.0	0.0	0.0
0.0	0.0		J	214.8	0.0	0.0	0.0
0.0	0.0	Min	I	-2222.3	-0.0	-0.0	0.0
-0.0	-0.0		J	-2222.3	0.0	0.0	0.0
0.0	0.0	C3-C4;~1 Max	I	226.5	0.0	0.0	0.0
0.0	0.0		J	226.5	0.0	0.0	0.0
0.0	0.0	Min	I	-1850.1	-0.0	0.0	0.0
-0.0	-0.0		J	-1850.1	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	I	111.5	0.0	0.0	0.0
0.0	0.0		J	111.5	0.0	0.0	0.0
0.0	0.0	Min	I	-1148.2	0.0	0.0	0.0
-0.0	-0.0		J	-1148.2	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	I	118.6	0.0	0.0	0.0
0.0	0.0		J	118.6	0.0	0.0	0.0
0.0	0.0	Min	I	-931.7	0.0	0.0	0.0
-0.0	-0.0		J	-931.7	0.0	0.0	0.0
0.0	0.0	SLVx (RS)	I	-951.9	-0.0	0.0	0.0
0.0	-0.0		J	-951.9	0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	535.3	0.0	-0.0	0.0
-0.0	0.0		J	535.3	0.0	0.0	0.0
0.0	0.0	SLDx (RS)	I	-715.7	-0.0	0.0	0.0
0.0	-0.0		J	-715.7	0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	394.0	0.0	-0.0	0.0
-0.0	0.0		J	394.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
			SLVz (RS)	I	407.1	0.0	0.0
0.0	0.0			J	407.1	0.0	0.0
0.0	0.0						
			G1	I	-2476.5	0.0	0.0
0.0	0.0			J	-2476.5	0.0	0.0
0.0	0.0						
			G2	I	-903.3	0.0	0.0
0.0	0.0			J	-903.3	0.0	0.0
0.0	0.0						
			G1 - Imp~1	I	-6.8	0.0	0.0
0.0	0.0			J	-6.8	0.0	0.0
0.0	0.0						
			G2 - Imp~1	I	-2.3	0.0	0.0
0.0	0.0			J	-2.3	0.0	0.0
0.0	0.0						
			q3	I	-42.8	0.0	0.0
0.0	-0.0			J	-42.8	0.0	0.0
0.0	0.0						
			q4-1	I	0.3	0.0	0.0
0.0	0.0			J	0.3	0.0	0.0
0.0	0.0						
			q4-2	I	-0.0	0.0	0.0
0.0	0.0			J	-0.0	0.0	0.0
0.0	0.0						
			q4-3	I	-1.7	0.0	0.0
0.0	0.0			J	-1.7	0.0	0.0
0.0	0.0						
			q4-4	I	-3.1	0.0	0.0
0.0	0.0			J	-3.1	0.0	0.0
0.0	0.0						
			q4-5	I	26.7	0.0	0.0
0.0	0.0			J	26.7	0.0	0.0
0.0	0.0						
			q4-6	I	110.8	0.0	0.0
-0.0	0.0			J	110.8	0.0	0.0
0.0	0.0						
			q4-7	I	-38.3	0.0	0.0
0.0	-0.0			J	-38.3	0.0	0.0
0.0	0.0						
			q5 - p~1	I	470.5	0.0	-0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	0.0		J	470.5	0.0	0.0	0.0
0.0	0.0						
		q5 - p~2	I	226.4	0.0	0.0	0.0
-0.0	0.0		J	226.4	0.0	0.0	0.0
0.0	0.0						
		q5 - p~3	I	429.7	0.0	-0.0	0.0
-0.0	0.0		J	429.7	0.0	0.0	0.0
0.0	0.0						
		q5 - p~4	I	183.2	0.0	0.0	0.0
-0.0	0.0		J	183.2	0.0	0.0	0.0
0.0	0.0						
		q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q7	I	-97.6	0.0	0.0	0.0
0.0	-0.0		J	-97.6	0.0	0.0	0.0
0.0	0.0						
		T	I	2.1	0.0	0.0	0.0
0.0	0.0		J	2.1	0.0	0.0	0.0
0.0	0.0						
		M. tor~1	I	93.6	0.0	0.0	0.0
0.0	0.0		J	93.6	0.0	0.0	0.0
0.0	0.0						
		M. tor~2	I	55.3	0.0	0.0	0.0
0.0	0.0		J	55.3	0.0	0.0	0.0
0.0	0.0						
		INVSLU Max	I	-3768.7	0.0	0.0	0.0
0.0	0.0		J	-3768.7	0.0	0.0	0.0
0.0	0.0						
		Min	I	-8000.0	-0.0	-0.0	0.0
-0.0	-0.0		J	-8000.0	0.0	0.0	0.0
0.0	0.0						
		INVSLV Max	I	-2154.2	0.0	0.0	0.0
0.0	0.0		J	-2154.2	0.0	0.0	0.0
0.0	0.0						
		Min	I	-4623.4	-0.0	-0.0	0.0
-0.0	-0.0		J	-4623.4	0.0	0.0	0.0
0.0	0.0						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	0.0	INVSLE	Max	I	-2839.2	0.0	0.0	0.0	
				J	-2839.2	0.0	0.0	0.0	
0.0	0.0		Min	I	-5894.7	-0.0	-0.0	0.0	
-0.0	-0.0			J	-5894.7	0.0	0.0	0.0	
0.0	0.0								
1152	4	59	C1-C2;~1	Max	I	284.7	102.7	82.4	553.2
924.8	7929.3			J	284.7	102.7	82.4	553.2	
877.0	7949.8			Min	I	-1789.4	-127.5	-66.4	-445.7
1650.0	-404.9			J	-1789.4	-127.5	-66.4	-445.7	-
1631.4	-399.1								
			C3-C4;~1	Max	I	292.0	104.0	84.1	564.2
1049.5	9376.1			J	292.0	104.0	84.1	564.2	
999.3	9400.6			Min	I	-1789.1	-130.0	-67.2	-451.1
1458.1	-427.1			J	-1789.1	-130.0	-67.2	-451.1	-
1438.7	-430.1								
			C1-C2;~2	Max	I	154.6	55.2	43.7	293.4
480.9	4640.3			J	154.6	55.2	43.7	293.4	
455.5	4649.3			Min	I	-1065.6	-67.6	-35.7	-239.7
-949.0	-213.7			J	-1065.6	-67.6	-35.7	-239.7	
-942.0	-205.3								
			C3-C4;~2	Max	I	159.1	56.0	44.5	298.7
553.0	5576.8			J	159.1	56.0	44.5	298.7	
526.4	5587.4			Min	I	-1065.5	-68.8	-36.2	-243.2
-819.4	-216.8			J	-1065.5	-68.8	-36.2	-243.2	
-812.1	-215.7								
			SLVx (RS)	I	497.0	-1419.2	3716.3	3457.3	5
6597.8	-24793.5			J	497.0	-1419.2	3716.3	3457.3	5
4210.6	-23882.0								
			SLVy (RS)	I	-493.8	3092.2	653.6	-2993.0	
9700.3	49811.3			J	-493.8	3092.2	653.6	-2993.0	
9286.0	47828.8								
			SLDx (RS)	I	-362.8	-1086.9	2774.0	2597.8	4
2280.8	-18951.5			J	-362.8	-1086.9	2774.0	2597.8	4
0498.0	-18253.2								
			SLDy (RS)	I	-357.7	2294.0	526.4	-2202.6	
7846.7	36974.2			J	-357.7	2294.0	526.4	-2202.6	
7512.3	35502.3								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3915.8	-3230.5	SLVz (RS)	I	1198.5	-352.8	363.5	640.3	-
			J	1198.5	-352.8	363.5	640.3	-
3720.5	-3162.8							
		G1	I	-8046.5	-39.4	25.4	170.8	
-451.4	7409.3		J	-7869.9	-39.4	25.4	170.8	
-467.8	7434.8							
		G2	I	-561.5	-14.4	9.3	62.6	
-179.7	2812.8		J	-561.5	-14.4	9.3	62.6	
-185.8	2822.1							
		G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0	
1890.9	-5081.1		J	-4494.5	7.4	-4.8	-32.0	
1894.0	-5085.9							
		G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0	
579.4	-1711.5		J	-1485.2	2.3	-1.5	-10.0	
580.4	-1713.0							
		q3	I	-6.9	2.5	-1.6	-10.9	
-31.5	84.7		J	-6.9	2.5	-1.6	-10.9	
-30.4	83.1							
		q4-1	I	0.3	0.1	-0.1	-0.5	
-1.1	0.5		J	0.3	0.1	-0.1	-0.5	
-1.0	0.4							
		q4-2	I	0.4	0.5	-0.3	-2.0	
-4.8	6.7		J	0.4	0.5	-0.3	-2.0	
-4.6	6.3							
		q4-3	I	0.3	1.1	-0.7	-4.7	
-11.5	19.6		J	0.3	1.1	-0.7	-4.7	
-11.0	18.9							
		q4-4	I	-0.3	0.6	-0.4	-2.5	
-6.3	12.9		J	-0.3	0.6	-0.4	-2.5	
-6.1	12.6							
		q4-5	I	-0.6	-13.1	8.5	56.9	
140.7	-256.2		J	-0.6	-13.1	8.5	56.9	
135.2	-247.7							
		q4-6	I	5.0	12.3	-7.9	-53.3	
-127.4	227.8		J	5.0	12.3	-7.9	-53.3	
-122.3	219.8							
		q4-7	I	10.5	184.4	-119.2	-800.2	-
1947.1	3802.1		J	10.5	184.4	-119.2	-800.2	-
1869.9	3682.7							
		q5 - p~1	I	21.5	-59.5	38.4	258.0	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
659.3	-1248.0		J	21.5	-59.5	38.4	258.0
634.4	-1209.5						
2554.3	4880.9	q5 - p~2	I	17.7	241.2	-155.9	-1046.6 -
2453.3	4724.8		J	17.7	241.2	-155.9	-1046.6 -
616.1	-1156.3	q5 - p~3	I	14.7	-56.0	36.2	243.1
592.7	-1120.0		J	14.7	-56.0	36.2	243.1
2434.4	4538.3	q5 - p~4	I	17.5	228.8	-147.9	-992.5 -
2338.7	4390.2		J	17.5	228.8	-147.9	-992.5 -
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-45.3	96.0	q7	I	-3.0	4.0	-2.6	-17.5
-43.6	93.3		J	-3.0	4.0	-2.6	-17.5
-30.9	64.6	T	I	-0.8	2.9	-1.9	-12.5
-29.7	62.8		J	-0.8	2.9	-1.9	-12.5
2901.9	-5276.4	M. tor~1	I	-16.5	-270.8	175.1	1175.1
2788.6	-5101.1		J	-16.5	-270.8	175.1	1175.1
1715.6	-3119.5	M. tor~2	I	-9.8	-160.1	103.5	694.7
1648.6	-3015.9		J	-9.8	-160.1	103.5	694.7
6903.4	21730.7	INVSLU Max	I	-19279.4	484.3	321.7	2159.4
6698.0	21656.7		J	-19041.0	484.3	321.7	2159.4
3747.9	-2516.8	Min	I	-22128.9	-497.7	-313.1	-2101.1 -
3567.5	-2253.3		J	-21890.6	-497.7	-313.1	-2101.1 -
2521.9	61648.0	INVSLV Max	I	-13092.0	3579.7	4050.0	4738.7 6
9933.3	59400.2		J	-12915.5	3579.7	4050.0	4738.7 5
8843.5	-54789.0	Min	I	-16083.5	-3667.9	-3992.9	-4355.9 -5
6291.8	-52484.1		J	-15906.9	-3667.9	-3992.9	-4355.9 -5

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

4845.2	15775.7	INVSLE Max	I	-14282.4	342.8	222.0	1490.1	
			J	-14105.9	342.8	222.0	1490.1	
4703.6	15731.2	Min	I	-16390.4	-343.5	-221.6	-1487.4	-
2608.0	-1364.3		J	-16213.9	-343.5	-221.6	-1487.4	-
2481.0	-1185.5							
1153	4	59 C1-C2;~1 Max	I	284.7	102.7	82.4	553.2	
877.0	7949.8		J	284.7	102.7	82.4	553.2	
803.9	7989.0	Min	I	-1789.4	-127.5	-66.4	-445.7	-
1631.4	-399.1		J	-1789.4	-127.5	-66.4	-445.7	-
1603.3	-398.8							
		C3-C4;~1 Max	I	292.0	104.0	84.1	564.2	
999.3	9400.6		J	292.0	104.0	84.1	564.2	
922.5	9441.2	Min	I	-1789.1	-130.0	-67.2	-451.1	-
1438.7	-430.1		J	-1789.1	-130.0	-67.2	-451.1	-
1409.2	-447.9							
		C1-C2;~2 Max	I	154.6	55.2	43.7	293.4	
455.5	4649.3		J	154.6	55.2	43.7	293.4	
416.7	4666.1	Min	I	-1065.6	-67.6	-35.7	-239.7	
-942.0	-205.3		J	-1065.6	-67.6	-35.7	-239.7	
-931.5	-195.8							
		C3-C4;~2 Max	I	159.1	56.0	44.5	298.7	
526.4	5587.4		J	159.1	56.0	44.5	298.7	
485.5	5604.9	Min	I	-1065.5	-68.8	-36.2	-243.2	
-812.1	-215.7		J	-1065.5	-68.8	-36.2	-243.2	
-801.2	-222.8							
		SLVx (RS)	I	497.0	-1418.6	3714.8	3457.3	5
4210.6	-23882.0		J	497.0	-1418.6	3714.8	3457.3	5
0536.9	-22479.2							
		SLVy (RS)	I	-493.8	3090.0	653.1	-2993.0	
9286.0	47828.8		J	-493.8	3090.0	653.1	-2993.0	
8649.5	44779.1							
		SLDx (RS)	I	-362.8	-1086.5	2772.9	2597.8	4
0498.0	-18253.2		J	-362.8	-1086.5	2772.9	2597.8	3
7754.1	-17178.5							
		SLDy (RS)	I	-357.7	2292.4	526.0	-2202.6	
7512.3	35502.3		J	-357.7	2292.4	526.0	-2202.6	
6998.4	33238.0							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3720.5	-3162.8	SLVz (RS)	I	1198.5	-350.2	361.5	640.3	-
			J	1198.5	-350.2	361.5	640.3	-
3429.7	-3088.3							
		G1	I	-7869.9	-39.4	25.4	170.8	
-467.8	7434.8		J	-7597.9	-39.4	25.4	170.8	
-493.2	7474.1							
		G2	I	-561.5	-14.4	9.3	62.6	
-185.8	2822.1		J	-561.5	-14.4	9.3	62.6	
-195.1	2836.5							
		G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0	
1894.0	-5085.9		J	-4494.5	7.4	-4.8	-32.0	
1898.7	-5093.2							
		G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0	
580.4	-1713.0		J	-1485.2	2.3	-1.5	-10.0	
581.9	-1715.3							
		q3	I	-6.9	2.5	-1.6	-10.9	
-30.4	83.1		J	-6.9	2.5	-1.6	-10.9	
-28.8	80.6							
		q4-1	I	0.3	0.1	-0.1	-0.5	
-1.0	0.4		J	0.3	0.1	-0.1	-0.5	
-1.0	0.3							
		q4-2	I	0.4	0.5	-0.3	-2.0	
-4.6	6.3		J	0.4	0.5	-0.3	-2.0	
-4.3	5.9							
		q4-3	I	0.3	1.1	-0.7	-4.7	
-11.0	18.9		J	0.3	1.1	-0.7	-4.7	
-10.3	17.8							
		q4-4	I	-0.3	0.6	-0.4	-2.5	
-6.1	12.6		J	-0.3	0.6	-0.4	-2.5	
-5.7	12.0							
		q4-5	I	-0.6	-13.1	8.5	56.9	
135.2	-247.7		J	-0.6	-13.1	8.5	56.9	
126.8	-234.6							
		q4-6	I	5.0	12.3	-7.9	-53.3	
-122.3	219.8		J	5.0	12.3	-7.9	-53.3	
-114.3	207.6							
		q4-7	I	10.5	184.4	-119.2	-800.2	-
1869.9	3682.7		J	10.5	184.4	-119.2	-800.2	-
1751.0	3498.8							
		q5 - p~1	I	21.5	-59.5	38.4	258.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
634.4	-1209.5		J	21.5	-59.5	38.4	258.0	
596.1	-1150.1							
2453.3	4724.8	q5 - p~2	I	17.7	241.2	-155.9	-1046.6	-
2297.8	4484.2		J	17.7	241.2	-155.9	-1046.6	-
592.7	-1120.0	q5 - p~3	I	14.7	-56.0	36.2	243.1	
556.6	-1064.2		J	14.7	-56.0	36.2	243.1	
2338.7	4390.2	q5 - p~4	I	17.5	228.8	-147.9	-992.5	-
2191.2	4162.0		J	17.5	228.8	-147.9	-992.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-43.6	93.3	q7	I	-3.0	4.0	-2.6	-17.5	
-41.0	89.3		J	-3.0	4.0	-2.6	-17.5	
-29.7	62.8	T	I	-0.8	2.9	-1.9	-12.5	
-27.9	59.9		J	-0.8	2.9	-1.9	-12.5	
2788.6	-5101.1	M. tor~1	I	-16.5	-270.8	175.1	1175.1	
2614.0	-4831.0		J	-16.5	-270.8	175.1	1175.1	
1648.6	-3015.9	M. tor~2	I	-9.8	-160.1	103.5	694.7	
1545.4	-2856.2		J	-9.8	-160.1	103.5	694.7	
6698.0	21656.7	INVSLU Max	I	-19041.0	484.3	321.7	2159.4	
6381.9	21552.3		J	-18673.8	484.3	321.7	2159.4	
3567.5	-2253.3	Min	I	-21890.6	-497.7	-313.1	-2101.1	-
3289.9	-1859.3		J	-21523.4	-497.7	-313.1	-2101.1	-
9933.3	59400.2	INVSLV Max	I	-12915.5	3576.5	4047.7	4738.7	5
5953.0	55951.4		J	-12643.5	3576.5	4047.7	4738.7	5
6291.8	-52484.1	Min	I	-15906.9	-3664.7	-3990.6	-4355.9	-5
2368.4	-48947.3		J	-15634.9	-3664.7	-3990.6	-4355.9	-5

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

4703.6	15731.2	INVSLE Max	I	-14105.9	342.8	222.0	1490.1	
			J	-13833.8	342.8	222.0	1490.1	
4485.7	15669.7	Min	I	-16213.9	-343.5	-221.6	-1487.4	-
2481.0	-1185.5		J	-15941.9	-343.5	-221.6	-1487.4	-
2285.7	-918.8							
1154	4	59 C1-C2;~1 Max	I	284.7	102.7	82.4	553.2	
803.9	7989.0		J	284.7	102.7	82.4	553.2	
731.7	8032.9	Min	I	-1789.4	-127.5	-66.4	-445.7	-
1603.3	-398.8		J	-1789.4	-127.5	-66.4	-445.7	-
1576.1	-442.2							
		C3-C4;~1 Max	I	292.0	104.0	84.1	564.2	
922.5	9441.2		J	292.0	104.0	84.1	564.2	
846.3	9484.2	Min	I	-1789.1	-130.0	-67.2	-451.1	-
1409.2	-447.9		J	-1789.1	-130.0	-67.2	-451.1	-
1380.5	-486.2							
		C1-C2;~2 Max	I	154.6	55.2	43.7	293.4	
416.7	4666.1		J	154.6	55.2	43.7	293.4	
378.3	4684.9	Min	I	-1065.6	-67.6	-35.7	-239.7	
-931.5	-195.8		J	-1065.6	-67.6	-35.7	-239.7	
-921.4	-226.4							
		C3-C4;~2 Max	I	159.1	56.0	44.5	298.7	
485.5	5604.9		J	159.1	56.0	44.5	298.7	
445.0	5623.4	Min	I	-1065.5	-68.8	-36.2	-243.2	
-801.2	-222.8		J	-1065.5	-68.8	-36.2	-243.2	
-790.5	-244.5							
		SLVx (RS)	I	497.0	-1416.8	3708.6	3457.3	5
0536.9	-22479.2		J	497.0	-1416.8	3708.6	3457.3	4
6871.9	-21079.3							
		SLVy (RS)	I	-493.8	3082.8	651.1	-2993.0	
8649.5	44779.1		J	-493.8	3082.8	651.1	-2993.0	
8016.1	41739.4							
		SLDx (RS)	I	-362.8	-1085.1	2768.4	2597.8	3
7754.1	-17178.5		J	-362.8	-1085.1	2768.4	2597.8	3
5016.5	-16106.0							
		SLDy (RS)	I	-357.7	2287.1	524.5	-2202.6	
6998.4	33238.0		J	-357.7	2287.1	524.5	-2202.6	
6486.7	30980.7							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3429.7	-3088.3	SLVz (RS)	I	1198.5	-342.0	354.6	640.3	-
			J	1198.5	-342.0	354.6	640.3	-
3154.3	-3049.9							
		G1	I	-7597.9	-39.4	25.4	170.8	
-493.2	7474.1		J	-7325.9	-39.4	25.4	170.8	
-518.6	7513.3							
		G2	I	-561.5	-14.4	9.3	62.6	
-195.1	2836.5		J	-561.5	-14.4	9.3	62.6	
-204.4	2850.9							
		G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0	
1898.7	-5093.2		J	-4494.5	7.4	-4.8	-32.0	
1903.5	-5100.6							
		G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0	
581.9	-1715.3		J	-1485.2	2.3	-1.5	-10.0	
583.3	-1717.6							
		q3	I	-6.9	2.5	-1.6	-10.9	
-28.8	80.6		J	-6.9	2.5	-1.6	-10.9	
-27.2	78.1							
		q4-1	I	0.3	0.1	-0.1	-0.5	
-1.0	0.3		J	0.3	0.1	-0.1	-0.5	
-0.9	0.2							
		q4-2	I	0.4	0.5	-0.3	-2.0	
-4.3	5.9		J	0.4	0.5	-0.3	-2.0	
-4.0	5.4							
		q4-3	I	0.3	1.1	-0.7	-4.7	
-10.3	17.8		J	0.3	1.1	-0.7	-4.7	
-9.6	16.7							
		q4-4	I	-0.3	0.6	-0.4	-2.5	
-5.7	12.0		J	-0.3	0.6	-0.4	-2.5	
-5.4	11.4							
		q4-5	I	-0.6	-13.1	8.5	56.9	
126.8	-234.6		J	-0.6	-13.1	8.5	56.9	
118.3	-221.5							
		q4-6	I	5.0	12.3	-7.9	-53.3	
-114.3	207.6		J	5.0	12.3	-7.9	-53.3	
-106.4	195.3							
		q4-7	I	10.5	184.4	-119.2	-800.2	-
1751.0	3498.8		J	10.5	184.4	-119.2	-800.2	-
1632.1	3314.8							
		q5 - p~1	I	21.5	-59.5	38.4	258.0	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
596.1	-1150.1		J	21.5	-59.5	38.4	258.0	
557.7	-1090.8							
2297.8	4484.2	q5 - p~2	I	17.7	241.2	-155.9	-1046.6	-
2142.3	4243.6		J	17.7	241.2	-155.9	-1046.6	-
556.6	-1064.2	q5 - p~3	I	14.7	-56.0	36.2	243.1	
520.4	-1008.3		J	14.7	-56.0	36.2	243.1	
2191.2	4162.0	q5 - p~4	I	17.5	228.8	-147.9	-992.5	-
2043.7	3933.9		J	17.5	228.8	-147.9	-992.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-41.0	89.3	q7	I	-3.0	4.0	-2.6	-17.5	
-38.4	85.3		J	-3.0	4.0	-2.6	-17.5	
-27.9	59.9	T	I	-0.8	2.9	-1.9	-12.5	
-26.0	57.0		J	-0.8	2.9	-1.9	-12.5	
2614.0	-4831.0	M. tor~1	I	-16.5	-270.8	175.1	1175.1	
2439.3	-4560.9		J	-16.5	-270.8	175.1	1175.1	
1545.4	-2856.2	M. tor~2	I	-9.8	-160.1	103.5	694.7	
1442.2	-2696.5		J	-9.8	-160.1	103.5	694.7	
6381.9	21552.3	INVSLU Max	I	-18673.8	484.3	321.7	2159.4	
6066.3	21451.2		J	-18306.6	484.3	321.7	2159.4	
3289.9	-1859.3	Min	I	-21523.4	-497.7	-313.1	-2101.1	-
3012.8	-1484.8		J	-21156.2	-497.7	-313.1	-2101.1	-
5953.0	55951.4	INVSLV Max	I	-12643.5	3566.3	4038.8	4738.7	5
1986.9	52524.2		J	-12371.4	3566.3	4038.8	4738.7	5
2368.4	-48947.3	Min	I	-15634.9	-3654.5	-3981.7	-4355.9	-5
8459.2	-45432.1		J	-15362.9	-3654.5	-3981.7	-4355.9	-4

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

4485.7	15669.7	INVSLE Max	I	-13833.8	342.8	222.0	1490.1	
			J	-13561.8	342.8	222.0	1490.1	
4268.2	15610.6	Min	I	-15941.9	-343.5	-221.6	-1487.4	-
2285.7	-918.8		J	-15669.8	-343.5	-221.6	-1487.4	-
2090.6	-666.6							
1155	4	59 C1-C2;~1 Max	I	284.7	102.7	82.4	553.2	
731.7	8032.9		J	284.7	102.7	82.4	553.2	
660.6	8078.7	Min	I	-1789.4	-127.5	-66.4	-445.7	-
1576.1	-442.2		J	-1789.4	-127.5	-66.4	-445.7	-
1549.8	-504.3							
		C3-C4;~1 Max	I	292.0	104.0	84.1	564.2	
846.3	9484.2		J	292.0	104.0	84.1	564.2	
770.9	9529.0	Min	I	-1789.1	-130.0	-67.2	-451.1	-
1380.5	-486.2		J	-1789.1	-130.0	-67.2	-451.1	-
1352.7	-547.8							
		C1-C2;~2 Max	I	154.6	55.2	43.7	293.4	
378.3	4684.9		J	154.6	55.2	43.7	293.4	
340.6	4704.4	Min	I	-1065.6	-67.6	-35.7	-239.7	
-921.4	-226.4		J	-1065.6	-67.6	-35.7	-239.7	
-911.7	-264.4							
		C3-C4;~2 Max	I	159.1	56.0	44.5	298.7	
445.0	5623.4		J	159.1	56.0	44.5	298.7	
405.0	5642.7	Min	I	-1065.5	-68.8	-36.2	-243.2	
-790.5	-244.5		J	-1065.5	-68.8	-36.2	-243.2	
-780.2	-283.1							
		SLVx (RS)	I	497.0	-1413.8	3696.5	3457.3	4
6871.9	-21079.3		J	497.0	-1413.8	3696.5	3457.3	4
3220.2	-19683.5							
		SLVy (RS)	I	-493.8	3070.7	647.5	-2993.0	
8016.1	41739.4		J	-493.8	3070.7	647.5	-2993.0	
7386.9	38714.1							
		SLDx (RS)	I	-362.8	-1082.8	2759.6	2597.8	3
5016.5	-16106.0		J	-362.8	-1082.8	2759.6	2597.8	3
2288.5	-15036.7							
		SLDy (RS)	I	-357.7	2278.3	521.8	-2202.6	
6486.7	30980.7		J	-357.7	2278.3	521.8	-2202.6	
5978.2	28733.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
3154.3	-3049.9	SLVz (RS)	I	1198.5	-329.4	343.0	640.3	-
			J	1198.5	-329.4	343.0	640.3	-
2896.4	-3044.5							
		G1	I	-7325.9	-39.4	25.4	170.8	
-518.6	7513.3		J	-7053.9	-39.4	25.4	170.8	
-544.0	7552.6							
		G2	I	-561.5	-14.4	9.3	62.6	
-204.4	2850.9		J	-561.5	-14.4	9.3	62.6	
-213.7	2865.3							
		G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0	
1903.5	-5100.6		J	-4494.5	7.4	-4.8	-32.0	
1908.2	-5107.9							
		G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0	
583.3	-1717.6		J	-1485.2	2.3	-1.5	-10.0	
584.8	-1719.9							
		q3	I	-6.9	2.5	-1.6	-10.9	
-27.2	78.1		J	-6.9	2.5	-1.6	-10.9	
-25.6	75.6							
		q4-1	I	0.3	0.1	-0.1	-0.5	
-0.9	0.2		J	0.3	0.1	-0.1	-0.5	
-0.8	0.1							
		q4-2	I	0.4	0.5	-0.3	-2.0	
-4.0	5.4		J	0.4	0.5	-0.3	-2.0	
-3.7	5.0							
		q4-3	I	0.3	1.1	-0.7	-4.7	
-9.6	16.7		J	0.3	1.1	-0.7	-4.7	
-8.9	15.7							
		q4-4	I	-0.3	0.6	-0.4	-2.5	
-5.4	11.4		J	-0.3	0.6	-0.4	-2.5	
-5.0	10.9							
		q4-5	I	-0.6	-13.1	8.5	56.9	
118.3	-221.5		J	-0.6	-13.1	8.5	56.9	
109.9	-208.5							
		q4-6	I	5.0	12.3	-7.9	-53.3	
-106.4	195.3		J	5.0	12.3	-7.9	-53.3	
-98.5	183.1							
		q4-7	I	10.5	184.4	-119.2	-800.2	-
1632.1	3314.8		J	10.5	184.4	-119.2	-800.2	-
1513.2	3130.9							
		q5 - p~1	I	21.5	-59.5	38.4	258.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
557.7	-1090.8		J	21.5	-59.5	38.4	258.0	
519.4	-1031.5							
2142.3	4243.6	q5 - p~2	I	17.7	241.2	-155.9	-1046.6	-
1986.7	4003.0		J	17.7	241.2	-155.9	-1046.6	-
520.4	-1008.3	q5 - p~3	I	14.7	-56.0	36.2	243.1	
484.3	-952.4		J	14.7	-56.0	36.2	243.1	
2043.7	3933.9	q5 - p~4	I	17.5	228.8	-147.9	-992.5	-
1896.2	3705.7		J	17.5	228.8	-147.9	-992.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-38.4	85.3	q7	I	-3.0	4.0	-2.6	-17.5	
-35.8	81.3		J	-3.0	4.0	-2.6	-17.5	
-26.0	57.0	T	I	-0.8	2.9	-1.9	-12.5	
-24.1	54.2		J	-0.8	2.9	-1.9	-12.5	
2439.3	-4560.9	M. tor~1	I	-16.5	-270.8	175.1	1175.1	
2264.7	-4290.8		J	-16.5	-270.8	175.1	1175.1	
1442.2	-2696.5	M. tor~2	I	-9.8	-160.1	103.5	694.7	
1338.9	-2536.8		J	-9.8	-160.1	103.5	694.7	
6066.3	21451.2	INVSLU Max	I	-18306.6	484.3	321.7	2159.4	
5751.2	21352.5		J	-17939.4	484.3	321.7	2159.4	
3012.8	-1484.8	Min	I	-21156.2	-497.7	-313.1	-2101.1	-
2736.2	-1133.2		J	-20788.9	-497.7	-313.1	-2101.1	-
1986.9	52524.2	INVSLV Max	I	-12371.4	3549.5	4022.2	4738.7	5
8040.6	49122.5		J	-12099.4	3549.5	4022.2	4738.7	4
8459.2	-45432.1	Min	I	-15362.9	-3637.7	-3965.1	-4355.9	-4
4569.8	-41942.5		J	-15090.9	-3637.7	-3965.1	-4355.9	-4

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

4268.2	15610.6	INVSLE Max	I	-13561.8	342.8	222.0	1490.1	
			J	-13289.8	342.8	222.0	1490.1	
4051.1	15553.4	Min	I	-15669.8	-343.5	-221.6	-1487.4	-
2090.6	-666.6		J	-15397.8	-343.5	-221.6	-1487.4	-
1896.0	-431.2							
1156	4	59 C1-C2;~1 Max	I	284.7	102.7	82.4	553.2	
660.6	8078.7		J	284.7	102.7	82.4	553.2	
590.7	8125.9	Min	I	-1789.4	-127.5	-66.4	-445.7	-
1549.8	-504.3		J	-1789.4	-127.5	-66.4	-445.7	-
1524.7	-568.7							
		C3-C4;~1 Max	I	292.0	104.0	84.1	564.2	
770.9	9529.0		J	292.0	104.0	84.1	564.2	
696.5	9575.7	Min	I	-1789.1	-130.0	-67.2	-451.1	-
1352.7	-547.8		J	-1789.1	-130.0	-67.2	-451.1	-
1325.8	-611.6							
		C1-C2;~2 Max	I	154.6	55.2	43.7	293.4	
340.6	4704.4		J	154.6	55.2	43.7	293.4	
303.5	4724.5	Min	I	-1065.6	-67.6	-35.7	-239.7	
-911.7	-264.4		J	-1065.6	-67.6	-35.7	-239.7	
-902.3	-303.5							
		C3-C4;~2 Max	I	159.1	56.0	44.5	298.7	
405.0	5642.7		J	159.1	56.0	44.5	298.7	
365.4	5662.7	Min	I	-1065.5	-68.8	-36.2	-243.2	
-780.2	-283.1		J	-1065.5	-68.8	-36.2	-243.2	
-770.2	-322.7							
		SLVx (RS)	I	497.0	-1409.4	3677.6	3457.3	4
3220.2	-19683.5		J	497.0	-1409.4	3677.6	3457.3	3
9587.3	-18293.1							
		SLVy (RS)	I	-493.8	3053.4	642.2	-2993.0	
7386.9	38714.1		J	-493.8	3053.4	642.2	-2993.0	
6762.9	35707.9							
		SLDx (RS)	I	-362.8	-1079.4	2745.8	2597.8	3
2288.5	-15036.7		J	-362.8	-1079.4	2745.8	2597.8	2
9574.2	-13971.6							
		SLDy (RS)	I	-357.7	2265.6	517.8	-2202.6	
5978.2	28733.9		J	-357.7	2265.6	517.8	-2202.6	
5473.6	26501.1							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2896.4	-3044.5	SLVz (RS)	I	1198.5	-312.7	-327.2	640.3	-
			J	1198.5	-312.7	-327.2	640.3	-
2656.5	-3066.2							
		G1	I	-7053.9	-39.4	25.4	170.8	
-544.0	7552.6		J	-6781.8	-39.4	25.4	170.8	
-569.4	7591.9							
		G2	I	-561.5	-14.4	9.3	62.6	
-213.7	2865.3		J	-561.5	-14.4	9.3	62.6	
-223.0	2879.7							
		G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0	
1908.2	-5107.9		J	-4494.5	7.4	-4.8	-32.0	
1913.0	-5115.2							
		G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0	
584.8	-1719.9		J	-1485.2	2.3	-1.5	-10.0	
586.3	-1722.3							
		q3	I	-6.9	2.5	-1.6	-10.9	
-25.6	75.6		J	-6.9	2.5	-1.6	-10.9	
-24.0	73.1							
		q4-1	I	0.3	0.1	-0.1	-0.5	
-0.8	0.1		J	0.3	0.1	-0.1	-0.5	
-0.7	-0.0							
		q4-2	I	0.4	0.5	-0.3	-2.0	
-3.7	5.0		J	0.4	0.5	-0.3	-2.0	
-3.4	4.5							
		q4-3	I	0.3	1.1	-0.7	-4.7	
-8.9	15.7		J	0.3	1.1	-0.7	-4.7	
-8.2	14.6							
		q4-4	I	-0.3	0.6	-0.4	-2.5	
-5.0	10.9		J	-0.3	0.6	-0.4	-2.5	
-4.6	10.3							
		q4-5	I	-0.6	-13.1	8.5	56.9	
109.9	-208.5		J	-0.6	-13.1	8.5	56.9	
101.4	-195.4							
		q4-6	I	5.0	12.3	-7.9	-53.3	
-98.5	183.1		J	5.0	12.3	-7.9	-53.3	
-90.6	170.8							
		q4-7	I	10.5	184.4	-119.2	-800.2	-
1513.2	3130.9		J	10.5	184.4	-119.2	-800.2	-
1394.3	2946.9							
		q5 - p~1	I	21.5	-59.5	38.4	258.0	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
519.4	-1031.5		J	21.5	-59.5	38.4	258.0	
481.0	-972.2							
1986.7	4003.0	q5 - p~2	I	17.7	241.2	-155.9	-1046.6	-
1831.2	3762.5		J	17.7	241.2	-155.9	-1046.6	-
484.3	-952.4	q5 - p~3	I	14.7	-56.0	36.2	243.1	
448.2	-896.6		J	14.7	-56.0	36.2	243.1	
1896.2	3705.7	q5 - p~4	I	17.5	228.8	-147.9	-992.5	-
1748.7	3477.6		J	17.5	228.8	-147.9	-992.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-35.8	81.3	q7	I	-3.0	4.0	-2.6	-17.5	
-33.2	77.2		J	-3.0	4.0	-2.6	-17.5	
-24.1	54.2	T	I	-0.8	2.9	-1.9	-12.5	
-22.3	51.3		J	-0.8	2.9	-1.9	-12.5	
2264.7	-4290.8	M. tor~1	I	-16.5	-270.8	175.1	1175.1	
2090.1	-4020.7		J	-16.5	-270.8	175.1	1175.1	
1338.9	-2536.8	M. tor~2	I	-9.8	-160.1	103.5	694.7	
1235.7	-2377.1		J	-9.8	-160.1	103.5	694.7	
5751.2	21352.5	INVSLU Max	I	-17939.4	484.3	321.7	2159.4	
5436.8	21256.3		J	-17572.2	484.3	321.7	2159.4	
2736.2	-1133.2	Min	I	-20788.9	-497.7	-313.1	-2101.1	-
2460.2	-782.9		J	-20421.7	-497.7	-313.1	-2101.1	-
8040.6	49122.5	INVSLV Max	I	-12099.4	3525.9	3997.0	4738.7	4
4120.1	45749.8		J	-11827.4	3525.9	3997.0	4738.7	4
4569.8	-41942.5	Min	I	-15090.9	-3614.2	-3939.9	-4355.9	-4
0706.1	-38481.7		J	-14818.9	-3614.2	-3939.9	-4355.9	-4

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

4051.1	15553.4	INVSLE Max	I	-13289.8	342.8	222.0	1490.1	
			J	-13017.8	342.8	222.0	1490.1	
3834.5	15498.0	Min	I	-15397.8	-343.5	-221.6	-1487.4	-
1896.0	-431.2		J	-15125.8	-343.5	-221.6	-1487.4	-
1701.8	-197.0							
1157	4	59 C1-C2;~1 Max	I	284.7	102.7	82.4	553.2	
590.7	8125.9		J	284.7	102.7	82.4	553.2	
522.2	8174.0	Min	I	-1789.4	-127.5	-66.4	-445.7	-
1524.7	-568.7		J	-1789.4	-127.5	-66.4	-445.7	-
1500.8	-634.5							
		C3-C4;~1 Max	I	292.0	104.0	84.1	564.2	
696.5	9575.7		J	292.0	104.0	84.1	564.2	
623.2	9624.6	Min	I	-1789.1	-130.0	-67.2	-451.1	-
1325.8	-611.6		J	-1789.1	-130.0	-67.2	-451.1	-
1300.0	-677.9							
		C1-C2;~2 Max	I	154.6	55.2	43.7	293.4	
303.5	4724.5		J	154.6	55.2	43.7	293.4	
267.2	4745.0	Min	I	-1065.6	-67.6	-35.7	-239.7	
-902.3	-303.5		J	-1065.6	-67.6	-35.7	-239.7	
-893.5	-343.4							
		C3-C4;~2 Max	I	159.1	56.0	44.5	298.7	
365.4	5662.7		J	159.1	56.0	44.5	298.7	
326.4	5683.5	Min	I	-1065.5	-68.8	-36.2	-243.2	
-770.2	-322.7		J	-1065.5	-68.8	-36.2	-243.2	
-760.7	-363.3							
		SLVx (RS)	I	497.0	-1403.7	3651.3	3457.3	3
9587.3	-18293.1		J	497.0	-1403.7	3651.3	3457.3	3
5979.3	-16909.6							
		SLVy (RS)	I	-493.8	3030.8	635.3	-2993.0	
6762.9	35707.9		J	-493.8	3030.8	635.3	-2993.0	
6145.0	32726.0							
		SLDx (RS)	I	-362.8	-1074.9	2726.5	2597.8	2
9574.2	-13971.6		J	-362.8	-1074.9	2726.5	2597.8	2
6878.3	-12911.7							
		SLDy (RS)	I	-357.7	2249.0	512.6	-2202.6	
5473.6	26501.1		J	-357.7	2249.0	512.6	-2202.6	
4973.8	24285.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2656.5	-3066.2	SLVz (RS)	I	1198.5	-292.8	-308.1	640.3	-
			J	1198.5	-292.8	-308.1	640.3	-
2433.3	-3107.4							
		G1	I	-6781.8	-39.4	25.4	170.8	
-569.4	7591.9		J	-6509.8	-39.4	25.4	170.8	
-594.7	7631.1							
		G2	I	-561.5	-14.4	9.3	62.6	
-223.0	2879.7		J	-561.5	-14.4	9.3	62.6	
-232.3	2894.1							
		G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0	
1913.0	-5115.2		J	-4494.5	7.4	-4.8	-32.0	
1917.7	-5122.6							
		G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0	
586.3	-1722.3		J	-1485.2	2.3	-1.5	-10.0	
587.8	-1724.6							
		q3	I	-6.9	2.5	-1.6	-10.9	
-24.0	73.1		J	-6.9	2.5	-1.6	-10.9	
-22.3	70.6							
		q4-1	I	0.3	0.1	-0.1	-0.5	
-0.7	-0.0		J	0.3	0.1	-0.1	-0.5	
-0.7	-0.1							
		q4-2	I	0.4	0.5	-0.3	-2.0	
-3.4	4.5		J	0.4	0.5	-0.3	-2.0	
-3.1	4.0							
		q4-3	I	0.3	1.1	-0.7	-4.7	
-8.2	14.6		J	0.3	1.1	-0.7	-4.7	
-7.5	13.5							
		q4-4	I	-0.3	0.6	-0.4	-2.5	
-4.6	10.3		J	-0.3	0.6	-0.4	-2.5	
-4.3	9.7							
		q4-5	I	-0.6	-13.1	8.5	56.9	
101.4	-195.4		J	-0.6	-13.1	8.5	56.9	
93.0	-182.3							
		q4-6	I	5.0	12.3	-7.9	-53.3	
-90.6	170.8		J	5.0	12.3	-7.9	-53.3	
-82.7	158.6							
		q4-7	I	10.5	184.4	-119.2	-800.2	-
1394.3	2946.9		J	10.5	184.4	-119.2	-800.2	-
1275.4	2763.0							
		q5 - p~1	I	21.5	-59.5	38.4	258.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
481.0	-972.2		J	21.5	-59.5	38.4	258.0	
442.7	-912.9							
1831.2	3762.5	q5 - p~2	I	17.7	241.2	-155.9	-1046.6	-
1675.7	3521.9		J	17.7	241.2	-155.9	-1046.6	-
448.2	-896.6	q5 - p~3	I	14.7	-56.0	36.2	243.1	
412.1	-840.7		J	14.7	-56.0	36.2	243.1	
1748.7	3477.6	q5 - p~4	I	17.5	228.8	-147.9	-992.5	-
1601.2	3249.4		J	17.5	228.8	-147.9	-992.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-33.2	77.2	q7	I	-3.0	4.0	-2.6	-17.5	
-30.6	73.2		J	-3.0	4.0	-2.6	-17.5	
-22.3	51.3	T	I	-0.8	2.9	-1.9	-12.5	
-20.4	48.4		J	-0.8	2.9	-1.9	-12.5	
2090.1	-4020.7	M. tor~1	I	-16.5	-270.8	175.1	1175.1	
1915.5	-3750.5		J	-16.5	-270.8	175.1	1175.1	
1235.7	-2377.1	M. tor~2	I	-9.8	-160.1	103.5	694.7	
1132.5	-2217.4		J	-9.8	-160.1	103.5	694.7	
5436.8	21256.3	INVSLU Max	I	-17572.2	484.3	321.7	2159.4	
5123.2	21163.1		J	-17204.9	484.3	321.7	2159.4	
2460.2	-782.9	Min	I	-20421.7	-497.7	-313.1	-2101.1	-
2184.9	-434.1		J	-20054.5	-497.7	-313.1	-2101.1	-
4120.1	45749.8	INVSLV Max	I	-11827.4	3495.6	3962.8	4738.7	4
0231.3	42409.2		J	-11555.4	3495.6	3962.8	4738.7	4
0706.1	-38481.7	Min	I	-14818.9	-3583.8	-3905.8	-4355.9	-4
6874.3	-35053.1		J	-14546.8	-3583.8	-3905.8	-4355.9	-3

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

3834.5	15498.0	INVSLE Max	I	-13017.8	342.8	222.0	1490.1	
			J	-12745.8	342.8	222.0	1490.1	
3618.4	15444.8	Min	I	-15125.8	-343.5	-221.6	-1487.4	-
1701.8	-197.0		J	-14853.8	-343.5	-221.6	-1487.4	-
1508.1	36.3							
1158	4	59 C1-C2;~1 Max	I	284.7	102.7	82.4	553.2	
522.2	8174.0		J	284.7	102.7	82.4	553.2	
456.5	8222.9	Min	I	-1789.4	-127.5	-66.4	-445.7	-
1500.8	-634.5		J	-1789.4	-127.5	-66.4	-445.7	-
1478.3	-701.4							
		C3-C4;~1 Max	I	292.0	104.0	84.1	564.2	
623.2	9624.6		J	292.0	104.0	84.1	564.2	
551.0	9674.7	Min	I	-1789.1	-130.0	-67.2	-451.1	-
1300.0	-677.9		J	-1789.1	-130.0	-67.2	-451.1	-
1275.5	-745.6							
		C1-C2;~2 Max	I	154.6	55.2	43.7	293.4	
267.2	4745.0		J	154.6	55.2	43.7	293.4	
232.7	4765.8	Min	I	-1065.6	-67.6	-35.7	-239.7	
-893.5	-343.4		J	-1065.6	-67.6	-35.7	-239.7	
-885.3	-383.8							
		C3-C4;~2 Max	I	159.1	56.0	44.5	298.7	
326.4	5683.5		J	159.1	56.0	44.5	298.7	
288.0	5704.8	Min	I	-1065.5	-68.8	-36.2	-243.2	
-760.7	-363.3		J	-1065.5	-68.8	-36.2	-243.2	
-751.7	-404.6							
		SLVx (RS)	I	497.0	-1396.6	3617.0	3457.3	3
5979.3	-16909.6		J	497.0	-1396.6	3617.0	3457.3	3
2403.0	-15534.4							
		SLVy (RS)	I	-493.8	3002.6	627.0	-2993.0	
6145.0	32726.0		J	-493.8	3002.6	627.0	-2993.0	
5534.4	29773.8							
		SLDx (RS)	I	-362.8	-1069.4	2701.3	2597.8	2
6878.3	-12911.7		J	-362.8	-1069.4	2701.3	2597.8	2
4205.8	-11858.4							
		SLDy (RS)	I	-357.7	2228.4	506.2	-2202.6	
4973.8	24285.9		J	-357.7	2228.4	506.2	-2202.6	
4479.5	22092.5							


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2433.3	-3107.4	SLVz (RS)	I	1198.5	-270.6	-287.8	640.3	-
			J	1198.5	-270.6	-287.8	640.3	-
2223.4	-3160.2							
		G1	I	-6509.8	-39.4	25.4	170.8	
-594.7	7631.1		J	-6237.8	-39.4	25.4	170.8	
-620.1	7670.4							
		G2	I	-561.5	-14.4	9.3	62.6	
-232.3	2894.1		J	-561.5	-14.4	9.3	62.6	
-241.6	2908.5							
		G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0	
1917.7	-5122.6		J	-4494.5	7.4	-4.8	-32.0	
1922.5	-5129.9							
		G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0	
587.8	-1724.6		J	-1485.2	2.3	-1.5	-10.0	
589.3	-1726.9							
		q3	I	-6.9	2.5	-1.6	-10.9	
-22.3	70.6		J	-6.9	2.5	-1.6	-10.9	
-20.7	68.1							
		q4-1	I	0.3	0.1	-0.1	-0.5	
-0.7	-0.1		J	0.3	0.1	-0.1	-0.5	
-0.6	-0.3							
		q4-2	I	0.4	0.5	-0.3	-2.0	
-3.1	4.0		J	0.4	0.5	-0.3	-2.0	
-2.8	3.6							
		q4-3	I	0.3	1.1	-0.7	-4.7	
-7.5	13.5		J	0.3	1.1	-0.7	-4.7	
-6.8	12.4							
		q4-4	I	-0.3	0.6	-0.4	-2.5	
-4.3	9.7		J	-0.3	0.6	-0.4	-2.5	
-3.9	9.2							
		q4-5	I	-0.6	-13.1	8.5	56.9	
93.0	-182.3		J	-0.6	-13.1	8.5	56.9	
84.5	-169.2							
		q4-6	I	5.0	12.3	-7.9	-53.3	
-82.7	158.6		J	5.0	12.3	-7.9	-53.3	
-74.7	146.3							
		q4-7	I	10.5	184.4	-119.2	-800.2	-
1275.4	2763.0		J	10.5	184.4	-119.2	-800.2	-
1156.5	2579.0							
		q5 - p~1	I	21.5	-59.5	38.4	258.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
442.7	-912.9		J	21.5	-59.5	38.4	258.0	
404.4	-853.5							
1675.7	3521.9	q5 - p~2	I	17.7	241.2	-155.9	-1046.6	-
1520.2	3281.3		J	17.7	241.2	-155.9	-1046.6	-
412.1	-840.7	q5 - p~3	I	14.7	-56.0	36.2	243.1	
376.0	-784.8		J	14.7	-56.0	36.2	243.1	
1601.2	3249.4	q5 - p~4	I	17.5	228.8	-147.9	-992.5	-
1453.8	3021.3		J	17.5	228.8	-147.9	-992.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-30.6	73.2	q7	I	-3.0	4.0	-2.6	-17.5	
-28.0	69.2		J	-3.0	4.0	-2.6	-17.5	
-20.4	48.4	T	I	-0.8	2.9	-1.9	-12.5	
-18.6	45.5		J	-0.8	2.9	-1.9	-12.5	
1915.5	-3750.5	M. tor~1	I	-16.5	-270.8	175.1	1175.1	
1740.9	-3480.4		J	-16.5	-270.8	175.1	1175.1	
1132.5	-2217.4	M. tor~2	I	-9.8	-160.1	103.5	694.7	
1029.2	-2057.7		J	-9.8	-160.1	103.5	694.7	
5123.2	21163.1	INVSLU Max	I	-17204.9	484.3	321.7	2159.4	
4810.5	21071.5		J	-16837.7	484.3	321.7	2159.4	
2184.9	-434.1	Min	I	-20054.5	-497.7	-313.1	-2101.1	-
1910.3	-86.1		J	-19687.3	-497.7	-313.1	-2101.1	-
0231.3	42409.2	INVSLV Max	I	-11555.4	3458.6	3920.0	4738.7	4
6380.4	39104.2		J	-11283.4	3458.6	3920.0	4738.7	3
6874.3	-35053.1	Min	I	-14546.8	-3546.9	-3863.0	-4355.9	-3
3080.2	-31660.1		J	-14274.8	-3546.9	-3863.0	-4355.9	-3

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

3618.4	15444.8	INVSLE Max	I	-12745.8	342.8	222.0	1490.1	
			J	-12473.8	342.8	222.0	1490.1	
3403.0	15392.8	Min	I	-14853.8	-343.5	-221.6	-1487.4	-
1508.1	36.3		J	-14581.8	-343.5	-221.6	-1487.4	-
1314.9	268.9							
1159	4	59 C1-C2;~1 Max	I	284.7	102.7	82.4	553.2	
456.5	8222.9		J	284.7	102.7	82.4	553.2	
395.8	8283.6	Min	I	-1789.4	-127.5	-66.4	-445.7	-
1478.3	-701.4		J	-1789.4	-127.5	-66.4	-445.7	-
1457.4	-780.3							
		C3-C4;~1 Max	I	292.0	104.0	84.1	564.2	
551.0	9674.7		J	292.0	104.0	84.1	564.2	
480.4	9726.5	Min	I	-1789.1	-130.0	-67.2	-451.1	-
1275.5	-745.6		J	-1789.1	-130.0	-67.2	-451.1	-
1252.4	-815.2							
		C1-C2;~2 Max	I	154.6	55.2	43.7	293.4	
232.7	4765.8		J	154.6	55.2	43.7	293.4	
201.5	4791.3	Min	I	-1065.6	-67.6	-35.7	-239.7	
-885.3	-383.8		J	-1065.6	-67.6	-35.7	-239.7	
-877.7	-429.1							
		C3-C4;~2 Max	I	159.1	56.0	44.5	298.7	
288.0	5704.8		J	159.1	56.0	44.5	298.7	
250.5	5726.9	Min	I	-1065.5	-68.8	-36.2	-243.2	
-751.7	-404.6		J	-1065.5	-68.8	-36.2	-243.2	
-743.3	-446.7							
		SLVx (RS)	I	497.0	-1388.0	3574.7	3457.3	3
2403.0	-15534.4		J	497.0	-1388.0	3574.7	3457.3	2
8865.5	-14169.4							
		SLVy (RS)	I	-493.8	2968.9	617.4	-2993.0	
5534.4	29773.8		J	-493.8	2968.9	617.4	-2993.0	
4931.8	26857.0							
		SLDx (RS)	I	-362.8	-1062.7	2670.1	2597.8	2
4205.8	-11858.4		J	-362.8	-1062.7	2670.1	2597.8	2
1562.1	-10812.9							
		SLDy (RS)	I	-357.7	2203.5	498.8	-2202.6	
4479.5	22092.5		J	-357.7	2203.5	498.8	-2202.6	
3991.6	19925.2							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2223.4	-3160.2	SLVz (RS)	I	1198.5	-247.1	-268.5	640.3	-
			J	1198.5	-247.1	-268.5	640.3	-
2022.5	-3216.8	G1	I	-6237.8	-39.4	25.4	170.8	
-620.1	7670.4		J	-5965.8	-39.4	25.4	170.8	
-645.5	7709.6	G2	I	-561.5	-14.4	9.3	62.6	
-241.6	2908.5		J	-561.5	-14.4	9.3	62.6	
-250.9	2922.9	G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0	
1922.5	-5129.9		J	-4494.5	7.4	-4.8	-32.0	
1927.2	-5137.3	G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0	
589.3	-1726.9		J	-1485.2	2.3	-1.5	-10.0	
590.8	-1729.2	q3	I	-6.9	2.5	-1.6	-10.9	
-20.7	68.1		J	-6.9	2.5	-1.6	-10.9	
-19.1	65.6	q4-1	I	0.3	0.1	-0.1	-0.5	
-0.6	-0.3		J	0.3	0.1	-0.1	-0.5	
-0.5	-0.4	q4-2	I	0.4	0.5	-0.3	-2.0	
-2.8	3.6		J	0.4	0.5	-0.3	-2.0	
-2.5	3.1	q4-3	I	0.3	1.1	-0.7	-4.7	
-6.8	12.4		J	0.3	1.1	-0.7	-4.7	
-6.1	11.4	q4-4	I	-0.3	0.6	-0.4	-2.5	
-3.9	9.2		J	-0.3	0.6	-0.4	-2.5	
-3.5	8.6	q4-5	I	-0.6	-13.1	8.5	56.9	
84.5	-169.2		J	-0.6	-13.1	8.5	56.9	
76.1	-156.1	q4-6	I	5.0	12.3	-7.9	-53.3	
-74.7	146.3		J	5.0	12.3	-7.9	-53.3	
-66.8	134.1	q4-7	I	10.5	184.4	-119.2	-800.2	-
1156.5	2579.0		J	10.5	184.4	-119.2	-800.2	-
1037.6	2395.1	q5 - p~1	I	21.5	-59.5	38.4	258.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
404.4	-853.5		J	21.5	-59.5	38.4	258.0	
366.0	-794.2							
1520.2	3281.3	q5 - p~2	I	17.7	241.2	-155.9	-1046.6	-
1364.7	3040.7		J	17.7	241.2	-155.9	-1046.6	-
376.0	-784.8	q5 - p~3	I	14.7	-56.0	36.2	243.1	
339.9	-728.9		J	14.7	-56.0	36.2	243.1	
1453.8	3021.3	q5 - p~4	I	17.5	228.8	-147.9	-992.5	-
1306.3	2793.1		J	17.5	228.8	-147.9	-992.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-28.0	69.2	q7	I	-3.0	4.0	-2.6	-17.5	
-25.4	65.2		J	-3.0	4.0	-2.6	-17.5	
-18.6	45.5	T	I	-0.8	2.9	-1.9	-12.5	
-16.7	42.7		J	-0.8	2.9	-1.9	-12.5	
1740.9	-3480.4	M. tor~1	I	-16.5	-270.8	175.1	1175.1	
1566.3	-3210.3		J	-16.5	-270.8	175.1	1175.1	
1029.2	-2057.7	M. tor~2	I	-9.8	-160.1	103.5	694.7	
926.0	-1898.0		J	-9.8	-160.1	103.5	694.7	
4810.5	21071.5	INVSLU Max	I	-16837.7	484.3	321.7	2159.4	
4498.8	20982.4		J	-16470.5	484.3	321.7	2159.4	
1910.3	-86.1	Min	I	-19687.3	-497.7	-313.1	-2101.1	-
1636.6	260.8		J	-19320.0	-497.7	-313.1	-2101.1	-
6380.4	39104.2	INVSLV Max	I	-11283.4	3415.3	3869.0	4738.7	3
2573.4	35838.9		J	-11011.4	3415.3	3869.0	4738.7	3
3080.2	-31660.1	Min	I	-14274.8	-3503.6	-3812.0	-4355.9	-3
9330.1	-28306.8		J	-14002.8	-3503.6	-3812.0	-4355.9	-2

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

3403.0	15392.8	INVSLE Max	I	-12473.8	342.8	222.0	1490.1	
			J	-12201.7	342.8	222.0	1490.1	
3188.4	15342.6	Min	I	-14581.8	-343.5	-221.6	-1487.4	-
1314.9	268.9		J	-14309.8	-343.5	-221.6	-1487.4	-
1122.5	500.7							
1160	4	59 C1-C2;~1 Max	I	284.7	102.7	82.4	553.2	
395.8	8283.6		J	284.7	102.7	82.4	553.2	
336.8	8354.2	Min	I	-1789.4	-127.5	-66.4	-445.7	-
1457.4	-780.3		J	-1789.4	-127.5	-66.4	-445.7	-
1438.4	-869.3							
		C3-C4;~1 Max	I	292.0	104.0	84.1	564.2	
480.4	9726.5		J	292.0	104.0	84.1	564.2	
413.9	9793.7	Min	I	-1789.1	-130.0	-67.2	-451.1	-
1252.4	-815.2		J	-1789.1	-130.0	-67.2	-451.1	-
1231.1	-900.2							
		C1-C2;~2 Max	I	154.6	55.2	43.7	293.4	
201.5	4791.3		J	154.6	55.2	43.7	293.4	
171.1	4820.7	Min	I	-1065.6	-67.6	-35.7	-239.7	
-877.7	-429.1		J	-1065.6	-67.6	-35.7	-239.7	
-870.9	-478.5							
		C3-C4;~2 Max	I	159.1	56.0	44.5	298.7	
250.5	5726.9		J	159.1	56.0	44.5	298.7	
215.7	5755.1	Min	I	-1065.5	-68.8	-36.2	-243.2	
-743.3	-446.7		J	-1065.5	-68.8	-36.2	-243.2	
-735.6	-494.9							
		SLVx (RS)	I	497.0	-1377.9	3524.3	3457.3	2
8865.5	-14169.4		J	497.0	-1377.9	3524.3	3457.3	2
5374.6	-12816.4							
		SLVy (RS)	I	-493.8	2929.5	606.8	-2993.0	
4931.8	26857.0		J	-493.8	2929.5	606.8	-2993.0	
4338.3	23981.8							
		SLDx (RS)	I	-362.8	-1054.8	2632.6	2597.8	2
1562.1	-10812.9		J	-362.8	-1054.8	2632.6	2597.8	1
8953.2	-9776.8							
		SLDy (RS)	I	-357.7	2174.4	490.5	-2202.6	
3991.6	19925.2		J	-357.7	2174.4	490.5	-2202.6	
3510.8	17788.5							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
2022.5	-3216.8	SLVz (RS)	I	1198.5	-223.7	-252.5	640.3	-
1825.6	-3271.0		J	1198.5	-223.7	-252.5	640.3	-
-645.5	7709.6	G1	I	-5965.8	-39.4	25.4	170.8	
-670.9	7748.9		J	-5693.8	-39.4	25.4	170.8	
-250.9	2922.9	G2	I	-561.5	-14.4	9.3	62.6	
-260.2	2937.3		J	-561.5	-14.4	9.3	62.6	
1927.2	-5137.3	G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0	
1932.0	-5144.6		J	-4494.5	7.4	-4.8	-32.0	
590.8	-1729.2	G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0	
592.3	-1731.5		J	-1485.2	2.3	-1.5	-10.0	
-19.1	65.6	q3	I	-6.9	2.5	-1.6	-10.9	
-17.5	63.1		J	-6.9	2.5	-1.6	-10.9	
-0.5	-0.4	q4-1	I	0.3	0.1	-0.1	-0.5	
-0.5	-0.5		J	0.3	0.1	-0.1	-0.5	
-2.5	3.1	q4-2	I	0.4	0.5	-0.3	-2.0	
-2.2	2.6		J	0.4	0.5	-0.3	-2.0	
-6.1	11.4	q4-3	I	0.3	1.1	-0.7	-4.7	
-5.5	10.3		J	0.3	1.1	-0.7	-4.7	
-3.5	8.6	q4-4	I	-0.3	0.6	-0.4	-2.5	
-3.2	8.0		J	-0.3	0.6	-0.4	-2.5	
76.1	-156.1	q4-5	I	-0.6	-13.1	8.5	56.9	
67.6	-143.1		J	-0.6	-13.1	8.5	56.9	
-66.8	134.1	q4-6	I	5.0	12.3	-7.9	-53.3	
-58.9	121.8		J	5.0	12.3	-7.9	-53.3	
1037.6	2395.1	q4-7	I	10.5	184.4	-119.2	-800.2	-
-918.7	2211.1		J	10.5	184.4	-119.2	-800.2	
		q5 - p~1	I	21.5	-59.5	38.4	258.0	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
366.0	-794.2		J	21.5	-59.5	38.4	258.0	
327.7	-734.9							
1364.7	3040.7	q5 - p~2	I	17.7	241.2	-155.9	-1046.6	-
1209.1	2800.1		J	17.7	241.2	-155.9	-1046.6	-
339.9	-728.9	q5 - p~3	I	14.7	-56.0	36.2	243.1	
303.7	-673.1		J	14.7	-56.0	36.2	243.1	
1306.3	2793.1	q5 - p~4	I	17.5	228.8	-147.9	-992.5	-
1158.8	2564.9		J	17.5	228.8	-147.9	-992.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-25.4	65.2	q7	I	-3.0	4.0	-2.6	-17.5	
-22.8	61.1		J	-3.0	4.0	-2.6	-17.5	
-16.7	42.7	T	I	-0.8	2.9	-1.9	-12.5	
-14.9	39.8		J	-0.8	2.9	-1.9	-12.5	
1566.3	-3210.3	M. tor~1	I	-16.5	-270.8	175.1	1175.1	
1391.7	-2940.2		J	-16.5	-270.8	175.1	1175.1	
926.0	-1898.0	M. tor~2	I	-9.8	-160.1	103.5	694.7	
822.8	-1738.3		J	-9.8	-160.1	103.5	694.7	
4498.8	20982.4	INVSLU Max	I	-16470.5	484.3	321.7	2159.4	
4190.8	20913.9		J	-16103.3	484.3	321.7	2159.4	
1636.6	260.8	Min	I	-19320.0	-497.7	-313.1	-2101.1	-
1364.0	599.3		J	-18952.8	-497.7	-313.1	-2101.1	-
2573.4	35838.9	INVSLV Max	I	-11011.4	3365.9	3810.6	4738.7	3
8817.0	32618.1		J	-10739.3	3365.9	3810.6	4738.7	2
9330.1	-28306.8	Min	I	-14002.8	-3454.1	-3753.6	-4355.9	-2
5630.6	-24998.0		J	-13730.8	-3454.1	-3753.6	-4355.9	-2

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

3188.4	15342.6	INVSLE Max	I	-12201.7	342.8	222.0	1490.1	
			J	-11929.7	342.8	222.0	1490.1	
2976.5	15307.7	Min	I	-14309.8	-343.5	-221.6	-1487.4	-
1122.5	500.7		J	-14037.8	-343.5	-221.6	-1487.4	
-930.7	726.3							
1161	4	59 C1-C2;~1 Max	I	284.7	102.7	82.4	553.2	
336.8	8354.2		J	284.7	102.7	82.4	553.2	
279.8	8431.6	Min	I	-1789.4	-127.5	-66.4	-445.7	-
1438.4	-869.3		J	-1789.4	-127.5	-66.4	-445.7	-
1421.4	-965.2							
		C3-C4;~1 Max	I	292.0	104.0	84.1	564.2	
413.9	9793.7		J	292.0	104.0	84.1	564.2	
351.0	9870.7	Min	I	-1789.1	-130.0	-67.2	-451.1	-
1231.1	-900.2		J	-1789.1	-130.0	-67.2	-451.1	-
1211.7	-995.0							
		C1-C2;~2 Max	I	154.6	55.2	43.7	293.4	
171.1	4820.7		J	154.6	55.2	43.7	293.4	
141.7	4852.9	Min	I	-1065.6	-67.6	-35.7	-239.7	
-870.9	-478.5		J	-1065.6	-67.6	-35.7	-239.7	
-864.8	-530.7							
		C3-C4;~2 Max	I	159.1	56.0	44.5	298.7	
215.7	5755.1		J	159.1	56.0	44.5	298.7	
183.1	5787.2	Min	I	-1065.5	-68.8	-36.2	-243.2	
-735.6	-494.9		J	-1065.5	-68.8	-36.2	-243.2	
-728.6	-547.2							
		SLVx (RS)	I	497.0	-1366.4	3465.4	3457.3	2
5374.6	-12816.4		J	497.0	-1366.4	3465.4	3457.3	2
1938.8	-11477.6							
		SLVy (RS)	I	-493.8	2884.3	595.2	-2993.0	
4338.3	23981.8		J	-493.8	2884.3	595.2	-2993.0	
3755.0	21155.3							
		SLDx (RS)	I	-362.8	-1045.7	2588.8	2597.8	1
8953.2	-9776.8		J	-362.8	-1045.7	2588.8	2597.8	1
6385.5	-8751.8							
		SLDy (RS)	I	-357.7	2141.0	481.3	-2202.6	
3510.8	17788.5		J	-357.7	2141.0	481.3	-2202.6	
3038.2	15687.7							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1825.6	-3271.0	SLVz (RS)	I	1198.5	-201.7	-241.7	640.3	-
			J	1198.5	-201.7	-241.7	640.3	-
1628.7	-3317.9	G1	I	-5693.8	-39.4	25.4	170.8	
-670.9	7748.9		J	-5421.8	-39.4	25.4	170.8	
-696.3	7788.2	G2	I	-561.5	-14.4	9.3	62.6	
-260.2	2937.3		J	-561.5	-14.4	9.3	62.6	
-269.5	2951.6	G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0	
1932.0	-5144.6		J	-4494.5	7.4	-4.8	-32.0	
1936.7	-5152.0	G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0	
592.3	-1731.5		J	-1485.2	2.3	-1.5	-10.0	
593.8	-1733.8	q3	I	-6.9	2.5	-1.6	-10.9	
-17.5	63.1		J	-6.9	2.5	-1.6	-10.9	
-15.9	60.6	q4-1	I	0.3	0.1	-0.1	-0.5	
-0.5	-0.5		J	0.3	0.1	-0.1	-0.5	
-0.4	-0.6	q4-2	I	0.4	0.5	-0.3	-2.0	
-2.2	2.6		J	0.4	0.5	-0.3	-2.0	
-1.9	2.2	q4-3	I	0.3	1.1	-0.7	-4.7	
-5.5	10.3		J	0.3	1.1	-0.7	-4.7	
-4.8	9.2	q4-4	I	-0.3	0.6	-0.4	-2.5	
-3.2	8.0		J	-0.3	0.6	-0.4	-2.5	
-2.8	7.5	q4-5	I	-0.6	-13.1	8.5	56.9	
67.6	-143.1		J	-0.6	-13.1	8.5	56.9	
59.2	-130.0	q4-6	I	5.0	12.3	-7.9	-53.3	
-58.9	121.8		J	5.0	12.3	-7.9	-53.3	
-51.0	109.5	q4-7	I	10.5	184.4	-119.2	-800.2	
-918.7	2211.1		J	10.5	184.4	-119.2	-800.2	
-799.7	2027.2	q5 - p~1	I	21.5	-59.5	38.4	258.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
327.7	-734.9		J	21.5	-59.5	38.4	258.0	
289.3	-675.6							
1209.1	2800.1	q5 - p~2	I	17.7	241.2	-155.9	-1046.6	-
1053.6	2559.5		J	17.7	241.2	-155.9	-1046.6	-
303.7	-673.1	q5 - p~3	I	14.7	-56.0	36.2	243.1	
267.6	-617.2		J	14.7	-56.0	36.2	243.1	
1158.8	2564.9	q5 - p~4	I	17.5	228.8	-147.9	-992.5	-
1011.3	2336.8		J	17.5	228.8	-147.9	-992.5	-
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-22.8	61.1	q7	I	-3.0	4.0	-2.6	-17.5	
-20.2	57.1		J	-3.0	4.0	-2.6	-17.5	
-14.9	39.8	T	I	-0.8	2.9	-1.9	-12.5	
-13.0	36.9		J	-0.8	2.9	-1.9	-12.5	
1391.7	-2940.2	M. tor~1	I	-16.5	-270.8	175.1	1175.1	
1217.1	-2670.1		J	-16.5	-270.8	175.1	1175.1	
822.8	-1738.3	M. tor~2	I	-9.8	-160.1	103.5	694.7	
719.6	-1578.6		J	-9.8	-160.1	103.5	694.7	
4190.8	20913.9	INVSLU Max	I	-16103.3	484.3	321.7	2159.4	
3885.9	20858.6		J	-15736.1	484.3	321.7	2159.4	
1364.0	599.3	Min	I	-18952.8	-497.7	-313.1	-2101.1	-
1092.4	932.5		J	-18585.6	-497.7	-313.1	-2101.1	-
8817.0	32618.1	INVSLV Max	I	-10739.3	3310.6	3745.0	4738.7	2
5118.7	29448.0		J	-10467.3	3310.6	3745.0	4738.7	2
5630.6	-24998.0	Min	I	-13730.8	-3398.9	-3688.0	-4355.9	-2
1989.2	-21739.9		J	-13458.8	-3398.9	-3688.0	-4355.9	-2

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

2976.5	15307.7	INVSLE Max	I	-11929.7	342.8	222.0	1490.1	
			J	-11657.7	342.8	222.0	1490.1	
2767.0	15282.6	Min	I	-14037.8	-343.5	-221.6	-1487.4	
-930.7	726.3		J	-13765.7	-343.5	-221.6	-1487.4	
-739.8	947.9							
1162	4	59 C1-C2;~1 Max	I	284.7	102.7	82.4	553.2	
279.8	8431.6		J	284.7	102.7	82.4	553.2	
225.0	8511.6	Min	I	-1789.4	-127.5	-66.4	-445.7	-
1421.4	-965.2		J	-1789.4	-127.5	-66.4	-445.7	-
1406.5	-1063.8							
		C3-C4;~1 Max	I	292.0	104.0	84.1	564.2	
351.0	9870.7		J	292.0	104.0	84.1	564.2	
289.9	9951.4	Min	I	-1789.1	-130.0	-67.2	-451.1	-
1211.7	-995.0		J	-1789.1	-130.0	-67.2	-451.1	-
1194.5	-1093.6							
		C1-C2;~2 Max	I	154.6	55.2	43.7	293.4	
141.7	4852.9		J	154.6	55.2	43.7	293.4	
113.4	4886.1	Min	I	-1065.6	-67.6	-35.7	-239.7	
-864.8	-530.7		J	-1065.6	-67.6	-35.7	-239.7	
-859.6	-584.1							
		C3-C4;~2 Max	I	159.1	56.0	44.5	298.7	
183.1	5787.2		J	159.1	56.0	44.5	298.7	
151.5	5820.7	Min	I	-1065.5	-68.8	-36.2	-243.2	
-728.6	-547.2		J	-1065.5	-68.8	-36.2	-243.2	
-722.6	-600.9							
		SLVx (RS)	I	497.0	-1353.3	3397.7	3457.3	2
1938.8	-11477.6		J	497.0	-1353.3	3397.7	3457.3	1
8567.3	-10155.9							
		SLVy (RS)	I	-493.8	2833.3	582.7	-2993.0	
3755.0	21155.3		J	-493.8	2833.3	582.7	-2993.0	
3183.3	18385.1							
		SLDx (RS)	I	-362.8	-1035.5	2538.3	2597.8	1
6385.5	-8751.8		J	-362.8	-1035.5	2538.3	2597.8	1
3865.8	-7739.9							
		SLDy (RS)	I	-357.7	2103.2	471.3	-2202.6	
3038.2	15687.7		J	-357.7	2103.2	471.3	-2202.6	
2574.8	13628.4							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1628.7	-3317.9	SLVz (RS)	I	1198.5	-182.3	-236.6	640.3	-
			J	1198.5	-182.3	-236.6	640.3	-
1429.3	3354.5							
		G1	I	-5421.8	-39.4	25.4	170.8	
-696.3	7788.2		J	-5149.8	-39.4	25.4	170.8	
-721.7	7827.4							
		G2	I	-561.5	-14.4	9.3	62.6	
-269.5	2951.6		J	-561.5	-14.4	9.3	62.6	
-278.8	2966.0							
		G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0	
1936.7	-5152.0		J	-4494.5	7.4	-4.8	-32.0	
1941.5	-5159.3							
		G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0	
593.8	-1733.8		J	-1485.2	2.3	-1.5	-10.0	
595.3	-1736.1							
		q3	I	-6.9	2.5	-1.6	-10.9	
-15.9	60.6		J	-6.9	2.5	-1.6	-10.9	
-14.3	58.1							
		q4-1	I	0.3	0.1	-0.1	-0.5	
-0.4	-0.6		J	0.3	0.1	-0.1	-0.5	
-0.3	-0.7							
		q4-2	I	0.4	0.5	-0.3	-2.0	
-1.9	2.2		J	0.4	0.5	-0.3	-2.0	
-1.6	1.7							
		q4-3	I	0.3	1.1	-0.7	-4.7	
-4.8	9.2		J	0.3	1.1	-0.7	-4.7	
-4.1	8.1							
		q4-4	I	-0.3	0.6	-0.4	-2.5	
-2.8	7.5		J	-0.3	0.6	-0.4	-2.5	
-2.4	6.9							
		q4-5	I	-0.6	-13.1	8.5	56.9	
59.2	-130.0		J	-0.6	-13.1	8.5	56.9	
50.7	-116.9							
		q4-6	I	5.0	12.3	-7.9	-53.3	
-51.0	109.5		J	5.0	12.3	-7.9	-53.3	
-43.0	97.3							
		q4-7	I	10.5	184.4	-119.2	-800.2	
-799.7	2027.2		J	10.5	184.4	-119.2	-800.2	
-680.8	1843.2							
		q5 - p~1	I	21.5	-59.5	38.4	258.0	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
289.3	-675.6		J	21.5	-59.5	38.4	258.0	
251.0	-616.3							
1053.6	2559.5	q5 - p~2	I	17.7	241.2	-155.9	-1046.6	-
-898.1	2318.9		J	17.7	241.2	-155.9	-1046.6	
267.6	-617.2	q5 - p~3	I	14.7	-56.0	36.2	243.1	
231.5	-561.3		J	14.7	-56.0	36.2	243.1	
1011.3	2336.8	q5 - p~4	I	17.5	228.8	-147.9	-992.5	-
-863.8	2108.6		J	17.5	228.8	-147.9	-992.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-20.2	57.1	q7	I	-3.0	4.0	-2.6	-17.5	
-17.6	53.1		J	-3.0	4.0	-2.6	-17.5	
-13.0	36.9	T	I	-0.8	2.9	-1.9	-12.5	
-11.1	34.0		J	-0.8	2.9	-1.9	-12.5	
1217.1	-2670.1	M. tor~1	I	-16.5	-270.8	175.1	1175.1	
1042.5	-2400.0		J	-16.5	-270.8	175.1	1175.1	
719.6	-1578.6	M. tor~2	I	-9.8	-160.1	103.5	694.7	
616.3	-1418.9		J	-9.8	-160.1	103.5	694.7	
3885.9	20858.6	INVSLU Max	I	-15736.1	484.3	321.7	2159.4	
3582.2	20808.3		J	-15368.8	484.3	321.7	2159.4	
1092.4	932.5	Min	I	-18585.6	-497.7	-313.1	-2101.1	-
-821.9	1263.7		J	-18218.4	-497.7	-313.1	-2101.1	
5118.7	29448.0	INVSLV Max	I	-10467.3	3249.8	3672.0	4738.7	2
1487.4	26336.3		J	-10195.3	3249.8	3672.0	4738.7	2
1989.2	-21739.9	Min	I	-13458.8	-3338.0	-3615.0	-4355.9	-2
8414.8	-18540.2		J	-13186.8	-3338.0	-3615.0	-4355.9	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

2767.0	15282.6	INVSLE Max	I	-11657.7	342.8	222.0	1490.1	
			J	-11385.7	342.8	222.0	1490.1	
2558.3	15261.2	Min	I	-13765.7	-343.5	-221.6	-1487.4	
-739.8	947.9		J	-13493.7	-343.5	-221.6	-1487.4	
-549.7	1168.1							
1163	4	59 C1-C2;~1 Max	I	284.7	102.7	82.4	553.2	
225.0	8511.6		J	284.7	102.7	82.4	553.2	
173.1	8592.6	Min	I	-1789.4	-127.5	-66.4	-445.7	-
1406.5	-1063.8		J	-1789.4	-127.5	-66.4	-445.7	-
1393.6	-1163.5							
		C3-C4;~1 Max	I	292.0	104.0	84.1	564.2	
289.9	9951.4		J	292.0	104.0	84.1	564.2	
230.8	10033.6	Min	I	-1789.1	-130.0	-67.2	-451.1	-
1194.5	-1093.6		J	-1789.1	-130.0	-67.2	-451.1	-
1179.8	-1193.8							
		C1-C2;~2 Max	I	154.6	55.2	43.7	293.4	
113.4	4886.1		J	154.6	55.2	43.7	293.4	
86.5	4919.7	Min	I	-1065.6	-67.6	-35.7	-239.7	
-859.6	-584.1		J	-1065.6	-67.6	-35.7	-239.7	
-855.2	-637.9							
		C3-C4;~2 Max	I	159.1	56.0	44.5	298.7	
151.5	5820.7		J	159.1	56.0	44.5	298.7	
120.7	5854.9	Min	I	-1065.5	-68.8	-36.2	-243.2	
-722.6	-600.9		J	-1065.5	-68.8	-36.2	-243.2	
-717.5	-655.3							
		SLVx (RS)	I	497.0	-1338.5	3320.6	3457.3	1
8567.3	-10155.9		J	497.0	-1338.5	3320.6	3457.3	1
5270.4	-8854.5							
		SLVy (RS)	I	-493.8	2776.1	568.9	-2993.0	
3183.3	18385.1		J	-493.8	2776.1	568.9	-2993.0	
2624.7	15680.8							
		SLDx (RS)	I	-362.8	-1023.9	2480.7	2597.8	1
3865.8	-7739.9		J	-362.8	-1023.9	2480.7	2597.8	1
1402.1	-6743.8							
		SLDy (RS)	I	-357.7	2060.8	460.2	-2202.6	
2574.8	13628.4		J	-357.7	2060.8	460.2	-2202.6	
2122.1	11617.6							


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1429.3	3354.5	SLVz (RS)	I	1198.5	-166.6	-236.3	640.3	-
			J	1198.5	-166.6	-236.3	640.3	-
1227.3	3379.3							
		G1	I	-5149.8	-39.4	25.4	170.8	
-721.7	7827.4		J	-4877.7	-39.4	25.4	170.8	
-747.0	7866.7							
		G2	I	-561.5	-14.4	9.3	62.6	
-278.8	2966.0		J	-561.5	-14.4	9.3	62.6	
-288.1	2980.4							
		G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0	
1941.5	-5159.3		J	-4494.5	7.4	-4.8	-32.0	
1946.2	-5166.7							
		G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0	
595.3	-1736.1		J	-1485.2	2.3	-1.5	-10.0	
596.8	-1738.4							
		q3	I	-6.9	2.5	-1.6	-10.9	
-14.3	58.1		J	-6.9	2.5	-1.6	-10.9	
-12.6	55.6							
		q4-1	I	0.3	0.1	-0.1	-0.5	
-0.3	-0.7		J	0.3	0.1	-0.1	-0.5	
-0.2	-0.8							
		q4-2	I	0.4	0.5	-0.3	-2.0	
-1.6	1.7		J	0.4	0.5	-0.3	-2.0	
-1.3	1.2							
		q4-3	I	0.3	1.1	-0.7	-4.7	
-4.1	8.1		J	0.3	1.1	-0.7	-4.7	
-3.4	7.1							
		q4-4	I	-0.3	0.6	-0.4	-2.5	
-2.4	6.9		J	-0.3	0.6	-0.4	-2.5	
-2.1	6.3							
		q4-5	I	-0.6	-13.1	8.5	56.9	
50.7	-116.9		J	-0.6	-13.1	8.5	56.9	
42.2	-103.8							
		q4-6	I	5.0	12.3	-7.9	-53.3	
-43.0	97.3		J	5.0	12.3	-7.9	-53.3	
-35.1	85.0							
		q4-7	I	10.5	184.4	-119.2	-800.2	
-680.8	1843.2		J	10.5	184.4	-119.2	-800.2	
-561.9	1659.3							
		q5 - p~1	I	21.5	-59.5	38.4	258.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
251.0	-616.3		J	21.5	-59.5	38.4	258.0	
212.6	-557.0							
-898.1	2318.9	q5 - p~2	I	17.7	241.2	-155.9	-1046.6	
-742.6	2078.4		J	17.7	241.2	-155.9	-1046.6	
231.5	-561.3	q5 - p~3	I	14.7	-56.0	36.2	243.1	
195.4	-505.5		J	14.7	-56.0	36.2	243.1	
-863.8	2108.6	q5 - p~4	I	17.5	228.8	-147.9	-992.5	
-716.3	1880.5		J	17.5	228.8	-147.9	-992.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-17.6	53.1	q7	I	-3.0	4.0	-2.6	-17.5	
-15.0	49.0		J	-3.0	4.0	-2.6	-17.5	
-11.1	34.0	T	I	-0.8	2.9	-1.9	-12.5	
-9.3	31.2		J	-0.8	2.9	-1.9	-12.5	
1042.5	-2400.0	M. tor~1	I	-16.5	-270.8	175.1	1175.1	
867.9	-2129.9		J	-16.5	-270.8	175.1	1175.1	
616.3	-1418.9	M. tor~2	I	-9.8	-160.1	103.5	694.7	
513.1	-1259.2		J	-9.8	-160.1	103.5	694.7	
3582.2	20808.3	INVSLU Max	I	-15368.8	484.3	321.7	2159.4	
3279.8	20760.1		J	-15001.6	484.3	321.7	2159.4	
-821.9	1263.7	Min	I	-18218.4	-497.7	-313.1	-2101.1	
-552.5	1593.9		J	-17851.2	-497.7	-313.1	-2101.1	
1487.4	26336.3	INVSLV Max	I	-10195.3	3183.5	3590.7	4738.7	2
7933.9	23293.0		J	-9923.3	3183.5	3590.7	4738.7	1
8414.8	-18540.2	Min	I	-13186.8	-3271.8	-3533.6	-4355.9	-1
4918.2	-15408.9		J	-12914.8	-3271.8	-3533.6	-4355.9	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

2558.3	15261.2	INVSLE Max	I	-11385.7	342.8	222.0	1490.1	
			J	-11113.7	342.8	222.0	1490.1	
2350.5	15241.4	Min	I	-13493.7	-343.5	-221.6	-1487.4	
-549.7	1168.1		J	-13221.7	-343.5	-221.6	-1487.4	
-360.4	1387.5							
1164	4	59 C1-C2;~1 Max	I	284.7	102.7	82.4	553.2	
173.1	8592.6		J	284.7	102.7	82.4	553.2	
124.5	8674.3	Min	I	-1789.4	-127.5	-66.4	-445.7	-
1393.6	-1163.5		J	-1789.4	-127.5	-66.4	-445.7	-
1381.9	-1263.9							
		C3-C4;~1 Max	I	292.0	104.0	84.1	564.2	
230.8	10033.6		J	292.0	104.0	84.1	564.2	
174.2	10116.7	Min	I	-1789.1	-130.0	-67.2	-451.1	-
1179.8	-1193.8		J	-1789.1	-130.0	-67.2	-451.1	-
1167.6	-1294.9							
		C1-C2;~2 Max	I	154.6	55.2	43.7	293.4	
86.5	4919.7		J	154.6	55.2	43.7	293.4	
61.3	4953.6	Min	I	-1065.6	-67.6	-35.7	-239.7	
-855.2	-637.9		J	-1065.6	-67.6	-35.7	-239.7	
-851.3	-692.0							
		C3-C4;~2 Max	I	159.1	56.0	44.5	298.7	
120.7	5854.9		J	159.1	56.0	44.5	298.7	
91.2	5889.4	Min	I	-1065.5	-68.8	-36.2	-243.2	
-717.5	-655.3		J	-1065.5	-68.8	-36.2	-243.2	
-713.4	-710.1							
		SLVx (RS)	I	497.0	-1322.2	3233.1	3457.3	1
5270.4	-8854.5		J	497.0	-1322.2	3233.1	3457.3	1
2059.8	-7578.0							
		SLVy (RS)	I	-493.8	2712.7	553.8	-2993.0	
2624.7	15680.8		J	-493.8	2712.7	553.8	-2993.0	
2081.6	13054.5							
		SLDx (RS)	I	-362.8	-1011.1	2415.2	2597.8	1
1402.1	-6743.8		J	-362.8	-1011.1	2415.2	2597.8	
9003.0	-5767.0							
		SLDy (RS)	I	-357.7	2013.7	448.0	-2202.6	
2122.1	11617.6		J	-357.7	2013.7	448.0	-2202.6	
1681.6	9664.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1227.3	3379.3	SLVz (RS)	I	1198.5	-155.0	-238.3	640.3	-
			J	1198.5	-155.0	-238.3	640.3	-
1026.3	3392.4							
		G1	I	-4877.7	-39.4	25.4	170.8	
-747.0	7866.7		J	-4605.7	-39.4	25.4	170.8	
-772.4	7906.0							
		G2	I	-561.5	-14.4	9.3	62.6	
-288.1	2980.4		J	-561.5	-14.4	9.3	62.6	
-297.4	2994.8							
		G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0	
1946.2	-5166.7		J	-4494.5	7.4	-4.8	-32.0	
1951.0	-5174.0							
		G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0	
596.8	-1738.4		J	-1485.2	2.3	-1.5	-10.0	
598.3	-1740.7							
		q3	I	-6.9	2.5	-1.6	-10.9	
-12.6	55.6		J	-6.9	2.5	-1.6	-10.9	
-11.0	53.1							
		q4-1	I	0.3	0.1	-0.1	-0.5	
-0.2	-0.8		J	0.3	0.1	-0.1	-0.5	
-0.2	-0.9							
		q4-2	I	0.4	0.5	-0.3	-2.0	
-1.3	1.2		J	0.4	0.5	-0.3	-2.0	
-1.0	0.8							
		q4-3	I	0.3	1.1	-0.7	-4.7	
-3.4	7.1		J	0.3	1.1	-0.7	-4.7	
-2.7	6.0							
		q4-4	I	-0.3	0.6	-0.4	-2.5	
-2.1	6.3		J	-0.3	0.6	-0.4	-2.5	
-1.7	5.8							
		q4-5	I	-0.6	-13.1	8.5	56.9	
42.2	-103.8		J	-0.6	-13.1	8.5	56.9	
33.8	-90.8							
		q4-6	I	5.0	12.3	-7.9	-53.3	
-35.1	85.0		J	5.0	12.3	-7.9	-53.3	
-27.2	72.8							
		q4-7	I	10.5	184.4	-119.2	-800.2	
-561.9	1659.3		J	10.5	184.4	-119.2	-800.2	
-443.0	1475.3							
		q5 - p~1	I	21.5	-59.5	38.4	258.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
212.6	-557.0		J	21.5	-59.5	38.4	258.0	
174.3	-497.6							
-742.6	2078.4	q5 - p~2	I	17.7	241.2	-155.9	-1046.6	
-587.1	1837.8		J	17.7	241.2	-155.9	-1046.6	
195.4	-505.5	q5 - p~3	I	14.7	-56.0	36.2	243.1	
159.3	-449.6		J	14.7	-56.0	36.2	243.1	
-716.3	1880.5	q5 - p~4	I	17.5	228.8	-147.9	-992.5	
-568.8	1652.3		J	17.5	228.8	-147.9	-992.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-15.0	49.0	q7	I	-3.0	4.0	-2.6	-17.5	
-12.4	45.0		J	-3.0	4.0	-2.6	-17.5	
-9.3	31.2	T	I	-0.8	2.9	-1.9	-12.5	
-7.4	28.3		J	-0.8	2.9	-1.9	-12.5	
867.9	-2129.9	M. tor~1	I	-16.5	-270.8	175.1	1175.1	
693.2	-1859.8		J	-16.5	-270.8	175.1	1175.1	
513.1	-1259.2	M. tor~2	I	-9.8	-160.1	103.5	694.7	
409.9	-1099.5		J	-9.8	-160.1	103.5	694.7	
3279.8	20760.1	INVSLU Max	I	-15001.6	484.3	321.7	2159.4	
2978.9	20713.1		J	-14634.4	484.3	321.7	2159.4	
-552.5	1593.9	Min	I	-17851.2	-497.7	-313.1	-2101.1	
-402.1	1923.7		J	-17483.9	-497.7	-313.1	-2101.1	
7933.9	23293.0	INVSLV Max	I	-9923.3	3111.8	3499.3	4738.7	1
4471.6	20331.7		J	-9651.3	3111.8	3499.3	4738.7	1
4918.2	-15408.9	Min	I	-12914.8	-3200.0	-3442.3	-4355.9	-1
1512.7	-12359.6		J	-12642.7	-3200.0	-3442.3	-4355.9	-1


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

2350.5	15241.4	INVSLE Max	I	-11113.7	342.8	222.0	1490.1	
			J	-10841.7	342.8	222.0	1490.1	
2143.9	15222.4	Min	I	-13221.7	-343.5	-221.6	-1487.4	
-360.4	1387.5		J	-12949.7	-343.5	-221.6	-1487.4	
-259.2	1571.5							
1165	4	59 C1-C2;~1 Max	I	284.7	102.7	82.4	553.2	
124.5	8674.3		J	284.7	102.7	82.4	553.2	
81.1	8756.3	Min	I	-1789.4	-127.5	-66.4	-445.7	-
1381.9	-1263.9		J	-1789.4	-127.5	-66.4	-445.7	-
1371.3	-1364.7							
		C3-C4;~1 Max	I	292.0	104.0	84.1	564.2	
174.2	10116.7		J	292.0	104.0	84.1	564.2	
120.5	10200.3	Min	I	-1789.1	-130.0	-67.2	-451.1	-
1167.6	-1294.9		J	-1789.1	-130.0	-67.2	-451.1	-
1157.2	-1396.6							
		C1-C2;~2 Max	I	154.6	55.2	43.7	293.4	
61.3	4953.6		J	154.6	55.2	43.7	293.4	
39.2	4987.6	Min	I	-1065.6	-67.6	-35.7	-239.7	
-851.3	-692.0		J	-1065.6	-67.6	-35.7	-239.7	
-847.8	-746.3							
		C3-C4;~2 Max	I	159.1	56.0	44.5	298.7	
91.2	5889.4		J	159.1	56.0	44.5	298.7	
63.1	5924.2	Min	I	-1065.5	-68.8	-36.2	-243.2	
-713.4	-710.1		J	-1065.5	-68.8	-36.2	-243.2	
-710.1	-765.1							
		SLVx (RS)	I	497.0	-1304.1	3134.3	3457.3	1
2059.8	-7578.0		J	497.0	-1304.1	3134.3	3457.3	
8949.2	-6333.3							
		SLVy (RS)	I	-493.8	2642.9	537.1	-2993.0	
2081.6	13054.5		J	-493.8	2642.9	537.1	-2993.0	
1557.2	10524.0							
		SLDx (RS)	I	-362.8	-996.9	2341.2	2597.8	
9003.0	-5767.0		J	-362.8	-996.9	2341.2	2597.8	
6678.8	-4814.5							
		SLDy (RS)	I	-357.7	1961.8	434.5	-2202.6	
1681.6	9664.1		J	-357.7	1961.8	434.5	-2202.6	
1256.0	7780.4							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
1026.3	3392.4	SLVz (RS)	I	1198.5	-147.2	-240.0	640.3	-
			J	1198.5	-147.2	-240.0	640.3	
-834.4	3395.0							
		G1	I	-4605.7	-39.4	25.4	170.8	
-772.4	7906.0		J	-4333.7	-39.4	25.4	170.8	
-797.8	7945.2							
		G2	I	-561.5	-14.4	9.3	62.6	
-297.4	2994.8		J	-561.5	-14.4	9.3	62.6	
-306.7	3009.2							
		G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0	
1951.0	-5174.0		J	-4494.5	7.4	-4.8	-32.0	
1955.7	-5181.3							
		G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0	
598.3	-1740.7		J	-1485.2	2.3	-1.5	-10.0	
599.8	-1743.0							
		q3	I	-6.9	2.5	-1.6	-10.9	
-11.0	53.1		J	-6.9	2.5	-1.6	-10.9	
-9.4	50.6							
		q4-1	I	0.3	0.1	-0.1	-0.5	
-0.2	-0.9		J	0.3	0.1	-0.1	-0.5	
-0.1	-1.0							
		q4-2	I	0.4	0.5	-0.3	-2.0	
-1.0	0.8		J	0.4	0.5	-0.3	-2.0	
-0.7	0.3							
		q4-3	I	0.3	1.1	-0.7	-4.7	
-2.7	6.0		J	0.3	1.1	-0.7	-4.7	
-2.0	4.9							
		q4-4	I	-0.3	0.6	-0.4	-2.5	
-1.7	5.8		J	-0.3	0.6	-0.4	-2.5	
-1.3	5.2							
		q4-5	I	-0.6	-13.1	8.5	56.9	
33.8	-90.8		J	-0.6	-13.1	8.5	56.9	
25.3	-77.7							
		q4-6	I	5.0	12.3	-7.9	-53.3	
-27.2	72.8		J	5.0	12.3	-7.9	-53.3	
-19.3	60.5							
		q4-7	I	10.5	184.4	-119.2	-800.2	
-443.0	1475.3		J	10.5	184.4	-119.2	-800.2	
-324.1	1291.4							
		q5 - p~1	I	21.5	-59.5	38.4	258.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
174.3	-497.6		J	21.5	-59.5	38.4	258.0	
135.9	-438.3							
-587.1	1837.8	q5 - p~2	I	17.7	241.2	-155.9	-1046.6	
-431.5	1597.2		J	17.7	241.2	-155.9	-1046.6	
159.3	-449.6	q5 - p~3	I	14.7	-56.0	36.2	243.1	
123.2	-393.7		J	14.7	-56.0	36.2	243.1	
-568.8	1652.3	q5 - p~4	I	17.5	228.8	-147.9	-992.5	
-421.3	1424.2		J	17.5	228.8	-147.9	-992.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-12.4	45.0	q7	I	-3.0	4.0	-2.6	-17.5	
-9.8	41.0		J	-3.0	4.0	-2.6	-17.5	
-7.4	28.3	T	I	-0.8	2.9	-1.9	-12.5	
-5.6	25.4		J	-0.8	2.9	-1.9	-12.5	
693.2	-1859.8	M. tor~1	I	-16.5	-270.8	175.1	1175.1	
518.6	-1589.6		J	-16.5	-270.8	175.1	1175.1	
409.9	-1099.5	M. tor~2	I	-9.8	-160.1	103.5	694.7	
306.6	-939.8		J	-9.8	-160.1	103.5	694.7	
2978.9	20713.1	INVSLU Max	I	-14634.4	484.3	321.7	2159.4	
2680.0	20666.8		J	-14267.2	484.3	321.7	2159.4	
-402.1	1923.7	Min	I	-17483.9	-497.7	-313.1	-2101.1	
-284.9	2099.4		J	-17116.7	-497.7	-313.1	-2101.1	
4471.6	20331.7	INVSLV Max	I	-9651.3	3034.1	3395.9	4738.7	1
1117.6	17472.5		J	-9379.3	3034.1	3395.9	4738.7	1
1512.7	-12359.6	Min	I	-12642.7	-3122.4	-3338.9	-4355.9	-1
8215.7	-9412.4		J	-12370.7	-3122.4	-3338.9	-4355.9	-

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

2143.9	15222.4	INVSLE Max	I	-10841.7	342.8	222.0	1490.1	
			J	-10569.7	342.8	222.0	1490.1	
1938.7	15203.9	Min	I	-12949.7	-343.5	-221.6	-1487.4	
-259.2	1571.5		J	-12677.7	-343.5	-221.6	-1487.4	
-182.6	1659.9							
1166	4	58 C1-C2;~1 Max	I	284.7	102.7	82.4	553.2	
81.1	8756.3		J	284.7	102.7	82.4	553.2	
44.3	8838.7	Min	I	-1789.4	-127.5	-66.4	-445.7	-
1371.3	-1364.7		J	-1789.4	-127.5	-66.4	-445.7	-
1362.0	-1466.1							
		C3-C4;~1 Max	I	292.0	104.0	84.1	564.2	
120.5	10200.3		J	292.0	104.0	84.1	564.2	
70.5	10284.5	Min	I	-1789.1	-130.0	-67.2	-451.1	-
1157.2	-1396.6		J	-1789.1	-130.0	-67.2	-451.1	-
1147.8	-1498.9							
		C1-C2;~2 Max	I	154.6	55.2	43.7	293.4	
39.2	4987.6		J	154.6	55.2	43.7	293.4	
20.8	5021.8	Min	I	-1065.6	-67.6	-35.7	-239.7	
-847.8	-746.3		J	-1065.6	-67.6	-35.7	-239.7	
-844.8	-800.9							
		C3-C4;~2 Max	I	159.1	56.0	44.5	298.7	
63.1	5924.2		J	159.1	56.0	44.5	298.7	
36.9	5959.2	Min	I	-1065.5	-68.8	-36.2	-243.2	
-710.1	-765.1		J	-1065.5	-68.8	-36.2	-243.2	
-707.1	-820.4							
		SLVx (RS)	I	497.0	-1272.0	2953.4	3457.3	
8949.2	-6333.3		J	497.0	-1272.0	2953.4	3457.3	
6013.5	-5138.3							
		SLVy (RS)	I	-493.8	2518.5	507.0	-2993.0	
1557.2	10524.0		J	-493.8	2518.5	507.0	-2993.0	
1064.7	8150.2							
		SLDx (RS)	I	-362.8	-971.7	2205.7	2597.8	
6678.8	-4814.5		J	-362.8	-971.7	2205.7	2597.8	
4485.4	-3900.4							
		SLDy (RS)	I	-357.7	1869.3	410.0	-2202.6	
1256.0	7780.4		J	-357.7	1869.3	410.0	-2202.6	
855.8	6011.6							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-834.4	3395.0	SLVz (RS)	I	1198.5	-140.2	-238.8	640.3
			J	1198.5	-140.2	-238.8	640.3
-662.9	3380.7						
		G1	I	-4333.7	-39.4	25.4	170.8
-797.8	7945.2		J	-3720.2	-39.4	25.4	170.8
-823.2	7984.6						
		G2	I	-561.5	-14.4	9.3	62.6
-306.7	3009.2		J	-561.5	-14.4	9.3	62.6
-316.0	3023.6						
		G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0
1955.7	-5181.3		J	-4494.5	7.4	-4.8	-32.0
1960.5	-5188.7						
		G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0
599.8	-1743.0		J	-1485.2	2.3	-1.5	-10.0
601.3	-1745.4						
		q3	I	-6.9	2.5	-1.6	-10.9
-9.4	50.6		J	-6.9	2.5	-1.6	-10.9
-7.8	48.1						
		q4-1	I	0.3	0.1	-0.1	-0.5
-0.1	-1.0		J	0.3	0.1	-0.1	-0.5
-0.0	-1.1						
		q4-2	I	0.4	0.5	-0.3	-2.0
-0.7	0.3		J	0.4	0.5	-0.3	-2.0
-0.4	-0.2						
		q4-3	I	0.3	1.1	-0.7	-4.7
-2.0	4.9		J	0.3	1.1	-0.7	-4.7
-1.3	3.8						
		q4-4	I	-0.3	0.6	-0.4	-2.5
-1.3	5.2		J	-0.3	0.6	-0.4	-2.5
-1.0	4.6						
		q4-5	I	-0.6	-13.1	8.5	56.9
25.3	-77.7		J	-0.6	-13.1	8.5	56.9
16.9	-64.6						
		q4-6	I	5.0	12.3	-7.9	-53.3
-19.3	60.5		J	5.0	12.3	-7.9	-53.3
-11.3	48.2						
		q4-7	I	10.5	184.4	-119.2	-800.2
-324.1	1291.4		J	10.5	184.4	-119.2	-800.2
-204.9	1107.0						
		q5 - p~1	I	21.5	-59.5	38.4	258.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
135.9	-438.3		J	21.5	-59.5	38.4	258.0	
97.5	-378.9							
-431.5	1597.2	q5 - p~2	I	17.7	241.2	-155.9	-1046.6	
-275.6	1356.0		J	17.7	241.2	-155.9	-1046.6	
123.2	-393.7	q5 - p~3	I	14.7	-56.0	36.2	243.1	
86.9	-337.7		J	14.7	-56.0	36.2	243.1	
-421.3	1424.2	q5 - p~4	I	17.5	228.8	-147.9	-992.5	
-273.5	1195.4		J	17.5	228.8	-147.9	-992.5	
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-9.8	41.0	q7	I	-3.0	4.0	-2.6	-17.5	
-7.2	37.0		J	-3.0	4.0	-2.6	-17.5	
-5.6	25.4	T	I	-0.8	2.9	-1.9	-12.5	
-3.7	22.6		J	-0.8	2.9	-1.9	-12.5	
518.6	-1589.6	M. tor~1	I	-16.5	-270.8	175.1	1175.1	
343.5	-1318.8		J	-16.5	-270.8	175.1	1175.1	
306.6	-939.8	M. tor~2	I	-9.8	-160.1	103.5	694.7	
203.1	-779.7		J	-9.8	-160.1	103.5	694.7	
2680.0	20666.8	INVSLU Max	I	-14267.2	484.3	321.7	2159.4	
2382.9	20620.9		J	-13438.9	484.3	321.7	2159.4	
-284.9	2099.4	Min	I	-17116.7	-497.7	-313.1	-2101.1	
-169.1	2240.0		J	-16288.5	-497.7	-313.1	-2101.1	
1117.6	17472.5	INVSLV Max	I	-9379.3	2898.0	3205.7	4738.7	1
7954.3	14780.1		J	-8765.8	2898.0	3205.7	4738.7	
8215.7	-9412.4	Min	I	-12370.7	-2986.3	-3148.6	-4355.9	-
5109.4	-6631.8		J	-11757.2	-2986.3	-3148.6	-4355.9	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

1938.7	15203.9	INVSLE Max	I	-10569.7	342.8	222.0	1490.1	
			J	-9956.2	342.8	222.0	1490.1	
1735.0	15185.8	Min	I	-12677.7	-343.5	-221.6	-1487.4	
-182.6	1659.9		J	-12064.2	-343.5	-221.6	-1487.4	
-107.1	1748.1							
1167	4	58 C1-C2;~1 Max	I	284.7	102.7	82.4	553.2	
44.3	8838.7		J	284.7	102.7	82.4	553.2	
55.2	8921.4	Min	I	-1789.4	-127.5	-66.4	-445.7	-
1362.0	-1466.1		J	-1789.4	-127.5	-66.4	-445.7	-
1375.9	-1567.8							
		C3-C4;~1 Max	I	292.0	104.0	84.1	564.2	
70.5	10284.5		J	292.0	104.0	84.1	564.2	
61.9	10369.1	Min	I	-1789.1	-130.0	-67.2	-451.1	-
1147.8	-1498.9		J	-1789.1	-130.0	-67.2	-451.1	-
1162.5	-1601.6							
		C1-C2;~2 Max	I	154.6	55.2	43.7	293.4	
20.8	5021.8		J	154.6	55.2	43.7	293.4	
28.1	5056.1	Min	I	-1065.6	-67.6	-35.7	-239.7	
-844.8	-800.9		J	-1065.6	-67.6	-35.7	-239.7	
-851.1	-855.5							
		C3-C4;~2 Max	I	159.1	56.0	44.5	298.7	
36.9	5959.2		J	159.1	56.0	44.5	298.7	
31.5	5994.3	Min	I	-1065.5	-68.8	-36.2	-243.2	
-707.1	-820.4		J	-1065.5	-68.8	-36.2	-243.2	
-713.8	-875.9							
		SLVx (RS)	I	497.0	-1224.9	2674.6	3457.3	
6013.5	-5138.3		J	497.0	-1224.9	2674.6	3457.3	
3367.3	-4026.4							
		SLVy (RS)	I	-493.8	2334.8	462.8	-2993.0	
1064.7	8150.2		J	-493.8	2334.8	462.8	-2993.0	
628.4	6028.2							
		SLDx (RS)	I	-362.8	-934.6	1997.1	2597.8	
4485.4	-3900.4		J	-362.8	-934.6	1997.1	2597.8	
2508.2	-3050.1							
		SLDy (RS)	I	-357.7	1732.8	373.8	-2202.6	
855.8	6011.6		J	-357.7	1732.8	373.8	-2202.6	
500.0	4427.3							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-662.9	3380.7	SLVz (RS)	I	1198.5	-137.1	-229.8	640.3
			J	1198.5	-137.1	-229.8	640.3
-537.6	3348.5						
		G1	I	-3720.2	-39.4	25.4	170.8
-823.2	7984.6		J	-3106.7	-39.4	25.4	170.8
-848.7	8024.0						
		G2	I	-561.5	-14.4	9.3	62.6
-316.0	3023.6		J	-561.5	-14.4	9.3	62.6
-325.4	3038.1						
		G1- Imp~1	I	-4494.5	7.4	-4.8	-32.0
1960.5	-5188.7		J	-4494.5	7.4	-4.8	-32.0
1965.2	-5196.1						
		G2- Imp~1	I	-1485.2	2.3	-1.5	-10.0
601.3	-1745.4		J	-1485.2	2.3	-1.5	-10.0
602.8	-1747.7						
		q3	I	-6.9	2.5	-1.6	-10.9
-7.8	48.1		J	-6.9	2.5	-1.6	-10.9
-6.2	45.6						
		q4-1	I	0.3	0.1	-0.1	-0.5
-0.0	-1.1		J	0.3	0.1	-0.1	-0.5
0.0	-1.3						
		q4-2	I	0.4	0.5	-0.3	-2.0
-0.4	-0.2		J	0.4	0.5	-0.3	-2.0
-0.1	-0.6						
		q4-3	I	0.3	1.1	-0.7	-4.7
-1.3	3.8		J	0.3	1.1	-0.7	-4.7
-0.6	2.8						
		q4-4	I	-0.3	0.6	-0.4	-2.5
-1.0	4.6		J	-0.3	0.6	-0.4	-2.5
-0.6	4.1						
		q4-5	I	-0.6	-13.1	8.5	56.9
16.9	-64.6		J	-0.6	-13.1	8.5	56.9
8.4	-51.5						
		q4-6	I	5.0	12.3	-7.9	-53.3
-11.3	48.2		J	5.0	12.3	-7.9	-53.3
-3.4	35.9						
		q4-7	I	10.5	184.4	-119.2	-800.2
-204.9	1107.0		J	10.5	184.4	-119.2	-800.2
-85.6	922.5						
		q5 - p~1	I	21.5	-59.5	38.4	258.0

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
97.5	-378.9		J	21.5	-59.5	38.4	258.0
59.0	-319.4						
-275.6	1356.0	q5 - p~2	I	17.7	241.2	-155.9	-1046.6
-119.6	1114.7		J	17.7	241.2	-155.9	-1046.6
86.9	-337.7	q5 - p~3	I	14.7	-56.0	36.2	243.1
50.7	-281.7		J	14.7	-56.0	36.2	243.1
-273.5	1195.4	q5 - p~4	I	17.5	228.8	-147.9	-992.5
-125.6	966.6		J	17.5	228.8	-147.9	-992.5
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-7.2	37.0	q7	I	-3.0	4.0	-2.6	-17.5
-4.6	32.9		J	-3.0	4.0	-2.6	-17.5
-3.7	22.6	T	I	-0.8	2.9	-1.9	-12.5
-1.9	19.7		J	-0.8	2.9	-1.9	-12.5
343.5	-1318.8	M. tor~1	I	-16.5	-270.8	175.1	1175.1
168.5	-1048.0		J	-16.5	-270.8	175.1	1175.1
203.1	-779.7	M. tor~2	I	-9.8	-160.1	103.5	694.7
99.6	-619.6		J	-9.8	-160.1	103.5	694.7
2382.9	20620.9	INVSLU Max	I	-13438.9	484.3	321.7	2159.4
2114.0	20575.4		J	-12610.7	484.3	321.7	2159.4
-169.1	2240.0	Min	I	-16288.5	-497.7	-313.1	-2101.1
-84.7	2380.2		J	-15460.3	-497.7	-313.1	-2101.1
7954.3	14780.1	INVSLV Max	I	-8765.8	2699.3	2910.9	4738.7
5111.0	12358.9		J	-8152.3	2699.3	2910.9	4738.7
5109.4	-6631.8	Min	I	-11757.2	-2787.6	-2853.9	-4355.9
2323.2	-4122.4		J	-11143.7	-2787.6	-2853.9	-4355.9

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		


1735.0	15185.8	INVSLE	Max	I	-9956.2	342.8	222.0	1490.1	
				J	-9342.7	342.8	222.0	1490.1	
1552.1	15168.0		Min	I	-12064.2	-343.5	-221.6	-1487.4	
-107.1	1748.1			J	-11450.7	-343.5	-221.6	-1487.4	
-54.9	1836.1								
1168	4	53	C1-C2;~1	Max	I	284.7	102.7	82.0	550.7
55.1	8921.5			J	284.7	102.7	82.0	550.7	
115.8	9004.0		Min	I	-1789.4	-127.2	-66.3	-445.2	-
1375.9	-1567.9			J	-1789.4	-127.2	-66.3	-445.2	-
1419.7	-1669.7								
			C3-C4;~1	Max	I	292.1	103.9	83.6	561.3
61.9	10369.2			J	292.1	103.9	83.6	561.3	
120.1	10453.6		Min	I	-1789.1	-129.8	-67.1	-450.5	-
1162.5	-1601.7			J	-1789.1	-129.8	-67.1	-450.5	-
1208.1	-1704.6								
			C1-C2;~2	Max	I	154.6	55.2	43.5	292.2
28.1	5056.2			J	154.6	55.2	43.5	292.2	
61.4	5090.3		Min	I	-1065.6	-67.5	-35.7	-239.4	
-851.1	-855.6			J	-1065.6	-67.5	-35.7	-239.4	
-869.3	-910.4								
			C3-C4;~2	Max	I	159.1	56.0	44.3	297.2
31.5	5994.4			J	159.1	56.0	44.3	297.2	
64.1	6029.4		Min	I	-1065.5	-68.7	-36.2	-242.9	
-713.8	-876.0			J	-1065.5	-68.7	-36.2	-242.9	
-732.7	-931.6								
			SLVx (RS)	I	497.3	-1135.2	2112.5	3458.5	
3367.3	-4025.4			J	497.3	-1135.2	2112.5	3458.5	
1338.6	-3062.9								
			SLVy (RS)	I	-493.9	1980.0	385.5	-2994.0	
628.5	6027.7			J	-493.9	1980.0	385.5	-2994.0	
-338.5	4350.5								
			SLDx (RS)	I	-363.1	-864.2	1576.8	2598.7	
2508.2	-3049.3			J	-363.1	-864.2	1576.8	2598.7	
991.2	-2313.5								
			SLDy (RS)	I	-357.7	1468.9	308.7	-2203.4	
500.0	4426.9			J	-357.7	1468.9	308.7	-2203.4	
-258.0	3170.7								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-537.6	3348.5	SLVz (RS)	I	1198.5	-137.2	-194.0	640.1
			J	1198.5	-137.2	-194.0	640.1
-483.7	3295.4						
		G1	I	-3106.7	-38.7	24.3	168.0
-848.7	8024.0		J	-1476.4	-39.1	24.9	168.0
-873.3	8062.9						
		G2	I	-561.5	-14.3	9.1	61.6
-325.4	3038.1		J	-561.5	-14.3	9.1	61.6
-334.5	3052.4						
		G1- Imp~1	I	-4494.5	8.3	-6.4	-30.5
1965.2	-5196.1		J	-4494.5	8.3	-6.4	-30.5
1971.6	-5204.4						
		G2- Imp~1	I	-1485.2	2.6	-2.0	-9.5
602.8	-1747.7		J	-1485.2	2.6	-2.0	-9.5
604.8	-1750.3						
		q3	I	-6.9	2.5	-1.6	-10.9
-6.2	45.6		J	-6.9	2.5	-1.6	-10.9
-4.5	43.1						
		q4-1	I	0.3	0.1	-0.1	-0.5
0.0	-1.3		J	0.3	0.1	-0.1	-0.5
0.1	-1.4						
		q4-2	I	0.4	0.5	-0.3	-2.0
-0.1	-0.6		J	0.4	0.5	-0.3	-2.0
0.2	-1.1						
		q4-3	I	0.3	1.1	-0.7	-4.7
-0.6	2.8		J	0.3	1.1	-0.7	-4.7
0.1	1.7						
		q4-4	I	-0.3	0.6	-0.4	-2.5
-0.6	4.1		J	-0.3	0.6	-0.4	-2.5
-0.2	3.5						
		q4-5	I	-0.6	-13.1	8.5	56.9
8.4	-51.4		J	-0.6	-13.1	8.5	56.9
-0.1	-38.3						
		q4-6	I	5.0	12.3	-7.9	-53.3
-3.4	35.9		J	5.0	12.3	-7.9	-53.3
4.5	23.6						
		q4-7	I	10.6	184.4	-119.2	-800.5
-85.8	922.2		J	10.6	184.4	-119.2	-800.5
33.5	737.7						
		q5 - p~1	I	21.4	-59.5	38.5	258.2

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
59.1	-319.3		J	21.4	-59.5	38.5	258.2
20.6	-259.8						
-119.9	1114.3	q5 - p~2	I	17.9	241.2	-155.9	-1047.0
36.1	873.0		J	17.9	241.2	-155.9	-1047.0
50.8	-281.6	q5 - p~3	I	14.7	-56.0	36.2	243.1
14.5	-225.5		J	14.7	-56.0	36.2	243.1
-125.8	966.3	q5 - p~4	I	17.6	228.8	-147.9	-992.9
22.2	737.4		J	17.6	228.8	-147.9	-992.9
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-4.6	32.9	q7	I	-3.0	4.0	-2.6	-17.5
-2.0	28.9		J	-3.0	4.0	-2.6	-17.5
-1.9	19.7	T	I	-0.8	2.9	-1.9	-12.5
0.0	16.8		J	-0.8	2.9	-1.9	-12.5
168.7	-1047.5	M. tor~1	I	-16.6	-270.8	175.1	1175.4
-6.4	-776.6		J	-16.6	-270.8	175.1	1175.4
99.7	-619.3	M. tor~2	I	-9.8	-160.1	103.5	694.9
-3.8	-459.1		J	-9.8	-160.1	103.5	694.9
2114.3	20575.3	INVSLU Max	I	-12610.7	487.0	316.6	2155.5
2042.4	20527.0		J	-10409.7	486.5	317.4	2155.5
-84.8	2380.4	Min	I	-15460.3	-494.8	-317.8	-2103.9
-101.4	2517.8		J	-13259.3	-495.3	-316.9	-2103.9
5111.1	12358.2	INVSLV Max	I	-8152.2	2319.6	2311.4	4738.3
2954.0	10418.6		J	-6521.8	2319.3	2312.0	4738.3
2323.1	-4121.5	Min	I	-11143.9	-2403.8	-2261.4	-4359.1
-216.6	-2097.3		J	-9513.5	-2404.1	-2260.8	-4359.1


MIDAS

PROJECT TITLE :


MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1552.3	15168.0	INVSLE Max	I	-9342.6	344.8	218.2	1487.2
			J	-7712.3	344.5	218.8	1487.2
1510.5	15148.1	Min	I	-11450.7	-341.3	-225.1	-1489.5
-54.9	1836.2		J	-9820.4	-341.6	-224.5	-1489.5
-72.7	1922.1						
1169.0	367.3	47 C1-C2;~1 Max	I	215.1	122.3	0.0	0.0
0.0	0.0		J	215.1	122.3	0.0	0.0
-0.0	-83.5	Min	I	-996.5	-151.8	-0.0	0.0
0.0	0.0		J	-996.5	-151.8	0.0	0.0
		C3-C4;~1 Max	I	225.2	123.8	0.0	0.0
0.0	68.1		J	225.2	123.8	0.0	0.0
0.0	0.0	Min	I	-1288.0	-154.8	-0.0	0.0
-0.0	-85.2		J	-1288.0	-154.8	0.0	0.0
0.0	0.0						
		C1-C2;~2 Max	I	117.4	65.8	0.0	0.0
0.0	36.2		J	117.4	65.8	0.0	0.0
0.0	0.0	Min	I	-538.9	-80.5	0.0	0.0
-0.0	-44.3		J	-538.9	-80.5	0.0	0.0
0.0	0.0						
		C3-C4;~2 Max	I	122.2	66.7	0.0	0.0
0.0	36.7		J	122.2	66.7	0.0	0.0
0.0	0.0	Min	I	-723.9	-82.0	0.0	0.0
-0.0	-45.1		J	-723.9	-82.0	0.0	0.0
0.0	0.0						
		SLVx (RS)	I	386.0	-968.8	0.0	0.0
0.0	-532.9		J	386.0	-968.8	0.0	0.0
0.0	0.0						
		SLVy (RS)	I	-319.1	875.1	0.0	0.0
0.0	481.3		J	-319.1	875.1	0.0	0.0
0.0	0.0						
		SLDx (RS)	I	290.7	-728.9	0.0	0.0
0.0	-400.9		J	290.7	-728.9	0.0	0.0
0.0	0.0						
		SLDy (RS)	I	-234.5	645.5	0.0	0.0
0.0	355.0		J	-234.5	645.5	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	-72.4	SLVz (RS)	I	240.1	-131.6	-0.0	0.0
0.0	0.0		J	240.1	-131.6	0.0	0.0
-0.0	-25.8	G1	I	-926.3	-46.9	0.0	0.0
0.0	0.0		J	-926.3	-46.9	0.0	0.0
0.0	-9.5	G2	I	-349.2	-17.2	0.0	0.0
0.0	0.0		J	-349.2	-17.2	0.0	0.0
0.0	4.8	G1 - Imp~1	I	-4.5	8.8	0.0	0.0
0.0	0.0		J	-4.5	8.8	0.0	0.0
0.0	1.5	G2 - Imp~1	I	-1.5	2.8	0.0	0.0
0.0	0.0		J	-1.5	2.8	0.0	0.0
0.0	1.6	q3	I	-5.1	3.0	0.0	0.0
0.0	0.0		J	-5.1	3.0	0.0	0.0
0.0	0.1	q4-1	I	0.2	0.1	0.0	0.0
0.0	0.0		J	0.2	0.1	0.0	0.0
0.0	0.3	q4-2	I	0.1	0.6	0.0	0.0
0.0	0.0		J	0.1	0.6	0.0	0.0
0.0	0.7	q4-3	I	-0.4	1.3	0.0	0.0
0.0	0.0		J	-0.4	1.3	0.0	0.0
0.0	0.4	q4-4	I	-0.5	0.7	0.0	0.0
0.0	0.0		J	-0.5	0.7	0.0	0.0
0.0	-8.6	q4-5	I	6.7	-15.6	0.0	0.0
0.0	0.0		J	6.7	-15.6	0.0	0.0
-0.0	8.0	q4-6	I	-6.1	14.6	0.0	0.0
0.0	0.0		J	-6.1	14.6	0.0	0.0
-0.0	120.8	q4-7	I	-137.5	219.6	-0.0	0.0
0.0	0.0		J	-137.5	219.6	0.0	0.0
		q5 - p~1	I	35.9	-70.8	0.0	0.0

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
0.0	-39.0		J	35.9	-70.8	0.0	0.0
0.0	0.0						
-0.0	158.0	q5 - p~2	I	-162.7	287.2	-0.0	0.0
0.0	0.0		J	-162.7	287.2	0.0	0.0
0.0	-36.7	q5 - p~3	I	32.7	-66.7	0.0	0.0
0.0	0.0		J	32.7	-66.7	0.0	0.0
-0.0	149.8	q5 - p~4	I	-135.6	272.4	-0.0	0.0
0.0	0.0		J	-135.6	272.4	0.0	0.0
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	2.6	q7	I	-4.0	4.8	0.0	0.0
0.0	0.0		J	-4.0	4.8	0.0	0.0
0.0	1.9	T	I	-2.8	3.4	0.0	0.0
0.0	0.0		J	-2.8	3.4	0.0	0.0
0.0	-177.4	M. tor~1	I	138.0	-322.5	0.0	0.0
0.0	0.0		J	138.0	-322.5	0.0	0.0
0.0	-104.9	M. tor~2	I	81.6	-190.7	0.0	0.0
0.0	0.0		J	81.6	-190.7	0.0	0.0
0.0	317.2	INVSLU Max	I	-1277.6	576.7	0.0	0.0
0.0	0.0		J	-1277.6	576.7	0.0	0.0
-0.0	-326.0	Min	I	-3617.2	-592.7	-0.0	0.0
0.0	0.0		J	-3617.2	-592.7	0.0	0.0
0.0	670.1	INVSLV Max	I	-727.8	1218.3	0.0	0.0
0.0	0.0		J	-727.8	1218.3	0.0	0.0
-0.0	-727.9	Min	I	-1835.2	-1323.4	-0.0	0.0
0.0	0.0		J	-1835.2	-1323.4	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

0.0	224.5	INVSLE Max	I	-957.1	408.2	0.0	0.0
0.0	0.0		J	-957.1	408.2	0.0	0.0
-0.0	-224.9	Min	I	-2668.7	-409.0	0.0	0.0
0.0	0.0		J	-2668.8	-409.0	0.0	0.0
1170	3	47 C1-C2;~1 Max	I	123.4	0.0	0.0	0.0
0.0	0.0		J	123.4	0.0	0.0	0.0
0.0	0.0	Min	I	-1250.4	0.0	-0.0	0.0
-0.0	-0.0		J	-1250.4	0.0	0.0	0.0
0.0	0.0	C3-C4;~1 Max	I	180.3	0.0	0.0	0.0
0.0	0.0		J	180.3	0.0	0.0	0.0
0.0	0.0	Min	I	-942.6	0.0	-0.0	0.0
-0.0	-0.0		J	-942.6	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	I	58.8	0.0	0.0	0.0
0.0	0.0		J	58.8	0.0	0.0	0.0
0.0	0.0	Min	I	-763.6	0.0	0.0	0.0
-0.0	-0.0		J	-763.6	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	I	91.3	0.0	0.0	0.0
0.0	0.0		J	91.3	0.0	0.0	0.0
0.0	0.0	Min	I	-564.8	0.0	0.0	0.0
-0.0	-0.0		J	-564.8	0.0	0.0	0.0
0.0	0.0	SLVx (RS)	I	-366.9	-0.0	0.0	0.0
0.0	-0.0		J	-366.9	0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	289.5	-0.0	0.0	0.0
0.0	-0.0		J	289.5	0.0	0.0	0.0
0.0	0.0	SLDx (RS)	I	-274.9	-0.0	0.0	0.0
0.0	-0.0		J	-274.9	0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	213.4	-0.0	0.0	0.0
0.0	-0.0		J	213.4	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
-0.0	0.0	SLVz (RS)	I	145.6	0.0	-0.0	0.0
0.0	0.0		J	145.6	0.0	0.0	0.0
-0.0	0.0	G1	I	-550.1	0.0	0.0	0.0
0.0	0.0		J	-550.1	0.0	0.0	0.0
-0.0	0.0	G2	I	-212.3	0.0	0.0	0.0
0.0	0.0		J	-212.3	0.0	0.0	0.0
0.0	-0.0	G1 - Imp~1	I	4.8	-0.0	0.0	0.0
0.0	0.0		J	4.8	0.0	0.0	0.0
0.0	-0.0	G2 - Imp~1	I	1.6	0.0	0.0	0.0
0.0	0.0		J	1.6	0.0	0.0	0.0
0.0	0.0	q3	I	-1.7	0.0	0.0	0.0
0.0	0.0		J	-1.7	0.0	0.0	0.0
0.0	0.0	q4-1	I	0.1	0.0	0.0	0.0
0.0	0.0		J	0.1	0.0	0.0	0.0
0.0	0.0	q4-2	I	0.3	0.0	0.0	0.0
0.0	0.0		J	0.3	0.0	0.0	0.0
0.0	0.0	q4-3	I	0.6	0.0	0.0	0.0
0.0	0.0		J	0.6	0.0	0.0	0.0
0.0	0.0	q4-4	I	0.2	0.0	0.0	0.0
0.0	0.0		J	0.2	0.0	0.0	0.0
0.0	0.0	q4-5	I	-7.3	0.0	0.0	0.0
0.0	0.0		J	-7.3	0.0	0.0	0.0
-0.0	0.0	q4-6	I	11.1	0.0	0.0	0.0
0.0	0.0		J	11.1	0.0	0.0	0.0
-0.0	0.0	q4-7	I	148.0	0.0	-0.0	0.0
0.0	0.0		J	148.0	0.0	0.0	0.0
		q5 - p~1	I	-14.5	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E	
0.0	-0.0		J	-14.5	0.0	0.0	0.0
0.0	0.0						
-0.0	0.0	q5 - p~2	I	180.4	0.0	-0.0	0.0
0.0	0.0		J	180.4	0.0	0.0	0.0
0.0	0.0						
0.0	-0.0	q5 - p~3	I	-18.0	0.0	0.0	0.0
0.0	0.0		J	-18.0	0.0	0.0	0.0
0.0	0.0						
-0.0	0.0	q5 - p~4	I	153.1	0.0	-0.0	0.0
0.0	0.0		J	153.1	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q5 - p~5	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q5 - p~6	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q7	I	1.0	0.0	0.0	0.0
0.0	0.0		J	1.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	T	I	2.0	0.0	0.0	0.0
0.0	0.0		J	2.0	0.0	0.0	0.0
0.0	0.0						
0.0	-0.0	M. tor~1	I	-154.5	-0.0	0.0	0.0
0.0	0.0		J	-154.5	0.0	0.0	0.0
0.0	0.0						
0.0	-0.0	M. tor~2	I	-91.4	0.0	0.0	0.0
0.0	0.0		J	-91.4	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	INVSLU Max	I	-533.6	0.0	0.0	0.0
0.0	0.0		J	-533.6	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	Min	I	-2872.5	-0.0	-0.0	0.0
0.0	0.0		J	-2872.5	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	INVSLV Max	I	-258.6	0.0	0.0	0.0
0.0	0.0		J	-258.6	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	Min	I	-1253.5	-0.0	-0.0	0.0
0.0	0.0		J	-1253.5	0.0	0.0	0.0

MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

0.0	0.0	INVSLE Max	I	-407.2	0.0	0.0	0.0
0.0	0.0		J	-407.2	0.0	0.0	0.0
-0.0	-0.0	Min	I	-2115.9	-0.0	0.0	0.0
0.0	0.0		J	-2115.9	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

BEAM ELEMENT FORCES & MOMENTS MIN/MAX SUMMARY BY PROPERTY PRINTOUT Unit System :
kN , m

* LENGTH : the length between two nodes

[SECTION NAME : el rigido , SECTION ID : 2 , SECTION SHAPE : SR]
[SECTION SIZE] D:3

** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
722 AXL	SLVz (RS)	1 I	1081.2	-56.2	-55.5	-115.0	84.6
663.2	2.15						
724 SHY	INVSLU	1 I	-8454.2	3276.1	2326.8	4622.3	8121.8
1366.4	2.15						
726 SHZ	INVSLV	1 I	-5726.2	1420.5	2758.9	4212.0	2287.4
4573.0	2.15						
724 TOR	INVSLV	1 I	-5793.2	2838.2	2238.4	13044.4	2426.8
408.3	2.15						
724 MTY	INVSLU	1 I	-8454.2	3276.1	2326.8	4622.3	8121.8
1366.4	2.15						
724 MTZ	INVSLU	1 J	-8454.2	3276.1	2326.8	4622.3	5154.3
7400.2	2.15						

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
725 AXL	INVSLU	1 I	-14004.4	-353.8	-2066.2	-1441.5	-8656.6
-3604.8	2.15						
724 SHY	INVSLU	1 I	-13908.9	-3278.4	-2356.3	-4560.4	-10342.6
-1740.0	2.15						
725 SHZ	INVSLV	1 I	-7937.9	-492.8	-2803.0	-2008.0	-6305.2
-2998.5	2.15						
724 TOR	INVSLV	1 I	-7884.8	-2839.4	-2259.4	-12976.6	-3269.6
-550.1	2.15						
724 MTY	INVSLU	1 I	-13908.9	-3278.4	-2356.3	-4560.4	-10342.6
-1740.0	2.15						
722 MTZ	INVSLU	1 I	-13645.3	-501.8	-495.0	-1026.0	-1417.7
-11112.9	2.15						

[SECTION NAME : el rigido , SECTION ID : 4 , SECTION SHAPE : SR]
[SECTION SIZE] D:3

** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
1024 AXL	INVSLV	1 J	2715.2	836.7	-1858.0	0.0	11740.3
2067.1	2.40						
1022 SHY	INVSLV	1 I	2247.7	4001.3	4107.1	2193.6	1247.8
0.0	2.40						
1013 SHZ	INVSLU	1 I	0.0	0.0	8824.4	0.0	21178.6
0.0	2.40						
1040 TOR	INVSLV	1 I	533.4	803.2	-1520.4	4438.2	-1168.8
680.1	0.80						
1013 MTY	INVSLU	1 I	0.0	0.0	8824.4	0.0	21178.6

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

```

0.0      2.40
1020 MTZ INVSLV      1   J      2268.5      3987.7      -2553.8      0.0      9857.1
9601.7    2.40
    
```

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
1042 AXL	INVSLU	1	I	-2721.6	0.0	0.0	0.0
0.0	0.50						0.0
1020 SHY	INVSLV	1	I	-2247.6	-4000.7	-4107.1	-0.0
-0.0	2.40						-0.0
1015 SHZ	INVSLU	1	I	-0.0	-0.0	-8824.4	-0.0
-0.0	2.40						-21178.6
1040 TOR	INVSLU	1	I	-416.8	-504.4	-5263.9	-5529.1
-531.5	0.80						-4258.8
1015 MTY	INVSLU	1	I	-0.0	-0.0	-8824.4	-0.0
-0.0	2.40						-21178.6
1022 MTZ	INVSLV	1	J	-2268.6	-3988.3	2553.8	-2200.7
-9603.0	2.40						-10805.2

[SECTION NAME : pila 540b , SECTION ID : 38 , SECTION SHAPE : B]
[SECTION SIZE] H:2.7 B:5.4 tw:0.7 tf1:0.4 C:0 tf2:0

** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
628 AXL	SLVz (RS)	1	I	888.5	304.6	-239.3	-452.3
3180.1	0.70						-1977.8
610 SHY	INVSLV	1	I	-9150.6	2950.3	1400.5	2067.2
55579.9	1.00						20955.7
628 SHZ	INVSLV	1	I	-7590.2	2672.6	1998.3	4212.0
29690.3	0.70						17796.0
628 TOR	INVSLV	1	I	-7590.2	2672.6	1998.3	4212.0
29690.3	0.70						17796.0
610 MTY	INVSLV	1	I	-9150.6	2950.3	1400.5	2067.2
55579.9	1.00						20955.7
610 MTZ	INVSLV	1	I	-9150.6	2950.3	1400.5	2067.2
55579.9	1.00						20955.7

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
610 AXL	INVSLU	1	I	-18446.9	-2001.5	-600.6	-1441.5
-41924.7	1.00						-10510.8
610 SHY	INVSLV	1	I	-11228.7	-3028.0	-1375.8	-2008.0
-57655.2	1.00						-20524.4
628 SHZ	INVSLV	1	I	-9860.2	-2519.9	-2111.0	-4482.5
-27876.4	0.70						-18838.4
628 TOR	INVSLV	1	I	-9860.2	-2519.9	-2111.0	-4482.5
-27876.4	0.70						-18838.4
610 MTY	INVSLV	1	I	-11228.7	-3028.0	-1375.8	-2008.0
-57655.2	1.00						-20524.4
610 MTZ	INVSLV	1	I	-11228.7	-3028.0	-1375.8	-2008.0
-57655.2	1.00						-20524.4

[SECTION NAME : pila 620 (I/4) , SECTION ID : 39 , SECTION SHAPE : B]

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

[SECTION SIZE] H:3.5 B:6.2 tw:0.56 tf1:0.4 C:0 tf2:0

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
715	AXL	SLVz (RS)	1	I	1081.2	-127.6	64.3	-115.0	-393.1
-1161.1		0.65							
709	SHY	INVSLV	1	I	-10478.0	2028.8	1500.9	911.2	33952.9
56000.3		1.00							
709	SHZ	INVSLV	1	I	-10478.0	2028.8	1500.9	911.2	33952.9
56000.3		1.00							
715	TOR	INVSLV	1	I	-11969.9	1658.3	1245.3	1372.0	25636.5
37295.4		0.65							
709	MTY	INVSLV	1	I	-10478.0	2028.8	1500.9	911.2	33952.9
56000.3		1.00							
709	MTZ	INVSLV	1	I	-10478.0	2028.8	1500.9	911.2	33952.9
56000.3		1.00							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
715	AXL	INVSLU	1	I	-22296.7	-560.4	-427.6	-1026.1	-14600.9
-25374.3		0.65							
709	SHY	INVSLV	1	I	-12016.9	-2082.0	-1538.7	-959.5	-35223.8
-58423.2		1.00							
709	SHZ	INVSLV	1	I	-12016.9	-2082.0	-1538.7	-959.5	-35223.8
-58423.2		1.00							
715	TOR	INVSLV	1	I	-14506.2	-1569.1	-1177.1	-1208.6	-23310.5
-39585.8		0.65							
709	MTY	INVSLV	1	I	-12016.9	-2082.0	-1538.7	-959.5	-35223.8
-58423.2		1.00							
709	MTZ	INVSLV	1	I	-12016.9	-2082.0	-1538.7	-959.5	-35223.8
-58423.2		1.00							

[SECTION NAME : pila 540b (I/3) , SECTION ID : 40 , SECTION SHAPE : B]

[SECTION SIZE] H:2.7 B:5.4 tw:0.7 tf1:0.4 C:0 tf2:0

** MAX


ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
600	AXL	SLVx (RS)	1	I	762.7	-2354.3	-491.1	-7462.9	-8141.3
-40133.1		1.00							
600	SHY	INVSLV	1	I	-9105.6	2626.6	2990.3	13044.4	50773.9
44061.2		1.00							
600	SHZ	INVSLU	1	I	-12925.9	2353.4	3358.5	4622.4	58941.2
48044.9		1.00							
600	TOR	INVSLV	1	I	-9105.6	2626.6	2990.3	13044.4	50773.9
44061.2		1.00							
600	MTY	INVSLU	1	I	-12925.9	2353.4	3358.5	4622.4	58941.2
48044.9		1.00							
600	MTZ	INVSLU	1	I	-12925.9	2353.4	3358.5	4622.4	58941.2
48044.9		1.00							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

```

-----
  600 AXL   INVSLU      1   I   -18380.7   -2382.9   -3361.8   -4560.4   -58999.7
-50283.4   1.00
  600 SHY   INVSLV      1   I   -11197.2   -2647.5   -2992.6   -12976.6   -50814.4
-45282.7   1.00
  600 SHZ   INVSLU      1   I   -18380.7   -2382.9   -3361.8   -4560.4   -58999.7
-50283.4   1.00
  600 TOR   INVSLV      1   I   -11197.2   -2647.5   -2992.6   -12976.6   -50814.4
-45282.7   1.00
  600 MTY   INVSLU      1   I   -18380.7   -2382.9   -3361.8   -4560.4   -58999.7
-50283.4   1.00
  600 MTZ   INVSLU      1   I   -18380.7   -2382.9   -3361.8   -4560.4   -58999.7
-50283.4   1.00
  
```

[SECTION NAME : pila 560 , SECTION ID : 41 , SECTION SHAPE : B]
 [SECTION SIZE] H:2.9 B:5.6 tw:0.66 tf1:0.4 C:0 tf2:0
 ** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z		LENGTH							
674	AXL	SLVz (RS)	1	I	772.8	243.0	-194.5	-137.9	-2286.2
3919.6		1.00							
674	SHY	INVSLV	1	I	-9331.9	2951.4	1402.2	2067.2	22327.5
58505.2		1.00							
674	SHZ	INVSLV	1	I	-9331.9	2951.4	1402.2	2067.2	22327.5
58505.2		1.00							
674	TOR	INVSLV	1	I	-9331.9	2951.4	1402.2	2067.2	22327.5
58505.2		1.00							
674	MTY	INVSLV	1	I	-9331.9	2951.4	1402.2	2067.2	22327.5
58505.2		1.00							
674	MTZ	INVSLV	1	I	-9331.9	2951.4	1402.2	2067.2	22327.5
58505.2		1.00							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z		LENGTH							
674	AXL	INVSLU	1	I	-18691.7	-2001.5	-600.6	-1441.5	-11111.4
-43867.4		1.00							
674	SHY	INVSLV	1	I	-11410.0	-3029.1	-1377.6	-2008.0	-21871.5
-60658.1		1.00							
674	SHZ	INVSLV	1	I	-11410.0	-3029.1	-1377.6	-2008.0	-21871.5
-60658.1		1.00							
674	TOR	INVSLV	1	I	-11410.0	-3029.1	-1377.6	-2008.0	-21871.5
-60658.1		1.00							
674	MTY	INVSLV	1	I	-11410.0	-3029.1	-1377.6	-2008.0	-21871.5
-60658.1		1.00							
674	MTZ	INVSLV	1	I	-11410.0	-3029.1	-1377.6	-2008.0	-21871.5
-60658.1		1.00							

[SECTION NAME : pila 580 (I/4) , SECTION ID : 42 , SECTION SHAPE : B]
 [SECTION SIZE] H:3.1 B:5.8 tw:0.62 tf1:0.4 C:0 tf2:0
 ** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z		LENGTH							
693	AXL	SLVz (RS)	1	I	1081.2	-106.5	-41.6	-115.0	-176.5
-619.3		1.00							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

700 SHY	INVSLV	1	I	-10776.9	2034.8	1376.8	1286.1	26169.5
46216.5	0.75							
700 SHZ	INVSLV	1	I	-10776.9	2034.8	1376.8	1286.1	26169.5
46216.5	0.75							
1104 TOR	INVSLU	1	I	-14999.2	1971.5	655.1	1572.2	16704.1
54880.9	1.00							
700 MTY	INVSLV	1	I	-10776.9	2034.8	1376.8	1286.1	26169.5
46216.5	0.75							
700 MTZ	INVSLU	1	I	-15188.9	1971.5	655.1	1572.2	17195.4
56339.0	0.75							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
693	AXL	INVSLU	1	I	-20812.6	-560.4	-427.6	-1026.1	-12185.2
-22441.8	1.00								
700	SHY	INVSLV	1	I	-12819.1	-2069.7	-1388.4	-1314.0	-26474.0
-48693.6	0.75								
689	SHZ	INVSLV	1	I	-10448.5	-1997.5	-1402.9	-959.5	-24823.5
-42835.9	1.00								
1104	TOR	INVSLU	1	I	-20403.9	-2018.8	-670.8	-1609.9	-17104.7
-58928.3	1.00								
700	MTY	INVSLV	1	I	-12819.1	-2069.7	-1388.4	-1314.0	-26474.0
-48693.6	0.75								
700	MTZ	INVSLU	1	I	-20593.5	-2018.8	-670.8	-1609.9	-17607.8
-60410.4	0.75								

[SECTION NAME : pila 600 (I/4) , SECTION ID : 43 , SECTION SHAPE : B]
 [SECTION SIZE] H:3.3 B:6 tw:0.58 tf1:0.4 C:0 tf2:0

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
705	AXL	SLVz (RS)	1	I	1081.2	-125.7	62.0	-115.0	-306.1
-980.0	1.00								
701	SHY	INVSLV	1	I	-9679.6	2003.5	1456.7	911.2	28722.6
48250.3	1.00								
701	SHZ	INVSLV	1	I	-9679.6	2003.5	1456.7	911.2	28722.6
48250.3	1.00								
705	TOR	INVSLV	1	I	-11640.5	1655.4	1240.5	1372.0	23836.8
34730.2	1.00								
701	MTY	INVSLV	1	I	-9679.6	2003.5	1456.7	911.2	28722.6
48250.3	1.00								
701	MTZ	INVSLV	1	I	-9679.6	2003.5	1456.7	911.2	28722.6
48250.3	1.00								

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
705	AXL	INVSLU	1	I	-21852.1	-560.4	-427.6	-1026.1	-13895.4
-24515.9	1.00								
701	SHY	INVSLV	1	I	-11218.5	-2056.7	-1494.5	-959.5	-29842.1
-50460.3	1.00								
701	SHZ	INVSLV	1	I	-11218.5	-2056.7	-1494.5	-959.5	-29842.1
-50460.3	1.00								
705	TOR	INVSLV	1	I	-14176.9	-1566.1	-1172.4	-1208.6	-21623.3
-37167.9	1.00								

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

701 MTY	INVSLV	1	I	-11218.5	-2056.7	-1494.5	-959.5	-29842.1
-50460.3	1.00							
701 MTZ	INVSLV	1	I	-11218.5	-2056.7	-1494.5	-959.5	-29842.1
-50460.3	1.00							

[SECTION NAME : pila 640 (I/4) , SECTION ID : 44 , SECTION SHAPE : B]
 [SECTION SIZE] H:3.7 B:6.4 tw:0.55 tf1:0.4 C:0 tf2:0

** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH							
719 AXL	SLVz (RS)	1	I	626.5	235.9	-484.7	110.6	-5005.8
1608.4	0.50							
719 SHY	INVSLV	1	I	-10789.6	2030.5	1503.9	911.2	35979.0
58949.5	0.50							
719 SHZ	INVSLV	1	I	-10789.6	2030.5	1503.9	911.2	35979.0
58949.5	0.50							
719 TOR	INVSLV	1	I	-10789.6	2030.5	1503.9	911.2	35979.0
58949.5	0.50							
719 MTY	INVSLV	1	I	-10789.6	2030.5	1503.9	911.2	35979.0
58949.5	0.50							
719 MTZ	INVSLV	1	I	-10789.6	2030.5	1503.9	911.2	35979.0
58949.5	0.50							

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH							
719 AXL	INVSLU	1	I	-18052.1	-586.0	-416.8	-531.5	-15205.7
-25311.5	0.50							
719 SHY	INVSLV	1	I	-12328.5	-2083.8	-1541.8	-959.5	-37306.6
-61452.2	0.50							
719 SHZ	INVSLV	1	I	-12328.5	-2083.8	-1541.8	-959.5	-37306.6
-61452.2	0.50							
719 TOR	INVSLV	1	I	-12328.5	-2083.8	-1541.8	-959.5	-37306.6
-61452.2	0.50							
719 MTY	INVSLV	1	I	-12328.5	-2083.8	-1541.8	-959.5	-37306.6
-61452.2	0.50							
719 MTZ	INVSLV	1	I	-12328.5	-2083.8	-1541.8	-959.5	-37306.6
-61452.2	0.50							


[SECTION NAME : pila 540b (I/4) , SECTION ID : 45 , SECTION SHAPE : B]
 [SECTION SIZE] H:2.7 B:5.4 tw:0.7 tf1:0.4 C:0 tf2:0

** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH							
531 AXL	SLVz (RS)	1	I	1081.2	-38.6	23.8	-115.0	110.4
701.1	1.00							
590 SHY	INVSLU	1	I	-13033.1	1971.5	655.1	1572.2	11463.6
39414.2	1.00							
590 SHZ	INVSLV	1	I	-9180.0	1962.6	1229.1	1286.1	15644.8
29149.0	1.00							
591 TOR	INVSLU	1	I	-12797.5	1971.5	655.1	1572.2	10808.6
37493.6	1.00							
590 MTY	INVSLV	1	I	-9180.0	1962.6	1229.1	1286.1	15644.8
29149.0	1.00							
590 MTZ	INVSLU	1	I	-13033.1	1971.5	655.1	1572.2	11463.6

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

39414.2 1.00

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
590	AXL	INVSLU	1	I	-18437.8	-2018.8	-670.8	-1609.9	-11738.5
-43144.6	1.00								
590	SHY	INVSLU	1	I	-18437.8	-2018.8	-670.8	-1609.9	-11738.5
-43144.6	1.00								
590	SHZ	INVSLV	1	I	-11222.2	-1997.5	-1240.7	-1314.0	-15847.8
-31320.7	1.00								
591	TOR	INVSLU	1	I	-18202.2	-2018.8	-670.8	-1609.9	-11067.8
-41176.7	1.00								
590	MTY	INVSLV	1	I	-11222.2	-1997.5	-1240.7	-1314.0	-15847.8
-31320.7	1.00								
590	MTZ	INVSLU	1	I	-18437.8	-2018.8	-670.8	-1609.9	-11738.5
-43144.6	1.00								

[SECTION NAME : pila 560 (I/3) , SECTION ID : 46 , SECTION SHAPE : B]
 [SECTION SIZE] H:2.9 B:5.6 tw:0.66 tfl:0.4 C:0 tf2:0

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
662	AXL	SLVx(RS)	1	I	762.7	-2374.2	-495.5	-7462.9	-10821.6
-52982.7	0.50								
662	SHY	INVSLV	1	I	-10102.7	2656.5	3020.7	13044.4	67108.4
58363.6	0.50								
662	SHZ	INVSLU	1	I	-14272.1	2353.4	3358.5	4622.4	77412.8
60679.0	0.50								
662	TOR	INVSLV	1	I	-10102.7	2656.5	3020.7	13044.4	67108.4
58363.6	0.50								
662	MTY	INVSLU	1	I	-14272.1	2353.4	3358.5	4622.4	77412.8
60679.0	0.50								
662	MTZ	INVSLU	1	I	-14272.1	2353.4	3358.5	4622.4	77412.8
60679.0	0.50								

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
662	AXL	INVSLU	1	I	-19726.8	-2382.9	-3361.8	-4560.4	-77489.7
-63061.4	0.50								
662	SHY	INVSLV	1	I	-12194.3	-2677.4	-3023.0	-12976.6	-67161.5
-59700.1	0.50								
662	SHZ	INVSLU	1	I	-19726.8	-2382.9	-3361.8	-4560.4	-77489.7
-63061.4	0.50								
662	TOR	INVSLV	1	I	-12194.3	-2677.4	-3023.0	-12976.6	-67161.5
-59700.1	0.50								
662	MTY	INVSLU	1	I	-19726.8	-2382.9	-3361.8	-4560.4	-77489.7
-63061.4	0.50								
662	MTZ	INVSLU	1	I	-19726.8	-2382.9	-3361.8	-4560.4	-77489.7
-63061.4	0.50								

[SECTION NAME : appoggi , SECTION ID : 47 , SECTION SHAPE : SR]
 [SECTION SIZE] D:3

** MAX

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
1148	AXL	SLVx (RS)	1	J	1273.3	-2488.7	0.0	0.0
0.0	0.55							
1150	SHY	INVSLV	1	I	-2246.0	3145.9	0.0	0.0
1730.2	0.55							
1146	SHZ	INVSLV	1	I	-2553.8	2247.7	4001.3	2200.7
1236.3	0.55							
1146	TOR	INVSLV	1	I	-2553.8	2247.7	4001.3	2200.7
1236.3	0.55							
1146	MTY	INVSLV	1	I	-2553.8	2247.7	4001.3	2200.7
1236.3	0.55							
1150	MTZ	INVSLV	1	I	-2246.0	3145.9	0.0	0.0
1730.2	0.55							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
1143	AXL	INVSLU	1	J	-8824.4	0.0	0.0	0.0
0.0	0.55							
1150	SHY	INVSLV	1	I	-4698.7	-2956.1	-0.0	-0.0
-1625.8	0.55							
1146	SHZ	INVSLV	1	I	-4107.1	-2268.6	-3988.3	-2193.6
-1247.8	0.55							
1146	TOR	INVSLV	1	I	-2553.8	2247.7	4001.3	2200.7
1236.3	0.55							
1146	MTY	INVSLV	1	I	-4107.1	-2268.6	-3988.3	-2193.6
-1247.8	0.55							
1150	MTZ	INVSLV	1	I	-4698.7	-2956.1	-0.0	-0.0
-1625.8	0.55							

[SECTION NAME : pila 590a , SECTION ID : 48 , SECTION SHAPE : B]
 [SECTION SIZE] H:2.7 B:5.9 tw:1.06 tf1:0.4 C:0 tf2:0

** MAX


ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
560	AXL	SLVz (RS)	1	I	888.5	282.3	-210.4	-687.3
1515.7	1.00							
553	SHY	INVSLV	1	I	-6707.6	2754.0	1045.2	3308.6
15619.5	1.00							
560	SHZ	INVSLV	1	I	-6595.6	2624.8	1914.6	6541.1
14559.9	1.00							
560	TOR	INVSLV	1	I	-6595.6	2624.8	1914.6	6541.1
14559.9	1.00							
560	MTY	INVSLV	1	I	-6595.6	2624.8	1914.6	6541.1
14559.9	1.00							
553	MTZ	INVSLV	1	I	-6707.6	2754.0	1045.2	3308.6
15619.5	1.00							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
553	AXL	INVSLU	1	I	-15148.9	-2001.5	-600.6	-2102.2

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

-15104.6	1.00								
553 SHY	INVSLV	1	I	-8785.7	-2831.7	-1020.6	-2008.0	-3222.3	
-16606.9	1.00								
560 SHZ	INVSLV	1	I	-8865.6	-2472.1	-2027.3	-4482.5	-6941.2	
-13616.7	1.00								
560 TOR	INVSLV	1	I	-8865.6	-2472.1	-2027.3	-4482.5	-6941.2	
-13616.7	1.00								
560 MTY	INVSLV	1	I	-8865.6	-2472.1	-2027.3	-4482.5	-6941.2	
-13616.7	1.00								
553 MTZ	INVSLV	1	I	-8785.7	-2831.7	-1020.6	-2008.0	-3222.3	
-16606.9	1.00								

[SECTION NAME : pulvino 640x270 , SECTION ID : 49 , SECTION SHAPE : SB]

[SECTION SIZE] H:2.7 B:6.4

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
562	AXL	SLVz (RS)	1	I	888.5	261.3	-188.5	-452.3	-290.8
973.2	1.00								
555	SHY	INVSLV	1	I	-6270.2	2671.6	895.7	2067.2	1320.0
10255.5	0.95								
562	SHZ	INVSLV	1	I	-6158.2	2560.5	1802.2	4212.0	2766.3
9359.2	1.00								
562	TOR	INVSLV	1	I	-6158.2	2560.5	1802.2	4212.0	2766.3
9359.2	1.00								
562	MTY	INVSLV	1	I	-6158.2	2560.5	1802.2	4212.0	2766.3
9359.2	1.00								
555	MTZ	INVSLV	1	I	-6270.2	2671.6	895.7	2067.2	1320.0
10255.5	0.95								

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
555	AXL	INVSLU	1	I	-14558.4	-2001.5	-600.6	-1441.5	-900.9
-11687.9	0.95								
555	SHY	INVSLV	1	I	-8348.3	-2749.3	-871.0	-2008.0	-1283.0
-11087.5	0.95								
562	SHZ	INVSLV	1	I	-8428.2	-2407.8	-1914.9	-4482.5	-2941.0
-8721.5	1.00								
562	TOR	INVSLV	1	I	-8428.2	-2407.8	-1914.9	-4482.5	-2941.0
-8721.5	1.00								
562	MTY	INVSLV	1	I	-8428.2	-2407.8	-1914.9	-4482.5	-2941.0
-8721.5	1.00								
555	MTZ	INVSLU	1	I	-14558.4	-2001.5	-600.6	-1441.5	-900.9
-11687.9	0.95								

[SECTION NAME : pulvino 640x350 (I/4) , SECTION ID : 50 , SECTION SHAPE : SB]

[SECTION SIZE] H:3.5 B:6.4

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
527	AXL	SLVz (RS)	1	I	626.5	132.3	241.8	110.6	257.1
387.5	1.00								
527	SHY	INVSLV	1	I	-3892.9	1133.9	732.1	911.2	1169.2
3708.5	1.00								

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

527 SHZ	INVSLV	1	I	-3892.9	1133.9	732.1	911.2	1169.2
3708.5	1.00							
527 TOR	INVSLV	1	I	-3892.9	1133.9	732.1	911.2	1169.2
3708.5	1.00							
527 MTY	INVSLU	1	I	-5860.6	504.4	358.7	457.4	2262.6
4202.8	1.00							
527 MTZ	INVSLU	1	I	-5860.6	504.4	358.7	457.4	2262.6
4202.8	1.00							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
527 AXL	INVSLU	1	I	-8741.5	-586.0	-416.8	-531.5	-645.9
-5882.9	1.00							
527 SHY	INVSLV	1	I	-5431.8	-1187.1	-770.0	-959.5	-1115.3
-4268.6	1.00							
527 SHZ	INVSLV	1	I	-5431.8	-1187.1	-770.0	-959.5	-1115.3
-4268.6	1.00							
527 TOR	INVSLV	1	I	-5431.8	-1187.1	-770.0	-959.5	-1115.3
-4268.6	1.00							
527 MTY	G1-imp~1	1	J	-1476.1	8.3	5.9	7.5	-1177.5
11.3	1.00							
527 MTZ	INVSLU	1	I	-8741.5	-586.0	-416.8	-531.5	-645.9
-5882.9	1.00							

[SECTION NAME : pila 590b (I/4) , SECTION ID : 51 , SECTION SHAPE : B]

[SECTION SIZE] H:3.1 B:5.9 tw:1.06 tf1:0.6 C:0 tf2:0

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
525 AXL	SLVz (RS)	1	I	626.5	-116.9	263.1	110.6	662.9
575.5	1.00							
525 SHY	INVSLV	1	I	-4448.3	1295.9	827.9	911.2	2718.1
3658.2	1.00							
525 SHZ	INVSLV	1	I	-4448.3	1295.9	827.9	911.2	2718.1
3658.2	1.00							
525 TOR	INVSLV	1	I	-4448.3	1295.9	827.9	911.2	2718.1
3658.2	1.00							
525 MTY	INVSLV	1	I	-4448.3	1295.9	827.9	911.2	2718.1
3658.2	1.00							
525 MTZ	INVSLU	1	I	-6610.4	504.4	358.7	457.4	2626.0
4701.4	1.00							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
525 AXL	INVSLU	1	I	-9491.3	-586.0	-416.8	-531.5	-1401.2
-6591.8	1.00							
525 SHY	INVSLV	1	I	-5987.2	-1349.1	-865.7	-959.5	-2740.0
-4324.8	1.00							
525 SHZ	INVSLV	1	I	-5987.2	-1349.1	-865.7	-959.5	-2740.0
-4324.8	1.00							
525 TOR	INVSLV	1	I	-5987.2	-1349.1	-865.7	-959.5	-2740.0
-4324.8	1.00							
525 MTY	INVSLV	1	I	-5987.2	-1349.1	-865.7	-959.5	-2740.0
-4324.8	1.00							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

525 MTZ INVSLU 1 I -9491.3 -586.0 -416.8 -531.5 -1401.2
-6591.8 1.00

[SECTION NAME : sez. mista , SECTION ID : 52]

** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
865 AXL	INVSLV	1 J	2166.3	1690.4	3682.5	1830.5	-16237.7
21024.7	1.00						
867 SHY	INVSLV	1 I	2051.3	1910.9	3831.1	5659.1	-19089.9
21647.1	0.89						
917 SHZ	INVSLU	1 J	1438.0	950.7	7697.7	4718.0	-33255.0
8358.1	0.75						
867 TOR	INVSLU	1 J	1938.4	1306.6	7667.6	11126.4	-29717.6
12133.7	0.89						
843 MTY	INVSLU	1 I	1678.1	139.7	1306.3	2097.2	42413.9
7651.4	1.00						
789 MTZ	INVSLV	1 J	1760.5	824.3	-128.1	3246.3	17440.7
35959.3	1.00						

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
918 AXL	INVSLV	1 I	-2342.1	-1337.4	-4016.4	-1535.2	-35000.8
-20137.0	1.00						
867 SHY	INVSLV	1 I	-2024.1	-1923.9	2756.2	-184.0	-32682.2
-21060.4	0.89						
818 SHZ	INVSLU	1 I	-1311.3	-886.5	-7714.9	-5199.9	-63504.0
-5962.3	1.00						
817 TOR	INVSLU	1 J	-1761.7	-1059.7	4324.7	-7885.5	-63803.5
-7603.0	1.01						
868 MTY	INVSLU	1 I	-1605.1	-1145.5	-7669.2	-5619.4	-65011.6
-9819.3	1.01						
789 MTZ	INVSLV	1 I	-1698.1	-864.3	-759.2	-1907.7	10103.5
-37262.5	1.00						

[SECTION NAME : Pulvino BP3 410 x 1590 , SECTION ID : 53 , SECTION SHAPE : SB]


[SECTION SIZE] H:4.1 B:15.9

** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
1168 AXL	SLVz (RS)	1 I	1198.5	-137.2	-194.0	640.1	-537.6
3348.5	1.00						
1168 SHY	INVSLV	1 I	-8152.2	2319.6	2311.4	4738.3	5111.1
12358.2	1.00						
1168 SHZ	INVSLV	1 J	-6521.8	2319.3	2312.0	4738.3	2954.0
10418.6	1.00						
1168 TOR	INVSLV	1 I	-8152.2	2319.6	2311.4	4738.3	5111.1
12358.2	1.00						
1168 MTY	INVSLV	1 I	-8152.2	2319.6	2311.4	4738.3	5111.1
12358.2	1.00						
1168 MTZ	INVSLU	1 I	-12610.7	487.0	316.6	2155.5	2114.3
20575.3	1.00						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
1168	AXL	INVSLU	1	I	-15460.3	-494.8	-317.8	-2103.9	-84.8
2380.4		1.00							
1168	SHY	INVSLV	1	J	-9513.5	-2404.1	-2260.8	-4359.1	-216.6
-2097.3		1.00							
1168	SHZ	INVSLV	1	I	-11143.9	-2403.8	-2261.4	-4359.1	-2323.1
-4121.5		1.00							
1168	TOR	INVSLV	1	J	-9513.5	-2404.1	-2260.8	-4359.1	-216.6
-2097.3		1.00							
1168	MTY	INVSLV	1	I	-11143.9	-2403.8	-2261.4	-4359.1	-2323.1
-4121.5		1.00							
1168	MTZ	G1-Imp~1	1	J	-4494.5	8.3	-6.4	-30.5	1971.6
-5204.4		1.00							

[SECTION NAME : pulvino 640x270 (I/3) , SECTION ID : 54 , SECTION SHAPE : SB]
 [SECTION SIZE] H:2.7 B:6.4

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
548	AXL	SLVx(RS)	1	I	762.7	-2059.7	-438.2	-7462.9	-676.7
-4873.2		1.00							
548	SHY	INVSLU	1	I	-9037.4	2353.4	3358.5	4622.4	5205.6
11313.6		1.00							
548	SHZ	INVSLU	1	I	-9037.4	2353.4	3358.5	4622.4	5205.6
11313.6		1.00							
548	TOR	INVSLV	1	I	-6225.2	2283.7	2838.2	13044.4	4390.2
5185.3		1.00							
548	MTY	INVSLU	1	I	-9037.4	2353.4	3358.5	4622.4	5205.6
11313.6		1.00							
548	MTZ	INVSLU	1	I	-9037.4	2353.4	3358.5	4622.4	5205.6
11313.6		1.00							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
548	AXL	INVSLU	1	I	-14492.1	-2382.9	-3361.8	-4560.4	-5210.8
-13122.9		1.00							
548	SHY	INVSLU	1	I	-14492.1	-2382.9	-3361.8	-4560.4	-5210.8
-13122.9		1.00							
548	SHZ	INVSLU	1	I	-14492.1	-2382.9	-3361.8	-4560.4	-5210.8
-13122.9		1.00							
548	TOR	INVSLV	1	I	-8316.8	-2304.6	-2840.5	-12976.6	-4393.8
-6072.4		1.00							
548	MTY	INVSLU	1	I	-14492.1	-2382.9	-3361.8	-4560.4	-5210.8
-13122.9		1.00							
548	MTZ	INVSLU	1	I	-14492.1	-2382.9	-3361.8	-4560.4	-5210.8
-13122.9		1.00							

[SECTION NAME : pulvino 640x270 (I/4) , SECTION ID : 55 , SECTION SHAPE : SB]
 [SECTION SIZE] H:2.7 B:6.4

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
------	-----	----	----	-------	---------	---------	---------	----------

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

MOMENT-z	LENGTH								
534 AXL	SLVz (RS)	1	I	1081.2	-57.8	-37.0	-115.0	-60.9	
685.5	0.95								
541 SHY	INVSLU	1	I	-9144.5	1971.5	655.1	1572.2	982.6	
8877.4	0.95								
541 SHZ	INVSLU	1	I	-9144.5	1971.5	655.1	1572.2	982.6	
8877.4	0.95								
541 TOR	INVSLU	1	I	-9144.5	1971.5	655.1	1572.2	982.6	
8877.4	0.95								
541 MTY	INVSLU	1	I	-9144.5	1971.5	655.1	1572.2	982.6	
8877.4	0.95								
541 MTZ	INVSLU	1	I	-9144.5	1971.5	655.1	1572.2	982.6	
8877.4	0.95								

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH							
541 AXL	INVSLU	1	I	-14549.2	-2018.8	-670.8	-1609.9	-1006.2
-12158.2	0.95							
541 SHY	INVSLU	1	I	-14549.2	-2018.8	-670.8	-1609.9	-1006.2
-12158.2	0.95							
541 SHZ	INVSLU	1	I	-14549.2	-2018.8	-670.8	-1609.9	-1006.2
-12158.2	0.95							
541 TOR	INVSLU	1	I	-14549.2	-2018.8	-670.8	-1609.9	-1006.2
-12158.2	0.95							
541 MTY	INVSLU	1	I	-14549.2	-2018.8	-670.8	-1609.9	-1006.2
-12158.2	0.95							
541 MTZ	INVSLU	1	I	-14549.2	-2018.8	-670.8	-1609.9	-1006.2
-12158.2	0.95							

[SECTION NAME : pila 590a (I/3) , SECTION ID : 56 , SECTION SHAPE : B]
 [SECTION SIZE] H:2.7 B:5.9 tw:1.06 tfl:0.4 C:0 tf2:0

** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH							
546 AXL	SLVx (RS)	1	I	762.7	-2137.5	-449.6	-7462.9	-1569.4
-8867.3	1.00							
546 SHY	INVSLV	1	I	-6662.6	2369.4	2868.7	13044.4	10113.2
9549.5	1.00							
547 SHZ	INVSLU	1	I	-9332.6	2353.4	3358.5	4622.4	8564.1
13602.6	1.00							
546 TOR	INVSLV	1	I	-6662.6	2369.4	2868.7	13044.4	10113.2
9549.5	1.00							
546 MTY	INVSLU	1	I	-9627.9	2353.4	3358.5	4622.4	11922.6
15894.7	1.00							
546 MTZ	INVSLU	1	I	-9627.9	2353.4	3358.5	4622.4	11922.6
15894.7	1.00							

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH							
546 AXL	INVSLU	1	I	-15082.6	-2382.9	-3361.8	-4560.4	-11934.4
-17762.7	1.00							
546 SHY	INVSLV	1	I	-8754.2	-2390.3	-2871.0	-12976.6	-10121.4

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

-10478.4	1.00								
547 SHZ	INVSLU	1	I	-14787.4	-2382.9	-3361.8	-4560.4	-8572.6	
-15441.5	1.00								
546 TOR	INVSLV	1	I	-8754.2	-2390.3	-2871.0	-12976.6	-10121.4	
-10478.4	1.00								
546 MTY	INVSLU	1	I	-15082.6	-2382.9	-3361.8	-4560.4	-11934.4	
-17762.7	1.00								
546 MTZ	INVSLU	1	I	-15082.6	-2382.9	-3361.8	-4560.4	-11934.4	
-17762.7	1.00								

[SECTION NAME : pila 590a (I/4) , SECTION ID : 57 , SECTION SHAPE : B]

[SECTION SIZE] H:2.7 B:5.9 tw:1.06 tf1:0.4 C:0 tf2:0

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
532 AXL	SLVz (RS)	1	I	1081.2	-44.2	23.8	-115.0	98.8
699.6	1.00							
539 SHY	INVSLU	1	I	-9735.0	1971.5	655.1	1572.2	2292.7
12684.0	1.00							
539 SHZ	INVSLV	1	I	-6737.0	1696.9	729.7	1286.1	2172.1
4606.3	1.00							
539 TOR	INVSLU	1	I	-9735.0	1971.5	655.1	1572.2	2292.7
12684.0	1.00							
539 MTY	INVSLU	1	I	-9735.0	1971.5	655.1	1572.2	2292.7
12684.0	1.00							
539 MTZ	INVSLU	1	I	-9735.0	1971.5	655.1	1572.2	2292.7
12684.0	1.00							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
539 AXL	INVSLU	1	I	-15139.7	-2018.8	-670.8	-1609.9	-2347.7
-15701.3	1.00							
539 SHY	INVSLU	1	I	-15139.7	-2018.8	-670.8	-1609.9	-2347.7
-15701.3	1.00							
539 SHZ	INVSLV	1	I	-8779.2	-1731.8	-741.3	-1314.0	-2212.7
-6289.3	1.00							
539 TOR	INVSLU	1	I	-15139.7	-2018.8	-670.8	-1609.9	-2347.7
-15701.3	1.00							
539 MTY	INVSLU	1	I	-15139.7	-2018.8	-670.8	-1609.9	-2347.7
-15701.3	1.00							
539 MTZ	INVSLU	1	I	-15139.7	-2018.8	-670.8	-1609.9	-2347.7
-15701.3	1.00							


[SECTION NAME : Pulvino BP3 340 x 1430 , SECTION ID : 58]

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
1166 AXL	SLVz (RS)	1	I	1198.5	-140.2	-238.8	640.3	-834.4
3395.0	1.00							
1166 SHY	INVSLV	1	I	-9379.3	2898.0	3205.7	4738.7	11117.6
17472.5	1.00							
1166 SHZ	INVSLV	1	I	-9379.3	2898.0	3205.7	4738.7	11117.6
17472.5	1.00							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

1166 TOR	INVSLV	1	I	-9379.3	2898.0	3205.7	4738.7	11117.6
17472.5	1.00							
1166 MTY	INVSLV	1	I	-9379.3	2898.0	3205.7	4738.7	11117.6
17472.5	1.00							
1166 MTZ	INVSLU	1	I	-14267.2	484.3	321.7	2159.4	2680.0
20666.8	1.00							

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH							
1166 AXL	INVSLU	1	I	-17116.7	-497.7	-313.1	-2101.1	-284.9
2099.4	1.00							
1166 SHY	INVSLV	1	I	-12370.7	-2986.3	-3148.6	-4355.9	-8215.7
-9412.4	1.00							
1166 SHZ	INVSLV	1	I	-12370.7	-2986.3	-3148.6	-4355.9	-8215.7
-9412.4	1.00							
1166 TOR	INVSLV	1	I	-12370.7	-2986.3	-3148.6	-4355.9	-8215.7
-9412.4	1.00							
1166 MTY	INVSLV	1	I	-12370.7	-2986.3	-3148.6	-4355.9	-8215.7
-9412.4	1.00							
1166 MTZ	INVSLV	1	I	-12370.7	-2986.3	-3148.6	-4355.9	-8215.7
-9412.4	1.00							

[SECTION NAME : Pila BP3 , SECTION ID : 59]

** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH							
1152 AXL	SLVz (RS)	1	I	1198.5	-352.8	363.5	640.3	-3915.8
-3230.5	0.65							
1152 SHY	INVSLV	1	I	-13092.0	3579.7	4050.0	4738.7	62521.9
61648.0	0.65							
1152 SHZ	INVSLV	1	I	-13092.0	3579.7	4050.0	4738.7	62521.9
61648.0	0.65							
1152 TOR	INVSLV	1	I	-13092.0	3579.7	4050.0	4738.7	62521.9
61648.0	0.65							
1152 MTY	INVSLV	1	I	-13092.0	3579.7	4050.0	4738.7	62521.9
61648.0	0.65							
1152 MTZ	INVSLV	1	I	-13092.0	3579.7	4050.0	4738.7	62521.9
61648.0	0.65							

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH							
1152 AXL	INVSLU	1	I	-22128.9	-497.7	-313.1	-2101.1	-3747.9
-2516.8	0.65							
1152 SHY	INVSLV	1	I	-16083.5	-3667.9	-3992.9	-4355.9	-58843.5
-54789.0	0.65							
1152 SHZ	INVSLV	1	I	-16083.5	-3667.9	-3992.9	-4355.9	-58843.5
-54789.0	0.65							
1152 TOR	INVSLV	1	I	-16083.5	-3667.9	-3992.9	-4355.9	-58843.5
-54789.0	0.65							
1152 MTY	INVSLV	1	I	-16083.5	-3667.9	-3992.9	-4355.9	-58843.5
-54789.0	0.65							
1152 MTZ	INVSLV	1	I	-16083.5	-3667.9	-3992.9	-4355.9	-58843.5
-54789.0	0.65							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

[SECTION NAME : pila 560 (I/4) , SECTION ID : 60 , SECTION SHAPE : B]
 [SECTION SIZE] H:2.9 B:5.6 tw:0.66 tf1:0.4 C:0 tf2:0

** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
647 AXL	SLVz (RS)	1 I	1081.2	-78.2	-31.5	-115.0	-138.2
-421.6	1.00						
654 SHY	INVSLV	1 I	-10449.1	2032.0	1371.7	1286.1	23946.1
42742.9	1.00						
654 SHZ	INVSLV	1 I	-10449.1	2032.0	1371.7	1286.1	23946.1
42742.9	1.00						
659 TOR	INVSLU	1 I	-13522.6	1971.5	655.1	1572.2	12773.8
43259.5	1.00						
654 MTY	INVSLV	1 I	-10449.1	2032.0	1371.7	1286.1	23946.1
42742.9	1.00						
654 MTZ	INVSLU	1 I	-14746.4	1971.5	655.1	1572.2	16049.1
52938.1	1.00						

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
654 AXL	INVSLU	1 I	-20151.1	-2018.8	-670.8	-1609.9	-16433.9
-56952.6	1.00						
654 SHY	INVSLV	1 I	-12491.3	-2066.9	-1383.3	-1314.0	-24230.3
-45159.0	1.00						
654 SHZ	INVSLV	1 I	-12491.3	-2066.9	-1383.3	-1314.0	-24230.3
-45159.0	1.00						
660 TOR	INVSLU	1 I	-18682.5	-2018.8	-670.8	-1609.9	-12409.3
-45114.0	1.00						
654 MTY	INVSLV	1 I	-12491.3	-2066.9	-1383.3	-1314.0	-24230.3
-45159.0	1.00						
654 MTZ	INVSLU	1 I	-20151.1	-2018.8	-670.8	-1609.9	-16433.9
-56952.6	1.00						


REACTION FORCES & MOMENTS DEFAULT PRINTOUT.
 kN , m

Unit System :

Node	LC	FX	FY	FZ	MX	MY
MZ						
553	C1-C2;~1	Max	249.2	60.8	3257.0	1752.4
435.2		Min	-296.7	-72.4	-359.7	-3232.1
-365.5						-3113.9
	C3-C4;~1	Max	252.6	61.7	3264.3	2918.2
443.1		Min	-302.1	-73.8	-369.3	-2135.4
-370.5						-3806.6
	C1-C2;~2	Max	133.9	32.7	1652.6	809.4
230.0						1920.7

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
-196.4	Min	-156.8	-38.3	-195.5	-1666.5	-1554.0
233.6	C3-C4;~2 Max	135.8	33.2	1656.0	1431.0	1473.5
-199.2	Min	-159.2	-38.9	-201.4	-1068.8	-1937.7
3514.7	SLVx (RS)	2569.6	577.5	471.1	-8493.3	26023.7
2322.8	SLVy (RS)	-1760.5	-631.6	-350.6	6571.9	-17542.7
2647.6	SLDx (RS)	1937.0	431.6	352.3	-6387.7	19615.4
1707.6	SLDy (RS)	-1294.8	-461.3	-257.3	4819.1	-12903.5
452.3	SLVz (RS)	-325.0	-210.8	-888.5	1789.7	-3289.7
121.2	G1	-82.6	-20.2	6889.9	320.9	-876.3
44.4	G2	-30.3	-7.4	1834.7	120.1	-323.2
-23.1	G1-Imp~1	15.7	3.8	0.5	-59.7	165.6
-7.3	G2-Imp~1	4.9	1.2	0.2	-19.2	52.5
-122.6	q3	83.6	20.4	-5.2	-356.1	912.7
2.2	q4-1	-1.5	-0.4	1.0	6.3	-16.0
2.9	q4-2	-1.9	-0.5	1.6	7.2	-20.4
-3.1	q4-3	2.1	0.5	1.2	-8.9	23.0
-17.8	q4-4	12.1	3.0	-0.9	-40.4	122.9
62.7	q4-5	-42.7	-10.4	-4.9	185.9	-470.0
240.5	q4-6	-163.9	-40.0	6.2	789.9	-1866.9
-70.3	q4-7	47.9	11.7	19.1	-214.1	531.6
1179.1	q5 - p~1	-803.9	-196.3	-53.5	3450.6	-8801.5
640.7	q5 - p~2	-436.8	-106.6	16.9	1851.6	-4762.7
1116.1	q5 - p~3	-760.9	-185.8	-51.4	3206.8	-8281.2
606.2	q5 - p~4	-413.3	-100.9	15.6	1637.2	-4410.6
0.0	q5 - p~5	0.0	0.0	0.0	0.0	0.0
0.0	q5 - p~6	0.0	0.0	0.0	0.0	0.0
-310.4	q7	211.6	51.7	4.5	-829.1	2250.8
-9.1	T	6.2	1.5	-1.6	-9.1	53.2
48.1	M. tor~1	-32.8	-8.0	-27.7	367.9	-548.5
28.4	M. tor~2	-19.4	-4.7	-16.4	217.5	-324.3
2178.5	INVSLU Max	1204.7	294.1	16235.2	7540.5	13728.3
1767.0	Min	-1485.3	-362.6	11231.1	-6986.5	-16400.8

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

4482.5	INVS LV	Max	3103.1	845.5	9860.2	11363.9	31292.1	
4212.0		Min	-3287.4	-890.6	7590.2	-10639.7	-33254.8	-
1490.3	INVS LE	Max	808.3	197.3	12022.6	5356.1	9252.5	
1185.5		Min	-1016.1	-248.1	8322.8	-4945.8	-11232.1	-
615	C1-C2;~1	Max	200.9	15.9	3384.9	559.7	5810.9	
140.0		Min	-192.3	-16.7	-473.6	-1086.5	-4189.3	
-146.3								
135.1	C3-C4;~1	Max	201.4	15.4	3393.3	897.7	4843.7	
-146.7		Min	-185.6	-16.7	-484.3	-726.8	-5257.4	
74.7	C1-C2;~2	Max	104.7	8.5	1703.2	264.4	2913.1	
-76.2		Min	-102.5	-8.7	-239.7	-553.7	-2098.9	
72.4	C3-C4;~2	Max	105.0	8.2	1707.2	447.7	2427.6	
-76.5		Min	-99.4	-8.7	-246.0	-355.7	-2653.1	
1806.1	SLVx (RS)		2751.3	-516.3	581.5	6649.0	54913.4	-
633.9	SLVy (RS)		-1007.3	-999.1	306.0	13316.4	-19340.1	
1292.6	SLDx (RS)		1978.8	-382.9	434.2	4968.9	39352.7	-
447.1	SLDy (RS)		-717.0	-744.3	216.4	9944.3	-13694.8	
137.9	SLVz (RS)		-261.5	-168.7	-772.8	-1647.5	-4228.0	
-27.3	G1		37.5	-3.1	8525.8	-4.6	964.7	
-10.0	G2		13.7	-1.1	1845.8	-1.7	353.3	
5.8	G1-Imp~1		-8.0	0.7	-0.5	-8.4	-165.8	
1.8	G2-Imp~1		-2.5	0.2	-0.2	-2.6	-52.0	
-103.6	q3		142.3	-11.8	27.1	149.2	2934.2	
0.9	q4-1		-1.3	0.1	-2.8	-4.5	-12.6	
-4.5	q4-2		6.2	-0.5	-4.1	3.2	141.5	
-7.5	q4-3		10.3	-0.9	-3.8	13.6	200.5	
28.9	q4-4		-39.7	3.3	-1.6	-31.2	-865.2	
98.8	q4-5		-135.7	11.3	8.6	-106.2	-2958.0	
-38.7	q4-6		53.2	-4.4	7.7	55.6	1098.1	
-56.2	q4-7		77.2	-6.4	-2.8	79.1	1600.9	
	q5 - p~1		-1332.3	110.5	17.1	-1227.5	-28222.8	


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
970.2	q5 - p~2	49.9	-4.1	121.6	99.6	822.3
-36.3	q5 - p~3	-1262.3	104.7	13.1	-1204.3	-26558.3
919.2	q5 - p~4	46.7	-3.9	115.3	70.5	869.3
-34.0	q5 - p~5	0.0	0.0	0.0	0.0	0.0
0.0	q5 - p~6	0.0	0.0	0.0	0.0	0.0
0.0	q7	250.4	-20.8	9.9	294.5	5025.0
-182.3	T	-3.6	0.3	0.5	-4.0	-72.9
2.6	M. tor~1	32.4	-2.7	38.3	126.8	261.3
-23.6	M. tor~2	19.1	-1.6	22.7	75.0	154.5
-13.9						
1441.5	INVSLU Max	2092.6	164.1	18691.7	2390.4	45307.8
1523.8	Min	-1979.6	-173.5	13237.1	-2597.8	-41986.3
						-
2008.0	INVSLV Max	3172.6	1201.3	11410.0	15788.0	63084.0
2067.2	Min	-3091.3	-1208.0	9331.9	-15822.6	-60883.6
						-
965.8	INVSLE Max	1410.1	110.0	13837.6	1637.1	30615.3
1026.8	Min	-1326.3	-116.9	9813.3	-1842.8	-28154.9
						-
649	C1-C2;~1 Max	87.6	38.0	3409.6	1966.8	4264.4
343.3	Min	-84.5	-40.4	-517.8	-1146.1	-2459.9
-294.2						
283.8	C3-C4;~1 Max	79.4	32.5	3418.0	1404.0	3022.0
-285.4	Min	-71.6	-36.1	-530.7	-1640.3	-3500.6
169.0	C1-C2;~2 Max	42.3	18.6	1713.0	938.5	2025.5
-147.1	Min	-41.8	-19.7	-257.0	-522.1	-1123.1
139.3	C3-C4;~2 Max	38.8	15.5	1717.0	655.6	1402.3
-145.4	Min	-34.6	-17.6	-264.1	-769.0	-1634.1
7462.9	SLVx (RS)	2111.9	-1192.6	-762.7	26773.2	46983.7
0740.0	SLVy (RS)	-1429.4	-2600.8	-185.8	58255.5	-31965.1
						-1
5227.3	SLDx (RS)	1476.4	-829.0	-568.4	18565.0	32735.5
6313.4	SLDy (RS)	-881.9	-1516.1	-137.2	33627.2	-19552.4
						-
105.6	SLVz (RS)	137.2	-92.4	-758.0	707.3	1427.3
	G1	9.9	-3.6	9318.7	216.3	521.3


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
-16.9	G2	3.6	-1.3	1829.2	79.0	190.7	
-6.5	G1-Imp~1	-2.6	1.2	0.5	-30.3	-68.0	
-7.7	G2-Imp~1	-1.0	0.4	0.2	-11.5	-25.1	
-2.9	q3	-279.2	-632.6	-17.7	14571.8	-6455.1	-
1160.7	q4-1	66.1	46.3	0.8	-1017.8	1630.8	
210.1	q4-2	84.9	69.2	-0.8	-1557.4	2041.6	
189.0	q4-3	-4.2	65.8	0.9	-1565.7	-205.5	
-115.5	q4-4	-136.3	57.7	4.4	-1514.7	-3546.3	
-38.0	q4-5	-33.4	-52.6	-1.3	1189.8	-822.2	
23.6	q4-6	-4.2	-103.1	-6.4	2414.3	-14.4	
-166.4	q4-7	-7.2	-89.6	-2.9	2098.3	-94.8	
-147.9	q5 - p~1	-1486.8	649.0	68.7	-16810.1	-38320.2	-
1051.0	q5 - p~2	-1148.4	-2072.4	-33.1	47636.0	-26760.9	-
3071.2	q5 - p~3	-1408.5	615.6	61.3	-15848.0	-36095.7	
-988.9	q5 - p~4	-1088.6	-1962.9	-34.8	45129.4	-25344.1	-
2917.4	q5 - p~5	0.0	0.0	0.0	0.0	0.0	
0.0	q5 - p~6	0.0	0.0	0.0	0.0	0.0	
0.0	q7	-193.6	-318.9	-8.7	7288.1	-4597.4	
-994.5	T	0.3	-0.2	-0.3	11.6	22.9	
-2.8	M. tor~1	-146.1	-461.1	-10.3	10517.9	-3608.4	-
1602.7	M. tor~2	-86.4	-272.6	-6.1	6218.3	-2133.4	
-947.6							
4560.4	INVSLU Max	2183.7	2965.2	19726.8	69311.4	57730.0	
4622.3	Min	-2156.0	-2975.5	14272.1	-68398.3	-55530.6	-
2976.6	INVSLV Max	2591.8	2983.0	12194.3	66753.1	57620.3	1
3044.4	Min	-2571.9	-2989.6	10102.7	-66246.2	-56382.5	-1
3054.1	INVSLE Max	1461.1	1978.3	14607.9	46328.2	38753.9	
3186.1	Min	-1440.6	-1986.0	10576.5	-45651.8	-37124.7	-
662	C1-C2;~1 Max	72.8	62.5	3383.5	4140.9	2737.0	
74.0	Min	-69.7	-65.3	-471.1	-2288.8	-1847.7	
-70.8							
	C3-C4;~1 Max	70.1	59.8	3391.9	3002.1	2235.0	

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		
71.2							
-67.8	Min	-66.7	-62.8	-482.4	-3193.5	-2371.1	
	C1-C2;~2	Max	36.7	32.8	1702.5	2030.1	1347.9
37.3		Min	-36.6	-32.9	-239.0	-1068.0	-893.3
-37.2							
	C3-C4;~2	Max	35.7	30.9	1706.5	1467.6	1100.2
36.3		Min	-34.4	-32.1	-245.6	-1523.0	-1170.9
-35.0							
	SLVx (RS)		1549.5	-1124.4	-478.1	26187.3	35115.1
1067.8							
	SLVy (RS)		901.1	-1358.8	-270.7	28039.6	18825.9
710.4							
	SLDx (RS)		1084.9	-789.3	-355.3	18253.6	24394.3
742.4							
	SLDy (RS)		642.9	-956.4	-196.9	19626.6	13354.3
503.2							
	SLVz (RS)		122.3	-143.0	-796.5	-1088.7	-732.1
-63.8							
	G1		12.1	-10.8	9950.0	776.7	598.4
12.3							
	G2		4.4	-4.0	1848.5	282.6	218.1
4.5							
	G1-Imp~1		-2.0	1.8	-0.3	-43.4	-51.0
-2.1							
	G2-Imp~1		-0.8	0.7	-0.1	-16.0	-18.9
-0.8							
	q3		-113.7	102.0	-17.5	-2931.7	-3130.9
-115.6							
	q4-1		61.7	-55.3	-7.7	1554.6	1678.0
62.7							
	q4-2		-8.2	7.3	2.0	-260.5	-253.6
-8.3							
	q4-3		-95.6	85.7	6.3	-2548.5	-2679.8
-97.2							
	q4-4		-21.5	19.3	-1.4	-603.6	-620.4
-21.9							
	q4-5		3.6	-3.2	-3.9	87.8	96.2
3.7							
	q4-6		0.9	-0.8	-3.5	33.8	30.3
0.9							
	q4-7		0.3	-0.3	-3.8	16.4	13.1
0.3							
	q5 - p~1		-1066.4	956.2	65.3	-28174.8	-29750.5
1083.9							
	q5 - p~2		146.8	-131.6	-95.6	4122.4	4234.3
149.2							
	q5 - p~3		-1010.4	906.0	58.9	-26537.0	-28097.7
1027.0							
	q5 - p~4		139.2	-124.8	-87.5	3796.7	3951.6
141.5							
	q5 - p~5		0.0	0.0	0.0	0.0	0.0
0.0							
	q5 - p~6		0.0	0.0	0.0	0.0	0.0
0.0							
	q7		-212.4	190.4	-0.6	-5363.5	-5783.8
-215.9							
	T		-0.4	0.3	1.6	17.6	5.6
-0.4							
	M. tor~1		-27.8	24.9	-32.7	-712.8	-762.6
-28.2							
	M. tor~2		-16.4	14.7	-19.3	-421.4	-450.9

MIDAS


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E		

-16.7								
1609.8	INVSLU	Max	1583.9	1386.9	20593.6	43908.8	44978.1	
1572.1		Min	-1546.8	-1420.1	15188.8	-40524.4	-42723.4	-
1314.0	INVSLV	Max	1870.3	1726.7	12819.1	37222.3	41729.0	
1286.1		Min	-1842.9	-1751.3	10776.9	-35222.5	-40235.9	-
1078.4	INVSLE	Max	1061.0	926.7	15248.2	29577.6	30195.5	
1050.5		Min	-1033.5	-951.3	11257.2	-27070.7	-28525.4	-
694	C1-C2;~1	Max	41.0	104.8	3244.8	4238.1	1502.5	
120.9		Min	-59.6	-72.2	-356.8	-2581.7	-2541.4	
-175.5								
133.4	C3-C4;~1	Max	45.3	105.9	3253.1	3135.9	1785.0	
-177.3		Min	-60.2	-79.7	-366.2	-3415.5	-2349.7	
63.4	C1-C2;~2	Max	21.5	56.3	1647.1	2160.1	772.1	
-94.2		Min	-32.0	-37.8	-194.0	-1211.5	-1367.0	
70.6	C3-C4;~2	Max	23.9	56.1	1651.3	1582.1	933.2	
-93.9		Min	-31.9	-42.1	-199.7	-1653.9	-1256.4	
973.4	SLVx (RS)		887.3	1084.9	441.2	25790.2	17676.0	
941.2	SLVy (RS)		-974.2	-1182.4	182.1	29125.9	-20761.7	
695.8	SLDx (RS)		635.8	772.2	326.0	18050.5	12293.1	
672.3	SLDy (RS)		-693.1	-839.5	134.2	20393.9	-14597.3	
115.0	SLVz (RS)		-72.3	-123.2	-1081.2	1158.2	-401.6	
-82.1	G1		-27.9	49.1	11411.1	249.9	-1213.4	
-30.0	G2		-10.2	17.9	1827.0	91.7	-443.2	
22.3	G1-Imp~1		7.6	-13.3	-0.0	466.2	256.4	
8.1	G2-Imp~1		2.8	-4.9	-0.0	170.5	93.8	
-78.0	q3		-26.5	46.6	10.0	-1704.6	-889.3	
-55.7	q4-1		-18.9	33.3	16.2	-1265.3	-628.0	
-119.4	q4-2		-40.5	71.3	6.8	-2700.7	-1347.9	
-41.4	q4-3		-14.1	24.8	-4.0	-917.7	-470.6	
3.5	q4-4		1.2	-2.1	-1.0	62.9	41.8	
	q4-5		0.5	-0.8	1.2	29.8	15.4	

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1.4							
	q4-6		-0.1	0.3	1.3	-8.5	-5.0
-0.4							
	q4-7		-0.1	0.2	1.3	-5.5	-3.1
-0.3							
	q5 - p~1		-247.6	435.6	-36.7	-16044.6	-8296.5
-729.4							
	q5 - p~2		247.9	-436.2	-22.5	15968.9	8320.5
730.4							
	q5 - p~3		-234.5	412.7	-35.5	-15133.3	-7868.5
-691.0							
	q5 - p~4		235.2	-413.9	-18.2	14966.2	7920.3
693.0							
	q5 - p~5		0.0	0.0	0.0	0.0	0.0
0.0							
	q5 - p~6		0.0	0.0	0.0	0.0	0.0
0.0							
	q7		-48.3	85.0	-3.8	-3084.7	-1625.2
-142.3							
	T		0.8	-1.4	-1.1	47.0	26.5
2.3							
	M. tor~1		-55.2	97.0	31.8	-3213.8	-1897.1
-162.5							
	M. tor~2		-32.6	57.4	18.8	-1900.0	-1121.6
-96.1							
	INVS LU	Max	348.3	763.7	22296.9	26970.8	11395.7
1026.1							
		Min	-434.0	-612.8	17343.1	-23645.8	-15508.7
1278.8							
	INVS LV	Max	1234.4	1593.7	14506.2	38188.8	24878.5
1208.6							
		Min	-1289.8	-1496.0	11969.9	-36232.0	-27491.4
1372.0							
	INVS LE	Max	231.9	519.8	16513.9	18300.0	7563.0
683.2							
		Min	-295.4	-408.1	12849.1	-15837.1	-10609.6
-870.4							
	C1-C2;~1	Max	16.3	33.1	1786.5	3293.2	321.0
701							
43.9		Min	-9.4	-57.1	-286.3	-1188.0	-1915.1
-25.4							
	C3-C4;~1	Max	16.8	37.8	1785.9	2430.2	469.8
45.5							
		Min	-10.8	-59.2	-294.7	-1973.2	-1417.0
-29.0							
	C1-C2;~2	Max	8.8	17.4	1063.6	1790.5	161.7
23.8							
		Min	-4.9	-31.0	-155.5	-576.6	-1158.8
-13.4							
	C3-C4;~2	Max	9.1	20.2	1063.0	1283.0	244.4
24.6							
		Min	-5.7	-32.1	-160.6	-1056.6	-833.7
-15.5							
	SLVx (RS)		1296.1	1510.1	330.5	-45486.0	34530.3
-698.1							
	SLVy (RS)		-794.4	-1269.0	146.1	34625.0	-22871.2
680.2							
	SLDx (RS)		922.8	1063.1	243.2	-31746.6	24063.5

MIDAS


PROJECT TITLE :

	Company				Client
	Author				File Name
					PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

-490.4	SLDy (RS)	-566.6	-906.4	106.0	24212.9	-16131.2
484.4	SLVz (RS)	456.1	-287.3	-626.5	2553.3	4596.3
-110.6	G1	9.3	-32.8	8984.9	1010.5	-857.6
25.2	G2	3.4	-12.0	558.0	369.3	-313.3
9.2	G1-Imp~1	-2.8	9.8	1476.1	15.7	1008.9
-7.5	G2-Imp~1	-1.0	3.6	540.0	5.8	369.1
-2.8	q3	-3.7	13.0	-7.4	-542.1	-117.2
-10.0	q4-1	-47.6	167.4	-7.2	-6819.1	-1646.5
-128.6	q4-2	-14.7	51.8	-5.0	-2101.6	-509.9
-39.8	q4-3	0.9	-3.1	-0.4	102.7	38.8
2.4	q4-4	0.8	-2.7	0.2	107.5	27.3
2.1	q4-5	-0.1	0.4	-0.2	-14.1	-4.1
-0.3	q4-6	-0.2	0.6	-0.3	-21.8	-5.6
-0.4	q4-7	-0.1	0.4	-0.3	-17.2	-4.4
-0.3	q5 - p~1	-31.3	110.1	-39.5	-4675.9	-985.1
-84.6	q5 - p~2	121.3	-426.4	30.5	17299.9	4208.0
327.6	q5 - p~3	-29.7	104.3	-31.7	-4422.1	-941.8
-80.2	q5 - p~4	114.8	-403.5	27.2	16283.3	4015.3
310.0	q5 - p~5	0.0	0.0	0.0	0.0	0.0
0.0	q5 - p~6	0.0	0.0	0.0	0.0	0.0
0.0	q7	-4.2	14.9	-4.4	-650.2	-127.4
-11.4	T	-0.3	1.0	0.1	-42.7	-9.3
-0.8	M. tor~1	-57.5	202.2	-15.9	-7611.3	-2205.2
-155.4	M. tor~2	-34.0	119.6	-9.4	-4499.9	-1303.7
-91.9						
	INVSLU Max	196.8	595.3	18052.1	28764.6	6639.1
531.5	Min	-169.4	-691.7	15171.2	-24341.1	-7314.4
-457.4						
	INVSLV Max	1680.1	1945.5	12328.5	58040.7	42977.6
959.5	Min	-1662.3	-2008.4	10789.6	-55238.1	-42563.4
-911.2						
	INVSLE Max	133.0	412.6	13369.3	19500.7	4472.3
359.3	Min	-117.4	-467.6	11240.6	-16880.0	-5128.5
-317.0						

MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E			
1109	C1-C2;~1	Max	135.0	69.5	1789.4	6547.6	600.4
445.7		Min	-108.8	-56.0	-284.7	-540.8	-4937.2
-553.2							
	C3-C4;~1	Max	137.7	70.8	1789.1	7911.8	625.6
451.1		Min	-110.1	-56.6	-292.0	-577.5	-5464.7
-564.1							
	C1-C2;~2	Max	71.6	36.8	1065.6	3763.3	322.5
239.7		Min	-58.5	-30.1	-154.6	-293.0	-2931.1
-293.4							
	C3-C4;~2	Max	72.9	37.5	1065.5	4645.5	330.9
243.2		Min	-59.3	-30.5	-159.1	-309.6	-3274.5
-298.7							
	SLVx (RS)		3174.8	2397.0	-497.0	-38220.6	48551.2
3457.3							-
	SLVy (RS)		-1596.1	-2727.9	493.8	43888.7	-25476.4
2993.0							
	SLDx (RS)		2371.6	1803.4	362.8	-28786.8	36306.2
2597.8							-
	SLDy (RS)		-1196.3	-2026.9	357.7	32624.6	-19086.7
2202.6							
	SLVz (RS)		301.7	406.9	-1198.5	-4163.7	-2904.0
-640.3							
	G1		41.7	21.4	8046.5	6198.8	-4083.7
-170.8							
	G2		15.3	7.9	561.5	2349.1	-1557.5
-62.6							
	G1-Imp~1		-7.8	-4.0	4494.5	-3462.9	4171.5
32.0							
	G2-Imp~1		-2.5	-1.3	1485.2	-1195.1	1355.2
10.0							
	q3		-2.7	-1.4	6.9	57.8	-69.5
10.9							
	q4-1		-0.1	-0.1	-0.3	-0.1	-1.2
0.5							
	q4-2		-0.5	-0.3	-0.4	3.4	-7.5
2.0							
	q4-3		-1.1	-0.6	-0.3	11.3	-19.7
4.7							
	q4-4		-0.6	-0.3	0.3	8.1	-11.9
2.5							
	q4-5		13.9	7.1	0.6	-152.0	249.7
-56.9							
	q4-6		-13.0	-6.7	-5.0	134.0	-224.0
53.3							
	q4-7		-195.3	-100.5	-10.5	2326.1	-3582.8
800.2							
	q5 - p~1		63.0	32.4	-21.5	-753.4	1193.5
-258.0							
	q5 - p~2		-255.4	-131.4	-17.7	2958.8	-4646.9
1046.6							
	q5 - p~3		59.3	30.5	-14.7	-695.5	1110.4
-243.1							
	q5 - p~4		-242.2	-124.6	-17.5	2721.5	-4372.2
992.5							
	q5 - p~5		0.0	0.0	0.0	0.0	0.0
0.0							
	q5 - p~6		0.0	0.0	0.0	0.0	0.0
0.0							
	q7		-4.3	-2.2	3.0	60.6	-87.1

MIDAS

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

17.5	T		-3.0	-1.6	0.8	40.6	-59.0	
12.5	M. tor~1		286.8	147.6	16.5	-3128.5	5145.3	-
1175.1	M. tor~2		169.5	87.2	9.8	-1849.6	3042.0	
-694.7								
2101.1	INVSLU	Max	527.0	271.2	22129.1	18624.3	6893.0	
2159.4		Min	-512.8	-263.9	19279.4	721.9	-13636.7	-
4355.9	INVSLE	Max	3790.9	3593.1	16083.5	60493.9	56950.8	
4738.7		Min	-3697.4	-3545.0	13092.0	-52714.2	-57179.8	-
1487.4	INVSLE	Max	363.6	187.1	16390.5	13601.3	4624.0	
1490.1		Min	-363.0	-186.8	14282.4	834.4	-9795.4	-

SUMMATION OF REACTION FORCES

LC	SUM-FX	SUM-FY	SUM-FZ
SLVx (RS)	8642.0	-3598.8	1717.2
SLVy (RS)	-3882.5	-6340.3	-542.1
SLDx (RS)	6324.0	-2614.5	1281.5
SLDy (RS)	-2802.9	-4479.0	-401.1
SLVz (RS)	924.9	-539.1	-4937.2
G1	-0.0	0.0	63126.8
G2	-0.0	0.0	10304.7
G1-Imp~1	0.0	-0.0	5970.8
G2-Imp~1	0.0	-0.0	2025.3
q3	-199.9	-463.8	-3.7
q4-1	58.4	191.3	-0.0
q4-2	25.2	198.4	-0.0
q4-3	-101.7	172.2	0.0
q4-4	-184.1	78.2	0.0
q4-5	-194.1	-48.3	0.0
q4-6	-127.4	-154.2	-0.0


PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

q4 - 7	-77.3	-184.5	-0.0
q5 - p~1	-4905.4	2097.5	-0.0
q5 - p~2	-1274.7	-3308.8	0.0
q5 - p~3	-4647.0	1988.0	-0.0
q5 - p~4	-1208.1	-3134.6	0.0
q5 - p~5	0.0	0.0	0.0
q5 - p~6	0.0	0.0	0.0
q7	-0.8	0.2	-0.0
T	0.0	-0.0	-0.0
M. tor~1	-0.1	-0.0	-0.0
M. tor~2	-0.1	-0.0	-0.0

MIDAS

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E

REACTION FORCES & MOMENTS LOCAL PRINTOUT.
kN , m

Unit System :

Node	LC	FX	FY	FZ	MX	MY
MZ						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_E